

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	2.58	(0.16)	46,720	2.72	MCOT	8.15	(0.15)	2,130	8.18
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	1.04	0.01	85,713	1.02
SAFARI	-	-	-	-	DIF	17.00	0.10	94,125	16.90	MPIC	-	-	-	-
VI	-	-	-	-	DTAC	39.25	0.25	70,275	38.85	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	6.20	(0.20)	634	6.25	PLANB	5.90	(0.10)	285,889	5.89
WR	-	-	-	-	HUMAN	7.05	-	1,659	7.04	POST	1.74	(0.01)	5	1.71
Agribusiness					ILINK	3.72	(0.10)	2,916	3.75	PRAKIT	10.70	0.10	28	10.64
CHOTI	69.25	(0.50)	4	69.44	INET	2.26	(0.02)	1,884	2.26	SE-ED	1.58	(0.02)	1,327	1.59
EE	0.53	(0.01)	17,697	0.53	INTUCH	59.25	1.75	128,993	58.02	SPORT	0.08	(0.02)	5,270	0.08
GPPT	11.30	0.20	10,194	11.16	JAS	5.45	0.05	221,140	5.39	TBSP	-	-	-	-
LEE	2.08	(0.02)	1,136	2.08	JASIF	9.55	(0.05)	48,252	9.57	TH	0.58	(0.01)	1,071	0.58
NER	2.64	0.02	35,008	2.62	JMART	9.50	0.20	37,597	9.33	TKS	6.25	-	6,884	6.27
PPPM	0.42	-	1,985	0.42	JTS	1.02	-	9	1.00	VGI	8.15	(0.15)	341,394	8.07
STA	12.70	0.40	68,987	12.48	MFEC	3.48	0.02	1,274	3.47	WAVE	1.07	-	974	1.07
TRUBB	0.59	-	1,394	0.58	MSC	5.45	(0.05)	970	5.40	WORK	11.30	(0.30)	8,210	11.35
TWPC	3.82	(0.08)	875	3.82	PT	5.30	0.10	2,530	5.24	Finance & Securities	-	-	-	-
UPOIC	-	-	-	-	SAMART	7.95	0.05	44,647	7.80	AEC	0.29	0.01	24,345	0.31
UVAN	5.35	-	1,392	5.31	SAMTEL	7.45	-	2,121	7.34	AEONTS	162.00	0.50	2,172	160.34
VPO	0.57	-	5,164	0.56	SDC	0.17	0.01	3,621	0.16	AMANAHA	3.98	-	240,288	3.93
Banking					SIS	8.15	-	1,526	8.13	ASAP	1.77	-	640	1.77
BAY	28.25	-	1,992	28.01	SVOA	0.96	0.01	6,215	0.95	ASK	25.50	-	3,902	25.13
BBL	142.00	2.00	42,471	141.22	SYMC	2.50	-	297	2.43	ASP	1.72	(0.01)	29,566	1.70
CIMBT	0.55	(0.01)	14,975	0.54	SYNEX	6.45	0.10	10,382	6.43	BAM	29.25	1.75	1,184,142	28.21
KBANK	134.50	0.50	74,233	133.87	THCOM	3.84	0.04	7,291	3.79	BFIT	41.75	2.50	46,392	40.47
KKP	68.75	0.25	17,881	68.59	TRUE	3.70	(0.04)	762,954	3.69	CGH	0.80	-	90,026	0.80
KTB	15.80	(0.10)	384,593	15.79	TWZ	0.07	(0.01)	380,640	0.07	CNS	2.48	-	7,835	2.48
LHFG	1.34	-	29,456	1.33	Electronic Componer	-	-	-	-	ECL	1.02	(0.03)	14,645	1.02
SCB	97.50	(0.25)	204,898	97.37	CCET	1.83	(0.01)	6,087	1.83	FNS	2.06	(0.04)	642	2.03
TCAP	55.50	(0.25)	48,820	55.43	DELTA	57.25	0.50	8,807	57.17	FSS	1.20	-	1,474	1.19
TISCO	102.50	-	18,695	102.48	EIC	0.04	0.01	14	0.04	GBX	0.42	-	2,171	0.42
TMB	1.33	(0.01)	1,734,822	1.32	HANA	34.00	-	25,939	33.70	GL	4.06	0.02	13,153	4.03
Construction Materia					KCE	24.80	0.10	294,510	24.77	IFS	3.30	(0.02)	4,651	3.31
CCP	0.31	0.02	174,578	0.31	METCO	161.50	0.50	4	161.25	JMT	22.50	0.60	143,802	21.67
COTTO	1.30	(0.02)	1,220	1.30	NEX	2.76	(0.04)	15,379	2.76	KCAR	10.30	-	314	10.23
DCC	1.82	-	2,032	1.82	SMT	1.00	(0.02)	11,785	1.00	KGI	4.52	(0.04)	55,195	4.51
DCON	0.34	-	7,542	0.33	SVI	2.96	(0.02)	4,138	2.97	KTC	42.00	0.25	89,592	41.36
DRT	6.30	-	3,949	6.24	TEAM	0.76	-	3,222	0.76	MBKET	6.55	-	1,031	6.51
EPG	5.00	0.10	99,614	4.84	Energy & Utilities	-	-	-	-	MFC	15.00	-	176	14.99
GEL	0.13	-	2,806	0.13	7UP	0.44	-	16,057	0.43	ML	0.87	-	586	0.87
PPP	2.22	0.04	4,700	2.19	ABPIF	4.58	(0.06)	800	4.60	MTC	61.50	1.00	119,882	61.21
Q-CON	5.10	(0.10)	366	5.06	ACE	3.20	0.04	111,594	3.20	PE	-	-	-	-
RCI	3.26	(0.06)	400	3.27	AI	1.05	0.02	54,296	1.05	PL	2.66	-	526	2.67
SCC	350.00	(6.00)	41,024	349.33	AKR	0.61	0.01	4,549	0.60	S11	7.40	-	667	7.42
SCCC	176.00	0.50	705	175.75	BAFS	26.50	-	4,673	26.27	SAWAD	73.50	3.75	86,556	71.56
SCP	5.95	(0.10)	974	5.95	BANPU	9.10	(0.75)	1,075,245	9.15	THANI	5.70	0.10	65,991	5.63
SKN	2.00	0.01	2,700	1.99	BCP	26.50	(0.25)	39,621	26.42	TK	9.30	-	664	9.19
TASCO	22.10	0.20	120,076	22.09	BCPG	16.40	(0.10)	40,660	16.30	TNITY	3.84	-	665	3.84
TCMC	1.80	0.03	146	1.79	BGRIM	52.75	0.75	134,586	52.35	UOBKH	2.48	-	166	2.48
TOA	33.00	-	28,220	32.11	BPP	13.90	(0.70)	68,789	14.03	ZMICO	0.59	0.02	1,589	0.67
TPIPL	1.53	(0.04)	97,536	1.53	BRRGIF	8.30	-	144	8.28	Food & Beverage	-	-	-	-
UMI	0.62	(0.04)	1,753	0.63	CKP	4.12	0.02	94,427	4.08	APURE	0.70	-	5,614	0.68
VNG	3.64	-	717	3.61	DEMCO	2.48	(0.02)	10,843	2.43	ASIAN	4.00	0.04	1,788	3.97
WIJK	1.31	(0.03)	4,421	1.32	EA	47.00	1.00	83,467	46.66	BR	2.10	(0.08)	12,039	2.12
Petrochemicals & Ch					EASTW	11.40	(0.10)	11,874	11.47	BRR	3.66	(0.04)	93	3.63
BCT	42.00	-	417	41.76	EGATIF	13.00	0.10	15,420	12.98	CBG	83.00	(4.50)	121,166	83.41
CMAN	1.23	0.01	6,442	1.21	EGCO	289.00	(4.00)	19,360	288.12	CFRESH	1.49	0.01	1,366	1.49
GC	5.65	-	554	5.60	ESSO	6.95	(0.05)	114,701	6.95	CM	2.80	0.02	305	2.80
GGC	11.70	-	12,300	11.63	GPSC	74.75	1.75	201,990	73.83	CPF	29.75	1.00	652,345	28.96
GIFT	2.66	(0.02)	35,049	2.67	GULF	182.00	3.50	81,139	179.78	CPI	1.53	0.01	625	1.51
IVL	29.75	(0.25)	130,658	29.70	GUNKUL	2.60	-	88,568	2.60	F&D	-	-	-	-
NFC	1.98	(0.02)	6	1.99	IFEC	-	-	-	-	HTC	22.20	0.30	2,304	21.71
PATO	11.20	-	113	11.11	IRPC	2.68	(0.14)	2,993,204	2.68	ICHI	5.10	-	15,355	5.06
PMTA	-	-	-	-	LANNA	7.25	(0.10)	1,099	7.28	KBS	3.80	0.02	1,456	3.81
PTTGC	50.00	0.25	126,115	49.53	MDX	2.62	(0.02)	580	2.61	KSL	2.64	(0.04)	29,415	2.61
SUTHA	1.85	(0.09)	72	1.89	PRIME	0.36	-	58,931	0.36	KTIS	3.96	-	34	4.01
TCCC	20.10	-	32	20.10	PTG	16.00	-	116,639	15.90	LST	5.00	0.06	1,571	5.01
TPA	5.80	(0.05)	4	5.74	PTT	44.50	(0.25)	451,517	44.11	M	67.00	-	2,897	66.05
UAC	2.86	0.12	4,265	2.82	PTTEP	125.50	(0.50)	48,937	125.68	MALEE	6.55	(0.05)	354	6.41
UP	15.20	0.20	30	15.37	RATCH	63.25	-	40,356	63.14	MINT	32.00	0.50	73,045	31.81
VNT	24.40	0.20	2,545	24.22	RPC	0.57	(0.04)	37,010	0.58	OISHI	47.75	(0.25)	75	48.14
WG	-	-	-	-	SCG	3.86	0.10	224	3.87	OSP	43.75	0.75	108,329	42.94
YCI	-	-	-	-	SCI	1.51	(0.01)	2,339	1.49	PB	67.75	(0.25)	57	67.50
Commerce					SCN	1.85	-	3,043	1.85	PM	7.05	0.15	11,414	6.95
BEAUTY	2.36	(0.12)	1,508,731	2.40	SGP	8.75	0.05	32,965	8.73	PRG	11.70	(0.10)	102	11.74
BIG	0.58	(0.05)	228,108	0.59	SKE	0.72	0.01	701	0.71	RBF	4.92	-	219,596	4.91
BJC	38.50	-	47,730	38.39	SOLAR	1.46	(0.02)	925	1.46	SAPPE	17.40	0.40	2,093	17.20
COL	17.00	0.10	1,163	16.92	SPCG	19.40	(0.20)	5,228	19.41	SAUCE	22.50	(0.20)	51	22.51
COM7	24.80	-	158,975	24.81	SPRC	8.85	(0.15)	159,481	8.86	SFP	-	-	-	-
CPALL	70.75	0.25	160,535	70.49	SSP	7.30	0.05	3,199	7.27	SNP	12.50	(0.10)	5	12.62
CPW	1.64	0.06	32,397	1.61	SUPER	0.50	-	251,648	0.50	SORKON	46.75	-	2	46.75
CRC	41.25	(0.50)	389,662	41.66	SUPEREIF	11.40	0.10	10,493	11.39	SSC	33.00	(2.00)	2	33.00
CSS	1.33	-	19,337	1.33	SUSCO	2.80	0.04	11,208	2.77	SSF	5.70	0.05	10	5.68
DOHOME	8.85	(0.20)	96,916	8.88	TAE	3.06	0.02	31,035	3.03	SST	3.70	(0.02)	13	3.69
FN	1.02	(0.01)	9,675	1.01	TCC	0.22	-	3,414	0.21	TC	3.10	0.02	5	3.12
FTE	1.96	-	1,203	1.96	TOP	51.50	(0.25)	80,552	51.56	TFG	3.98	0.02	53,099	3.97
GLOBAL	13.30	(0.50)	97,819	13.30	TPIPP	4.56	(0.04)	41,440	4.56	TFMAMA	193.00	0.50	42	192.70
HMPRO	13.60	(0.30)	330,766	13.51	TSE	3.12	0.02	27,125	3.11	TIPCO	6.70	0.05	5,472	6.66
ILM	13.50	0.10	10,884	13.21	TTW	14.10	(0.30)	95,170	14.16	TKN	9.25	-	167,695	9.10
IT	2.64	(0.10)	253	2.69	WHAUP	4.92	0.04	14,230	4.87	TU	15.90	0.20	167,360	15.82
KAMART	3.84	(0.02)	9,163	3.79	WP	4.58	(0.10)	2,062	4.61	TVO	29.50	-	4,268	29.30
LOXLEY	1.25	(0.02)	11,472	1.25	Media & Publishing	-	-	-	-	ZEN	10.80	0.10	13,952	10.58
MAKRO	35.00	0.50	2,615	34.18	AMARIN	3.50	0.02	115	3.47	Health Care Services	-	-	-	-
MC	11.00	0.20	16,593	10.72	AQUA	0.42	-	40						

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NTV	49.50	0.50	72	49.00	BLAND	1.23	-	79,309	1.22	GYT	-	-	-	-
PR9	7.90	0.05	1,917	7.86	BROCK	1.61	(0.02)	736	1.61	HFT	3.10	-	3,305	3.08
PRINC	4.04	(0.06)	7,934	4.02	CGD	0.88	-	81,366	0.87	IHL	3.76	(0.02)	503	3.76
RAM	146.50	(0.50)	99	142.54	CI	0.82	(0.01)	4,033	0.82	INGRS	0.49	-	7,569	0.49
RJH	24.60	-	2,153	24.62	CPN	60.00	0.25	144,137	59.93	IRC	14.80	0.10	16	14.99
RPH	6.25	-	2,228	6.20	ESTAR	0.35	-	16,274	0.35	PCSGH	5.60	(0.05)	706	5.55
SKR	5.20	0.05	2,261	5.15	EVER	0.22	-	94,903	0.21	SAT	14.00	0.60	12,839	13.89
SVH	442.00	(4.00)	18	443.22	FPT	12.90	(0.10)	1,442	12.83	SPG	-	-	-	-
THG	23.20	(0.30)	12,748	23.14	GLAND	2.68	0.04	594	2.64	STANLY	158.00	(1.00)	104	158.19
VIBHA	1.57	(0.03)	46,634	1.57	GOLD	7.95	-	603	7.95	TKT	0.83	-	207	0.80
VIH	6.20	(0.05)	3,328	6.20	GREEN	0.74	(0.01)	103	0.75	TNPC	0.67	(0.01)	700	0.67
WPH	1.78	-	1,815	1.76	J	0.82	0.04	384	0.78	TRU	4.44	0.02	447	4.39
Tourism & Leisure					JCK	0.84	(0.02)	1,683	0.84	TSC	10.30	-	2	10.30
ASIA	5.15	-	77	5.15	KC	-	-	-	-	Industrial Materials				
CENTEL	20.90	(0.30)	37,083	20.74	KWG	1.42	(0.02)	35	1.40	ALLA	1.27	-	1,272	1.26
CSR	71.75	3.75	1	71.75	LALIN	5.10	-	1,979	5.05	ASEFA	3.34	-	982	3.32
DTC	8.95	(0.10)	485	8.94	LH	9.25	(0.10)	354,046	9.22	CPT	0.71	(0.01)	3,418	0.72
ERW	4.32	(0.02)	130,355	4.33	LPN	5.30	-	63,092	5.27	CRANE	1.64	-	7	1.64
GRAND	0.67	0.01	1,237	0.67	MBK	20.10	-	3,242	20.22	CTW	5.05	-	16	4.97
LRH	38.50	0.25	5	38.50	MJD	2.80	(0.02)	780	2.78	FMT	-	-	-	-
MANRIN	31.00	1.50	1	31.00	MK	3.06	-	4,273	3.05	HTECH	2.34	(0.10)	5,851	2.40
OHTL	-	-	-	-	NCH	0.70	(0.01)	8	0.70	KKC	0.64	-	121	0.63
ROH	-	-	-	-	NNCL	2.16	-	2,928	2.16	PK	0.97	(0.03)	629	0.98
SHANG	69.50	2.00	1	69.50	NOBLE	16.00	(0.20)	7,273	16.15	SNC	9.45	0.05	2,152	9.42
SHR	2.36	-	159,524	2.36	NUSA	0.50	-	17,881	0.50	STARK	2.20	0.02	4,156	2.17
VRANDA	6.55	-	2,223	6.52	NVD	1.68	(0.02)	1,079	1.69	TCJ	3.22	0.04	2	3.22
Home & Office Prod.					ORI	6.05	0.05	25,172	6.01	VARO	-	-	-	-
ACC	0.68	-	2,345	0.68	PACE	0.07	-	7,828	0.07	Property Fund & REIT				
AJA	0.24	(0.01)	81,491	0.24	PF	0.79	-	28,155	0.79	AIMCG	7.85	(0.15)	6,083	7.90
DTCI	-	-	-	-	PLAT	3.82	0.04	4,039	3.79	AIMIRT	13.80	-	1,034	13.74
FANCY	0.47	0.03	4,623	0.47	POLAR	-	-	-	-	AMATAR	11.90	0.20	734	11.78
KYE	298.00	3.00	7	295.43	PRECHA	1.02	-	556	0.95	B-WORK	12.60	0.10	1,071	12.40
L&E	2.04	-	2,430	2.01	PRIN	1.50	(0.01)	39,583	1.52	BKER	9.35	(0.05)	591	9.30
MODERN	2.36	(0.02)	975	2.36	PSH	15.00	0.20	46,319	15.04	BKKCP	13.40	(0.10)	78	13.49
OGC	24.50	-	78	24.57	QH	2.52	0.02	131,729	2.52	BOFFICE	16.30	(0.50)	266	16.75
ROCK	-	-	-	-	RICHY	0.85	-	768	0.83	CPNGG	12.20	0.10	2,187	12.16
SIAM	1.59	(0.02)	455	1.57	RML	0.80	(0.01)	7,588	0.80	CPNREIT	34.50	(0.50)	32,356	34.57
TSR	2.20	0.02	853	2.16	ROJNA	5.00	(0.05)	33,811	5.00	CPTGF	13.10	(0.10)	2,001	13.10
Insurance					S	2.32	-	14,121	2.30	CTARAF	5.60	0.05	3,900	5.55
AYUD	39.00	-	20	38.93	SAMCO	1.55	0.01	1,159	1.53	DREIT	6.15	(0.10)	150	6.15
BKI	262.00	(5.00)	160	263.89	SC	2.42	(0.02)	25,484	2.43	ERWPF	5.00	-	399	4.99
BLA	18.30	-	7,244	18.09	SENA	2.60	(0.02)	5,589	2.58	FTREIT	16.40	0.20	15,542	16.26
BUI	-	-	-	-	SF	5.40	-	4,891	5.36	FUTUREPF	24.70	(0.10)	661	24.76
CHARAN	18.90	0.90	35	18.67	SIRI	1.00	-	127,831	1.00	GAHREIT	9.20	0.05	10	9.20
INSURE	-	-	-	-	SPALI	17.10	0.10	28,080	17.02	GLANDRT	13.20	-	45,972	13.15
MTI	79.00	(1.00)	63	78.01	U	1.58	(0.03)	124,048	1.58	GOLDPF	7.00	-	285	7.00
NKI	-	-	-	-	UV	3.70	(0.04)	33,198	3.65	GVREIT	17.00	(0.90)	62	17.07
NSI	60.00	-	35	60.00	WHA	3.34	0.02	621,271	3.29	HPF	4.88	-	1,000	4.88
SEG	34.75	-	5	34.75	WIN	0.40	-	954	0.39	HREIT	9.00	(0.05)	2,940	8.96
SMK	30.00	0.25	29	29.29	Paper & Printing Mat					IMPACT	23.00	(0.20)	15,657	22.46
THRE	0.57	(0.02)	16,551	0.57	UTP	9.75	0.20	7,901	9.67	KPNPF	7.95	0.15	200	7.95
THREL	3.38	(0.02)	5,883	3.35	Fashion	-	-	-	-	LHHOTEL	18.10	(0.10)	714	18.05
TIP	24.30	0.10	1,213	24.09	AFC	-	-	-	-	LHPF	8.75	0.10	395	8.70
TQM	80.00	3.00	22,148	77.74	B52	0.21	(0.01)	878	0.21	LHSC	18.50	(0.10)	278	18.56
TSI	0.44	-	616	0.43	BTNC	-	-	-	-	LUXF	8.25	0.05	1	8.25
TVI	3.90	(0.14)	107	3.93	CPH	3.20	-	668	3.20	M-II	7.85	(0.05)	240	7.85
Mining					CPL	0.95	0.05	25	0.94	M-PAT	5.05	0.05	76	5.07
PDI	5.55	0.05	1,623	5.40	ICC	39.00	-	905	39.00	M-STOR	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIPF	16.30	-	20	16.30
Packaging					PAF	0.50	(0.01)	621	0.50	MIT	2.64	0.02	3	2.64
AJ	9.80	(0.10)	1,207	9.85	PDJ	1.30	(0.02)	44	1.30	MJLF	10.30	-	602	10.30
ALUCON	146.50	-	5	146.40	PG	5.25	(0.25)	45	5.25	MNIT	-	-	-	-
BGC	12.70	0.20	8,372	12.60	SABINA	21.90	(0.60)	13,208	21.87	MNIT2	-	-	-	-
CSC	53.25	0.50	117	52.92	SAWANG	-	-	-	-	MNRF	2.94	-	41	2.94
GLOCON	0.71	0.01	787	0.70	SUC	42.00	(0.75)	591	42.06	POPF	12.50	-	4,537	12.49
NEP	0.14	-	4,135	0.14	TNL	-	-	-	-	PPF	11.40	0.20	3	11.40
PTL	13.30	0.10	1,663	13.18	TPCORP	10.20	(0.70)	32	10.38	QHHR	9.30	-	951	9.28
SFLEX	5.05	-	3,924	5.04	TR	26.00	-	40	26.01	QHOP	3.78	(0.02)	59	3.78
SITHAI	0.62	(0.01)	856	0.62	TTI	-	-	-	-	QHPP	13.70	(0.10)	8,152	13.68
SLP	0.47	0.01	356	0.46	TTT	49.50	-	10	49.50	SBPF	-	-	-	-
SMPC	5.65	-	2,738	5.62	UPF	-	-	-	-	SHREIT	5.40	-	406	5.34
SPACK	1.05	(0.04)	491	1.05	UT	16.00	1.50	42	15.29	SIRIP	10.80	0.10	11	10.53
TCOAT	-	-	-	-	WACOAL	45.00	(0.25)	16	45.02	SPF	17.90	0.10	13,979	17.51
TFI	0.05	-	51	0.04	Transportation & Log					SPRIME	14.30	(0.20)	1,293	14.11
THIP	23.50	(0.20)	624	23.31	AAV	1.61	(0.06)	341,200	1.62	SRIPANWA	11.10	0.10	815	11.01
TMD	26.00	(0.25)	111	25.09	AOT	65.25	0.75	505,946	64.44	SSPF	9.60	0.10	16	9.51
TOPP	-	-	-	-	ASIMAR	1.03	-	1,932	1.03	SSTRT	5.90	-	556	5.80
TPBI	3.80	-	102	3.75	B	0.19	(0.01)	12,802	0.19	TIFI	9.15	-	100	9.10
TPP	16.90	0.90	5	16.70	BA	5.65	0.10	17,120	5.40	TLGF	21.30	(0.10)	5,574	21.28
Personal Products &					BEM	10.80	0.10	459,716	10.72	TLHPF	10.80	-	633	10.80
APCO	3.08	(0.02)	5,137	3.09	BTS	12.90	0.30	327,083	12.73	TNPF	2.90	0.06	12	2.92
DDD	18.50	(0.10)	581	18.48	BTSIGIF	9.90	-	9,367	9.88	TPRIME	16.40	(0.10)	150	16.40
JCT	-	-	-	-	III	4.44	(0.06)	654	4.43	TTLPF	22.00	-	116	22.02
OCC	12.40	(1.10)	60	12.46	JUTHA	0.30	0.01	12	0.30	TU-PF	-	-	-	-
S & J	-	-	-	-	JWD	7.25	0.15	10,055	7.13	URBNPF	4.50	0.04	10	4.50
STHAI	-	-	-	-	KWC	282.00	2.00	3	281.33	WHABT	9.65	-	59	9.60
TNR	7.45	(0.05)	389	7.34	NOK	1.68	-	3,413	1.66	WHART	16.90	-	4,417	16.87
TOG	4.70	-	623	4.67	NYT	3.66	-	22,842	3.67	Steel	-	-	-	-
Professional Service					PORT	2.10	-	17,407	2.05	AMC	1.83	-	120	1.81
BWG	0.46	(0.01)	126,594	0.46	PRM	5.65	(0.05)	52,760	5.60	BSBM	0.89	-	2,363	0.88
GENCO	0.50	-	5,894	0.49	PSL	5.60	(0.15)	38,927	5.58	CEN	0.54	-	180	0.54
PRO	-	-	-	-	RCL	2.80	0.02	1,326	2.73	CITY	-	-	-	-
SISB	10.00	(0.10)	61,268	9.88	TFFIF	12.90	0.10	86,876	12.82	CSP	0.68	0.01	65	0.69
TEAMG	2.34	0.08	21,620	2.31	THAI	4.98	(0.12)	61,006	5.00	GJS	0.12	-	2,636	0.12
Property Developme					TSTE	-	-	-	-	GSTEEL	-	-	-	-
A	6.05	0.05	50	6.05	TTA	3.44	(0.08)	12,443	3.45	INOX	0.54	(0.01)	1,251	0.53
AMATA	16.50	0.30	64,887	16.26	WICE	2.02	0.02	4,829	2.01	LHK	2.50	-	6,330	2.50
AMATAV	4.50	(0.26)	3,377	4.58										

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.90	0.03	54,188	-	ADVA01C2003B	0.02	-	6,404	-
ABICO	3.92	(0.14)	129	3.00	AIE	0.31	0.01	74,655	-	ADVA01C2005A	0.45	0.04	221,960	-
AU	8.70	(0.30)	73,594	8.00	PSTC	0.69	-	218,800	-	ADVA01C2005B	0.17	0.03	107,650	-
JCKH	0.23	0.01	499	-	QTC	4.84	0.04	7,070	4.00	ADVA01C2007B	0.42	0.06	105,301	-
KASET	1.20	(0.08)	641	1.00	SAAM	0.80	(0.03)	1,230	-	ADVA01C2008A	1.28	0.09	22,278	1.00
MM	2.40	-	1,000	2.00	SEAOIL	3.26	(0.14)	42,107	3.00	ADVA01P2003A	0.69	(0.07)	32,179	-
SUN	1.75	(0.04)	4,412	1.00	SR	0.92	-	166	-	ADVA01P2003B	0.32	(0.08)	65,252	-
TACC	3.92	0.14	61,434	3.00	TAKUNI	0.39	0.01	5,700	-	ADVA01P2007B	0.32	(0.04)	69,691	-
TMILL	2.84	(0.02)	1,352	2.00	TPCH	11.40	(0.20)	14,630	11.00	ADVA06C2005A	0.07	0.01	1,600	-
XO	5.45	(0.05)	4,343	5.00	TRT	1.79	-	522	1.00	ADVA08C2005A	0.19	0.03	19,793	-
Consumer Products	-	-	-	-	UMS	0.20	(0.01)	92	-	ADVA08P2004A	0.21	(0.05)	14,945	-
BGT	0.83	(0.03)	1,171	-	UWC	0.02	-	7,417	-	ADVA11C2006A	0.06	0.02	2,681	-
BIZ	3.30	0.04	7,115	3.00	Services (MAI)	-	-	-	-	ADVA11P2005A	0.10	(0.01)	4,720	-
DOD	7.75	0.30	23,937	7.00	A5	-	-	-	-	ADVA13C2004A	0.15	0.03	220,901	-
ECF	1.21	(0.02)	116,332	1.00	AKP	1.08	(0.01)	300	1.00	ADVA13C2006A	1.04	0.05	87	1.00
HPT	0.55	-	109	-	AMA	5.15	0.17	511	5.00	ADVA13C2007A	0.42	0.05	260,418	-
IP	4.90	(0.04)	10,683	4.00	ARIP	0.37	(0.01)	1,636	-	ADVA13P2003A	0.17	(0.07)	62,608	-
JUBILE	18.70	0.90	12,278	18.00	ATP30	1.32	0.01	2,750	1.00	ADVA16C2002A	-	-	-	-
MOONG	3.80	(0.12)	1,073	3.00	AUCT	7.05	0.10	8,022	7.00	ADVA16C2005A	0.02	0.01	9,001	-
NPK	16.10	-	167	16.00	BOL	2.86	(0.06)	9,482	2.00	ADVA16C2007A	0.14	0.02	59,404	-
OCEAN	1.19	-	4,570	1.00	CHUO	-	-	-	-	ADVA16C2009A	0.40	0.06	118,119	-
TM	2.52	0.02	2,389	2.00	CMO	1.06	(0.01)	153	1.00	ADVA19C2002A	-	-	-	-
Financials (MAI)	-	-	-	-	D	3.74	-	1,259	3.00	ADVA19C2005A	0.17	0.03	11,545	-
ACAP	1.04	(0.07)	15,614	1.00	DCORP	0.36	0.01	6,495	-	ADVA19C2007A	-	-	-	-
AF	0.65	0.01	61	-	EFORL	0.05	-	27,494	-	ADVA19P2002A	-	-	-	-
AIRA	1.21	-	851	1.00	ETE	0.75	(0.02)	879	-	ADVA19P2006A	0.22	(0.04)	8,758	-
ASN	6.30	(0.10)	1,164	6.00	FSMART	7.05	0.25	26,250	7.00	ADVA24C2006A	0.33	0.05	31,811	-
BROOK	0.39	(0.01)	7,611	-	FVC	0.38	-	7,932	-	ADVA28C2004A	0.03	-	15	-
CHAYO	7.10	0.50	46,288	6.00	GSC	0.73	0.01	92	-	ADVA28C2005A	0.15	0.02	29,142	-
GCAP	1.91	0.02	7,146	1.00	HARN	2.20	(0.08)	11,810	2.00	ADVA28C2007A	0.31	0.05	57,358	-
LIT	4.62	-	1,839	4.00	IMH	2.70	(0.06)	2,799	2.00	ADVA28P2004A	0.18	(0.05)	2,084	-
MITSI	1.35	0.04	12,973	1.00	JKN	4.70	0.04	15,082	4.00	ADVA41C2004A	-	-	-	-
SGF	0.64	0.01	11,692	-	KIAT	0.30	-	31,219	-	ADVA41C2005A	-	-	-	-
Industrials (MAI)	-	-	-	-	KOOL	0.89	-	4,293	-	ADVA41C2006A	0.20	0.03	1,144	-
ZS	1.96	(0.01)	1,586	1.00	LDC	0.99	-	557	-	ADVA41C2007A	0.30	0.04	44,404	-
ACG	0.90	(0.03)	3,554	-	MORE	0.37	(0.01)	109,111	-	ADVA41P2004A	0.37	(0.06)	4,806	-
ADB	0.48	0.01	980	-	MPG	0.30	-	1	-	ADVA41P2005A	0.30	(0.01)	4,000	-
BM	1.88	(0.01)	187	1.00	MVP	1.65	(0.03)	180	1.00	ADVA42C2003A	-	-	-	-
CHO	0.50	(0.02)	13,702	-	NBC	0.50	-	8,435	-	ADVA42C2005A	0.15	0.03	5,361	-
CHOW	1.50	-	5,456	1.00	NCL	0.99	-	186	-	ADVA42P2007A	0.38	(0.06)	4,840	-
CIG	0.20	-	700	-	NEWS	0.01	-	101	-	AEON01C2005A	0.07	-	16,012	-
COLOR	1.04	(0.01)	214	1.00	NINE	1.97	-	2	1.00	AEON13C2003A	-	-	-	-
CPR	3.20	-	537	3.00	OTO	3.12	0.04	1,051	3.00	AEON13C2007A	-	-	-	-
FPI	2.26	(0.08)	1,153	2.00	PHOL	1.93	0.09	30,675	1.00	AEON19C2003A	-	-	-	-
GTB	0.68	-	4,609	-	PICO	4.06	0.04	227	4.00	AEON19C2006A	0.35	-	32,044	-
KCM	0.47	-	2,357	-	QLT	4.98	0.02	248	4.00	AMAT01C2004A	0.08	0.01	18,028	-
KUMWEL	0.70	(0.01)	950	-	RP	1.34	(0.02)	459	1.00	AMAT01C2004B	0.03	(0.01)	3,413	-
KWM	0.80	-	5,893	-	SE	1.77	0.01	24	1.00	AMAT01C2007B	0.23	0.02	44,612	-
MBAX	2.94	(0.02)	41	2.00	SONIC	0.95	-	1,942	-	AMAT01C2008A	0.47	0.02	35,941	-
MGT	1.67	(0.01)	1,428	1.00	SPA	12.00	(0.20)	13,637	11.00	AMAT01P2008A	0.66	(0.05)	30,340	-
NDR	1.05	-	2	1.00	THMUJ	0.51	(0.01)	928	-	AMAT06C2005A	0.04	-	505	-
PDG	2.88	(0.02)	1,750	2.00	TNDT	3.70	0.04	66	3.00	AMAT08C2002A	-	-	-	-
PIMO	1.15	(0.01)	5,193	1.00	TNH	33.50	-	2	33.00	AMAT08C2005A	0.05	(0.01)	4	-
PJW	1.13	(0.05)	328	1.00	TNP	2.20	0.04	14,055	2.00	AMAT11C2004A	-	-	-	-
PPM	0.60	(0.03)	648	-	TSF	-	-	-	-	AMAT11C2008A	0.21	0.01	24,443	-
RWI	1.25	0.02	82	1.00	TVD	1.07	(0.05)	8,392	1.00	AMAT13C2004A	-	-	-	-
SALEE	0.83	0.04	437	-	TVT	0.55	(0.01)	3,723	-	AMAT13C2006A	0.12	-	46,122	-
SANKO	0.91	(0.01)	3,294	-	VL	1.29	(0.01)	91,268	1.00	AMAT16C2003A	-	-	-	-
SELIC	2.52	-	550	2.00	WINNER	2.06	0.02	674	2.00	AMAT16C2006A	0.02	-	2,000	-
SWC	3.50	0.04	675	3.00	YGG	4.70	0.06	2,606	4.00	AMAT16C2008A	0.31	0.03	46,152	-
TMC	0.36	(0.02)	3,516	-	Technology (MAI)	-	-	-	-	AMAT19C2003A	-	-	-	-
TMI	0.73	-	24,302	-	APP	1.93	-	893	1.00	AMAT19C2005A	-	-	-	-
TMW	40.00	-	74	39.00	COMAN	2.84	-	1,173	2.00	AMAT19C2006A	0.23	0.02	26,028	-
TPAC	9.15	0.15	2,204	8.00	ICN	1.62	(0.05)	3,968	1.00	AMAT24C2006A	0.06	-	3,092	-
TPLAS	1.06	-	323	1.00	INSET	2.62	-	58,915	2.00	AMAT41C2003A	-	-	-	-
UBIS	5.30	(0.05)	5,656	5.00	IRCP	0.46	(0.01)	2,200	-	AMAT41C2004A	-	-	-	-
UEC	0.74	-	2,448	-	ITEL	2.56	0.08	15,394	2.00	AMAT41C2005A	-	-	-	-
UKEM	0.40	(0.01)	5,145	-	NETBAY	31.50	0.25	3,608	30.00	AMAT41C2006A	-	-	-	-
UREKA	0.99	(0.02)	1,799	1.00	PLANET	1.04	0.01	1,252	1.00	AMAT42C2003A	-	-	-	-
YUASA	12.80	(0.10)	152	12.00	SIMAT	1.87	(0.08)	42,174	1.00	AMAT42C2005A	-	-	-	-
ZIGA	1.04	-	492	1.00	SKY	14.60	-	3,532	14.00	AMAT42C2007A	0.23	(0.02)	5,708	-
Property & Construc	-	-	-	-	SPVI	3.04	(0.12)	179,879	2.00	ANAN13C2007A	0.09	(0.01)	634	-
ALL	3.10	(0.10)	15,383	3.00	TPS	2.08	-	5,808	2.00	ANAN19C2004A	-	-	-	-
ARIN	0.59	0.01	1,213	-	UPA	0.18	-	4,314	-	ANAN19C2007A	0.11	-	35,999	-
ARROW	8.15	(0.10)	682	8.00	VCOM	2.78	(0.02)	94	2.00	AOT01C2002A	0.02	0.01	2,033	-
BC	1.48	(0.02)	3,246	1.00	Unit Trust	-	-	-	-	AOT01C2002B	0.01	-	200	-
BSM	0.29	-	8,099	-	MGE	-	-	-	-	AOT01C2004A	0.12	-	111,435	-
BTW	0.60	-	560	-	SCBSET	-	-	-	-	AOT01C2004B	0.02	-	4,210	-
CAZ	2.52	0.12	9,234	2.00	ETF	-	-	-	-	AOT01C2006B	0.20	-	262,351	-
CHEWA	0.41	0.01	5,380	-	1DIV	9.48	(0.07)	348	9.00	AOT01C2007A	0.47	0.02	326,520	-
CMC	0.83	0.01	1,220	-	ABFTH	1,385.00	3.00	3	1,385.00	AOT01P2002A	0.85	(0.06)	6,972	-
CRD	0.64	-	768	-	BMSCG	7.25	-	1,330	7.00	AOT01P2002B	0.23	(0.08)	40,687	-
DIMET	-	-	-	-	BMSCITH	10.94	0.02							

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT16C2007A	0.07	-	2,311	-	BBL08P2007A	0.55	(0.05)	34,244	-	BEC01P2006A	0.60	0.01	65,247	-
AOT16C2009A	0.39	0.02	131,991	-	BBL11C2005A	0.03	-	5,177	-	BEC16C2002A	-	-	-	-
AOT19C2002A	-	-	-	-	BBL11C2007A	0.10	0.01	19,760	-	BEC19C2003A	-	-	-	-
AOT19C2005A	0.10	-	12,596	-	BBL11P2008A	0.57	(0.04)	38,511	-	BEC19C2005A	0.09	(0.01)	4,000	-
AOT19P2004A	0.67	(0.06)	10,434	-	BBL13C2003A	-	-	-	-	BEC27C2002A	-	-	-	-
AOT24C2003A	-	-	-	-	BBL13C2004A	0.15	0.01	38,642	-	BEC41C2003A	-	-	-	-
AOT24C2006A	0.18	0.01	22,797	-	BBL13C2006A	0.37	0.03	75,770	-	BEC42C2003A	-	-	-	-
AOT27C2008A	0.16	-	18,430	-	BBL13P2003A	-	-	-	-	BEC42C2005A	-	-	-	-
AOT28C2003A	-	-	-	-	BBL13P2004A	0.59	(0.06)	31,931	-	BEM01C2004A	0.21	0.01	75,411	-
AOT28C2006A	0.05	-	1,000	-	BBL16C2006A	0.09	0.01	40	-	BEM01C2004B	0.08	-	1,100	-
AOT28C2006B	0.14	0.03	17,196	-	BBL19C2003A	-	-	-	-	BEM01P2004A	0.16	-	42,960	-
AOT28P2004A	0.68	0.05	104	-	BBL19C2005A	0.14	0.01	5,264	-	BEM06C2004A	0.05	-	10,500	-
AOT41C2003A	-	-	-	-	BBL19C2007A	0.42	0.04	18,168	-	BEM08C2005A	-	-	-	-
AOT41C2004A	0.01	(0.01)	2	-	BBL19P2002A	0.15	(0.08)	1,920	-	BEM11C2003A	0.02	(0.01)	500	-
AOT41C2005A	0.02	-	1,500	-	BBL19P2007A	0.53	(0.04)	5,514	-	BEM13C2004A	0.06	-	410	-
AOT41C2006A	0.13	(0.01)	30,515	-	BBL24C2004A	0.20	0.02	22,648	-	BEM13C2007A	0.18	0.01	92,630	-
AOT41C2007A	0.11	-	1,517	-	BBL27C2002A	-	-	-	-	BEM16C2006A	0.20	-	12,759	-
AOT41P2002A	0.12	(0.01)	13,088	-	BBL28C2003A	-	-	-	-	BEM19C2005A	0.12	-	3,053	-
AOT41P2004A	-	-	-	-	BBL28C2005A	0.10	0.01	320	-	BEM24C2003A	-	-	-	-
AOT41P2005A	-	-	-	-	BBL28C2007A	0.28	0.02	18,689	-	BEM28C2006A	-	-	-	-
AOT41P2006A	0.82	0.01	19,034	-	BBL41C2003A	-	-	-	-	BEM28C2007A	0.11	-	9,126	-
AOT42C2006A	0.06	0.01	5,200	-	BBL41C2004A	-	-	-	-	BEM41C2002A	-	-	-	-
AOT42P2003A	0.01	(0.01)	50	-	BBL41C2005A	-	-	-	-	BEM41C2004A	-	-	-	-
AOT42P2009A	0.70	-	3,538	-	BBL41C2006A	-	-	-	-	BEM41C2006A	-	-	-	-
AP16C2002A	-	-	-	-	BBL41C2007A	0.31	0.02	31,495	-	BEM41P2003A	-	-	-	-
AP19C2002A	-	-	-	-	BBL41P2002A	-	-	-	-	BEM41P2004A	0.14	(0.01)	1,270	-
AP19C2007A	0.26	0.01	1,803	-	BBL41P2004A	0.67	(0.05)	9,000	-	BGRIO1C2003A	0.43	0.03	203,852	-
AP28C2004A	0.10	0.01	15,101	-	BBL41P2006A	0.79	(0.03)	10,958	-	BGRIO1C2003B	0.13	0.02	317,089	-
AP28C2006A	0.10	0.01	9,633	-	BBL42C2003A	-	-	-	-	BGRIO1C2006A	0.35	0.01	532,973	-
AWC01C2003A	0.13	0.01	32,945	-	BBL42C2005A	-	-	-	-	BGRIO1C2006B	0.12	0.01	283,517	-
AWC01C2003B	0.01	-	16,768	-	BBL42C2007A	0.37	0.03	6,370	-	BGRIO1P2003A	0.12	(0.03)	150,926	-
AWC01C2004A	0.07	0.01	34,526	-	BCH01C2006A	0.22	(0.01)	34,976	-	BGRIO1P2006A	0.92	(0.05)	50,099	-
AWC01P2003A	0.38	0.02	12,445	-	BCH01C2006B	0.09	(0.01)	60,639	-	BGRIO6C2005A	0.18	0.02	98,841	-
AWC01P2003B	-	-	-	-	BCH01P2006A	0.70	-	27,508	-	BGRIO8C2003A	0.56	0.09	5,100	-
AWC01P2007A	0.36	(0.02)	10,343	-	BCH06C2006A	0.12	-	33,911	-	BGRIO8C2005A	0.27	0.02	62,142	-
AWC06C2002A	0.02	-	4,501	-	BCH06P2006A	0.52	(0.01)	9,484	-	BGRI11C2006A	0.68	0.08	29,068	-
AWC06C2004A	0.15	0.02	10,098	-	BCH08C2004A	-	-	-	-	BGRI11C2008A	0.29	0.02	96,172	-
AWC06P2002A	0.08	(0.03)	17,190	-	BCH11C2008A	0.22	-	7,000	-	BGRI13C2002A	0.06	0.02	503	-
AWC08C2004A	-	-	-	-	BCH13C2004A	-	-	-	-	BGRI13C2004A	0.11	0.01	104,793	-
AWC13C2002A	-	-	-	-	BCH13C2007A	0.24	-	66,194	-	BGRI13C2006A	0.17	0.01	175,965	-
AWC13C2003A	0.03	0.01	5,300	-	BCH16C2006A	0.15	-	27,337	-	BGRI13P2005A	0.56	(0.06)	118,629	-
AWC13C2006A	0.13	0.02	8,587	-	BCH19C2005A	0.05	-	2	-	BGRI16C2005A	0.24	0.03	258,111	-
AWC13P2003A	-	-	-	-	BCH19C2006A	0.18	(0.01)	1,694	-	BGRI19C2004A	0.44	0.03	13,402	-
AWC13P2006A	0.35	(0.02)	15,067	-	BCH24C2003A	-	-	-	-	BGRI19C2005A	0.23	0.04	56,600	-
AWC16C2005A	-	-	-	-	BCH27C2003A	0.08	-	6,000	-	BGRI19C2006A	0.15	0.01	56,264	-
AWC16C2007A	0.11	0.01	10	-	BCH41C2005A	-	-	-	-	BGRI19P2007A	0.72	(0.06)	4,581	-
AWC19C2003A	0.04	0.01	1,001	-	BCH41C2006A	0.14	0.01	22	-	BGRI24C2004A	0.44	0.04	30,900	-
AWC19C2004A	-	-	-	-	BCH42C2002A	-	-	-	-	BGRI27P2006A	0.41	(0.05)	48,140	-
AWC19C2006A	-	-	-	-	BCP01C2005A	0.59	(0.04)	11,773	-	BGRI28C2003A	0.36	(1.10)	400	-
AWC24C2007A	0.07	-	1	-	BCP01C2005B	0.10	(0.01)	762,286	-	BGRI28C2003B	0.06	(0.02)	79	-
AWC28C2003A	-	-	-	-	BCP01P2005A	0.16	-	112,336	-	BGRI41C2004A	0.25	0.05	8,273	-
AWC28C2003B	-	-	-	-	BCP11C2004A	-	-	-	-	BGRI41C2005A	0.20	0.03	52,599	-
AWC28C2003C	-	-	-	-	BCP13C2003A	-	-	-	-	BGRI41C2006A	0.21	0.02	4,314	-
AWC28C2006A	0.12	-	6,986	-	BCP13C2003B	-	-	-	-	BGRI41P2004A	-	-	-	-
AWC28P2003A	-	-	-	-	BCP13C2007A	0.19	(0.01)	33,811	-	BGRI41P2005A	0.51	(0.02)	44,346	-
AWC41C2003A	-	-	-	-	BCP19C2004A	-	-	-	-	BGRI41P2006A	1.02	(0.04)	16,737	1.00
AWC41C2004A	-	-	-	-	BCP19C2005A	0.13	(0.01)	161,956	-	BGRI42C2003A	0.07	-	6,030	-
AWC41C2005A	-	-	-	-	BCP24C2000A	-	-	-	-	BGRI42C2006A	0.12	0.02	8,364	-
AWC41C2006A	-	-	-	-	BCPG01C2005A	0.32	(0.01)	35,436	-	BH01C2004A	0.40	(0.07)	32,072	-
AWC41C2007A	0.16	-	1,445	-	BCPG01C2005B	0.11	(0.01)	17,351	-	BH01C2004B	0.10	(0.02)	23,770	-
AWC42C2003A	-	-	-	-	BCPG01P2005A	0.26	0.01	112,847	-	BH01P2004A	0.61	0.05	36,881	-
AWC42C2008A	0.21	(0.79)	900	-	BCPG06C2002A	-	-	-	-	BH11C2002A	-	-	-	-
BANP01C2002A	0.02	0.01	30,368	-	BCPG13C2004A	0.10	-	50,250	-	BH11C2008A	0.26	(0.04)	16,500	-
BANP01C2002B	0.01	(0.01)	1,350	-	BCPG13C2007A	0.34	(0.01)	152,330	-	BH13C2006A	0.18	(0.03)	28,797	-
BANP01C2005A	0.08	(0.04)	258,422	-	BCPG19C2003A	0.03	(0.01)	75	-	BH19C2002A	-	-	-	-
BANP01C2005B	0.03	(0.02)	17,370	-	BCPG19C2005A	0.24	(0.01)	8,155	-	BH19C2003A	0.09	(0.02)	17,005	-
BANP01P2002A	0.63	0.16	47,311	-	BCPG28C2003A	-	-	-	-	BH19C2006A	0.21	(0.03)	26,429	-
BANP01P2002B	0.67	0.30	52,413	-	BCPG28C2004A	-	-	-	-	BH24C2003A	0.06	(0.04)	3,500	-
BANP01P2005A	0.62	0.13	245,585	-	BCPG41C2002A	-	-	-	-	BH27C2007A	0.27	(0.04)	10,820	-
BANP01P2005B	0.35	0.09	585,300	-	BCPG41C2005A	0.21	(0.02)	12,888	-	BH41C2003A	0.09	(0.05)	876	-
BANP06C2005A	0.02	(0.02)	12,551	-	BCPG42C2004A	-	-	-	-	BH41C2004A	0.12	(0.04)	2,812	-
BANP08C2002A	-	-	-	-	BCPG42C2007A	0.30	(0.01)	5,609	-	BH41C2005A	0.15	(0.05)	11,418	-
BANP08C2005A	-	-	-	-	BDM501C2002A	-	-	-	-	BH41C2006A	0.14	(0.04)	4,780	-
BANP08C2007A	0.34	(0.15)	134,690	-	BDM501C2002B	0.01	-	2	-	BH41P2004A	0.24	0.04	3,806	-
BANP08P2003A	0.68	0.17	63,587	-	BDM501C2007B	0.14	(0.01)	44,199	-	BH41P2006A	0.79	0.05	20,664	-
BANP11C2004A	0.01	-	50,000	-	BDM501P2002A	-	-	-	-	BH42C2003A	0.01	(0.01)	151	-
BANP11C2008A	0.07	(0.03)	61,974	-	BDM501P2008A	0.35	0.01	57,618	-	BH42C2008A	0.38	(0.06)	5,584	-
BANP13C2003A	-	-	-	-	BDM506C2003A	0.14	(0.03)	35,832	-	BJC01C2004A	0.06	-	13,483	-
BANP13C2006A	0.03	(0.03)	55,143	-	BDM506P2004A	0.10	-	33,420	-	BJC01C2004B	-	-	-	-
BANP19C2002A	-	-	-	-	BDM508C2003A	-	-	-	-	BJC01P2004A	0.96	0.01	22,560	-
BANP19C2004A	-	-	-	-	BDM508C2006A	0.07	(0.01)	600	-	BJC06C2002A	-	-	-	-
BANP19C2005A	0.02	(0.01)	11,916	-	BDM511C2007A	0.41	(0.01)	6,286	-	BJC06C2006A	0.11	-	96,849	-
BANP19C2007A	0.10	(0.06)	91,425	-	BDM511C2008A	0.12	(0.01)	1,150	-	BJC11C2008A	0.21	-	17,831	-
BANP19P2003A	0.52	0.19	39,678	-	BDM51P2002A	0.03	0.02	1	-	BJC13C2002A	-	-	-	-
BANP24C2003A	-	-	-	-	BDM513C2003A	0.12	(0.02)	7,350	-	BJC13C2004A	-	-	-	-
BANP27C2007A	0.05	(0.03)	201	-	BDM513C2004A	0.05	(0.01)	30	-	BJC13C2005A	0.08	-	36,144	-
BANP28C2003A	-	-	-	-	BDM516C2006A	0.40	(0.04)	63,190	-	BJC16C2002A	-	-	-	-
BANP28C2004A	-	-	-	-	BDM519C2005A	0.29	(0.01)	12,152	-	BJC16C2006A	0.08	(0.01)	27,494	-
BANP41C2003A	-	-	-	-	BDM519C2005B	-	-	-	-	BJC19C2003A	-	-	-	-
BANP41C2004A	0.06	(0.07)	1,201	-	BDM524C2006A	0.09	(0.01)	13,797	-	BJC19C2005A				

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BLAN19C2004A	-	-	-	-	CK13C2003A	0.27	0.03	89,013	-	CPF11C2004A	0.06	0.01	1,500	-
BLAN28C2004A	-	-	-	-	CK13C2006A	0.33	0.04	230,978	-	CPF11C2007A	0.29	0.03	68,088	-
BPP01C2005A	0.10	(0.03)	107,431	-	CK16C2003A	-	-	-	-	CPF13C2000A	0.10	(0.01)	11,458	-
BPP01C2005B	-	-	-	-	CK16C2006A	0.28	0.05	126,429	-	CPF13C2006A	0.16	0.03	233,121	-
BPP01P2005A	0.81	0.11	44,487	-	CK19C2002A	-	-	-	-	CPF16C2007A	0.23	0.04	62,010	-
BPP13C2004A	-	-	-	-	CK19C2003A	-	-	-	-	CPF19C2003A	0.10	0.03	21,674	-
BPP13C2007A	0.16	(0.05)	171,353	-	CK19C2004A	0.35	0.06	38,114	-	CPF19C2005A	0.27	0.04	64,403	-
BPP19C2002A	-	-	-	-	CK19C2007A	0.34	0.04	35,755	-	CPF19C2006A	0.15	0.03	255,001	-
BPP19C2005A	0.03	(0.03)	15,202	-	CK24C2003A	-	-	-	-	CPF19P2002A	-	-	-	-
BPP19C2007A	0.19	(0.05)	5,896	-	CK27C2008A	0.52	0.03	70,600	-	CPF24C2007A	0.32	0.06	72,528	-
BPP24C2003A	-	-	-	-	CK41C2003A	0.26	0.02	6,762	-	CPF28C2004A	0.20	0.05	42,627	-
BTS01C2005A	0.25	0.02	256,245	-	CK41C2004A	0.14	0.02	17,425	-	CPF28C2007A	0.15	0.02	69,286	-
BTS01C2005B	0.09	0.01	110,640	-	CK41C2005A	0.18	0.02	4,000	-	CPF41C2004A	0.18	0.04	1,294	-
BTS01P2005A	0.21	(0.02)	219,016	-	CK42C2006A	0.36	0.03	5,800	-	CPF41C2005A	0.18	0.03	1,288	-
BTS08C2005A	0.07	-	3,530	-	CKP01C2004A	0.02	-	3	-	CPF41P2003A	0.01	(0.01)	1,980	-
BTS11C2003A	0.11	0.01	55,896	-	CKP01C2004B	0.01	-	1,000	-	CPF41P2005A	0.13	(0.03)	2,544	-
BTS13C2003A	0.04	-	1,000	-	CKP01P2004A	0.74	(0.04)	189,830	-	CPF42C2003A	0.06	0.02	39,306	-
BTS13C2006A	0.16	0.01	113,422	-	CKP08C2004A	0.02	0.01	1	-	CPN01C2005A	0.39	-	208,118	-
BTS16C2008A	0.12	0.02	120,942	-	CKP11C2006A	-	-	-	-	CPN01C2005B	0.11	-	254,032	-
BTS19C2002A	-	-	-	-	CKP13C2003A	-	-	-	-	CPN01P2005A	0.48	(0.02)	283,224	-
BTS19C2005A	0.14	0.01	8,555	-	CKP13C2004A	-	-	-	-	CPN06C2006A	0.21	(0.01)	144,954	-
BTS19P2002A	-	-	-	-	CKP13C2004B	0.09	-	15,188	-	CPN11C2006A	0.07	-	18,150	-
BTS24C2007A	0.18	-	29,403	-	CKP13C2007A	0.45	-	391,341	-	CPN11C2008A	0.35	(0.01)	65,551	-
BTS41C2003A	-	-	-	-	CKP16C2005A	-	-	-	-	CPN13C2004A	0.06	(0.01)	16,400	-
BTS41C2004A	-	-	-	-	CKP16C2007A	0.12	-	46,915	-	CPN13C2007A	0.37	0.01	225,363	-
BTS41C2006A	0.16	-	876	-	CKP19C2003A	-	-	-	-	CPN16C2005A	0.26	(0.01)	84,942	-
BTS41P2004A	0.23	-	17,456	-	CKP19C2005A	-	-	-	-	CPN19C2002A	-	-	-	-
BTS42C2003A	-	-	-	-	CKP19C2006A	0.20	-	4,200	-	CPN19C2004A	0.09	(0.01)	5,600	-
BTS42C2008A	0.19	0.01	17,565	-	CKP24C2006A	-	-	-	-	CPN24C2002A	-	-	-	-
CBG01C2004A	0.61	(0.18)	508,337	-	CKP27C2005A	0.01	(0.04)	500	-	CPN24C2007A	0.48	0.01	44,671	-
CBG01C2004B	0.15	(0.08)	313,269	-	CKP28C2003A	-	-	-	-	CPN41C2003A	-	-	-	-
CBG01P2003A	0.05	0.02	85,859	-	CKP28C2004A	-	-	-	-	CPN41C2004A	-	-	-	-
CBG01P2004A	0.59	0.12	426,960	-	CKP28C2006A	-	-	-	-	CPN41C2006A	0.25	(0.01)	113,211	-
CBG06C2005A	0.37	(0.19)	110,831	-	CKP28C2006A	0.14	(0.01)	41,893	-	CPN41P2003A	-	-	-	-
CBG08C2003A	0.23	(0.13)	50,473	-	CKP41C2004A	-	-	-	-	CPN41P2005A	0.54	0.02	12,492	-
CBG11C2002A	-	-	-	-	CKP41C2005A	-	-	-	-	CPN41P2006A	0.28	0.02	101,232	-
CBG11C2008A	0.80	(0.19)	104,011	-	CKP41C2006A	0.13	-	35,552	-	CPN42C2002A	-	-	-	-
CBG13C2004A	0.22	(0.12)	200,640	-	CKP41C2007A	0.41	0.02	9,374	-	CPN42C2004A	-	-	-	-
CBG13P2006A	0.92	0.15	155,776	-	CKP42C2003A	-	-	-	-	CPN42C2006A	0.25	0.01	15,320	-
CBG16C2008A	0.54	(0.17)	197,069	-	CKP42C2005A	-	-	-	-	DTAC01C2004A	0.09	-	56,287	-
CBG19C2004A	0.23	(0.10)	75,184	-	CKP42C2006A	0.15	(0.03)	13,479	-	DTAC01C2004B	0.02	-	2	-
CBG19C2005A	0.48	(0.16)	180,909	-	COM708C2002A	0.01	-	2,000	-	DTAC01C2007B	0.21	-	198,340	-
CBG19P2002A	-	-	-	-	COM708C2007A	0.18	-	110,694	-	DTAC01C2008A	0.41	0.01	53,569	-
CBG19P2006A	1.03	0.17	104,263	1.00	COM711C2004A	0.07	-	9,500	-	DTAC01P2004A	1.50	-	9,223	1.00
CBG24C2003A	0.11	(0.11)	20,079	-	COM713C2004A	0.06	-	15,261	-	DTAC01P2004B	1.12	(0.01)	9,444	1.00
CBG41C2003A	-	-	-	-	COM713C2007A	0.17	0.01	143,481	-	DTAC01P2007B	0.62	(0.01)	88,508	-
CBG41C2004A	0.27	(0.13)	37,210	-	COM716C2008A	0.09	(0.01)	42,990	-	DTAC01P2008A	0.72	(0.01)	29,023	-
CBG41C2005A	0.68	(0.21)	33,396	-	COM719C2003A	0.16	(0.01)	136,570	-	DTAC06C2006A	0.04	(0.01)	606	-
CBG41C2006A	0.61	(0.16)	320,921	-	COM719C2005A	0.08	-	6,600	-	DTAC08C2005A	-	-	-	-
CBG41P2003A	0.14	0.08	22,822	-	COM719P2004A	0.16	(0.01)	52,471	-	DTAC08C2005B	-	-	-	-
CBG41P2004A	0.88	0.18	79,779	-	COM724C2007A	0.16	-	5,400	-	DTAC08C2007A	0.21	-	23,230	-
CBG41P2006A	0.96	0.16	27,283	-	COM741C2004A	-	-	-	-	DTAC08P2002A	-	-	-	-
CBG42C2003A	0.03	(0.03)	35,012	-	COM741C2006A	-	-	-	-	DTAC11C2002A	-	-	-	-
CBG42C2006A	0.36	(0.16)	37,202	-	COM742C2002A	-	-	-	-	DTAC13C2003A	-	-	-	-
CENT01C2003A	0.01	(0.01)	3,466	-	COM742C2004A	-	-	-	-	DTAC13C2006A	0.07	-	27,844	-
CENT01C2003B	-	-	-	-	CPAL01C2002A	0.02	0.01	810	-	DTAC13C2007A	0.18	0.01	62,830	-
CENT01C2006A	0.19	(0.04)	66,342	-	CPAL01C2002B	0.02	-	10,317	-	DTAC13P2003A	-	-	-	-
CENT01C2006B	-	-	-	-	CPAL01C2004A	0.18	0.01	123,093	-	DTAC13P2006A	0.91	0.01	401	-
CENT01P2003A	0.87	0.01	66,558	-	CPAL01C2004B	-	-	-	-	DTAC13P2007A	0.21	-	18,903	-
CENT06C2003A	0.01	-	500	-	CPAL01C2006A	0.45	-	73,235	-	DTAC13P2008A	0.65	-	52,878	-
CENT06C2006A	0.14	(0.01)	38,100	-	CPAL01C2006B	0.24	-	155,787	-	DTAC19C2005A	0.04	(0.01)	2	-
CENT06P2007A	0.50	0.01	59,625	-	CPAL01P2002A	1.48	(0.06)	4,406	1.00	DTAC19C2006A	0.13	-	4,091	-
CENT08C2004A	-	-	-	-	CPAL01P2002B	0.79	(0.03)	4,060	-	DTAC19C2007A	0.28	(0.72)	11,948	-
CENT11C2004A	-	-	-	-	CPAL01P2004A	0.94	(0.02)	29,501	-	DTAC19P2002A	1.22	0.06	12,546	1.00
CENT11C2007A	-	-	-	-	CPAL01P2004B	0.40	(0.02)	144,711	-	DTAC19P2007A	0.50	-	11,313	-
CENT13C2003A	-	-	-	-	CPAL06C2006A	0.30	0.01	92,624	-	DTAC24C2004A	-	-	-	-
CENT13C2005A	-	-	-	-	CPAL08C2004A	-	-	-	-	DTAC24C2007A	0.28	-	23,500	-
CENT13C2006A	0.19	(0.02)	156,618	-	CPAL08C2006A	0.20	(0.01)	33,788	-	DTAC27C2002A	-	-	-	-
CENT19C2004A	-	-	-	-	CPAL08P2002A	-	-	-	-	DTAC27C2008A	0.32	-	15,130	-
CENT19C2005A	0.10	-	9,602	-	CPAL08P2006A	0.53	(0.01)	44,006	-	DTAC27P2002A	0.09	(0.02)	23,063	-
CENT24C2003A	-	-	-	-	CPAL11C2006A	0.05	-	16,199	-	DTAC41C2004A	-	-	-	-
CENT24C2008A	0.05	(0.01)	50	-	CPAL11C2007A	0.23	0.01	60,720	-	DTAC41C2005A	-	-	-	-
CENT27C2008A	-	-	-	-	CPAL13C2002A	-	-	-	-	DTAC41C2006A	0.09	0.01	401	-
CENT28C2004A	0.01	-	88	-	CPAL13C2004A	0.20	0.01	23,788	-	DTAC41C2007A	0.19	-	19,860	-
CENT28C2005A	-	-	-	-	CPAL13C2007A	0.43	0.01	175,322	-	DTAC41P2005A	0.51	0.02	31,308	-
CENT28C2006A	0.13	(0.02)	71,105	-	CPAL13P2003A	0.53	0.01	1,030	-	DTAC41P2006A	1.34	0.01	1,760	1.00
CENT41C2003A	-	-	-	-	CPAL16C2006A	0.15	0.01	33,236	-	DTAC42C2004A	-	-	-	-
CENT41C2004A	-	-	-	-	CPAL16C2007A	0.25	-	95,359	-	DTAC42C2006A	0.18	-	8,550	-
CENT41C2005A	-	-	-	-	CPAL19C2002A	-	-	-	-	EA06C2005A	0.42	0.05	22,330	-
CENT41C2006A	0.26	(0.02)	63,392	-	CPAL19C2004A	-	-	-	-	EA08C2004A	0.11	0.01	17,119	-
CENT41P2002A	-	-	-	-	CPAL19C2005A	0.19	-	5,600	-	EA08C2006A	0.63	0.06	33,324	-
CENT41P2003A	0.81	(0.01)	20,175	-	CPAL19P2004A	0.27	(0.01)	25,141	-	EA11C2005A	0.30	0.03	73,377	-
CENT42C2002A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA13C2003A	0.19	0.03	67,375	-
CENT42C2004A	-	-	-	-	CPAL28C2003A	-	-	-	-	EA13C2005A	0.42	0.03	74,873	-
CENT42C2006A	0.12	(0.02)	12,179	-	CPAL28C2003B	-	-	-	-	EA13C2006A	0.33	0.02	91,669	-
CHG01C2006A	0.33	-	24,749	-	CPAL28C2004A	-	-	-	-	EA13P2003A	0.03	-	102	-
CHG01C2006B	0.18	0.01	88,496	-	CPAL28C2005A	0.15	0.01	30,084	-	EA13P2006A	0.51	(0.04)	62,713	-
CHG01P2006A	0.33	(0.01)	33,971	-	CPAL28C2007A	0.28	0.02	41,574	-	EA16C2003A	-	-	-	-
CHG06P2003A	-	-	-	-	CPAL41C2003A	-	-	-	-	EA16C2006A	0.23	0.03	44,560	-

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA41P2003A	0.30	(0.03)	8,900	-	GPSC19P2005A	0.69	(0.09)	63,594	-	HMPR41C2007A	0.10	(0.02)	237	-
EA41P2004A	0.23	(0.02)	23,553	-	GPSC24C2002A	0.06	-	653	-	HMPR41P2003A	0.45	0.12	19,410	-
EA42C2004A	0.23	0.04	5,600	-	GPSC24C2007A	0.24	0.03	35,228	-	HMPR42C2003A	-	-	-	-
EGCO01C2004A	0.07	(0.01)	22,401	-	GPSC27C2005A	0.08	0.02	3,315	-	HSI28C2002A	0.62	(0.63)	5,086	-
EGCO01C2004B	-	-	-	-	GPSC41C2003A	-	-	-	-	HSI28C2002B	0.14	(0.13)	664	-
EGCO06C2004A	0.02	-	629	-	GPSC41C2004A	0.06	0.01	64	-	HSI28C2002C	0.02	(0.05)	30	-
EGCO06C2007A	0.20	(0.02)	51,086	-	GPSC41C2005A	0.24	0.06	3,214	-	HSI28C2003A	0.34	(0.06)	6,349	-
EGCO06P2004A	1.17	0.07	46,477	1.00	GPSC41C2005B	0.41	0.07	167,039	-	HSI28C2003B	0.13	(0.05)	12	-
EGCO13C2002A	-	-	-	-	GPSC41C2006A	0.26	0.05	128,848	-	HSI28C2003C	0.05	(0.02)	490	-
EGCO13C2005A	0.12	(0.02)	72,422	-	GPSC41P2003A	0.12	(0.03)	3,200	-	HSI28C2004A	-	-	-	-
EGCO19C2002A	-	-	-	-	GPSC41P2004A	1.09	(0.09)	4,860	1.00	HSI28C2004B	1.11	(0.17)	12,223	1.00
EGCO19C2005A	0.08	(0.01)	2,183	-	GPSC41P2005A	1.14	(0.11)	1,440	1.00	HSI28C2004C	0.68	(0.07)	335,136	-
EGCO19C2007A	0.29	(0.03)	26,964	-	GPSC41P2006A	0.71	(0.05)	42,774	-	HSI28P2002A	0.07	-	400	-
EGCO41C2003A	-	-	-	-	GPSC42C2002A	-	-	-	-	HSI28P2002B	0.02	-	100	-
EGCO41C2004A	-	-	-	-	GPSC42C2006A	0.56	0.06	17,702	-	HSI28P2002C	-	-	-	-
EGCO41C2006A	0.18	(0.01)	15,291	-	GPSC42P2006A	0.71	(0.09)	19,077	-	HSI28P2003A	0.61	0.07	136,681	-
EGCO41P2004A	1.23	0.06	27,847	1.00	GULF01C2003A	0.94	0.08	145,707	-	HSI28P2003B	1.03	0.14	99,771	1.00
EGCO41P2006A	0.83	0.08	50,793	-	GULF01C2003B	0.21	0.02	372,396	-	HSI28P2003C	1.60	0.05	5	1.00
EGCO42C2003A	-	-	-	-	GULF01C2005A	1.07	0.07	114,210	1.00	HSI28P2004A	0.32	0.04	20,458	-
EGCO42C2007A	0.11	(0.01)	10,109	-	GULF01C2005B	0.63	0.05	145,081	-	HSI28P2004B	0.50	0.06	37,896	-
EPG08C2004A	0.02	-	20	-	GULF01C2007A	0.31	0.02	172,454	-	HSI28P2004C	0.74	0.06	181,830	-
EPG13C2004A	-	-	-	-	GULF01P2003A	0.04	(0.01)	8,553	-	INTU01C2003A	0.09	0.02	200	-
EPG13C2006A	0.06	0.01	8,239	-	GULF01P2003B	0.04	(0.01)	47,620	-	INTU01C2003B	-	-	-	-
EPG19C2002A	-	-	-	-	GULF01P2005A	0.75	(0.08)	412,733	-	INTU01C2006A	0.51	0.06	61,958	-
EPG19C2005A	0.02	(0.01)	803	-	GULF03C2005A	0.46	0.08	48,982	-	INTU01C2006B	0.27	0.04	195,948	-
EPG19C2007A	0.12	0.01	15,924	-	GULF06C2004A	0.94	0.09	43,096	-	INTU01P2003A	0.95	(0.02)	18,340	-
EPG19P2002A	0.38	(0.09)	8,855	-	GULF08C2003A	0.57	0.07	70,915	-	INTU01P2003B	0.12	(0.05)	87,697	-
EPG24C2008A	0.19	-	17,000	-	GULF11C2003A	2.06	0.13	7,000	1.00	INTU01P2006A	0.67	(0.03)	15,049	-
ERW06C2006A	0.03	0.02	17,051	-	GULF11C2006A	0.75	0.06	55,902	-	INTU01P2006B	0.29	(0.06)	66,390	-
ERW06C2007A	0.37	(0.01)	166,674	-	GULF13C2004A	0.55	0.07	174,220	-	INTU13C2002A	-	-	-	-
ERW06P2006A	0.63	-	53,440	-	GULF13C2006A	0.51	0.04	410,794	-	INTU13C2004A	0.16	0.03	53,857	-
ERW13C2005A	-	-	-	-	GULF13C2006B	0.21	0.02	209,533	-	INTU13C2006A	0.44	0.07	198,954	-
ERW13C2006A	-	-	-	-	GULF13P2004A	0.26	(0.03)	376,467	-	INTU13P2004A	0.14	(0.05)	31,973	-
ERW13C2007A	0.32	(0.02)	150	-	GULF13P2005A	0.71	(0.09)	463,762	-	INTU16C2005A	-	-	-	-
ERW19C2005A	-	-	-	-	GULF16C2003A	0.33	0.07	121,441	-	INTU16C2007A	0.18	0.02	30,936	-
ERW19C2006A	-	-	-	-	GULF16C2007A	0.82	0.08	105,021	-	INTU19C2004A	0.06	0.01	10,000	-
ERW19C2007A	0.33	(0.01)	12,172	-	GULF19C2003A	0.63	0.07	18,532	-	INTU19C2005A	0.27	0.01	7,979	-
ERW24C2006A	0.46	-	28,398	-	GULF19C2004A	0.36	0.04	46,779	-	INTU19P2002A	0.02	-	42	-
ESS001C2004A	0.17	(0.01)	33,934	-	GULF19C2006A	0.18	0.02	50,433	-	INTU19P2007A	0.17	(0.03)	14,663	-
ESS001C2004B	0.08	-	16,916	-	GULF19P2003A	0.02	(0.01)	5,005	-	INTU23C2111A	0.88	0.05	25	-
ESS008C2004A	0.14	(0.02)	20,000	-	GULF19P2006A	0.66	(0.07)	25,429	-	INTU24C2003A	-	-	-	-
ESS011C2002A	-	-	-	-	GULF24C2002A	0.08	(0.09)	266	-	INTU28C2003A	-	-	-	-
ESS013C2003A	0.05	-	101	-	GULF24C2005A	0.90	0.07	28,502	-	INTU41C2003A	-	-	-	-
ESS013C2006A	0.21	-	52,362	-	GULF27C2004A	-	-	-	-	INTU41C2004A	-	-	-	-
ESS019C2004A	0.08	-	4,500	-	GULF28C2003A	0.16	0.03	88,073	-	INTU41C2005A	-	-	-	-
ESS019C2007A	0.42	(0.02)	22,510	-	GULF28C2003B	0.07	0.01	533	-	INTU41C2006A	0.27	0.03	37,810	-
ESS024C2003A	0.01	(0.01)	50	-	GULF28C2006A	0.09	0.01	60,175	-	INTU41C2007A	0.29	0.03	19,298	-
ESS024C2007A	0.37	(0.01)	28,872	-	GULF41C2003A	-	-	-	-	INTU41P2003A	-	-	-	-
ESSO41C2003A	-	-	-	-	GULF41C2004A	0.33	0.04	7,778	-	INTU41P2004A	0.54	(0.04)	2,900	-
ESSO41C2004A	0.13	(0.01)	1,276	-	GULF41C2005A	0.37	0.04	185,500	-	INTU41P2005A	0.40	(0.02)	6,054	-
ESSO41C2005A	-	-	-	-	GULF41C2006A	0.83	(0.32)	22	-	INTU41P2006A	-	-	-	-
ESSO41C2006A	-	-	-	-	GULF41P2003A	0.18	-	31	-	INTU42C2003A	-	-	-	-
ESSO42C2003A	-	-	-	-	GULF41P2004A	0.43	(0.06)	63,714	-	INTU42C2005A	0.17	0.02	5,804	-
ESSO42C2007A	0.41	(0.01)	6,000	-	GULF41P2005A	0.37	(0.01)	37,018	-	IRPC01C2002A	0.01	-	24,830	-
GFPT13C2003A	0.03	(0.01)	930	-	GULF41P2006A	0.42	(0.01)	4,497	-	IRPC01C2002B	0.01	-	4,880	-
GFPT19C2004A	-	-	-	-	GULF41P2007A	1.07	(0.07)	19,057	1.00	IRPC01C2005A	0.04	(0.02)	160,402	-
GFPT19C2006A	0.19	0.01	2,700	-	GULF42C2002A	-	-	-	-	IRPC01C2005B	-	-	-	-
GFPT24C2007A	0.19	-	6,010	-	GULF42C2003A	0.10	0.02	15,203	-	IRPC01C2007B	0.25	(0.07)	220,028	-
GFPT42C2004A	0.05	-	100	-	GUNK01C2005A	0.14	-	98,475	-	IRPC01P2002A	1.28	0.25	2,792	1.00
GFPT42C2008A	0.23	0.01	1,600	-	GUNK01C2005B	0.04	-	16	-	IRPC01P2005A	1.50	0.18	34,361	1.00
GLOB01C2003A	0.01	(0.01)	4,001	-	GUNK01P2005A	0.44	-	36,009	-	IRPC01P2005B	0.97	0.14	64,958	-
GLOB01C2007B	0.15	(0.04)	34,050	-	GUNK11C2007A	0.08	-	2,070	-	IRPC01P2007B	0.61	0.11	115,226	-
GLOB01C2008A	0.28	(0.04)	35,019	-	GUNK13C2003A	-	-	-	-	IRPC06C2005A	0.02	-	11,235	-
GLOB01P2003A	0.53	0.10	24,449	-	GUNK13C2006A	0.13	-	15,905	-	IRPC06C2007A	0.11	(0.05)	165,383	-
GLOB06C2002A	-	-	-	-	GUNK16C2002A	-	-	-	-	IRPC06P2004A	0.80	0.18	53,757	-
GLOB06C2006A	0.10	(0.03)	14,665	-	GUNK19C2003A	-	-	-	-	IRPC11C2005A	0.01	-	5,000	-
GLOB11C2002A	-	-	-	-	GUNK19C2006A	0.15	0.01	8,392	-	IRPC11C2008A	0.05	(0.02)	30,001	-
GLOB13C2002A	-	-	-	-	GUNK24C2006A	0.10	-	5,356	-	IRPC13C2003A	0.01	-	10	-
GLOB13C2007A	0.14	(0.03)	55,095	-	GUNK28C2003A	-	-	-	-	IRPC13C2006A	0.05	(0.01)	1,558	-
GLOB19C2002A	-	-	-	-	GUNK28C2005A	-	-	-	-	IRPC13C2007A	0.16	(0.05)	172,039	-
GLOB19C2005A	0.04	(0.02)	20,000	-	GUNK41C2003A	-	-	-	-	IRPC16C2008A	0.20	(0.06)	76,460	-
GLOB19C2007A	0.19	(0.81)	20,600	-	GUNK41C2005A	-	-	-	-	IRPC19C2003A	-	-	-	-
GLOB24C2005A	0.04	(0.01)	1	-	GUNK41P2005A	0.54	0.01	1,714	-	IRPC19C2005A	0.03	(0.03)	1,331	-
GLOB41C2004A	-	-	-	-	GUNK42C2003A	-	-	-	-	IRPC19C2007A	0.22	(0.06)	13,249	-
GLOB42C2009A	0.16	(0.03)	3,080	-	HANA01C2006A	0.41	(0.01)	67,203	-	IRPC24C2002A	-	-	-	-
GPSC01C2003A	0.23	0.04	223,847	-	HANA01C2006B	0.17	-	388,698	-	IRPC24C2004A	0.02	-	1,000	-
GPSC01C2003B	0.04	0.01	13,621	-	HANA01P2006A	0.29	-	42,781	-	IRPC27C2007A	0.04	(0.02)	2,300	-
GPSC01C2005A	0.42	0.04	372,347	-	HANA11C2008A	0.30	-	35,150	-	IRPC28C2003A	0.01	-	1,100	-
GPSC01C2005B	0.14	0.02	291,578	-	HANA13C2002A	-	-	-	-	IRPC28C2003B	-	-	-	-
GPSC01C2007B	0.59	0.05	241,308	-	HANA13C2006A	0.17	-	101,909	-	IRPC28C2006A	0.06	(0.04)	12,400	-
GPSC01C2008A	0.86	0.06	197,488	-	HANA16C2008A	0.23	-	83,767	-	IRPC41C2003A	-	-	-	-
GPSC01P2003A	0.59	(0.11)	86,504	-	HANA19C2003A	0.32	(0.02)	431	-	IRPC41C2004A	-	-	-	-
GPSC01P2005A	1.18	(0.12)	144,667	1.00	HANA19C2006A	0.23	-	9,345	-	IRPC41C2005A	-	-	-	-
GPSC01P2005B	0.78	(0.15)	67,143	-	HANA27C2007A	0.22	(0.01)	28,858	-	IRPC41C2006A	0.12	(0.06)	1,326	-
GPSC01P2007B	0.81	(0.08)	132,101	-	HANA27P2007A	0.40	-	18,462	-	IRPC41P2004A	0.44	0.11	38,470	-
GPSC01P2008A	1.34	(0.08)	50,665	1.00	HANA41C2006A	0.19	(0.01)	250	-	IRPC41P2005A	0.75	0.14	8,274	-
GPSC06C2006A	0.10	0.02	28,314	-	HMPR01C2006A	0.14	(0.03)	98,238	-	IRPC41P2006A	-	-	-	-

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL08C2002A	0.01	-	1,999	-	KCE13C2006A	1.03	0.01	73,892	1.00	MINT41C2004A	-	-	-	-
IVL08C2004A	0.17	(0.01)	4,877	-	KCE16C2007A	0.60	0.01	217,873	-	MINT41C2005A	-	-	-	-
IVL08P2003A	0.34	0.01	6,564	-	KCE19C2002A	0.88	0.02	16,124	-	MINT41P2004A	0.34	(0.01)	400	-
IVL08P2004A	0.18	-	32,924	-	KCE19C2005A	0.72	0.01	62,422	-	MINT42C2002A	-	-	-	-
IVL11C2005A	0.02	(0.01)	1,000	-	KCE19C2007A	0.81	0.02	48,943	-	MINT42C2004A	-	-	-	-
IVL11C2006A	0.25	(0.01)	65,539	-	KCE24C2005A	1.45	(0.01)	13,883	1.00	MTC01C2003A	0.37	0.03	86,866	-
IVL13C2003A	0.05	-	6,140	-	KCE27C2007A	0.39	-	72,960	-	MTC01C2003B	0.07	-	13,620	-
IVL13C2006A	0.25	(0.01)	272,695	-	KCE28C2003A	-	-	-	-	MTC01C2007B	0.30	0.02	173,534	-
IVL13P2004A	0.17	(0.01)	303,551	-	KCE28C2003B	-	-	-	-	MTC01C2008A	0.63	0.02	73,400	-
IVL16C2006A	0.10	(0.01)	9,544	-	KCE41C2003A	-	-	-	-	MTC01P2003A	0.18	(0.03)	45,806	-
IVL19C2002A	-	-	-	-	KCE41C2005A	0.83	0.02	11,390	-	MTC03C2005A	0.33	0.03	910	-
IVL19C2003A	-	-	-	-	KCE41C2006A	0.56	-	136,222	-	MTC08C2005A	0.37	(0.01)	47,129	-
IVL19C2004A	0.21	(0.01)	14,787	-	KKP01C2006A	0.63	0.01	25,915	-	MTC11C2002A	0.55	0.03	51,106	-
IVL19C2006A	0.18	(0.01)	1,040	-	KKP01C2006B	0.37	0.01	48,585	-	MTC11C2008A	0.44	0.01	58,182	-
IVL19P2003A	0.08	-	10,003	-	KKP01P2006A	0.51	(0.01)	24,630	-	MTC13C2003A	0.17	0.02	116,803	-
IVL19P2006A	0.40	(0.01)	17,389	-	KKP08C2003A	-	-	-	-	MTC13C2007A	0.31	0.01	129,755	-
IVL24C2002A	-	-	-	-	KKP11C2007A	0.38	(0.01)	27,988	-	MTC13P2003A	0.04	(0.02)	1,031	-
IVL24C2003A	0.12	(0.02)	1,810	-	KKP13C2004A	0.12	-	29,617	-	MTC16C2007A	0.24	0.03	147,529	-
IVL27P2007A	0.37	-	39,200	-	KKP13C2007A	0.41	-	40,634	-	MTC19C2002A	0.02	-	24	-
IVL28C2003A	-	-	-	-	KKP16C2002A	0.21	-	20,282	-	MTC19C2006A	0.27	0.02	32,594	-
IVL28C2003B	-	-	-	-	KKP19C2003A	0.11	(0.01)	3,612	-	MTC19P2004A	0.14	(0.02)	22,476	-
IVL28C2007A	0.20	(0.02)	2,319	-	KKP24C2003A	-	-	-	-	MTC24C2004A	0.32	0.02	26,188	-
IVL28P2003A	-	-	-	-	KKP27P2002A	-	-	-	-	MTC27C2007A	0.37	0.01	41,710	-
IVL41C2003A	-	-	-	-	KKP41C2002A	-	-	-	-	MTC28C2006A	0.23	0.01	70,954	-
IVL41C2004A	0.20	(0.01)	572	-	KKP41C2006A	0.38	0.01	203	-	MTC41C2003A	-	-	-	-
IVL41C2005A	-	-	-	-	KTBO1C2003A	-	-	-	-	MTC41C2004A	0.23	0.02	67,030	-
IVL41C2006A	0.13	(0.01)	14,670	-	KTBO1P2003A	0.32	0.02	59,407	-	MTC41P2003A	-	-	-	-
IVL41C2007A	-	-	-	-	KTBO1C2004A	0.01	(0.02)	3,120	-	MTC41P2004A	0.35	(0.01)	49,622	-
IVL41P2003A	-	-	-	-	KTBO1C2006A	-	-	-	-	MTC42C2003A	-	-	-	-
IVL41P2004A	-	-	-	-	KTBO1C2002A	-	-	-	-	OR113C2004A	0.05	(0.01)	5,802	-
IVL41P2005A	0.58	0.01	760	-	KTBO1C2006A	0.15	(0.01)	101,647	-	OR19C2003A	-	-	-	-
IVL41P2006A	0.44	0.01	10,341	-	KTBI19C2002A	-	-	-	-	OR19C2005A	0.12	0.01	3,102	-
IVL41P2007A	0.75	0.02	109	-	KTBI19C2005A	0.12	-	15,432	-	OR128C2004A	-	-	-	-
IVL42C2002A	-	-	-	-	KTBI24C2004A	-	-	-	-	OR28C2007A	0.16	-	9,126	-
IVL42C2005A	0.12	(0.01)	100	-	KTBA1C2003A	-	-	-	-	OR41C2004A	-	-	-	-
JAS13C2006A	0.25	-	79,006	-	KTBA1C2004A	-	-	-	-	OSP01C2003A	0.25	0.03	90,030	-
JAS16C2002A	-	-	-	-	KTBA1C2006A	0.12	(0.05)	15,179	-	OSP01C2003B	0.03	-	332	-
JAS16C2002B	-	-	-	-	KTBA1P2004A	0.17	-	22,555	-	OSP01C2006A	0.48	0.03	72,534	-
JAS19C2002A	-	-	-	-	KTC01C2004A	0.30	0.01	68,970	-	OSP01C2006B	0.28	0.02	169,429	-
JAS19C2004A	0.25	-	7,074	-	KTC01C2004B	0.14	(0.01)	92,148	-	OSP01P2003A	0.16	(0.04)	208,304	-
JAS28C2003A	0.01	-	2,226	-	KTC01C2007A	0.71	0.03	26,510	-	OSP01P2006A	0.48	(0.03)	126,954	-
JAS41C2004A	-	-	-	-	KTC01C2007B	0.51	-	98,487	-	OSP06C2005A	0.32	0.05	48,692	-
JAS41C2005A	-	-	-	-	KTC01P2004A	0.16	(0.01)	95,369	-	OSP06P2003A	0.05	(0.02)	47,420	-
JAS41C2006A	0.38	(0.03)	1,100	-	KTC01P2007A	0.21	(0.02)	487,970	-	OSP08C2004A	0.13	0.01	18,000	-
JAS41P2005A	0.31	(0.01)	2,710	-	KTC06C2006A	0.57	0.02	34,660	-	OSP11C2005A	0.33	0.02	55,973	-
JMT13C2006A	0.60	0.07	11,110	-	KTC08C2004A	0.16	-	19,200	-	OSP13C2002A	0.01	-	5,587	-
JMT19C2006A	0.52	0.05	151,745	-	KTC08C2006A	0.64	(0.01)	35,415	-	OSP13C2004A	0.24	0.02	90,957	-
JMT42C2006A	0.63	0.06	32,846	-	KTC11C2005A	0.21	(0.01)	34,096	-	OSP13C2006A	0.22	0.02	71,275	-
KBAN01C2002A	0.01	-	45,175	-	KTC13C2004A	0.17	0.01	76,638	-	OSP16C2008A	0.20	0.02	109,560	-
KBAN01C2002B	-	-	-	-	KTC13C2006A	0.45	0.01	152,718	-	OSP19C2004A	0.10	-	6,910	-
KBAN01C2004A	0.17	0.01	67,136	-	KTC13P2002A	-	-	-	-	OSP19C2005A	0.32	0.04	13,023	-
KBAN01C2004B	0.12	(0.01)	80,038	-	KTC13P2006A	0.10	(0.01)	44,501	-	OSP24C2008A	0.42	0.03	22,822	-
KBAN01C2007A	0.63	(0.01)	29,634	-	KTC13P2007A	0.40	(0.02)	157,167	-	OSP28C2003A	0.05	0.01	55	-
KBAN01C2007B	0.35	-	231,257	-	KTC19C2002A	-	-	-	-	OSP41C2003A	0.21	0.02	2	-
KBAN01P2002A	2.12	0.06	2,286	2.00	KTC19C2005A	0.29	-	21,298	-	OSP41C2004A	0.12	(0.02)	856	-
KBAN01P2002B	0.69	0.03	2,811	-	KTC19C2006A	0.49	(0.02)	494	-	OSP41C2005A	0.24	0.01	42,720	-
KBAN01P2004A	1.02	(0.01)	18,052	1.00	KTC19P2005A	0.18	(0.01)	23,224	-	OSP41P2003A	-	-	-	-
KBAN01P2004B	0.15	-	27,408	-	KTC27C2007A	0.39	0.01	25,281	-	OSP41P2004A	0.23	(0.02)	11,010	-
KBAN01P2007A	0.94	(0.01)	20,285	-	KTC28C2003A	-	-	-	-	OSP42C2005A	0.25	0.01	14,626	-
KBAN01P2007B	0.63	(0.02)	133,105	-	KTC28C2004A	0.11	0.01	26,364	-	PLAN08C2004A	-	-	-	-
KBAN06C2004A	0.06	-	29,163	-	KTC28C2006A	0.38	0.01	46,588	-	PLAN13C2004A	-	-	-	-
KBAN08C2002A	-	-	-	-	KTC41C2004A	-	-	-	-	PLAN13C2005A	0.04	-	60,274	-
KBAN08C2005A	0.14	-	11,323	-	KTC41C2005A	0.24	-	7,537	-	PLAN13C2007A	0.21	(0.01)	129,600	-
KBAN08C2007A	0.37	(0.01)	16,902	-	KTC41C2006A	0.27	-	74,022	-	PLAN16C2002A	-	-	-	-
KBAN08P2002A	0.27	(0.01)	9,056	-	KTC42C2003A	-	-	-	-	PLAN19C2005A	0.02	-	394	-
KBAN08P2004A	0.24	(0.02)	15,592	-	KTC42C2006A	0.58	0.01	400	-	PLAN19C2007A	0.23	(0.01)	12,522	-
KBAN13C2003A	0.02	0.01	66	-	LH01C2003A	0.04	-	75	-	PLAN24C2006A	0.04	(0.01)	23,050	-
KBAN13C2003B	0.05	(0.01)	22,357	-	LH01P2003A	0.47	0.04	34,875	-	PLAN27C2008A	0.10	(0.01)	12,301	-
KBAN13C2006A	0.33	-	58,349	-	LH11C2007A	0.22	(0.01)	49,246	-	PLAN28C2004A	-	-	-	-
KBAN13P2003A	0.06	(0.01)	19,668	-	LH16C2002A	-	-	-	-	PLAN28C2005A	0.03	(0.01)	5,000	-
KBAN13P2006A	0.45	(0.01)	99,864	-	LH19C2003A	-	-	-	-	PLAN41C2002A	-	-	-	-
KBAN16C2005A	0.03	(0.01)	8,519	-	LH19C2003B	-	-	-	-	PLAN41C2004A	-	-	-	-
KBAN16C2008A	0.28	0.01	80,110	-	LH19C2007A	0.29	(0.02)	56,652	-	PLAN41C2005A	-	-	-	-
KBAN19C2003A	-	-	-	-	LH19P2004A	0.16	0.02	4,235	-	PLAN41C2006A	-	-	-	-
KBAN19C2004A	0.15	(0.01)	6,769	-	LH41C2004A	-	-	-	-	PLAN42C2007A	0.20	(0.02)	5,642	-
KBAN19P2004A	0.23	(0.02)	15,488	-	LH41C2005A	-	-	-	-	PRM08C2003A	-	-	-	-
KBAN19P2007A	0.67	(0.02)	11,798	-	LH41C2006A	0.22	(0.02)	200	-	PRM13C2003A	-	-	-	-
KBAN24C2005A	0.11	-	16,381	-	LH41P2003A	-	-	-	-	PRM13C2006A	0.14	-	49,119	-
KBAN28C2003A	-	-	-	-	MAJ01C2002A	-	-	-	-	PRM19C2004A	0.04	(0.02)	110	-
KBAN28C2004A	0.12	(0.01)	25,824	-	MAJ01C2007A	0.37	(0.07)	162,826	-	PRM19C2006A	0.18	(0.01)	15,383	-
KBAN28P2003A	-	-	-	-	MAJ01C2002A	-	-	-	-	PRM27C2002A	-	-	-	-
KBAN41C2003A	0.03	(0.03)	8	-	MAJ01P2006A	0.23	(0.06)	36,056	-	PRM42C2006A	0.21	(0.02)	9,415	-
KBAN41C2004A	0.04	(0.04)	26	-	MAJ02C2002A	-	-	-	-	PSH19C2003A	-	-	-	-
KBAN41C2005A	0.22	(0.01)	52,931	-	MBK19C2004A	-	-	-	-	PSH19C2005A	0.20	0.01	22,928	-
KBAN41P2004A	0.21	(0.01)	23,139	-	MEGA19C2005A	0.14	-	6,612	-	PSL06C2006A	0.12	(0.03)	10,414	-
KBAN41P2005A	0.63	-	20,652	-	MINT01C2003A	0.06	-	520	-	PSL13C2003A	-	-	-	-
KBAN41P2006A	0.96	0.02	4,714	-	MINT01C2003B	-	-	-	-	PSL19C2004A	-	-	-	-
KBAN42C2003A	-	-	-	-	MINT01C2007B	0.21	0.01	79,432	-	PSL19C2006A	0.08	(0.02)	28,325	-
KBAN42C2004A	-	-	-	-	MINT01C2008A	0.33	0.01	56,309	-	PSL19C2007A	1.27	(0.07)</		

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG11C2005A	-	-	-	-	PTTG01P2002B	-	-	-	-	S5001P2003G	0.86	(0.07)	1,554,679	1.00
PTG13C2004A	0.15	-	8,234	-	PTTG01P2005A	0.96	(0.02)	20,086	-	S5001P2003H	1.75	(0.10)	909,286	1.00
PTG13C2006A	0.39	(0.01)	177,187	-	PTTG01P2005B	0.67	0.02	77,455	-	S5001P2003I	1.76	(0.06)	1,001,474	1.00
PTG13P2004A	0.25	(0.01)	123,867	-	PTTG01P2007B	0.41	-	68,751	-	S5001P2003J	0.69	(0.06)	1,156,294	-
PTG13P2006A	0.20	-	40,268	-	PTTG01P2008A	0.65	-	39,676	-	S5001P2004A	1.49	(0.03)	1,235,291	1.00
PTG19C2003A	-	-	-	-	PTTG06C2006A	-	-	-	-	S5001P2005A	1.03	(0.03)	981,984	1.00
PTG19C2004A	-	-	-	-	PTTG08C2004A	0.13	-	17,810	-	S5001P2006F	1.19	(0.04)	831,312	1.00
PTG19C2005A	0.24	-	7,475	-	PTTG08P2004A	0.26	(0.01)	14,180	-	S5006C2003A	0.02	-	5,000	-
PTG19C2006A	0.44	(0.01)	10,312	-	PTTG11C2004A	-	-	-	-	S5006C2003B	0.01	(0.01)	42	-
PTG19P2006A	0.37	-	2,078	-	PTTG11C2007A	0.34	(0.01)	52,799	-	S5006C2003C	0.03	0.01	6	-
PTG24C2002A	-	-	-	-	PTTG13C2002A	-	-	-	-	S5006C2006A	0.38	0.01	337,128	-
PTG27C2007A	0.48	0.02	23,594	-	PTTG13C2005A	0.12	0.01	34,444	-	S5006P2003A	1.46	(0.14)	606,999	1.00
PTG28C2004A	-	-	-	-	PTTG13C2007A	0.38	0.01	103,221	-	S5006P2003B	1.80	(0.06)	359,741	1.00
PTG41C2004A	-	-	-	-	PTTG13P2004A	0.32	(0.01)	196,749	-	S5006P2003C	0.67	(0.08)	519,640	-
PTG41C2005A	-	-	-	-	PTTG16C2006A	0.15	-	51,423	-	S5006P2006A	0.85	(0.05)	269,832	-
PTG41C2006A	0.30	0.01	2,160	-	PTTG19C2002A	-	-	-	-	S5008C2003A	0.01	(0.01)	1,442	-
PTG41P2005A	0.41	-	1,664	-	PTTG19C2006A	0.09	(0.01)	100	-	S5008C2003B	0.01	-	400	-
PTG42C2004A	-	-	-	-	PTTG19C2006B	0.27	-	18,396	-	S5008P2003A	0.43	(0.06)	621,672	-
PTG42C2006A	0.51	0.02	12,920	-	PTTG19P2003A	0.10	-	4,400	-	S5008P2003B	0.11	(0.03)	562,483	-
PTT01C2004A	0.36	(0.02)	79,807	-	PTTG19P2006A	0.75	0.01	5,768	-	S5008P2003C	1.67	0.53	340	1.00
PTT01C2004B	0.13	(0.01)	225,890	-	PTTG24C2003A	0.11	0.01	7,907	-	S5011C2003A	0.09	0.01	147,770	-
PTT01C2007A	0.36	(0.03)	44,005	-	PTTG27P2006A	0.56	0.01	10,019	-	S5011P2003A	1.04	(0.04)	79,358	1.00
PTT01C2007B	0.18	(0.01)	42,898	-	PTTG28C2003A	-	-	-	-	S5013C2003A	0.02	-	448,989	-
PTT01P2004A	0.34	0.01	36,478	-	PTTG28C2006A	0.11	-	9,112	-	S5013C2003B	0.06	-	1,164,111	-
PTT01P2004B	0.12	(0.01)	68,625	-	PTTG41C2002A	-	-	-	-	S5013C2003C	0.04	-	305,162	-
PTT01P2007A	0.68	0.02	13,688	-	PTTG41C2003A	-	-	-	-	S5013C2003D	0.13	0.01	987,340	-
PTT01P2007B	0.31	0.01	93,256	-	PTTG41C2004A	0.27	(0.02)	21,848	-	S5013C2003E	0.27	0.01	8,729,373	-
PTT06C2005A	0.20	(0.02)	51,619	-	PTTG41C2005A	0.11	(0.24)	876	-	S5013C2006A	0.57	0.01	9,552,327	-
PTT08C2005A	0.21	(0.04)	10,941	-	PTTG41C2006A	0.15	-	20,792	-	S5013P2003A	1.70	(0.06)	38,585	1.00
PTT08P2005A	0.16	-	3,090	-	PTTG41P2002A	-	-	-	-	S5013P2003B	0.93	(0.07)	1,159,737	1.00
PTT11C2004A	-	-	-	-	PTTG41P2003A	-	-	-	-	S5013P2003C	1.40	(0.08)	6,634	1.00
PTT11C2008A	0.28	(0.01)	24,901	-	PTTG41P2006A	0.73	(0.01)	4,438	-	S5013P2003D	1.53	(0.07)	134	1.00
PTT13C2004A	0.11	(0.02)	58,167	-	PTTG42C2003A	-	-	-	-	S5013P2003E	0.57	(0.05)	3,810,575	-
PTT13C2006A	0.25	(0.02)	88,196	-	PTTG42C2007A	0.33	(0.02)	6,750	-	S5013P2006A	1.00	(0.05)	737,551	1.00
PTT13P2004A	0.12	0.01	34,745	-	QH01C2006A	0.24	(0.01)	2,830	-	S5016C2003A	0.01	-	81,836	-
PTT13P2006A	0.34	0.01	81,142	-	QH01C2006B	-	-	-	-	S5016C2003B	0.03	-	28,474	-
PTT16C2008A	0.22	(0.02)	18,832	-	QH01P2006A	0.40	-	4,469	-	S5016C2003C	0.19	-	118,610	-
PTT19C2002A	-	-	-	-	QH11C2006A	0.13	(0.01)	6,000	-	S5016C2003D	0.48	0.02	347,527	-
PTT19C2005A	0.28	(0.03)	5,999	-	QH13C2003A	-	-	-	-	S5016C2003E	0.28	0.02	299,578	-
PTT19P2003A	0.04	0.01	1,000	-	QH19C2002A	-	-	-	-	S5016P2003A	0.90	(0.09)	659,247	1.00
PTT19P2006A	0.32	0.01	70	-	QH19C2006A	0.12	(0.01)	6,000	-	S5016P2003C	1.21	(0.03)	121,734	1.00
PTT24C2003A	-	-	-	-	QH27C2007A	-	-	-	-	S5016P2003D	0.94	(0.04)	198,066	1.00
PTT28C2003A	-	-	-	-	RATC01C2003A	0.04	0.01	12,296	-	S5019C2003A	0.02	-	200	-
PTT28C2004A	-	-	-	-	RATC01C2003B	0.01	-	10	-	S5019C2003B	0.07	-	142,163	-
PTT28C2007A	0.19	(0.02)	22,815	-	RATC01C2006A	0.41	0.01	53,134	-	S5019C2003C	0.04	-	7,197	-
PTT28P2004A	-	-	-	-	RATC01C2006B	0.23	-	33,448	-	S5019C2003D	0.20	0.01	1,662,070	-
PTT41C2004A	-	-	-	-	RATC01P2006A	0.95	(0.01)	11,533	-	S5019P2003A	1.19	(0.07)	232,193	1.00
PTT41C2005A	0.23	(0.03)	18,284	-	RATC06C2006A	0.11	-	78,098	-	S5019P2003B	0.49	(0.06)	1,503,211	-
PTT41C2006A	-	-	-	-	RATC06P2006A	0.43	(0.03)	42,817	-	S5019P2003C	1.56	(0.12)	84,079	1.00
PTT41P2004A	-	-	-	-	RATC13C2004A	-	-	-	-	S5019P2003D	0.33	(0.04)	1,270,345	-
PTT41P2005A	-	-	-	-	RATC13C2007A	0.29	0.01	83,610	-	S5024C2003A	-	-	-	-
PTT41P2006A	-	-	-	-	RATC16C2008A	0.13	-	30,215	-	S5024C2003B	0.02	-	3,408	-
PTT42C2003A	-	-	-	-	RATC19C2002A	-	-	-	-	S5024C2003C	0.26	0.01	126,839	-
PTT42C2007A	0.18	(0.02)	4,278	-	RATC19C2005A	-	-	-	-	S5024C2006A	0.66	0.04	421,247	-
PTTE01C2004A	0.64	(0.02)	32,051	-	RATC19C2007A	0.35	0.01	29,442	-	S5024P2003A	1.60	(0.15)	149,877	1.00
PTTE01C2004B	0.34	(0.02)	157,377	-	RATC24C2006A	0.21	-	21,537	-	S5024P2003B	0.59	(0.07)	345,913	-
PTTE01C2007A	0.63	-	30,695	-	RATC27C2004A	-	-	-	-	S5028C2002A	-	-	-	-
PTTE01C2007B	0.33	(0.01)	60,885	-	RATC27C2007A	0.29	-	18,600	-	S5028C2003A	0.01	-	10,716	-
PTTE01P2004A	0.20	-	24,650	-	RATC41C2003A	-	-	-	-	S5028C2003B	0.02	(0.01)	70	-
PTTE01P2004B	0.07	-	1,500	-	RATC41C2004A	0.11	(0.02)	3,000	-	S5028C2004A	0.29	(0.71)	266,727	-
PTTE01P2007A	0.82	0.01	26,126	-	RATC41C2005A	0.11	-	241	-	S5028C2006A	0.14	0.01	114,749	-
PTTE01P2007B	0.38	-	69,623	-	RATC41C2006A	0.23	(0.01)	30,470	-	S5028P2002A	0.26	(0.06)	1,513	-
PTTE06C2006A	0.29	(0.01)	91,935	-	RATC41P2004A	0.68	-	5,962	-	S5028P2003A	0.36	(0.02)	575,100	-
PTTE06P2006A	0.49	0.02	22,500	-	RATC41P2006A	0.68	0.03	24,818	-	S5028P2004A	0.61	(0.39)	523,938	-
PTTE08C2002A	-	-	-	-	RATC42C2003A	-	-	-	-	S5028P2006A	0.55	(0.03)	441,932	-
PTTE08C2005A	0.39	(0.02)	12,660	-	RATC42C2006A	0.11	(0.01)	2,700	-	S5041C2003A	-	-	-	-
PTTE08P2005A	0.19	-	9,000	-	RS06C2004A	0.04	-	1,571	-	S5041C2003B	-	-	-	-
PTTE08P2006A	0.53	0.01	16,000	-	RS08P2003A	1.51	-	623	1.00	S5041C2003C	-	-	-	-
PTTE11C2006A	0.52	(0.01)	22,400	-	RS08P2006A	0.80	(0.02)	16,418	-	S5041C2003D	0.03	-	5,800	-
PTTE13C2004A	-	-	-	-	RS13C2002A	-	-	-	-	S5041C2003E	0.05	-	20,960	-
PTTE13C2006A	0.37	(0.01)	30,793	-	RS13C2004A	-	-	-	-	S5041C2006A	0.31	0.01	2,463,863	-
PTTE13P2003A	0.02	(0.01)	5	-	RS13C2006A	0.21	-	98,336	-	S5041P2003A	0.83	0.03	32,062	-
PTTE13P2006A	0.47	-	32,562	-	RS16C2005A	-	-	-	-	S5041P2003B	-	-	-	-
PTTE16C2003A	0.14	(0.01)	8,718	-	RS19C2002A	-	-	-	-	S5041P2003C	0.49	(0.06)	829,875	-
PTTE16C2009A	0.37	(0.01)	97,647	-	RS19C2004A	-	-	-	-	S5041P2003D	1.89	0.34	1	1.00
PTTE19C2002A	0.06	(0.01)	10,292	-	RS19C2005A	0.06	-	91,840	-	S5041P2003E	-	-	-	-
PTTE19C2006A	0.34	(0.01)	10,499	-	RS19C2007A	0.21	-	11,530	-	S5041P2006A	0.61	(0.04)	1,647,079	-
PTTE19P2004A	-	-	-	-	RS24C2004A	-	-	-	-	SAWA01C2003A	1.24	0.20	112,946	1.00
PTTE19P2006A	0.47	(0.01)	1,484	-	RS24C2008A	0.15	-	97,612	-	SAWA01C2003B	0.65	0.18	142,935	-
PTTE24C2003A	0.21	(0.02)	15,945	-	RS41C2002A	-	-	-	-	SAWA01C2006A	0.91	0.15	129,243	-
PTTE28C2005A	0.25	(0.01)	15,206	-	RS41C2004A	0.05	(0.03)	50	-	SAWA01C2006B	0.52	0.12	137,844	-
PTTE28P2004A	-	-	-	-	RS42C2004A	-	-	-	-	SAWA01P2003A	0.05	(0.02)	6,964	-
PTTE41C2003A	-	-	-	-	RS42C2008A	0.21	-	1,500	-	SAWA01P2006A	0.61	(0.15)	189,333	-
PTTE41C2005A	0.42	(0.01)	14,660	-	S10001C2011A	0.31	(0.03)	110	-	SAWA06C2002A	0.67	0.19	37,510	-
PTTE41C2006A	0.45	-	1,277	-	S5001C2002A	0.02	0.01	15,103	-	SAWA08C2006A	0.60	0.12	102,689	-
PTTE41P2003A	-	-	-	-	S5001C2003F	0.02	(0.01)	338,570	-	SAWA1				

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG01C2005B	0.09	0.01	3,275	-	S5001C2005A	0.61	0.01	1,673,030	-	SAWA19C2005A	0.56	0.13	119,107	-
PTTG01C2007B	0.25	-	60,924	-	S5001C2006F	0.61	0.02	1,167,362	-	SAWA24C2004A	0.69	0.12	25,893	-
PTTG01C2008A	0.50	-	51,832	-	S5001P2002A	1.12	(0.10)	58,567	1.00	SAWA27C2007A	0.59	0.09	100,458	-
PTTG01P2002A	0.56	-	9,818	-	S5001P2003F	1.12	(0.08)	2,043,725	1.00	SAWA28C2004A	0.44	0.13	210,912	-

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA28C2007A	0.36	0.07	35,462	-	SGP13C2006A	-	-	-	-	TASCO1C2003A	0.36	0.01	62,665	-
SAWA41C2003A	-	-	-	-	SGP13C2007A	0.35	0.01	205,919	-	TASCO1C2003B	0.08	0.01	17,370	-
SAWA41C2004A	0.42	0.07	14,068	-	SGP19C2002A	-	-	-	-	TASCO1P2003A	0.12	(0.02)	49,599	-
SAWA41C2005A	0.57	0.12	187,685	-	SGP19C2006A	-	-	-	-	TASCO8C2005A	0.28	0.01	29,396	-
SAWA41P2003A	-	-	-	-	SGP19C2006B	0.31	0.01	32,492	-	TASCO8C2006A	0.50	0.02	38,305	-
SAWA41P2004A	0.15	(0.07)	27,108	-	SGP24C2002A	0.01	-	2,000	-	TASC11C2002A	-	-	-	-
SAWA41P2005A	0.52	(0.13)	42,683	-	SGP42C2007A	0.37	0.02	5,598	-	TASC13C2003A	0.13	0.01	50,428	-
SAWA42C2003A	0.22	0.06	16,466	-	SIRI13C2007A	0.13	-	6,324	-	TASC13C2006A	0.50	0.02	100,575	-
SCB01C2002A	0.01	-	35,550	-	SIRI19C2002A	-	-	-	-	TASC16C2008A	0.44	0.03	92,945	-
SCB01C2002B	-	-	-	-	SIRI19C2004A	-	-	-	-	TASC19C2003A	0.17	0.01	22,346	-
SCB01C2002A	0.11	-	168,211	-	SIRI19C2007A	-	-	-	-	TASC19C2006A	0.73	0.02	6,101	-
SCB01C2004B	0.01	(0.02)	42,824	-	SPAL01C2004A	0.23	0.01	41,310	-	TASC19C2007A	0.39	0.02	87,639	-
SCB01C2007A	0.37	(0.02)	252,762	-	SPAL01C2004B	0.08	-	30,974	-	TASC19P2004A	0.15	(0.01)	67,672	-
SCB01C2007B	0.23	(0.01)	103,830	-	SPAL06P2004A	0.42	0.01	22,332	-	TASC24C2006A	0.47	0.03	9,884	-
SCB01P2002A	2.12	0.08	388	2.00	SPAL11C2006A	0.24	0.01	35,140	-	TASC28C2004A	0.13	0.01	12,318	-
SCB01P2002B	1.64	0.04	3,064	1.00	SPAL13C2003A	-	-	-	-	TASC28C2006A	0.29	0.02	37,628	-
SCB01P2004A	0.78	0.01	44,111	-	SPAL13C2006A	0.31	-	93,468	-	TASC41C2003A	-	-	-	-
SCB01P2004B	0.30	-	98,088	-	SPAL16C2002A	-	-	-	-	TASC41C2004A	0.21	0.01	20,662	-
SCB01P2007A	0.67	0.01	31,201	-	SPAL19C2002A	-	-	-	-	TASC41C2005A	0.51	0.02	4,000	-
SCB01P2007B	0.53	-	34,522	-	SPAL19C2004A	0.11	-	10,543	-	TASC42C2003A	-	-	-	-
SCB06C2007A	0.49	(0.02)	64,191	-	SPAL24C2003A	-	-	-	-	TASC42C2005A	0.51	0.02	6,566	-
SCB08C2002A	-	-	-	-	SPAL27C2008A	0.15	-	9,000	-	TCAP01C2007B	0.38	(0.01)	14,978	-
SCB08C2005A	0.06	-	2,153	-	SPAL41C2004A	0.14	-	6,330	-	TCAP01C2008A	0.63	-	40,194	-
SCB08C2007A	0.77	(0.01)	85,779	-	SPAL42C2003A	-	-	-	-	TCAP01P2008A	0.64	-	39,224	-
SCB08P2004A	0.52	-	33,828	-	SPRC01C2003A	0.14	(0.02)	145,014	-	TCAP11C2002A	0.07	(0.02)	3,820	-
SCB11C2005A	-	-	-	-	SPRC01C2003B	-	-	-	-	TCAP13C2002A	0.26	(0.01)	32,692	-
SCB11C2006A	-	-	-	-	SPRC01C2007A	0.41	(0.02)	100,332	-	TCAP13C2007A	0.34	(0.01)	288,369	-
SCB11C2008A	0.38	(0.01)	72,023	-	SPRC06C2007A	0.47	(0.03)	101,629	-	TCAP19C2004A	0.41	(0.02)	25,365	-
SCB11P2005A	1.36	0.01	74,447	1.00	SPRC06P2003A	0.03	-	66,200	-	TCAP41C2002A	-	-	-	-
SCB13C2003A	0.01	-	400	-	SPRC08C2005A	0.17	(0.01)	41,081	-	TCAP41C2004A	0.27	-	1,000	-
SCB13C2006A	0.09	(0.01)	18,107	-	SPRC08C2006A	0.11	-	16,200	-	THAI11C2003A	-	-	-	-
SCB13C2006B	0.25	(0.01)	148,393	-	SPRC11C2005A	-	-	-	-	THAI13C2004A	-	-	-	-
SCB13C2007A	0.73	(0.02)	291,545	-	SPRC11C2008A	0.62	0.02	88,330	-	THAI19C2002A	-	-	-	-
SCB13P2003A	0.21	-	84,426	-	SPRC13C2004A	0.02	-	130	-	THAI19C2004A	0.01	(0.01)	1,000	-
SCB13P2006A	0.85	0.01	97,843	-	SPRC13C2006A	0.20	(0.01)	186,901	-	THAI27C2008A	0.14	(0.01)	9,610	-
SCB16C2003A	-	-	-	-	SPRC19C2002A	0.03	(0.03)	33,382	-	THAI42C2003A	-	-	-	-
SCB16C2008A	0.46	(0.02)	133,339	-	SPRC19C2005A	0.21	(0.01)	43,690	-	THAI42C2005A	-	-	-	-
SCB19C2002A	-	-	-	-	SPRC19C2005B	-	-	-	-	THAN01C2006A	0.28	0.01	61,597	-
SCB19C2003A	-	-	-	-	SPRC19C2007A	0.60	(0.04)	12,448	-	THAN01C2006B	0.10	-	46,521	-
SCB19C2006A	0.22	-	20,825	-	SPRC19P2005A	0.45	0.01	29,403	-	THAN01P2006A	0.33	(0.04)	103,002	-
SCB19C2007A	0.72	(0.01)	28,837	-	SPRC24C2003A	-	-	-	-	THAN06C2003A	0.01	(0.02)	500	-
SCB19P2005A	0.81	-	75,026	-	SPRC41C2004A	0.12	-	2,496	-	THAN06C2005A	0.14	0.02	36,860	-
SCB24C2004A	0.08	(0.01)	90	-	SPRC41C2005A	0.30	-	23,540	-	THAN06P2003A	0.17	(0.05)	6,044	-
SCB27C2007A	0.07	-	197	-	SPRC41C2006A	-	-	-	-	THAN13C2003A	-	-	-	-
SCB27P2006A	0.73	-	24,244	-	SPRC42C2006A	0.36	-	16,152	-	THAN13C2007A	0.18	0.01	28,115	-
SCB28C2003A	-	-	-	-	STA01C2003A	0.37	0.03	77,019	-	THAN19C2004A	0.07	(0.01)	90	-
SCB28C2004A	-	-	-	-	STA01C2003B	0.11	0.01	110,707	-	THAN19C2007A	0.26	0.01	15,324	-
SCB28C2006A	0.15	(0.02)	21,515	-	STA01P2003A	0.05	(0.02)	1,967	-	THAN27C2003A	-	-	-	-
SCB28C2006B	0.52	(0.02)	53,772	-	STA11C2005A	0.20	0.01	31,640	-	THAN41C2005A	0.10	(0.02)	1,548	-
SCB41C2002A	-	-	-	-	STA13C2003A	0.29	0.05	105,977	-	TISCO1C2006A	0.99	(0.03)	1,113	-
SCB41C2004A	-	-	-	-	STA13C2006A	0.25	0.03	207,235	-	TISCO1C2006B	0.26	(0.02)	4,269	-
SCB41C2005A	-	-	-	-	STA19C2002A	-	-	-	-	TISCO1P2006A	0.44	0.01	30,190	-
SCB41C2006A	0.30	-	21,180	-	STA19C2004A	0.32	0.05	10,501	-	TISCO8C2002A	-	-	-	-
SCB41P2004A	0.43	0.01	15,416	-	STA19C2005A	1.03	0.08	1,554	-	TISC11C2005A	-	-	-	-
SCB41P2005A	0.82	-	260	-	STA19C2007A	0.26	0.03	34,290	-	TISC11C2007A	0.78	(0.02)	1,250	-
SCB42C2003A	-	-	-	-	STA24C2002A	0.04	(0.07)	700	-	TISC13C2004A	-	-	-	-
SCB42C2006A	0.06	-	601	-	STA42C2007A	0.28	0.02	5,700	-	TISC13C2006A	0.27	-	11,711	-
SCB42C2007A	0.47	(0.01)	15,773	-	STEC01C2003A	0.09	0.01	20,390	-	TISC19C2004A	0.40	(0.02)	810	-
SCC01C2004A	0.40	(0.07)	247,243	-	STEC01C2003B	-	-	-	-	TISC19C2006A	0.23	(0.01)	6,557	-
SCC01C2004B	0.10	(0.03)	31,736	-	STEC01C2004A	0.19	0.03	141,993	-	TISC41C2005A	-	-	-	-
SCC01P2004A	0.92	0.08	137,610	-	STEC01C2006A	0.56	0.05	94,784	-	TISC41C2006A	0.24	(0.02)	10	-
SCC06C2007A	0.37	(0.08)	64,805	-	STEC01C2006B	0.29	0.02	350,711	-	TISC41P2006A	0.40	(0.01)	7,151	-
SCC08C2002A	-	-	-	-	STEC01P2003A	0.44	(0.10)	66,886	-	TISC42C2003A	-	-	-	-
SCC08C2004A	0.10	(0.04)	13,000	-	STEC01P2006A	0.39	(0.03)	288,283	-	TKN01C2003A	-	-	-	-
SCC08P2006A	0.62	0.06	48,158	-	STEC06C2004A	0.41	0.05	56,392	-	TKN01C2003B	0.01	(0.01)	20	-
SCC11C2003A	-	-	-	-	STEC08C2004A	-	-	-	-	TKN01C2007B	0.22	-	109,492	-
SCC11C2006A	0.03	(0.01)	2,624	-	STEC08C2005A	0.44	0.03	57,840	-	TKN01C2008A	0.61	-	284,511	-
SCC11C2007A	0.34	(0.07)	64,519	-	STEC11C2007A	0.10	0.01	4,610	-	TKN08C2003A	0.07	(0.03)	30	-
SCC13C2002A	-	-	-	-	STEC13C2003A	0.11	0.02	32,194	-	TKN08C2007A	0.51	-	109,040	-
SCC13C2004A	0.14	(0.04)	20,999	-	STEC13C2004A	0.36	0.04	252,929	-	TKN13C2004A	0.05	-	13,407	-
SCC13P2002A	0.02	0.01	300	-	STEC16C2003A	-	-	-	-	TKN13C2006A	0.51	0.01	232,159	-
SCC13P2006A	0.58	0.05	135,082	-	STEC16C2006A	0.11	0.01	44,598	-	TKN16C2008A	0.33	-	162,619	-
SCC16C2002A	-	-	-	-	STEC16C2009A	0.42	0.04	146,045	-	TKN19C2004A	0.17	-	19,264	-
SCC16C2005A	0.05	(0.01)	12,935	-	STEC19C2002A	-	-	-	-	TKN19C2004B	0.06	(0.04)	6,323	-
SCC19C2002A	-	-	-	-	STEC19C2004A	0.12	0.02	2,094	-	TKN19C2007A	0.53	0.02	57,169	-
SCC19C2003A	-	-	-	-	STEC19C2005A	0.42	0.04	51,396	-	TKN24C2002A	-	-	-	-
SCC19C2003B	-	-	-	-	STEC24C2003A	-	-	-	-	TKN28C2003A	-	-	-	-
SCC19C2006A	0.21	(0.06)	22,012	-	STEC24C2006A	0.52	0.05	25,862	-	TKN28C2007A	0.17	-	68,852	-
SCC19P2004A	0.36	0.06	17,255	-	STEC27C2002A	-	-	-	-	TKN41C2003A	-	-	-	-
SCC24C2003A	0.01	(0.05)	200	-	STEC27C2002B	-	-	-	-	TKN41C2005A	0.39	0.02	65,856	-
SCC24C2006A	0.34	(0.04)	36,304	-	STEC28C2004A	0.06	-	1,001	-	TKN41C2006A	0.14	-	7,534	-
SCC27P2008A	0.28	0.03	44,943	-	STEC28C2004B	0.18	0.03	69,300	-	TKN42C2003A	-	-	-	-
SCC28C2003A	0.02	(0.01)	20	-	STEC28C2005A	-	-	-	-	TKN42C2006A	0.44	0.01	15,298	-
SCC28C2004A	0.08	(0.05)	12,127	-	STEC41C2003A	-	-	-	-	TMB01C2004A	0.11	(0.02)	133,620	-
SCC41C2003A	-	-	-	-	STEC41C2004A	0.15	0.01	6,783	-	TMB01C2004B	0.03	-	1,235	-
SCC41C2004A	-	-	-	-	STEC41C2005A	0.38	0.02	1,032	-	TMB01P2004A	0.49	0.02	79,551	-
SCC41C2005A	0.13	(0.04)	12,070	-	STEC41C2006A	0.46	(0.01)	1,521	-	TMB13C2002A	-	-	-	-
SCC41C2006A	0.23	(0.05)	16,376	-	STEC41P2003A	-	-	-	-	TMB13C20				

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCC41P2005A	0.72	0.14	21,012	-	STEC41P2005A	0.20	0.01	749	-	TMB41C2004A	0.12	(0.01)	2,948	-
SCC41P2006A	0.56	0.07	22,070	-	STEC42C2004A	0.24	0.02	11,674	-	TMB41C2005A	0.07	(0.01)	4,332	-
SCC42C2002A	-	-	-	-	SUPE13C2003A	0.01	-	790	-	TMB41P2003A	0.19	0.02	4,800	-
SCC42C2003A	-	-	-	-	SUPE19C2002A	-	-	-	-	TMB41P2006A	0.48	0.02	17,468	-
SCC42C2008A	0.40	(0.07)	11,344	-	SUPE19C2004A	-	-	-	-	TOA01C2006A	0.24	-	215,838	-
SGP13C2004A	0.15	-	13,690	-	SUPE42C2004A	-	-	-	-	TOA01C2006B	0.13	-	196,274	-

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOA08C2003A	-	-	-	-	TU11C2003A	-	-	-	-	DCC-W1	0.55	(0.01)	17,242	-
TOA13C2003A	-	-	-	-	TU11C2008A	0.55	(0.01)	39,109	-	ECL-W3	0.12	(0.01)	53,246	-
TOA13C2007A	0.18	(0.02)	157,564	-	TU13C2003A	0.05	-	1,353	-	EIC-W2	-	-	-	-
TOA19C2004A	-	-	-	-	TU13C2004A	0.40	0.03	52,461	-	EIC-W3	-	-	-	-
TOA19C2007A	0.22	(0.01)	42,005	-	TU19C2002A	-	-	-	-	EMC-W6	0.03	-	2	-
TOA24C2005A	-	-	-	-	TU19C2003A	0.05	-	5,500	-	EPCO-W3	0.42	0.01	601	-
TOA41C2004A	-	-	-	-	TU19C2005A	0.50	0.01	1,703	-	GLOCON-W4	0.25	0.01	77	-
TOP01C2003A	0.05	-	3,011	-	TU19C2007A	0.39	0.02	35,490	-	J-W1	-	-	-	-
TOP01C2003B	0.01	-	891	-	TU24C2003A	0.02	-	26,100	-	JAS-W3	2.08	0.04	50,167	2.00
TOP01C2006A	0.23	(0.02)	63,561	-	TU24C2006A	0.47	-	23,399	-	JCK-W5	0.05	-	1,986	-
TOP01C2006B	0.09	-	502	-	TU27C2004A	0.04	0.01	2,000	-	JMT-W2	5.60	0.25	15,594	5.00
TOP01P2003A	1.14	0.02	17,845	1.00	TU27C2006A	0.32	-	9,558	-	MACO-W2	0.09	0.01	189,871	-
TOP01P2006A	1.16	(0.03)	51,440	1.00	TU41C2003A	0.08	0.01	1,472	-	MILL-W4	-	-	-	-
TOP06C2004A	-	-	-	-	TU41C2004A	0.27	(0.02)	8,775	-	MILL-W5	-	-	-	-
TOP06C2007A	0.40	-	91,476	-	TU41C2005A	0.48	-	4,414	-	MINT-W6	2.32	0.08	3,389	2.00
TOP06P2005A	1.36	0.06	31,132	1.00	TU41P2003A	-	-	-	-	NFC-W1	0.56	(0.14)	20	-
TOP08C2003A	-	-	-	-	TU41P2004A	-	-	-	-	NOK-W1	-	-	-	-
TOP08C2007A	0.37	(0.02)	43,914	-	TU42C2007A	0.34	-	4,916	-	NVD-W1	0.11	-	200	-
TOP08P2003A	1.21	0.08	402	1.00	TVO13C2007A	0.26	-	4,098	-	ORI-W1	0.17	0.01	18,413	-
TOP08P2007A	0.76	(0.01)	31,945	-	TVO19C2004A	0.24	(0.01)	2,234	-	PACE-W2	-	-	-	-
TOP11C2002A	-	-	-	-	TVO19C2007A	0.20	(0.01)	7,017	-	PACE-W3	-	-	-	-
TOP11C2007A	0.08	(0.01)	3,001	-	VGI01C2005A	0.18	(0.01)	229,642	-	PDI-W1	0.30	(0.03)	1,495	-
TOP11P2002A	0.61	0.01	28,000	-	VGI08C2006A	0.12	-	60,338	-	PDJ-W4	0.30	(0.03)	14	-
TOP13C2004A	0.02	-	1,701	-	VGI11C2008A	0.17	-	62,876	-	PERM-W1	0.13	-	1,512	-
TOP13C2006A	0.11	(0.01)	49,453	-	VGI13C2006A	0.15	(0.01)	282,057	-	PORT-W1	0.64	-	10,402	-
TOP13P2005A	-	-	-	-	VGI19C2006A	0.12	-	10,407	-	PPPM-W4	0.14	-	4,225	-
TOP13P2006A	0.90	0.01	48,342	-	VGI41C2006A	0.10	(0.01)	2,811	-	PRIME-W1	0.03	0.01	450	-
TOP16C2008A	0.42	-	90,061	-	WHA01C2002A	-	-	-	-	PRIME-W2	-	-	-	-
TOP19C2002A	-	-	-	-	WHA01C2002B	-	-	-	-	RICHY-W2	-	-	-	-
TOP19C2003A	-	-	-	-	WHA01C2005A	0.17	-	72,824	-	RS-W3	0.60	(0.13)	46,693	-
TOP19C2006A	0.10	(0.01)	4,580	-	WHA01C2005B	0.06	0.01	18,571	-	SAMART-W2	0.62	0.02	7,129	-
TOP19C2007A	0.36	(0.64)	7,047	-	WHA01P2002A	1.37	0.08	5,380	1.00	SAWAD-W1	26.75	4.25	9,576	24.00
TOP19P2002A	-	-	-	-	WHA01P2005A	0.67	(0.03)	94,858	-	SDC-W1	0.07	-	20	-
TOP19P2006A	1.31	0.04	1,566	1.00	WHA06C2007A	0.37	0.01	65,467	-	SINGER-W1	1.84	0.21	564	1.00
TOP24C2007A	0.05	-	1,000	-	WHA08C2002A	0.01	-	8,000	-	SINGER-W2	1.88	0.30	11	1.00
TOP28C2004A	-	-	-	-	WHA08C2003A	-	-	-	-	SMT-W2	0.04	(0.01)	39,583	-
TOP41C2003A	-	-	-	-	WHA08C2005A	-	-	-	-	SST-W2	0.65	0.02	45	-
TOP41C2004A	-	-	-	-	WHA08C2006A	0.16	-	22,890	-	SUPER-W4	0.01	-	7	-
TOP41C2005A	-	-	-	-	WHA08P2006A	0.47	-	38,590	-	SVI-W3	0.11	(0.06)	35,751	-
TOP41C2006A	-	-	-	-	WHA11C2008A	0.18	0.01	48,228	-	TCC-W3	0.04	-	32,704	-
TOP41C2007A	0.37	(0.02)	61,692	-	WHA13C2003A	-	-	-	-	TCC-W4	-	-	-	-
TOP41P2004A	-	-	-	-	WHA13C2005A	0.07	-	17,815	-	TCC-W5	0.12	-	101	-
TOP41P2005A	0.27	0.01	34,298	-	WHA13C2006A	0.32	0.02	165,316	-	TCJ-W2	0.08	(0.04)	5,947	-
TOP41P2006A	0.92	0.01	2,626	-	WHA16C2006A	0.02	(0.01)	200	-	TFG-W2	0.08	-	55,558	-
TOP42C2007A	0.34	(0.02)	9,138	-	WHA16C2008A	0.34	0.02	78,642	-	TGPRO-W3	-	-	-	-
TP119C2002A	-	-	-	-	WHA19C2002A	-	-	-	-	TH-W2	0.02	0.01	10	-
TP119C2004A	0.34	0.01	12,295	-	WHA19C2004A	-	-	-	-	THE-W2	-	-	-	-
TRUE01C2002A	0.01	-	75,112	-	WHA19C2005A	0.09	-	3,140	-	TNITY-W1	0.16	(0.01)	500	-
TRUE01C2002B	0.02	0.01	1	-	WHA19C2006A	0.28	0.01	16,274	-	TRITN-W3	0.09	-	7,008	-
TRUE01C2004A	0.01	(0.01)	8,830	-	WHA24C2004A	-	-	-	-	TTCL-W1	0.31	-	12,210	-
TRUE01C2004B	0.03	-	17,604	-	WHA24C2007A	0.25	-	21,458	-	U-W4	0.01	-	2,000	-
TRUE01C2007A	0.45	(0.02)	67,963	-	WHA24P2003A	-	-	-	-	UAC-W2	0.21	(0.02)	23,773	-
TRUE01C2007B	0.23	(0.01)	157,022	-	WHA27C2008A	0.18	-	16,800	-	VGI-W2	1.01	0.05	239,896	-
TRUE01P2002A	1.59	0.03	6,717	1.00	WHA28C2003A	-	-	-	-	VIBHA-W2	0.58	(0.07)	170	-
TRUE01P2002B	1.47	0.01	11,448	1.00	WHA28C2003B	-	-	-	-	VIBHA-W3	0.16	-	6,707	-
TRUE01P2004A	0.75	0.01	43,178	-	WHA28C2004A	-	-	-	-	WAVE-W1	0.03	-	1,712	-
TRUE01P2004B	0.35	-	166,886	-	WHA28C2005A	-	-	-	-	WHA-W1	-	-	-	-
TRUE01P2007B	0.48	-	101,719	-	WHA28C2006A	0.20	(0.01)	22,071	-	WIJK-W2	0.14	-	1,751	-
TRUE06C2004A	-	-	-	-	WHA41C2003A	-	-	-	-	ZMCO-W4	0.07	0.01	921	-
TRUE06C2007A	0.35	(0.03)	31,902	-	WHA41C2004A	-	-	-	-	Preferred Shares	-	-	-	-
TRUE08C2004A	-	-	-	-	WHA41C2005A	-	-	-	-	BH-P	-	-	-	-
TRUE08C2005A	0.12	-	10,315	-	WHA41C2006A	0.14	(0.02)	241	-	CSC-P	-	-	-	-
TRUE08C2007A	0.37	(0.03)	39,204	-	WHA41C2007A	0.35	(0.05)	5,638	-	JUTHA-P	-	-	-	-
TRUE08P2005A	0.87	0.03	37,544	-	WHA41P2003A	1.46	0.08	9,000	1.00	KTB-P	-	-	-	-
TRUE11C2005A	-	-	-	-	WHA41P2005A	0.98	0.02	1,000	1.00	SCB-P	-	-	-	-
TRUE11C2005B	-	-	-	-	WHA42C2005A	0.03	0.01	11	-	TCAP-P	-	-	-	-
TRUE11P2002A	0.33	-	38,334	-	WHA42C2006A	0.27	(0.01)	12,980	-	TISCO-P	-	-	-	-
TRUE13C2003A	-	-	-	-	WHAU27C2002A	-	-	-	-	U-P	2.64	(0.04)	500	2.00
TRUE13C2003B	0.02	(0.01)	3,195	-	Preferred/Foreign	-	-	-	-	Warrant (MAD)	-	-	-	-
TRUE13C2006A	0.19	(0.02)	75,255	-	BH-Q	-	-	-	-	BM-W1	0.05	(0.01)	2,990	-
TRUE13C2007A	0.33	(0.01)	821	-	CSC-Q	-	-	-	-	BROOK-W5	0.14	0.01	5,807	-
TRUE16C2002A	-	-	-	-	JUTHA-Q	-	-	-	-	CHO-W2	0.05	(0.01)	9,532	-
TRUE19C2003A	-	-	-	-	KTB-Q	-	-	-	-	DOD-W1	0.60	0.04	126,901	-
TRUE19C2004A	0.02	-	2,500	-	SCB-Q	-	-	-	-	ECF-W3	0.29	(0.01)	7,258	-
TRUE19C2006A	0.17	(0.01)	24,876	-	TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE19P2003A	0.57	0.01	7,296	-	TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE19P2005A	0.51	0.01	16,052	-	U-Q	-	-	-	-	FVC-W2	0.02	-	14,443	-
TRUE28C2003A	-	-	-	-	Warrant	-	-	-	-	HPT-W1	0.20	-	550	-
TRUE28C2003B	-	-	-	-	7UP-W4	0.10	-	2,498	-	HYDRO-W1	0.10	0.10	70,713	-
TRUE28C2006A	0.14	(0.02)	23,097	-	AKR-W1	0.07	-	1,271	-	ITEL-W1	0.32	0.01	42,644	-
TRUE41C2003A	-	-	-	-	ALT-W1	0.34	(0.04)	84,864	-	JKN-W1	0.25	(0.01)	8,919	-
TRUE41C2004A	-	-	-	-	APEX-W1	-	-	-	-	LIT-W1	0.68	0.01	55	-
TRUE41C2005A	-	-	-	-	APURE-W2	-	-	-	-	META-W4	0.05	0.01	3,683	-
TRUE41C2006A	0.14	(0.02)	1,944	-	AS-W1	0.10	-	100	-	NEWS-W6	-	-	-	-
TRUE41P2004A	0.55	0.02	22,405	-	AYUD-W1	0.36	(0.02)	2,365	-	OCEAN-W3	0.44	(0.01)	3,624	-
TRUE41P2005A	0.84	0.04	5,000	-	B-W3	-	-	-	-	PROUD-W2	0.06	(0.03)	1,994	-
TRUE42C2003A	-	-	-	-	B-W4	0.02	0.01	1,001	-	RWI-W2	0.11	-	2,478	-
TRUE42C2004A	-	-	-	-	B-W5	0.03	(0.01)	19,562	-	SANKO-W1	0.09	0.01	66	-
TRUE42C2007A	0.31	(0.02)	9,326	-	B52-W2	-	-	-	-	SIMAT-W2	0.09	(0.02)	-	-

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TTW27C2009A	0.32	(0.01)	8,858	-	BKD-W2	0.08	(0.01)	17,275	-	SIMAT-W3	0.26	(0.02)	1,390	-
TU01C2004A	0.38	0.02	47,002	-	CGD-W4	0.10	0.01	423	-	SIMAT-W4	0.71	(0.09)	766	-
TU01C2004B	0.32	-	32,463	-	CGH-W3	0.01	(0.01)	1,440	-	SMART-W2	0.25	-	2,983	-
TU01P2004A	0.07	-	35,511	-	CI-W1	-	-	-	-	STAR-W3	-	-	-	-
TU06C2004A	0.21	0.02	69,688	-	CKP-W1	0.08	(0.01)	54,040	-	SWC-W1	2.46	-	15	2.00
TU06P2007A	0.18	(0.02)	95,152	-	CRANE-W1	0.62	0.01	916	-	TAKUNI-W	0.04	-	1,153	-

Main Board Quotation

Issue Date :

Friday February 21, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------