

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	2.32	0.14	18,351	2.28	MCOT	7.50	(0.60)	11,276	7.66
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	0.99	-	61,352	1.01
SAFARI	-	-	-	-	DIF	16.60	(0.10)	205,007	16.51	MPIC	1.45	(0.03)	122	1.46
VI	-	-	-	-	DTAC	37.25	0.25	77,181	36.89	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	6.00	0.10	645	5.93	PLANB	5.60	0.15	309,364	5.47
WR	-	-	-	-	HUMAN	6.85	0.15	5,724	6.88	POST	1.80	0.06	23	1.71
Agribusiness	-	-	-	-	ILINK	3.50	-	1,272	3.42	PRAKIT	10.60	0.10	267	10.56
CHOTI	69.75	2.50	16	69.73	INET	2.18	(0.02)	3,402	2.17	SE-ED	1.59	0.01	1,804	1.58
EE	0.51	0.02	23,397	0.50	INTUCH	56.75	(1.25)	128,979	56.11	SPORT	0.05	(0.01)	4,066	0.05
GFPT	11.00	0.10	39,803	10.86	JAS	5.35	0.10	439,514	5.24	TBSP	-	-	-	-
LEE	2.04	0.02	1,770	2.04	JASIF	9.30	(0.10)	431,672	9.28	TH	0.58	-	3,249	0.57
NER	2.42	0.02	221,938	2.43	JMART	8.80	(0.20)	73,556	8.80	TKS	6.10	(0.05)	9,470	6.13
PPPM	0.39	0.01	1,155	0.38	JTS	0.89	(0.08)	1,837	0.79	VGI	7.45	0.20	349,208	7.34
STA	12.40	0.10	157,975	12.22	MFEC	3.32	(0.02)	1,558	3.31	WAVE	1.06	(0.01)	1,206	1.06
TRUBB	0.53	(0.01)	4,425	0.53	MSC	5.45	-	268	5.34	WORK	10.00	(0.30)	17,192	10.00
TWPC	3.60	(0.02)	1,107	3.61	PT	5.15	(0.05)	2,686	5.14	Finance & Securities	-	-	-	-
UPOIC	3.04	-	68	3.06	SAMART	7.40	(0.05)	37,710	7.24	AEC	0.27	-	4,112	0.27
UVAN	5.30	-	198	5.29	SAMTEL	6.85	0.05	2,693	6.79	AEONTS	150.50	(4.50)	3,675	152.13
VPO	0.56	0.01	3	0.56	SDC	0.15	(0.01)	2,979	0.15	AMANAH	3.56	(0.12)	402,439	3.63
Banking	-	-	-	-	SIS	7.70	(0.15)	4,981	7.77	ASAP	1.66	(0.03)	625	1.65
BAY	26.50	(0.50)	2,489	26.58	SVOA	0.93	0.01	1,104	0.93	ASK	24.20	(0.30)	6,864	24.25
BBL	138.00	-	113,502	137.19	SYMC	2.38	-	220	2.37	ASP	1.63	(0.04)	50,376	1.60
CIMBT	0.52	-	13,217	0.52	SYNEX	6.25	(0.05)	10,028	6.25	BAM	28.50	1.00	1,504,998	28.05
KBANK	128.00	(1.50)	169,580	127.72	THCOM	3.44	(0.30)	16,732	3.42	BFIT	40.50	(0.75)	73,504	40.76
KKP	67.50	0.50	43,965	66.19	TRUE	3.46	(0.14)	1,219,973	3.48	CGH	0.81	0.03	81,658	0.79
KTB	15.30	-	314,461	15.31	TWZ	0.07	-	1,118,801	0.07	CNS	2.48	-	13,690	2.48
LHFG	1.31	(0.02)	83,995	1.32	Electronic Componen	-	-	-	-	ECL	0.97	-	9,161	0.97
SCB	93.75	0.50	141,094	93.42	CCET	1.78	0.03	1,874	1.77	FNS	2.00	(0.02)	282	2.00
TCAP	55.50	1.25	75,829	54.84	DELTA	55.25	1.50	7,660	54.91	FSS	1.20	(0.01)	834	1.17
TISCO	103.00	3.00	37,239	101.03	EIC	0.04	0.01	111,795	0.03	GBX	0.40	-	7,307	0.40
TMB	1.22	(0.02)	3,291,522	1.22	HANA	36.25	2.75	60,032	35.15	GL	3.72	(0.10)	17,687	3.76
Construction Materia	-	-	-	-	KCE	25.00	0.50	354,100	24.82	IFS	3.18	(0.04)	5,655	3.18
CCP	0.30	0.01	60,826	0.29	METCO	160.00	6.00	41	153.63	JMT	20.60	(0.40)	265,498	20.37
COTTO	1.17	(0.07)	3,813	1.18	NEX	2.74	0.04	17,164	2.71	KCAR	10.00	(0.20)	1,217	9.99
DCC	1.77	(0.01)	15,454	1.78	SMT	0.90	(0.02)	5,386	0.90	KGI	4.46	0.04	84,001	4.38
DCON	0.32	-	13,909	0.31	SVI	2.56	(0.22)	37,907	2.54	KTC	41.50	1.75	102,273	40.48
DRT	6.10	(0.05)	8,237	6.10	TEAM	0.70	(0.01)	1,840	0.71	MBKET	6.40	(0.05)	976	6.38
EPG	4.52	(0.18)	108,790	4.52	Energy & Utilities	-	-	-	-	MFC	14.90	-	65	14.85
GEL	0.13	0.01	2,283	0.13	7UP	0.42	-	39,024	0.41	ML	0.82	(0.03)	243	0.80
PPP	2.20	0.02	8,516	2.18	ABPIF	4.46	(0.02)	2,814	4.45	MTC	62.50	3.25	122,680	60.84
Q-CON	4.92	(0.13)	733	5.00	ACE	3.06	(0.10)	209,165	3.08	PE	-	-	-	-
RCI	3.26	-	25	3.24	AI	1.05	0.01	85,376	1.05	PL	2.66	0.02	2,905	2.64
SCC	335.00	-	38,015	337.07	AKR	0.58	(0.02)	22,558	0.57	S11	7.10	(0.20)	9,783	7.04
SCCC	171.50	(1.00)	252	170.67	BAFS	24.80	(0.45)	7,022	24.79	SAWAD	73.75	2.75	106,425	72.58
SCP	5.75	(0.05)	943	5.67	BANPU	8.15	(0.15)	436,025	8.11	THANI	5.45	(0.05)	137,791	5.45
SKN	1.85	(0.05)	4,193	1.88	BCP	25.00	-	73,887	24.70	TK	8.85	(0.25)	628	8.92
TASCO	21.30	(0.30)	117,870	21.46	BCPG	15.80	(0.20)	102,545	15.60	TNITY	3.66	-	23	3.65
TCMC	1.69	(0.03)	3,416	1.63	BGRIM	50.25	0.25	387,866	48.68	UOBKH	2.44	(0.08)	33	2.44
TOA	32.00	1.50	33,526	31.57	BPP	12.00	(0.30)	120,835	12.03	ZMICO	0.64	(0.02)	30,797	0.61
TIPL	1.38	(0.09)	71,279	1.38	BRRGIF	8.15	(0.05)	269	8.05	Food & Beverage	-	-	-	-
UMI	0.58	(0.01)	747	0.57	CKP	4.20	0.22	495,474	4.03	APURE	0.69	(0.01)	4,355	0.64
VNG	3.40	(0.14)	2,167	3.44	DEMCO	2.18	(0.06)	7,334	2.17	ASIAN	3.84	0.06	2,697	3.80
WIIK	1.30	(0.02)	1,772	1.29	EA	47.00	1.25	144,895	46.28	BR	1.91	(0.04)	30,230	1.91
Petrochemicals & Che	-	-	-	-	EASTW	11.00	(0.20)	28,602	10.91	BRR	3.62	-	701	3.41
BCT	42.00	-	137	41.86	EGATIF	12.80	(0.10)	40,386	12.80	CBG	76.50	1.25	177,677	74.55
CMAN	1.22	(0.01)	1,494	1.22	EGCO	291.00	6.00	20,911	291.26	CFRESH	1.45	(0.01)	891	1.45
GC	5.45	(0.05)	598	5.47	ESSO	6.50	0.10	214,052	6.43	CM	2.66	-	1,313	2.68
GGC	11.30	0.10	33,320	11.19	GPSC	72.00	-	199,484	72.19	CPF	29.00	0.50	569,831	28.66
GIFT	2.58	-	14,500	2.53	GULF	186.00	0.50	133,392	186.45	CPI	1.51	(0.01)	1,421	1.51
IVL	28.00	-	193,381	28.06	GUNKUL	2.42	(0.06)	337,007	2.41	F&D	-	-	-	-
NFC	2.00	0.02	1	2.00	IFEC	-	-	-	-	HTC	21.80	0.10	1,596	21.14
PATO	10.90	(0.10)	105	10.99	IRPC	2.58	0.04	1,490,400	2.57	ICHI	4.82	(0.04)	12,792	4.83
PMTA	7.35	0.50	646	7.08	LANNA	6.65	(0.05)	1,787	6.60	KBS	3.62	0.02	1,315	3.56
PTTGC	48.00	1.25	285,987	47.46	MDX	2.54	(0.06)	1,696	2.45	KSL	2.32	(0.20)	79,610	2.36
SUTHA	1.80	-	560	1.80	PRIME	0.34	(0.01)	5,128	0.35	KTIS	3.80	(0.04)	413	3.82
TCCC	20.20	0.20	146	20.07	PTG	14.40	(0.20)	208,614	14.37	LST	5.00	-	3,057	4.96
TPA	5.75	0.10	4	5.76	PTT	42.50	(0.25)	685,801	42.69	M	65.00	0.50	4,571	63.99
UAC	2.66	0.02	2,650	2.61	PTTEP	119.00	(1.00)	92,618	119.68	MALEE	6.15	(0.10)	1,719	6.01
UP	14.10	1.00	4	14.03	RATCH	64.25	0.50	77,398	63.79	MINT	29.00	0.25	205,449	29.04
VNT	23.50	(0.80)	14,788	23.91	RPC	0.54	-	7,794	0.53	OISHI	43.25	(0.75)	241	43.34
WG	-	-	-	-	SCG	3.74	(0.06)	7	3.78	OSP	41.25	(0.25)	252,084	40.63
YCI	-	-	-	-	SCI	1.42	(0.02)	2,602	1.40	PB	68.00	0.50	17	66.91
Commerce	-	-	-	-	SCN	1.74	0.03	4,813	1.72	PM	6.85	0.05	7,291	6.84
BEAUTY	2.24	0.10	2,301,227	2.26	SGP	8.15	(0.10)	43,215	8.22	PRG	11.20	(0.40)	80	11.20
BIG	0.53	-	83,201	0.53	SKE	0.68	(0.02)	1,165	0.70	RBF	4.68	-	190,252	4.72
BJC	37.00	0.75	76,139	36.88	SOLAR	1.29	(0.16)	4,293	1.29	SAPPE	17.10	(0.10)	2,922	17.04
COL	15.80	(0.50)	2,918	15.85	SPCG	18.90	0.10	12,214	18.60	SAUCE	22.40	0.10	194	22.39
COM7	23.60	(0.10)	160,644	22.79	SPRC	8.05	0.15	206,221	8.05	SFP	-	-	-	-
CPALL	68.75	0.50	316,163	68.65	SSP	7.20	-	7,075	7.16	SNP	12.50	-	19	12.56
CPW	1.45	(0.05)	27,139	1.46	SUPER	0.46	(0.02)	1,355,767	0.46	SORKON	45.75	0.75	45	45.46
CRC	37.25	0.75	1,226,782	37.27	SUPEREIF	11.30	0.10	10,862	11.29	SSC	30.00	(3.00)	54	30.40
CSS	1.20	(0.01)	17,363	1.20	SUSCO	2.64	(0.08)	17,939	2.64	SST	5.70	0.15	55	5.70
DOHOME	8.15	0.05	310,392	7.82	TAE	2.68	(0.12)	47,182	2.68	SFT	3.50	-	278	3.46
FN	0.97	(0.02)	7,957	0.96	TCC	0.20	(0.01)	25,671	0.19	TC	3.04	(0.10)	4,872	3.04
FTE	1.91	(0.01)	3,753	1.88	TOP	47.50	0.50	250,384	47.21	TFG	3.78	0.02	51,691	3.69
GLOBAL	12.50	-	59,374	12.61	TPIPP	4.32	(0.10)	110,080	4.34	TFMAMA	191.00	(3.00)	47	191.52
HMPRO	12.90	-	363,439	12.77	TSE	2.54	(0.18)	177,908	2.65	TIPCO	6.25	(0.15)	7,546	6.25
ILM	13.00	(0.10)	34,487	12.24	TTW	14.10	0.20	53,802	13.89	TKN	8.40	(0.10)	254,067	8.36
IT	2.20	(0.28)	1,795	2.38	WHAUP	4.66	(0.02)	83,516	4.59	TU	15.90	0.40	217,718	15.81
KAMART	3.54	(0.12)	10,264	3.55	WP	4.60	0.04	2,562	4.56	TVO	27.75	(0.75)	29,949	27.29
LOXLEY	1.20	(0.01)	16,673	1.18	Media & Publishing	-	-	-	-	ZEN	10.20			

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NTV	48.75	0.25	256	48.24	BLAND	1.19	(0.01)	126,684	1.19	GYT	220.00	(30.00)	15	229.80
PR9	7.60	(0.10)	5,973	7.53	BROCK	1.61	(0.02)	780	1.61	HFT	3.04	-	14,424	3.02
PRINC	3.90	0.10	2,266	3.85	CGD	0.86	-	170,863	0.86	IHL	3.50	(0.10)	5,937	3.44
RAM	144.00	(0.50)	39	142.29	CI	0.80	-	8,168	0.80	INGRS	0.46	(0.01)	8,944	0.47
RJH	24.00	(0.20)	8,181	24.23	CPN	56.50	0.75	155,710	56.82	IRC	14.70	-	1,874	14.70
RPH	6.20	(0.10)	6,659	6.23	ESTAR	0.33	-	8,288	0.32	PCSGH	5.65	0.10	250	5.62
SKR	5.15	0.05	2,771	5.05	EVER	0.19	(0.01)	129,335	0.19	SAT	14.10	-	6,887	13.86
SVH	438.00	(4.00)	58	435.34	FPT	12.50	0.60	3,254	12.48	SPG	-	-	-	-
THG	22.60	-	14,052	22.37	GLAND	2.64	0.04	2,011	2.62	STANLY	153.00	-	206	152.53
VIBHA	1.49	(0.04)	109,378	1.49	GOLD	7.95	0.05	2,929	7.93	TKT	0.79	(0.05)	366	0.79
VIH	5.80	(0.20)	13,793	5.92	GREEN	0.66	(0.04)	18,387	0.65	TNPC	0.66	-	388	0.66
WPH	1.71	0.02	3,162	1.70	J	0.81	(0.01)	5	0.81	TRU	4.40	(0.02)	950	4.36
Tourism & Leisure	-	-	-	-	JCK	0.83	0.02	8,045	0.79	TSC	10.30	-	23	10.30
ASIA	4.88	(0.08)	25	4.91	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENDEL	19.30	(0.50)	55,964	19.45	KWG	1.41	0.04	259	1.35	ALLA	1.30	0.02	3,050	1.27
CSR	-	-	-	-	LALIN	5.00	-	3,171	4.98	ASEFA	3.24	-	837	3.18
DTC	8.75	-	692	8.68	LH	8.75	-	571,734	8.73	CPT	0.66	(0.03)	3,131	0.67
ERW	3.96	(0.02)	218,015	3.98	LPN	5.15	-	150,295	5.13	CRANE	1.34	(0.26)	9,137	1.32
GRAND	0.60	(0.01)	5,507	0.57	MBK	19.30	(0.50)	16,563	19.41	CTW	4.98	0.04	40	4.99
LRH	35.50	(2.50)	10	36.18	MJD	2.84	0.12	626	2.74	FMT	24.20	0.10	4	24.20
MANRIN	-	-	-	-	MK	2.96	(0.02)	15,860	2.93	HTECH	2.02	(0.14)	19,631	2.06
OHTL	380.00	10.00	2	380.00	NCH	0.70	0.01	114	0.67	KKC	0.58	0.01	319	0.57
ROH	-	-	-	-	NNCL	1.98	(0.08)	22,849	1.94	PK	0.93	(0.03)	1,191	0.95
SHANG	70.25	3.25	2	71.50	NOBLE	15.20	0.10	4,100	15.03	SNC	9.20	0.05	3,968	9.08
SHR	2.06	(0.06)	270,541	2.08	NUSA	0.50	0.02	124,325	0.49	STARK	2.14	-	19,957	2.11
VRANDA	6.45	(0.05)	1,181	6.39	NVD	1.60	(0.06)	2,673	1.62	TCJ	3.16	(0.02)	32	3.14
Home & Office Produ	-	-	-	-	ORI	5.85	0.05	54,370	5.79	VARO	-	-	-	-
ACC	0.69	0.02	20,373	0.65	PACE	0.06	-	7,122	0.06	Property Fund & REIT	-	-	-	-
AJA	0.22	(0.01)	28,412	0.23	PF	0.73	(0.05)	301,663	0.75	AIMCG	7.00	(0.45)	34,103	6.95
DTCI	-	-	-	-	PLAT	3.54	(0.12)	5,581	3.57	AIMIRT	12.90	(0.40)	5,563	12.89
FANCY	0.40	(0.02)	14,144	0.38	POLAR	-	-	-	-	AMATAR	11.70	-	2,165	11.61
KYE	286.00	5.00	6	280.50	PRECHA	0.95	(0.01)	120	0.90	B-WORK	12.40	(0.10)	991	12.39
L&E	2.00	0.04	173	1.97	PRIN	1.51	-	47,056	1.50	BKER	8.90	(0.20)	12,464	8.94
MODERN	2.36	-	2,844	2.35	PSH	14.70	-	20,166	14.77	BKKCP	13.40	(0.10)	857	13.47
OGC	24.60	0.10	7	24.56	OH	2.44	(0.02)	401,309	2.45	BOFFICE	16.40	0.10	89	16.39
ROCK	-	-	-	-	RICHY	0.81	-	1,880	0.81	CPNCG	11.70	(0.20)	6,101	11.61
SIAM	1.53	-	873	1.51	RML	0.73	-	5,010	0.74	CPNREIT	34.00	(0.50)	44,510	34.06
TSR	2.10	(0.02)	6,187	2.06	ROJNA	4.76	(0.08)	45,993	4.68	CPTGF	12.90	-	4,574	12.90
Insurance	-	-	-	-	S	2.14	(0.04)	47,999	2.11	CTARAF	5.55	0.05	3,523	5.50
AYUD	38.00	(0.25)	3	37.83	SAMCO	1.50	(0.01)	1,270	1.50	DREIT	5.90	(0.05)	2,183	5.93
BKI	250.00	(2.00)	164	249.74	SC	2.32	(0.02)	39,777	2.31	ERWPF	5.00	-	891	4.99
BLA	16.90	(0.80)	9,314	17.13	SENA	2.54	0.08	26,892	2.55	FTREIT	16.30	(0.10)	27,801	16.33
BUI	-	-	-	-	SF	5.40	0.15	21,405	5.32	FUTUREPF	24.60	0.20	2,495	24.46
CHARAN	17.10	(0.70)	22	17.05	SIRI	0.93	(0.03)	353,411	0.94	GAHREIT	9.10	(0.30)	149	9.11
INSURE	-	-	-	-	SPALI	16.40	-	57,771	16.42	GLANDRT	-	-	-	-
MTI	78.75	(0.25)	29	78.51	U	1.43	(0.08)	90,849	1.45	GOLDFP	7.00	0.05	1	7.00
NKI	-	-	-	-	UV	3.40	(0.02)	28,247	3.37	GVREIT	17.60	0.40	1,042	17.16
NSI	60.00	-	131	60.04	WHA	3.14	0.06	1,161,927	3.09	HPF	4.86	(0.02)	2,324	4.83
SEG	33.75	(0.75)	16	33.64	WIN	0.40	-	225	0.39	HREIT	8.70	-	4,907	8.67
SMK	29.00	-	94	27.92	Paper & Printing Mat	-	-	-	-	IMPACT	21.00	(0.30)	44,129	21.14
THRE	0.54	(0.01)	24,768	0.52	UTP	9.60	-	5,831	9.60	KPNPF	7.80	-	5	7.84
THREL	3.18	(0.04)	6,674	3.15	Fashion	-	-	-	-	LHHOTEL	16.80	(0.70)	1,784	16.79
TIP	23.80	0.10	3,506	23.66	AFC	-	-	-	-	LHPF	8.35	(0.20)	811	8.22
TQM	78.00	1.00	31,341	76.69	B52	0.19	-	19,665	0.18	LHSC	17.90	(0.30)	1,278	17.93
TSI	0.43	-	2,766	0.42	BTNC	-	-	-	-	LUXF	8.45	0.40	64	8.12
TVI	3.96	0.08	724	3.93	CPH	-	-	-	-	M-II	7.80	(0.05)	500	7.80
Mining	-	-	-	-	CPL	0.85	(0.10)	3,533	0.85	M-PAT	5.05	0.05	1	5.05
PDI	5.10	(0.15)	2,177	5.05	ICC	-	-	-	-	M-STOR	6.60	-	11	6.51
THL	-	-	-	-	NC	-	-	-	-	MIPF	-	-	-	-
Packaging	-	-	-	-	PAF	0.47	-	3,546	0.46	MIT	2.64	(0.02)	1	2.64
AJ	9.45	0.05	1,430	9.37	PDJ	1.26	(0.02)	2,055	1.27	MJLF	10.10	(0.20)	317	10.13
ALUCON	142.50	2.00	2	142.50	PG	-	-	-	-	MNIT	1.48	(0.02)	29	1.48
BGC	11.70	(0.20)	11,355	11.81	SABINA	19.50	(0.80)	19,640	19.32	MNIT2	4.80	(0.10)	90	4.81
CSC	52.50	0.75	75	51.90	SAWANG	-	-	-	-	MNRF	2.90	-	483	2.90
GLOCON	0.69	-	4,855	0.66	SUC	41.25	(0.25)	179	41.35	POPF	11.80	(0.20)	6,490	11.58
NEP	0.14	-	8,820	0.13	TNL	-	-	-	-	PPF	11.30	-	516	11.30
PTL	12.50	(0.30)	9,830	12.44	TPCORP	10.10	-	6	9.98	QHHR	8.90	(0.35)	1,643	8.92
SFLEX	5.15	0.17	23,067	5.12	TR	25.25	-	483	25.89	QHOP	3.76	-	136	3.75
SITHAI	0.56	(0.02)	8,237	0.56	TTI	-	-	-	-	QHPF	13.30	(0.20)	15,195	13.17
SLP	0.45	(0.01)	2,739	0.46	TTT	48.50	(0.75)	26	47.51	SBPF	2.66	(0.02)	6	2.51
SMPC	5.30	(0.05)	8,743	5.35	UPF	-	-	-	-	SHREIT	5.35	0.05	644	5.31
SPACK	1.06	0.01	5	1.06	UT	16.00	-	2	16.00	SIRIP	-	-	-	-
TCOAT	-	-	-	-	WACOAL	45.25	0.25	2	45.25	SPF	17.00	(0.50)	8,074	17.14
TFI	0.04	(0.01)	211	0.04	Transportation & Log	-	-	-	-	SPRIME	13.50	(0.10)	1,808	13.32
THIP	22.50	(0.10)	271	22.66	AAV	1.43	(0.04)	421,860	1.43	SRIPANWA	10.90	-	56	10.86
TMD	25.50	0.25	43	24.82	AOT	64.75	1.50	691,768	64.04	SSPF	9.45	-	161	9.40
TOPP	-	-	-	-	ASIMAR	0.98	-	2,316	0.99	SSTRT	5.80	-	540	5.73
TPBI	3.90	0.18	150	3.67	B	0.18	-	6,917	0.18	TIF1	9.15	-	132	9.10
TPP	15.00	-	12	15.00	BA	4.98	(0.47)	34,928	5.05	TLGF	20.60	(0.40)	5,192	20.59
Personal Products &	-	-	-	-	BEM	10.40	-	1,371,518	10.26	TLHPF	10.80	-	53	10.58
APCO	3.08	-	976	3.06	BTS	12.20	-	1,124,456	11.96	TNPF	-	-	-	-
DDD	17.90	(0.10)	754	17.99	BTSQIF	9.80	-	39,635	9.73	TPRIME	16.50	0.10	203	16.49
JCT	80.00	0.50	20	79.51	III	3.98	(0.22)	3,100	3.99	TTLPF	21.80	(0.20)	20	21.80
OCC	-	-	-	-	JUTHA	-	-	-	-	TU-PF	-	-	-	-
S & J	-	-	-	-	JWD	6.95	(0.05)	6,798	6.82	URBNPF	-	-	-	-
STHAI	-	-	-	-	KWC	-	-	-	-	WHABT	9.60	-	577	9.60
TNR	6.65	(0.65)	455	6.85	NOK	1.29	(0.21)	6,244	1.32	WHART	16.40	(0.10)	4,770	16.41
TOG	4.76	0.06	111	4.66	NYT	3.48	(0.06)	36,521	3.46	Steel	-	-	-	-
Professional Service	-	-	-	-	PORT	1.90	(0.02)	40,178	1.88	AMC	1.82	0.02	4,468	1.81
BWG	0.41	(0.02)	106,150	0.41	PRM	5.15	(0.05)	91,791	5.18	BSBM	0.86	(0.02)	7,221	0.88
GENCO	0.50	0.02	31,168	0.48	PSL	4.96	(0.09)	87,079	4.97	CEN	0.50	(0.01)	1,138	0.49
PRO	-	-	-	-	RCL	2.46	(0.08)	4,166	2.46	CITY	1.76	(0.01)	47	1.76
SISB	9.55	(0.20)	42,577	9.57	TFFIF	12.60	0.10	159,134	12.41	CSP	0.67	(0.01)	320	0.65
TEAMG	2.22	-	29,899	2.19	THAI	4.46	(0.04)	52,346	4.47	GJS	0.12	0.01	62,658	0.11
Property Developer	-	-	-	-	TSTE	-	-	-	-	GSTEEL	-	-	-	-
A	6.00	-	90	5.98	TTA	3.14	(0.04)							

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Industr	-	-	-	-	AGE	0.89	-	17,768	-	ADVA01C2003A	0.10	-	187,802	-
ABICO	3.92	(0.08)	696	3.00	AIE	0.29	(0.01)	68,084	-	ADVA01C2003B	0.01	(0.01)	151	-
AU	6.80	(1.20)	820,471	6.00	PSTC	0.62	-	927,504	-	ADVA01C2005A	0.40	0.01	258,116	-
JCKH	0.21	0.01	772	-	QTC	4.86	-	8,889	4.00	ADVA01C2005B	0.13	(0.01)	194,057	-
KASET	1.18	(0.02)	393	1.00	SAAM	0.75	(0.02)	1,618	-	ADVA01C2007B	0.37	0.01	266,245	-
MM	2.24	(0.06)	201	2.00	SEAOIL	2.92	0.10	28,910	2.00	ADVA01C2008A	1.18	(0.08)	27,995	1.00
SUN	1.65	0.02	1,250	1.00	SR	0.85	(0.05)	1,082	-	ADVA01P2003A	0.73	(0.02)	19,507	-
TACC	3.70	(0.10)	30,495	3.00	TAKUNI	0.37	0.01	5,812	-	ADVA01P2003B	0.39	0.02	44,321	-
TMILL	2.74	(0.04)	1,650	2.00	TPCH	10.70	-	15,995	10.00	ADVA01P2007B	0.34	-	177,133	-
XO	4.06	(1.19)	61,353	4.00	TRT	1.80	0.03	421	1.00	ADVA06C2005A	-	-	-	-
Consumer Products	-	-	-	-	UMS	0.20	-	301	-	ADVA08C2005A	0.15	(0.02)	26,700	-
BGT	0.73	(0.04)	738	-	UWC	0.02	-	7,314	-	ADVA08P2004A	0.23	(0.02)	32,530	-
BIZ	3.22	(0.02)	3,745	3.00	Services (MAI)	-	-	-	-	ADVA11C2006A	-	-	-	-
DOD	7.20	0.05	9,469	7.00	A5	-	-	-	-	ADVA11P2005A	0.10	-	27,599	-
ECF	1.20	(0.01)	30,870	1.00	AKP	1.05	-	12,715	1.00	ADVA13C2004A	0.12	0.01	143,308	-
HPT	0.53	(0.02)	587	-	AMA	5.00	0.04	1,175	5.00	ADVA13C2006A	0.92	(0.04)	102	-
IP	4.70	0.02	15,494	4.00	ARIP	0.34	(0.03)	611	-	ADVA13C2007A	0.37	(0.01)	180,592	-
JUBILE	18.10	-	3,478	18.00	ATP30	1.27	(0.04)	5,738	1.00	ADVA13P2003A	0.21	-	63,259	-
MOONG	3.76	0.06	680	3.00	AUCT	6.25	(0.25)	28,661	6.00	ADVA16C2002A	-	-	-	-
NPK	-	-	-	-	BOL	2.82	-	8,069	2.00	ADVA16C2005A	0.01	-	900	-
OCEAN	1.14	(0.01)	13,542	1.00	CHUO	-	-	-	-	ADVA16C2007A	0.11	-	38,896	-
TM	2.56	0.04	12,289	2.00	CMO	1.00	(0.04)	1,653	-	ADVA16C2009A	0.32	(0.02)	119,864	-
Financials (MAI)	-	-	-	-	D	3.58	(0.06)	1,237	3.00	ADVA19C2002A	-	-	-	-
ACAP	0.88	(0.05)	6,943	-	DCORP	0.33	(0.01)	9,732	-	ADVA19C2005A	0.13	(0.02)	27,768	-
AF	0.66	0.03	76	-	EFORL	0.04	(0.01)	117,628	-	ADVA19C2007A	1.01	(0.01)	200	1.00
AIRA	1.20	0.01	3	1.00	ETE	0.65	(0.04)	6,678	-	ADVA19P2002A	-	-	-	-
ASN	6.00	(0.05)	52	5.00	FSMART	6.95	0.05	10,716	6.00	ADVA19P2006A	0.23	(0.02)	28,195	-
BROOK	0.37	-	22,891	-	FVC	0.36	-	8,017	-	ADVA24C2006A	0.27	(0.02)	29,980	-
CHAYO	6.30	(0.35)	159,850	6.00	GSC	0.68	(0.06)	2,087	-	ADVA28C2004A	-	-	-	-
GCAP	1.80	(0.04)	9,817	1.00	HARN	2.16	-	982	2.00	ADVA28C2005A	0.12	(0.02)	30,401	-
LIT	4.36	(0.04)	4,412	4.00	IMH	2.40	(0.14)	1,849	2.00	ADVA28C2007A	0.26	(0.02)	66,105	-
MTSIB	1.28	(0.04)	11,991	1.00	JKN	4.40	(0.16)	32,995	4.00	ADVA28P2004A	0.20	-	48,690	-
SGF	0.51	(0.07)	116,573	-	KIAT	0.33	0.02	72,650	-	ADVA41C2004A	-	-	-	-
Industrials (MAI)	-	-	-	-	KOOL	0.86	(0.01)	5,064	-	ADVA41C2005A	-	-	-	-
2S	1.95	0.01	10,434	1.00	LDC	0.95	-	1,575	-	ADVA41C2006A	0.18	(0.01)	1,014	-
ACG	1.03	0.18	12,425	-	MORE	0.38	0.01	172,144	-	ADVA41C2007A	0.27	-	42,730	-
ADB	0.44	0.01	579	-	MPG	0.26	(0.02)	3,341	-	ADVA41P2004A	-	-	-	-
BM	1.77	(0.07)	1,231	1.00	MVP	1.57	(0.05)	4,075	1.00	ADVA41P2005A	0.30	0.01	24,962	-
CHO	0.47	-	42,583	-	NBC	0.48	(0.02)	339	-	ADVA42C2003A	-	-	-	-
CHOW	1.15	(0.33)	12,118	1.00	NCL	0.82	(0.10)	580	-	ADVA42C2005A	-	-	-	-
CIG	0.18	(0.02)	14,693	-	NEWS	0.01	-	144	-	ADVA42P2007A	0.38	(0.01)	3,800	-
COLOR	1.02	(0.02)	405	1.00	NINE	1.94	(0.03)	23	1.00	AEON01C2005A	0.04	-	333	-
CPR	2.98	(0.08)	1,053	2.00	OTO	3.00	(0.02)	5,023	3.00	AEON13C2003A	-	-	-	-
FPI	2.08	-	1,834	2.00	PHOL	1.97	0.01	38,803	1.00	AEON13C2007A	0.39	(0.05)	150	-
GTB	0.66	-	670	-	PICO	3.96	(0.08)	302	4.00	AEON19C2003A	-	-	-	-
KCM	0.42	(0.02)	3,894	-	QLT	4.80	(0.02)	156	4.00	AEON19C2006A	0.22	(0.04)	26,046	-
KUMWEL	0.68	-	2,940	-	RP	1.23	(0.08)	281	1.00	AMAT01C2004A	0.05	-	11,406	-
KWM	0.77	(0.03)	1,330	-	SE	1.72	(0.03)	139	1.00	AMAT01C2004B	0.02	-	210	-
MBAX	2.86	(0.08)	225	2.00	SONIC	0.95	0.01	2,144	-	AMAT01C2007B	0.16	(0.01)	103,137	-
MGT	1.59	(0.02)	597	1.00	SPA	10.90	(0.30)	22,995	10.00	AMAT01C2008A	0.37	-	104,007	-
NDR	1.04	(0.01)	164	-	THMUI	0.45	(0.03)	1,144	-	AMAT01P2008A	0.79	0.01	60,059	-
PDG	2.84	0.02	727	2.00	TNDT	3.66	-	132	3.00	AMAT06C2005A	0.03	0.01	400	-
PIMO	1.08	-	8,367	1.00	TNH	32.50	0.75	213	31.00	AMAT08C2002A	-	-	-	-
PJW	1.17	0.02	1,708	1.00	TNP	2.08	(0.10)	18,452	2.00	AMAT08C2005A	-	-	-	-
PPM	0.65	-	321	-	TSF	-	-	-	-	AMAT11C2004A	-	-	-	-
RWI	1.24	(0.01)	527	1.00	TVD	0.94	(0.07)	10,370	-	AMAT11C2008A	0.16	-	47,602	-
SALEE	-	-	-	-	TVT	0.51	-	1,193	-	AMAT13C2004A	0.01	(0.04)	800	-
SANKO	0.87	(0.03)	417	-	VL	1.21	(0.04)	75,595	1.00	AMAT13C2006A	0.08	(0.01)	1,359	-
SELIC	2.32	(0.02)	3,629	2.00	WINNER	2.02	-	3,217	2.00	AMAT16C2003A	-	-	-	-
SWC	3.40	-	1,323	3.00	YGG	4.46	(0.06)	3,763	4.00	AMAT16C2006A	0.01	(0.01)	10,000	-
TMC	0.33	(0.01)	3,672	-	Technology (MAI)	-	-	-	-	AMAT16C2008A	0.22	-	114,535	-
TMI	0.71	-	310	-	APP	1.67	(0.17)	8,340	1.00	AMAT19C2003A	-	-	-	-
TMW	39.75	-	272	39.00	COMAN	2.74	0.04	22	2.00	AMAT19C2005A	-	-	-	-
TPAC	-	-	-	-	ICN	1.69	(0.05)	15,514	1.00	AMAT19C2006A	0.16	-	19,936	-
TPLAS	1.06	0.03	3,084	1.00	INSET	2.60	-	21,361	2.00	AMAT24C2006A	0.04	(0.02)	8,062	-
UBIS	5.30	-	15	5.00	IRCP	0.43	-	932	-	AMAT41C2003A	-	-	-	-
UEC	0.74	-	1,058	-	ITEL	2.28	(0.04)	15,829	2.00	AMAT41C2004A	-	-	-	-
UKEM	0.40	-	67,224	-	NETBAY	29.00	(0.50)	13,366	28.00	AMAT41C2005A	-	-	-	-
UREKA	0.95	(0.01)	952	-	PLANET	0.98	-	962	-	AMAT41C2006A	-	-	-	-
YUASA	12.60	0.50	146	12.00	SIMAT	1.86	-	22,105	1.00	AMAT42C2003A	-	-	-	-
ZIGA	1.01	0.01	2,052	1.00	SKY	14.00	(0.30)	6,617	14.00	AMAT42C2005A	-	-	-	-
Property & Construc	-	-	-	-	SPVI	2.66	(0.14)	136,836	2.00	AMAT42C2007A	0.19	-	6,200	-
ALL	3.02	0.02	49,075	2.00	TPS	2.16	0.10	9,550	2.00	ANAN13C2007A	0.05	(0.04)	560	-
ARIN	0.56	-	4,630	-	UPA	0.16	(0.01)	45,990	-	ANAN19C2004A	-	-	-	-
ARROW	7.85	(0.05)	1,206	7.00	VCOM	2.70	(0.08)	4	2.00	ANAN19C2007A	0.08	-	3	-
BC	1.30	(0.01)	3,718	1.00	Unit Trust	-	-	-	-	AOT01C2002A	0.01	(0.01)	1,291	-
BSM	0.27	-	27,807	-	MGE	-	-	-	-	AOT01C2002B	0.01	-	8,020	-
BTW	0.59	(0.01)	2,222	-	SCBSET	-	-	-	-	AOT01C2004A	0.11	0.02	236,029	-
CAZ	2.52	0.12	9,301	2.00	ETF	-	-	-	-	AOT01C2004B	0.02	0.01	6,629	-
CHEWA	0.38	(0.01)	27,037	-	IDIV	9.18	(0.01)	546	9.00	AOT01C2006B	0.18	0.03	239,322	-
CMC	0.81	0.01	4,253	-	ABFTH	-	-	-	-	AOT01C2007A	0.45	0.05	257,428	-
CRD	0.59	(0.02)	1,279	-	BMSCG	6.97	(0.03)	2,264	6.00	AOT01P2002A	0.94	(0.08)	12,380	1.00
DIMET	-	-	-	-	BMSCITH	10.56	0.05	5,676	10.00	AOT01P2002B	0.27			

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT13P2006A	0.66	(0.08)	148,260	-	BBL08C2002A	-	-	-	-	BEAU13C2003B	0.01	-	5,651	-
AOT16C2002A	-	-	-	-	BBL08C2005A	0.13	(0.01)	29,250	-	BEAU19C2002A	-	-	-	-
AOT16C2007A	0.07	0.01	5,206	-	BBL08C2007A	0.34	(0.01)	79,705	-	BEC01C2006A	0.13	(0.01)	58,571	-
AOT16C2009A	0.36	0.04	274,961	-	BBL08P2002A	-	-	-	-	BEC01C2006B	0.03	(0.02)	17,879	-
AOT19C2002A	-	-	-	-	BBL08P2007A	0.65	0.02	44,520	-	BEC01P2006A	0.87	0.03	331,743	-
AOT19C2005A	0.08	-	20,413	-	BBL11C2005A	0.03	-	5,200	-	BEC16C2002A	-	-	-	-
AOT19C2007A	0.37	0.01	58,309	-	BBL11C2007A	0.08	-	13,400	-	BEC19C2003A	-	-	-	-
AOT19P2004A	0.73	(0.09)	32,624	-	BBL11P2008A	0.66	0.02	77,245	-	BEC19C2005A	0.04	(0.02)	4,000	-
AOT24C2003A	-	-	-	-	BBL13C2003A	-	-	-	-	BEC27C2002A	-	-	-	-
AOT24C2006A	0.17	0.02	17,860	-	BBL13C2004A	0.10	(0.01)	37,733	-	BEC41C2003A	-	-	-	-
AOT27C2008A	0.15	0.01	14,000	-	BBL13C2006A	0.30	0.01	91,347	-	BEC42C2003A	-	-	-	-
AOT28C2003A	-	-	-	-	BBL13P2003A	-	-	-	-	BEC42C2005A	0.05	(0.07)	3,400	-
AOT28C2006A	0.04	-	1,100	-	BBL13P2004A	0.69	0.01	86,151	-	BEM01C2004A	0.16	(0.01)	264,927	-
AOT28C2006B	0.12	0.02	9,574	-	BBL16C2006A	0.07	(0.01)	1,400	-	BEM01C2004B	0.06	(0.01)	140,372	-
AOT28P2004A	0.74	0.05	40	-	BBL19C2003A	-	-	-	-	BEM01P2004A	0.19	0.01	293,982	-
AOT41C2003A	-	-	-	-	BBL19C2005A	0.10	(0.01)	12,275	-	BEM06C2004A	0.02	(0.01)	5,830	-
AOT41C2004A	-	-	-	-	BBL19C2007A	0.33	(0.02)	5,774	-	BEM08C2005A	0.10	-	24,664	-
AOT41C2005A	0.02	(0.01)	502	-	BBL19P2002A	-	-	-	-	BEM11C2003A	0.02	-	3,000	-
AOT41C2006A	0.14	0.02	25,196	-	BBL19P2007A	0.60	-	19,312	-	BEM13C2004A	0.05	0.01	261	-
AOT41C2007A	-	-	-	-	BBL24C2004A	0.15	(0.01)	26,902	-	BEM13C2007A	0.15	-	84,283	-
AOT41P2002A	-	-	-	-	BBL27C2002A	-	-	-	-	BEM16C2006A	0.17	-	83,729	-
AOT41P2004A	-	-	-	-	BBL28C2003A	-	-	-	-	BEM19C2005A	0.09	(0.01)	15,700	-
AOT41P2005A	-	-	-	-	BBL28C2005A	0.07	(0.03)	230	-	BEM24C2003A	-	-	-	-
AOT41P2006A	0.82	(0.04)	3,258	-	BBL28C2007A	0.22	(0.03)	32,453	-	BEM28C2006A	0.07	(0.01)	4,000	-
AOT42C2006A	0.05	-	3,500	-	BBL41C2003A	-	-	-	-	BEM28C2007A	-	-	-	-
AOT42P2003A	0.02	-	700	-	BBL41C2004A	-	-	-	-	BEM41C2002A	-	-	-	-
AOT42P2009A	0.66	(0.06)	1,001	-	BBL41C2005A	-	-	-	-	BEM41C2004A	-	-	-	-
AP16C2002A	-	-	-	-	BBL41C2006A	0.04	(0.01)	50	-	BEM41C2006A	0.10	(0.01)	7,682	-
AP19C2002A	-	-	-	-	BBL41C2007A	0.24	(0.01)	15,004	-	BEM41P2003A	-	-	-	-
AP19C2007A	0.23	-	2,933	-	BBL41P2002A	-	-	-	-	BEM41P2004A	0.18	-	2,414	-
AP28C2004A	0.07	(0.01)	18,122	-	BBL41P2004A	0.82	0.04	9,101	-	BGRI01C2003A	0.31	-	537,472	-
AP28C2006A	0.07	(0.01)	23,640	-	BBL41P2006A	0.91	0.02	37,816	-	BGRI01C2003B	0.07	0.01	244,637	-
AWC01C2003A	0.05	(0.01)	111,973	-	BBL42C2003A	-	-	-	-	BGRI01C2006A	0.28	-	784,799	-
AWC01C2003B	0.01	-	3	-	BBL42C2005A	-	-	-	-	BGRI01C2006B	0.09	-	741,972	-
AWC01C2004A	0.03	(0.01)	12,194	-	BBL42C2007A	0.28	(0.02)	500	-	BGRI01P2003A	0.17	(0.01)	570,682	-
AWC01P2003A	0.59	0.07	123,223	-	BCH01C2006A	0.17	(0.03)	702,938	-	BGRI01P2006A	1.07	(0.03)	201,196	1.00
AWC01P2003B	0.12	0.05	161,433	-	BCH01C2006B	-	-	-	-	BGRI06C2005A	0.10	(0.02)	65,753	-
AWC01P2007A	0.53	0.04	190,610	-	BCH01P2006A	0.79	0.06	83,925	-	BGRI08C2003A	0.39	(0.02)	131,220	-
AWC06C2002A	-	-	-	-	BCH06C2006A	0.07	(0.02)	56,693	-	BGRI08C2005A	0.20	(0.02)	105,669	-
AWC06C2004A	0.05	(0.02)	19,514	-	BCH06P2006A	0.67	0.09	19,494	-	BGRI11C2006A	0.54	(0.01)	121,545	-
AWC06P2002A	0.52	0.11	45,011	-	BCH08C2004A	0.03	(0.05)	2,130	-	BGRI11C2008A	0.21	(0.03)	163,076	-
AWC08C2004A	-	-	-	-	BCH11C2008A	0.17	(0.02)	52,020	-	BGRI13C2002A	-	-	-	-
AWC13C2002A	-	-	-	-	BCH13C2004A	0.04	-	5,201	-	BGRI13C2004A	0.07	-	8,267	-
AWC13C2003A	-	-	-	-	BCH13C2007A	0.18	(0.03)	187,306	-	BGRI13C2006A	0.12	-	174,536	-
AWC13C2006A	0.10	-	3,739	-	BCH16C2006A	0.11	(0.03)	55,974	-	BGRI13C2007A	0.38	-	353,224	-
AWC13P2003A	-	-	-	-	BCH19C2005A	0.03	(0.02)	9,000	-	BGRI13P2005A	0.69	(0.04)	361,447	-
AWC13P2006A	0.51	0.03	230,295	-	BCH19C2006A	0.13	(0.03)	41,521	-	BGRI16C2005A	0.15	(0.01)	486,502	-
AWC16C2005A	-	-	-	-	BCH24C2003A	-	-	-	-	BGRI19C2004A	0.30	(0.02)	51,076	-
AWC16C2007A	0.05	(0.02)	12,000	-	BCH27C2003A	0.03	(0.03)	18,000	-	BGRI19C2005A	0.15	(0.01)	50,054	-
AWC19C2003A	-	-	-	-	BCH41C2005A	0.04	(0.03)	1,000	-	BGRI19C2006A	0.10	(0.01)	7,213	-
AWC19C2004A	-	-	-	-	BCH41C2006A	0.10	(0.02)	1,980	-	BGRI19P2007A	0.83	(0.01)	46,114	-
AWC19C2006A	0.06	(0.02)	3,520	-	BCH42C2002A	-	-	-	-	BGRI24C2004A	0.33	0.01	83,821	-
AWC24C2007A	0.03	(0.01)	101,901	-	BCH01C2005A	0.42	-	1,018,975	-	BGRI27P2006A	0.48	(0.02)	126,708	-
AWC28C2003A	0.01	-	502	-	BCH01C2005B	0.05	-	74,580	-	BGRI28C2003A	0.23	(0.13)	1	-
AWC28C2003B	-	-	-	-	BCH01P2005A	0.23	0.01	122,847	-	BGRI28C2003B	-	-	-	-
AWC28C2003C	-	-	-	-	BCH11C2004A	-	-	-	-	BGRI41C2004A	0.13	(0.05)	12,975	-
AWC28C2006A	-	-	-	-	BCH13C2003A	-	-	-	-	BGRI41C2005A	0.13	(0.02)	32,780	-
AWC28P2003A	-	-	-	-	BCH13C2003B	0.21	(0.03)	180	-	BGRI41C2006A	-	-	-	-
AWC41C2003A	-	-	-	-	BCH13C2007A	0.14	0.01	270,330	-	BGRI41P2004A	0.24	0.02	1,260	-
AWC41C2004A	-	-	-	-	BCH19C2004A	0.31	0.02	158,287	-	BGRI41P2005A	0.56	(0.02)	80,947	-
AWC41C2005A	0.09	(0.12)	936	-	BCH19C2005A	0.08	-	9,136	-	BGRI41P2006A	1.15	0.04	18,945	1.00
AWC41C2006A	0.09	(0.12)	541	-	BCH24C2004A	-	-	-	-	BGRI42C2003A	0.04	(0.01)	1,000	-
AWC41C2007A	0.09	(0.04)	9,130	-	BCHPG01C2005A	0.26	(0.03)	149,075	-	BGRI42C2006A	0.08	(0.01)	731	-
AWC42C2003A	-	-	-	-	BCHPG01C2005B	0.08	(0.02)	18,715	-	BH01C2004A	0.22	(0.07)	99,372	-
AWC42C2008A	0.12	(0.03)	1,350	-	BCHPG01P2005A	0.32	0.03	157,309	-	BH01C2004B	0.04	(0.02)	15,503	-
BANP01C2002A	0.02	-	7,270	-	BCHPG06C2002A	0.01	-	300	-	BH01P2004A	0.86	0.09	54,137	-
BANP01C2002B	0.01	-	202	-	BCHPG13C2004A	0.07	(0.02)	168,206	-	BH11C2002A	-	-	-	-
BANP01C2005A	0.04	-	33,020	-	BCHPG13C2007A	0.28	(0.03)	366,221	-	BH11C2008A	0.15	(0.03)	19,107	-
BANP01C2005B	-	-	-	-	BCHPG19C2003A	0.02	-	175	-	BH13C2006A	0.09	(0.03)	26,768	-
BANP01P2002A	0.85	0.06	39,156	-	BCHPG19C2005A	0.18	(0.03)	3,958	-	BH19C2002A	-	-	-	-
BANP01P2002B	0.90	0.06	25,227	-	BCHPG28C2003A	-	-	-	-	BH19C2003A	0.01	(0.02)	10,750	-
BANP01P2005A	0.81	0.04	74,590	-	BCHPG28C2004A	0.05	(0.01)	6,261	-	BH19C2006A	0.10	(0.05)	11,480	-
BANP01P2005B	0.55	0.04	189,115	-	BCHPG41C2002A	-	-	-	-	BH24C2003A	0.02	(0.01)	1,518	-
BANP06C2005A	-	-	-	-	BCHPG41C2005A	0.16	(0.02)	24,060	-	BH27C2007A	0.16	(0.03)	35,940	-
BANP08C2002A	-	-	-	-	BCHPG42C2004A	-	-	-	-	BH41C2003A	-	-	-	-
BANP08C2005A	-	-	-	-	BCHPG42C2007A	0.22	(0.02)	13,240	-	BH41C2004A	-	-	-	-
BANP08C2007A	0.18	(0.03)	34,171	-	BDM501C2002A	0.20	(0.12)	2,500	-	BH41C2005A	0.08	(0.04)	1	-
BANP08P2003A	0.92	0.06	64,414	-	BDM501C2002B	0.01	-	4	-	BH41C2006A	0.06	(0.05)	3	-
BANP11C2004A	0.01	-	11,500	-	BDM501C2007B	0.11	-	151,100	-	BH41P2004A	0.37	0.06	16,952	-
BANP11C2008A	0.04	(0.01)	43,449	-	BDM501P2002A	0.02	-	10,000	-	BH41P2006A	1.03	0.10	28,760	-
BANP13C2003A	-	-	-	-	BDM501P2008A	0.39	0.01	88,092	-	BH42C2003A	-	-	-	-
BANP13C2006A	0.02	-	6,050	-	BDM506C2003A	0.07	-	72,657	-	BH42C2008A	0.21	(0.06)	9,590	-
BANP19C2002A	-	-	-	-	BDM506P2004A	0.16	-	89,450	-	BJC01C2004A	0.04	-	3,799	-
BANP19C2004A	-	-	-	-	BDM508C2003A	-	-	-	-	BJC01C2004B	0.01	(0.01)	1,750	-
BANP19C2005A	0.02	-	17,881	-	BDM508C2006A	-	-	-	-	BJC01P2004A	1.06	(0.07)	26,588	1.00
BANP19C2007A	0.05	(0.01)	45,085	-	BDM511C2007A	0.32	(0.02)	16,300	-	BJC06C2002A	0.01	-	7,951	-
BANP19C2007B	0.22	(0.78)	35,129	-	BDM511C2008A	0.09	(0.01)	74,062	-	BJC06C2006A	0.07	0.01	83,901	-
BANP19P2003A	0.76	-	21,804	-	BDM511P2002A	-	-	-	-	BJC11C2008A	0.15	0.01	39,071	-
BANP24C2003A	-	-	-	-	BDM513C2003A	-	-	-	-	BJC13C2002A	-	-	-	-
BANP27C2007A	0.02	(0												

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BJC41C2006A	-	-	-	-	CK01C2005B	0.29	0.05	422,199	-	CPAL42C2005A	-	-	-	-
BJC41C2007A	0.11	0.01	323	-	CK01P2005A	0.15	(0.02)	261,294	-	CPAL42C2007A	0.22	0.03	8,258	-
BJC41P2004A	0.92	(0.06)	14,150	-	CK06C2004A	0.34	0.08	83,905	-	CPF01C2004A	0.25	-	181,930	-
BJC41P2005A	0.59	(0.07)	21,193	-	CK11C2007A	0.29	(0.03)	64,353	-	CPF01C2004B	0.14	0.01	256,043	-
BJC42C2004A	-	-	-	-	CK13C2002A	-	-	-	-	CPF01P2004A	0.09	(0.01)	201,213	-
BLAN19C2004A	-	-	-	-	CK13C2003A	0.21	0.05	357,514	-	CPF08C2006A	0.11	0.01	107,174	-
BLAN28C2004A	-	-	-	-	CK13C2006A	0.28	0.04	267,935	-	CPF11C2004A	-	-	-	-
BPP01C2005A	0.03	(0.01)	53,730	-	CK16C2003A	-	-	-	-	CPF11C2007A	0.26	0.01	54,950	-
BPP01C2005B	-	-	-	-	CK16C2006A	0.23	0.04	163,400	-	CPF13C2003A	0.08	0.01	14,870	-
BPP01P2005A	1.25	0.02	52,028	1.00	CK19C2002A	-	-	-	-	CPF13C2006A	0.13	0.01	215,196	-
BPP13C2004A	-	-	-	-	CK19C2003A	-	-	-	-	CPF16C2007A	0.19	-	125,006	-
BPP13C2007A	-	-	-	-	CK19C2004A	0.28	0.04	39,255	-	CPF19C2003A	0.07	0.01	59,301	-
BPP19C2002A	-	-	-	-	CK19C2007A	0.31	0.05	40,126	-	CPF19C2005A	0.23	(0.02)	6,396	-
BPP19C2005A	-	-	-	-	CK24C2003A	-	-	-	-	CPF19C2006A	0.12	-	88,090	-
BPP19C2007A	0.08	(0.01)	27,066	-	CK27C2008A	0.49	0.06	88,010	-	CPF19P2002A	-	-	-	-
BPP24C2003A	-	-	-	-	CK41C2003A	0.21	-	41,884	-	CPF24C2007A	0.27	0.01	24,141	-
BTS01C2005A	0.19	-	655,836	-	CK41C2004A	0.11	0.01	5,876	-	CPF28C2004A	0.17	0.02	51,797	-
BTS01C2005B	0.05	-	162,569	-	CK41C2005A	0.16	0.03	15,940	-	CPF28C2007A	0.14	0.01	112,223	-
BTS01P2005A	0.26	(0.01)	446,829	-	CK42C2006A	0.28	(0.08)	9,710	-	CPF41C2004A	0.15	-	206	-
BTS08C2005A	-	-	-	-	CKP01C2004A	0.02	-	25,760	-	CPF41C2005A	0.15	(0.01)	2,405	-
BTS11C2003A	0.06	(0.01)	72,160	-	CKP01C2004B	0.01	-	5,500	-	CPF41P2003A	-	-	-	-
BTS13C2003A	0.03	-	600	-	CKP01P2004A	0.70	(0.12)	355,056	-	CPF41P2005A	0.14	(0.01)	2,900	-
BTS13C2006A	0.11	-	80,926	-	CKP08C2004A	-	-	-	-	CPF42C2003A	0.02	(0.02)	24,824	-
BTS16C2008A	0.08	-	90,958	-	CKP11C2006A	-	-	-	-	CPN01C2005A	0.27	-	246,181	-
BTS19C2002A	-	-	-	-	CKP13C2003A	-	-	-	-	CPN01C2005B	0.07	0.01	85,965	-
BTS19C2005A	0.10	(0.02)	4,000	-	CKP13C2004A	0.02	0.01	2,799	-	CPN01P2005A	0.65	(0.06)	229,942	-
BTS19P2002A	-	-	-	-	CKP13C2004B	0.10	0.01	19,148	-	CPN06C2006A	0.14	0.03	126,588	-
BTS24C2007A	0.13	(0.01)	35,432	-	CKP13C2007A	0.50	0.11	301,197	-	CPN11C2006A	0.05	0.01	24,002	-
BTS41C2003A	-	-	-	-	CKP16C2005A	-	-	-	-	CPN11C2008A	0.26	-	75,996	-
BTS41C2004A	-	-	-	-	CKP16C2007A	0.14	0.04	59,341	-	CPN13C2004A	-	-	-	-
BTS41C2006A	0.12	(0.04)	2,488	-	CKP19C2003A	-	-	-	-	CPN13C2007A	0.26	0.01	240,267	-
BTS41P2004A	0.27	(0.01)	35,816	-	CKP19C2005A	0.02	-	1,700	-	CPN16C2005A	0.17	0.01	126,185	-
BTS42C2003A	-	-	-	-	CKP19C2006A	0.22	0.05	32,742	-	CPN19C2002A	-	-	-	-
BTS42C2008A	0.12	(0.01)	16,500	-	CKP24C2006A	0.10	0.03	20,198	-	CPN19C2004A	0.06	0.01	5,570	-
CBG01C2004A	0.40	0.03	1,659,480	-	CKP27C2005A	-	-	-	-	CPN19C2007A	0.34	0.02	29,758	-
CBG01C2004B	0.08	0.01	255,088	-	CKP28C2003A	-	-	-	-	CPN24C2002A	-	-	-	-
CBG01P2003A	0.08	(0.02)	835,936	-	CKP28C2004A	-	-	-	-	CPN24C2007A	0.35	0.02	38,751	-
CBG01P2004A	0.81	(0.07)	809,666	-	CKP28C2004B	-	-	-	-	CPN41C2003A	-	-	-	-
CBG06C2005A	0.19	0.01	274,053	-	CKP28C2006A	0.17	0.05	73,978	-	CPN41C2004A	-	-	-	-
CBG08C2003A	0.13	0.02	64,402	-	CKP41C2004A	-	-	-	-	CPN41C2006A	0.18	0.02	60,306	-
CBG11C2002A	-	-	-	-	CKP41C2005A	-	-	-	-	CPN41P2003A	0.11	0.02	2,968	-
CBG11C2008A	0.59	0.01	333,926	-	CKP41C2006A	0.15	0.03	15,010	-	CPN41P2005A	0.64	0.01	15,911	-
CBG13C2004A	0.10	0.01	333,548	-	CKP41C2007A	0.44	0.08	118,714	-	CPN41P2006A	0.35	(0.02)	81,955	-
CBG13P2006A	1.14	(0.07)	372,438	1.00	CKP42C2003A	-	-	-	-	CPN42C2002A	-	-	-	-
CBG16C2008A	0.36	0.03	645,718	-	CKP42C2005A	-	-	-	-	CPN42C2004A	-	-	-	-
CBG19C2004A	0.11	(0.03)	52,408	-	CKP42C2006A	0.19	0.05	17,202	-	CPN42C2006A	0.13	-	11,200	-
CBG19C2005A	0.31	0.03	405,751	-	COM708C2002A	-	-	-	-	DTAC01C2004A	0.05	(0.01)	30,685	-
CBG19P2002A	-	-	-	-	COM708C2007A	0.13	(0.02)	34,555	-	DTAC01C2004B	0.01	-	200	-
CBG19P2006A	1.26	(0.07)	97,986	1.00	COM711C2004A	0.06	0.02	28,402	-	DTAC01C2007B	0.15	(0.01)	199,444	-
CBG24C2003A	0.03	(0.02)	2,524	-	COM713C2004A	0.04	-	103,597	-	DTAC01C2008A	0.33	(0.01)	64,991	-
CBG41C2003A	-	-	-	-	COM713C2007A	0.14	-	63,080	-	DTAC01P2004A	1.67	(0.01)	7,462	1.00
CBG41C2004A	0.18	0.01	54,228	-	COM716C2008A	0.08	-	3,690	-	DTAC01P2004B	1.36	0.03	9,596	1.00
CBG41C2005A	0.41	(0.05)	342,534	-	COM719C2003A	0.10	(0.01)	152,772	-	DTAC01P2007B	0.75	0.03	65,323	-
CBG41C2006A	0.41	0.02	201,253	-	COM719C2005A	0.07	-	16,056	-	DTAC01P2008A	0.84	0.03	38,340	-
CBG41P2003A	0.26	(0.08)	6,521	-	COM719P2004A	0.20	-	201,761	-	DTAC06C2006A	0.03	-	4,738	-
CBG41P2004A	1.14	0.01	73,532	1.00	COM724C2007A	0.14	0.02	11,518	-	DTAC08C2005A	-	-	-	-
CBG41P2006A	1.23	0.04	153,439	1.00	COM741C2004A	-	-	-	-	DTAC08C2005B	0.04	(0.02)	5	-
CBG42C2003A	0.01	-	4,270	-	COM741C2006A	-	-	-	-	DTAC08C2007A	0.15	-	18,400	-
CBG42C2006A	0.17	(0.01)	151,496	-	COM742C2002A	-	-	-	-	DTAC08P2002A	-	-	-	-
CENT01C2003A	0.01	-	50	-	COM742C2004A	0.02	(0.10)	850	-	DTAC11C2002A	-	-	-	-
CENT01C2003B	0.02	-	31,001	-	CPAL01C2002A	0.01	-	44,546	-	DTAC13C2003A	-	-	-	-
CENT01C2006A	0.11	(0.03)	139,295	-	CPAL01C2002B	0.01	-	35,239	-	DTAC13C2006A	0.04	-	27,935	-
CENT01C2006B	-	-	-	-	CPAL01C2004A	0.14	0.02	152,663	-	DTAC13C2007A	0.12	-	25,683	-
CENT01P2003A	1.04	0.07	82,815	1.00	CPAL01C2004B	0.05	-	1,000	-	DTAC13P2003A	-	-	-	-
CENT06C2003A	-	-	-	-	CPAL01C2006A	0.40	0.02	141,456	-	DTAC13P2006A	1.08	0.05	50	1.00
CENT06C2006A	0.08	(0.01)	16,000	-	CPAL01C2006B	0.19	-	243,884	-	DTAC13P2007A	0.24	-	37,336	-
CENT06P2007A	0.75	0.08	76,522	-	CPAL01P2002A	1.62	(0.14)	7,873	1.00	DTAC13P2008A	0.76	0.02	71,224	-
CENT08C2004A	-	-	-	-	CPAL01P2002B	0.94	(0.15)	8,694	1.00	DTAC19C2005A	0.03	(0.01)	100	-
CENT11C2004A	-	-	-	-	CPAL01P2004A	1.04	(0.04)	30,354	1.00	DTAC19C2006A	0.09	-	300	-
CENT11C2007A	0.02	-	5	-	CPAL01P2004B	0.47	(0.03)	184,213	-	DTAC19C2007A	0.24	0.01	77,386	-
CENT13C2003A	-	-	-	-	CPAL06C2006A	0.22	0.02	96,930	-	DTAC19P2002A	1.45	0.23	9,820	1.00
CENT13C2005A	-	-	-	-	CPAL08C2004A	0.05	(0.01)	14	-	DTAC19P2007A	0.58	-	16,229	-
CENT13C2006A	0.11	(0.03)	56,860	-	CPAL08C2006A	0.15	0.01	42,200	-	DTAC24C2004A	-	-	-	-
CENT19C2004A	-	-	-	-	CPAL08P2002A	-	-	-	-	DTAC24C2007A	0.22	0.01	24,088	-
CENT19C2005A	0.05	(0.01)	4,000	-	CPAL08P2006A	0.61	(0.03)	105,030	-	DTAC27C2002A	-	-	-	-
CENT24C2003A	-	-	-	-	CPAL11C2006A	0.05	0.02	1	-	DTAC27C2008A	0.25	(0.01)	22,120	-
CENT24C2008A	-	-	-	-	CPAL11C2007A	0.19	0.01	60,819	-	DTAC27P2002A	0.13	0.02	1,000	-
CENT27C2008A	0.03	(0.01)	2,150	-	CPAL13C2002A	0.01	-	20,000	-	DTAC41C2004A	-	-	-	-
CENT28C2004A	-	-	-	-	CPAL13C2004A	0.14	0.02	1,018	-	DTAC41C2005A	-	-	-	-
CENT28C2005A	0.01	(0.03)	150	-	CPAL13C2007A	0.38	0.03	274,435	-	DTAC41C2006A	0.06	0.01	404	-
CENT28C2006A	0.07	(0.02)	24,854	-	CPAL13P2003A	-	-	-	-	DTAC41C2007A	0.13	(0.04)	7,100	-
CENT41C2003A	-	-	-	-	CPAL16C2006A	0.11	-	43,070	-	DTAC41P2005A	0.61	0.01	25,356	-
CENT41C2004A	-	-	-	-	CPAL16C2007A	0.21	0.02	124,736	-	DTAC41P2006A	1.52	0.02	3,500	1.00
CENT41C2005A	-	-	-	-	CPAL19C2002A	-	-	-	-	DTAC42C2004A	0.01	(0.01)	68	-
CENT41C2006A	0.17	(0.03)	7,909	-	CPAL19C2004A	-	-	-	-	DTAC42C2006A	0.12	-	9,600	-
CENT41P2002A	-	-	-	-	CPAL19C2005A	0.16	0.02	36,792	-	EA06C2005A	0.41	0.06	93,523	-
CENT41P2003A	1.03	0.08	16,915	1.00	CPAL19P2004A	0.33	(0.03)	43,773	-	EA08C2004A	0.10	-	12,019	-
CENT42C2002A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA08C2006A	0.62			

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EA27C2006A	0.38	0.04	47,863	-	GPSC13P2005A	1.76	0.11	4,183	1.00	HMPR19C2005A	0.03	-	26,000	-
EA28C2004A	0.12	-	21,871	-	GPSC13P2007A	1.16	(0.01)	802,635	1.00	HMPR19C2007A	0.14	-	22,928	-
EA28C2004B	0.20	0.01	80,474	-	GPSC16C2003A	0.23	(0.03)	61,826	-	HMPR24C2004A	-	-	-	-
EA28C2006A	0.36	-	77,564	-	GPSC16C2007A	0.24	-	126,804	-	HMPR28C2003A	-	-	-	-
EA41C2004A	0.25	0.01	53,324	-	GPSC19C2004A	0.08	-	15,835	-	HMPR41C2003A	-	-	-	-
EA41C2005A	0.28	-	14,526	-	GPSC19C2007A	0.49	-	345,209	-	HMPR41C2005A	-	-	-	-
EA41C2006A	0.45	0.01	20,023	-	GPSC19P2002A	-	-	-	-	HMPR41C2006A	-	-	-	-
EA41P2003A	0.36	0.05	10,852	-	GPSC19P2005A	0.80	(0.01)	126,906	-	HMPR41C2007A	-	-	-	-
EA41P2004A	0.22	(0.03)	16,363	-	GPSC24C2002A	-	-	-	-	HMPR41P2003A	-	-	-	-
EA42C2004A	0.20	-	6,980	-	GPSC24C2007A	0.18	(0.01)	62,438	-	HMPR42C2003A	-	-	-	-
EGCO01C2004A	0.06	-	14,535	-	GPSC27C2005A	0.05	(0.01)	1,000	-	HSI28C2002A	0.20	0.07	50,066	-
EGCO01C2004B	0.01	-	1,100	-	GPSC41C2003A	-	-	-	-	HSI28C2002B	-	-	-	-
EGCO06C2004A	0.01	(0.01)	90	-	GPSC41C2004A	-	-	-	-	HSI28C2002C	-	-	-	-
EGCO06C2007A	0.20	0.02	48,812	-	GPSC41C2005A	0.17	(0.03)	21,468	-	HSI28C2003A	0.17	0.02	15,506	-
EGCO06P2004A	1.12	(0.13)	33,109	1.00	GPSC41C2005B	0.33	(0.03)	57,694	-	HSI28C2003B	0.07	0.02	643	-
EGCO13C2002A	-	-	-	-	GPSC41C2006A	0.19	-	153,624	-	HSI28C2003C	0.03	-	3,522	-
EGCO13C2005A	0.13	0.02	36,357	-	GPSC41P2003A	0.14	0.04	3,000	-	HSI28C2004A	1.35	(0.05)	11	1.00
EGCO19C2002A	-	-	-	-	GPSC41P2004A	1.16	0.11	7,542	1.00	HSI28C2004B	0.84	0.09	64,110	-
EGCO19C2005A	0.07	(0.01)	4,000	-	GPSC41P2005A	1.17	0.02	6,941	1.00	HSI28C2004C	0.46	0.05	172,286	-
EGCO19C2007A	0.28	0.01	34,132	-	GPSC41P2006A	0.73	0.04	54,548	-	HSI28P2002A	0.06	(0.03)	8,486	-
EGCO41C2003A	-	-	-	-	GPSC42C2002A	-	-	-	-	HSI28P2002B	-	-	-	-
EGCO41C2004A	-	-	-	-	GPSC42C2006A	0.43	(0.04)	16,200	-	HSI28P2002C	-	-	-	-
EGCO41C2006A	0.16	0.02	26,036	-	GPSC42P2006A	0.82	0.04	15,522	-	HSI28P2003A	0.77	(0.13)	175,111	-
EGCO41P2004A	1.16	(0.08)	14,235	1.00	GULF01C2003A	1.03	0.01	171,678	1.00	HSI28P2003B	1.31	(0.17)	95,089	1.00
EGCO41P2006A	0.76	(0.05)	41,578	-	GULF01C2003B	0.24	(0.01)	664,815	-	HSI28P2003C	2.02	0.02	4,056	2.00
EGCO42C2003A	-	-	-	-	GULF01C2005A	1.18	0.01	217,712	1.00	HSI28P2004A	0.38	(0.05)	11,182	-
EGCO42C2007A	0.11	0.02	9,556	-	GULF01C2005B	0.70	(0.02)	493,111	-	HSI28P2004B	0.59	(0.08)	6	-
EPG08C2004A	0.01	(0.01)	16,400	-	GULF01C2007A	0.34	-	284,838	-	HSI28P2004C	0.91	(0.10)	179,896	-
EPG13C2004A	-	-	-	-	GULF01P2003A	0.02	-	26,207	-	INTU01C2003A	0.05	(0.02)	13,866	-
EPG13C2006A	-	-	-	-	GULF01P2003B	0.02	-	48,457	-	INTU01C2003B	-	-	-	-
EPG19C2002A	-	-	-	-	GULF01P2005A	0.63	(0.02)	1,147,409	-	INTU01C2006A	0.46	(0.01)	102,468	-
EPG19C2005A	0.01	(0.01)	18,218	-	GULF03C2005A	0.53	0.01	71,146	-	INTU01C2006B	0.22	(0.02)	309,401	-
EPG19C2007A	0.07	(0.02)	16,120	-	GULF06C2004A	1.10	0.03	45,305	1.00	INTU01P2003A	0.97	0.04	14,586	1.00
EPG19P2002A	0.71	0.17	27,530	-	GULF08C2003A	0.63	(0.11)	34,424	-	INTU01P2003B	0.16	0.02	89,996	-
EPG24C2008A	0.13	(0.04)	4,042	-	GULF11C2003A	2.24	-	6,726	2.00	INTU01P2006A	0.70	0.03	36,221	-
ERW06C2006A	0.02	-	1,650	-	GULF11C2006A	0.86	0.04	72,344	-	INTU01P2006B	0.33	0.01	133,991	-
ERW06C2007A	0.20	(0.01)	253,771	-	GULF13C2004A	0.60	-	274,849	-	INTU13C2002A	-	-	-	-
ERW06P2006A	0.83	0.01	216,321	-	GULF13C2006A	0.56	-	1,024,788	-	INTU13C2004A	0.11	(0.02)	21,400	-
ERW13C2005A	0.01	-	1,060	-	GULF13C2006B	0.22	-	323,806	-	INTU13C2006A	0.37	(0.01)	301,063	-
ERW13C2006A	-	-	-	-	GULF13P2004A	0.19	(0.01)	445,528	-	INTU13P2004A	0.17	0.01	54,659	-
ERW13C2007A	-	-	-	-	GULF13P2005A	0.60	(0.02)	1,298,515	-	INTU16C2005A	-	-	-	-
ERW19C2005A	-	-	-	-	GULF16C2003A	0.37	(0.01)	160,450	-	INTU16C2007A	0.14	(0.01)	43,936	-
ERW19C2006A	0.04	(0.02)	250	-	GULF16C2007A	0.92	0.01	215,368	-	INTU19C2004A	0.04	(0.01)	34	-
ERW19C2007A	0.24	0.02	86,166	-	GULF19C2003A	0.72	(0.04)	37,940	-	INTU19C2005A	0.25	(0.02)	18,940	-
ERW24C2006A	0.32	(0.01)	24,260	-	GULF19C2004A	0.39	-	139,151	-	INTU19P2002A	0.01	(0.01)	8	-
ESSO01C2004A	0.11	0.01	61,968	-	GULF19C2006A	0.20	0.01	39,822	-	INTU19P2007A	0.19	0.01	21,124	-
ESSO01C2004B	0.05	0.01	7,578	-	GULF19P2003A	0.02	-	501	-	INTU23C2111A	0.84	(0.04)	236	-
ESSO08C2004A	0.10	-	3,400	-	GULF19P2006A	0.60	-	82,592	-	INTU24C2003A	-	-	-	-
ESSO11C2002A	-	-	-	-	GULF24C2002A	0.18	-	10	-	INTU28C2003A	-	-	-	-
ESSO13C2003A	-	-	-	-	GULF24C2005A	0.98	-	32,946	1.00	INTU41C2003A	-	-	-	-
ESSO13C2006A	0.14	-	104,773	-	GULF27C2004A	-	-	-	-	INTU41C2004A	-	-	-	-
ESSO19C2004A	-	-	-	-	GULF28C2003A	0.17	(0.02)	172,681	-	INTU41C2005A	-	-	-	-
ESSO19C2007A	0.34	0.01	11,353	-	GULF28C2003B	0.06	(0.02)	18,224	-	INTU41C2006A	0.23	(0.02)	35,744	-
ESSO24C2003A	-	-	-	-	GULF28C2006A	0.11	0.01	40,948	-	INTU41C2007A	0.26	(0.02)	17,362	-
ESSO24C2007A	0.28	0.01	61,864	-	GULF41C2003A	-	-	-	-	INTU41P2003A	-	-	-	-
ESSO41C2003A	-	-	-	-	GULF41C2004A	0.42	0.02	37,168	-	INTU41P2004A	0.54	-	1,992	-
ESSO41C2004A	-	-	-	-	GULF41C2005A	0.47	-	484,180	-	INTU41P2005A	0.39	(0.01)	12,470	-
ESSO41C2005A	-	-	-	-	GULF41C2006A	0.97	0.01	22	-	INTU41P2006A	-	-	-	-
ESSO41C2006A	0.30	(0.10)	86,566	-	GULF41P2003A	-	-	-	-	INTU42C2003A	-	-	-	-
ESSO42C2003A	-	-	-	-	GULF41P2004A	0.38	0.01	76,100	-	INTU42C2005A	0.14	(0.02)	3,900	-
ESSO42C2007A	0.29	-	14,067	-	GULF41P2005A	0.29	-	33,170	-	IRPC01C2002A	0.01	-	64,890	-
GFPT13C2003A	0.02	(0.01)	2,500	-	GULF41P2006A	0.33	0.01	3,850	-	IRPC01C2002B	0.01	-	18,741	-
GFPT19C2004A	0.03	(0.01)	6,897	-	GULF41P2007A	1.01	0.02	103,044	-	IRPC01C2005A	0.03	0.01	32,543	-
GFPT19C2006A	0.17	0.01	37,023	-	GULF42C2002A	-	-	-	-	IRPC01C2005B	0.01	-	128	-
GFPT24C2007A	0.16	(0.01)	10,003	-	GULF42C2003A	0.11	0.01	3,866	-	IRPC01C2007B	0.21	0.01	441,928	-
GFPT42C2004A	-	-	-	-	GUNK01C2005A	0.08	(0.03)	244,628	-	IRPC01P2002A	1.41	0.08	7,707	1.00
GFPT42C2008A	0.20	(0.01)	11,701	-	GUNK01C2005B	0.02	-	3,342	-	IRPC01P2005A	1.59	(0.02)	20,813	1.00
GLOB01C2003A	0.02	-	16	-	GUNK01P2005B	0.56	0.05	56,550	-	IRPC01P2005B	1.09	(0.08)	42,683	1.00
GLOB01C2007B	0.10	(0.02)	84,780	-	GUNK11C2007A	0.05	(0.02)	2,000	-	IRPC01P2007B	0.66	(0.01)	187,787	-
GLOB01C2008A	0.21	(0.02)	210,697	-	GUNK13C2003A	-	-	-	-	IRPC06C2005A	0.02	0.01	1,350	-
GLOB01P2003A	0.68	-	29,393	-	GUNK13C2006A	0.07	(0.02)	34,547	-	IRPC06C2007A	0.07	0.01	87,083	-
GLOB06C2002A	-	-	-	-	GUNK16C2002A	-	-	-	-	IRPC06P2004A	0.91	(0.02)	20,255	-
GLOB06C2006A	0.05	(0.01)	10,540	-	GUNK19C2003A	-	-	-	-	IRPC11C2005A	0.01	-	4,030	-
GLOB11C2002A	-	-	-	-	GUNK19C2006A	0.08	(0.03)	23,380	-	IRPC11C2008A	-	-	-	-
GLOB13C2002A	-	-	-	-	GUNK24C2006A	0.06	(0.01)	19,213	-	IRPC13C2003A	-	-	-	-
GLOB13C2007A	0.10	(0.01)	87,163	-	GUNK28C2003A	-	-	-	-	IRPC13C2006A	0.04	0.01	600	-
GLOB19C2002A	-	-	-	-	GUNK28C2005A	0.02	(0.06)	200	-	IRPC13C2007A	0.13	0.01	222,035	-
GLOB19C2005A	0.03	(0.01)	15,079	-	GUNK41C2003A	-	-	-	-	IRPC16C2008A	0.18	0.01	213,528	-
GLOB19C2007A	0.13	(0.02)	25,009	-	GUNK41C2005A	-	-	-	-	IRPC19C2003A	-	-	-	-
GLOB24C2005A	-	-	-	-	GUNK41P2005A	0.71	0.11	2,001	-	IRPC19C2005A	0.02	(0.01)	939	-
GLOB41C2004A	-	-	-	-	GUNK42C2003A	-	-	-	-	IRPC19C2007A	0.18	-	42,380	-
GLOB42C2009A	0.09	(0.02)	6,000	-	HANA01C2006A	0.52	0.12	124,645	-	IRPC24C2002A	-	-	-	-
GPSC01C2003A	0.15	(0.01)	423,292	-	HANA01C2006B	0.23	0.08	121,016	-	IRPC24C2004A	0.01	-	2,000	-
GPSC01C2003B	0.01	(0.01)	30,132	-	HANA01P2006A	0.22	(0.09)	55,966	-	IRPC24C2007A	0.27	(0.73)	62,951	-
GPSC01C2005A	0.34	-	649,519	-	HANA11C2008A	0.35	0.07	46,648	-	IRPC27C2007A	-	-	-	-
GPSC01C2005B	0.10	(0.01)	376,042	-	HANA13C2002A	-	-	-	-	IRPC28C2003A	-	-	-	-
GPSC01C2007B	0.49	(0.01)	710,906	-	HANA13C2006A	0.22	0.07	156,772	-	IRPC28C2003B	-	-	-	-
GPSC01C2008A														

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL01C2006B	0.20	(0.03)	339,395	-	KCE01C2008A	0.83	0.06	180,128	-	MINT13C2002A	-	-	-	-
IVL01P2002A	1.21	(0.09)	5,736	1.00	KCE01P2004A	0.27	(0.03)	399,811	-	MINT13C2004A	-	-	-	-
IVL01P2002B	0.63	(0.01)	9,359	-	KCE08C2002A	1.09	0.17	10,400	1.00	MINT13C2006A	0.07	0.01	50,277	-
IVL01P2004A	0.35	0.02	142,926	-	KCE08C2005A	0.50	0.04	75,470	-	MINT19C2002A	-	-	-	-
IVL01P2004B	0.11	(0.01)	132,938	-	KCE08C2005B	0.18	0.02	62,361	-	MINT19C2004A	-	-	-	-
IVL01P2006B	0.48	0.03	101,404	-	KCE11C2004A	0.86	0.03	70,832	-	MINT19C2006A	0.10	0.01	1,916	-
IVL06C2003A	0.02	-	38,070	-	KCE13C2003A	1.74	0.03	4,947	1.00	MINT19P2004A	0.40	(0.03)	53,081	-
IVL06P2005A	0.65	0.01	39,303	-	KCE13C2004A	0.64	0.05	327,318	-	MINT24C2006A	0.05	0.02	9,258	-
IVL08C2002A	-	-	-	-	KCE13C2005A	0.15	0.01	75,744	-	MINT28C2006A	-	-	-	-
IVL08C2004A	0.11	(0.02)	50,590	-	KCE13C2006A	1.02	0.04	74,859	1.00	MINT41C2004A	-	-	-	-
IVL08P2003A	0.45	0.01	60	-	KCE16C2007A	0.60	0.04	256,423	-	MINT41C2005A	-	-	-	-
IVL08P2004A	0.23	-	39,080	-	KCE19C2002A	0.91	0.11	21,890	-	MINT41P2004A	0.47	(0.04)	31,620	-
IVL11C2005A	-	-	-	-	KCE19C2005A	0.73	0.05	65,653	-	MINT42C2002A	-	-	-	-
IVL11C2006A	0.19	-	91,592	-	KCE19C2007A	0.83	0.05	84,469	-	MINT42C2004A	-	-	-	-
IVL13C2003A	-	-	-	-	KCE24C2005A	1.44	0.04	8,018	1.00	MTC01C2003A	0.40	0.12	111,435	-
IVL13C2006A	0.18	(0.01)	138,363	-	KCE27C2007A	0.39	0.04	65,465	-	MTC01C2003B	0.08	0.03	5,313	-
IVL13P2004A	0.24	0.01	155,787	-	KCE28C2003A	0.93	0.02	100	-	MTC01C2007B	0.30	0.07	143,747	-
IVL16C2006A	0.07	-	32,412	-	KCE28C2003B	-	-	-	-	MTC01C2008A	0.66	0.11	90,090	-
IVL19C2002A	-	-	-	-	KCE41C2003A	-	-	-	-	MTC01P2003A	0.14	(0.07)	44,217	-
IVL19C2003A	-	-	-	-	KCE41C2005A	0.81	(0.02)	7,476	-	MTC03C2005A	0.35	0.08	372	-
IVL19C2004A	0.15	0.01	24,724	-	KCE41C2006A	0.58	0.03	182,211	-	MTC08C2005A	0.41	0.10	78,207	-
IVL19C2006A	0.12	(0.01)	13,767	-	KKP01C2006A	0.52	(0.03)	40,346	-	MTC11C2002A	0.60	0.12	53,150	-
IVL19P2003A	0.12	(0.01)	7,676	-	KKP01C2006B	0.29	(0.02)	60,597	-	MTC11C2008A	0.44	0.04	74,673	-
IVL19P2006A	0.46	(0.02)	16,209	-	KKP01P2006A	0.60	0.02	68,948	-	MTC13C2003A	0.18	0.07	44,205	-
IVL24C2002A	-	-	-	-	KKP08C2003A	-	-	-	-	MTC13C2007A	0.32	0.07	169,391	-
IVL24C2003A	0.07	(0.01)	2,600	-	KKP11C2007A	0.31	(0.02)	52,439	-	MTC13P2003A	0.02	(0.03)	1,150	-
IVL27P2007A	0.43	0.01	40,328	-	KKP13C2004A	0.09	(0.01)	6,900	-	MTC16C2007A	0.26	0.08	224,616	-
IVL28C2003A	-	-	-	-	KKP13C2007A	0.33	(0.02)	86,649	-	MTC19C2002A	0.01	(0.01)	130	-
IVL28C2003B	-	-	-	-	KKP16C2002A	0.10	(0.03)	33,752	-	MTC19C2006A	0.29	0.08	30,473	-
IVL28C2007A	0.16	-	69,101	-	KKP19C2003A	-	-	-	-	MTC19P2004A	0.12	(0.06)	61,254	-
IVL28P2003A	-	-	-	-	KKP24C2003A	-	-	-	-	MTC24C2004A	0.35	0.10	25,358	-
IVL41C2003A	-	-	-	-	KKP27P2002A	-	-	-	-	MTC27C2007A	0.38	0.05	45,503	-
IVL41C2004A	0.12	(0.02)	5,438	-	KKP41C2002A	-	-	-	-	MTC28C2006A	0.23	0.02	71,064	-
IVL41C2005A	-	-	-	-	KKP41C2006A	0.32	0.01	15,242	-	MTC41C2003A	-	-	-	-
IVL41C2006A	-	-	-	-	KTB01C2003A	0.07	(0.03)	10,660	-	MTC41C2004A	0.24	0.04	38,906	-
IVL41C2007A	-	-	-	-	KTB01P2003A	0.39	(0.01)	34,586	-	MTC41P2003A	0.02	(0.01)	229	-
IVL41P2003A	0.12	(0.04)	2,600	-	KTB11C2004A	-	-	-	-	MTC41P2004A	0.30	(0.09)	22,147	-
IVL41P2004A	-	-	-	-	KTB11C2006A	-	-	-	-	MTC42C2003A	0.04	0.01	5,864	-
IVL41P2005A	0.65	(0.06)	945	-	KTB13C2002A	-	-	-	-	ORI13C2004A	0.05	-	1,020	-
IVL41P2006A	0.51	(0.05)	16,080	-	KTB13C2006A	0.11	(0.02)	36,938	-	ORI19C2003A	-	-	-	-
IVL41P2007A	0.82	(0.04)	3,200	-	KTB19C2002A	-	-	-	-	ORI19C2005A	0.10	0.01	1,793	-
IVL42C2002A	-	-	-	-	KTB19C2005A	-	-	-	-	ORI28C2004A	-	-	-	-
IVL42C2005A	0.08	(0.01)	1,600	-	KTB24C2004A	-	-	-	-	ORI28C2007A	0.14	0.01	62,437	-
JAS13C2006A	0.23	0.02	164,058	-	KTB41C2003A	-	-	-	-	ORI41C2004A	0.04	-	1,000	-
JAS16C2002A	-	-	-	-	KTBA1C2004A	-	-	-	-	OSP01C2003A	0.16	(0.01)	298,348	-
JAS16C2002B	-	-	-	-	KTBA1C2006A	0.09	(0.03)	1,200	-	OSP01C2003B	0.03	-	12,801	-
JAS19C2002A	-	-	-	-	KTBA1P2004A	0.22	-	20,326	-	OSP01C2006A	0.39	(0.01)	747,579	-
JAS19C2004A	0.23	0.01	27,192	-	KTC01C2004A	0.26	0.04	285,904	-	OSP01C2006B	0.19	(0.02)	491,679	-
JAS28C2003A	-	-	-	-	KTC01C2004B	0.13	0.02	99,551	-	OSP01P2003A	0.23	0.03	512,326	-
JAS41C2004A	-	-	-	-	KTC01C2007A	0.68	0.06	54,185	-	OSP01P2006A	0.58	0.01	494,177	-
JAS41C2005A	-	-	-	-	KTC01C2007B	0.46	0.05	112,429	-	OSP06C2005A	0.20	(0.03)	129,398	-
JAS41C2006A	0.33	(0.05)	219	-	KTC01P2004A	0.15	(0.05)	136,149	-	OSP06P2003A	0.11	-	254,911	-
JAS41P2005A	0.32	(0.01)	51,015	-	KTC01P2007A	0.22	(0.04)	411,182	-	OSP08C2004A	0.09	(0.01)	15,260	-
JMT13C2006A	0.41	(0.04)	149,419	-	KTC06C2006A	0.51	0.08	50,755	-	OSP11C2005A	0.26	(0.02)	177,477	-
JMT19C2006A	0.36	(0.03)	202,770	-	KTC08C2004A	0.14	0.03	23,522	-	OSP13C2002A	-	-	-	-
JMT42C2006A	0.43	(0.04)	97,150	-	KTC08C2006A	0.61	0.08	59,472	-	OSP13C2004A	0.18	(0.01)	157,939	-
KBAN01C2002A	0.01	-	136,917	-	KTC11C2005A	0.20	0.04	113,712	-	OSP13C2006A	0.15	(0.02)	198,020	-
KBAN01C2002B	0.01	(0.01)	14,169	-	KTC13C2004A	0.13	0.03	152,507	-	OSP16C2008A	0.13	(0.01)	137,178	-
KBAN01C2004A	0.10	(0.03)	195,291	-	KTC13C2006A	0.42	0.08	329,056	-	OSP19C2004A	0.08	-	2,300	-
KBAN01C2004B	0.07	(0.01)	7,731	-	KTC13P2002A	-	-	-	-	OSP19C2005A	0.23	(0.02)	27,188	-
KBAN01C2007A	0.51	(0.03)	132,654	-	KTC13P2006A	0.12	(0.01)	153,349	-	OSP24C2008A	0.32	(0.01)	82,182	-
KBAN01C2007B	0.25	(0.03)	584,989	-	KTC13P2007A	0.42	(0.06)	470,320	-	OSP28C2003A	0.03	0.01	1,943	-
KBAN01P2002A	2.52	0.16	14,824	2.00	KTC19C2002A	-	-	-	-	OSP41C2003A	0.11	(0.05)	14,650	-
KBAN01P2002B	1.25	0.28	12,098	1.00	KTC19C2005A	0.26	0.04	19,747	-	OSP41C2004A	-	-	-	-
KBAN01P2004A	1.25	0.07	61,856	1.00	KTC19C2006A	0.48	0.07	53,293	-	OSP41C2005A	0.18	(0.03)	18,742	-
KBAN01P2004B	0.21	0.02	315,547	-	KTC19P2005A	0.19	(0.05)	51,562	-	OSP41P2003A	0.03	-	1,600	-
KBAN01P2007A	1.10	0.05	113,293	1.00	KTC27C2007A	0.35	0.04	51,398	-	OSP41P2004A	0.25	-	106,459	-
KBAN01P2007B	0.76	0.03	338,099	-	KTC28C2003A	-	-	-	-	OSP42C2005A	0.19	(0.02)	13,150	-
KBAN06C2004A	0.03	-	111,922	-	KTC28C2004A	0.10	0.02	2,068	-	PLAN08C2004A	0.01	-	52,700	-
KBAN08C2002A	0.01	-	1,100	-	KTC28C2006A	0.35	0.06	98,896	-	PLAN13C2004A	-	-	-	-
KBAN08C2005A	0.09	(0.03)	15,224	-	KTC41C2004A	-	-	-	-	PLAN13C2005A	0.03	-	26,442	-
KBAN08C2007A	0.27	(0.04)	86,223	-	KTC41C2005A	0.22	0.02	20,406	-	PLAN13C2007A	0.15	0.02	229,969	-
KBAN08P2002A	0.55	0.28	4,021	-	KTC41C2006A	0.25	0.03	73,098	-	PLAN16C2002A	-	-	-	-
KBAN08P2004A	0.34	0.02	78,725	-	KTC42C2003A	-	-	-	-	PLAN19C2005A	0.02	-	60	-
KBAN13C2003A	-	-	-	-	KTC42C2006A	0.54	0.13	4,238	-	PLAN19C2007A	0.16	(0.01)	17,996	-
KBAN13C2003B	0.02	(0.02)	4,000	-	LH01C2003A	0.02	0.01	203	-	PLAN24C2006A	0.03	0.01	42,680	-
KBAN13C2006A	0.23	(0.03)	124,396	-	LH01P2003A	0.56	0.01	52,385	-	PLAN27C2008A	0.08	-	14,000	-
KBAN13P2003A	0.11	0.02	131,612	-	LH11C2007A	0.14	(0.01)	73,033	-	PLAN28C2004A	-	-	-	-
KBAN13P2006A	0.56	0.03	500,610	-	LH16C2002A	-	-	-	-	PLAN28C2005A	-	-	-	-
KBAN16C2005A	0.02	(0.01)	36,111	-	LH19C2003A	-	-	-	-	PLAN41C2002A	-	-	-	-
KBAN16C2008A	0.18	(0.02)	201,970	-	LH19C2003B	-	-	-	-	PLAN41C2004A	-	-	-	-
KBAN19C2003A	-	-	-	-	LH19C2007A	0.21	-	42,448	-	PLAN41C2005A	-	-	-	-
KBAN19C2004A	0.09	(0.02)	7,245	-	LH19P2004A	0.25	(0.01)	17,791	-	PLAN41C2006A	-	-	-	-
KBAN19C2007A	0.35	(0.04)	116,008	-	LH41C2004A	-	-	-	-	PLAN42C2007A	-	-	-	-
KBAN19P2004A	0.33	0.03	140,737	-	LH41C2005A	-	-	-	-	PRM08C2003A	0.01	-	45,170	-
KBAN19P2007A	0.81	0.02	56,406	-	LH41C2006A	0.15	(0.07)	438	-	PRM13C2003A	-	-	-	-
KBAN24C2005A	0.04	(0.04)	10,300	-	LH41P2003A	-	-	-	-	PRM13C2006A	0.09	-	52,323	-
KBAN28C2003A	0.01	-	174	-	MAJO13C2002A	-	-	-	-	PRM19C2004A	-	-</		

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE01C2007B	0.21	0.01	253,922	-	MINT11C2006A	0.04	0.01	1	-	PTG01C2005B	0.07	(0.01)	107,177	-

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTG01C2007B	0.40	(0.04)	177,155	-	PTTE41P2004A	0.55	0.03	61,986	-	S5001C2003G	0.02	0.01	20,458	-
PTG01P2003A	0.62	0.01	43,009	-	PTTE42C2004A	0.05	-	5,020	-	S5001C2003H	0.02	-	68,347	-
PTG01P2005A	0.74	0.03	76,378	-	PTTG01C2002A	0.02	(0.01)	4,735	-	S5001C2003I	0.06	-	384,825	-
PTG01P2005B	0.46	0.02	166,379	-	PTTG01C2002B	0.02	-	3,649	-	S5001C2003J	0.25	0.02	3,307,451	-
PTG03C2005A	-	-	-	-	PTTG01C2005A	0.18	0.03	191,485	-	S5001C2004A	0.12	-	1,079,228	-
PTG06C2006A	0.13	(0.02)	62,467	-	PTTG01C2005B	0.07	0.02	16,150	-	S5001C2005A	0.39	-	1,954,873	-
PTG08C2005A	-	-	-	-	PTTG01C2007B	0.20	0.01	180,360	-	S5001C2006F	0.32	-	1,974,506	-
PTG08C2007A	0.38	(0.03)	139,636	-	PTTG01C2008A	0.41	0.02	390,877	-	S5001P2002A	1.85	(0.14)	68,132	2.00
PTG11C2003A	0.11	(0.01)	58,100	-	PTTG01P2002A	0.71	(0.11)	23,708	-	S5001P2003F	1.98	(0.16)	1,456,646	2.00
PTG11C2005A	0.04	(0.04)	241	-	PTTG01P2002B	-	-	-	-	S5001P2003G	1.65	(0.16)	2,641,469	1.00
PTG13C2004A	0.07	(0.01)	13,488	-	PTTG01P2005A	1.09	(0.07)	28,474	1.00	S5001P2003H	2.88	(0.12)	1,135,915	2.00
PTG13C2006A	0.24	(0.02)	429,060	-	PTTG01P2005B	0.77	(0.06)	164,087	-	S5001P2003I	2.60	(0.04)	712,828	2.00
PTG13P2004A	0.42	0.03	239,592	-	PTTG01P2007B	0.47	(0.03)	161,054	-	S5001P2003J	1.22	(0.10)	1,958,595	1.00
PTG13P2006A	0.31	0.03	397,716	-	PTTG01P2008A	0.71	(0.05)	111,389	-	S5001P2004A	1.99	(0.07)	860,730	2.00
PTG19C2003A	-	-	-	-	PTTG06C2006A	-	-	-	-	S5001P2005A	1.39	(0.06)	1,524,612	1.00
PTG19C2004A	0.02	-	836	-	PTTG08C2004A	0.10	-	34,400	-	S5001P2006F	1.77	(0.12)	1,326,524	1.00
PTG19C2005A	0.12	(0.02)	30,930	-	PTTG08P2004A	0.33	(0.03)	66,548	-	S5006C2003A	0.02	-	5,086	-
PTG19C2006A	0.28	(0.02)	53,082	-	PTTG11C2004A	-	-	-	-	S5006C2003B	0.01	-	232	-
PTG19P2006A	0.50	-	41,658	-	PTTG11C2007A	0.28	0.02	121,643	-	S5006C2003C	0.02	0.01	3,629	-
PTG24C2002A	-	-	-	-	PTTG13C2002A	-	-	-	-	S5006C2006A	0.16	0.02	433,041	-
PTG27C2007A	0.28	(0.06)	56,600	-	PTTG13C2005A	0.08	0.01	920	-	S5006P2003A	2.86	(0.22)	51	2.00
PTG28C2004A	-	-	-	-	PTTG13C2007A	0.30	0.03	316,137	-	S5006P2003B	-	-	-	-
PTG41C2004A	-	-	-	-	PTTG13P2004A	0.39	(0.08)	376,568	-	S5006P2003C	1.78	0.11	860	1.00
PTG41C2005A	-	-	-	-	PTTG16C2006A	0.12	-	138,796	-	S5006P2006A	1.47	(0.10)	512,922	1.00
PTG41C2006A	0.18	(0.01)	33,545	-	PTTG19C2002A	-	-	-	-	S5008C2003A	0.01	-	16,476	-
PTG41P2005A	0.54	0.02	31,440	-	PTTG19C2006A	0.07	-	70,300	-	S5008C2003B	0.01	-	1,000	-
PTG42C2004A	-	-	-	-	PTTG19C2006B	0.21	0.01	18,780	-	S5008P2003A	0.98	(0.14)	108,495	1.00
PTG42C2006A	0.29	(0.02)	18,954	-	PTTG19P2003A	0.13	(0.02)	76,779	-	S5008P2003B	0.35	(0.08)	1,306,608	-
PTT01C2004A	0.29	-	85,044	-	PTTG19P2006A	0.81	(0.07)	7,876	-	S5008P2003C	-	-	-	-
PTT01C2004B	0.08	(0.01)	10,360	-	PTTG24C2003A	0.05	(0.01)	21,130	-	S5011C2003A	0.04	0.01	28,899	-
PTT01C2007A	0.29	(0.02)	100,085	-	PTTG27P2006A	0.63	(0.02)	29,827	-	S5011P2003A	1.86	0.02	404	1.00
PTT01C2007B	0.14	(0.01)	155,774	-	PTTG28C2003A	0.01	(0.04)	3,000	-	S5013C2003A	0.01	-	1,272,938	-
PTT01P2004A	0.41	0.01	39,493	-	PTTG28C2006A	-	-	-	-	S5013C2003B	0.02	-	343,019	-
PTT01P2004B	0.16	0.01	103,594	-	PTTG41C2002A	-	-	-	-	S5013C2003C	0.01	-	234,598	-
PTT01P2007A	0.75	0.01	39,469	-	PTTG41C2003A	-	-	-	-	S5013C2003D	0.03	-	411,895	-
PTT01P2007B	0.38	0.02	177,983	-	PTTG41C2004A	0.20	0.02	41,269	-	S5013C2003E	0.09	0.01	6,680,826	-
PTT06C2005A	0.12	(0.03)	135,460	-	PTTG41C2005A	-	-	-	-	S5013C2006A	0.32	0.04	8,981,071	-
PTT08C2005A	0.16	(0.01)	32,854	-	PTTG41C2006A	0.12	(0.02)	12,334	-	S5013C2006B	0.44	(0.56)	5,799,321	-
PTT08P2005A	0.20	0.01	34,802	-	PTTG41P2002A	-	-	-	-	S5013P2003A	2.56	(0.12)	36,048	2.00
PTT11C2004A	0.02	(0.02)	23	-	PTTG41P2003A	-	-	-	-	S5013P2003B	1.68	(0.11)	227,945	1.00
PTT11C2008A	0.21	(0.02)	91,090	-	PTTG41P2006A	0.84	(0.05)	18,187	-	S5013P2003C	2.22	0.08	542	2.00
PTT13C2004A	0.06	(0.01)	3,204	-	PTTG42C2003A	-	-	-	-	S5013P2003D	2.20	0.18	220	2.00
PTT13C2006A	0.19	(0.02)	213,177	-	PTTG42C2007A	0.26	0.03	11,962	-	S5013P2003E	1.06	(0.09)	4,221,588	1.00
PTT13P2004A	0.15	(0.01)	228,232	-	QH01C2006A	0.21	(0.03)	47,512	-	S5013P2006A	1.43	(0.08)	439,189	1.00
PTT13P2006A	0.43	0.01	225,417	-	QH01C2006B	0.10	(0.02)	23,790	-	S5013P2006B	0.95	(0.05)	7,856,505	-
PTT16C2008A	0.16	(0.01)	83,401	-	QH01P2006A	0.44	0.01	34,879	-	S5016C2003A	0.01	-	2,298	-
PTT19C2002A	-	-	-	-	QH11C2006A	0.11	(0.01)	30,303	-	S5016C2003B	0.01	-	5,134	-
PTT19C2005A	0.21	(0.02)	7,188	-	QH13C2003A	-	-	-	-	S5016C2003C	0.08	0.02	18,890	-
PTT19P2003A	-	-	-	-	QH19C2002A	-	-	-	-	S5016C2003D	0.21	0.01	442,816	-
PTT19P2006A	0.37	0.01	4,770	-	QH19C2006A	-	-	-	-	S5016C2003E	0.08	-	216,303	-
PTT24C2003A	-	-	-	-	QH27C2007A	0.11	(0.01)	9,600	-	S5016P2003A	1.77	(0.18)	471,065	1.00
PTT28C2003A	-	-	-	-	RATC01C2003A	0.03	(0.01)	6,231	-	S5016P2003C	1.62	(0.03)	177,857	1.00
PTT28C2004A	-	-	-	-	RATC01C2003B	-	-	-	-	S5016P2003D	1.37	(0.05)	194,428	1.00
PTT28C2007A	0.14	(0.02)	61,319	-	RATC01C2006A	0.43	0.01	183,024	-	S5019C2003A	0.01	-	2,332	-
PTT28P2004A	0.11	-	4,232	-	RATC01C2006B	0.22	(0.01)	142,087	-	S5019C2003B	0.02	-	83,272	-
PTT41C2004A	0.09	(0.03)	109	-	RATC01P2006A	0.91	-	37,392	-	S5019C2003C	0.01	-	3,587	-
PTT41C2005A	0.17	(0.03)	12,103	-	RATC06C2006A	0.12	0.01	210,248	-	S5019C2003D	0.05	0.01	493,976	-
PTT41C2006A	-	-	-	-	RATC06P2006A	0.40	(0.04)	100,701	-	S5019C2006A	0.46	(0.54)	1,741,369	-
PTT41P2004A	0.20	0.05	412	-	RATC13C2004A	0.05	-	2,110	-	S5019P2003A	2.02	(0.12)	44,807	2.00
PTT41P2005A	-	-	-	-	RATC13C2007A	0.30	0.01	318,025	-	S5019P2003B	1.09	(0.09)	169,616	1.00
PTT41P2006A	0.40	-	1,183	-	RATC16C2008A	0.13	-	71,028	-	S5019P2003C	2.46	0.04	20,436	2.00
PTT42C2003A	-	-	-	-	RATC19C2002A	-	-	-	-	S5019P2003D	0.77	(0.10)	1,464,652	-
PTT42C2007A	0.12	(0.01)	6,479	-	RATC19C2005A	0.10	0.02	15,034	-	S5019P2006A	1.43	0.43	960,253	1.00
PTTE01C2004A	0.48	(0.02)	145,259	-	RATC19C2007A	0.35	(0.01)	45,382	-	S5024C2003A	-	-	-	-
PTTE01C2004B	0.22	(0.02)	442,304	-	RATC24C2006A	0.22	0.01	56,180	-	S5024C2003B	-	-	-	-
PTTE01C2007A	0.49	(0.02)	122,378	-	RATC27C2004A	0.01	-	200	-	S5024C2003C	0.08	-	47,025	-
PTTE01C2007B	0.23	(0.02)	118,475	-	RATC27C2007A	0.32	0.02	55,800	-	S5024C2006A	0.29	0.03	288,539	-
PTTE01P2004A	0.28	0.01	119,930	-	RATC41C2003A	-	-	-	-	S5024P2003A	3.38	(0.04)	55,500	3.00
PTTE01P2004B	0.09	0.01	10,560	-	RATC41C2004A	0.15	0.03	4,848	-	S5024P2003B	1.61	0.07	200,154	1.00
PTTE01P2007A	0.96	0.01	43,376	-	RATC41C2005A	0.11	(0.04)	438	-	S5024P2006A	1.45	0.45	136,012	1.00
PTTE01P2007B	0.49	0.01	263,806	-	RATC41C2006A	0.26	0.02	24,292	-	S5028C2002A	-	-	-	-
PTTE06C2006A	0.18	(0.04)	57,464	-	RATC41P2004A	0.63	0.02	11,314	-	S5028C2003A	0.02	-	1,992	-
PTTE06P2006A	0.69	0.05	42,112	-	RATC41P2006A	0.60	(0.03)	38,996	-	S5028C2003B	0.01	(0.01)	101	-
PTTE08C2002A	-	-	-	-	RATC42C2003A	-	-	-	-	S5028C2004A	0.13	0.01	350,799	-
PTTE08C2005A	0.27	(0.03)	31,775	-	RATC42C2006A	0.11	-	34,310	-	S5028C2006A	0.08	0.01	98,079	-
PTTE08P2005A	0.26	0.01	16,900	-	RS06C2004A	0.04	-	2,500	-	S5028P2002A	0.97	0.11	47	-
PTTE08P2006A	0.66	-	46,961	-	RS08P2003A	1.39	(0.14)	880	1.00	S5028P2003A	0.57	(0.05)	819,643	-
PTTE11C2006A	0.40	-	84,897	-	RS08P2006A	0.75	(0.07)	2	-	S5028P2004A	1.00	(0.05)	1,390,656	1.00
PTTE13C2004A	0.24	(0.03)	2,240	-	RS13C2002A	-	-	-	-	S5028P2006A	0.72	(0.03)	731,717	-
PTTE13C2006A	0.26	(0.01)	56,156	-	RS13C2004A	-	-	-	-	S5041C2003A	0.01	-	1,462	-
PTTE13P2003A	-	-	-	-	RS13C2006A	0.24	0.05	118,392	-	RS13C2003B	0.01	(0.02)	202	-
PTTE13P2006A	0.61	0.02	87,648	-	RS16C2005A	-	-	-	-	RS13C2003C	0.01	(0.02)	51	-
PTTE16C2003A	-	-	-	-	RS19C2002A	-	-	-	-	RS16C2003D	0.01	-	61	-
PTTE16C2009A	0.25	(0.03)	209,431	-	RS19C2004A	-	-</							

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE28P2004A	0.06	-	11,512	-	RS42C2004A	-	-	-	-	S5041P2006A	0.99	(0.06)	104,096	1.00
PTTE41C2003A	-	-	-	-	RS42C2008A	-	-	-	-	SAWA01C2003A	1.27	0.17	44,846	1.00
PTTE41C2005A	0.31	(0.11)	724	-	S10001C2011A	0.24	-	932	-	SAWA01C2003B	0.60	0.10	189,259	-
PTTE41C2006A	0.35	-	45,294	-	S5001C2002A	0.02	0.01	22,572	-	SAWA01C2006A	0.91	0.11	81,175	-
PTTE41P2003A	-	-	-	-	S5001C2003F	0.02	0.01	121,494	-	SAWA01C2006B	0.50	0.07	149,230	-

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA01P2003A	0.04	(0.02)	23,172	-	SCC27P2008A	0.34	(0.01)	75,780	-	STEC28C2004B	0.11	-	41,217	-
SAWA01P2006A	0.59	(0.11)	177,538	-	SCC28C2003A	-	-	-	-	STEC28C2005A	0.28	(0.09)	40	-
SAWA06C2002A	0.82	0.31	9,960	-	SCC28C2004A	-	-	-	-	STEC41C2003A	-	-	-	-
SAWA08C2006A	0.57	0.06	129,818	-	SCC41C2003A	-	-	-	-	STEC41C2004A	0.11	(0.01)	5,266	-
SAWA11C2003A	0.96	0.14	116,508	-	SCC41C2004A	-	-	-	-	STEC41C2005A	0.32	(0.01)	63,038	-
SAWA13C2002A	-	-	-	-	SCC41C2005A	0.07	(0.01)	400	-	STEC41C2006A	0.42	-	8,476	-
SAWA13C2005A	0.62	0.12	199,855	-	SCC41C2006A	0.14	(0.06)	9,732	-	STEC41P2003A	-	-	-	-
SAWA13C2007A	0.55	0.09	207,839	-	SCC41P2004A	0.36	-	26,501	-	STEC41P2004A	0.17	0.01	20,615	-
SAWA16C2008A	0.49	0.07	157,944	-	SCC41P2005A	0.81	0.02	31,495	-	STEC41P2005A	0.20	-	7,704	-
SAWA19C2002A	0.26	0.10	117,959	-	SCC41P2006A	0.72	0.03	14,460	-	STEC42C2004A	0.17	(0.01)	8,800	-
SAWA19C2005A	0.55	0.09	54,196	-	SCC42C2002A	-	-	-	-	SUPE13C2003A	-	-	-	-
SAWA24C2004A	0.74	0.15	22,180	-	SCC42C2003A	-	-	-	-	SUPE19C2002A	-	-	-	-
SAWA27C2007A	0.60	0.08	65,600	-	SCC42C2008A	0.29	(0.04)	8,500	-	SUPE19C2004A	0.02	-	11,000	-
SAWA28C2004A	0.41	0.08	203,263	-	SGP13C2004A	0.07	(0.03)	23,531	-	SUPE19C2007A	0.11	(0.89)	2,757	-
SAWA28C2007A	0.36	0.06	116,546	-	SGP13C2006A	-	-	-	-	SUPE42C2004A	0.02	(0.01)	82,200	-
SAWA41C2003A	-	-	-	-	SGP13C2007A	0.25	(0.02)	164,827	-	TASCO1C2003A	0.27	(0.03)	96,999	-
SAWA41C2004A	0.47	0.05	5,450	-	SGP19C2002A	-	-	-	-	TASCO1C2003B	0.04	(0.01)	28,057	-
SAWA41C2005A	0.56	0.09	186,472	-	SGP19C2006A	-	-	-	-	TASCO1P2003A	0.15	0.01	124,161	-
SAWA41P2003A	-	-	-	-	SGP19C2006B	0.21	(0.02)	37,582	-	TASCO8C2005A	0.22	(0.02)	30,630	-
SAWA41P2004A	0.13	(0.06)	42,025	-	SGP24C2002A	-	-	-	-	TASCO8C2006A	0.43	(0.02)	62,120	-
SAWA41P2005A	0.52	(0.09)	56,966	-	SGP42C2007A	0.25	-	2,963	-	TASC11C2002A	0.66	(0.08)	51,700	-
SAWA42C2003A	0.20	0.04	17,440	-	SIRI13C2007A	0.09	(0.02)	18,078	-	TASC13C2003A	0.07	(0.02)	42,695	-
SCB01C2002A	0.01	-	116,997	-	SIRI19C2002A	-	-	-	-	TASC13C2006A	0.41	(0.03)	106,326	-
SCB01C2002B	0.01	-	74,325	-	SIRI19C2004A	-	-	-	-	TASC16C2008A	0.34	(0.02)	99,065	-
SCB01C2004A	0.07	-	90,870	-	SIRI19C2007A	-	-	-	-	TASC19C2003A	0.09	(0.04)	13,686	-
SCB01C2004B	0.02	0.01	70	-	SPAL01C2004A	0.17	-	63,616	-	TASC19C2006A	0.67	-	9,944	-
SCB01C2007A	0.31	(0.01)	330,925	-	SPAL01C2004B	0.05	-	13,864	-	TASC19C2007A	0.34	(0.01)	13,117	-
SCB01C2007B	0.18	(0.01)	169,618	-	SPAL06P2004A	0.50	(0.01)	34,410	-	TASC19P2004A	0.17	-	18,868	-
SCB01P2002A	2.26	0.04	6,318	2.00	SPAL11C2006A	0.18	-	82,517	-	TASC24C2006A	0.38	(0.04)	25,576	-
SCB01P2002B	1.90	0.07	22,172	1.00	SPAL13C2003A	-	-	-	-	TASC28C2004A	0.09	(0.01)	10,276	-
SCB01P2004A	0.91	-	77,236	-	SPAL13C2006A	0.24	(0.01)	445,355	-	TASC28C2006A	0.21	(0.02)	46,726	-
SCB01P2004B	0.39	-	121,844	-	SPAL16C2002A	-	-	-	-	TASC41C2003A	-	-	-	-
SCB01P2007A	0.75	(0.01)	58,812	-	SPAL19C2002A	-	-	-	-	TASC41C2004A	0.17	(0.01)	498	-
SCB01P2007B	0.62	(0.02)	283,557	-	SPAL19C2004A	-	-	-	-	TASC41C2005A	-	-	-	-
SCB06C2007A	0.35	0.01	97,669	-	SPAL24C2003A	-	-	-	-	TASC42C2003A	-	-	-	-
SCB08C2002A	-	-	-	-	SPAL27C2008A	0.11	(0.01)	22,500	-	TASC42C2005A	0.40	(0.02)	11,396	-
SCB08C2005A	0.04	-	3,545	-	SPAL41C2004A	0.09	-	6,268	-	TCAP01C2007B	0.36	0.01	138,417	-
SCB08C2007A	0.62	-	107,062	-	SPAL42C2003A	-	-	-	-	TCAP01C2008A	0.62	0.02	84,116	-
SCB08P2004A	0.66	0.01	94,327	-	SPRC01C2003A	0.06	0.02	17,965	-	TCAP01P2008A	0.64	(0.04)	70,320	-
SCB11C2005A	-	-	-	-	SPRC01C2003B	0.02	(0.01)	1	-	TCAP11C2002A	0.05	0.02	41,000	-
SCB11C2006A	0.02	-	1,011	-	SPRC01C2007A	0.28	0.03	93,829	-	TCAP13C2002A	0.20	0.01	28,150	-
SCB11C2008A	0.30	(0.01)	47,962	-	SPRC06C2007A	0.26	0.03	110,863	-	TCAP13C2007A	0.32	0.01	347,476	-
SCB11P2005A	1.60	0.02	147,710	1.00	SPRC06P2003A	0.08	(0.03)	189,284	-	TCAP19C2004A	0.39	0.02	12,793	-
SCB13C2003A	-	-	-	-	SPRC08C2005A	0.09	-	28,762	-	TCAP41C2002A	-	-	-	-
SCB13C2006A	0.06	(0.01)	91,294	-	SPRC08C2006A	0.06	(0.01)	55	-	TCAP41C2004A	0.25	-	30,476	-
SCB13C2006B	0.19	-	221,552	-	SPRC11C2005A	0.02	0.01	5,003	-	THAI11C2003A	-	-	-	-
SCB13C2007A	0.58	0.01	597,708	-	SPRC11C2008A	0.44	0.04	82,518	-	THAI13C2004A	-	-	-	-
SCB13P2003A	0.35	0.01	237,085	-	SPRC13C2004A	-	-	-	-	THAI19C2002A	-	-	-	-
SCB13P2006A	0.99	(0.01)	180,087	1.00	SPRC13C2006A	0.10	0.01	78,301	-	THAI19C2004A	-	-	-	-
SCB16C2003A	-	-	-	-	SPRC19C2002A	-	-	-	-	THAI27C2008A	0.09	(0.01)	2,158	-
SCB16C2008A	0.36	(0.01)	193,680	-	SPRC19C2005A	0.12	0.02	16,902	-	THAI42C2003A	-	-	-	-
SCB19C2002A	-	-	-	-	SPRC19C2005B	-	-	-	-	THAI42C2005A	0.01	-	3,000	-
SCB19C2003A	-	-	-	-	SPRC19C2007A	0.44	0.04	21,901	-	THAN01C2006A	0.24	(0.02)	76,681	-
SCB19C2006A	0.16	-	28,908	-	SPRC19P2005A	0.55	(0.03)	59,266	-	THAN01C2006B	0.08	(0.01)	38,910	-
SCB19C2007A	0.56	(0.04)	50,989	-	SPRC24C2003A	-	-	-	-	THAN01P2006A	0.38	0.01	67,363	-
SCB19P2005A	0.97	0.02	27,029	-	SPRC41C2004A	-	-	-	-	THAN06C2003A	-	-	-	-
SCB24C2004A	0.05	-	23,052	-	SPRC41C2005A	0.18	0.02	438	-	THAN06C2005A	0.09	(0.02)	41,201	-
SCB27C2007A	0.04	(0.01)	15,749	-	SPRC41C2006A	-	-	-	-	THAN06P2003A	0.23	0.01	8,200	-
SCB27P2006A	0.85	0.01	89,200	-	SPRC42C2006A	0.21	0.03	10,900	-	THAN13C2003A	-	-	-	-
SCB28C2003A	-	-	-	-	STA01C2003A	0.34	0.01	518,662	-	THAN13C2007A	0.15	(0.01)	36,636	-
SCB28C2004A	-	-	-	-	STA01C2003B	0.09	-	160,375	-	THAN19C2004A	-	-	-	-
SCB28C2006A	0.11	-	15,893	-	STA01P2003A	0.06	-	45,711	-	THAN19C2007A	0.22	(0.02)	21,730	-
SCB28C2006B	0.39	(0.01)	156,390	-	STA11C2005A	0.19	0.01	79,139	-	THAN27C2003A	-	-	-	-
SCB41C2002A	0.01	-	500	-	STA13C2003A	0.24	0.01	277,345	-	THAN41C2005A	-	-	-	-
SCB41C2004A	-	-	-	-	STA13C2006A	0.22	0.01	270,514	-	TISCO1C2006A	0.94	0.04	24,586	-
SCB41C2005A	-	-	-	-	STA19C2002A	-	-	-	-	TISCO1C2006B	0.24	0.02	131,421	-
SCB41C2006A	0.22	(0.03)	24,156	-	STA19C2004A	0.30	0.03	17,486	-	TISCO1P2006A	0.42	(0.05)	118,996	-
SCB41P2004A	0.54	-	59,810	-	STA19C2005A	0.91	0.02	10,676	-	TISCO8C2002A	-	-	-	-
SCB41P2005A	0.98	0.16	206	-	STA19C2007A	0.23	-	34,301	-	TISC11C2005A	0.16	0.03	12,138	-
SCB42C2003A	-	-	-	-	STA24C2002A	0.05	-	1,333	-	TISC11C2007A	0.73	0.05	50,800	-
SCB42C2006A	0.04	-	1,503	-	STA42C2007A	0.25	(0.01)	4,280	-	TISC13C2004A	-	-	-	-
SCB42C2007A	0.32	(0.01)	13,825	-	STEC01C2003A	0.06	-	49,458	-	TISC13C2006A	0.25	0.03	95,103	-
SCC01C2004A	0.28	(0.02)	407,427	-	STEC01C2003B	0.02	-	3,001	-	TISC19C2004A	0.42	0.08	41,763	-
SCC01C2004B	-	-	-	-	STEC01C2004A	0.13	0.01	254,371	-	TISC19C2006A	0.21	0.01	13,096	-
SCC01P2004A	1.10	-	107,024	1.00	STEC01C2006A	0.47	0.01	128,560	-	TISC41C2005A	-	-	-	-
SCC06C2007A	0.24	(0.01)	133,943	-	STEC01C2006B	0.23	0.01	255,407	-	TISC41C2006A	0.25	0.01	29,149	-
SCC08C2002A	0.01	-	500	-	STEC01P2003A	0.59	0.01	60,217	-	TISC41P2006A	0.42	(0.02)	18,624	-
SCC08C2004A	0.07	(0.03)	1,000	-	STEC01P2006A	0.43	(0.03)	259,598	-	TISC42C2003A	-	-	-	-
SCC08P2006A	0.80	0.06	80,894	-	STEC06C2004A	0.31	0.02	88,971	-	TKN01C2003A	0.02	(0.01)	854	-
SCC11C2003A	0.01	-	1,500	-	STEC08C2004A	-	-	-	-	TKN01C2003B	-	-	-	-
SCC11C2006A	0.03	-	20,301	-	STEC08C2005A	0.37	-	83,900	-	TKN01C2007B	0.15	(0.01)	88,630	-
SCC11C2007A	0.25	(0.02)	83,070	-	STEC11C2007A	0.08	-	13,775	-	TKN01C2008A	0.45	(0.04)	185,169	-
SCC13C2002A	-	-	-	-	STEC13C2003A	0.07	0.01	25,200	-	TKN08C2003A	0.04	(0.02)	70	-
SCC13C2004A	0.08	(0.01)	4,012	-	STEC13C2004A	0.28	0.02	384,850	-	TKN08C2007A	0.37	(0.03)	112,628	-
SCC13P2002A	-	-	-	-	STEC16C2003A	-	-	-	-	TKN13C2004A	0.03	-	4,376	-
SCC13P2006A	0.76	-	128,450	-	STEC16C2006A	0.09	-	39,472	-	TKN13C2006A	0.34	(0.02)	156,035	-
SCC16C2002A	-	-	-	-	STEC16C2009A	0.35	0.01	238,030	-	TKN16C2008A	0.21	(0.01)	1	

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCC19C2002A	-	-	-	-	STEC19C2004A	0.08	(0.01)	170	-	TKN19C2004B	0.05	(0.01)	1,000	-
SCC19C2003A	-	-	-	-	STEC19C2005A	0.35	0.01	73,180	-	TKN19C2007A	0.37	(0.02)	69,986	-
SCC19C2003B	-	-	-	-	STEC24C2003A	-	-	-	-	TKN24C2002A	-	-	-	-
SCC19C2006A	0.15	(0.01)	13,544	-	STEC24C2006A	0.43	0.02	46,870	-	TKN28C2003A	-	-	-	-
SCC19P2004A	0.49	(0.03)	11,340	-	STEC27C2002A	0.01	-	4,000	-	TKN28C2007A	0.12	-	41,546	-
SCC24C2003A	-	-	-	-	STEC27C2002B	-	-	-	-	TKN41C2003A	-	-	-	-
SCC24C2006A	0.23	(0.02)	44,600	-	STEC28C2004A	0.04	0.01	1,590	-	TKN41C2005A	0.25	(0.03)	26,092	-

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TKN41C2006A	0.09	(0.01)	438	-	TRUE28C2006A	0.09	(0.03)	48,588	-	Warrant	-	-	-	-
TKN42C2003A	-	-	-	-	TRUE41C2003A	-	-	-	-	7UP-W4	0.08	-	21,051	-
TKN42C2006A	0.25	(0.05)	16,440	-	TRUE41C2004A	0.04	(0.08)	3,500	-	AKR-W1	0.07	-	23,565	-
TMB01C2004A	0.06	(0.01)	125,143	-	TRUE41C2005A	-	-	-	-	ALT-W1	0.32	0.03	51,907	-
TMB01C2004B	0.02	0.01	400	-	TRUE41C2006A	0.09	(0.04)	3,152	-	APEX-W1	-	-	-	-
TMB01P2004A	0.66	0.03	73,513	-	TMBU41C2007A	0.25	(0.75)	59,924	-	APURE-W2	0.08	-	3,310	-
TMB13C2002A	-	-	-	-	TRUE41P2004A	0.68	0.09	89,346	-	AS-W1	0.05	-	370	-
TMB19C2004A	0.04	-	69,706	-	TRUE41P2005A	1.04	0.16	17,297	1.00	AYUD-W1	0.32	0.03	50,599	-
TMB19C2007A	0.17	(0.03)	4,882	-	TRUE42C2003A	-	-	-	-	B-W3	-	-	-	-
TMB19P2004A	0.74	0.09	3,931	-	TRUE42C2004A	-	-	-	-	B-W4	0.01	(0.01)	389	-
TMB41C2004A	0.07	(0.01)	400	-	TRUE42C2007A	0.21	(0.06)	6,558	-	B-W5	0.03	-	1,033	-
TMB41C2005A	0.03	(0.02)	2,004	-	TTW27C2009A	0.30	(0.01)	13,714	-	B52-W2	0.01	-	1	-
TMB41P2003A	0.37	0.06	14,000	-	TU01C2004A	0.37	0.03	97,067	-	BKD-W2	0.07	(0.01)	333	-
TMB41P2006A	0.63	0.04	13,952	-	TU01C2004B	0.33	0.02	129,147	-	CGD-W4	0.09	-	3,200	-
TOA01C2006A	0.21	0.04	137,071	-	TU01P2004A	0.07	(0.02)	36,210	-	CGH-W3	0.01	-	517	-
TOA01C2006B	0.10	0.01	119,331	-	TU06C2004A	0.20	0.05	160,722	-	CI-W1	0.01	-	2	-
TOA08C2003A	-	-	-	-	TU06P2007A	0.19	(0.02)	186,638	-	CKP-W1	0.10	0.03	288,915	-
TOA13C2003A	0.01	-	30	-	TU11C2003A	-	-	-	-	CRANE-W1	0.52	(0.03)	500	-
TOA13C2007A	0.16	0.03	98,843	-	TU11C2008A	0.56	0.01	74,590	-	DCC-W1	0.52	(0.01)	28,950	-
TOA19C2004A	0.01	(0.01)	2,198	-	TU13C2003A	0.04	0.01	889	-	ECL-W3	0.11	-	14,236	-
TOA19C2007A	0.19	0.04	10,502	-	TU13C2004A	0.39	0.03	108,801	-	EIC-W2	-	-	-	-
TOA24C2005A	0.02	0.01	1	-	TU19C2002A	-	-	-	-	EIC-W3	-	-	-	-
TOA41C2004A	-	-	-	-	TU19C2003A	0.03	(0.01)	1,104	-	EMC-W6	0.03	-	2,005	-
TOP01C2003A	0.02	-	36,032	-	TU19C2005A	0.49	0.02	3,901	-	EPCO-W3	0.37	0.03	952	-
TOP01C2003B	0.01	-	6,000	-	TU19C2007A	0.38	0.02	18,776	-	GLOCON-W4	0.22	-	15,275	-
TOP01C2006A	0.16	0.03	374,822	-	TU24C2003A	-	-	-	-	J-W1	0.22	0.03	1,291	-
TOP01C2006B	0.05	-	8,301	-	TU24C2006A	0.46	0.01	35,082	-	JAS-W3	1.91	(0.04)	120,847	1.00
TOP01P2003A	1.48	(0.05)	20,775	1.00	TU27C2004A	0.03	0.01	1,000	-	JCK-W5	0.05	-	8,225	-
TOP01P2006A	1.52	(0.05)	76,823	1.00	TU27C2006A	0.32	0.02	39,862	-	JMT-W2	4.72	(0.28)	13,160	4.00
TOP06C2004A	-	-	-	-	TU41C2003A	-	-	-	-	MACO-W2	0.07	(0.01)	582,153	-
TOP06C2007A	0.22	0.01	194,234	-	TU41C2004A	0.30	0.03	9,652	-	MILL-W4	0.02	-	8,531	-
TOP06P2005A	1.87	(0.08)	59,969	1.00	TU41C2005A	0.48	0.03	24,574	-	MILL-W5	-	-	-	-
TOP08C2003A	-	-	-	-	TU41P2003A	0.02	(0.07)	100	-	MINT-W6	2.02	0.02	9,862	1.00
TOP08C2007A	0.26	0.02	39,076	-	TU41P2004A	0.02	(0.03)	206	-	NFC-W1	0.52	(0.05)	19	-
TOP08P2003A	1.82	0.29	26,080	1.00	TU42C2007A	-	-	-	-	NOK-W1	0.01	-	500	-
TOP08P2007A	0.94	(0.05)	24,772	1.00	TVO13C2007A	0.21	(0.02)	31,179	-	NVD-W1	0.08	(0.02)	23,509	-
TOP11C2002A	-	-	-	-	TVO19C2004A	0.14	(0.10)	6,466	-	ORI-W1	0.15	-	64,420	-
TOP11C2007A	0.05	0.01	3,163	-	TVO19C2007A	0.14	(0.02)	20,207	-	PACE-W2	0.02	-	17,485	-
TOP11P2002A	1.18	-	2,500	1.00	VGI01C2005A	0.09	0.01	131,482	-	PACE-W3	0.01	(0.01)	708	-
TOP13C2004A	0.01	-	60	-	VGI08C2006A	0.06	-	69,203	-	PDI-W1	0.28	(0.02)	1,208	-
TOP13C2006A	0.06	0.01	32,106	-	VGI11C2008A	0.09	-	60,524	-	PDJ-W4	0.34	0.04	1	-
TOP13P2005A	-	-	-	-	VGI13C2006A	0.08	(0.01)	15,023	-	PERM-W1	0.11	-	10,140	-
TOP13P2006A	1.17	(0.05)	155,672	1.00	VGI19C2006A	0.07	(0.02)	6,080	-	PORT-W1	0.58	(0.01)	17,602	-
TOP16C2008A	0.25	0.01	194,210	-	VGI41C2006A	-	-	-	-	PPPM-W4	0.13	-	845	-
TOP19C2002A	-	-	-	-	VGI41C2007A	0.19	(0.81)	3,500	-	PRIME-W1	0.02	-	500	-
TOP19C2003A	-	-	-	-	WHA01C2002A	0.02	-	53,384	-	PRIME-W2	0.02	-	113,401	-
TOP19C2006A	0.06	0.01	10,066	-	WHA01C2002B	0.01	-	200	-	RICHY-W2	-	-	-	-
TOP19C2007A	0.23	0.02	93,113	-	WHA01C2005A	0.11	0.01	213,905	-	RS-W3	0.48	(0.03)	26,051	-
TOP19P2002A	1.20	(0.13)	10,074	1.00	WHA01C2005B	0.03	-	5,421	-	SAMART-W2	0.57	(0.01)	3,122	-
TOP19P2006A	1.55	(0.13)	4,598	1.00	WHA01P2002A	1.60	-	14,424	1.00	SAWAD-W1	27.50	3.20	4,089	26.00
TOP24C2007A	0.02	-	13,572	-	WHA01P2005A	0.87	(0.05)	101,448	-	SDC-W1	-	-	-	-
TOP28C2004A	-	-	-	-	WHA06C2007A	0.24	0.03	159,315	-	SINGER-W1	1.50	(0.05)	339	1.00
TOP41C2003A	-	-	-	-	WHA08C2002A	-	-	-	-	SINGER-W2	1.60	-	189	1.00
TOP41C2004A	-	-	-	-	WHA08C2003A	-	-	-	-	SMT-W2	0.04	-	3,565	-
TOP41C2005A	-	-	-	-	WHA08C2005A	-	-	-	-	SST-W2	0.51	0.01	75	-
TOP41C2006A	-	-	-	-	WHA08C2006A	0.10	(0.02)	17,200	-	SUPER-W4	-	-	-	-
TOP41C2007A	0.25	0.02	69,272	-	WHA08P2006A	0.60	(0.02)	7,212	-	SVI-W3	0.07	(0.04)	109,176	-
TOP41P2004A	-	-	-	-	WHA11C2008A	0.12	-	35,625	-	TCC-W3	-	-	-	-
TOP41P2005A	0.39	(0.06)	40,656	-	WHA13C2003A	-	-	-	-	TCC-W4	0.04	-	2	-
TOP41P2006A	1.16	(0.07)	5,520	1.00	WHA13C2005A	0.05	0.02	1,295	-	TCC-W5	0.10	(0.01)	265	-
TOP42C2007A	0.21	0.02	12,400	-	WHA13C2006A	0.22	0.02	214,636	-	TCJ-W2	0.06	(0.01)	95	-
TPI19C2002A	-	-	-	-	WHA16C2006A	0.02	0.01	17,996	-	TFG-W2	0.07	-	7,785	-
TPI19C2004A	0.24	(0.03)	11,505	-	WHA16C2008A	0.23	0.02	99,403	-	TGPRO-W3	-	-	-	-
TRUE01C2002A	0.02	0.01	53,367	-	WHA19C2002A	-	-	-	-	TH-W2	0.01	(0.01)	5,898	-
TRUE01C2002B	0.01	-	25,216	-	WHA19C2004A	-	-	-	-	THE-W2	-	-	-	-
TRUE01C2004A	0.01	(0.01)	26,627	-	WHA19C2005A	0.04	-	1,000	-	TNITY-W1	-	-	-	-
TRUE01C2004B	0.01	(0.01)	10,779	-	WHA19C2006A	0.19	0.01	39,249	-	TRITN-W3	0.09	-	5,871	-
TRUE01C2007A	0.35	(0.05)	134,695	-	WHA24C2004A	-	-	-	-	TTCL-W1	0.25	(0.01)	2,953	-
TRUE01C2007B	0.14	(0.06)	248,630	-	WHA24C2007A	0.16	-	30,015	-	U-W4	-	-	-	-
TRUE01P2002A	1.69	0.08	19,538	1.00	WHA24P2003A	-	-	-	-	UAC-W2	0.16	-	6,527	-
TRUE01P2002B	1.69	0.14	14,068	1.00	WHA27C2008A	0.11	(0.01)	7,800	-	VGI-W2	0.90	0.04	383,543	-
TRUE01P2004A	0.87	0.07	60,411	-	WHA28C2003A	-	-	-	-	VIBHA-W2	0.50	(0.05)	3,171	-
TRUE01P2004B	0.50	0.10	187,626	-	WHA28C2003B	-	-	-	-	VIBHA-W3	0.14	(0.01)	47,725	-
TRUE01P2007B	0.62	0.09	107,923	-	WHA28C2004A	-	-	-	-	WAVE-W1	0.02	-	6,764	-
TRUE06C2004A	-	-	-	-	WHA28C2005A	-	-	-	-	WHA-W1	-	-	-	-
TRUE06C2007A	0.21	(0.09)	76,000	-	WHA28C2006A	0.12	-	48,644	-	WIJK-W2	0.13	0.01	4,069	-
TRUE08C2004A	-	-	-	-	WHA41C2003A	-	-	-	-	ZMICO-W4	0.06	0.01	2,371	-
TRUE08C2005A	0.07	(0.03)	6,080	-	WHA41C2004A	-	-	-	-	Preferred Shares	-	-	-	-
TRUE08C2007A	0.27	(0.06)	107,020	-	WHA41C2005A	-	-	-	-	BH-P	-	-	-	-
TRUE08P2005A	1.02	0.09	6,000	1.00	WHA41C2006A	0.10	(0.01)	238	-	CSC-P	-	-	-	-
TRUE11C2005A	-	-	-	-	WHA41C2007A	0.27	0.01	42,724	-	JUTHA-P	-	-	-	-
TRUE11C2005B	0.02	(0.01)	1,010	-	WHA41P2003A	-	-	-	-</					

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE19C2003A	-	-	-	-	CSC-Q	-	-	-	-	BROOK-W5	0.11	(0.01)	6,239	-
TRUE19C2004A	-	-	-	-	JUTHA-Q	-	-	-	-	CHO-W2	0.06	0.01	16,417	-
TRUE19C2006A	0.11	(0.03)	86,291	-	KTB-Q	-	-	-	-	DOD-W1	0.51	0.01	102,652	-
TRUE19P2003A	0.73	0.10	19,193	-	SCB-Q	-	-	-	-	ECF-W3	0.28	-	330	-
TRUE19P2005A	0.64	0.07	5,255	-	TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE28C2003A	-	-	-	-	TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE28C2003B	-	-	-	-	U-Q	-	-	-	-	FVC-W2	0.01	-	12,559	-

Main Board Quotation

Issue Date :

Tuesday February 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-