

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.95	0.05	3,704	1.95	MCOT	6.85	0.15	1,227	6.67
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	1.46	0.20	635,716	1.45
SAFARI	-	-	-	-	DIF	16.30	(0.10)	103,617	16.28	MPIC	1.45	0.01	120	1.47
VI	-	-	-	-	DTAC	36.00	0.25	59,817	36.00	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.90	(0.30)	4,799	5.84	PLANB	4.40	0.20	205,619	4.33
WR	-	-	-	-	HUMAN	6.95	0.15	2,702	6.86	POST	-	-	-	-
Agribusiness	-	-	-	-	ILINK	3.04	(0.02)	4,774	3.01	PRAKIT	10.50	0.65	79	10.20
CHOTI	51.00	(1.00)	2	51.50	INET	2.04	(0.04)	5,425	2.02	SE-ED	1.59	-	569	1.59
EE	0.38	0.04	37,436	0.37	INTUCH	51.25	(0.75)	170,520	51.51	TBSP	13.80	(0.10)	26	13.80
GFPT	10.10	-	16,027	10.11	JAS	4.62	0.02	374,965	4.64	TH	0.52	-	1,017	0.53
LEE	2.04	0.02	175	2.05	JASIF	8.80	0.05	183,982	8.80	TKS	5.40	(0.05)	11,622	5.36
NER	2.20	0.06	77,938	2.20	JMART	7.00	-	53,388	7.12	VGI	7.00	0.20	197,856	7.01
PPPM	-	-	-	-	JTS	0.71	0.03	194	0.69	WAVE	1.09	0.04	60	1.05
STA	13.10	0.40	207,609	12.93	MFEC	4.14	0.26	47,141	4.11	WORK	8.20	(0.25)	16,322	8.20
TRUBB	0.45	0.01	2,081	0.46	MSC	5.35	0.05	4,504	5.30	Finance & Securities	-	-	-	-
TWPC	3.26	(0.14)	431	3.21	PT	4.30	-	2,092	4.31	AEC	0.25	0.02	7,584	0.24
UPOIC	2.62	(0.16)	152	2.62	SAMART	5.90	(0.05)	24,274	5.73	AEONTS	130.50	5.00	3,903	128.55
UVAN	4.48	(0.06)	906	4.50	SAMTEL	6.50	(0.10)	3,100	6.38	AMANAH	3.34	0.08	150,491	3.23
VPO	0.43	-	1,559	0.43	SDC	0.11	-	6,838	0.11	ASAP	1.30	-	1,620	1.29
Banking	-	-	-	-	SIS	6.75	0.20	883	6.66	ASK	19.60	0.40	2,553	19.35
BAY	23.00	-	2,608	23.09	SVOA	0.79	0.01	1,960	0.79	ASP	1.57	0.03	33,659	1.56
BBL	120.00	1.00	72,500	120.92	SYMC	2.30	(0.04)	87	2.28	BAM	24.80	1.10	2,055,510	24.31
CIMBT	0.48	0.01	9,877	0.49	SYNEX	5.50	-	10,354	5.45	BFIT	44.50	1.75	28,965	43.91
KBANK	107.00	-	121,608	107.97	THCOM	2.94	0.08	3,971	2.93	CGH	0.77	-	97,217	0.77
KKP	54.00	0.25	45,289	54.75	TRUE	3.14	0.02	596,786	3.15	CNS	1.73	-	1,143	1.70
KTB	12.10	-	501,794	12.29	TWZ	0.06	-	141,871	0.06	ECL	0.77	-	11,905	0.78
LHFG	1.24	(0.01)	39,612	1.25	Electronic Componen	-	-	-	-	FNS	1.98	0.03	1,283	1.98
SCB	74.25	(0.50)	210,662	75.08	CCET	1.59	0.01	865	1.59	FSS	0.99	0.02	191	1.00
TCAP	49.25	(0.25)	123,370	49.60	DELTA	46.25	0.50	7,819	45.81	GBX	0.40	-	16,531	0.40
TISCO	93.00	0.25	50,926	93.59	EIC	0.03	0.01	102,337	0.03	GL	3.24	0.04	14,099	3.28
TMB	1.00	-	3,258,410	1.01	HANA	29.00	0.25	25,458	29.36	IFS	2.40	(0.06)	5,195	2.43
Construction Matera	-	-	-	-	KCE	19.10	0.20	269,480	19.30	JMT	19.80	0.90	91,440	19.57
CCP	0.26	0.01	24,928	0.25	METCO	141.00	3.50	30	140.83	KCAR	9.70	0.05	1,046	9.71
COTTO	0.98	0.02	2,151	0.97	NEX	2.66	-	15,812	2.66	KGI	4.12	(0.02)	55,584	4.13
DCC	1.57	(0.01)	8,758	1.58	SMT	0.88	-	6,654	0.84	KTC	35.50	1.25	99,643	35.42
DCON	0.28	(0.01)	20,651	0.28	SVI	2.28	0.02	1,435	2.29	MBKET	4.98	0.02	1,273	5.02
DRT	5.55	-	3,037	5.52	TEAM	0.53	(0.02)	2,468	0.53	MFC	14.50	0.10	501	14.50
EPG	4.50	0.10	143,656	4.52	Energy & Utilities	-	-	-	-	ML	0.76	0.02	2	0.76
GEL	0.11	-	102,013	0.11	7UP	0.34	0.01	103,349	0.34	MTC	59.75	3.00	94,628	59.67
PPP	1.68	(0.01)	1,114	1.67	ABPIF	4.36	0.02	1,475	4.36	PE	-	-	-	-
Q-CON	4.70	(0.10)	215	4.70	ACE	2.76	0.06	34,707	2.75	PL	2.48	0.02	163	2.48
RCI	3.00	(0.20)	26	3.06	AI	1.02	-	25,947	1.01	S11	6.30	-	5,114	6.32
SCC	315.00	4.00	56,068	315.87	AKR	0.48	-	3,336	0.48	SAWAD	65.75	2.00	72,947	65.79
SCCC	137.00	1.00	631	136.40	BAFS	23.50	-	2,581	23.64	THANI	5.05	(0.05)	61,073	5.07
SCP	5.50	(0.10)	4,362	5.55	BANPU	5.85	0.20	831,888	5.90	TK	9.15	0.20	2,471	9.13
SKN	1.65	0.02	4,594	1.67	BCP	20.10	0.10	75,524	20.17	TNITY	4.12	-	2,567	4.14
TASCO	20.70	0.90	211,839	20.54	BCPG	14.70	-	34,135	14.80	UOBKH	2.22	-	391	2.30
TCMC	1.21	0.02	2,411	1.19	BGRIM	43.25	(1.00)	180,801	43.78	ZMICO	0.60	0.01	3,935	0.59
TOA	35.50	0.25	24,769	35.34	BPP	13.40	0.80	58,033	13.08	Food & Beverage	-	-	-	-
TPIPL	1.29	0.03	64,749	1.28	BRRGIF	7.35	(0.05)	916	7.37	APURE	0.64	0.04	3,283	0.62
UMI	0.50	(0.01)	1,937	0.52	CKP	3.66	(0.04)	283,731	3.71	ASIAN	3.46	-	16,685	3.44
VNG	3.26	0.08	2,144	3.15	DEMCO	1.87	0.02	4,599	1.86	BR	1.32	0.06	13,668	1.30
WIIK	1.28	0.01	5,599	1.27	EA	38.25	-	89,250	38.32	BRR	3.00	(0.08)	3,771	3.03
Petrochemicals & Che	-	-	-	-	EASTW	10.70	-	19,041	10.73	CBG	73.50	2.50	41,245	73.65
BCT	41.50	-	19	41.45	EGATIF	12.10	0.10	4,375	12.11	CFRESH	1.08	(0.08)	3,876	1.13
CMAN	1.06	0.01	10,924	1.05	EGCO	241.00	(1.00)	17,550	242.42	CM	2.22	0.02	2,378	2.21
GC	5.20	(0.05)	1,589	5.25	ESSO	5.00	0.12	361,816	5.06	CPF	25.25	1.05	588,176	25.02
GCC	8.60	0.25	19,519	8.45	GPSC	62.50	1.00	144,539	62.14	CPI	1.30	0.07	44	1.23
GIFT	2.30	0.04	3,230	2.29	GULF	168.50	5.00	67,460	166.75	F&D	-	-	-	-
IVL	23.50	0.60	572,911	23.78	GUNKUL	2.42	0.02	135,144	2.41	HTC	18.20	(0.10)	717	18.21
NFC	1.43	0.01	14	1.43	IFEC	-	-	-	-	ICHI	5.00	0.08	12,188	5.02
PATO	10.00	(0.10)	417	10.08	IRPC	2.14	0.14	1,853,895	2.12	KBS	2.90	(0.04)	2,407	2.95
PMTA	7.75	(0.25)	118	7.26	LANNA	6.00	0.25	2,375	5.91	KSL	1.77	0.02	22,556	1.78
PTTGC	30.25	(0.75)	1,081,396	31.06	MDX	1.84	(0.03)	1,011	1.85	KTIS	3.28	(0.04)	375	3.32
SUTHA	1.64	0.12	33	1.66	PRIME	0.29	-	32,058	0.28	LST	4.76	0.04	905	4.73
TCCC	18.30	(0.40)	171	18.36	PTG	15.50	0.90	233,205	15.35	M	58.25	(0.50)	1,625	58.41
TPA	5.90	(0.10)	330	5.84	PTT	28.50	0.50	3,255,954	28.86	MALEE	4.88	0.08	1,114	4.88
UAC	2.82	0.06	1,356	2.80	PTTEP	70.50	(4.25)	944,822	72.76	MINT	26.75	-	353,703	27.24
UP	13.10	(1.80)	1	13.10	RATCH	58.50	-	48,359	58.48	OISHI	42.50	1.75	82	41.80
VNT	22.10	0.30	4,705	22.07	RPC	0.47	0.01	20,916	0.46	OSP	41.25	1.00	68,373	41.00
WG	135.00	10.00	12	135.00	SCG	3.84	(0.20)	243	3.94	PB	68.00	-	20	67.44
YCI	-	-	-	-	SCI	1.50	0.05	39,789	1.56	PM	5.90	(0.05)	4,212	5.97
Commerce	-	-	-	-	SCN	1.56	0.03	3,435	1.55	PRG	12.00	-	4	12.00
BEAUTY	2.02	0.10	1,033,559	2.01	SGP	6.80	(0.05)	28,760	6.72	RFB	4.30	0.10	69,040	4.28
BIG	0.46	-	64,622	0.47	SKE	0.61	0.02	2,193	0.60	SAPPE	17.00	0.40	2,234	16.94
BJC	39.00	(0.25)	188,169	38.81	SOLAR	0.89	-	2,812	0.89	SAUCE	22.90	0.80	2	22.90
COL	15.30	0.10	2,126	15.21	SPCG	18.10	0.20	9,110	17.97	SFP	-	-	-	-
COM7	23.00	0.80	159,747	22.48	SPRC	6.00	0.30	489,867	5.92	SNP	11.20	(0.50)	71	11.22
CPALL	66.50	2.75	602,144	66.35	SSP	6.80	-	10,521	6.77	SORKON	46.75	(1.25)	22	46.82
CPW	1.36	0.04	4,007	1.36	SUPER	0.41	0.01	701,831	0.40	SSC	-	-	-	-
CRC	36.50	1.75	268,870	35.89	SUPEREIF	11.00	-	2,493	11.00	SSF	-	-	-	-
CSS	0.97	(0.01)	18,660	0.98	SUSCO	2.34	0.04	8,469	2.31	SST	3.32	0.12	28	3.37
DOHOME	8.75	0.70	159,389	8.39	TAE	2.48	0.06	8,902	2.50	TC	2.72	(0.14)	629	2.73
FN	0.85	0.03	3,853	0.83	TCC	0.17	(0.01)	3,785	0.17	TFG	3.00	(0.04)	72,221	3.03
FTE	1.77	(0.01)	692	1.77	TOP	35.00	2.25	353,513	34.87	TFMAMA	186.00	4.00	81	182.17
GLOBAL	14.30	0.70	106,409	14.06	TPIPP	4.06	0.02	72,874	4.08	TIPCO	5.50	-	10,156	5.46
HMPRO	13.80	0.40	319,406	13.75	TSE	2.38	0.04	203,564	2.37	TKN	7.30	0.40	81,610	7.23
ILM	9.95	-	16,822	10.05	TTW	14.00	0.10	72,756	13.85	TU	14.00	(0.60)	320,597	14.22
IT	1.94	-	198	1.94	WHAUP	4.18	0.02	68,922	4.19	TVO	26.50	(0.75)	12,934	26.64
KAMART	3.14	(0.04)	13,490	3.16	WP	4.18	0.02	693	4.20	ZEN	8.70	0.05	1,577	8.73
LOXLEY	1.01	0.02	24,345	1.01	Media & Publishing	-	-	-	-	Health Care Services	-	-	-	-
MAKRO	33.75	0.50	6,824	33.11	AMARIN	3.28	(0.02)</							

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PR9	7.55	-	1,913	7.54	BROCK	1.57	-	422	1.57	HFT	2.66	-	3,781	2.68
PRINC	3.40	0.08	5,384	3.36	CGD	0.78	-	7,276	0.78	IHL	2.92	0.06	1,274	2.87
RAM	141.50	0.50	62	143.84	CI	0.78	0.02	665	0.78	INGRS	0.36	0.01	8,592	0.36
RJH	23.40	0.40	2,294	23.48	CPN	55.00	1.50	118,260	54.79	IRC	13.90	-	63	13.96
RPH	5.90	0.15	2,278	5.85	ESTAR	0.27	0.01	7,547	0.27	PCSGH	5.20	0.05	151	5.10
SKR	5.05	0.05	2,616	5.00	EVER	0.15	-	31,383	0.15	SAT	10.30	(0.30)	5,740	10.40
SVH	428.00	2.00	20	426.00	FPT	11.40	(0.10)	326	11.54	SPG	12.90	-	154	12.91
THG	21.70	(0.10)	8,632	21.84	GLAND	2.66	(0.02)	304	2.60	STANLY	138.00	1.50	182	138.85
VIBHA	1.55	-	14,592	1.57	GOLD	7.90	(0.05)	543	7.91	TKT	0.73	(0.01)	55	0.73
VIH	5.70	0.05	4,568	5.69	GREEN	0.64	0.01	1,576	0.64	TNPC	0.58	0.01	1,011	0.59
WPH	1.66	0.02	1,201	1.65	J	0.75	(0.04)	234	0.76	TRU	4.38	-	42	4.29
Tourism & Leisure	-	-	-	-	JCK	0.76	0.05	3,970	0.74	TSC	10.00	-	41	10.00
ASIA	4.28	0.18	53	4.26	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	19.80	(0.20)	67,948	20.10	KWG	1.17	(0.01)	281	1.15	ALLA	1.23	(0.02)	8,372	1.21
CSR	-	-	-	-	LALIN	4.90	0.02	5,420	4.90	ASEFA	2.94	(0.04)	1,199	2.94
DTC	8.05	(0.05)	177	7.99	LH	8.20	-	442,383	8.27	CPT	0.61	0.01	9,683	0.61
ERW	3.80	-	61,607	3.84	LPN	4.20	0.06	60,858	4.18	CRANE	1.63	-	1,033	1.64
GRAND	0.44	(0.01)	27,921	0.42	MBK	17.10	-	4,866	17.17	CTW	4.04	(0.88)	489	4.75
LRH	31.00	(1.75)	10	31.48	MJD	2.50	(0.06)	2,088	2.46	FMT	-	-	-	-
MANRIN	-	-	-	-	MK	2.70	(0.02)	937	2.70	HTECH	1.88	(0.04)	8,008	1.90
OHTL	-	-	-	-	NCH	0.59	-	185	0.58	KKC	0.32	-	584	0.31
ROH	-	-	-	-	NNCL	1.73	0.01	15,239	1.71	PK	0.82	-	55	0.82
SHANG	68.00	-	21	62.29	NOBLE	14.70	-	3,658	14.77	SNC	7.70	-	1,219	7.74
SHR	2.04	0.05	116,911	2.03	NUSA	0.34	-	25,369	0.34	STARK	2.00	0.02	5,319	1.99
VRANDA	5.90	-	1,634	5.89	NVD	1.54	(0.12)	13	1.66	TCJ	2.90	0.06	24	2.78
Home & Office Prodn	-	-	-	-	ORI	4.80	(0.08)	72,477	4.87	VARO	-	-	-	-
ACC	0.66	0.02	3,805	0.63	PACE	-	-	-	-	Property Fund & REI1	-	-	-	-
AJA	0.22	0.05	63,994	0.20	PF	0.60	-	495,024	0.60	AIMCG	6.65	0.05	4,713	6.59
DTCI	-	-	-	-	PLAT	3.04	0.04	3,351	3.02	AIMIRT	12.50	-	824	12.56
FANCY	0.37	0.04	1,273	0.35	POLAR	-	-	-	-	AMATAR	11.30	(0.10)	417	11.05
KYE	263.00	-	1	263.00	PRECHA	0.80	0.01	116	0.76	B-WORK	12.40	(0.10)	25	12.24
L&E	1.85	-	494	1.85	PRIN	1.33	(0.14)	11,702	1.43	BKER	8.00	(0.20)	19,613	8.01
MODERN	2.10	-	5,975	2.08	PSH	14.10	-	46,330	14.12	BKKCP	13.20	0.80	673	12.83
OGC	-	-	-	-	QH	2.28	-	260,089	2.30	BOFFICE	15.00	(0.50)	739	15.05
ROCK	-	-	-	-	RICHY	0.71	-	3,352	0.70	CPNCG	11.00	0.20	2,489	10.98
SIAM	1.47	0.05	1,413	1.47	RML	0.64	(0.01)	5,662	0.65	CPNREIT	32.00	-	51,116	31.94
TSR	1.78	0.02	1,847	1.78	ROJNA	4.42	0.02	13,726	4.42	CPTGF	12.50	(0.10)	151	12.50
Insurance	-	-	-	-	S	1.87	(0.07)	30,826	1.90	CTARAF	5.45	0.10	2,052	5.44
AYUD	33.50	(0.50)	109	33.48	SAMCO	1.36	0.01	441	1.35	DREIT	4.82	(0.08)	1,323	4.84
BKI	253.00	6.00	140	251.95	SC	2.28	0.02	14,603	2.27	ERWPF	4.88	(0.02)	428	4.88
BLA	14.60	(0.20)	8,040	14.81	SENA	2.40	(0.02)	3,355	2.41	FTREIT	16.00	(0.10)	9,945	15.96
BUI	9.00	-	476	8.81	SF	4.90	(0.04)	23,437	4.92	FUTUREPF	21.70	(0.10)	749	21.59
CHARAN	17.40	(1.60)	1	17.40	SIRI	0.82	0.02	408,116	0.81	GAHREIT	8.65	0.15	15	8.60
INSURE	-	-	-	-	SPALI	16.60	0.40	55,276	16.59	GOLDFP	7.35	0.40	1	7.35
MTI	74.00	2.25	62	72.96	U	1.20	0.04	121,841	1.20	GVREIT	16.50	(0.30)	3,511	16.46
NKI	-	-	-	-	UV	2.94	0.02	25,582	2.97	HPF	4.40	0.02	927	4.41
NSI	62.75	1.25	26	62.73	WHA	2.80	0.12	1,116,843	2.79	HREIT	8.40	-	1,266	8.41
SEG	-	-	-	-	WIN	0.38	-	651	0.36	IMPACT	18.50	(0.10)	8,754	18.54
SMK	27.00	(2.00)	94	27.02	Paper & Printing Mat	-	-	-	-	KNPFF	7.65	0.05	1	7.65
THRE	0.47	-	44,183	0.47	UTP	8.25	(0.05)	5,293	8.34	LHHOTEL	15.20	(0.60)	2,038	15.48
THREL	2.84	0.02	10,014	2.80	Fashion	-	-	-	-	LHPF	7.50	(0.05)	2,805	7.55
TIP	23.40	0.10	7,927	23.34	AFC	5.50	(1.00)	3	5.50	LHSC	16.00	0.20	331	16.01
TQM	63.50	3.50	33,041	62.24	B52	0.18	-	17,416	0.18	LUXF	7.80	0.55	76	7.94
TSI	0.43	0.02	1,061	0.41	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.56	(0.04)	526	3.56	CPH	3.08	(0.62)	47	3.09	M-PAT	4.90	-	111	4.90
Mining	-	-	-	-	CPL	-	-	-	-	M-STOR	6.60	0.10	28	6.55
PDI	4.66	0.12	3,278	4.63	ICC	39.00	-	2	39.00	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.48	(0.04)	69	2.48
Packaging	-	-	-	-	PAF	0.43	-	261	0.41	MJLF	9.20	-	155	9.21
AJ	9.00	0.10	222	8.75	PDJ	1.23	0.03	11,273	1.22	MNIT	-	-	-	-
ALUCON	136.00	(1.50)	6	135.92	PG	-	-	-	-	MNIT2	-	-	-	-
BGC	11.40	0.50	2,433	11.23	SABINA	19.50	0.50	11,074	19.47	MNRF	2.68	(0.12)	2,001	2.60
CSC	50.50	1.00	193	49.86	SAWANG	-	-	-	-	POPF	11.20	0.10	358	11.10
GLOCON	0.54	-	5,146	0.56	SUC	37.00	-	182	36.94	PPF	11.30	0.30	105	11.20
NEP	0.13	-	1,660	0.13	TNL	17.00	-	219	17.00	QHHR	7.85	-	969	7.85
PTL	11.00	-	5,426	11.10	TPCORP	10.20	-	5	10.18	QHOP	3.40	0.08	2	3.40
SFLEX	5.20	0.20	15,319	5.11	TR	23.00	(1.00)	240	22.94	QHPP	12.40	-	1,983	12.33
SITHAI	0.51	0.01	7,578	0.52	TTI	-	-	-	-	SBPF	2.26	(0.02)	18	2.23
SLP	0.40	-	369	0.40	TTT	49.00	4.50	17	45.47	SHREIT	3.92	(0.02)	69	3.74
SMPC	5.65	0.35	3,058	5.56	UPF	36.50	(2.50)	4	36.50	SIRIP	10.40	(0.10)	103	10.40
SPACK	0.99	(0.09)	222	1.04	UT	14.00	(2.70)	8	13.89	SFP	15.90	-	1,321	15.90
TCOAT	-	-	-	-	WACOAL	44.00	0.25	21	43.89	SPRIME	12.70	(0.20)	3,389	12.77
TFI	0.05	0.01	401	0.04	Transportation & Log	-	-	-	-	SRIPANWA	8.70	(0.10)	1,128	8.61
THIP	20.60	(0.40)	689	20.85	AAV	1.50	(0.03)	300,241	1.53	SSPF	9.35	0.05	176	9.18
TMD	22.20	0.30	117	21.83	AOT	61.25	1.00	362,485	61.45	SSTRT	5.50	-	241	5.50
TOPP	168.00	3.00	7	168.71	ASIMAR	0.85	0.05	1,548	0.84	TIF1	8.80	0.05	259	8.82
TPBI	3.70	0.42	621	3.47	B	0.19	0.01	12,553	0.19	TLGF	19.50	-	9,471	19.56
TPP	16.30	0.30	2	16.70	BA	5.05	(0.10)	17,567	5.09	TLHPF	10.20	(0.50)	7	10.20
Personal Products &	-	-	-	-	BEM	9.10	(0.05)	529,878	9.17	TNPF	2.80	0.38	1	2.80
APCO	4.10	0.26	21,608	4.03	BTS	11.30	0.30	547,497	11.22	TPRIME	15.70	(0.10)	873	15.58
DDD	14.50	(0.40)	925	14.73	BTSGIF	8.00	(0.05)	50,091	8.03	TTLPF	21.00	-	62	21.00
JCT	77.00	-	2	77.00	III	3.84	0.32	5,029	3.74	TU-PF	-	-	-	-
OCC	11.00	1.00	3	11.00	JUTHA	0.25	(0.02)	520	0.23	URBNPF	3.90	-	2	3.90
S & J	-	-	-	-	JWD	6.65	-	4,162	6.66	WHABT	9.35	0.15	79	9.16
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	16.00	0.20	3,307	16.15
TNR	5.05	0.05	1,705	4.85	NOK	1.14	-	404	1.18	Steel	-	-	-	-
TOG	4.56	0.06	114	4.61	NYT	3.38	(0.04)	13,220	3.41	AMC	1.34	0.05	92	1.32
Professional Service	-	-	-	-	PORT	1.43	0.02	16,048	1.44	BSBM	0.81	0.05	233	0.81
BWG	0.30	-	103,301	0.30	PRM	3.52	0.16	230,317	3.50	CEN	0.40	-	982	0.39
GENCO	0.42	(0.01)	12,541	0.41	PSL	4.50	(0.06)	106,705	4.54	CITY	1.62	0.11	30	1.55
PRO	-	-	-	-	RCL	2.42	0.08	6,410	2.45	CSP	0.64	-	90	0.63
SISB	8.90	0.25	43,405	8.87	TFFIF	11.90	0.10	120,971	11.90	GJS	0.09	-	36,824	0.09
TEAMG	1.99	0.02	8,058	1.98	THAI									

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	AGE	0.84	0.01	7,356	-	ADVA01C2003A	0.02	-	9,238	-
ABICO	3.48	0.12	248	3.00	AIE	0.23	(0.01)	32,155	-	ADVA01C2003B	0.02	0.01	10,801	-
AU	7.35	0.40	91,271	7.00	PSTC	0.40	(0.01)	1,635,108	-	ADVA01C2005A	0.24	0.03	189,600	-
JCKH	0.18	-	3,084	-	QTC	4.02	0.02	2,397	4.00	ADVA01C2005B	0.05	0.01	5,822	-
KASET	0.96	-	2,073	-	SAAM	0.73	(0.03)	166	-	ADVA01C2007B	0.20	0.02	386,381	-
MM	2.18	(0.02)	594	2.00	SEAOIL	2.32	0.10	14,592	2.00	ADVA01C2008A	0.82	0.05	164,576	-
SUN	1.42	0.05	1,022	1.00	SR	0.80	0.10	142	-	ADVA01P2003A	1.03	(0.05)	49,843	1.00
TACC	3.22	0.06	9,030	3.00	TAKUNI	0.36	0.02	5,108	-	ADVA01P2003B	0.58	(0.07)	94,728	-
TMILL	2.74	0.04	79	2.00	TPCH	10.00	0.20	4,100	9.00	ADVA01P2007B	0.46	(0.03)	146,469	-
XO	3.80	-	4,684	3.00	TRT	1.86	0.03	351	1.00	ADVA06C2005A	0.01	-	140	-
<b>Consumer Products</b>														
BGT	0.53	(0.08)	160	-	UMS	0.16	(0.04)	50	-	ADVA08C2005A	0.06	(0.01)	10	-
BIZ	2.92	0.02	3,360	2.00	UWC	0.02	(0.01)	414,601	-	ADVA08P2004A	0.38	(0.04)	88,645	-
DOD	7.00	0.20	17,542	6.00	Services (MAI)	-	-	-	-	ADVA11C2006A	-	-	-	-
ECF	1.18	0.01	120,673	1.00	A5	-	-	-	-	ADVA11P2005A	0.16	(0.02)	51,207	-
HPT	0.43	0.02	911	-	AKP	0.94	0.04	6,186	-	ADVA13C2004A	0.03	0.01	2,580	-
IP	4.66	0.16	3,206	4.00	AMA	4.14	(0.04)	1,296	4.00	ADVA13C2006A	0.51	0.02	290,478	-
JUBILE	17.00	-	1,626	16.00	ARIP	0.35	0.03	2,646	-	ADVA13C2007A	0.21	0.01	62,846	-
MOONG	3.46	(0.04)	401	3.00	ATP30	0.86	-	5,637	-	ADVA13P2003A	0.40	(0.07)	1,785	-
NPK	-	-	-	-	AUCT	5.60	0.20	8,331	5.00	ADVA16C2005A	-	-	-	-
OCEAN	1.00	0.02	14,659	1.00	BOL	2.66	0.04	3,951	2.00	ADVA16C2007A	0.06	0.02	1	-
TM	2.50	-	4,075	2.00	CHUO	-	-	-	-	ADVA16C2009A	0.18	0.02	915	-
<b>Financials (MAI)</b>														
ACAP	0.57	(0.02)	9,682	-	CMO	0.97	-	6,733	-	ADVA19C2005A	0.05	-	2,386	-
AF	0.66	0.05	1	-	D	3.08	(0.06)	997	3.00	ADVA19C2007A	0.63	0.06	184,023	-
AIRA	1.02	(0.02)	2,346	1.00	DCORP	0.32	0.02	898	-	ADVA19C2007B	0.18	0.01	19,182	-
ASN	5.30	(0.45)	159	5.00	EFORL	0.04	-	161,824	-	ADVA19P2006A	0.35	(0.04)	55,646	-
BROOK	0.39	0.01	16,622	-	ETE	0.51	0.01	2,930	-	ADVA24C2006A	0.16	0.01	2,900	-
CHAYO	5.70	0.05	58,342	5.00	FSMART	6.35	(0.10)	8,615	6.00	ADVA28C2004A	-	-	-	-
GCAP	1.48	-	4,530	1.00	FVC	0.29	-	6,430	-	ADVA28C2005A	0.04	0.01	200	-
LIT	3.10	0.02	8,056	3.00	GSC	0.65	0.03	748	-	ADVA28C2007A	0.12	0.01	100,101	-
MITSIB	1.06	0.04	4,689	1.00	HARN	2.02	-	13,159	2.00	ADVA28P2004A	0.33	(0.05)	180,946	-
SGF	0.38	0.01	11,315	-	IMH	2.12	-	2,238	2.00	ADVA41C2004A	-	-	-	-
<b>Industrials (MAI)</b>														
2S	1.87	(0.04)	899	1.00	JKN	4.04	0.02	16,616	4.00	ADVA41C2005A	-	-	-	-
ACG	0.83	0.01	6,386	-	KIAT	0.30	0.01	20,752	-	ADVA41C2006A	-	-	-	-
ADB	0.36	0.01	1,566	-	KOOL	0.75	-	6,571	-	ADVA41C2007A	0.15	0.02	2,000	-
BM	1.52	0.02	337	1.00	LDC	0.56	-	12,572	-	ADVA41P2004A	0.58	(0.01)	6,000	-
CHO	0.46	-	87,346	-	MORE	0.42	(0.01)	415,908	-	ADVA41P2005A	0.42	(0.04)	9,646	-
CHOW	0.93	(0.01)	962	-	MPG	0.22	0.01	152	-	ADVA42C2003A	-	-	-	-
CIG	0.17	-	4,096	-	MVP	1.49	(0.02)	679	1.00	ADVA42C2005A	-	-	-	-
COLOR	1.00	0.01	285	1.00	NBC	0.42	(0.03)	7,865	-	ADVA42P2007A	0.56	(0.05)	41,306	-
CPR	2.88	0.14	82	2.00	NCL	0.87	-	221	-	AEON01C2005A	0.02	-	411	-
FPI	2.16	-	901	2.00	NEWS	0.01	-	1,144	-	AEON13C2003A	-	-	-	-
GTB	0.57	0.03	1,854	-	NINE	1.90	0.03	50	1.00	AEON13C2007A	0.14	0.03	2,770	-
KCM	0.33	0.01	825	-	OTO	2.90	(0.02)	6,915	2.00	AEON19C2003A	-	-	-	-
KUMWEL	0.67	0.02	365	-	PHOL	1.81	0.02	7,650	1.00	AEON19C2006A	0.07	0.02	15,200	-
KWM	0.79	0.04	5,503	-	PICO	3.10	(0.32)	214	3.00	AMAT01C2004A	-	-	-	-
KBAX	2.86	(0.06)	292	2.00	QLT	4.36	(0.18)	1,755	4.00	AMAT01C2004B	-	-	-	-
MGT	1.25	(0.09)	1,118	1.00	RP	1.11	0.01	477	1.00	AMAT01C2007B	0.05	(0.01)	84,928	-
NDR	1.00	(0.02)	14	-	SE	1.41	0.14	522	1.00	AMAT01C2008A	0.19	-	89,309	-
PDG	2.78	-	127	2.00	SONIC	0.87	-	2,309	-	AMAT01P2008A	1.09	0.01	44,250	1.00
PIMO	0.96	0.03	4,154	-	SPA	10.60	(0.10)	3,065	10.00	AMAT06C2005A	-	-	-	-
PJW	1.01	0.01	504	1.00	THMUI	0.38	(0.01)	404	-	AMAT08C2005A	-	-	-	-
PPM	0.56	0.03	88	-	TNDT	3.46	0.04	4,161	3.00	AMAT11C2004A	-	-	-	-
RWI	1.04	(0.01)	126	-	TNH	30.25	(0.25)	46	30.00	AMAT11C2008A	0.06	(0.01)	16,976	-
SALEE	0.78	0.01	1,256	-	TNP	2.06	0.09	6,020	2.00	AMAT13C2004A	-	-	-	-
SANKO	0.89	0.04	913	-	TSF	-	-	-	-	AMAT13C2006A	-	-	-	-
SELIC	1.95	0.11	2,712	1.00	TVD	0.52	-	1,362	-	AMAT16C2003A	-	-	-	-
SWC	4.06	0.02	1,721	4.00	TVL	0.41	0.01	734	-	AMAT16C2006A	-	-	-	-
TMC	0.28	0.02	702	-	VL	1.07	0.04	390,862	1.00	AMAT16C2008A	-	-	-	-
TMI	0.70	-	10,907	-	WINNER	2.18	0.10	9,331	2.00	AMAT19C2003A	-	-	-	-
TMW	36.50	(0.50)	20	36.00	YGG	4.64	0.08	160	4.00	AMAT19C2005A	-	-	-	-
TPAC	8.65	0.05	17	8.00	<b>Technology (MAI)</b>									
TPLAS	1.05	-	1,557	1.00	APP	1.49	0.01	559	1.00	AMAT19C2006A	0.05	(0.04)	1,014	-
UBIS	-	-	-	-	COMAN	2.04	(0.04)	100	2.00	AMAT19C2008A	0.19	-	100,745	-
UEC	0.68	0.03	346	-	ICN	1.49	-	716	1.00	AMAT24C2006A	-	-	-	-
UKEM	0.39	-	6,767	-	INSET	2.52	-	7,821	2.00	AMAT41C2004A	-	-	-	-
UREKA	0.88	(0.01)	2,998	-	IRCP	0.38	0.01	3,273	-	AMAT41C2006A	-	-	-	-
YUASA	11.70	0.30	91	11.00	ITEL	2.06	0.06	2,622	2.00	AMAT42C2003A	-	-	-	-
ZIGA	0.91	-	1,168	-	NETBAY	30.75	0.50	3,793	30.00	AMAT42C2005A	-	-	-	-
<b>Property &amp; Construc</b>														
ALL	2.68	(0.04)	15,574	2.00	PLANET	0.91	0.01	269	-	AMAT42C2007A	0.06	(0.01)	14,800	-
ARIN	0.58	0.02	8,779	-	SIMAT	1.89	0.01	1,102	1.00	ANAN13C2007A	-	-	-	-
ARROW	7.00	-	1,121	7.00	SKY	14.00	-	11,532	13.00	ANAN19C2004A	-	-	-	-
BC	1.12	0.01	2,360	1.00	SPVI	2.18	0.10	15,907	2.00	ANAN19C2007A	-	-	-	-
BSM	0.26	-	13,489	-	TPS	1.99	0.04	1,073	1.00	AOT01C2004A	0.04	-	20,675	-
BTW	0.43	-	582	-	UPA	0.12	0.01	51,468	-	AOT01C2004B	0.02	-	48	-
CAZ	1.82	-	2,294	1.00	VCOM	2.24	0.02	341	2.00	AOT01C2006B	0.09	-	165,938	-
CHEWA	0.33	0.01	23,445	-	Unit Trust	-	-	-	-	AOT01C2007A	0.31	0.03	405,073	-
CMC	0.72	0.01	2,587	-	MGE	-	-	-	-	AOT01P2004A	1.66	(0.05)	39,718	1.00
CRD	0.52	-	1,221	-	SCBSET	-	-	-	-	AOT01P2004B	1.15	(0.13)	12,363	1.00
DIMET	-	-	-	-	ETF	-	-	-	-	AOT01P2006B	0.87	(0.06)	182,044	-
FLOYD	1.20	-	322	1.00	IDIV	7.47	(0.05)	1,441	7.00	AOT01P2007A	1.10	(0.06)	137,346	1.00
HYDRO	-	-	-	-	ABFTH	1,424.00	(9.00)	1	1,424.00	AOT06C2003A	0.01	(0.01)	53	-
JSP	0.22	0.01	5,756	-	BMSCG	6.28	0.06	330	6.00	AOT06C2007A	0.10	0.01	100,714	-
K	0.84	-	123	-	BMSCITH	9.23	0.13	6,428	9.00	AOT06P2003A	0.38	(0.62)	22,177	-
KUN	0.91	(0.01)	2,453	-	BSET100	8.15	0.12	1,285	8.00	AOT08C2005A	0.01	(0.01)	1,201	-
META	1.29	-	5,812	1.00	CHINA	5.84	0.24	662	5.00	AOT08C2006A	0.05	0.01	3,000	-
PPS	0.37	0.04	24,620	-	EBANK	3.69	0.04	21	3.00	AOT08C2007A	0.39	0.02	191,284	-
PROUD	1.01	0.01	201	1.00	ECOMM	-	-	-	-	AOT08P2004A	0.70	(0.06)	9,400	-
SMART	0.95	-	223	-	EFOOD	4.98	0.04	446	4.00	AOT11C2004A	-	-	-	-
STAR	2.10	(0.24)	728	2.00	EICT	4.30	0.07	3	4.00	AOT11P2004A	0.09	(0.02)	13,059	-
STC	0.61	-	4,259	-	ENGY	4.72	0.15	18	4.00	AOT11P2007A	1.21	(0.08)	40,856	1.00
STI	4.60	(0.06)	727	4.00	ENY	5.27	0.24	51	5.00	AOT13C2004A	0.03	(0.01)	173	-
T	0.03	(0.01)	110,644	-	ESET50	4.57	(0.18)	370	4.00	AOT13C2006A	0.11	0.02	40,204	-
TAPAC	6.75	0.15	2,689	6.00	GLD	2.21	(0.04)	13,853	2.00	AOT13C2007A	0.25	0.02	170,575	-
THANA	1.00	0.06	107	-	TDEX									

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT27C2008A	0.10	0.02	1,276	-	BBL24C2004A	0.03	(0.01)	6,000	-	BEM28C2007A	0.04	-	10	-
AOT28C2003A	-	-	-	-	BBL28C2003A	-	-	-	-	BEM28C2008A	0.25	-	65,354	-
AOT28C2006A	-	-	-	-	BBL28C2005A	-	-	-	-	BEM41C2004A	-	-	-	-
AOT28C2006B	0.05	(0.05)	1	-	BBL28C2007A	0.07	-	5	-	BEM41C2006A	-	-	-	-
AOT28C2008A	0.34	0.04	82,341	-	BBL41C2003A	-	-	-	-	BEM41P2003A	-	-	-	-
AOT28P2004A	0.85	0.05	51	-	BBL41C2004A	-	-	-	-	BEM41P2004A	0.33	(0.01)	1,302	-
AOT41C2003A	-	-	-	-	BBL41C2005A	-	-	-	-	BGRI01C2003A	0.06	(0.02)	214,414	-
AOT41C2004A	-	-	-	-	BBL41C2006A	-	-	-	-	BGRI01C2003B	0.02	-	701	-
AOT41C2005A	-	-	-	-	BBL41C2007A	0.07	0.01	200	-	BGRI01C2006A	0.10	(0.02)	413,590	-
AOT41C2006A	0.15	0.10	106,600	-	BBL41C2007B	0.14	0.02	25,229	-	BGRI01C2006B	0.03	-	222,644	-
AOT41C2007A	0.16	0.10	350	-	BBL41P2004A	1.69	(0.17)	130	1.00	BGRI01C2008B	0.33	(0.04)	217,999	-
AOT41C2007B	0.48	0.21	71,522	-	BBL41P2006A	1.51	(0.08)	27,464	1.00	BGRI01C2009A	0.53	(0.03)	167,507	-
AOT41P2004A	-	-	-	-	BBL42C2003A	-	-	-	-	BGRI01P2003A	0.41	0.07	13,374	-
AOT41P2005A	-	-	-	-	BBL42C2005A	-	-	-	-	BGRI01P2006A	1.58	0.05	2,556	1.00
AOT41P2006A	1.09	0.09	1	1.00	BBL42C2007A	0.07	0.01	13,350	-	BGRI06C2005A	0.05	0.03	1	-
AOT42C2006A	-	-	-	-	BCH01C2006A	0.11	-	66,994	-	BGRI08C2003A	0.07	(0.03)	91,210	-
AOT42P2003A	0.01	-	151	-	BCH01C2006B	0.03	-	1,000	-	BGRI08C2005A	0.07	(0.01)	5,300	-
AOT42P2009A	0.81	(0.10)	18,583	-	BCH01P2006A	0.91	-	18,838	-	BGRI11C2006A	0.24	(0.02)	81,042	-
AP19C2007A	0.11	-	11,107	-	BCH06C2006A	-	-	-	-	BGRI11C2008A	0.10	(0.01)	45,497	-
AP28C2004A	-	-	-	-	BCH06P2006A	-	-	-	-	BGRI13C2004A	0.01	(0.02)	2,011	-
AP28C2006A	0.03	0.01	10	-	BCH08C2004A	-	-	-	-	BGRI13C2006A	0.04	-	13,535	-
AWCO1C2003A	0.02	-	791	-	BCH11C2008A	0.11	-	16,000	-	BGRI13C2007A	0.15	(0.02)	110,960	-
AWCO1C2003B	-	-	-	-	BCH13C2004A	0.04	0.03	1,200	-	BGRI13C2008A	0.32	(0.04)	118,449	-
AWCO1C2004A	-	-	-	-	BCH13C2007A	0.11	-	29,084	-	BGRI13P2005A	1.24	0.12	24,948	1.00
AWCO1C2009A	0.25	-	114,971	-	BCH16C2006A	-	-	-	-	BGRI16C2005A	0.04	(0.02)	4,574	-
AWCO1P2003A	0.67	(0.03)	17,672	-	BCH19C2005A	-	-	-	-	BGRI19C2004A	0.08	(0.03)	76,736	-
AWCO1P2003B	0.12	(0.01)	3,917	-	BCH19C2006A	0.08	(0.01)	4,000	-	BGRI19C2005A	0.05	-	100	-
AWCO1P2007A	0.57	(0.02)	2,949	-	BCH19C2008A	0.26	(0.01)	16,422	-	BGRI19C2006A	0.03	(0.01)	4,100	-
AWCO6C2004A	0.02	-	2,002	-	BCH24C2003A	-	-	-	-	BGRI19C2008A	0.34	(0.04)	51,858	-
AWCO8C2004A	-	-	-	-	BCH27C2003A	-	-	-	-	BGRI19P2007A	1.14	0.05	3,970	1.00
AWC13C2003A	-	-	-	-	BCH41C2005A	-	-	-	-	BGRI24C2004A	0.10	(0.04)	6,183	-
AWC13C2006A	-	-	-	-	BCH41C2006A	-	-	-	-	BGRI27P2006A	0.70	0.02	52,248	-
AWC13P2003A	-	-	-	-	BCP01C2005A	0.07	-	61,925	-	BGRI28C2003A	-	-	-	-
AWC13P2006A	0.58	(0.02)	7,828	-	BCP01C2005B	-	-	-	-	BGRI28C2003B	-	-	-	-
AWC16C2005A	-	-	-	-	BCP01P2005A	0.54	(0.03)	64,674	-	BGRI41C2004A	-	-	-	-
AWC16C2007A	0.05	0.01	10	-	BCP11C2004A	-	-	-	-	BGRI41C2005A	-	-	-	-
AWC19C2003A	-	-	-	-	BCP13C2003A	-	-	-	-	BGRI41C2006A	0.06	-	3,674	-
AWC19C2004A	-	-	-	-	BCP13C2003B	-	-	-	-	BGRI41C2007A	0.45	(0.55)	82,408	-
AWC19C2006A	0.04	-	1,200	-	BCP13C2007A	-	-	-	-	BGRI41P2004A	0.40	0.03	53,013	-
AWC24C2007A	0.02	-	501	-	BCP19C2004A	0.02	-	15,364	-	BGRI41P2005A	0.85	0.03	14,974	-
AWC28C2003A	-	-	-	-	BCP19C2005A	-	-	-	-	BGRI41P2006A	-	-	-	-
AWC28C2003B	-	-	-	-	BCP24C2004A	-	-	-	-	BGRI42C2003A	-	-	-	-
AWC28C2003C	-	-	-	-	BCPG01C2005A	0.17	(0.02)	56,643	-	BGRI42C2006A	0.02	(0.01)	500	-
AWC28C2006A	-	-	-	-	BCPG01C2005B	0.04	(0.02)	5,000	-	BH01C2004A	0.40	(0.05)	44,308	-
AWC28C2008A	0.45	0.02	94,714	-	BCPG01C2008B	0.30	-	126,620	-	BH01C2004B	0.07	-	12,500	-
AWC28P2003A	-	-	-	-	BCPG01C2009A	0.50	(0.01)	103,391	-	BH01P2004A	0.46	0.01	30,494	-
AWC41C2003A	-	-	-	-	BCPG01P2005A	0.36	(0.01)	121,933	-	BH08C2007A	0.41	(0.02)	26,397	-
AWC41C2004A	0.01	-	100	-	BCPG01P2009A	0.42	(0.01)	26,770	-	BH11C2008A	0.28	(0.01)	11,563	-
AWC41C2005A	-	-	-	-	BCPG13C2004A	-	-	-	-	BH13C2006A	0.16	(0.02)	14,736	-
AWC41C2006A	-	-	-	-	BCPG13C2007A	0.19	-	84,798	-	BH19C2003A	0.05	(0.02)	84,170	-
AWC41C2007A	0.06	(0.04)	1,670	-	BCPG16C2009A	0.18	0.01	200	-	BH19C2006A	0.20	(0.02)	24,437	-
AWC42C2003A	-	-	-	-	BCPG19C2003A	-	-	-	-	BH24C2003A	-	-	-	-
AWC42C2008A	0.07	-	3,400	-	BCPG19C2005A	0.10	-	950	-	BH27C2007A	0.27	(0.03)	9,890	-
BANP01C2005A	0.02	0.01	13,906	-	BCPG28C2003A	-	-	-	-	BH41C2003A	-	-	-	-
BANP01C2005B	0.01	-	6,000	-	BCPG28C2004A	-	-	-	-	BH41C2004A	0.12	(0.01)	4,364	-
BANP01P2005A	1.38	(0.05)	73,013	1.00	BCPG28C2008A	0.27	(0.01)	45,804	-	BH41C2005A	-	-	-	-
BANP01P2005B	1.40	(0.08)	106,034	1.00	BCPG41C2005A	-	-	-	-	BH41C2006A	-	-	-	-
BANP06C2005A	-	-	-	-	BCPG42C2004A	-	-	-	-	BH41P2004A	-	-	-	-
BANP08C2005A	-	-	-	-	BCPG42C2007A	0.13	(0.01)	8,400	-	BH41P2006A	0.69	(0.04)	23,491	-
BANP08C2007A	0.03	0.01	1,100	-	BDM501C2007B	0.07	-	3,203	-	BH42C2003A	-	-	-	-
BANP08P2003A	1.45	(0.12)	15,702	1.00	BDM501P2008A	0.44	(0.02)	3,346	-	BH42C2008A	0.37	(0.04)	15,209	-
BANP11C2004A	0.01	-	2,800	-	BDM506C2003A	-	-	-	-	BJC01C2004A	0.05	0.01	31,200	-
BANP11C2008A	-	-	-	-	BDM506C2008A	0.40	0.02	92,908	-	BJC01C2004B	-	-	-	-
BANP13C2003A	-	-	-	-	BDM506P2004A	0.22	(0.03)	92,778	-	BJC01C2008B	0.38	0.01	202,945	-
BANP13C2006A	-	-	-	-	BDM508C2003A	-	-	-	-	BJC01C2009A	0.53	-	175,687	-
BANP19C2004A	-	-	-	-	BDM508C2006A	-	-	-	-	BJC01P2004A	0.88	-	71,509	-
BANP19C2005A	-	-	-	-	BDM511C2007A	0.21	-	119,384	-	BJC01P2009A	0.36	-	291,091	-
BANP19C2007A	0.01	(0.01)	1,000	-	BDM511C2008A	0.07	0.01	2,201	-	BJC06C2006A	0.11	0.02	69,240	-
BANP19C2007B	0.03	0.01	37,390	-	BDM513C2003A	-	-	-	-	BJC11C2008A	0.21	0.01	60,700	-
BANP19P2003A	1.70	0.11	5,214	1.00	BDM513C2004A	0.01	(0.01)	14,360	-	BJC13C2004A	-	-	-	-
BANP24C2003A	-	-	-	-	BDM513C2008A	0.28	0.02	66,257	-	BJC13C2005A	0.07	-	212	-
BANP27C2007A	0.04	0.03	1	-	BDM516C2006A	0.21	-	7,859	-	BJC16C2006A	0.09	-	9,800	-
BANP28C2003A	-	-	-	-	BDM519C2005A	0.10	0.01	9,755	-	BJC19C2003A	-	-	-	-
BANP28C2004A	-	-	-	-	BDM519C2005B	-	-	-	-	BJC19C2005A	-	-	-	-
BANP28C2008A	0.10	0.02	32,838	-	BDM524C2006A	-	-	-	-	BJC19C2007A	0.22	-	85,656	-
BANP41C2003A	-	-	-	-	BDM541C2004A	-	-	-	-	BJC24C2003A	-	-	-	-
BANP41C2004A	-	-	-	-	BDM541C2005A	-	-	-	-	BJC24C2006A	0.13	(0.04)	23,804	-
BANP41C2005A	-	-	-	-	BDM541C2006A	-	-	-	-	BJC27C2009A	0.14	0.01	15,908	-
BANP41C2006A	-	-	-	-	BDM541P2004A	0.33	(0.06)	28,360	-	BJC28C2004A	-	-	-	-
BANP41C2007A	0.22	(0.78)	1	-	BDM541P2006A	-	-	-	-	BJC28C2007A	0.12	(0.01)	104,756	-
BANP41P2005A	1.19	(0.05)	4,845	1.00	BDM542C2003A	-	-	-	-	BJC41C2004A	-	-	-	-
BANP41P2007A	1.26	(0.03)	19,295	1.00	BEAU13C2003A	0.01	-	2	-	BJC41C2005A	-	-	-	-
BANP42C2004A	-	-	-	-	BEAU13C2003B	0.01	-	1	-	BJC41C2006A	-	-	-	-
BANP42C2006A	-	-	-	-	BEC01C2006A	0.10	-	4,569	-	BJC41C2007A	0.18	-	1,837	-
BANP42P2005A	1.66	-	24,400	1.00	BEC01C2006B	0.02	-	2,600	-	BJC41C2008A	0.38	(0.62)	127,261	-
BBL06C2007A	0.08	-	19,822	-	BEC01P2006A	0.86	(0.04)	4,975	-	BJC41P2004A	-	-	-	-
BBL06P2004A	-	-	-	-	BEC19C2003A	-	-	-	-	BJC41P2005A	0.45	(0.02)	14,970	-
BBL08C2005A	0.04	-	5,002	-	BEC19C2005A	-	-	-	-	BJC42C2004A	-	-	-	-
BBL08C2007A	0.11	0.01	15,627	-	BEC41C2003A	-	-	-	-	BLAN19C2004A	-	-	-	-
BBL08P2007A	1.07	0.01	13,027	1.00	BEC42C2003A	-	-	-	-	BLAN28C2004A	-	-	-	-
BBL11C2005A	-	-	-	-	BEC42C2005A	-	-	-	-	BPP01C2005A	0.05	0.02	22,600	-
BBL11C2007A	0.04	0.01	1,090	-	BEM01C2004A	0.05	-	21,021	-	BPP01C2005B	-	-	-	-
BBL11P2008A	1.07	(0.03)	41,524	1.00	BEM01C2004B	-	-							

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTS13C2003A	-	-	-	-	CK42C2006A	0.11	0.01	10,118	-	CPF41P2005A	0.28	(0.07)	10,944	-
BTS13C2006A	-	-	-	-	CKP01C2004A	-	-	-	-	CPF42C2003A	-	-	-	-
BTS13C2008A	0.16	0.02	230,992	-	CKP01C2004B	0.01	-	482	-	CPN01C2005A	0.20	0.04	334,729	-
BTS16C2008A	-	-	-	-	CKP01C2008B	0.34	(0.01)	632,352	-	CPN01C2005B	0.03	(0.02)	5,054	-
BTS19C2005A	-	-	-	-	CKP01C2009A	0.59	-	554,642	-	CPN01P2005A	0.72	(0.13)	140,982	-
BTS19C2008A	0.21	0.02	52,102	-	CKP01P2004A	1.00	(0.01)	71,247	-	CPN06C2006A	0.07	0.02	42,809	-
BTS24C2007A	0.07	0.01	503	-	CKP01P2009A	0.61	(0.01)	354,684	-	CPN11C2006A	0.04	0.01	1	-
BTS41C2003A	-	-	-	-	CKP08C2004A	-	-	-	-	CPN11C2008A	0.20	0.04	118,531	-
BTS41C2004A	-	-	-	-	CKP11C2006A	-	-	-	-	CPN13C2004A	-	-	-	-
BTS41C2006A	-	-	-	-	CKP13C2003A	-	-	-	-	CPN13C2007A	0.20	0.04	281,709	-
BTS41P2004A	-	-	-	-	CKP13C2004A	-	-	-	-	CPN16C2005A	-	-	-	-
BTS42C2003A	-	-	-	-	CKP13C2004B	-	-	-	-	CPN19C2004A	-	-	-	-
BTS42C2008A	0.05	-	4	-	CKP13C2007A	0.24	(0.01)	145,063	-	CPN19C2007A	0.26	0.04	104,429	-
CBG01C2004A	0.27	0.04	427,651	-	CKP16C2005A	-	-	-	-	CPN24C2007A	0.38	0.04	44,714	-
CBG01C2004B	0.03	0.01	14,940	-	CKP16C2007A	-	-	-	-	CPN41C2003A	-	-	-	-
CBG01C2007B	0.47	0.05	232,422	-	CKP19C2003A	-	-	-	-	CPN41C2004A	-	-	-	-
CBG01P2003A	0.04	(0.02)	7,320	-	CKP19C2005A	-	-	-	-	CPN41C2006A	0.11	0.03	18,698	-
CBG01P2004A	0.73	(0.14)	15,831	-	CKP19C2006A	0.07	(0.01)	11,505	-	CPN41P2003A	-	-	-	-
CBG01P2007B	1.20	(0.15)	1,854	1.00	CKP24C2006A	-	-	-	-	CPN41P2005A	0.68	(0.19)	5,699	-
CBG06C2005A	0.10	0.02	34,966	-	CKP27C2005A	-	-	-	-	CPN41P2006A	0.39	(0.11)	13,423	-
CBG08C2003A	-	-	-	-	CKP28C2003A	-	-	-	-	CPN42C2004A	-	-	-	-
CBG08C2007A	0.79	0.08	102,679	-	CKP28C2004A	-	-	-	-	CPN42C2006A	-	-	-	-
CBG11C2008A	0.52	0.09	40,194	-	CKP28C2004B	-	-	-	-	CR01C2007A	0.31	0.06	388,646	-
CBG13C2004A	0.05	0.01	692	-	CKP28C2006A	-	-	-	-	CR08C2007A	0.48	0.09	67,379	-
CBG13C2008A	0.74	0.08	44,945	-	CKP41C2004A	-	-	-	-	CR08C2008A	0.28	0.06	330,289	-
CBG13P2006A	1.12	(0.11)	11,278	1.00	CKP41C2005A	-	-	-	-	CR09C2008A	0.44	0.10	35,308	-
CBG16C2008A	0.31	0.06	2,140	-	CKP41C2006A	-	-	-	-	CR19C2008B	0.33	0.07	38,622	-
CBG19C2004A	-	-	-	-	CKP41C2007A	-	-	-	-	CR28C2007A	0.32	0.07	119,781	-
CBG19C2005A	0.23	0.05	43,896	-	CKP42C2003A	-	-	-	-	CR28C2007B	0.21	0.06	65,756	-
CBG19C2008A	0.89	0.09	65,357	-	CKP42C2005A	-	-	-	-	CR41C2007A	0.29	0.06	116,810	-
CBG19P2006A	1.25	(0.14)	9,957	1.00	CKP42C2006A	-	-	-	-	DTAC01C2004A	0.03	0.01	2,828	-
CBG24C2003A	-	-	-	-	COM708C2007A	0.10	(0.02)	85,445	-	DTAC01C2004B	-	-	-	-
CBG24C2008A	0.54	0.08	27,394	-	COM711C2004A	0.04	0.02	1,439	-	DTAC01C2007B	0.12	0.02	178,909	-
CBG41C2003A	-	-	-	-	COM713C2004A	0.02	-	12,761	-	DTAC01C2008A	0.29	0.02	58,661	-
CBG41C2004A	-	-	-	-	COM713C2007A	0.10	0.02	20,411	-	DTAC01P2004A	1.76	(0.07)	8,433	1.00
CBG41C2005A	0.38	0.08	100,356	-	COM716C2008A	-	-	-	-	DTAC01P2004B	1.35	(0.14)	5,450	1.00
CBG41C2006A	0.35	0.05	7,380	-	COM719C2003A	-	-	-	-	DTAC01P2007B	0.74	(0.06)	48,257	-
CBG41P2003A	-	-	-	-	COM719C2005A	-	-	-	-	DTAC01P2008A	0.83	(0.03)	17,629	-
CBG41P2004A	1.06	(0.15)	4,700	1.00	COM719C2008A	0.54	0.06	172,375	-	DTAC06C2006A	-	-	-	-
CBG41P2006A	1.17	(0.15)	90,376	1.00	COM719P2004A	0.19	(0.04)	89,356	-	DTAC08C2005A	-	-	-	-
CBG42C2003A	-	-	-	-	COM724C2007A	0.10	0.02	2,300	-	DTAC08C2005B	-	-	-	-
CBG42C2006A	0.11	0.02	26,092	-	COM741C2004A	-	-	-	-	DTAC08C2007A	0.12	0.01	11,810	-
CENT01C2003A	0.01	-	62	-	COM741C2006A	-	-	-	-	DTAC13C2003A	-	-	-	-
CENT01C2003B	0.02	-	117	-	COM742C2004A	-	-	-	-	DTAC13C2006A	0.04	0.01	3	-
CENT01C2006A	0.11	(0.04)	103,280	-	CPAL01C2004A	0.07	0.02	77,137	-	DTAC13C2007A	0.09	0.01	26,348	-
CENT01C2006B	-	-	-	-	CPAL01C2004B	0.02	-	750	-	DTAC13P2003A	-	-	-	-
CENT01C2009A	0.54	(0.03)	421,039	-	CPAL01C2006A	0.30	0.07	332,725	-	DTAC13P2006A	1.05	-	3,428	1.00
CENT01P2003A	0.99	0.04	10,005	-	CPAL01C2006B	0.12	0.04	475,556	-	DTAC13P2007A	0.23	(0.01)	6,838	-
CENT01P2009A	0.62	0.02	99,499	-	CPAL01C2008B	0.37	0.09	301,399	-	DTAC13P2008A	0.76	(0.04)	25,017	-
CENT06C2003A	-	-	-	-	CPAL01P2004A	1.15	(0.24)	37,382	1.00	DTAC16C2009A	0.24	(0.01)	28,941	-
CENT06C2006A	-	-	-	-	CPAL01P2004B	0.49	(0.21)	255,001	-	DTAC19C2005A	-	-	-	-
CENT06P2007A	0.61	0.02	10,593	-	CPAL01P2008B	0.59	(0.13)	98,604	-	DTAC19C2006A	0.07	0.01	710	-
CENT08C2004A	-	-	-	-	CPAL06C2006A	0.13	0.05	518,314	-	DTAC19C2007A	0.19	0.01	64,962	-
CENT11C2004A	-	-	-	-	CPAL08C2004A	-	-	-	-	DTAC19P2007A	0.59	(0.02)	9,618	-
CENT11C2007A	0.04	0.02	1	-	CPAL08C2006A	0.09	0.03	11,420	-	DTAC24C2004A	-	-	-	-
CENT13C2003A	-	-	-	-	CPAL08P2006A	0.65	(0.20)	56,425	-	DTAC24C2007A	0.17	0.01	1,800	-
CENT13C2005A	-	-	-	-	CPAL11C2006A	0.04	(0.01)	100	-	DTAC27C2008A	0.21	0.01	22,698	-
CENT13C2006A	0.10	(0.04)	131,146	-	CPAL11C2007A	0.12	0.03	175,970	-	DTAC41C2004A	-	-	-	-
CENT19C2004A	-	-	-	-	CPAL13C2004A	-	-	-	-	DTAC41C2005A	-	-	-	-
CENT19C2005A	-	-	-	-	CPAL13C2007A	0.26	0.06	210,776	-	DTAC41C2006A	0.02	-	5	-
CENT19C2008A	0.43	(0.05)	183,524	-	CPAL13P2003A	-	-	-	-	DTAC41C2007A	0.11	0.01	36,740	-
CENT24C2003A	-	-	-	-	CPAL16C2006A	-	-	-	-	DTAC41C2007B	0.27	0.03	41,674	-
CENT24C2008A	-	-	-	-	CPAL16C2007A	0.13	-	800	-	DTAC41P2005A	-	-	-	-
CENT27C2008A	-	-	-	-	CPAL19C2004A	-	-	-	-	DTAC41P2006A	-	-	-	-
CENT28C2004A	-	-	-	-	CPAL19C2005A	0.08	0.03	18,718	-	DTAC42C2004A	-	-	-	-
CENT28C2005A	-	-	-	-	CPAL19C2008A	0.43	0.09	76,360	-	DTAC42C2006A	-	-	-	-
CENT28C2006A	-	-	-	-	CPAL19P2004A	0.36	(0.16)	68,930	-	EA06C2005A	0.07	-	9,730	-
CENT28C2008A	0.34	(0.66)	104,896	-	CPAL24C2005A	-	-	-	-	EA08C2004A	0.02	-	10	-
CENT41C2003A	-	-	-	-	CPAL28C2003A	-	-	-	-	EA08C2006A	0.18	(0.01)	44,932	-
CENT41C2004A	-	-	-	-	CPAL28C2003B	-	-	-	-	EA11C2005A	0.07	-	20,000	-
CENT41C2005A	-	-	-	-	CPAL28C2004A	-	-	-	-	EA13C2003A	-	-	-	-
CENT41C2006A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA13C2005A	0.10	-	55,931	-
CENT41P2003A	-	-	-	-	CPAL28C2007A	0.13	0.04	138,713	-	EA13C2006A	0.09	-	22,204	-
CENT42C2004A	-	-	-	-	CPAL41C2003A	-	-	-	-	EA13C2008A	0.26	(0.01)	33,332	-
CENT42C2006A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA13P2003A	0.04	(0.01)	11,710	-
CHG01C2006A	0.29	0.07	138,767	-	CPAL41C2005A	-	-	-	-	EA13P2006A	0.89	(0.01)	67	-
CHG01C2006B	0.12	0.04	43,823	-	CPAL41C2006A	-	-	-	-	EA16C2003A	0.05	0.03	406	-
CHG01P2006A	0.34	(0.10)	45,110	-	CPAL41C2007A	0.25	0.08	16,792	-	EA16C2006A	-	-	-	-
CHG06P2003A	-	-	-	-	CPAL41P2003A	-	-	-	-	EA16C2008A	0.08	0.01	4,845	-
CHG08C2005A	0.08	0.02	2,000	-	CPAL41P2004A	0.36	(0.22)	33,561	-	EA19C2004A	-	-	-	-
CHG13C2006A	0.18	0.04	107,993	-	CPAL41P2005A	-	-	-	-	EA19C2008A	0.38	-	45,838	-
CHG16C2009A	0.21	0.03	9	-	CPAL41P2006A	0.65	(0.18)	24,106	-	EA19P2007A	0.83	(0.03)	15,557	-
CHG19C2004A	0.17	0.07	23,933	-	CPAL42C2003A	-	-	-	-	EA24C2003A	-	-	-	-
CHG27C2009A	0.26	0.06	15,223	-	CPAL42C2005A	-	-	-	-	EA24C2004A	-	-	-	-
CHG41C2005A	-	-	-	-	CPAL42C2007A	0.12	0.05	13,377	-	EA27C2006A	0.12	-	11,272	-
CHG42C2006A	0.17	0.07	8,308	-	CPF01C2004A	0.09	0.02	471,119	-	EA28C2004A	-	-	-	-
CK01C2005A	0.33	0.02	79,577	-	CPF01C2004B	0.03	0.01	87,981	-	EA28C2004B	-	-	-	-
CK01C2005B	0.10	0.01	79,294	-	CPF01P2004A	0.20	(0.06)	275,537	-	EA2				

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EGCO41C2003A	-	-	-	-	GULF01C2003B	0.04	0.01	5,206	-	INTU01C2006B	0.09	0.01	66,332	-
EGCO41C2004A	-	-	-	-	GULF01C2005A	0.72	0.10	169,471	-	INTU01P2003A	1.33	(0.06)	22,561	1.00
EGCO41C2006A	0.03	0.01	24	-	GULF01C2005B	0.34	0.08	209,263	-	INTU01P2003B	0.27	(0.06)	101,124	-
EGCO41P2007A	-	-	-	-	GULF01C2007A	0.21	0.03	137,897	-	INTU01P2006A	0.92	0.03	38,221	-
EGCO41P2006A	1.40	(0.01)	84,388	1.00	GULF01P2003A	0.04	-	6,472	-	INTU01P2006B	0.50	0.02	73,890	-
EGCO42C2003A	0.01	-	24	-	GULF01P2003B	0.04	-	10,350	-	INTU13C2004A	-	-	-	-
EGCO42C2007A	0.02	-	1,320	-	GULF01P2005A	0.85	(0.17)	777,393	-	INTU13C2006A	0.17	(0.02)	17,088	-
EPG08C2004A	-	-	-	-	GULF03C2005A	-	-	-	-	INTU13P2004A	0.30	(0.04)	84,626	-
EPG13C2004A	-	-	-	-	GULF06C2004A	0.44	0.10	106,553	-	INTU16C2005A	-	-	-	-
EPG13C2006A	0.03	0.01	200	-	GULF08C2003A	0.21	0.06	40,755	-	INTU16C2007A	-	-	-	-
EPG19C2005A	0.02	0.01	1	-	GULF11C2003A	1.63	0.18	7,000	1.00	INTU16C2009A	0.13	-	1,260	-
EPG19C2007A	0.06	0.01	50	-	GULF11C2006A	0.47	0.08	52,254	-	INTU19C2004A	-	-	-	-
EPG19C2008A	0.68	0.05	76,138	-	GULF13C2004A	0.21	0.03	339,933	-	INTU19C2005A	0.10	(0.01)	13,956	-
EPG24C2008A	0.14	0.02	2,922	-	GULF13C2006A	0.28	0.05	473,768	-	INTU19P2007A	0.30	0.01	23,584	-
ERW06C2006A	-	-	-	-	GULF13C2006B	0.11	0.02	145,436	-	INTU23C2111A	-	-	-	-
ERW06C2007A	0.15	0.01	191,178	-	GULF13C2008A	0.75	0.08	595,286	-	INTU24C2003A	-	-	-	-
ERW06P2006A	-	-	-	-	GULF13P2004A	0.27	(0.08)	214,620	-	INTU24C2008A	0.29	0.03	29,135	-
ERW13C2005A	-	-	-	-	GULF13P2005A	0.81	(0.16)	55,290	-	INTU28C2003A	-	-	-	-
ERW13C2006A	-	-	-	-	GULF16C2003A	0.05	0.01	45	-	INTU28C2008A	0.20	(0.80)	62,861	-
ERW13C2007A	-	-	-	-	GULF16C2007A	0.45	0.06	3,213	-	INTU41C2003A	-	-	-	-
ERW19C2005A	-	-	-	-	GULF19C2003A	0.25	0.08	34,451	-	INTU41C2004A	-	-	-	-
ERW19C2006A	-	-	-	-	GULF19C2004A	0.15	0.02	7,702	-	INTU41C2005A	-	-	-	-
ERW19C2007A	0.17	0.01	12,367	-	GULF19C2006A	0.10	0.02	3,048	-	INTU41C2006A	0.10	0.01	21,598	-
ERW24C2006A	0.26	0.01	2,904	-	GULF19P2003A	0.02	-	3,470	-	INTU41C2007A	0.12	(0.01)	7,348	-
ESSO01C2004A	0.02	-	541	-	GULF19P2006A	0.78	(0.11)	39,774	-	INTU41P2003A	1.18	(0.03)	634	1.00
ESSO01C2004B	0.01	(0.01)	1,330	-	GULF24C2005A	0.63	0.09	19,365	-	INTU41P2004A	-	-	-	-
ESSO01C2008B	0.13	0.01	80,007	-	GULF27C2004A	0.92	(0.39)	1,498	-	INTU41P2005A	0.59	(0.05)	6,134	-
ESSO01C2009A	0.24	0.02	244,518	-	GULF28C2003A	-	-	-	-	INTU41P2006A	0.60	(0.05)	4,400	-
ESSO01P2009A	0.79	(0.04)	6,732	-	GULF28C2003B	-	-	-	-	INTU42C2003A	-	-	-	-
ESSO08C2004A	0.02	-	4,651	-	GULF28C2006A	0.04	-	2,500	-	INTU42C2005A	-	-	-	-
ESSO13C2003A	-	-	-	-	GULF28C2008A	0.34	0.05	65,149	-	IRPC01C2005A	0.01	(0.01)	1,212	-
ESSO13C2006A	0.04	(0.01)	651	-	GULF41C2004A	-	-	-	-	IRPC01C2005B	0.02	-	360	-
ESSO19C2004A	-	-	-	-	GULF41C2005A	0.17	0.04	7,374	-	IRPC01C2007B	0.08	0.01	185,986	-
ESSO19C2007A	0.10	0.01	12,930	-	GULF41C2006A	0.54	0.06	243,256	-	IRPC01P2005A	2.00	(0.12)	12,903	2.00
ESSO24C2003A	-	-	-	-	GULF41P2003A	0.13	(0.07)	7,225	-	IRPC01P2005B	1.60	(0.29)	13,166	1.00
ESSO24C2007A	0.10	0.02	1,345	-	GULF41P2004A	0.52	(0.09)	9,898	-	IRPC01P2007B	0.90	(0.16)	115,199	-
ESSO41C2003A	0.01	(0.01)	100	-	GULF41P2005A	-	-	-	-	IRPC06C2005A	0.01	-	2,300	-
ESSO41C2004A	-	-	-	-	GULF41P2006A	0.47	(0.05)	30,658	-	IRPC06C2007A	0.03	0.01	1,078	-
ESSO41C2005A	0.03	0.01	1,000	-	GULF41P2007A	1.28	(0.09)	1	1.00	IRPC06P2004A	-	-	-	-
ESSO41C2006A	0.12	0.03	400	-	GULF42C2003A	0.01	-	18	-	IRPC11C2005A	0.03	0.02	1	-
ESSO42C2003A	-	-	-	-	GUNK01C2005A	0.07	0.01	80	-	IRPC11C2008A	-	-	-	-
ESSO42C2007A	0.09	0.01	7,713	-	GUNK01C2005B	-	-	-	-	IRPC13C2006A	-	-	-	-
GFPT11C2003A	-	-	-	-	GUNK01P2005A	0.54	(0.01)	17,893	-	IRPC13C2007A	-	-	-	-
GFPT19C2004A	-	-	-	-	GUNK11C2007A	-	-	-	-	IRPC13C2008A	0.16	0.04	182,538	-
GFPT19C2006A	0.11	-	6,074	-	GUNK13C2003A	-	-	-	-	IRPC16C2008A	-	-	-	-
GFPT24C2007A	-	-	-	-	GUNK13C2006A	0.06	-	4,123	-	IRPC19C2003A	-	-	-	-
GFPT42C2004A	-	-	-	-	GUNK19C2003A	-	-	-	-	IRPC19C2005A	-	-	-	-
GFPT42C2008A	0.13	-	17,221	-	GUNK19C2006A	0.07	-	10,668	-	IRPC19C2007A	0.07	0.01	6,617	-
GLOB01C2003A	0.01	-	500	-	GUNK24C2006A	-	-	-	-	IRPC24C2004A	-	-	-	-
GLOB01C2007B	0.19	0.04	99,126	-	GUNK28C2003A	-	-	-	-	IRPC24C2007A	0.12	0.03	8,700	-
GLOB01C2008A	0.34	0.04	281,965	-	GUNK28C2005A	0.01	(0.01)	2	-	IRPC27C2007A	0.03	-	2,000	-
GLOB01P2003A	0.24	(0.14)	82,363	-	GUNK41C2003A	-	-	-	-	IRPC28C2003A	-	-	-	-
GLOB06C2006A	0.13	0.03	34,989	-	GUNK41C2005A	-	-	-	-	IRPC28C2003B	-	-	-	-
GLOB13C2007A	0.18	0.04	58,999	-	GUNK41P2005A	0.61	(0.07)	2,888	-	IRPC28C2006A	-	-	-	-
GLOB19C2005A	0.05	-	50	-	GUNK42C2003A	-	-	-	-	IRPC28C2008A	0.15	0.03	87,858	-
GLOB19C2007A	0.25	0.04	27,250	-	HANA01C2006A	0.24	-	252,868	-	IRPC41C2003A	-	-	-	-
GLOB24C2005A	-	-	-	-	HANA01C2006B	0.04	(0.01)	11,498	-	IRPC41C2004A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA01P2006A	0.45	0.01	1,255	-	IRPC41C2005A	-	-	-	-
GLOB42C2009A	0.20	0.04	29,943	-	HANA11C2008A	0.15	-	36,302	-	IRPC41C2006A	-	-	-	-
GPSC01C2003A	0.02	-	66,794	-	HANA13C2006A	-	-	-	-	IRPC41C2007A	0.13	0.03	9,680	-
GPSC01C2003B	0.01	-	11,191	-	HANA13C2008A	0.17	-	287,413	-	IRPC41P2004A	-	-	-	-
GPSC01C2005A	0.12	0.01	221,318	-	HANA16C2008A	-	-	-	-	IRPC41P2005A	1.15	0.09	9	1.00
GPSC01C2005B	0.02	-	28,503	-	HANA19C2003A	0.09	-	84,786	-	IRPC41P2006A	-	-	-	-
GPSC01C2007B	0.23	0.03	433,669	-	HANA19C2006A	0.10	0.01	4,966	-	IRPC41P2007A	-	-	-	-
GPSC01C2008A	0.42	0.02	256,819	-	HANA27C2007A	0.10	-	12,175	-	IRPC42C2003A	-	-	-	-
GPSC01P2003A	1.24	(0.18)	21,047	1.00	HANA27P2007A	0.55	-	51,266	-	IRPC42C2006A	0.01	(0.01)	3,700	-
GPSC01P2005A	1.83	(0.12)	119,514	1.00	HANA41C2006A	0.09	(0.02)	4,386	-	IVL01C2004A	0.03	0.01	38,058	-
GPSC01P2005B	1.33	(0.09)	22,101	1.00	HMPR01C2006A	0.14	0.02	107,019	-	IVL01C2004B	0.03	0.01	2,067	-
GPSC01P2007B	1.25	(0.08)	59,709	1.00	HMPR01C2006B	0.05	-	130	-	IVL01C2006B	0.07	0.02	180,753	-
GPSC01P2008A	1.83	(0.08)	74,778	1.00	HMPR01P2006A	0.63	(0.07)	33,296	-	IVL01P2004A	0.58	(0.05)	125,668	-
GPSC06C2006A	0.02	(0.01)	12,770	-	HMPR06C2006A	0.02	-	5,184	-	IVL01P2004B	0.21	(0.04)	130,327	-
GPSC06C2008A	0.54	0.04	127,569	-	HMPR06P2007A	0.36	(0.05)	39,904	-	IVL01P2006B	0.68	(0.06)	60,528	-
GPSC08C2004B	-	-	-	-	HMPR11C2003A	-	-	-	-	IVL06C2003A	-	-	-	-
GPSC08C2007A	0.21	0.02	57,800	-	HMPR13C2003A	-	-	-	-	IVL06C2008A	0.16	0.03	141,694	-
GPSC08P2006A	-	-	-	-	HMPR13C2006A	-	-	-	-	IVL06P2005A	-	-	-	-
GPSC11C2006A	0.18	0.01	35,174	-	HMPR13C2007A	0.14	0.02	124,016	-	IVL08C2004A	0.05	0.01	950	-
GPSC13C2005A	0.07	-	7,556	-	HMPR19C2003A	-	-	-	-	IVL08P2003A	-	-	-	-
GPSC13C2007A	0.26	0.02	203,329	-	HMPR19C2005A	-	-	-	-	IVL08P2004A	0.40	(0.06)	94,190	-
GPSC13C2008A	0.52	0.02	438,790	-	HMPR19C2007A	0.17	0.02	15,245	-	IVL11C2005A	0.01	-	6,235	-
GPSC13P2003A	1.11	(0.07)	1	1.00	HMPR24C2004A	-	-	-	-	IVL11C2006A	0.08	0.01	1,402	-
GPSC13P2005A	2.60	0.08	200	2.00	HMPR28C2003A	-	-	-	-	IVL13C2003A	-	-	-	-
GPSC13P2007A	1.55	(0.09)	2,015	1.00	HMPR41C2003A	-	-	-	-	IVL13C2006A	0.06	(0.02)	23,351	-
GPSC16C2003A	0.02	(0.06)	12,200	-	HMPR41C2005A	-	-	-	-	IVL13P2004A	0.50	(0.08)	194,210	-
GPSC16C2007A	0.08	-	2,566	-	HMPR41C2006A	-	-	-	-	IVL16C2006A	0.02	-	1	-
GPSC19C2004A	-	-	-	-	HMPR41C2007A	0.13	0.02	26,044	-	IVL16C2009A	0.12	(0.03)	205	-
GPSC19C2007A	0.24	0.01	26,487	-	HMPR41C2007B	0.26	0.02	61,294	-	IVL19C2003A	-	-	-	-
GPSC19C2008A	0.69	0.03	152,104	-	HMPR41P2003A	-	-	-	-	IVL19C2004A	0.03	-	32,224	-
GPSC19P2005A	1.17	(0.10)	1,007	1.00	HMPR42C2003A	-	-	-	-	IVL19C2006A	0.03	-	100,500	-
GPSC24C2007A	-	-	-	-	HSI28C2003A	0.02	(0.01)	6,059	-	IVL19P2003A	-	-	-	-
GPSC27C2005A	-	-	-	-										

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities					Securities					Securities				
Close	Change	Volume	Average		Close	Change	Volume	Average		Close	Change	Volume	Average	
		(Lot)	Price				(Lot)	Price				(Lot)	Price	
IVL41P2006A	0.79	0.24	900	-	KTC01C2004B	0.02	-	3,566	-	OSP08C2004A	0.06	-	1,000	-
IVL41P2007A	-	-	-	-	KTC01C2007A	0.41	0.04	178,612	-	OSP11C2005A	0.21	0.01	61,500	-
IVL42C2005A	-	-	-	-	KTC01C2007B	0.22	0.03	113,064	-	OSP13C2004A	0.12	0.02	27,117	-
JAS13C2006A	0.10	(0.01)	72,943	-	KTC01P2004A	0.30	(0.06)	166,037	-	OSP13C2006A	0.13	0.01	49,022	-
JAS19C2004A	0.09	-	29,587	-	KTC01P2007A	0.36	(0.04)	501,399	-	OSP16C2008A	0.14	(0.01)	62	-
JAS28C2003A	-	-	-	-	KTC06C2006A	0.18	0.02	115,444	-	OSP19C2004A	0.04	(0.01)	10,200	-
JAS41C2004A	0.14	(0.01)	46,510	-	KTC08C2004A	-	-	-	-	OSP19C2005A	0.19	0.02	13,671	-
JAS41C2005A	-	-	-	-	KTC08C2006A	0.31	0.04	68,958	-	OSP24C2008A	0.27	0.03	3,813	-
JAS41C2006A	0.17	-	4,409	-	KTC11C2005A	0.07	-	100	-	OSP28C2003A	-	-	-	-
JAS41P2005A	0.40	(0.01)	8,647	-	KTC13C2004A	0.02	-	500	-	OSP41C2003A	-	-	-	-
JMT13C2006A	0.30	0.05	124,936	-	KTC13C2006A	0.17	0.04	253,756	-	OSP41C2004A	-	-	-	-
JMT19C2006A	0.27	0.05	125,153	-	KTC13P2006A	0.21	(0.03)	89,906	-	OSP41C2005A	0.14	(0.01)	2,199	-
JMT42C2006A	0.31	0.06	19,996	-	KTC13P2007A	0.65	(0.10)	20,778	-	OSP41P2003A	-	-	-	-
KBAN01C2004A	0.02	-	8,950	-	KTC19C2005A	0.09	0.02	25,684	-	OSP41P2004A	0.23	(0.02)	174,436	-
KBAN01C2004B	0.01	-	500	-	KTC19C2006A	0.22	0.04	52,995	-	OSP42C2005A	0.13	0.01	21,115	-
KBAN01C2007A	0.20	(0.01)	276,110	-	KTC19P2005A	0.32	(0.07)	41,006	-	PLAN08C2004A	-	-	-	-
KBAN01C2007B	0.06	-	70,502	-	KTC27C2007A	0.15	0.01	17,478	-	PLAN13C2004A	-	-	-	-
KBAN01P2004A	2.04	-	35,546	2.00	KTC28C2003A	-	-	-	-	PLAN13C2005A	-	-	-	-
KBAN01P2004B	0.65	(0.01)	122,755	-	KTC28C2004A	0.01	(0.03)	770	-	PLAN13C2007A	0.04	0.01	5,105	-
KBAN01P2007A	1.72	0.02	64,161	1.00	KTC28C2006A	0.13	0.02	65,078	-	PLAN19C2005A	-	-	-	-
KBAN01P2007B	1.53	(0.01)	139,583	1.00	KTC41C2004A	-	-	-	-	PLAN19C2007A	0.04	0.01	21,853	-
KBAN06C2004A	-	-	-	-	KTC41C2005A	-	-	-	-	PLAN24C2006A	0.04	0.02	1	-
KBAN06C2008A	0.28	0.01	116,519	-	KTC41C2006A	0.09	-	12,000	-	PLAN27C2008A	-	-	-	-
KBAN08C2005A	-	-	-	-	KTC42C2003A	-	-	-	-	PLAN28C2004A	-	-	-	-
KBAN08C2007A	0.07	-	20,812	-	KTC42C2006A	0.17	0.04	63,320	-	PLAN28C2005A	-	-	-	-
KBAN08P2004A	0.95	(0.01)	43,410	-	LH01C2003A	-	-	-	-	PLAN41C2004A	-	-	-	-
KBAN13C2003A	-	-	-	-	LH01P2003A	0.67	-	36,322	-	PLAN41C2005A	-	-	-	-
KBAN13C2003B	-	-	-	-	LH11C2007A	0.08	-	39,500	-	PLAN41C2006A	-	-	-	-
KBAN13C2006A	0.04	(0.01)	17,430	-	LH19C2003A	-	-	-	-	PLAN42C2007A	-	-	-	-
KBAN13C2008A	0.22	-	471,554	-	LH19C2003B	-	-	-	-	PRM08C2003A	0.01	-	10,000	-
KBAN13P2003A	0.66	-	7,576	-	LH19C2007A	0.14	0.01	10,538	-	PRM13C2003A	-	-	-	-
KBAN13P2006A	1.29	0.07	6,597	1.00	LH19P2004A	0.37	0.03	5,472	-	PRM13C2006A	0.03	0.01	395	-
KBAN13P2008A	0.71	-	29,073	-	LH41C2004A	-	-	-	-	PRM19C2004A	-	-	-	-
KBAN16C2005A	-	-	-	-	LH41C2005A	-	-	-	-	PRM19C2006A	0.01	(0.01)	24,133	-
KBAN16C2008A	0.05	-	10,340	-	LH41C2006A	0.09	(0.01)	7,000	-	PRM42C2006A	0.02	-	2,000	-
KBAN19C2003A	-	-	-	-	LH41P2003A	-	-	-	-	PSH19C2003A	-	-	-	-
KBAN19C2004A	-	-	-	-	MAJ013C2007A	0.14	0.01	5,948	-	PSH19C2005A	0.12	0.01	29,547	-
KBAN19C2007A	0.09	(0.01)	10,872	-	MAJ019C2006A	-	-	-	-	PSL06C2006A	0.02	(0.01)	1,000	-
KBAN19P2004A	0.92	(0.04)	9,943	-	MBK19C2004A	-	-	-	-	PSL13C2003A	-	-	-	-
KBAN19P2007A	1.40	(0.01)	2,145	1.00	MEGA16C2009A	-	-	-	-	PSL19C2004A	0.02	-	1	-
KBAN24C2005A	0.01	-	22,000	-	MEGA19C2005A	0.05	0.01	605	-	PSL19C2006A	0.02	-	2,070	-
KBAN28C2003A	-	-	-	-	MINT01C2003A	-	-	-	-	PSL19C2007A	0.59	(0.03)	100,522	-
KBAN28C2004A	-	-	-	-	MINT01C2003B	0.01	-	100	-	PTG01C2003A	0.02	-	284	-
KBAN28C2008A	0.19	0.01	58,812	-	MINT01C2007B	0.06	-	157,294	-	PTG01C2003B	0.01	-	2,597	-
KBAN28P2003A	-	-	-	-	MINT01C2008A	0.16	-	285,200	-	PTG01C2005A	0.28	0.07	455,473	-
KBAN41C2003A	-	-	-	-	MINT01P2003A	0.94	-	17,262	-	PTG01C2005B	0.08	0.03	8,155	-
KBAN41C2004A	-	-	-	-	MINT01P2008A	0.63	-	80,558	-	PTG01C2007B	0.49	0.09	183,127	-
KBAN41C2005A	-	-	-	-	MINT06C2006A	-	-	-	-	PTG01P2003A	0.28	(0.16)	9,883	-
KBAN41C2007A	0.16	0.03	4,106	-	MINT06P2007A	0.64	-	10	-	PTG01P2005A	0.55	(0.12)	35,536	-
KBAN41P2004A	0.80	(0.04)	19,780	-	MINT08C2003A	-	-	-	-	PTG01P2005B	0.30	(0.09)	28,281	-
KBAN41P2005A	-	-	-	-	MINT11C2006A	0.03	0.02	6	-	PTG03C2005A	0.02	0.01	1	-
KBAN41P2006A	-	-	-	-	MINT11C2004A	-	-	-	-	PTG06C2006A	0.17	0.07	69,046	-
KBAN42C2003A	-	-	-	-	MINT13C2006A	-	-	-	-	PTG08C2005A	0.08	(0.03)	2,000	-
KBAN42C2004A	-	-	-	-	MINT13C2008A	0.13	-	233,877	-	PTG08C2007A	0.48	0.09	110,397	-
KBAN42C2007A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG11C2003A	0.12	0.03	31,212	-
KBAN42P2008A	1.71	(0.01)	19,711	1.00	MINT19C2006A	0.05	(0.02)	500	-	PTG11C2005A	0.05	-	500	-
KCE01C2004A	0.57	0.02	235,291	-	MINT19P2004A	0.56	-	20	-	PTG13C2004A	0.08	0.04	9,028	-
KCE01C2004B	0.20	0.01	390,411	-	MINT24C2006A	-	-	-	-	PTG13C2006A	0.30	0.07	52,314	-
KCE01C2007B	0.06	0.01	42,808	-	MINT28C2006A	-	-	-	-	PTG13P2004A	0.22	(0.12)	51,029	-
KCE01C2008A	0.29	0.01	236,243	-	MINT28C2008A	0.12	(0.88)	71,703	-	PTG13P2006A	0.18	(0.07)	100,620	-
KCE01P2004A	0.73	(0.04)	312,427	-	MINT41C2004A	0.03	(0.02)	7,550	-	PTG16C2009A	0.36	-	11,889	-
KCE08C2005A	0.10	0.01	31,723	-	MINT41C2005A	-	-	-	-	PTG19C2003A	-	-	-	-
KCE08C2005B	0.05	0.01	20	-	MINT41P2004A	0.66	(0.01)	1,000	-	PTG19C2004A	0.02	-	37,200	-
KCE11C2004A	0.25	-	5,000	-	MINT42C2004A	-	-	-	-	PTG19C2005A	0.16	0.05	20,018	-
KCE13C2003A	-	-	-	-	MTC01C2003A	0.26	0.11	92,990	-	PTG19C2006A	0.36	0.10	93,040	-
KCE13C2004A	0.10	(0.01)	35,611	-	MTC01C2003B	-	-	-	-	PTG19P2006A	0.37	(0.09)	13,184	-
KCE13C2005A	0.03	-	2,321	-	MTC01C2007B	0.22	0.06	129,682	-	PTG27C2007A	0.38	0.08	55,776	-
KCE13C2006A	0.38	0.03	133,218	-	MTC01C2008A	0.56	0.12	98,221	-	PTG28C2004A	-	-	-	-
KCE16C2007A	0.15	-	6,367	-	MTC01P2003A	0.10	(0.07)	56,174	-	PTG41C2004A	-	-	-	-
KCE19C2005A	0.19	0.01	30,433	-	MTC03C2005A	-	-	-	-	PTG41C2005A	-	-	-	-
KCE19C2007A	0.30	0.01	51,949	-	MTC06C2007A	0.48	0.14	176,702	-	PTG41C2006A	0.22	0.06	39,619	-
KCE24C2005A	0.65	0.01	228	-	MTC08C2005A	0.28	0.08	64,356	-	PTG41P2005A	0.41	(0.08)	2,227	-
KCE27C2007A	0.07	0.01	18,817	-	MTC11C2008A	0.37	0.08	81,267	-	PTG42C2004A	-	-	-	-
KCE28C2003A	-	-	-	-	MTC13C2003A	0.05	-	1,630	-	PTG42C2006A	0.37	0.10	38,036	-
KCE28C2003B	-	-	-	-	MTC13C2007A	0.23	0.06	123,240	-	PTT01C2004A	0.02	-	343,335	-
KCE41C2003A	-	-	-	-	MTC13P2003A	-	-	-	-	PTT01C2004B	0.02	-	700	-
KCE41C2005A	0.25	0.01	4,082	-	MTC16C2007A	0.17	0.05	17,938	-	PTT01C2007A	0.08	0.01	761,381	-
KCE41C2006A	0.16	(0.01)	8,370	-	MTC19C2006A	0.19	0.05	18,515	-	PTT01C2007B	0.03	0.01	187,617	-
KKP01C2006A	0.14	-	117,878	-	MTC19P2004A	0.11	(0.06)	139,708	-	PTT01P2004A	1.34	(0.02)	51,670	1.00
KKP01C2006B	0.04	-	28,509	-	MTC24C2004A	0.21	0.07	14,852	-	PTT01P2004B	1.22	(0.04)	36,403	1.00
KKP01P2006A	1.33	-	29,117	1.00	MTC27C2007A	0.31	0.09	52,967	-	PTT01P2007A	1.68	(0.02)	57,625	1.00
KKP08C2003A	-	-	-	-	MTC28C2006A	0.15	0.05	107,704	-	PTT01P2007B	1.65	(0.09)	29,521	1.00
KKP11C2007A	0.07	0.01	55	-	MTC28C2008A	0.42	(0.58)	105,287	-	PTT06C2005A	0.03	(0.07)	8,800	-
KKP13C2004A	-	-	-	-	MTC41C2003A	-	-	-	-	PTT08C2005A	0.02	-	17,237	-
KKP13C2007A	0.08	-	110	-	MTC41C2004A	-	-	-	-	PTT08P2005A	1.33	(0.17)	1,790	1.00
KKP19C2003A	-	-	-	-	MTC41C2007A	0.68	(0.32)	82,046	-	PTT11C2004A	-	-	-	-
KKP24C2003A	-	-	-	-	MTC41P2003A	-	-	-	-	PTT11C2008A	0.03	-	49,173	-
KKP41C2006A	0.04	(0.07)	65	-	MTC41P2004A	0.32	(0.11)	22,374	-	PTT13C2004A	0.02	-	1,515	-
KTB01C2003A	0.01	(0.01)	200	-	MTC42C2003A	-	-	-	-	PTT13C2006A	0.03	(0.02)	28,799	-
KTB01C2008B	0.11													

## Main Board Quotation

## Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC01C2004A	0.08	0.01	49,839	-	OSP06P2003A	0.02	(0.02)	59,190	-	PTT28P2004A	1.20	-	95	1.00



## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT41C2004A	-	-	-	-	RATC13C2004A	-	-	-	-	S5016C2006B	0.26	0.03	194,818	-
PTT41C2005A	0.03	(0.03)	1	-	RATC13C2007A	0.16	-	151,308	-	S5016P2003A	7.90	(0.65)	51	7.00
PTT41C2006A	0.06	0.01	10	-	RATC16C2008A	0.06	(0.01)	501	-	S5016P2003C	3.02	(0.34)	1,059	3.00
PTT41P2004A	1.40	1.05	1	1.00	RATC19C2005A	-	-	-	-	S5016P2003D	2.98	(0.22)	1,716	3.00
PTT41P2005A	-	-	-	-	RATC19C2007A	0.22	0.01	14,128	-	S5016P2006A	3.28	(0.22)	13,325	3.00
PTT41P2006A	1.89	1.29	60	1.00	RATC24C2006A	0.10	0.01	1,175	-	S5016P2006B	1.70	(0.30)	67,992	1.00
PTT42C2003A	-	-	-	-	RATC27C2004A	-	-	-	-	S5019C2003A	-	-	-	-
PTT42C2007A	0.01	-	92,931	-	RATC27C2007A	0.17	-	21,736	-	S5019C2003B	-	-	-	-
PTTE01C2004A	0.03	-	107,253	-	RATC41C2003A	-	-	-	-	S5019C2003C	-	-	-	-
PTTE01C2004B	0.02	-	5,235	-	RATC41C2004A	-	-	-	-	S5019C2003D	-	-	-	-
PTTE01C2007A	0.07	-	680,175	-	RATC41C2005A	-	-	-	-	S5019C2006A	0.02	(0.02)	207,745	-
PTTE01C2007B	0.02	-	182,319	-	RATC41C2006A	-	-	-	-	S5019C2006B	0.16	0.02	668,114	-
PTTE01P2004A	2.02	0.19	30,012	1.00	RATC41P2004A	0.79	(0.05)	55	-	S5019P2003A	5.75	(0.35)	80	5.00
PTTE01P2004B	1.88	0.35	16,525	1.00	RATC41P2006A	0.74	(0.04)	11,552	-	S5019P2003B	4.94	(0.56)	110	4.00
PTTE01P2007A	2.96	0.26	13,844	2.00	RATC42C2003A	-	-	-	-	S5019P2003C	6.00	2.48	20	6.00
PTTE01P2007B	3.44	0.52	13,286	3.00	RATC42C2006A	-	-	-	-	S5019P2003D	4.76	(0.59)	7,644	4.00
PTTE06C2006A	0.01	(0.01)	5,627	-	RS06C2004A	-	-	-	-	S5019P2006A	3.38	(0.24)	1,801	3.00
PTTE06P2006A	-	-	-	-	RS08P2003A	1.51	(0.03)	3,600	1.00	S5019P2006B	2.38	(0.26)	17,516	2.00
PTTE08C2005A	0.02	-	9,150	-	RS08P2006A	0.77	(0.03)	1,236	-	S5019P2006C	1.90	(0.32)	165,331	1.00
PTTE08P2005A	2.04	0.19	42,174	1.00	RS13C2004A	-	-	-	-	S5024C2003A	-	-	-	-
PTTE08P2006A	2.72	0.16	1,300	2.00	RS13C2006A	0.17	0.01	56,466	-	S5024C2003B	-	-	-	-
PTTE11C2006A	0.02	(0.01)	1,014	-	RS16C2005A	-	-	-	-	S5024C2003C	-	-	-	-
PTTE13C2004A	0.01	(0.02)	68	-	RS19C2004A	-	-	-	-	S5024C2006A	0.05	0.01	1,385	-
PTTE13C2006A	0.03	(0.01)	29,235	-	RS19C2005A	-	-	-	-	S5024C2006B	0.11	(0.02)	199,937	-
PTTE13C2008A	0.06	(0.06)	737,208	-	RS19C2007A	0.18	0.01	2,100	-	S5024C2009A	0.07	0.01	88,138	-
PTTE13P2003A	2.62	0.38	818	2.00	RS24C2004A	-	-	-	-	S5024P2003A	-	-	-	-
PTTE13P2006A	2.94	0.26	86,146	2.00	RS24C2008A	0.12	(0.01)	300	-	S5024P2003B	7.80	(1.20)	226	8.00
PTTE16C2003A	-	-	-	-	RS41C2004A	-	-	-	-	S5024P2006A	9.80	-	192	9.00
PTTE16C2009A	0.07	0.01	1,114	-	RS42C2004A	-	-	-	-	S5024P2006B	3.70	(0.54)	6,581	3.00
PTTE19C2006A	0.02	0.01	25,066	-	RS42C2008A	0.18	0.01	14,140	-	S5024P2006C	1.62	(0.24)	139,808	1.00
PTTE19C2008A	0.05	(0.01)	381,981	-	S10001C2011A	0.07	0.01	10,958	-	S5028C2003A	0.01	-	2	-
PTTE19P2004A	1.69	0.25	29,033	1.00	S5001C2003F	0.02	0.01	275,984	-	S5028C2003B	-	-	-	-
PTTE19P2006A	2.52	0.24	6,015	2.00	S5001C2003G	0.01	(0.01)	30,576	-	S5028C2004A	0.04	0.01	16,981	-
PTTE24C2003A	-	-	-	-	S5001C2003H	0.02	-	3,460	-	S5028C2004B	0.04	(0.01)	21,386	-
PTTE24C2008A	0.07	(0.03)	15,045	-	S5001C2003I	0.01	(0.01)	20,686	-	S5028C2006A	0.03	-	21,066	-
PTTE28C2005A	-	-	-	-	S5001C2003J	0.01	(0.01)	50,566	-	S5028C2006B	0.09	0.01	146,989	-
PTTE28C2008A	0.08	(0.92)	204,589	-	S5001C2004A	0.02	(0.01)	36,551	-	S5028P2003A	1.54	(0.14)	5,052	1.00
PTTE28P2004A	2.14	0.39	3,687	1.00	S5001C2005A	0.05	(0.02)	316,278	-	S5028P2004A	3.70	(0.50)	7,021	3.00
PTTE41C2005A	0.02	0.01	23	-	S5001C2006F	0.04	(0.01)	822,681	-	S5028P2004B	2.30	(0.34)	10,601	2.00
PTTE41C2006A	0.02	-	14,010	-	S5001C2006G	0.07	(0.03)	563,382	-	S5028P2006A	1.47	(0.12)	35,279	1.00
PTTE41P2003A	-	-	-	-	S5001C2006H	0.38	0.07	6,195,548	-	S5028P2006B	0.97	(0.09)	1,825,324	-
PTTE41P2004A	-	-	-	-	S5001C2007A	0.36	0.05	2,910,110	-	S5041C2003A	-	-	-	-
PTTE42C2004A	-	-	-	-	S5001P2003F	6.90	(0.65)	13,320	7.00	S5041C2003B	0.01	-	180	-
PTTG01C2005A	0.02	-	7,028	-	S5001P2003G	7.05	(0.75)	47,368	7.00	S5041C2003C	-	-	-	-
PTTG01C2005B	0.03	0.01	1,500	-	S5001P2003H	8.05	(0.60)	650	8.00	S5041C2003D	-	-	-	-
PTTG01C2007B	0.02	-	62,746	-	S5001P2003I	5.40	(0.35)	141	5.00	S5041C2003E	0.02	0.01	11,173	-
PTTG01C2008A	0.05	(0.01)	637,401	-	S5001P2003J	4.08	(0.42)	2,747	4.00	S5041C2006A	0.07	0.04	72,852	-
PTTG01P2005A	2.64	0.04	47,066	2.00	S5001P2004A	4.02	(0.18)	36,308	4.00	S5041C2006B	0.20	0.07	146,442	-
PTTG01P2005B	2.68	-	49,424	2.00	S5001P2005A	3.20	(0.18)	101,873	3.00	S5041P2003A	-	-	-	-
PTTG01P2007B	1.85	0.03	64,851	1.00	S5001P2006F	5.40	(0.60)	52,998	5.00	S5041P2003B	4.64	2.83	1	4.00
PTTG01P2008A	1.82	0.07	81,863	1.00	S5001P2006G	4.02	(0.36)	252,867	4.00	S5041P2003C	-	-	-	-
PTTG06C2006A	0.03	0.01	1,500	-	S5001P2006H	1.61	(0.14)	598,244	1.00	S5041P2003D	-	-	-	-
PTTG08C2004A	-	-	-	-	S5001P2007A	1.77	(0.19)	405,974	1.00	S5041P2003E	-	-	-	-
PTTG08P2004A	1.78	0.13	7,000	1.00	S5006C2003A	-	-	-	-	S5041P2006A	4.08	0.08	24,998	4.00
PTTG11C2004A	-	-	-	-	S5006C2003B	-	-	-	-	S5041P2006B	2.90	0.04	529,295	2.00
PTTG11C2007A	0.03	(0.01)	5,802	-	S5006C2003C	-	-	-	-	SAWA01C2003A	0.78	0.10	77,590	-
PTTG13C2005A	-	-	-	-	S5006C2006A	0.05	-	2,133	-	SAWA01C2003B	0.18	0.04	174,363	-
PTTG13C2007A	0.03	(0.02)	15,150	-	S5006C2006B	0.10	0.02	69,816	-	SAWA01C2006A	0.56	0.06	174,608	-
PTTG13P2004A	2.06	0.08	5	2.00	S5006P2003A	-	-	-	-	SAWA01C2006B	0.23	0.04	190,375	-
PTTG13P2008A	0.98	0.05	20,418	-	S5006P2003B	-	-	-	-	SAWA01P2003A	0.04	(0.04)	16,007	-
PTTG16C2006A	-	-	-	-	S5006P2003C	-	-	-	-	SAWA01P2006A	0.83	(0.12)	274,953	-
PTTG19C2006A	-	-	-	-	S5006P2006A	5.80	(0.55)	127	7.00	SAWA06C2007A	0.44	0.05	128,329	-
PTTG19C2006B	-	-	-	-	S5006P2006B	2.36	(0.04)	748	2.00	SAWA08C2006A	0.30	0.04	72,069	-
PTTG19C2008A	0.04	(0.02)	60,533	-	S5008C2003A	-	-	-	-	SAWA11C2003A	0.52	0.07	8,424	-
PTTG19P2003A	1.39	(0.15)	1,100	1.00	S5008C2003B	-	-	-	-	SAWA13C2005A	0.29	0.05	117,035	-
PTTG19P2006A	2.22	(0.02)	726	2.00	S5008C2006A	0.23	0.04	885,201	-	SAWA13C2007A	0.28	0.03	103,360	-
PTTG24C2003A	-	-	-	-	S5008P2003A	5.70	(0.95)	134	6.00	SAWA16C2008A	0.27	0.07	14,289	-
PTTG24C2008A	0.10	(0.01)	7,512	-	S5008P2003B	5.80	(1.35)	8,301	6.00	SAWA19C2005A	0.25	0.04	239,872	-
PTTG27P2006A	-	-	-	-	S5008P2003C	10.10	(0.60)	912	10.00	SAWA24C2004A	0.36	0.08	2,584	-
PTTG28C2003A	-	-	-	-	S5011C2003A	-	-	-	-	SAWA27C2007A	0.35	0.05	53,792	-
PTTG28C2006A	-	-	-	-	S5011P2003A	-	-	-	-	SAWA28C2004A	0.10	0.02	101,829	-
PTTG28C2008A	0.09	(0.91)	104,729	-	S5013C2003A	0.01	-	11,072	-	SAWA28C2007A	0.17	0.03	92,050	-
PTTG41C2003A	-	-	-	-	S5013C2003B	0.01	-	372	-	SAWA28C2008A	0.42	(0.58)	132,720	-
PTTG41C2004A	-	-	-	-	S5013C2003C	0.01	-	1	-	SAWA41C2003A	-	-	-	-
PTTG41C2005A	-	-	-	-	S5013C2003D	0.01	-	2,801	-	SAWA41C2004A	0.16	0.04	40,718	-
PTTG41C2006A	-	-	-	-	S5013C2003E	0.01	-	500	-	SAWA41C2005A	0.26	0.03	36,232	-
PTTG41C2007A	0.09	(0.91)	400	-	S5013C2006A	0.05	-	3,292,485	-	SAWA41P2003A	-	-	-	-
PTTG41P2003A	-	-	-	-	S5013C2006B	0.04	-	2,384,994	-	SAWA41P2004A	0.20	(0.08)	620	-
PTTG41P2006A	-	-	-	-	S5013C2006C	0.07	(0.01)	983,937	-	SAWA41P2005A	0.72	(0.14)	2,290	-
PTTG42C2003A	-	-	-	-	S5013C2006D	0.14	0.01	7,556,649	-	SAWA42C2003A	0.02	0.01	1,300	-
PTTG42C2007A	-	-	-	-	S5013P2003A	6.10	(0.25)	107	6.00	SCB01C2004A	0.02	-	8,300	-
QH01C2006A	0.14	-	156,206	-	S5013P2003B	5.45	(0.60)	809	5.00	SCB01C2004B	0.02	0.01	149	-
QH01C2006B	-	-	-	-	S5013P2003C	-	-	-	-	SCB01C2007A	0.08	-	201,811	-
QH01P2006A	0.53	(0.02)	22,125	-	S5013P2003D	-	-	-	-	SCB01C2007B	0.04	-	40,372	-
QH11C2006A	-	-	-	-	S5013P2003E	4.16	(0.42)	15,248	4.00	SCB01C2008B	0.27	-	229,748	-
QH13C2003A	-	-	-	-	S5013P2006A	3.88	(0.36)	72,596	3.00	SCB01C2009A	0.52	(0.02)	156,648	-
QH19C2006A	-	-	-											

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RATC01C2006A	0.27	-	166,370	-	S5016C2003B	-	-	-	-	SCB06C2007A	0.03	-	1,740	-
RATC01C2006B	0.11	(0.01)	44,598	-	S5016C2003C	-	-	-	-	SCB08C2005A	0.02	-	7,032	-
RATC01P2006A	1.13	(0.03)	17,636	1.00	S5016C2003D	0.01	-	1,100	-	SCB08C2007A	0.14	-	43,200	-
RATC06C2006A	0.03	-	1,910	-	S5016C2003E	-	-	-	-	SCB08P2004A	1.67	(0.14)	74,000	1.00
RATC06P2006A	0.63	(0.02)	13,324	-	S5016C2006A	0.08	-	131,617	-	SCB11C2005A	-	-	-	-

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB11C2006A	-	-	-	-	SPRC11C2005A	-	-	-	-	THAI27C2008A	0.08	-	3,587	-
SCB11C2008A	0.09	-	9,700	-	SPRC11C2008A	0.12	0.02	31,784	-	THAI42C2003A	-	-	-	-
SCB11P2005A	3.00	(0.06)	72,433	2.00	SPRC13C2004A	-	-	-	-	THAI42C2005A	-	-	-	-
SCB13C2003A	-	-	-	-	SPRC13C2006A	0.02	-	3,697	-	THAN01C2006A	0.19	(0.01)	111,521	-
SCB13C2006A	0.01	(0.01)	13,929	-	SPRC13C2008A	0.13	0.01	7,850	-	THAN01C2006B	0.04	-	1,000	-
SCB13C2006B	-	-	-	-	SPRC19C2005A	-	-	-	-	THAN01P2006A	0.41	(0.03)	2,400	-
SCB13C2007A	0.11	(0.01)	118,386	-	SPRC19C2005B	-	-	-	-	THAN06C2003A	-	-	-	-
SCB13P2003A	-	-	-	-	SPRC19C2007A	0.12	0.03	129,419	-	THAN06C2005A	0.05	-	1,440	-
SCB13P2006A	2.00	-	21,180	1.00	SPRC19P2005A	0.90	(0.08)	31,613	-	THAN06P2003A	-	-	-	-
SCB16C2003A	-	-	-	-	SPRC24C2003A	-	-	-	-	THAN13C2003A	-	-	-	-
SCB16C2008A	0.06	-	500	-	SPRC28C2008A	0.10	0.04	57,797	-	THAN13C2007A	0.10	-	8,232	-
SCB19C2003A	-	-	-	-	SPRC41C2004A	-	-	-	-	THAN19C2004A	-	-	-	-
SCB19C2006A	-	-	-	-	SPRC41C2005A	-	-	-	-	THAN19C2007A	0.16	(0.01)	29,627	-
SCB19C2007A	0.12	-	11,659	-	SPRC41C2006A	-	-	-	-	THAN27C2003A	-	-	-	-
SCB19P2005A	1.90	(0.04)	2,448	1.00	SPRC42C2006A	0.02	-	10,599	-	THAN41C2005A	-	-	-	-
SCB24C2004A	-	-	-	-	STA01C2003A	0.41	0.04	240,220	-	TISCO1C2006A	0.56	-	58,547	-
SCB24C2008A	0.33	0.01	35,934	-	STA01C2003B	0.10	0.02	215,586	-	TISCO1C2006B	0.11	-	88,089	-
SCB27C2007A	0.02	0.01	1	-	STA01C2008B	0.29	0.03	100,497	-	TISCO1P2006A	0.61	(0.01)	78,912	-
SCB27P2006A	-	-	-	-	STA01C2009A	0.44	0.04	111,064	-	TISC11C2005A	0.06	(0.04)	4,000	-
SCB28C2003A	-	-	-	-	STA01P2003A	0.02	(0.01)	14,470	-	TISC11C2007A	0.42	-	74,529	-
SCB28C2004A	-	-	-	-	STA01P2009A	0.37	(0.03)	134,092	-	TISC13C2004A	-	-	-	-
SCB28C2006A	-	-	-	-	STA11C2005A	0.21	0.02	119,250	-	TISC13C2006A	0.11	(0.01)	31,938	-
SCB28C2006B	0.05	0.01	25,112	-	STA13C2003A	0.30	0.05	221,672	-	TISC19C2004A	0.13	-	13,616	-
SCB28C2008A	0.23	(0.77)	89,177	-	STA13C2006A	0.26	0.04	138,856	-	TISC19C2006A	0.09	-	12,256	-
SCB41C2004A	-	-	-	-	STA19C2004A	0.33	0.05	60,447	-	TISC41C2005A	-	-	-	-
SCB41C2005A	-	-	-	-	STA19C2005A	1.07	0.11	23,785	1.00	TISC41C2006A	0.10	-	8,796	-
SCB41C2006A	-	-	-	-	STA19C2007A	0.27	0.02	320,988	-	TISC41P2006A	0.57	(0.02)	10,162	-
SCB41C2006B	0.13	-	2,152	-	STA42C2007A	0.29	0.04	43,663	-	TISC42C2003A	-	-	-	-
SCB41P2004A	-	-	-	-	STEC01C2003A	0.02	-	1,000	-	TKN01C2003A	-	-	-	-
SCB41P2005A	1.83	(0.02)	9,348	1.00	STEC01C2003B	0.02	0.01	211	-	TKN01C2003B	-	-	-	-
SCB42C2003A	-	-	-	-	STEC01C2004A	0.05	-	55,269	-	TKN01C2007B	0.08	0.01	12,835	-
SCB42C2006A	-	-	-	-	STEC01C2006A	0.35	(0.01)	74,141	-	TKN01C2008A	0.28	0.03	75,127	-
SCB42C2007A	0.03	(0.01)	9,105	-	STEC01C2006B	0.13	-	195,812	-	TKN08C2003A	-	-	-	-
SCC01C2004A	0.12	0.01	149,693	-	STEC01P2003A	0.74	(0.03)	13,963	-	TKN08C2007A	0.21	0.04	32,000	-
SCC01C2004B	-	-	-	-	STEC01P2006A	0.49	(0.01)	65,438	-	TKN13C2004A	-	-	-	-
SCC01P2004A	1.39	(0.05)	60,925	1.00	STEC06C2004A	0.16	0.01	42,514	-	TKN13C2006A	0.17	0.03	8,017	-
SCC06C2007A	0.10	-	72,128	-	STEC08C2004A	-	-	-	-	TKN16C2008A	-	-	-	-
SCC08C2004A	-	-	-	-	STEC08C2005A	0.25	-	46,900	-	TKN19C2004A	0.02	-	5	-
SCC08P2006A	1.03	(0.09)	5,006	1.00	STEC11C2007A	-	-	-	-	TKN19C2004B	-	-	-	-
SCC11C2003A	-	-	-	-	STEC13C2003A	-	-	-	-	TKN19C2007A	0.21	0.03	3,560	-
SCC11C2006A	0.02	0.01	1	-	STEC13C2004A	0.14	(0.01)	65,182	-	TKN28C2003A	-	-	-	-
SCC11C2007A	0.13	0.01	92,000	-	STEC16C2003A	-	-	-	-	TKN28C2007A	-	-	-	-
SCC13C2004A	0.02	0.01	1	-	STEC16C2006A	-	-	-	-	TKN41C2003A	-	-	-	-
SCC13C2008A	0.47	0.03	72,243	-	STEC16C2009A	0.24	-	10,100	-	TKN41C2005A	0.08	0.02	4,001	-
SCC13P2006A	1.00	(0.05)	50,543	-	STEC19C2004A	-	-	-	-	TKN41C2006A	-	-	-	-
SCC16C2005A	-	-	-	-	STEC19C2005A	0.23	-	7,888	-	TKN42C2003A	-	-	-	-
SCC19C2003A	-	-	-	-	STEC24C2003A	-	-	-	-	TKN42C2006A	0.12	0.03	4,995	-
SCC19C2003B	-	-	-	-	STEC24C2006A	0.30	0.01	16,388	-	TMB01C2004A	0.02	-	3	-
SCC19C2006A	0.06	0.01	700	-	STEC28C2004A	-	-	-	-	TMB01C2004B	-	-	-	-
SCC19C2008A	0.44	0.03	84,626	-	STEC28C2004B	0.04	-	5,550	-	TMB01P2004A	1.21	-	31,401	1.00
SCC19P2004A	0.71	(0.09)	10,094	-	STEC28C2005A	0.18	-	53,714	-	TMB19C2004A	-	-	-	-
SCC24C2003A	-	-	-	-	STEC41C2003A	-	-	-	-	TMB19C2007A	0.05	-	6,268	-
SCC24C2006A	0.11	0.02	20,980	-	STEC41C2004A	-	-	-	-	TMB19P2004A	1.29	-	6,026	1.00
SCC27P2008A	0.44	(0.03)	40,651	-	STEC41C2005A	0.20	0.01	26,180	-	TMB41C2004A	-	-	-	-
SCC28C2003A	-	-	-	-	STEC41C2006A	0.28	-	5,508	-	TMB41C2005A	-	-	-	-
SCC28C2004A	-	-	-	-	STEC41P2003A	-	-	-	-	TMB41P2003A	-	-	-	-
SCC28C2008A	0.37	(0.63)	70,983	-	STEC41P2004A	0.17	(0.02)	279	-	TMB41P2006A	0.94	(0.04)	21	-
SCC41C2003A	-	-	-	-	STEC41P2005A	0.21	(0.01)	293	-	TOA01C2006A	0.30	-	193,286	-
SCC41C2004A	-	-	-	-	STEC42C2004A	-	-	-	-	TOA01C2006B	0.17	0.02	133,218	-
SCC41C2005A	-	-	-	-	SUPE13C2003A	-	-	-	-	TOA08C2003A	0.02	-	45	-
SCC41C2006A	0.05	(0.01)	5	-	SUPE19C2004A	-	-	-	-	TOA13C2003A	-	-	-	-
SCC41C2006B	0.24	0.03	88,311	-	SUPE19C2007A	-	-	-	-	TOA13C2007A	0.26	0.03	176,389	-
SCC41P2004A	-	-	-	-	SUPE42C2004A	-	-	-	-	TOA19C2004A	-	-	-	-
SCC41P2005A	-	-	-	-	TASC01C2003A	0.26	0.08	262,328	-	TOA19C2007A	0.28	-	25,005	-
SCC41P2006A	-	-	-	-	TASC01C2003B	0.02	-	1	-	TOA24C2005A	0.04	0.02	1	-
SCC42C2003A	-	-	-	-	TASC01C2007B	0.41	0.07	148,611	-	TOA41C2004A	-	-	-	-
SCC42C2008A	0.14	0.02	9,972	-	TASC01C2008A	0.67	0.09	110,295	-	TOP01C2003A	0.01	-	13,350	-
SGP13C2004A	-	-	-	-	TASC01P2003A	0.06	(0.05)	85,777	-	TOP01C2003B	-	-	-	-
SGP13C2006A	-	-	-	-	TASC01P2008A	0.66	(0.09)	46,973	-	TOP01C2006A	0.02	-	174,487	-
SGP13C2007A	0.10	0.01	238	-	TASC08C2005A	0.21	0.06	91,771	-	TOP01C2006B	0.03	0.02	4,201	-
SGP19C2006A	-	-	-	-	TASC08C2006A	0.43	0.09	80,970	-	TOP01C2008B	0.13	0.03	369,600	-
SGP19C2006B	0.07	(0.01)	2,947	-	TASCI13C2003A	0.01	-	20,000	-	TOP01C2009A	0.27	0.05	516,560	-
SGP42C2007A	0.08	(0.01)	6,615	-	TASCI13C2006A	0.42	0.08	195,992	-	TOP01P2003A	-	-	-	-
SIRI13C2007A	-	-	-	-	TASCI16C2008A	0.35	0.08	11,644	-	TOP01P2006A	2.88	(0.34)	3,641	2.00
SIRI19C2004A	-	-	-	-	TASCI19C2003A	0.07	0.02	4,430	-	TOP01P2009A	1.06	(0.15)	61,170	1.00
SIRI19C2007A	-	-	-	-	TASCI19C2006A	0.66	0.11	24,503	-	TOP06C2004A	0.02	-	5,001	-
SPAL01C2004A	0.16	0.03	240,819	-	TASCI19C2007A	0.33	0.05	87,115	-	TOP06C2007A	0.02	-	60,820	-
SPAL01C2004B	0.04	-	6,000	-	TASC19P2004A	0.11	(0.05)	631	-	TOP06P2005A	-	-	-	-
SPAL06P2004A	0.45	(0.07)	21,675	-	TASC24C2006A	0.40	0.09	8,360	-	TOP08C2003A	-	-	-	-
SPAL11C2006A	0.17	0.02	19,941	-	TASC28C2004A	0.05	0.02	6,071	-	TOP08C2007A	0.05	0.03	27,903	-
SPAL13C2003A	-	-	-	-	TASC28C2006A	0.20	0.04	83,523	-	TOP08P2003A	-	-	-	-
SPAL13C2006A	0.23	0.03	145,843	-	TASC41C2003A	-	-	-	-	TOP08P2007A	-	-	-	-
SPAL19C2004A	0.05	(0.03)	150	-	TASC41C2004A	0.14	0.04	48,437	-	TOP11C2007A	0.02	-	1,001	-
SPAL24C2003A	-	-	-	-	TASC41C2005A	0.43	0.04	17,786	-	TOP13C2004A	0.01	-	10	-
SPAL27C2008A	0.11	0.02	6,102	-	TASC42C2003A	-	-	-	-	TOP13C2006A	0.03	0.01	2,613	-
SPAL41C2004A	-	-	-	-	TASC42C2005A	0.37	0.11	73,303	-	TOP13C2008A	0.10	(0.02)	38,147	-
SPAL42C2003A	0.01	(0.02)	1	-	TCAP01C2007B	0.18	(0.01)	198,870	-	TOP13P2005A	-	-	-	-
SPRC01C2003A	0.01	(0.01)	540	-	TCAP01C2008A	0.39	(0.01)	83,799	-	TOP13P2006A	2.50	(0.30)	3,458	2.00

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC01C2003B	-	-	-	-	TCAP01P2008A	0.86	0.02	44,826	-	TOP16C2008A	-	-	-	-
SPRC01C2007A	0.06	0.01	161,107	-	TCAP13C2007A	0.15	-	173,066	-	TOP19C2003A	-	-	-	-
SPRC06C2007A	0.02	-	41,735	-	TCAP19C2004A	0.14	(0.01)	19,829	-	TOP19C2006A	0.02	0.01	10,000	-
SPRC06P2003A	1.74	0.07	142	-	TCAP41C2004A	0.06	(0.02)	2,000	-	TOP19C2007A	0.03	0.01	126,972	-
SPRC06P2007A	1.52	(0.25)	314	1.00	THAI11C2003A	0.03	0.02	1	-	TOP19C2008A	0.12	(0.88)	29,557	-
SPRC08C2005A	0.01	(0.01)	400	-	THAI13C2004A	-	-	-	-	TOP19P2006A	2.88	(0.16)	1	2.00
SPRC08C2006A	0.02	(0.03)	3,030	-	THAI19C2004A	-	-	-	-	TOP24C2007A	0.01	-	70	-

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP24C2008A	0.10	0.02	16,570	-	WHA08P2006A	-	-	-	-	TCC-W3	0.03	-	12,413	-
TOP28C2004A	-	-	-	-	WHA11C2008A	0.06	0.01	23,755	-	TCC-W4	0.02	-	6,093	-
TOP41C2003A	-	-	-	-	WHA13C2003A	0.01	-	1	-	TCC-W5	0.09	0.03	484	-
TOP41C2004A	-	-	-	-	WHA13C2005A	-	-	-	-	TCJ-W2	0.03	0.01	461	-
TOP41C2005A	-	-	-	-	WHA13C2006A	0.09	0.01	56,950	-	TFG-W2	0.03	(0.01)	7,981	-
TOP41C2006A	-	-	-	-	WHA16C2006A	0.03	0.02	2	-	TGPRO-W3	0.01	-	5,000	-
TOP41C2007A	0.11	0.08	51,526	-	WHA16C2008A	0.09	(0.01)	5	-	TH-W2	-	-	-	-
TOP41C2008A	0.41	(0.59)	170,218	-	WHA19C2004A	-	-	-	-	THE-W2	-	-	-	-
TOP41P2004A	-	-	-	-	WHA19C2005A	-	-	-	-	TRNITY-W1	0.12	(0.01)	1,284	-
TOP41P2005A	1.51	(0.06)	50	1.00	WHA19C2006A	0.07	0.02	1,460	-	TRITN-W3	0.04	-	36,383	-
TOP41P2006A	-	-	-	-	WHA24C2004A	-	-	-	-	TTCL-W1	0.19	0.01	530	-
TOP42C2007A	0.03	0.01	6,500	-	WHA24C2007A	0.11	0.02	10,718	-	U-W4	0.01	-	10	-
TPI19C2004A	0.10	-	4,564	-	WHA24P2003A	-	-	-	-	UAC-W2	0.06	-	2,142	-
TRUE01C2004A	0.02	-	3,050	-	WHA27C2008A	-	-	-	-	VGI-W2	0.71	0.03	283,480	-
TRUE01C2004B	0.02	-	3	-	WHA28C2003A	-	-	-	-	VIBHA-W2	-	-	-	-
TRUE01C2007A	0.21	-	140,039	-	WHA28C2003B	-	-	-	-	VIBHA-W3	0.12	-	26,177	-
TRUE01C2007B	0.08	0.02	13,966	-	WHA28C2004A	-	-	-	-	WAVE-W1	0.02	-	400	-
TRUE01P2004A	1.05	(0.01)	15,000	1.00	WHA28C2005A	-	-	-	-	WIK-W2	0.13	-	1,644	-
TRUE01P2004B	0.70	(0.06)	51,960	-	WHA28C2006A	-	-	-	-	ZMICO-W4	0.06	-	179	-
TRUE01P2007B	0.79	(0.06)	39,673	-	WHA41C2003A	-	-	-	-	Preferred Shares	-	-	-	-
TRUE06C2004A	-	-	-	-	WHA41C2004A	-	-	-	-	BH-P	-	-	-	-
TRUE06C2007A	0.08	(0.02)	1,710	-	WHA41C2005A	-	-	-	-	CSC-P	-	-	-	-
TRUE08C2004A	-	-	-	-	WHA41C2006A	-	-	-	-	JUTHA-P	-	-	-	-
TRUE08C2005A	-	-	-	-	WHA41C2007A	0.14	0.03	43,512	-	KTB-P	-	-	-	-
TRUE08C2007A	0.16	0.01	14,010	-	WHA41P2003A	-	-	-	-	SCB-P	-	-	-	-
TRUE08P2005A	-	-	-	-	WHA41P2005A	-	-	-	-	TCAP-P	-	-	-	-
TRUE11C2005A	-	-	-	-	WHA42C2005A	-	-	-	-	TISCO-P	-	-	-	-
TRUE11C2005B	-	-	-	-	WHA42C2006A	-	-	-	-	U-P	2.06	0.04	1,089	2.00
TRUE13C2003A	-	-	-	-	Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-
TRUE13C2003B	-	-	-	-	BH-Q	-	-	-	-	BM-W1	0.03	-	39	-
TRUE13C2006A	0.06	-	20,533	-	CSC-Q	-	-	-	-	BROOK-W5	0.13	0.01	12,413	-
TRUE13C2007A	0.12	0.01	45,300	-	JUTHA-Q	-	-	-	-	CHO-W2	0.03	(0.01)	5,000	-
TRUE19C2003A	-	-	-	-	KTB-Q	-	-	-	-	DOD-W1	0.45	0.06	205,817	-
TRUE19C2004A	-	-	-	-	SCB-Q	-	-	-	-	ECF-W3	0.17	(0.02)	2,038	-
TRUE19C2006A	-	-	-	-	TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-
TRUE19C2007A	0.18	-	4,425	-	TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE19P2003A	-	-	-	-	U-Q	-	-	-	-	FVC-W2	-	-	-	-
TRUE19P2005A	-	-	-	-	Warrant	-	-	-	-	HPT-W1	0.15	-	194	-
TRUE28C2003A	-	-	-	-	7UP-W4	0.07	0.01	29,718	-	HYDRO-W1	-	-	-	-
TRUE28C2003B	-	-	-	-	AKR-W1	0.05	-	46,536	-	ITEL-W1	0.20	-	294	-
TRUE28C2006A	-	-	-	-	ALT-W1	0.17	(0.01)	14,273	-	JKN-W1	0.15	0.01	5,506	-
TRUE41C2003A	-	-	-	-	APEX-W1	-	-	-	-	LIT-W1	0.27	(0.01)	3,011	-
TRUE41C2004A	0.01	(0.02)	13,500	-	APURE-W2	0.06	0.01	2	-	META-W4	0.04	0.01	1,363	-
TRUE41C2005A	-	-	-	-	AS-W1	0.02	-	3,850	-	NEWS-W6	-	-	-	-
TRUE41C2006A	-	-	-	-	AYUD-W1	0.16	-	5,295	-	OCEAN-W3	0.29	0.02	10,991	-
TRUE41C2007A	0.12	(0.02)	8,377	-	B-W3	-	-	-	-	PROUD-W2	0.03	-	53	-
TRUE41P2004A	-	-	-	-	B-W4	0.02	-	82	-	RWI-W2	0.07	-	8,571	-
TRUE41P2005A	1.30	(0.05)	10,900	1.00	B-W5	0.03	-	2,382	-	SANKO-W1	-	-	-	-
TRUE42C2003A	-	-	-	-	B52-W2	-	-	-	-	SIMAT-W2	0.04	-	10,838	-
TRUE42C2004A	-	-	-	-	BKD-W2	0.05	-	7,332	-	SIMAT-W3	0.24	0.01	218	-
TRUE42C2007A	0.09	(0.01)	7,402	-	BTS-W5	0.82	0.02	450,202	-	SIMAT-W4	0.76	0.01	59	-
TTW27C2009A	-	-	-	-	CGD-W4	0.07	-	511	-	SMART-W2	0.13	(0.04)	1,878	-
TU01C2004A	0.18	(0.04)	233,928	-	CGH-W3	-	-	-	-	SWC-W1	2.78	-	113	2.00
TU01C2004B	0.12	(0.05)	300,081	-	CI-W1	-	-	-	-	TAKUNI-W	0.03	0.01	8,574	-
TU01P2004A	0.11	0.02	151,156	-	CKP-W1	0.05	-	58,383	-	TVD-W2	0.07	(0.01)	5,247	-
TU06C2004A	0.02	(0.02)	192,139	-	CRANE-W1	0.69	0.09	4,497	-	UKEM-W2	-	-	-	-
TU06P2007A	0.33	0.06	127,711	-	DCC-W1	0.38	(0.01)	4,022	-	Preferred Shares	-	-	-	-
TU11C2003A	0.01	-	7,000	-	ECL-W3	0.09	-	23,731	-	SGF-P1	-	-	-	-
TU11C2008A	0.36	(0.04)	129,509	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU13C2003A	-	-	-	-	EIC-W3	-	-	-	-	-	-	-	-	-
TU13C2004A	0.14	(0.07)	147,862	-	EMC-W6	0.02	-	17,340	-	-	-	-	-	-
TU19C2003A	-	-	-	-	EPCO-W3	0.20	(0.09)	4,241	-	-	-	-	-	-
TU19C2005A	0.28	(0.06)	19,900	-	GLOCON-W4	0.18	0.02	442	-	-	-	-	-	-
TU19C2007A	0.22	(0.04)	55,577	-	J-W1	0.12	-	51	-	-	-	-	-	-
TU24C2003A	-	-	-	-	JAS-W3	1.13	(0.01)	124,075	1.00	-	-	-	-	-
TU24C2006A	0.23	(0.06)	17,590	-	JCK-W5	0.04	-	453	-	-	-	-	-	-
TU27C2004A	-	-	-	-	JMT-W2	4.16	0.22	5,545	4.00	-	-	-	-	-
TU27C2006A	0.18	(0.02)	35,771	-	MACO-W2	0.05	-	222,509	-	-	-	-	-	-
TU41C2003A	-	-	-	-	MILL-W4	0.03	-	43	-	-	-	-	-	-
TU41C2004A	0.10	(0.02)	9,593	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU41C2005A	-	-	-	-	MINT-W6	1.41	0.01	4,652	1.00	-	-	-	-	-
TU41P2003A	-	-	-	-	NFC-W1	0.38	(0.05)	392	-	-	-	-	-	-
TU41P2004A	0.05	-	6,502	-	NOK-W1	-	-	-	-	-	-	-	-	-
TU42C2007A	0.19	(0.03)	31,510	-	NVD-W1	0.07	0.02	24,173	-	-	-	-	-	-
TVO13C2007A	0.15	(0.01)	4,970	-	ORI-W1	0.09	-	84,198	-	-	-	-	-	-
TVO19C2004A	0.08	(0.03)	9,392	-	PACE-W2	-	-	-	-	-	-	-	-	-
TVO19C2007A	0.09	(0.02)	2,000	-	PACE-W3	-	-	-	-	-	-	-	-	-
VGI01C2005A	0.04	-	74,230	-	PDI-W1	0.20	-	680	-	-	-	-	-	-
VGI06C2007A	0.16	0.05	52,628	-	PDJ-W4	0.28	(0.01)	165	-	-	-	-	-	-
VGI08C2006A	-	-	-	-	PERM-W1	0.10	-	2,617	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	PORT-W1	0.38	-	15,198	-	-	-	-	-	-
VGI13C2006A	0.05	-	50	-	PPPM-W4	-	-	-	-	-	-	-	-	-
VGI19C2006A	0.03	0.01	2,000	-	PRIME-W1	0.01	-	720	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	PRIME-W2	0.01	(0.01)	2,500	-	-	-	-	-	-
VGI41C2007A	-	-	-	-	RICHY-W2	0.01	-	1	-	-	-	-	-	-
WHA01C2005A	0.03	-	7,342	-	RS-W3	0.17	0.02	15,574	-	-	-	-	-	-
WHA01C2005B	0.03	(0.01)	8,436	-	SAMART-W2	0.40	(0.01)	22,930	-	-	-	-	-	-
WHA01C2008B	0.29	0.04	145,401	-	SAWAD-W1	18.10	1.40	4,248	17.00	-	-	-	-	-

## Main Board Quotation

Issue Date :

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA01C2009A	0.46	0.06	140,871	-	SDC-W1	-	-	-	-	-	-	-	-	-
WHA01P2005A	1.23	(0.16)	49,606	1.00	SINGER-W1	1.35	(0.20)	106	1.00	-	-	-	-	-
WHA01P2009A	0.49	(0.07)	99,194	-	SINGER-W2	1.28	(0.04)	20	1.00	-	-	-	-	-
WHA06C2007A	0.08	0.03	28,144	-	SMT-W2	0.01	-	2,762	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	SST-W2	0.38	(0.08)	271	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	SUPER-W4	0.01	-	2,000	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	SVI-W3	-	-	-	-	-	-	-	-	-



**Main Board Quotation**

**Issue Date :**

Tuesday March 10, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-