

Main Board Quotation

Issue Date :

Friday March 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.34	0.04	2,984	1.33	MCOT	6.70	0.10	1,183	6.53
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	1.51	0.05	131,913	1.49
SAFARI	-	-	-	-	DIF	13.10	0.50	416,784	13.06	MPIC	1.45	-	8	1.45
VI	-	-	-	-	DTAC	35.00	-	178,369	36.30	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.40	0.20	1,555	5.33	PLANB	3.40	0.36	699,345	3.29
WR	-	-	-	-	HUMAN	5.50	0.50	10,006	5.45	POST	-	-	-	-
Agribusiness	-	-	-	-	ILINK	2.32	0.04	2,526	2.26	PRAKIT	9.10	(0.25)	130	9.10
CHOTI	-	-	-	-	INET	1.71	0.06	7,438	1.71	SE-ED	1.57	0.12	67	1.49
EE	0.40	0.05	50,256	0.39	INTUCH	50.00	3.50	320,089	48.82	TBSP	-	-	-	-
GFPT	9.05	0.65	27,397	8.75	JAS	4.28	0.16	1,115,135	4.28	TH	0.53	0.02	2,672	0.52
LEE	1.99	0.05	5,195	1.99	JASIF	7.40	0.50	390,883	7.25	TKS	3.88	0.12	8,190	3.84
NER	1.85	0.17	195,617	1.77	JMART	5.40	0.70	131,105	5.13	VGI	6.45	0.80	147,346	6.21
PPPM	-	-	-	-	JTS	0.69	0.09	1,548	0.66	WAVE	0.97	0.07	1	0.97
STA	10.90	0.30	232,204	10.87	MFEC	4.28	-	11,279	4.31	WORK	6.80	0.55	57,873	6.61
TRUBB	0.43	0.02	3,737	0.41	MSC	4.08	0.04	1,375	4.14	Finance & Securities	-	-	-	-
TPWC	2.78	(0.10)	12,605	2.82	PT	4.02	0.08	1,531	4.02	AEC	0.21	0.01	5,402	0.21
UPOIC	2.10	(0.24)	329	2.13	SAMART	4.66	0.02	77,468	4.70	AEONTS	116.50	13.50	4,108	110.90
UVAN	3.94	0.04	893	3.82	SAMTEL	5.80	0.55	2,347	5.56	AMANAH	1.97	0.25	878,632	1.90
VPO	0.30	0.01	4,492	0.29	SDC	0.09	0.01	42,568	0.09	ASAP	1.05	0.06	530	1.03
Banking	-	-	-	-	SIS	5.75	0.35	2,137	5.57	ASK	16.20	1.10	3,113	15.90
BAY	18.90	0.70	7,732	18.96	SVOA	0.68	0.03	12,704	0.67	ASP	1.32	0.12	30,620	1.28
BBL	97.50	8.50	133,572	93.69	SYMC	1.74	0.10	99	1.72	BAM	20.10	2.60	3,086,125	18.80
CIMBT	0.44	0.01	9,977	0.44	SYNEX	4.28	0.34	11,289	4.21	BFIT	34.00	4.25	36,558	32.90
KBANK	93.00	6.50	158,123	90.93	THCOM	2.58	0.22	13,389	2.46	CGH	0.73	0.01	67,706	0.73
KKP	37.25	3.50	96,903	36.02	TRUE	3.22	0.12	2,506,482	3.28	ECL	0.63	0.07	32,440	0.62
KTB	10.80	0.80	685,268	10.49	TWZ	0.06	-	147,088	0.06	FNS	1.86	0.18	210	1.79
LHFG	0.94	0.04	51,689	0.93	Electronic Componer	-	-	-	-	FSS	0.80	0.05	404	0.81
SCB	65.00	3.50	236,785	63.94	CCET	1.40	(0.06)	30,819	1.41	GBX	0.37	0.01	5,385	0.36
TCAP	32.75	1.25	133,211	31.91	DELTA	35.50	2.50	11,588	35.45	GL	2.54	0.12	33,999	2.55
TISCO	68.00	4.75	269,657	65.51	EIC	0.03	-	4,595	0.03	IFS	1.93	0.05	6,899	1.92
TMB	0.79	0.04	5,511,997	0.80	HANA	22.40	2.40	73,159	21.86	JMT	15.80	1.20	295,151	15.60
Construction Materia	-	-	-	-	KCE	15.00	1.80	372,186	14.31	KCAR	8.15	(0.30)	612	8.16
CCP	0.21	0.02	37,735	0.20	METCO	125.00	2.00	1	125.00	KGI	3.66	0.24	79,793	3.57
COTTO	0.81	0.05	4,321	0.79	NEX	3.14	0.22	39,320	3.05	KTC	30.75	3.25	226,747	29.59
DCC	1.34	0.07	16,052	1.30	SMT	0.75	-	6,610	0.76	MBKET	4.28	0.10	2,677	4.24
DCON	0.25	(0.01)	39,537	0.25	SVI	2.02	0.06	9,151	2.01	MFC	13.00	0.10	452	12.93
DRT	4.40	0.08	5,592	4.36	TEAM	0.37	0.04	6,471	0.36	ML	0.50	-	1,115	0.50
EPG	3.56	0.18	71,731	3.50	Energy & Utilities	-	-	-	-	MTC	41.00	5.25	263,410	39.78
GEL	0.09	0.01	104,727	0.08	7UP	0.34	0.02	98,706	0.33	PE	-	-	-	-
PPP	1.45	(0.01)	1,860	1.46	ABPIF	3.16	0.02	2,004	3.15	PL	2.06	0.07	397	2.05
Q-CON	4.80	0.30	126	4.83	ACE	2.64	0.10	229,332	2.64	S11	4.78	0.50	5,283	4.43
RCI	3.20	0.40	90	2.87	AI	0.87	0.04	19,421	0.86	SAWAD	48.50	6.25	207,176	47.03
SCC	316.00	40.00	74,239	299.20	AKR	0.35	-	18,004	0.35	THANI	4.40	0.34	142,949	4.23
SCCC	106.50	4.00	1,557	106.84	BAFS	19.30	1.10	8,962	18.71	TK	7.60	0.90	2,866	6.91
SCP	4.50	0.10	8,051	4.45	BANPU	5.75	0.65	410,994	5.55	TNITY	3.08	0.02	705	3.10
SKN	1.58	0.19	6,250	1.50	BCP	15.80	1.60	68,109	15.43	UOBKH	2.24	0.04	815	2.24
TASCO	18.30	0.90	145,618	17.89	BCPG	12.10	1.30	129,645	11.74	ZMICO	0.48	-	9,838	0.49
TCMC	0.82	0.03	11,849	0.81	BGRIM	42.25	5.00	455,173	40.44	Food & Beverage	-	-	-	-
TOA	31.75	1.25	39,321	31.56	BPP	11.80	0.90	97,387	11.61	APURE	0.57	0.05	2,443	0.54
TPIPL	1.18	0.08	192,101	1.16	BRRGIF	6.15	0.10	1,993	6.00	ASIAN	2.98	0.24	3,462	2.93
UMI	0.34	(0.01)	2,355	0.35	CKP	3.06	0.26	490,129	2.99	BR	1.22	0.03	10,311	1.22
VNG	2.28	-	996	2.25	DEMCO	1.34	0.06	7,470	1.32	BRR	2.78	(0.02)	3,820	2.55
WIHK	1.15	0.08	5,499	1.13	EA	36.25	4.00	157,701	34.99	CBG	68.25	8.75	81,211	65.43
Petrochemicals & Ch	-	-	-	-	EASTW	9.05	0.35	33,031	8.92	CFRESH	0.87	0.06	1,364	0.85
BCT	42.00	0.25	365	41.56	EGATIF	10.90	0.30	10,605	10.86	CM	1.90	0.10	1,099	1.88
CMAN	1.03	0.13	4,446	1.00	EGCO	218.00	17.00	43,164	216.41	CPF	23.30	1.40	861,610	22.74
GC	4.72	0.26	89	4.66	ESSO	3.86	0.50	578,486	3.73	CPI	1.16	-	95	1.16
GGC	5.05	0.51	77,595	4.92	GPSC	61.50	8.00	401,621	58.44	F&D	16.00	1.20	2	15.95
GIFT	2.04	0.08	8,177	1.98	GULF	155.50	18.00	306,043	149.11	HTC	17.60	1.50	1,590	17.03
IVL	19.70	2.50	388,443	18.78	GUNKUL	2.18	0.10	369,807	2.16	ICHI	4.34	0.34	25,940	4.18
NFC	1.47	0.02	251	1.35	IFEC	-	-	-	-	KBS	2.46	0.02	483	2.47
PATO	8.15	0.05	1,409	8.15	IRPC	2.20	0.18	2,484,655	2.17	KSL	1.56	0.09	29,585	1.52
PMTA	5.85	0.05	61	5.77	LANNA	5.05	0.29	2,044	4.85	KTIS	2.92	(0.02)	288	2.93
PTTGC	27.75	3.55	543,598	26.43	MDX	1.37	0.02	7,805	1.35	LST	4.40	0.22	2,270	4.36
SUTHA	1.22	0.11	450	1.15	PRIME	0.26	-	5,916	0.26	M	46.00	1.75	4,333	45.34
TCCC	17.70	2.20	256	17.14	PTG	11.50	1.10	180,130	11.28	MALEE	3.96	0.40	1,139	3.79
TPA	-	-	-	-	PTT	29.50	3.75	1,995,106	28.27	MINT	16.60	1.20	924,353	16.28
UAC	2.34	0.06	1,731	2.28	PTTEP	63.25	8.25	378,904	60.89	OISHI	35.25	2.00	187	34.72
UP	-	-	-	-	RATCH	56.50	6.50	86,450	55.11	OSP	39.00	5.00	110,774	37.37
VNT	17.60	1.30	13,548	16.92	RPC	0.39	0.01	20,824	0.38	PB	68.25	0.25	22	67.57
WG	-	-	-	-	SCG	3.88	(0.04)	67	3.90	PM	5.20	0.24	5,875	5.08
YCI	-	-	-	-	SCI	1.03	0.01	51,287	0.95	PRG	10.50	0.30	8	10.49
Commerce	-	-	-	-	SCN	1.28	0.04	5,479	1.27	RBF	3.62	0.22	162,564	3.55
BEAUTY	1.42	0.10	2,288,620	1.41	SGP	6.70	0.85	37,231	6.34	SAPPE	14.80	0.70	2,044	14.74
BIG	0.36	0.03	158,155	0.36	SKE	0.54	0.07	10,902	0.50	SAUCE	21.50	(0.40)	64	21.65
BJC	41.00	2.75	171,897	39.75	SOLAR	0.67	0.02	5,218	0.66	SFP	-	-	-	-
COL	13.30	0.30	2,678	13.14	SPCG	15.50	1.70	21,090	14.43	SNP	10.40	0.20	53	10.39
COM7	19.70	1.80	203,572	19.78	SPRC	5.00	0.42	550,907	4.97	SORKON	47.00	0.25	32	44.84
CPALL	59.25	(0.25)	1,064,010	59.79	SSP	6.05	0.05	9,134	6.02	SSC	29.00	1.00	7	29.00
CPW	1.06	0.10	13,152	1.01	SUPER	0.34	0.02	1,398,646	0.34	SSF	4.82	(0.63)	35	5.75
CRC	24.70	1.20	557,641	24.89	SUPEREIF	9.05	0.60	5,647	8.85	SST	2.98	0.08	7	2.96
CSS	0.77	0.08	29,388	0.74	SUSCO	1.75	0.15	13,038	1.71	TC	2.26	(0.12)	1,286	2.23
DOHOME	5.60	0.64	184,866	5.30	TAE	2.28	0.12	37,308	2.29	TFG	2.64	0.16	68,257	2.62
FN	0.68	0.04	5,443	0.67	TCC	0.16	-	7,937	0.16	TFMAMA	178.00	1.50	92	178.21
FTE	1.43	0.03	5,732	1.41	TOP	30.25	2.75	486,871	30.30	TIPCO	4.48	0.22	5,834	4.42
GLOBAL	11.50	0.80	166,615	11.03	TRIPP	3.14	0.20	187,345	3.06	TKN	5.40	0.50	149,404	5.25
HMPRO	11.40	0.80	654,879	11.20	TSE	1.87	0.14	210,219	1.84	TU	13.80	(0.60)	287,821	14.15
ILM	7.90	0.50	24,793	7.79	TTW	12.10	0.80	95,027	11.74	TVO	22.70	-	30,617	22.54
IT	1.67	0.05	115	1.67	WHAUP	3.90	0.22	105,619	3.90	ZEN	6.75	0.10	4,654	6.86
KAMART	2.40	0.14	38,463	2.32	WP	3.20	0.08	2,074	3.19	Health Care Services	-	-	-	-
LOXLEY	0.80	0.04	10,652	0.79	Media & Publishing	-	-							

Main Board Quotation

Issue Date :

Friday March 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.98	0.04	1,515	2.96	CGD	0.62	-	94,133	0.61	IHL	2.38	0.10	996	2.38
RAM	140.00	-	163	137.04	CI	0.57	(0.01)	2,311	0.56	INGRS	0.29	0.01	7,825	0.28
RJH	20.00	0.90	4,177	19.64	CPN	39.00	0.25	284,290	39.74	IRC	11.10	-	129	11.28
RPH	4.90	0.08	8,235	4.85	ESTAR	0.25	0.01	18,513	0.25	PCSGH	4.80	0.12	671	4.65
SKR	4.66	(0.04)	5,084	4.67	EVER	0.13	0.01	151,357	0.12	SAT	8.60	0.30	26,510	8.59
SVH	384.00	1.00	35	382.74	FPT	8.95	0.85	2,763	8.67	SPG	12.50	-	21	12.50
THG	19.30	1.20	7,101	18.60	GLAND	2.30	0.14	1	2.30	STANLY	133.00	3.00	115	132.47
VIBHA	1.43	0.08	31,143	1.38	GOLD	7.55	-	1,270	7.57	TKT	-	-	-	-
VIH	5.65	0.25	7,819	5.64	GREEN	0.56	0.01	480	0.56	TNPC	0.55	0.01	6,289	0.55
WPH	1.43	0.01	6,132	1.42	J	0.51	(0.01)	3,044	0.50	TRU	3.92	0.02	70	3.83
Tourism & Leisure	-	-	-	-	JCK	0.63	0.01	8,720	0.61	TSC	9.30	0.10	4	9.08
ASIA	4.10	0.12	7	4.06	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	15.50	1.30	68,360	14.85	KWG	0.72	(0.08)	6,464	0.71	ALLA	1.04	0.06	21,099	1.02
CSR	-	-	-	-	LALIN	3.98	0.10	2,182	3.95	ASEFA	2.72	0.18	834	2.65
DTC	7.00	-	851	6.94	LH	6.80	0.35	749,307	6.74	CPT	0.60	-	13,610	0.62
ERW	2.50	0.24	505,528	2.32	LPN	3.30	0.16	116,195	3.25	CRANE	1.35	0.13	4,001	1.32
GRAND	0.44	0.02	12,155	0.42	MBK	15.00	0.70	6,308	14.61	CTW	4.06	0.24	67	3.86
LRH	30.00	0.25	1	30.00	MJD	1.98	(0.10)	2,303	2.04	FMT	22.80	0.80	53	22.92
MANRIN	20.50	(0.50)	51	20.50	MK	2.20	-	3,170	2.16	HTECH	1.45	0.03	12,009	1.47
OHTL	-	-	-	-	NCH	0.49	0.06	2,653	0.48	KKC	0.26	0.01	426	0.26
ROH	33.75	2.50	3	33.08	NNCL	1.61	0.01	62,234	1.62	PK	0.66	0.04	1,248	0.65
SHANG	66.75	6.75	4	65.63	NOBLE	10.40	0.30	23,426	10.41	SNC	7.10	0.15	4,754	7.00
SHR	1.63	0.07	421,410	1.61	NUSA	0.32	0.01	40,953	0.32	STARK	1.96	0.09	13,459	1.93
VRANDA	4.90	(0.06)	2,346	4.90	NVD	1.10	-	8,587	1.11	TCJ	1.98	(0.06)	608	1.99
Home & Office Prod.	-	-	-	-	ORI	3.60	0.32	255,925	3.53	VARO	-	-	-	-
ACC	0.63	0.04	10,378	0.63	PACE	-	-	-	-	Property Fund & REI	-	-	-	-
AJA	0.21	-	24,248	0.22	PF	0.43	0.02	143,585	0.42	AIMCG	4.64	0.16	13,759	4.60
DTCI	-	-	-	-	PLAT	2.30	-	9,671	2.35	AIMIRT	10.70	0.40	2,749	10.50
FANCY	0.29	0.02	6,964	0.27	POLAR	-	-	-	-	AMATAR	10.40	0.20	502	10.20
KYE	238.00	2.00	9	237.22	PRECHA	0.66	0.05	502	0.65	B-WORK	10.50	0.40	4,625	10.17
L&E	1.62	0.06	683	1.59	PRIN	1.20	0.08	1,010	1.20	BKER	6.75	0.20	995	6.42
MODERN	1.92	0.02	24,740	1.91	PSH	9.55	0.85	58,410	9.20	BKKCP	11.60	0.70	173	11.06
OGC	24.30	-	1	24.30	QH	1.98	0.10	711,170	1.98	BOFFICE	14.00	-	20	14.00
ROCK	-	-	-	-	RICHY	0.57	0.02	42,865	0.55	CPNCG	9.50	0.40	1,555	9.32
SIAM	1.24	0.05	1,351	1.21	RML	0.51	0.01	13,056	0.51	CPNREIT	28.50	0.50	323,249	28.43
TSR	1.40	0.08	3,743	1.38	ROJNA	3.58	0.28	36,258	3.48	CPTGF	10.00	-	5,934	9.99
Insurance	-	-	-	-	S	1.31	0.09	48,314	1.28	CTARAF	4.94	0.16	424	5.04
AYUD	29.75	1.25	28	29.95	SAMCO	1.23	0.07	702	1.27	DREIT	4.04	0.08	1,010	4.00
BKI	228.00	10.00	418	226.37	SC	1.92	0.08	58,156	1.88	ERWPF	4.36	(0.02)	319	4.26
BLA	12.10	0.60	38,184	12.21	SENA	1.98	0.01	45,891	1.98	FTREIT	14.40	0.30	194,092	14.37
BUI	7.50	(0.40)	73	8.26	SF	3.92	0.10	29,011	3.89	FUTUREPF	18.10	0.40	4,419	17.98
CHARAN	16.60	(0.60)	58	16.55	SIRI	0.61	0.04	1,018,430	0.60	GAHREIT	7.85	0.30	374	7.78
INSURE	-	-	-	-	SPALI	14.30	0.90	72,563	14.38	GOLDFP	7.00	(0.35)	8	7.00
MTI	68.75	2.25	157	68.43	U	0.83	0.09	144,245	0.79	GVREIT	13.50	(0.40)	10,242	13.88
NKI	-	-	-	-	UV	2.32	0.14	32,000	2.28	HPF	3.98	0.04	1,570	3.84
NSI	52.25	3.00	17	52.00	WHA	2.46	0.24	970,017	2.37	HREIT	7.20	0.45	2,010	7.10
SEG	34.75	-	978	34.72	WIN	0.33	-	556	0.32	IMPACT	14.60	0.40	14,197	14.59
SMK	26.50	1.70	208	26.80	Paper & Printing Mat	-	-	-	-	KPNPF	6.55	(0.05)	51	6.58
THRE	0.32	0.01	43,176	0.32	UTP	7.10	0.35	6,550	6.95	LHHOTEL	10.30	0.20	7,095	10.05
THREL	2.22	0.12	49,602	2.12	Fashion	-	-	-	-	LHPP	5.70	0.05	1,401	5.64
TIP	19.10	2.20	17,396	18.69	AFC	-	-	-	-	LHSC	12.60	0.30	4,178	12.43
TQM	71.00	6.25	83,407	72.57	B52	0.16	(0.01)	4,325	0.16	LUXF	5.85	0.05	42	5.91
TSI	0.42	0.02	1,037	0.42	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.00	-	560	2.93	CPH	2.36	0.22	72	2.04	M-PAT	4.00	-	13	3.75
Mining	-	-	-	-	CPL	0.82	0.01	371	0.81	M-STOR	-	-	-	-
PDI	3.98	0.10	690	3.96	ICC	35.25	2.25	19	34.91	MIPF	11.10	(0.80)	52	10.31
THL	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
Packaging	-	-	-	-	PAF	0.36	0.01	770	0.36	MJLF	7.00	0.25	97	6.81
AJ	7.70	(0.20)	696	7.75	PDJ	1.00	-	1,823	1.01	MNIT	0.98	(0.01)	485	1.03
ALUCON	123.50	5.50	6	120.25	PG	4.80	(0.06)	60	4.80	MNIT2	-	-	-	-
BGC	8.55	(0.05)	27,106	8.61	SABINA	15.70	1.10	9,098	15.27	MNRF	-	-	-	-
CSC	43.00	2.50	3	42.33	SAWANG	4.34	(0.64)	10	4.71	POPF	9.35	0.25	1,903	9.19
GLOCON	0.51	0.01	228,445	0.50	SUC	34.75	0.25	276	33.59	PPF	11.30	0.10	419	11.20
NEP	0.13	0.01	3,852	0.13	TNL	-	-	-	-	QHHR	6.85	0.25	1,103	6.84
PTL	8.95	0.60	6,940	8.72	TPCORP	10.20	-	51	10.30	QHOP	2.98	(0.02)	11	3.00
SFLEX	5.20	0.15	11,069	5.12	TR	-	-	-	-	QHPF	10.10	0.20	6,300	10.02
SITHAI	0.47	0.01	7,038	0.48	TTI	-	-	-	-	SBPF	2.12	0.02	130	2.10
SLP	0.37	0.02	59	0.37	TTT	40.00	0.50	9	39.97	SHREIT	3.24	0.12	13,453	3.24
SMPC	4.68	0.08	2,799	4.73	UPF	34.00	(2.00)	2	34.00	SIRIP	-	-	-	-
SPACK	1.00	-	1	1.00	UT	-	-	-	-	SPF	14.20	0.10	7,332	14.02
TCOAT	-	-	-	-	WACOAL	47.25	0.25	15	46.08	SPRIME	10.60	-	2,585	10.42
TFI	0.03	-	246	0.03	Transportation & Log	-	-	-	-	SRIPANWA	7.10	0.10	157	7.08
THIP	20.00	1.20	52	19.06	AAV	1.20	0.15	492,182	1.15	SSPF	8.15	0.20	225	7.97
TMD	20.40	0.80	120	19.88	AOT	53.75	6.75	682,632	51.52	SSTRT	5.10	(0.05)	587	5.09
TOPP	-	-	-	-	ASIMAR	0.63	0.02	3,122	0.63	TIF1	7.75	0.15	155	7.70
TPBI	2.50	0.10	575	2.50	B	0.17	0.02	56,459	0.16	TLGF	17.00	(0.10)	33,554	17.20
TPP	14.10	1.80	139	14.00	BA	4.12	0.30	11,676	4.00	TLHPF	9.40	-	55	9.40
Personal Products &	-	-	-	-	BEM	7.60	0.90	1,591,603	7.29	TNPF	2.00	-	778	2.00
APCO	3.20	0.06	12,943	3.22	BTS	9.45	0.65	1,540,336	9.28	TPRIME	-	-	-	-
DDD	11.80	0.70	332	11.72	BTSGIF	7.70	0.85	43,826	7.21	TTLPF	21.70	2.10	14	20.41
JCT	74.25	4.25	1	74.25	III	4.10	0.08	19,683	4.02	TU-PF	-	-	-	-
OCC	-	-	-	-	JUTHA	0.20	0.01	1,494	0.18	URBNPF	3.20	0.20	242	3.09
S & J	-	-	-	-	JWD	5.65	0.55	5,998	5.51	WHABT	9.20	-	4	9.20
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	13.70	-	21,567	14.01
TNR	5.10	-	1,611	4.98	NOK	0.87	0.07	301	0.88	Steel	-	-	-	-
TOG	3.58	(0.12)	446	3.73	NYT	2.82	0.16	23,221	2.76	AMC	1.13	0.09	359	1.12
Professional Service	-	-	-	-	PORT	1.26	0.09	11,721	1.26	BSBM	0.78	0.02	1,593	0.79
BWG	0.22	0.01	884,105	0.21	PRM	3.70	0.26	200,892	3.63	CEN	0.34	-	2,128	0.34
GENCO	0.33	-	20,635	0.33	PSL	3.34	0.22	75,375	3.26	CITY	1.22	0.07	975	1.21
PRO	-	-	-	-	RCL	1.90	0.15	5,103	1.84	CSP	0.50	(0.04)	925	0.48
SISB	7.25	0.35	121,209	7.20	TFIF	10.10	0.60	168,990	9.85	GJS	0.05	(0.01)	226,700	0.05
TEAMG	1.72	0.03	27,150	1.67	THAI	3.08	0.10	107,342	3.11	GSTEEL	-	-	-	-
Property Developmei	-	-	-	-	TSTE	-	-	-	-	INOX	0.41	0.05	656	0.36
A	4.94	0.16	248	4.85	TTA	2.24	0.22	59,404	2.15	LHK	1.96	0.15	1,083	1.95
AMATA	10.70	1.05	163,881	10.39	WICE	1.40	0.12	7,394	1.36	MAX	0.01	-	388,156	0.01
AMATAV	3.38	0.12	952	3.38	Automotive									

Main Board Quotation

Issue Date :

Friday March 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.50	0.01	14,980	-	ADVA01C2003A	0.02	-	1,152	-
ABICO	3.00	0.08	213	2.00	AIE	0.24	0.01	93,558	-	ADVA01C2003B	-	-	-	-
AU	6.50	0.35	115,881	6.00	PSTC	0.31	0.04	2,676,104	-	ADVA01C2005A	0.27	0.06	69,615	-
JCKH	0.13	0.01	705	-	QTC	3.20	0.18	1,975	3.00	ADVA01C2005B	0.06	0.03	31,593	-
KASET	1.01	0.03	403	1.00	SAAM	0.63	(0.07)	3,049	-	ADVA01C2007B	0.23	0.06	45,537	-
MM	2.14	0.02	584	2.00	SEA0IL	1.78	0.15	12,372	1.00	ADVA01C2008A	0.98	0.21	111,307	-
SUN	1.34	0.09	9,641	1.00	SR	0.63	0.06	117	-	ADVA01P2003A	0.89	(0.17)	552	-
TACC	3.10	0.40	38,853	3.00	TAKUNI	0.30	0.02	12,357	-	ADVA01P2003B	0.33	(0.25)	10,486	-
TMILL	2.68	0.02	6,396	2.00	TPCH	8.25	0.45	12,722	8.00	ADVA01P2007B	0.40	(0.09)	180,347	-
XO	3.68	0.24	4,080	3.00	TRT	1.74	0.13	350	1.00	ADVA06C2005A	0.05	0.04	2,780	-
Consumer Products														
BGT	0.42	(0.02)	631	-	UMS	0.12	(0.01)	5	-	ADVA08C2005A	0.07	0.02	1,335	-
BIZ	2.62	0.08	3,500	2.00	UWC	0.02	0.01	6,606	-	ADVA08P2004A	0.22	(0.12)	270,841	-
DOD	4.40	0.10	38,388	4.00	Services (MAI)	-	-	-	-	ADVA11C2006A	0.01	(0.04)	463	-
ECF	1.04	0.06	34,200	-	A5	-	-	-	-	ADVA11P2005A	0.17	(0.07)	17,319	-
HPT	0.39	0.01	1,302	-	AKP	0.73	0.09	2,660	-	ADVA13C2004A	0.02	-	14,859	-
IP	4.98	0.48	5,353	4.00	AMA	3.10	0.08	4,723	3.00	ADVA13C2006A	0.67	0.19	7,704	-
JUBILE	15.10	0.20	831	14.00	ARIP	0.28	0.01	2,912	-	ADVA13C2007A	0.26	0.07	75,291	-
MOONG	3.14	0.10	2,864	3.00	ATP30	0.71	0.04	2,515	-	ADVA13P2003A	0.10	(0.82)	2	-
NPK	7.50	0.25	210	7.00	AUCT	5.05	0.15	24,595	5.00	ADVA16C2005A	0.01	-	403	-
OCEAN	0.82	0.01	5,720	-	BOL	2.68	0.20	5,681	2.00	ADVA16C2007A	0.09	0.02	1,057	-
TM	2.32	0.08	5,954	2.00	CHUO	-	-	-	-	ADVA16C2009A	0.24	0.09	9,699	-
Financials (MAI)														
ACAP	0.44	0.02	4,017	-	CMO	0.73	0.04	1,510	-	ADVA19C2005A	0.06	0.03	5,400	-
AF	0.63	0.07	4	-	D	2.58	0.04	2,143	2.00	ADVA19C2007A	0.71	0.14	5,842	-
AIRA	0.98	(0.04)	186	1.00	DCORP	0.31	0.03	3,034	-	ADVA19C2007B	0.21	0.04	4,520	-
ASN	4.92	0.64	297	4.00	EFORL	0.03	0.01	129,097	-	ADVA19C2008A	1.20	0.20	114,764	1.00
BROOK	0.36	0.01	54,958	-	ETE	0.52	0.02	1,383	-	ADVA19P2006A	0.38	(0.06)	9,365	-
CHAYO	4.30	0.36	79,897	4.00	FSMART	5.70	0.20	12,710	5.00	ADVA19P2009A	0.42	(0.58)	377,993	-
GCAP	1.24	0.10	16,969	1.00	FVC	0.22	(0.01)	2,183	-	ADVA24C2006A	-	-	-	-
LIT	2.32	0.06	2,622	2.00	GSC	0.46	0.05	1,751	-	ADVA28C2004A	-	-	-	-
MITSI	1.07	0.03	3,226	1.00	HARN	1.68	0.08	2,018	1.00	ADVA28C2005A	0.04	0.02	473	-
SGF	0.32	0.04	21,415	-	IMH	1.87	0.17	2,479	1.00	ADVA28C2007A	0.16	0.06	24,922	-
Industrials (MAI)														
2S	1.61	0.06	1,244	1.00	JKN	3.70	0.20	32,041	3.00	ADVA28C2008A	1.04	0.04	147,956	-
ACG	0.86	0.05	3,896	-	KIAT	0.27	0.01	28,885	-	ADVA28C2008B	-	-	-	-
ADB	0.39	0.02	1,302	-	KOOL	0.51	0.05	7,999	-	ADVA28P2004A	0.20	(0.13)	3,654	-
BM	1.36	0.04	56	1.00	LDC	0.48	0.03	2,475	-	ADVA41C2004A	-	-	-	-
CHO	0.42	-	14,795	-	MORE	0.31	0.01	253,977	-	ADVA41C2005A	-	-	-	-
CHOW	0.63	(0.01)	3,986	-	MPG	0.21	0.01	141	-	ADVA41C2006A	-	-	-	-
CIG	0.15	(0.01)	20,856	-	MVP	1.33	(0.02)	1,300	1.00	ADVA41C2007A	-	-	-	-
COLOR	0.98	0.02	100	-	NBC	0.40	-	1,996	-	ADVA41C2007B	0.87	0.16	225,254	-
CPR	2.24	-	1,345	2.00	NCL	0.80	0.02	141	-	ADVA41P2004A	0.57	(0.11)	35	-
FPI	2.06	0.02	3,633	2.00	NEWS	0.01	-	2,198	-	ADVA41P2005A	-	-	-	-
GTB	0.52	0.02	3,005	-	NINE	1.93	0.24	18	1.00	ADVA42C2003A	-	-	-	-
KCM	0.30	0.01	3,695	-	OTO	2.90	0.32	1,061	2.00	ADVA42C2005A	0.11	-	14	-
KUMWEL	0.72	0.06	7,500	-	PHOL	1.50	0.02	7,050	1.00	ADVA42P2007A	0.39	(0.36)	35	-
KWM	0.72	0.02	1,327	-	PICO	3.54	0.04	28	3.00	AEON01C2005A	0.02	-	472	-
MBAX	2.82	(0.10)	1,325	2.00	QLT	3.80	0.18	567	3.00	AEON13C2007A	-	-	-	-
MGT	1.15	0.12	7,315	1.00	RP	0.77	0.04	257	-	AEON19C2003A	-	-	-	-
NDR	0.99	0.06	276	-	SE	1.15	0.08	515	1.00	AEON19C2006A	-	-	-	-
PDG	2.28	0.12	436	2.00	SONIC	0.84	(0.01)	838	-	AMAT01C2004A	-	-	-	-
PIMO	0.82	0.05	4,000	-	SPA	10.19	0.50	10,192	8.00	AMAT01C2004B	-	-	-	-
PJW	0.96	0.06	2,137	-	THMUI	0.39	0.04	1,098	-	AMAT01C2007B	-	-	-	-
PPM	0.48	0.06	8,426	-	TNDT	2.50	(0.44)	11,069	2.00	AMAT01C2008A	0.08	0.03	280	-
RWI	0.89	0.04	12	-	TNH	24.30	0.70	531	23.00	AMAT01P2008A	1.75	(0.27)	534	1.00
SALEE	0.77	-	69	-	TNP	1.82	0.09	7,993	1.00	AMAT06C2005A	0.01	-	2,000	-
SANKO	0.83	-	6,855	-	TSF	-	-	-	-	AMAT08C2005A	-	-	-	-
SELIC	1.79	0.05	3,836	1.00	TVD	0.52	0.02	10,346	-	AMAT11C2004A	-	-	-	-
SWC	3.76	(0.02)	1,110	3.00	TVT	0.39	-	3,128	-	AMAT11C2008A	0.05	0.01	1	-
TMC	0.29	-	7,629	-	VL	1.01	0.05	951,864	1.00	AMAT13C2004A	-	-	-	-
TMI	0.66	-	12,105	-	WINNER	1.86	0.01	1,548	1.00	AMAT13C2006A	-	-	-	-
TMW	31.25	0.50	183	30.00	YGG	3.84	0.50	1,606	3.00	AMAT16C2003A	-	-	-	-
TPAC	6.85	(0.65)	2,100	6.00	Technology (MAI)									
TPLAS	0.94	0.02	2,648	-	APP	1.43	0.01	4,036	1.00	AMAT16C2006A	-	-	-	-
UBIS	4.98	(0.02)	15	4.00	COMAN	1.55	0.10	2,008	1.00	AMAT16C2008A	-	-	-	-
UEC	0.54	0.03	802	-	ICN	1.39	0.04	2,646	1.00	AMAT19C2003A	-	-	-	-
UKEM	0.36	0.04	22,974	-	INSET	2.10	0.06	15,062	2.00	AMAT19C2005A	-	-	-	-
UREKA	0.76	0.01	4,482	-	JRCP	0.32	0.02	1,280	-	AMAT19C2006A	0.04	(0.01)	2	-
YUASA	9.10	0.20	219	8.00	ITEL	1.52	0.12	5,073	1.00	AMAT19C2008A	0.08	0.04	10	-
ZIGA	0.62	0.04	1,967	-	NETBAY	28.00	0.75	3,987	28.00	AMAT24C2006A	-	-	-	-
Property & Construc														
ALL	2.78	0.10	24,697	2.00	PLANET	0.77	(0.03)	1,090	-	AMAT41C2004A	-	-	-	-
ARIN	0.51	0.02	4,752	-	PLANET	0.77	(0.03)	1,090	-	AMAT41C2005A	-	-	-	-
ARROW	5.85	0.40	703	5.00	SIMAT	2.26	0.04	21,203	2.00	AMAT41C2006A	-	-	-	-
BC	0.95	(0.02)	4,865	-	SKY	12.80	(0.10)	4,086	12.00	AMAT42C2003A	-	-	-	-
BSM	0.26	0.02	33,839	-	SPVI	1.76	0.15	53,268	1.00	AMAT42C2005A	-	-	-	-
BTW	0.42	0.05	8,293	-	TPS	1.78	0.09	4,111	1.00	AMAT42C2007A	-	-	-	-
CAZ	1.42	0.08	857	1.00	UPA	0.11	-	16,752	-	ANAN13C2007A	0.02	(0.02)	2	-
CHEWA	0.29	0.01	30,547	-	VCOM	1.64	0.02	3,891	1.00	ANAN19C2004A	-	-	-	-
CMC	0.59	0.06	13,273	-	Unit Trust	-	-	-	-	ANAN19C2007A	-	-	-	-
CRD	0.37	0.02	2,047	-	MGE	-	-	-	-	AOT01C2004A	0.02	-	9,409	-
DIMET	-	-	-	-	SCBSET	-	-	-	-	AOT01C2004B	0.01	-	4,000	-
FLOYD	1.00	0.06	3,120	-	ETF	-	-	-	-	AOT01C2006B	0.03	0.01	3,200	-
HYDRO	-	-	-	-	1DIV	6.80	0.64	2,198	6.00	AOT01C2007A	0.12	0.06	323,982	-
JSP	0.20	0.01	16,543	-	ABFTH	-	-	-	-	AOT01P2004A	2.40	(0.44)	1,558	2.00
K	0.63	0.05	1,217	-	BMSCG	5.13	0.30	574	5.00	AOT01P2004B	2.22	(1.00)	5,150	2.00

Main Board Quotation

Issue Date :

Friday March 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2007A	0.07	0.03	10,185	-	BBL28C2007A	0.03	0.01	3	-	BGRI01C2006B	0.01	(0.01)	67,990	-
AOT19C2008A	0.39	0.19	236,293	-	BBL41C2004A	-	-	-	-	BGRI01C2008B	0.27	0.13	12,094	-
AOT19P2004A	1.93	(1.01)	1,050	2.00	BBL41C2005A	-	-	-	-	BGRI01C2009A	0.48	0.16	144,499	-
AOT24C2003A	-	-	-	-	BBL41C2006A	-	-	-	-	BGRI01P2003A	0.34	(0.54)	6,905	-
AOT24C2006A	-	-	-	-	BBL41C2007A	-	-	-	-	BGRI01P2006A	1.57	(0.69)	4,343	1.00
AOT27C2008A	0.02	(0.02)	40,002	-	BBL41C2007B	0.18	0.12	35	-	BGRI06C2005A	0.01	(0.01)	3,044	-
AOT28C2006A	-	-	-	-	BBL41P2004A	-	-	-	-	BGRI08C2003A	-	-	-	-
AOT28C2006B	-	-	-	-	BBL41P2006A	-	-	-	-	BGRI08C2005A	0.05	0.03	4,171	-
AOT28C2008A	0.12	0.05	8,050	-	BBL42C2003A	-	-	-	-	BGRI11C2006A	0.19	0.09	35,763	-
AOT28C2008B	0.27	(0.73)	113,646	-	BBL42C2005A	-	-	-	-	BGRI11C2008A	0.09	0.03	3,680	-
AOT28C2008C	0.43	(0.57)	173,388	-	BBL42C2007A	-	-	-	-	BGRI13C2004A	-	-	-	-
AOT28P2004A	-	-	-	-	BCH01C2006A	0.07	0.04	1,250	-	BGRI13C2006A	0.02	-	12,837	-
AOT41C2004A	-	-	-	-	BCH01C2006B	-	-	-	-	BGRI13C2007A	0.12	0.05	83,385	-
AOT41C2005A	-	-	-	-	BCH01P2006A	1.31	(0.16)	20	1.00	BGRI13C2008A	0.28	0.12	118,122	-
AOT41C2006A	0.13	0.06	75	-	BCH06C2006A	-	-	-	-	BGRI13P2005A	1.25	(1.15)	2,516	1.00
AOT41C2007A	-	-	-	-	BCH06P2006A	-	-	-	-	BGRI16C2005A	0.05	0.04	8,630	-
AOT41C2007B	0.51	0.27	61,275	-	BCH08C2004A	-	-	-	-	BGRI19C2004A	0.08	0.05	25,952	-
AOT41P2004A	-	-	-	-	BCH11C2008A	-	-	-	-	BGRI19C2005A	-	-	-	-
AOT41P2005A	-	-	-	-	BCH13C2004A	-	-	-	-	BGRI19C2006A	0.01	-	2,000	-
AOT41P2006A	2.64	(0.16)	12	2.00	BCH13C2007A	0.07	0.04	1,000	-	BGRI19C2008A	0.32	0.13	8,305	-
AOT42C2006A	0.02	-	1	-	BCH16C2006A	-	-	-	-	BGRI19C2008B	0.66	0.22	465,229	-
AOT42P2003A	0.60	(1.15)	257	-	BCH19C2005A	-	-	-	-	BGRI19P2007A	1.23	(0.35)	547	1.00
AOT42P2009A	2.18	(0.94)	371	2.00	BCH19C2006A	0.08	0.07	3,001	-	BGRI24C2004A	0.06	0.04	985	-
AP19C2007A	0.04	-	200	-	BCH19C2008A	0.17	0.07	7,696	-	BGRI27P2006A	0.72	(0.29)	97,417	-
AP28C2004A	-	-	-	-	BCH24C2003A	-	-	-	-	BGRI41C2004A	-	-	-	-
AP28C2006A	-	-	-	-	BCH27C2003A	-	-	-	-	BGRI41C2005A	-	-	-	-
AWC01C2003A	0.01	-	1,200	-	BCH41C2005A	-	-	-	-	BGRI41C2006A	-	-	-	-
AWC01C2003B	0.01	-	30	-	BCH41C2006A	-	-	-	-	BGRI41C2007A	0.45	0.17	35,567	-
AWC01C2004A	-	-	-	-	BCH41C2005A	0.02	-	206	-	BGRI41P2004A	-	-	-	-
AWC01C2009A	0.08	0.03	10,396	-	BCH41C2006A	-	-	-	-	BGRI41P2005A	1.29	(0.26)	596	1.00
AWC01P2003A	-	-	-	-	BCH41C2007A	-	-	-	-	BGRI41P2006A	-	-	-	-
AWC01P2003B	-	-	-	-	BCH41C2008A	-	-	-	-	BGRI42C2003A	-	-	-	-
AWC01P2007A	1.36	(0.17)	1,350	1.00	BCH41C2009A	-	-	-	-	BGRI42C2006A	0.02	0.01	10	-
AWC06C2004A	-	-	-	-	BCH41C2009A	0.02	-	2,000	-	BH01C2004A	0.40	0.08	2,218	-
AWC08C2004A	-	-	-	-	BCH41C2009A	-	-	-	-	BH01C2004B	0.03	(0.01)	1,345	-
AWC13C2006A	0.02	(0.01)	1,006	-	BCH41C2009A	-	-	-	-	BH01P2004A	0.38	(0.06)	23,621	-
AWC13P2006A	-	-	-	-	BCH41C2009A	-	-	-	-	BH08C2007A	0.40	0.05	55,077	-
AWC16C2005A	-	-	-	-	BCH41C2009A	-	-	-	-	BH11C2008A	0.28	0.04	602	-
AWC16C2007A	-	-	-	-	BCH41C2009A	-	-	-	-	BH13C2006A	0.16	0.01	2,486	-
AWC19C2003A	-	-	-	-	BCH41C2009A	-	-	-	-	BH19C2003A	-	-	-	-
AWC19C2004A	-	-	-	-	BCH41C2009A	0.10	(0.01)	531	-	BH19C2006A	0.19	0.01	650	-
AWC19C2006A	-	-	-	-	BCH41C2009A	0.24	0.08	3,470	-	BH24C2003A	-	-	-	-
AWC24C2007A	-	-	-	-	BCH41C2009A	-	-	-	-	BH27C2007A	0.28	0.05	69,259	-
AWC28C2006A	-	-	-	-	BCH41C2009A	0.73	(0.23)	2,457	-	BH41C2004A	-	-	-	-
AWC28C2008A	0.09	0.04	28,965	-	BCH41C2009A	-	-	-	-	BH41C2005A	-	-	-	-
AWC41C2004A	-	-	-	-	BCH41C2009A	-	-	-	-	BH41C2006A	0.38	0.05	12,002	-
AWC41C2005A	-	-	-	-	BCH41C2009A	0.14	0.04	400	-	BH41P2004A	0.10	(0.02)	2,317	-
AWC41C2006A	-	-	-	-	BCH41C2009A	-	-	-	-	BH41P2006A	0.78	(0.04)	11,035	-
AWC41C2007A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2003A	-	-	-	-
AWC41C2007B	0.26	0.09	1,486	-	BCH41C2009A	-	-	-	-	BH42C2008A	0.48	0.17	50	-
AWC42C2003A	-	-	-	-	BCH41C2009A	0.08	0.03	2,400	-	BH42C2009A	0.06	0.01	775	-
AWC42C2008A	0.01	-	8,260	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP01C2005A	0.01	(0.01)	2,400	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP01C2005B	0.02	0.01	1	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP01P2005A	1.44	(0.15)	83	1.00	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP01P2005B	1.46	(0.46)	241	1.00	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP06C2005A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP08C2005A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP08C2007A	0.03	0.01	2	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP08P2003A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP11C2004A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP11C2008A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP13C2003A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP13C2006A	0.01	-	101	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP13C2008A	0.11	0.01	80	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP19C2004A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP19C2005A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP19C2007A	0.01	-	300	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP19C2007B	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP19P2003A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP24C2003A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP27C2007A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP28C2004A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP28C2008A	0.10	0.07	609	-	BCH41C2009A	0.69	(0.10)	3,500	-	BH42C2009A	0.49	0.22	2,408	-
BANP41C2004A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	0.65	0.13	57,848	-
BANP41C2005A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	0.76	(0.20)	270	-
BANP41C2006A	0.03	0.02	301	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP41C2007A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP41P2005A	1.36	(0.07)	6,920	1.00	BCH41C2009A	0.02	(0.01)	500	-	BH42C2009A	-	-	-	-
BANP41P2007A	1.47	(0.04)	1	1.00	BCH41C2009A	1.15	(0.02)	498	1.00	BH42C2009A	-	-	-	-
BANP42C2004A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP42C2006A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BANP42P2005A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL06C2007A	0.02	-	4,406	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL06P2004A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL08C2005A	0.02	-	16	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL08C2007A	0.02	-	1,362	-	BCH41C2009A	0.72	(0.21)	1,307	-	BH42C2009A	0.05	0.02	54,799	-
BBL08P2007A	1.94	(0.44)	16,900	2.00	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL11C2005A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL11C2007A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL11P2008A	2.00	(0.52)	4,641	2.00	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL13C2004A	0.01	-	566	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL13C2006A	0.01	-	120	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL13C2008A	0.21	0.06	39,654	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL13P2004A	3.14	(0.22)	30	3.00	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL13P2008A	1.07	(0.25)	3,895	1.00	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL16C2006A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL19C2003A	-	-	-	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL19C2005A	0.02	0.01	60	-	BCH41C2009A	-	-	-	-	BH42C2009A	-	-	-	-
BBL19C2007A	0.01	(0.01)	100	-	BCH41C2009A	-	-</							

Main Board Quotation

Issue Date :

Friday March 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
BTS42C2003A	-	-	-	-	CKP16C2007A	-	-	-	-	CPN42C2004A	-	-	-	-
BTS42C2008A	0.09	0.08	189	-	CKP19C2003A	-	-	-	-	CPN42C2006A	-	-	-	-
CBG01C2004A	0.11	0.07	36,594	-	CKP19C2005A	-	-	-	-	CRC01C2007A	0.07	0.01	12,988	-
CBG01C2004B	0.01	-	721	-	CKP19C2006A	-	-	-	-	CRC08C2007A	0.08	-	71,881	-
CBG01C2007B	0.30	0.15	74,483	-	CKP24C2006A	-	-	-	-	CRC13C2008A	0.05	-	178,868	-
CBG01P2003A	0.02	(0.15)	294,446	-	CKP27C2005A	-	-	-	-	CRC19C2008A	0.10	0.01	3,901	-
CBG01P2004A	0.85	(0.80)	17,979	-	CKP28C2004A	-	-	-	-	CRC19C2008B	0.05	0.01	601	-
CBG01P2007B	1.38	(0.72)	9,856	1.00	CKP28C2004B	-	-	-	-	CRC28C2007A	0.07	0.01	9,873	-
CBG06C2005A	0.03	(0.01)	6,701	-	CKP28C2006A	-	-	-	-	CRC28C2007B	0.04	-	19,510	-
CBG08C2003A	-	-	-	-	CKP41C2004A	-	-	-	-	CRC41C2007A	0.13	0.02	29,402	-
CBG08C2007A	0.56	0.25	81,344	-	CKP41C2005A	-	-	-	-	DTAC01C2004A	0.02	-	1	-
CBG11C2008A	0.34	0.15	4,632	-	CKP41C2006A	-	-	-	-	DTAC01C2004B	0.01	(0.01)	7,295	-
CBG13C2004A	0.01	(0.01)	3,853	-	CKP41C2007A	0.10	0.03	190	-	DTAC01C2007B	0.08	0.01	11,990	-
CBG13C2008A	0.55	0.21	25,782	-	CKP42C2003A	-	-	-	-	DTAC01C2008A	0.25	-	8,189	-
CBG13P2006A	1.36	(0.74)	696	1.00	CKP42C2005A	-	-	-	-	DTAC01P2004A	1.90	0.01	50	1.00
CBG16C2008A	0.15	0.08	324	-	CKP42C2006A	-	-	-	-	DTAC01P2004B	-	-	-	-
CBG19C2004A	0.01	-	193	-	COM708C2007A	0.05	0.02	2,600	-	DTAC01P2007B	0.72	(0.05)	313	-
CBG19C2005A	0.10	0.05	4,510	-	COM711C2004A	-	-	-	-	DTAC01P2008A	0.88	(0.01)	2,415	-
CBG19C2008A	0.64	0.25	279,080	-	COM713C2004A	-	-	-	-	DTAC06C2006A	0.03	0.02	3,658	-
CBG19P2006A	1.45	(0.77)	2,696	1.00	COM713C2007A	0.05	0.02	1,175	-	DTAC08C2005A	-	-	-	-
CBG24C2003A	-	-	-	-	COM713C2008A	0.25	0.11	7,657	-	DTAC08C2005B	-	-	-	-
CBG24C2008A	0.38	0.21	3,381	-	COM716C2008A	-	-	-	-	DTAC08C2007A	0.11	0.06	9,500	-
CBG41C2004A	-	-	-	-	COM719C2003A	-	-	-	-	DTAC13C2006A	0.02	-	2,000	-
CBG41C2005A	0.53	0.42	47,673	-	COM719C2005A	0.04	0.01	10	-	DTAC13C2007A	0.09	0.03	8,534	-
CBG41C2006A	0.35	0.24	24,332	-	COM719C2008A	0.31	0.14	8,155	-	DTAC13P2006A	-	-	-	-
CBG41P2004A	-	-	-	-	COM719P2004A	0.35	(0.16)	11,036	-	DTAC13P2007A	0.23	(0.04)	10,312	-
CBG41P2006A	-	-	-	-	COM724C2007A	-	-	-	-	DTAC13P2008A	1.21	0.40	6,526	1.00
CBG42C2003A	-	-	-	-	COM741C2004A	-	-	-	-	DTAC16C2009A	-	-	-	-
CBG42C2006A	0.03	0.01	2,240	-	COM741C2006A	-	-	-	-	DTAC19C2005A	-	-	-	-
CBG42C2008A	-	-	-	-	COM742C2004A	-	-	-	-	DTAC19C2006A	-	-	-	-
CENT01C2003A	-	-	-	-	CPAL01C2004A	0.02	-	1,065	-	DTAC19C2007A	0.17	0.03	5,094	-
CENT01C2003B	-	-	-	-	CPAL01C2004B	0.01	-	4	-	DTAC19P2007A	0.54	(0.17)	15	-
CENT01C2006A	-	-	-	-	CPAL01C2006A	0.11	(0.02)	24,880	-	DTAC24C2004A	-	-	-	-
CENT01C2006B	0.01	-	300	-	CPAL01C2006B	0.04	(0.01)	4,236	-	DTAC24C2007A	-	-	-	-
CENT01C2009A	0.19	0.07	991	-	CPAL01C2008B	0.16	(0.01)	46,708	-	DTAC27C2008A	0.19	0.02	45,885	-
CENT01P2003A	1.52	(0.10)	35	1.00	CPAL01P2004A	1.77	0.02	1,995	1.00	DTAC41C2004A	-	-	-	-
CENT01P2009A	1.20	(0.27)	16,588	1.00	CPAL01P2004B	0.97	0.01	200	1.00	DTAC41C2005A	-	-	-	-
CENT06C2003A	0.01	-	100	-	CPAL01P2008B	0.91	(0.01)	47,174	-	DTAC41C2006A	-	-	-	-
CENT06C2006A	0.32	0.09	46,338	-	CPAL06C2006A	-	-	-	-	DTAC41C2007A	0.21	0.11	51,354	-
CENT06P2007A	1.93	(0.09)	2,170	1.00	CPAL08C2004A	0.02	-	110	-	DTAC41C2007B	0.29	0.04	28,862	-
CENT08C2004A	-	-	-	-	CPAL08C2006A	0.03	-	60,000	-	DTAC41P2005A	-	-	-	-
CENT11C2004A	-	-	-	-	CPAL08P2006A	1.09	(0.08)	40	1.00	DTAC41P2006A	-	-	-	-
CENT11C2007A	-	-	-	-	CPAL11C2006A	-	-	-	-	DTAC42C2004A	-	-	-	-
CENT13C2003A	-	-	-	-	CPAL11C2007A	0.07	-	2,515	-	DTAC42C2006A	-	-	-	-
CENT13C2005A	-	-	-	-	CPAL13C2004A	-	-	-	-	EA06C2005A	0.03	0.01	1,531	-
CENT13C2006A	-	-	-	-	CPAL13C2007A	0.14	-	6,871	-	EA08C2004A	-	-	-	-
CENT19C2004A	-	-	-	-	CPAL16C2006A	-	-	-	-	EA08C2006A	0.11	0.05	21,616	-
CENT19C2005A	-	-	-	-	CPAL16C2007A	-	-	-	-	EA11C2005A	-	-	-	-
CENT19C2008A	0.11	0.04	40,823	-	CPAL19C2004A	-	-	-	-	EA13C2003A	-	-	-	-
CENT24C2003A	-	-	-	-	CPAL19C2005A	-	-	-	-	EA13C2005A	0.07	0.04	6,625	-
CENT24C2008A	-	-	-	-	CPAL19C2008A	0.20	(0.01)	525,375	-	EA13C2006A	0.04	0.02	510	-
CENT27C2008A	-	-	-	-	CPAL19P2004A	0.81	0.02	110	-	EA13C2008A	0.20	0.04	24,693	-
CENT28C2004A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA13P2003A	-	-	-	-
CENT28C2005A	-	-	-	-	CPAL28C2004A	-	-	-	-	EA13P2006A	1.09	(0.25)	396	1.00
CENT28C2006A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA16C2003A	-	-	-	-
CENT28C2008A	0.06	0.02	15,563	-	CPAL28C2007A	0.05	0.01	10	-	EA16C2006A	-	-	-	-
CENT41C2004A	-	-	-	-	CPAL28C2008A	0.36	(0.64)	50,908	-	EA16C2008A	0.05	-	2,782	-
CENT41C2005A	-	-	-	-	CPAL28C2008B	0.48	(0.52)	88,550	-	EA19C2004A	-	-	-	-
CENT41C2006A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA19C2008A	0.29	0.10	6,522	-
CENT42C2004A	-	-	-	-	CPAL41C2005A	-	-	-	-	EA19P2007A	0.99	(0.28)	234	1.00
CENT42C2006A	-	-	-	-	CPAL41C2006A	-	-	-	-	EA24C2003A	-	-	-	-
CHG01C2006A	0.15	0.02	230	-	CPAL41C2007A	0.28	0.09	250	-	EA24C2004A	-	-	-	-
CHG01C2006B	-	-	-	-	CPAL41P2004A	1.12	0.06	6,736	1.00	EA27C2006A	0.08	0.04	250	-
CHG01P2006A	0.61	(0.05)	1,150	-	CPAL41P2005A	-	-	-	-	EA28C2004A	-	-	-	-
CHG06P2003A	-	-	-	-	CPAL41P2006A	-	-	-	-	EA28C2004B	-	-	-	-
CHG08C2005A	-	-	-	-	CPAL42C2003A	-	-	-	-	EA28C2006A	0.04	0.02	5,041	-
CHG13C2006A	0.12	(0.02)	1,001	-	CPAL42C2005A	0.08	-	35	-	EA41C2004A	-	-	-	-
CHG16C2009A	0.19	(0.02)	502	-	CPAL42C2007A	-	-	-	-	EA41C2005A	-	-	-	-
CHG19C2004A	-	-	-	-	CPF01C2004A	0.03	0.01	58,515	-	EA41C2006A	-	-	-	-
CHG27C2009A	0.13	0.03	38,965	-	CPF01C2004B	0.01	-	4,821	-	EA41P2004A	0.66	(0.17)	560	-
CHG41C2005A	-	-	-	-	CPF01P2004A	0.30	(0.13)	18,419	-	EA42C2004A	-	-	-	-
CHG42C2006A	0.05	0.01	200	-	CPF08C2006A	0.02	-	2,781	-	EGCO01C2004A	-	-	-	-
CK01C2005A	0.12	0.05	2,553	-	CPF11C2004A	-	-	-	-	EGCO01C2004B	-	-	-	-
CK01C2005B	-	-	-	-	CPF11C2007A	0.09	0.02	263	-	EGCO01C2007B	0.04	0.02	63,278	-
CK01P2005A	0.55	(0.38)	5,882	-	CPF13C2006A	0.03	-	7,301	-	EGCO06C2004A	-	-	-	-
CK06C2004A	0.01	-	340	-	CPF13C2008A	0.14	0.03	115,448	-	EGCO06C2007A	0.03	0.01	700	-
CK11C2007A	-	-	-	-	CPF16C2007A	-	-	-	-	EGCO06P2004A	-	-	-	-
CK13C2003A	-	-	-	-	CPF19C2003A	-	-	-	-	EGCO13C2005A	0.02	-	1,551	-
CK13C2006A	0.05	0.02	3,775	-	CPF19C2005A	0.03	0.01	100	-	EGCO19C2005A	0.04	-	50	-
CK16C2003A	-	-	-	-	CPF19C2006A	0.02	-	2,230	-	EGCO19C2007A	0.05	0.02	1,518	-
CK16C2006A	0.02	-	1	-	CPF24C2007A	0.07	-	155	-	EGCO41C2004A	0.03	-	1	-
CK19C2003A	-	-	-	-	CPF28C2004A	-	-	-	-	EGCO41C2006A	0.14	0.07	9,802	-
CK19C2004A	0.04	-	500	-	CPF28C2007A	0.05	0.02	8,650	-	EGCO41P2004A	-	-	-	-
CK19C2007A	0.04	0.03	51	-	CPF41C2004A	-	-	-	-	EGCO41P2006A	2.14	(0.34)	941	2.00
CK24C2003A	-	-	-	-	CPF41C2005A	0.05	0.01	1	-	EGCO42C2003A	-	-	-	-
CK27C2008A	-	-	-	-	CPF41P2005A	-	-	-	-	EGCO42C2007A	0.05	0.04	2	-
CK41C2003A	-	-	-	-	CPF42C2003A	-	-	-	-	EPG08C2004A	-	-	-	-
CK41C2004A	-	-	-	-	CPN01C2005A	-	-	-	-	EPG13C2004A	-	-	-	-
CK41C2005A	0.02	-	3,990	-	CPN01C2005B	-	-	-	-	EPG13C2006A	0.01	(0.01)	149	-
CK42C2006A	-	-	-	-	CPN01P2005A	2.38	(0.08)	2,349	2.00	EPG19C2005A	-	-	-	-
CKP01C2004A	-	-	-	-	CPN06C2006A	-	-	-	-	EPG19C2007A	-	-	-	-
CKP01C2004B	-	-	-	-	CPN11C2006A	-	-	-	-	EPG19C2008A	0.26	0.03	17,882	-
CKP01C2008B	0.10	0.01	327	-	CPN11C2008A	0.05	-	5,000	-	EPG24C2008A	-	-	-	-
CKP01C2009A	0.28	0.08	49	-	CPN13C2004A	-	-	-	-	ERW06C2006A	-	-	-	-
CKP01P2004A	-	-	-	-	CPN13C2007A	0.03	-	50	-	ERW06C2007A	0.02	-	9	-
CKP01P2009A	1.02	(0.												

Main Board Quotation

Issue Date :

Friday March 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ESSO01C2004A	0.01	-	220	-	GULF27C2004A	0.55	0.37	185,488	-	INTU42C2003A	-	-	-	-
ESSO01C2004B	-	-	-	-	GULF28C2006A	-	-	-	-	INTU42C2005A	-	-	-	-
ESSO01C2008B	0.07	(0.01)	2,104	-	GULF28C2008A	0.22	0.11	16,768	-	IRPC01C2005A	0.02	-	2,802	-
ESSO01C2009A	0.13	0.06	5,157	-	GULF28C2008B	0.58	(0.42)	215,095	-	IRPC01C2005B	-	-	-	-
ESSO01P2009A	1.21	(0.27)	1,033	1.00	GULF28C2008C	0.76	(0.24)	147,996	-	IRPC01C2007B	0.09	0.01	6,269	-
ESSO08C2004A	-	-	-	-	GULF41C2004A	0.20	0.16	668	-	IRPC01P2005A	1.93	(0.23)	81	1.00
ESSO13C2006A	0.04	-	1,979	-	GULF41C2005A	0.23	0.15	4,050	-	IRPC01P2005B	1.48	(0.49)	136	1.00
ESSO19C2004A	-	-	-	-	GULF41C2006A	0.65	0.27	82,841	-	IRPC01P2007B	0.84	(0.22)	39,933	-
ESSO19C2007A	-	-	-	-	GULF41P2003A	0.47	(0.41)	889	-	IRPC06C2005A	-	-	-	-
ESSO24C2003A	-	-	-	-	GULF41P2004A	-	-	-	-	IRPC06C2007A	0.02	-	4,897	-
ESSO24C2007A	0.02	(0.07)	130	-	GULF41P2005A	1.70	0.30	46	1.00	IRPC06P2004A	-	-	-	-
ESSO41C2004A	-	-	-	-	GULF41P2006A	1.65	0.01	14	1.00	IRPC11C2005A	-	-	-	-
ESSO41C2005A	-	-	-	-	GULF41P2007A	1.93	(0.55)	62	1.00	IRPC11C2008A	-	-	-	-
ESSO41C2006A	0.10	0.05	1,666	-	GULF42C2003A	-	-	-	-	IRPC13C2006A	-	-	-	-
ESSO42C2003A	-	-	-	-	GUNK01C2005A	-	-	-	-	IRPC13C2007A	0.05	(0.02)	5	-
ESSO42C2007A	0.05	0.02	282	-	GUNK01C2005B	0.02	0.01	55	-	IRPC13C2008A	0.14	0.01	191	-
GFPT13C2003A	-	-	-	-	GUNK01P2005A	0.82	(0.10)	27	-	IRPC16C2008A	-	-	-	-
GFPT19C2004A	-	-	-	-	GUNK11C2007A	-	-	-	-	IRPC19C2003A	-	-	-	-
GFPT19C2006A	-	-	-	-	GUNK13C2006A	0.02	-	5	-	IRPC19C2005A	-	-	-	-
GFPT24C2007A	-	-	-	-	GUNK19C2003A	-	-	-	-	IRPC19C2007A	0.09	0.02	2,424	-
GFPT42C2004A	-	-	-	-	GUNK19C2006A	0.02	0.01	50	-	IRPC19C2008A	0.29	0.08	267,933	-
GFPT42C2008A	-	-	-	-	GUNK24C2006A	0.02	(0.08)	50	-	IRPC24C2004A	-	-	-	-
GLOB01C2003A	0.01	-	150,000	-	GUNK28C2005A	-	-	-	-	IRPC24C2007A	-	-	-	-
GLOB01C2007B	-	-	-	-	GUNK41C2005A	-	-	-	-	IRPC27C2007A	-	-	-	-
GLOB01C2008A	0.16	0.01	230	-	GUNK41P2005A	-	-	-	-	IRPC28C2006A	-	-	-	-
GLOB01P2003A	-	-	-	-	GUNK42C2003A	-	-	-	-	IRPC28C2008A	0.17	0.06	79,715	-
GLOB06C2006A	-	-	-	-	HANA01C2006A	-	-	-	-	IRPC41C2004A	-	-	-	-
GLOB13C2007A	0.06	0.01	100	-	HANA01C2006B	-	-	-	-	IRPC41C2005A	-	-	-	-
GLOB19C2005A	-	-	-	-	HANA01P2006A	0.88	(0.30)	5,243	-	IRPC41C2006A	-	-	-	-
GLOB19C2007A	-	-	-	-	HANA11C2008A	-	-	-	-	IRPC41C2007A	0.27	0.07	24,453	-
GLOB24C2005A	-	-	-	-	HANA13C2006A	-	-	-	-	IRPC41P2004A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA13C2008A	0.14	0.09	9,090	-	IRPC41P2005A	-	-	-	-
GLOB42C2009A	-	-	-	-	HANA16C2008A	-	-	-	-	IRPC41P2006A	-	-	-	-
GPSCO1C2003A	0.01	-	4,011	-	HANA19C2003A	-	-	-	-	IRPC41P2007A	-	-	-	-
GPSCO1C2003B	-	-	-	-	HANA19C2006A	-	-	-	-	IRPC42C2003A	-	-	-	-
GPSCO1C2005A	0.08	0.05	115,292	-	HANA27C2007A	0.02	(0.02)	85	-	IRPC42C2006A	-	-	-	-
GPSCO1C2005B	0.01	(0.01)	3,606	-	HANA27P2007A	0.96	(0.22)	16,899	-	IVL01C2004A	0.01	-	7,277	-
GPSCO1C2007B	0.16	0.09	97,677	-	HANA41C2006A	-	-	-	-	IVL01C2004B	-	-	-	-
GPSCO1C2008A	0.38	0.18	225,642	-	HMPRO1C2006A	-	-	-	-	IVL01C2006B	0.02	-	13,557	-
GPSCO1P2003A	1.21	(1.33)	914	1.00	HMPRO1C2006B	-	-	-	-	IVL01P2004A	1.10	(0.12)	30	1.00
GPSCO1P2005A	1.85	(0.87)	346	2.00	HMPRO1P2006A	1.08	(0.21)	1,354	1.00	IVL01P2004B	0.42	(0.29)	4,563	-
GPSCO1P2005B	1.47	(0.75)	400	1.00	HMPRO6C2006A	0.23	0.07	52,498	-	IVL01P2006B	1.05	(0.22)	11,143	1.00
GPSCO1P2007B	1.24	(0.68)	4,586	1.00	HMPRO6P2007A	-	-	-	-	IVL06C2003A	0.01	-	423	-
GPSCO1P2008A	1.84	(0.60)	14,462	2.00	HMPR11C2003A	-	-	-	-	IVL06C2008A	0.03	0.01	30	-
GPSCO6C2006A	0.03	0.02	41,224	-	HMPR13C2006A	-	-	-	-	IVL06P2005A	1.26	0.57	1	1.00
GPSCO6C2008A	0.45	0.24	167,452	-	HMPR13C2007A	-	-	-	-	IVL08C2004A	0.02	0.01	40	-
GPSCO8C2004B	-	-	-	-	HMPR19C2003A	-	-	-	-	IVL08P2003A	-	-	-	-
GPSCO8C2007A	0.17	0.09	39,851	-	HMPR19C2005A	-	-	-	-	IVL08P2004A	-	-	-	-
GPSCO8P2006A	1.45	(0.95)	122	1.00	HMPR19C2007A	0.07	(0.01)	1	-	IVL11C2005A	-	-	-	-
GPSC11C2006A	0.40	0.34	11,208	-	HMPR24C2004A	-	-	-	-	IVL11C2006A	0.02	-	120	-
GPSC13C2005A	0.09	0.07	35,807	-	HMPR41C2005A	-	-	-	-	IVL13C2006A	0.07	-	1	-
GPSC13C2007A	0.22	0.12	36,552	-	HMPR41C2006A	-	-	-	-	IVL13C2008A	0.41	0.31	62,988	-
GPSC13C2008A	0.47	0.20	133,989	-	HMPR41C2007A	-	-	-	-	IVL13P2004A	1.30	(0.20)	100	1.00
GPSC13P2003A	-	-	-	-	HMPR41C2007B	0.16	0.06	5,647	-	IVL16C2006A	-	-	-	-
GPSC13P2005A	-	-	-	-	HMPR42C2003A	-	-	-	-	IVL16C2009A	-	-	-	-
GPSC13P2007A	1.62	(0.58)	566	1.00	HSI28C2003A	0.03	0.02	101	-	IVL19C2003A	-	-	-	-
GPSC16C2003A	-	-	-	-	HSI28C2003B	-	-	-	-	IVL19C2004A	-	-	-	-
GPSC16C2007A	0.08	0.05	11,215	-	HSI28C2003C	-	-	-	-	IVL19C2006A	-	-	-	-
GPSC19C2004A	0.01	-	80	-	HSI28C2004A	0.40	0.19	310,457	-	IVL19C2008A	0.29	0.13	242,755	-
GPSC19C2007A	0.20	0.09	124,804	-	HSI28C2004B	0.26	0.16	33,341	-	IVL19P2003A	-	-	-	-
GPSC19C2008A	0.61	0.25	45,022	-	HSI28C2004C	0.10	0.02	1,932	-	IVL19P2006A	1.13	(0.17)	15	1.00
GPSC19C2009A	1.03	0.03	261,600	-	HSI28C2005A	1.38	0.45	959,788	1.00	IVL24C2003A	-	-	-	-
GPSC19P2005A	1.42	(0.98)	2,210	1.00	HSI28C2005B	0.96	0.31	717,466	-	IVL27P2007A	0.82	(0.18)	31,580	-
GPSC24C2007A	-	-	-	-	HSI28C2005C	0.67	0.28	687,718	-	IVL28C2007A	-	-	-	-
GPSC27C2005A	-	-	-	-	HSI28C2005D	0.44	0.19	344,481	-	IVL41C2004A	-	-	-	-
GPSC28C2008A	0.26	0.12	6,334	-	HSI28P2003A	-	-	-	-	IVL41C2005A	-	-	-	-
GPSC41C2004A	-	-	-	-	HSI28P2003B	-	-	-	-	IVL41C2006A	-	-	-	-
GPSC41C2005A	-	-	-	-	HSI28P2003C	-	-	-	-	IVL41C2007A	-	-	-	-
GPSC41C2005B	0.17	0.12	511	-	HSI28P2004A	2.60	(0.84)	304,122	2.00	IVL41C2007B	0.31	0.08	3,852	-
GPSC41C2006A	0.10	0.07	1,005	-	HSI28P2004B	3.14	(1.00)	193,568	3.00	IVL41P2004A	-	-	-	-
GPSC41P2004A	-	-	-	-	HSI28P2004C	3.96	(1.04)	32,336	3.00	IVL41P2005A	-	-	-	-
GPSC41P2005A	-	-	-	-	HSI28P2005A	3.30	(0.78)	403,446	3.00	IVL41P2006A	-	-	-	-
GPSC41P2006A	1.90	(0.56)	153	1.00	HSI28P2005B	2.80	(0.60)	374,982	3.00	IVL41P2007A	-	-	-	-
GPSC42C2006A	0.15	0.10	1	-	HSI28P2005C	2.32	(0.66)	219,169	2.00	IVL42C2005A	-	-	-	-
GPSC42P2006A	-	-	-	-	HSI28P2005D	1.88	(0.56)	547,383	2.00	IVL42C2008A	-	-	-	-
GULF01C2003A	0.23	0.19	325,800	-	INTU01C2003A	0.01	-	5,000	-	JAS13C2006A	0.08	(0.01)	22,957	-
GULF01C2003B	0.01	-	65,346	-	INTU01C2003B	-	-	-	-	JAS19C2004A	0.04	0.01	1,190	-
GULF01C2005A	0.41	0.23	868,054	-	INTU01C2006A	0.19	0.08	32,983	-	JAS41C2004A	-	-	-	-
GULF01C2005B	0.14	0.10	269,972	-	INTU01C2006B	0.07	0.01	1,150	-	JAS41C2005A	-	-	-	-
GULF01C2007A	0.13	-	754,460	-	INTU01P2003A	1.55	(0.18)	35	1.00	JAS41C2006A	0.12	0.01	50	-
GULF01P2003A	0.02	(0.31)	28,748	-	INTU01P2003B	-	-	-	-	JAS41P2005A	0.44	(0.09)	31	-
GULF01P2003B	0.02	(0.28)	7,007	-	INTU01P2006A	-	-	-	-	JMT13C2006A	0.11	0.05	14,090	-
GULF01P2005A	1.20	(0.90)	88,276	1.00	INTU01P2006B	0.54	(0.24)	57	-	JMT19C2006A	0.07	-	35,012	-
GULF03C2005A	0.20	0.11	5	-	INTU13C2004A	0.05	-	10	-	JMT42C2006A	0.09	0.04	1,600	-
GULF06C2004A	0.14	0.12	78,514	-	INTU13C2006A	0.12	0.06	12,698	-	KBAN01C2004A	0.02	-	17,968	-
GULF08C2003A	0.02	-	1,125	-	INTU13P2004A	-	-	-	-	KBAN01C2004B	0.01	-	1,605	-
GULF11C2003A	1.12	0.60	20,309	-	INTU16C2005A	-	-	-	-	KBAN01C2007A	0.07	-	55,897	-
GULF11C2006A	0.23	0.12	21,845	-	INTU16C2007A	-	-	-	-	KBAN01C2007B	0.03	0.01	5,740	-
GULF13C2004A	0.05	0.02	30,466	-	INTU16C2009A	0.28	0.03	32	-	KBAN01P2004A	2.76	(0.24)	15	2.00
GULF13C2006A	0.13	0.08	159,430	-	INTU19C2004A	-	-	-	-	KBAN01P2004B	1.44	(0.60)	1,752	1.00
GULF13C2006B	0.08	0.04	23,181	-	INTU19C2005A	0.07	0.02	20,450	-	KBAN01P2007A	2.30	(0.22)	966	2.00
GULF13C2008A	0.51	0.19	736,144	-	INTU19P2007A	-	-	-	-	KBAN01P2007B	2.38	(0.56)	1,541	2.00
GULF13P2004A	0.40	(0.57)	103,1											

Main Board Quotation

Issue Date :

Friday March 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN16C2005A	-	-	-	-	LH41C2006A	-	-	-	-	PSL19C2004A	-	-	-	-
KBAN16C2008A	0.06	0.02	163	-	MAJ013C2007A	-	-	-	-	PSL19C2006A	-	-	-	-
KBAN19C2003A	-	-	-	-	MAJ019C2006A	-	-	-	-	PSL19C2007A	0.16	0.05	3,518	-
KBAN19C2004A	-	-	-	-	MBK19C2004A	-	-	-	-	PTG01C2003A	-	-	-	-
KBAN19C2007A	0.04	0.01	53	-	MEGA16C2009A	-	-	-	-	PTG01C2003B	-	-	-	-
KBAN19C2009A	1.13	0.13	147,692	1.00	MEGA19C2005A	-	-	-	-	PTG01C2005A	0.07	0.01	9	-
KBAN19P2004A	1.96	(0.14)	356	1.00	MINT01C2003A	-	-	-	-	PTG01C2005B	-	-	-	-
KBAN19P2007A	-	-	-	-	MINT01C2003B	-	-	-	-	PTG01C2007B	0.15	0.05	10,077	-
KBAN24C2005A	-	-	-	-	MINT01C2007B	0.03	-	500	-	PTG01P2003A	-	-	-	-
KBAN28C2004A	0.01	(0.01)	14	-	MINT01C2008A	0.03	(0.01)	9,751	-	PTG01P2005A	1.10	(0.30)	5	1.00
KBAN28C2008A	0.06	0.01	200	-	MINT01P2003A	1.98	0.24	157	1.00	PTG01P2005B	0.90	(0.27)	231	-
KBAN28C2008B	0.63	(0.37)	174,815	-	MINT01P2008A	1.50	(0.13)	20,039	1.00	PTG03C2005A	0.02	0.01	1	-
KBAN28C2008C	0.87	(0.13)	203,127	-	MINT06C2006A	0.02	-	700	-	PTG06C2006A	-	-	-	-
KBAN41C2003A	-	-	-	-	MINT06P2007A	1.27	0.28	9	1.00	PTG08C2005A	0.02	-	2,000	-
KBAN41C2004A	-	-	-	-	MINT08C2003A	-	-	-	-	PTG08C2007A	0.15	0.06	28,412	-
KBAN41C2005A	-	-	-	-	MINT11C2006A	-	-	-	-	PTG11C2003A	-	-	-	-
KBAN41C2007A	-	-	-	-	MINT13C2004A	-	-	-	-	PTG11C2005A	-	-	-	-
KBAN41C2008A	0.41	0.08	36,655	-	MINT13C2006A	-	-	-	-	PTG13C2004A	0.02	0.01	110	-
KBAN41P2004A	-	-	-	-	MINT13C2008A	0.05	-	3,660	-	PTG13C2006A	0.09	0.03	1,876	-
KBAN41P2005A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG13P2004A	-	-	-	-
KBAN41P2006A	-	-	-	-	MINT19C2006A	-	-	-	-	PTG13P2006A	0.47	(0.24)	854	-
KBAN42C2003A	-	-	-	-	MINT19P2004A	2.28	(0.16)	1,664	2.00	PTG16C2009A	0.14	(0.11)	60	-
KBAN42C2004A	-	-	-	-	MINT24C2006A	-	-	-	-	PTG19C2003A	-	-	-	-
KBAN42C2007A	-	-	-	-	MINT28C2006A	-	-	-	-	PTG19C2004A	-	-	-	-
KBAN42P2008A	-	-	-	-	MINT28C2008A	0.01	(0.03)	6,254	-	PTG19C2005A	-	-	-	-
KCE01C2004A	0.15	0.05	24,844	-	MINT41C2004A	-	-	-	-	PTG19C2006A	0.06	(0.01)	100	-
KCE01C2004B	0.05	0.02	2,760	-	MINT41C2005A	-	-	-	-	PTG19C2008A	0.35	0.10	125,214	-
KCE01C2007B	0.02	-	16,930	-	MINT41C2007A	0.05	0.02	12,936	-	PTG19P2006A	0.77	(0.26)	90	-
KCE01C2008A	0.10	0.04	63,074	-	MINT41P2004A	-	-	-	-	PTG27C2007A	0.10	0.04	14,888	-
KCE01P2004A	1.60	(0.60)	7,237	1.00	MINT42C2004A	-	-	-	-	PTG28C2004A	-	-	-	-
KCE08C2005A	0.02	-	353	-	MTC01C2003A	0.02	-	1,518	-	PTG41C2004A	-	-	-	-
KCE08C2005B	0.02	-	6	-	MTC01C2003B	-	-	-	-	PTG41C2005A	-	-	-	-
KCE11C2004A	0.03	(0.01)	118	-	MTC01C2007B	0.05	0.02	18,848	-	PTG41C2006A	0.15	0.07	55	-
KCE13C2003A	-	-	-	-	MTC01C2008A	0.10	0.03	122,792	-	PTG41P2005A	-	-	-	-
KCE13C2004A	0.01	-	320	-	MTC01P2003A	1.38	(0.70)	1,544	1.00	PTG42C2004A	-	-	-	-
KCE13C2005A	0.03	-	3	-	MTC03C2005A	-	-	-	-	PTG42C2006A	0.09	0.03	800	-
KCE13C2006A	0.12	-	23,123	-	MTC06C2007A	0.04	(0.06)	389	-	PTT01C2004A	0.02	-	43,600	-
KCE16C2007A	0.04	0.01	1,014	-	MTC08C2005A	0.03	0.02	16,600	-	PTT01C2004B	0.01	(0.02)	15	-
KCE19C2005A	0.03	(0.01)	3,201	-	MTC11C2008A	0.05	0.02	2,100	-	PTT01C2007A	0.08	0.03	311,938	-
KCE19C2007A	0.13	0.07	1	-	MTC13C2003A	-	-	-	-	PTT01C2007B	0.04	0.01	85,642	-
KCE19C2008A	0.47	0.15	744,305	-	MTC13C2007A	0.07	0.03	15,856	-	PTT01P2004A	1.26	(0.29)	1,980	1.00
KCE24C2005A	0.20	0.11	15,917	-	MTC13P2003A	-	-	-	-	PTT01P2004B	1.07	(0.54)	591	1.00
KCE27C2007A	0.03	-	2,679	-	MTC16C2007A	0.08	0.01	255	-	PTT01P2007A	1.60	(0.27)	6,757	1.00
KCE41C2005A	0.19	0.13	100	-	MTC19C2006A	0.04	-	700	-	PTT01P2007B	1.49	(0.65)	1,405	1.00
KCE41C2006A	0.17	0.11	500	-	MTC19P2004A	0.95	(0.64)	13,515	1.00	PTT06C2005A	-	-	-	-
KKP01C2006A	-	-	-	-	MTC24C2004A	-	-	-	-	PTT08C2005A	0.02	-	5,450	-
KKP01C2006B	0.02	-	2,790	-	MTC27C2007A	0.04	-	500	-	PTT08P2005A	1.24	(0.64)	255	1.00
KKP01P2006A	2.82	(0.34)	27	2.00	MTC28C2006A	-	-	-	-	PTT11C2004A	0.01	(0.02)	1,000	-
KKP08C2003A	-	-	-	-	MTC28C2008A	0.05	0.01	250	-	PTT11C2008A	0.04	0.01	5,062	-
KKP11C2007A	-	-	-	-	MTC41C2004A	-	-	-	-	PTT13C2004A	-	-	-	-
KKP13C2004A	-	-	-	-	MTC41C2007A	0.12	0.07	88,269	-	PTT13C2006A	0.02	(0.01)	5,629	-
KKP13C2007A	-	-	-	-	MTC41P2004A	1.79	0.25	60	1.00	PTT13C2008A	0.04	0.01	160,856	-
KKP19C2003A	-	-	-	-	MTC42C2003A	-	-	-	-	PTT13C2008B	0.28	0.14	46,712	-
KKP24C2003A	-	-	-	-	ORI13C2004A	-	-	-	-	PTT13P2004A	1.40	(0.64)	107	1.00
KKP41C2006A	-	-	-	-	ORI19C2003A	-	-	-	-	PTT13P2006A	1.86	(0.40)	631	2.00
KTB01C2003A	-	-	-	-	ORI19C2005A	-	-	-	-	PTT13P2008A	0.26	(0.42)	136,484	-
KTB01C2008B	-	-	-	-	ORI28C2004A	-	-	-	-	PTT16C2008A	0.02	-	7,501	-
KTB01C2009A	0.10	0.04	1,230	-	ORI28C2007A	0.03	0.01	2,000	-	PTT19C2005A	0.01	-	7,700	-
KTB01P2003A	-	-	-	-	ORI41C2004A	-	-	-	-	PTT19C2008A	0.29	0.13	130,234	-
KTB01P2009A	0.85	(0.15)	476	-	OSP01C2003A	0.03	0.01	9,500	-	PTT19P2003A	1.54	(0.08)	1	1.00
KTB11C2004A	-	-	-	-	OSP01C2003B	-	-	-	-	PTT19P2006A	1.49	(0.55)	291	1.00
KTB11C2006A	-	-	-	-	OSP01C2006A	0.25	0.14	126,345	-	PTT24C2003A	-	-	-	-
KTB13C2006A	-	-	-	-	OSP01C2006B	0.08	0.05	1,809	-	PTT24C2008A	0.05	0.02	352	-
KTB19C2005A	-	-	-	-	OSP01P2003A	0.13	(0.42)	2,105	-	PTT28C2004A	-	-	-	-
KTB24C2004A	-	-	-	-	OSP01P2006A	0.61	(0.36)	32,429	-	PTT28C2007A	-	-	-	-
KTB41C2004A	-	-	-	-	OSP06C2005A	0.06	0.05	10,698	-	PTT28C2008A	0.14	0.08	1,053	-
KTB41C2006A	-	-	-	-	OSP06P2003A	-	-	-	-	PTT28C2008B	0.30	(0.70)	132,519	-
KTB41P2004A	-	-	-	-	OSP08C2004A	0.02	0.01	9,030	-	PTT28C2008C	-	-	-	-
KTC01C2004A	-	-	1,101	-	OSP11C2005A	-	-	-	-	PTT28P2004A	1.10	(0.44)	678	1.00
KTC01C2004B	-	-	-	-	OSP13C2004A	-	-	-	-	PTT41C2004A	-	-	-	-
KTC01C2007A	0.23	0.08	91,141	-	OSP13C2006A	0.09	0.06	3,931	-	PTT41C2005A	-	-	-	-
KTC01C2007B	0.10	0.03	6,325	-	OSP16C2008A	0.06	(0.01)	5,245	-	PTT41C2006A	0.15	0.06	1,000	-
KTC01P2004A	0.53	(0.43)	1,719	-	OSP19C2004A	-	-	-	-	PTT41C2007A	0.45	0.23	12,014	-
KTC01P2007A	0.55	(0.25)	65,504	-	OSP19C2005A	0.11	0.06	39,029	-	PTT41P2004A	-	-	-	-
KTC06C2006A	0.05	0.02	7,860	-	OSP24C2008A	0.17	0.06	200	-	PTT41P2005A	-	-	-	-
KT08C2004A	-	-	-	-	OSP41C2004A	-	-	-	-	PTT41P2006A	-	-	-	-
KT08C2006A	0.14	0.07	53,325	-	OSP41C2005A	0.21	0.17	2,256	-	PTT42C2003A	-	-	-	-
KTC11C2005A	0.03	-	115	-	OSP41P2004A	0.59	(0.12)	200	-	PTT42C2007A	0.01	-	3,237	-
KTC13C2004A	-	-	-	-	OSP42C2005A	0.03	0.02	250	-	PTTE01C2004A	0.01	(0.01)	7,534	-
KTC13C2006A	0.07	0.01	3,598	-	PLAN08C2004A	-	-	-	-	PTTE01C2004B	0.02	0.01	1,650	-
KTC13P2006A	0.40	(0.23)	4,676	-	PLAN13C2004A	0.01	-	20,000	-	PTTE01C2007A	0.06	0.02	274,426	-
KTC13P2007A	1.02	(0.36)	313	1.00	PLAN13C2005A	-	-	-	-	PTTE01C2007B	0.02	-	132,523	-
KTC19C2005A	-	-	-	-	PLAN13C2007A	0.01	-	22,850	-	PTTE01P2004A	2.40	(0.42)	247	2.00
KTC19C2006A	0.08	0.04	4,549	-	PLAN19C2005A	-	-	-	-	PTTE01P2004B	2.66	(0.86)	326	2.00
KTC19C2008A	0.43	0.13	311,156	-	PLAN19C2007A	0.01	-	380	-	PTTE01P2007A	3.40	(0.48)	2,855	3.00
KTC19P2005A	0.67	(0.12)	400	-	PLAN24C2006A	-	-	-	-	PTTE01P2007B	4.40	(1.40)	925	4.00
KTC27C2007A	0.07	0.01	100	-	PLAN27C2008A	-	-	-	-	PTTE06C2006A	0.02	-	19,430	-
KTC28C2004A	-	-	-	-	PLAN28C2004A	-	-	-	-	PTTE06P2006A	-	-	-	-
KTC28C2006A	0.04	0.02	700	-	PLAN28C2005A	0.04	0.02	60	-	PTTE08C2005A	0.01	-	320	-
KTC41C2004A	-	-	-	-	PLAN41C2004A	-	-	-	-	PTTE08P2005A	-	-	-	-
KTC41C2005A	-	-	-	-	PLAN41C2005A	-	-	-	-	PTTE08P2006A	-	-	-	-
KTC41C2006A	0.07	0.04	100	-	PLAN41C2006A	-	-	-	-	PTTE11C2006A	-	-	-	-
KTC42C2003A	-	-	-	-	PLAN42C2007A	-	-	-	-	PTTE13C2004A	-	-	-	-
KTC42C2006A	0.04	0.02	3,095	-	PRM08C2003A	-	-	-						

Main Board Quotation

Issue Date :

Friday March 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE19P2004A	2.44	(0.62)	100	2.00	S5001C2003F	0.01	-	103,388	-	S5024P2003A	-	-	-	-
PTTE19P2006A	3.22	(0.52)	115	3.00	S5001C2003G	0.01	(0.01)	700	-	S5024P2003B	-	-	-	-
PTTE24C2003A	-	-	-	-	S5001C2003H	0.01	(0.01)	612	-	S5024P2006A	17.80	(4.90)	35	18.00
PTTE24C2008A	0.01	(0.02)	301	-	S5001C2003I	0.01	(0.01)	9,210	-	S5024P2006B	7.50	(5.50)	169	10.00
PTTE28C2005A	-	-	-	-	S5001C2003J	0.01	(0.01)	53,184	-	S5024P2006C	3.26	(2.19)	4,229	4.00
PTTE28C2008A	0.04	0.01	1,000	-	S5001C2004A	0.01	(0.01)	38,756	-	S5028C2003A	0.01	-	181	-
PTTE28P2004A	-	-	-	-	S5001C2005A	0.03	-	165,882	-	S5028C2003B	-	-	-	-
PTTE41C2005A	-	-	-	-	S5001C2006F	0.04	-	170,264	-	S5028C2004A	0.02	-	52	-
PTTE41C2006A	-	-	-	-	S5001C2006G	0.02	(0.01)	53,869	-	S5028C2004B	0.01	(0.01)	211	-
PTTE41C2007A	0.79	0.25	5,263	-	S5001C2006H	0.08	(0.01)	935,460	-	S5028C2006A	0.04	0.01	28,986	-
PTTE41P2004A	-	-	-	-	S5001C2007A	0.24	(0.08)	1,154,968	-	S5028C2006B	0.04	0.01	8,164	-
PTTE42C2004A	0.01	-	100	-	S5001P2003F	12.20	(1.50)	10	12.00	S5028C2006C	1.05	0.05	13,693	-
PTTE42P2008A	-	-	-	-	S5001P2003G	13.90	(1.00)	135	13.00	S5028C2006D	1.51	0.51	18,515	1.00
PTTG01C2005A	0.02	-	4,601	-	S5001P2003H	-	-	-	-	S5028P2003A	2.62	(0.20)	3	2.00
PTTG01C2005B	-	-	-	-	S5001P2003I	-	-	-	-	S5028P2004A	6.60	(2.65)	384	7.00
PTTG01C2007B	0.03	0.01	4,460	-	S5001P2003J	6.65	(1.80)	15	6.00	S5028P2004B	4.34	(1.96)	200	4.00
PTTG01C2008A	0.03	-	86,041	-	S5001P2004A	5.65	(0.80)	4,377	5.00	S5028P2006A	2.14	(0.46)	4,836	2.00
PTTG01P2005A	2.98	(0.34)	21	3.00	S5001P2005A	4.52	(0.98)	7,478	4.00	S5028P2006B	1.66	(0.50)	226,979	1.00
PTTG01P2005B	3.54	(0.22)	30	3.00	S5001P2006F	9.40	(2.80)	833	10.00	S5028P2006C	0.91	(0.09)	124,081	1.00
PTTG01P2007B	-	-	-	-	S5001P2006G	7.50	(3.80)	2,858	9.00	S5041C2003A	-	-	-	-
PTTG01P2008A	2.08	(0.42)	241	2.00	S5001P2006H	4.12	(2.18)	17,303	5.00	S5041C2003B	-	-	-	-
PTTG06C2006A	0.02	(0.01)	20	-	S5001P2007A	5.05	(1.25)	115,924	5.00	S5041C2003C	-	-	-	-
PTTG08C2004A	-	-	-	-	S5006C2003A	0.02	-	280	-	S5041C2003D	-	-	-	-
PTTG08P2004A	2.16	(0.34)	100	2.00	S5006C2003B	-	-	-	-	S5041C2003E	-	-	-	-
PTTG11C2004A	-	-	-	-	S5006C2003C	-	-	-	-	S5041C2006A	0.49	0.25	1,414	-
PTTG11C2007A	0.03	0.02	15	-	S5006C2006A	0.03	-	370	-	S5041C2006B	0.76	0.35	15,633	-
PTTG13C2005A	-	-	-	-	S5006C2006B	0.03	0.01	3,375	-	S5041C2006C	2.08	0.71	1,687,989	1.00
PTTG13C2007A	0.03	0.02	506	-	S5006P2003A	-	-	-	-	S5041C2006D	3.36	0.94	234,455	2.00
PTTG13C2008A	0.12	0.05	95,402	-	S5006P2003B	-	-	-	-	S5041P2003A	-	-	-	-
PTTG13P2004A	-	-	-	-	S5006P2003C	-	-	-	-	S5041P2003B	-	-	-	-
PTTG13P2008A	1.29	(0.28)	273	1.00	S5006P2006A	13.00	(1.80)	1	13.00	S5041P2003C	-	-	-	-
PTTG16C2006A	-	-	-	-	S5006P2006B	-	-	-	-	S5041P2003D	-	-	-	-
PTTG19C2006A	-	-	-	-	S5008C2003A	-	-	-	-	S5041P2003E	-	-	-	-
PTTG19C2006B	-	-	-	-	S5008C2003B	-	-	-	-	S5041P2006A	8.10	(1.60)	382	8.00
PTTG19C2008A	0.02	-	58,380	-	S5008C2006A	0.07	0.05	123,853	-	S5041P2006B	7.00	(1.40)	41	7.00
PTTG19C2008B	0.27	0.10	476,763	-	S5008P2003A	12.20	(1.50)	2	12.00	S5041P2006C	3.80	(0.86)	101,526	4.00
PTTG19P2003A	-	-	-	-	S5008P2003B	17.70	(5.20)	295	17.00	S5041P2006D	3.08	(0.58)	260,371	3.00
PTTG19P2006A	-	-	-	-	S5008P2003C	-	-	-	-	SAWA01C2003A	0.05	0.03	962	-
PTTG24C2003A	-	-	-	-	S5011C2003A	-	-	-	-	SAWA01C2003B	-	-	-	-
PTTG24C2008A	-	-	-	-	S5011P2003A	-	-	-	-	SAWA01C2006A	0.12	0.05	50,173	-
PTTG27P2006A	2.78	(0.10)	100	2.00	S5013C2003A	0.01	-	505	-	SAWA01C2006B	0.04	0.01	2,360	-
PTTG28C2006A	-	-	-	-	S5013C2003B	-	-	-	-	SAWA01P2003A	0.57	(0.63)	201	-
PTTG28C2008A	0.06	0.03	15,001	-	S5013C2003C	0.01	-	10	-	SAWA01P2006A	2.14	(0.80)	4,893	2.00
PTTG41C2003A	-	-	-	-	S5013C2003D	-	-	-	-	SAWA06C2007A	0.06	0.02	22,203	-
PTTG41C2004A	-	-	-	-	S5013C2003E	0.01	-	2,320	-	SAWA08C2006A	0.04	0.01	50,000	-
PTTG41C2005A	-	-	-	-	S5013C2006A	0.02	-	1,034,570	-	SAWA11C2003A	-	-	-	-
PTTG41C2006A	-	-	-	-	S5013C2006B	0.01	(0.01)	946,752	-	SAWA13C2005A	0.07	0.01	1	-
PTTG41C2007A	0.28	0.17	400	-	S5013C2006C	0.01	(0.01)	89,325	-	SAWA13C2007A	0.07	0.02	3,086	-
PTTG41C2008A	0.44	0.23	2	-	S5013C2006D	0.02	-	414,361	-	SAWA16C2008A	-	-	-	-
PTTG41P2006A	-	-	-	-	S5013C2006E	0.15	(0.06)	3,894,056	-	SAWA19C2005A	-	-	-	-
PTTG42C2003A	-	-	-	-	S5013C2006F	1.28	0.28	4,517,598	1.00	SAWA19C2009A	0.65	(0.35)	208,190	-
PTTG42C2007A	0.09	-	1	-	S5013P2003A	-	-	-	-	SAWA24C2004A	-	-	-	-
QH01C2006A	0.09	-	10	-	S5013P2003B	8.80	(2.10)	11	8.00	SAWA27C2007A	0.15	0.09	1,500	-
QH01C2006B	-	-	-	-	S5013P2003C	-	-	-	-	SAWA28C2004A	0.01	-	20,000	-
QH01P2006A	0.82	(0.10)	187	-	S5013P2003D	-	-	-	-	SAWA28C2007A	0.06	0.02	232	-
QH11C2006A	-	-	-	-	S5013P2003E	6.75	(2.80)	24	8.00	SAWA28C2008A	0.09	0.04	3,735	-
QH19C2006A	-	-	-	-	S5013P2006A	7.75	(1.75)	886	8.00	SAWA41C2004A	-	-	-	-
QH27C2007A	-	-	-	-	S5013P2006B	5.00	(1.80)	1,615	5.00	SAWA41C2005A	0.07	0.04	70	-
RATC01C2003A	-	-	-	-	S5013P2006C	4.80	(1.55)	2,979	5.00	SAWA41P2004A	1.39	(0.42)	2,022	1.00
RATC01C2003B	0.01	-	14	-	S5013P2006D	3.12	(2.18)	429,125	4.00	SAWA41P2005A	2.46	(0.14)	12	2.00
RATC01C2006A	0.24	0.16	7,440	-	S5013P2006E	2.68	(2.02)	1,333,867	3.00	SAWA42C2003A	-	-	-	-
RATC01C2006B	0.08	0.04	2,445	-	S5016C2003A	0.01	-	1	-	SCB01C2004A	0.01	(0.01)	8,214	-
RATC01P2006A	1.24	(0.51)	2,820	1.00	S5016C2003B	-	-	-	-	SCB01C2004B	0.01	(0.01)	2,210	-
RATC06C2006A	0.02	-	4,212	-	S5016C2003C	-	-	-	-	SCB01C2007A	0.04	(0.01)	29,379	-
RATC06P2006A	-	-	-	-	S5016C2003D	-	-	-	-	SCB01C2007B	0.04	0.02	23,133	-
RATC13C2004A	-	-	-	-	S5016C2003E	0.01	-	1	-	SCB01C2008B	0.09	(0.01)	41,540	-
RATC13C2007A	0.12	0.08	12,985	-	S5016C2006A	0.01	(0.02)	10,612	-	SCB01C2009A	0.28	0.05	7,524	-
RATC16C2008A	-	-	-	-	S5016C2006B	0.07	0.04	17,437	-	SCB01P2004A	-	-	-	-
RATC19C2005A	0.05	(0.02)	3	-	S5016P2003A	-	-	-	-	SCB01P2004B	2.64	(0.16)	56	2.00
RATC19C2007A	0.15	0.08	2,429	-	S5016P2003C	-	-	-	-	SCB01P2007A	1.77	(0.17)	2,253	1.00
RATC24C2006A	0.07	0.04	209	-	S5016P2003D	-	-	-	-	SCB01P2007B	2.08	(0.40)	2,498	2.00
RATC27C2004A	-	-	-	-	S5016P2006A	-	-	-	-	SCB06C2007A	0.02	-	309	-
RATC27C2007A	0.10	0.03	1	-	S5016P2006B	6.00	(2.80)	20	6.00	SCB08C2005A	0.02	-	408	-
RATC41C2004A	-	-	-	-	S5019C2003A	-	-	-	-	SCB08C2007A	0.05	0.01	1,387	-
RATC41C2005A	-	-	-	-	S5019C2003B	-	-	-	-	SCB08P2004A	-	-	-	-
RATC41C2006A	0.27	0.13	10,056	-	S5019C2003C	-	-	-	-	SCB11C2005A	0.01	-	2	-
RATC41P2004A	-	-	-	-	S5019C2003D	-	-	-	-	SCB11C2006A	0.01	-	5,000	-
RATC41P2006A	1.75	0.01	401	1.00	S5019C2006A	0.02	-	38,694	-	SCB11C2008A	0.03	0.01	12	-
RATC42C2003A	-	-	-	-	S5019C2006B	0.02	(0.01)	11,054	-	SCB11P2005A	-	-	-	-
RATC42C2006A	0.02	0.01	1,600	-	S5019C2006C	0.17	0.04	50,988	-	SCB13C2006A	0.01	-	2,000	-
RS06C2004A	-	-	-	-	S5019C2009A	2.70	1.70	99,828	2.00	SCB13C2006B	0.01	-	200	-
RS08P2003A	2.00	0.08	1	2.00	S5019P2003A	9.40	(2.00)	8	9.00	SCB13C2007A	0.04	0.01	4,251	-
RS08P2006A	1.04	(0.06)	19,175	1.00	S5019P2003B	-	-	-	-	SCB13C2008A	0.30	0.06	1,515	-
RS13C2004A	-	-	-	-	S5019P2003C	8.40	(1.80)	3	8.00	SCB13P2006A	2.84	(0.22)	51	2.00
RS13C2006A	-	-	-	-	S5019P2003D	8.20	(3.30)	15	8.00	SCB13P2008A	1.12	(0.11)	1,342	1.00
RS16C2005A	-	-	-	-	S5019P2006A	5.55	(1.05)	212	5.00	SCB16C2003A	-	-	-	-
RS19C2004A	-	-	-	-	S5019P2006B	4.20	(1.80)	537	4.00	SCB16C2008A	-	-	-	-
RS19C2005A	-	-	-	-	S5019P2006C	3.94	(1.76)	4,790	4.00	SCB19C2003A	-	-	-	-
RS19C2007A	-	-	-	-	S5024C2003A	-	-	-	-	SCB19C2006A	-	-	-	-
RS24C2004A	-	-	-	-	S5024C2003B	-	-	-	-	SCB19C2007A	-	-	-	-
RS24C2008														

Main Board Quotation

Issue Date :

Friday March 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB27P2006A	-	-	-	-	STA01P2009A	0.58	(0.06)	6,739	-	TISC41C2005A	0.04	0.01	1,500	-
SCB28C2004A	-	-	-	-	STA11C2005A	0.08	0.01	32,702	-	TISC41C2006A	-	-	-	-
SCB28C2006A	-	-	-	-	STA13C2003A	0.02	0.01	10,739	-	TISC41P2006A	-	-	-	-
SCB28C2006B	-	-	-	-	STA13C2006A	0.10	0.02	21,647	-	TISC42C2003A	-	-	-	-
SCB28C2008A	0.09	0.02	548	-	STA19C2004A	0.10	0.04	2,550	-	TKN01C2003A	0.01	-	80	-
SCB41C2004A	-	-	-	-	STA19C2005A	0.46	0.03	14,158	-	TKN01C2003B	-	-	-	-
SCB41C2005A	-	-	-	-	STA19C2007A	0.12	0.02	2,547	-	TKN01C2007B	-	-	-	-
SCB41C2006A	-	-	-	-	STA42C2007A	0.10	0.01	200	-	TKN01C2008A	-	-	-	-
SCB41C2006B	-	-	-	-	STEC01C2003A	-	-	-	-	TKN08C2003A	-	-	-	-
SCB41C2008A	0.33	0.04	4,606	-	STEC01C2003B	0.01	-	10	-	TKN08C2007A	-	-	-	-
SCB41P2004A	-	-	-	-	STEC01C2004A	0.02	0.01	3,650	-	TKN13C2004A	-	-	-	-
SCB41P2005A	-	-	-	-	STEC01C2006A	0.12	0.05	54,673	-	TKN13C2006A	0.03	-	2,177	-
SCB42C2003A	-	-	-	-	STEC01C2006B	0.03	-	15,858	-	TKN16C2008A	-	-	-	-
SCB42C2006A	-	-	-	-	STEC01P2003A	-	-	-	-	TKN19C2004A	-	-	-	-
SCB42C2007A	-	-	-	-	STEC01P2006A	0.97	(0.34)	158	1.00	TKN19C2004B	-	-	-	-
SCC01C2004A	0.10	0.08	13,595	-	STEC06C2004A	0.01	-	1,300	-	TKN19C2007A	-	-	-	-
SCC01C2004B	0.02	0.01	1,100	-	STEC08C2004A	-	-	-	-	TKN28C2007A	-	-	-	-
SCC01P2004A	1.35	(0.75)	1,710	1.00	STEC08C2005A	0.07	0.01	200	-	TKN41C2005A	-	-	-	-
SCC06C2007A	0.08	0.04	19,272	-	STEC11C2007A	0.04	0.03	20	-	TKN41C2006A	-	-	-	-
SCC08C2004A	-	-	-	-	STEC13C2003A	-	-	-	-	TKN42C2003A	-	-	-	-
SCC08P2006A	1.02	(1.24)	1,576	1.00	STEC13C2004A	0.01	-	52,870	-	TKN42C2006A	-	-	-	-
SCC11C2003A	-	-	-	-	STEC16C2003A	-	-	-	-	TMB01C2004A	0.02	-	71	-
SCC11C2006A	0.01	(0.04)	560	-	STEC16C2006A	-	-	-	-	TMB01C2004B	-	-	-	-
SCC11C2007A	0.11	0.05	3,854	-	STEC16C2009A	-	-	-	-	TMB01P2004A	1.92	(0.20)	5	1.00
SCC13C2004A	0.01	(0.01)	298	-	STEC19C2004A	-	-	-	-	TMB19C2004A	-	-	-	-
SCC13C2008A	0.45	0.23	17,551	-	STEC19C2005A	-	-	-	-	TMB19C2007A	0.02	0.01	972	-
SCC13P2006A	1.03	(1.03)	5,021	1.00	STEC24C2003A	-	-	-	-	TMB19P2004A	-	-	-	-
SCC16C2005A	-	-	-	-	STEC24C2006A	0.08	0.05	800	-	TMB41C2004A	-	-	-	-
SCC19C2003A	-	-	-	-	STEC28C2004A	-	-	-	-	TMB41C2005A	-	-	-	-
SCC19C2003B	-	-	-	-	STEC28C2004B	0.02	-	2,500	-	TMB41P2006A	-	-	-	-
SCC19C2006A	-	-	-	-	STEC28C2005A	0.04	0.02	209	-	TOA01C2006A	0.18	0.03	904	-
SCC19C2008A	0.42	0.25	4,078	-	STEC41C2004A	-	-	-	-	TOA01C2006B	0.11	0.04	1	-
SCC19P2004A	0.69	(1.11)	101	1.00	STEC41C2005A	-	-	-	-	TOA08C2003A	-	-	-	-
SCC24C2003A	-	-	-	-	STEC41C2006A	-	-	-	-	TOA13C2007A	0.15	0.03	210	-
SCC24C2006A	-	-	-	-	STEC41P2004A	-	-	-	-	TOA19C2004A	-	-	-	-
SCC27P2008A	0.40	(0.47)	108,382	-	STEC41P2005A	-	-	-	-	TOA19C2007A	0.15	0.01	72,219	-
SCC28C2004A	-	-	-	-	STEC42C2004A	-	-	-	-	TOA24C2005A	-	-	-	-
SCC28C2008A	0.44	0.26	174,791	-	SUPE13C2003A	-	-	-	-	TOA41C2004A	-	-	-	-
SCC41C2004A	-	-	-	-	SUPE19C2004A	-	-	-	-	TOP01C2003A	0.01	-	300	-
SCC41C2005A	0.16	0.09	4	-	SUPE19C2007A	0.03	0.01	9,100	-	TOP01C2003B	-	-	-	-
SCC41C2006A	-	-	-	-	SUPE42C2004A	-	-	-	-	TOP01C2006A	0.02	-	27,237	-
SCC41C2006B	0.65	0.50	54,549	-	TASC01C2003A	0.02	-	8,300	-	TOP01C2006B	0.02	-	89	-
SCC41P2004A	-	-	-	-	TASC01C2003B	-	-	-	-	TOP01C2008B	0.07	0.02	450	-
SCC41P2005A	-	-	-	-	TASC01C2007B	0.20	0.05	7,940	-	TOP01C2009A	0.18	0.06	75,522	-
SCC41P2006A	-	-	-	-	TASC01C2008A	0.44	0.08	27,101	-	TOP01P2003A	-	-	-	-
SCC42C2003A	-	-	-	-	TASC01P2003A	0.14	(0.08)	2,814	-	TOP01P2006A	3.70	(0.60)	30	3.00
SCC42C2008A	0.20	0.17	1,001	-	TASC01P2008A	0.89	(0.18)	278	-	TOP01P2009A	1.29	(0.41)	2,412	1.00
SGP13C2004A	-	-	-	-	TASC08C2005A	0.04	-	10	-	TOP06C2004A	-	-	-	-
SGP13C2006A	-	-	-	-	TASC08C2006A	0.21	0.07	55,035	-	TOP06C2007A	0.01	-	48,904	-
SGP13C2007A	0.06	0.04	155	-	TASC13C2006A	0.21	0.04	17,077	-	TOP06P2005A	-	-	-	-
SGP19C2006A	-	-	-	-	TASC16C2008A	0.20	0.11	202	-	TOP08C2003A	-	-	-	-
SGP19C2006B	0.05	0.04	465	-	TASC19C2003A	-	-	-	-	TOP08C2007A	0.02	-	21	-
SGP42C2007A	-	-	-	-	TASC19C2006A	0.37	0.09	27,889	-	TOP08P2003A	-	-	-	-
SIRI13C2007A	0.03	(0.02)	2	-	TASC19C2007A	0.17	0.06	7,305	-	TOP08P2007A	-	-	-	-
SIRI19C2004A	-	-	-	-	TASC19P2004A	0.29	(0.02)	4	-	TOP11C2007A	0.01	(0.01)	6	-
SIRI19C2007A	-	-	-	-	TASC24C2006A	0.27	0.23	1	-	TOP13C2004A	-	-	-	-
SPAL01C2004A	-	-	-	-	TASC28C2004A	-	-	-	-	TOP13C2006A	0.02	-	7,710	-
SPAL01C2004B	-	-	-	-	TASC28C2006A	0.08	0.04	1	-	TOP13C2008A	0.06	-	1,362	-
SPAL06P2004A	-	-	-	-	TASC41C2004A	-	-	-	-	TOP13C2008B	0.14	0.04	5,727	-
SPAL11C2006A	-	-	-	-	TASC41C2005A	0.40	0.19	8,462	-	TOP13P2005A	-	-	-	-
SPAL13C2003A	-	-	-	-	TASC42C2003A	-	-	-	-	TOP13P2006A	3.30	(0.60)	31	3.00
SPAL13C2006A	0.08	(0.08)	1,000	-	TASC42C2005A	0.12	0.05	10,349	-	TOP16C2008A	-	-	-	-
SPAL19C2004A	-	-	-	-	TCAP01C2007B	0.06	(0.01)	2,000	-	TOP19C2003A	-	-	-	-
SPAL24C2003A	-	-	-	-	TCAP01C2008A	0.06	-	2,010	-	TOP19C2006A	0.03	0.02	500	-
SPAL27C2008A	-	-	-	-	TCAP01P2008A	2.30	(0.20)	192	2.00	TOP19C2007A	0.02	-	1,400	-
SPAL41C2004A	-	-	-	-	TCAP13C2007A	0.08	(0.02)	1	-	TOP19C2008A	0.07	0.01	1,501	-
SPAL42C2003A	-	-	-	-	TCAP19C2004A	-	-	-	-	TOP19P2006A	-	-	-	-
SPRC01C2003A	-	-	-	-	TCAP41C2004A	-	-	-	-	TOP24C2007A	-	-	-	-
SPRC01C2003B	-	-	-	-	THAI11C2003A	-	-	-	-	TOP24C2008A	0.42	0.13	140,150	-
SPRC01C2007A	0.04	-	3	-	THAI13C2004A	-	-	-	-	TOP28C2004A	-	-	-	-
SPRC06C2007A	0.01	-	1	-	THAI19C2004A	-	-	-	-	TOP41C2004A	-	-	-	-
SPRC06P2003A	1.95	(0.07)	300	1.00	THAI27C2008A	0.04	-	2,000	-	TOP41C2005A	-	-	-	-
SPRC06P2007A	2.30	(0.18)	1	2.00	THAI42C2003A	-	-	-	-	TOP41C2006A	-	-	-	-
SPRC08C2005A	-	-	-	-	THAI42C2005A	0.01	-	100	-	TOP41C2007A	-	-	-	-
SPRC08C2006A	-	-	-	-	THAN01C2006A	-	-	-	-	TOP41C2008A	0.41	0.21	12,000	-
SPRC11C2005A	-	-	-	-	THAN01C2006B	-	-	-	-	TOP41P2004A	-	-	-	-
SPRC11C2008A	0.04	0.02	40,000	-	THAN01P2006A	-	-	-	-	TOP41P2005A	-	-	-	-
SPRC13C2004A	-	-	-	-	THAN06C2003A	-	-	-	-	TOP41P2006A	-	-	-	-
SPRC13C2006A	-	-	-	-	THAN06C2005A	-	-	-	-	TOP42C2007A	-	-	-	-
SPRC13C2008A	0.04	-	252	-	THAN06P2003A	-	-	-	-	TPI19C2004A	-	-	-	-
SPRC19C2005A	-	-	-	-	THAN13C2003A	-	-	-	-	TRUE01C2004A	0.02	-	2,001	-
SPRC19C2005B	-	-	-	-	THAN13C2007A	0.05	(0.03)	500	-	TRUE01C2004B	0.02	0.01	31,493	-
SPRC19C2007A	0.05	(0.01)	579	-	THAN19C2004A	-	-	-	-	TRUE01C2007A	0.25	0.03	106,951	-
SPRC19P2005A	1.10	(0.16)	68	1.00	THAN19C2007A	0.05	0.01	17	-	TRUE01C2007B	0.12	0.04	27,595	-
SPRC24C2003A	-	-	-	-	THAN27C2003A	-	-	-	-	TRUE01P2004A	0.92	(0.11)	775	-
SPRC28C2008A	0.04	0.01	8,500	-	THAN41C2005A	-	-	-	-	TRUE01P2004B	0.42	(0.14)	34,353	-
SPRC41C2004A	-	-	-	-	TISC01C2006A	0.07	0.02	19,467	-	TRUE01P2007B	0.61	(0.12)	19,943	-
SPRC41C2005A	-	-	-	-	TISC01C2006B	0.03	(0.02)	1,272	-	TRUE06C2004A	0.01	-	295	-
SPRC41C2006A	-	-	-	-	TISC01P2006A	1.53	(0.18)	16,752	1.00	TRUE06C2007A	0.16	0.09	94,775	-
SPRC42C2006A	0.01	-	2,933	-	TISC11C2005A	-	-	-	-	TRUE08C2004A	-	-	-	-
STA01C2003A	0.11	0.04	811	-	TISC11C2007A	0.06	0.01	5,179	-	TRUE08C2005A	0.04	0.02	200	-
STA01C2003B	0.02	0.01	1	-	TISC13C2004A	-	-	-	-	TRUE08C2007A	0.19	0.04	63,631	-
STA01C2008B	0.12	-	18,351	-	TISC13C2006A	0.02	-	78	-	TRUE08P2005A	1.00	(0.23)	846	1.00
STA01C2009A	0.24	0.03	20,919	-	TISC19C2004A	-	-	-	-	TRUE11C2005A	-	-	-	-
STA01P2003A	0.03	(0.02)	38,991	-	TISC19C2006A	0.02	-	3,000	-	TRUE11C2005B	-	-	-	-

Main Board Quotation

Issue Date :

Friday March 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE13C2003A	-	-	-	-	7UP-W4	0.06	0.01	27,836	-	HPT-W1	0.17	0.01	470	-
TRUE13C2003B	-	-	-	-	AKR-W1	0.04	0.01	1,352	-	HYDRO-W1	-	-	-	-
TRUE13C2006A	0.07	0.01	6,602	-	ALT-W1	0.06	(0.01)	6,634	-	ITEL-W1	0.16	0.03	9,680	-
TRUE13C2007A	0.14	0.01	21,862	-	APEX-W1	-	-	-	-	JKN-W1	0.12	0.02	9,886	-
TRUE19C2003A	-	-	-	-	APURE-W2	0.05	0.01	509	-	LIT-W1	0.20	0.02	4,551	-
TRUE19C2004A	-	-	-	-	AS-W1	-	-	-	-	META-W4	0.03	-	12,918	-
TRUE19C2006A	0.07	0.02	340	-	AYUD-W1	0.04	-	8,452	-	NEWS-W6	-	-	-	-
TRUE19C2007A	0.26	0.06	4,899	-	B-W3	0.01	-	976	-	OCEAN-W3	0.21	0.01	4,041	-
TRUE19P2003A	-	-	-	-	B-W4	-	-	-	-	PROUD-W2	0.02	-	10	-
TRUE19P2005A	0.68	(0.22)	255	-	B-W5	0.02	-	171	-	RWI-W2	0.04	-	2,881	-
TRUE28C2006A	-	-	-	-	B52-W2	-	-	-	-	SANKO-W1	-	-	-	-
TRUE41C2004A	-	-	-	-	BKD-W2	0.04	-	4,000	-	SIMAT-W2	0.04	-	8,559	-
TRUE41C2005A	-	-	-	-	BTS-W5	0.62	0.07	674,762	-	SIMAT-W3	0.23	0.01	451	-
TRUE41C2006A	-	-	-	-	CGD-W4	0.04	-	27,785	-	SIMAT-W4	0.63	0.01	1,621	-
TRUE41C2007A	-	-	-	-	CGH-W3	0.01	-	578	-	SMART-W2	0.20	0.05	360	-
TRUE41P2004A	-	-	-	-	CI-W1	0.01	-	1	-	SWC-W1	2.14	0.12	142	2.00
TRUE41P2005A	1.56	0.14	3	1.00	CKP-W1	0.02	-	184,188	-	TAKUNI-W	0.02	-	603	-
TRUE42C2003A	-	-	-	-	CRANE-W1	0.68	0.17	16,819	-	TVD-W2	0.06	-	8,270	-
TRUE42C2004A	-	-	-	-	DCC-W1	0.18	0.02	13,497	-	Preferred Shares	-	-	-	-
TRUE42C2007A	0.14	0.04	1	-	ECL-W3	0.08	0.01	15,231	-	SGF-P1	-	-	-	-
TTW27C2009A	0.17	0.05	15,301	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU01C2004A	0.13	(0.05)	9,863	-	EIC-W3	-	-	-	-	-	-	-	-	-
TU01C2004B	0.08	(0.04)	22,498	-	EMC-W6	0.02	(0.01)	5,120	-	-	-	-	-	-
TU01P2004A	0.09	0.01	62,031	-	EPKO-W3	0.13	-	1,824	-	-	-	-	-	-
TU06C2004A	0.02	-	37,500	-	GLOCON-W4	0.12	0.01	17,818	-	-	-	-	-	-
TU06P2007A	-	-	-	-	J-W1	0.06	0.01	2,452	-	-	-	-	-	-
TU11C2003A	-	-	-	-	JAS-W3	0.74	0.16	1,177,209	-	-	-	-	-	-
TU11C2008A	0.35	(0.01)	2,521	-	JCK-W5	0.03	0.01	51	-	-	-	-	-	-
TU13C2004A	0.10	(0.09)	9,070	-	JMT-W2	3.16	0.30	6,204	3.00	-	-	-	-	-
TU19C2003A	-	-	-	-	MACO-W2	0.04	0.01	36,171	-	-	-	-	-	-
TU19C2005A	0.25	(0.05)	11,697	-	MILL-W4	0.02	(0.01)	275	-	-	-	-	-	-
TU19C2007A	0.20	(0.02)	3,914	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU24C2003A	-	-	-	-	MINT-W6	1.07	0.08	23,784	1.00	-	-	-	-	-
TU24C2006A	0.23	0.03	1	-	NFC-W1	0.24	(0.03)	26	-	-	-	-	-	-
TU27C2004A	-	-	-	-	NOK-W1	-	-	-	-	-	-	-	-	-
TU27C2006A	0.17	-	52,258	-	NVD-W1	0.07	0.01	2,517	-	-	-	-	-	-
TU41C2004A	-	-	-	-	ORI-W1	0.07	-	103,295	-	-	-	-	-	-
TU41C2005A	0.47	0.17	4,000	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU41P2004A	-	-	-	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU42C2007A	0.16	(0.02)	19	-	PDI-W1	0.18	0.02	938	-	-	-	-	-	-
TVO13C2007A	0.20	0.07	115	-	PDJ-W4	0.15	(0.01)	60	-	-	-	-	-	-
TVO19C2004A	-	-	-	-	PERM-W1	0.07	(0.01)	20,160	-	-	-	-	-	-
TVO19C2007A	0.04	-	60,337	-	PORT-W1	0.23	0.03	11,431	-	-	-	-	-	-
VGI01C2005A	0.02	-	5,095	-	PPPM-W4	-	-	-	-	-	-	-	-	-
VGI06C2007A	0.09	0.03	1	-	PRIME-W1	0.01	-	4,000	-	-	-	-	-	-
VGI08C2006A	0.02	-	30	-	PRIME-W2	0.01	-	30,001	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	RICHY-W2	0.01	-	550	-	-	-	-	-	-
VGI13C2006A	-	-	-	-	RS-W3	0.11	0.04	16,270	-	-	-	-	-	-
VGI19C2006A	0.09	0.08	300	-	SAMART-W2	0.36	0.07	6,021	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	SAWAD-W1	5.80	2.20	76,005	5.00	-	-	-	-	-
VGI41C2007A	0.16	0.07	989	-	SDC-W1	0.06	0.01	739	-	-	-	-	-	-
WHA01C2005A	0.01	-	4,100	-	SINGER-W1	1.09	0.24	31	-	-	-	-	-	-
WHA01C2005B	-	-	-	-	SINGER-W2	1.00	0.10	339	-	-	-	-	-	-
WHA01C2008B	0.09	-	10	-	SMT-W2	0.01	-	9	-	-	-	-	-	-
WHA01C2009A	0.29	0.07	2,696	-	SST-W2	0.24	(0.01)	85	-	-	-	-	-	-
WHA01P2005A	1.76	(0.50)	14	1.00	SUPER-W4	0.01	-	1,804	-	-	-	-	-	-
WHA01P2009A	0.70	(0.17)	1,342	-	SVI-W3	-	-	-	-	-	-	-	-	-
WHA06C2007A	0.03	0.01	3,642	-	TCC-W3	0.03	-	1	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	TCC-W4	-	-	-	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	TCC-W5	0.08	0.01	347	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	T CJ-W2	0.01	(0.01)	10,080	-	-	-	-	-	-
WHA08P2006A	-	-	-	-	TFG-W2	0.03	-	96,789	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA13C2003A	-	-	-	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA13C2005A	0.06	0.03	6,984	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA13C2006A	0.05	0.03	1,210	-	TNITY-W1	0.07	0.01	2,062	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	TRITN-W3	0.04	-	5,075	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	TTCL-W1	0.18	0.01	2,323	-	-	-	-	-	-
WHA19C2004A	0.03	-	1	-	U-W4	-	-	-	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	UAC-W2	0.05	-	4,812	-	-	-	-	-	-
WHA19C2006A	0.04	(0.01)	10	-	VGI-W2	0.67	0.12	647,974	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	VIBHA-W2	0.32	0.07	1,731	-	-	-	-	-	-
WHA24C2007A	-	-	-	-	VIBHA-W3	0.10	0.01	19,362	-	-	-	-	-	-
WHA24P2003A	-	-	-	-	WAVE-W1	0.01	-	1,422	-	-	-	-	-	-
WHA27C2008A	-	-	-	-	WIJK-W2	0.08	-	4,467	-	-	-	-	-	-
WHA28C2004A	0.01	-	1,400	-	ZMICO-W4	0.04	-	11,721	-	-	-	-	-	-
WHA28C2005A	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA28C2006A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA41C2004A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	0.02	0.01	500	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA41C2007A	0.17	0.06	2,524	-	SCB-P	73.25	(12.75)	1	73.00	-	-	-	-	-
WHA41P2005A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA42C2006A	-	-	-	-	U-P	1.64	0.05	977	1.00	-	-	-	-	-
Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
BH-Q	-	-	-	-	BM-W1	0.02	-	5,022	-	-	-	-	-	-
CSC-Q	-	-	-	-	BROOK-W5	0.10	0.01	19,856	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	CHO-W2	0.04	-	981	-	-	-	-	-	-
KTB-Q	-	-	-	-	D-W1	0.30	(0.03)	1,644	-	-	-	-	-	-
SCB-Q	-	-	-	-	DOD-W1	0.30	0.03	163,369	-	-	-	-	-	-
TCAP-Q	-	-	-	-	ECF-W3	0.20	0.01	2,851	-	-	-	-	-	-
TISCO-Q	-	-	-	-	EFORL-W3	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	EFORL-W4	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	FVC-W2	-	-	-	-	-	-	-	-	-

