

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.20	(0.14)	1,153	1.23	MCOT	6.55	(0.15)	1,747	6.36
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	1.43	(0.08)	61,162	1.43
SAFARI	-	-	-	-	DIF	12.50	(0.60)	265,322	12.58	MPIC	-	-	-	-
VI	-	-	-	-	DTAC	32.50	(2.50)	60,797	32.65	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.25	(0.15)	1,259	5.15	PLANB	2.90	(0.50)	296,926	2.96
WR	-	-	-	-	HUMAN	5.05	(0.45)	3,577	5.20	POST	-	-	-	-
Agribusiness	-	-	-	-	ILINK	1.98	(0.34)	11,033	2.02	PRAKIT	9.10	-	118	9.32
CHOTI	-	-	-	-	INET	1.60	(0.11)	2,156	1.61	SE-ED	1.48	(0.09)	58	1.48
EE	0.36	(0.04)	18,679	0.39	INTUCH	46.25	(3.75)	129,361	47.02	TBSP	11.50	(0.70)	15	11.95
GFPT	8.50	(0.55)	11,853	8.46	JAS	4.06	(0.22)	675,356	4.09	TH	0.50	(0.03)	200	0.50
LEE	1.94	(0.05)	1,225	1.95	JASIF	6.85	(0.55)	352,391	6.90	TKS	3.58	(0.30)	11,460	3.64
NER	1.67	(0.18)	95,504	1.70	JMART	4.72	(0.68)	51,479	4.78	VGI	5.75	(0.70)	162,322	5.88
PPPM	-	-	-	-	JTS	0.69	-	213	0.69	WAVE	0.89	(0.08)	4,808	0.89
STA	9.50	(1.40)	125,574	10.01	MFEC	4.26	(0.02)	8,183	4.26	WORK	6.00	(0.80)	25,863	6.26
TRUBB	0.38	(0.05)	5,010	0.40	MSC	3.78	(0.30)	3,093	3.79	Finance & Securities	-	-	-	-
TWPC	2.70	(0.08)	4,131	2.73	PT	3.74	(0.28)	2,922	3.75	AEC	0.20	(0.01)	1,959	0.21
UPOIC	2.04	(0.06)	51	2.03	SAMART	4.06	(0.60)	38,471	4.29	AEONTS	100.00	(16.50)	2,865	102.38
UVAN	3.80	(0.14)	104	3.80	SAMTEL	5.15	(0.65)	1,183	5.28	AMANAH	1.69	(0.28)	390,598	1.73
VPO	0.28	(0.02)	2,622	0.29	SDC	0.09	-	23,116	0.08	ASAP	1.00	(0.05)	885	0.99
Banking	-	-	-	-	SIS	5.25	(0.50)	3,877	5.31	ASK	14.80	(1.40)	3,528	15.10
BAY	17.80	(1.10)	4,356	18.16	SVOA	0.65	(0.03)	15,176	0.64	ASP	1.20	(0.12)	37,848	1.20
BBL	88.00	(9.50)	115,646	89.13	SYMC	1.66	(0.08)	79	1.73	BAM	17.10	(3.00)	2,873,345	17.75
CIMBT	0.40	(0.04)	11,858	0.42	SYNEX	3.90	(0.38)	5,251	3.93	BFIT	29.00	(5.00)	30,166	29.89
KBANK	79.25	(13.75)	179,473	80.99	THCOM	2.26	(0.32)	6,686	2.33	CGH	0.73	-	14,757	0.72
KKP	33.25	(4.00)	45,129	33.97	TRUE	2.90	(0.32)	1,929,548	3.01	ECL	0.56	(0.07)	21,792	0.59
KTB	10.00	(0.80)	452,508	10.15	TWZ	0.06	-	88,147	0.05	FNS	1.82	(0.04)	37	1.68
LHFG	0.86	(0.08)	74,555	0.86	Electronic Componer	-	-	-	-	FSS	0.78	(0.02)	373	0.71
SCB	58.25	(6.75)	160,082	59.60	CCET	1.37	(0.03)	7,124	1.39	GBX	0.36	(0.01)	1,182	0.36
TCAP	28.75	(4.00)	56,336	29.46	DELTA	31.50	(4.00)	8,633	33.04	GL	2.32	(0.22)	12,929	2.38
TISCO	62.00	(6.00)	114,640	62.73	EIC	0.03	-	5,093	0.03	IFS	1.72	(0.21)	3,644	1.80
TMB	0.68	(0.11)	3,790,590	0.72	HANA	19.90	(2.50)	30,691	20.13	JMT	13.50	(2.30)	163,160	13.72
Construction Materia	-	-	-	-	KCE	12.50	(2.50)	240,678	12.77	KCAR	7.70	(0.45)	663	7.71
CCP	0.19	(0.02)	25,063	0.19	METCO	133.00	8.00	8	131.25	KGI	3.42	(0.24)	97,335	3.44
COTTO	0.75	(0.06)	2,520	0.73	NEX	2.98	(0.16)	49,427	3.01	KTC	26.50	(4.25)	99,218	26.94
DCC	1.31	(0.03)	8,073	1.28	SMT	0.68	(0.07)	4,391	0.70	MBKET	4.20	(0.08)	2,212	4.13
DCON	0.25	-	30,237	0.25	SVI	1.93	(0.09)	8,208	1.95	MFC	12.00	(1.00)	392	12.15
DRT	4.42	0.02	4,183	4.43	TEAM	0.34	(0.03)	943	0.34	ML	0.47	(0.03)	493	0.46
EPG	3.08	(0.48)	73,674	3.16	Energy & Utilities	-	-	-	-	MTC	35.00	(6.00)	115,824	35.80
GEL	0.08	(0.01)	81,868	0.08	ZUP	0.31	(0.03)	54,789	0.31	PE	-	-	-	-
PPP	1.41	(0.04)	941	1.42	ABPIF	3.08	(0.08)	3,075	3.09	PL	1.90	(0.16)	645	1.91
Q-CON	4.18	(0.62)	61	4.25	ACE	2.42	(0.22)	190,011	2.47	S11	4.20	(0.58)	14,260	4.17
RCI	-	-	-	-	AI	0.82	(0.05)	29,249	0.83	SAWAD	41.25	(7.25)	109,143	42.36
SCC	285.00	(31.00)	40,765	289.98	AKR	0.34	(0.01)	27,732	0.34	THANI	3.94	(0.46)	27,454	3.99
SCCC	102.50	(4.00)	632	103.87	BAFS	17.20	(2.10)	11,315	17.90	TK	6.60	(1.00)	2,000	6.78
SCP	4.24	(0.26)	3,635	4.30	BANPU	4.90	(0.85)	315,073	5.01	TNITY	3.04	(0.04)	494	3.06
SKN	1.50	(0.08)	2,401	1.43	BCP	13.50	(2.30)	69,426	13.73	UOBKH	2.24	-	370	2.24
TASCO	16.40	(1.90)	92,319	16.72	BCPG	10.90	(1.20)	57,122	11.17	ZMICO	0.47	(0.01)	4,696	0.46
TCMC	0.71	(0.11)	17,661	0.71	BGRIM	36.50	(5.75)	236,365	37.63	Food & Beverage	-	-	-	-
TOA	30.00	(1.75)	12,311	30.10	BPP	10.40	(1.40)	88,717	10.74	APURE	0.54	(0.03)	5,217	0.50
TPIPL	1.11	(0.07)	94,395	1.13	BRRGIF	5.85	(0.30)	974	5.99	ASIAN	2.72	(0.26)	1,372	2.73
UMI	0.33	(0.01)	3,223	0.36	CKP	2.78	(0.28)	143,662	2.82	BR	1.14	(0.08)	4,673	1.17
VNG	2.30	0.02	2,273	2.20	DEMCO	1.23	(0.11)	8,756	1.22	BRR	2.38	(0.40)	2,186	2.42
WIJK	1.06	(0.09)	1,038	1.06	EA	31.00	(5.25)	78,789	32.30	CBG	58.50	(9.75)	58,420	61.92
Petrochemicals & Ch	-	-	-	-	EASTW	8.55	(0.50)	20,011	8.61	CFRESH	0.84	(0.03)	1,447	0.86
BCT	42.00	-	4,244	41.93	EGATIF	10.30	(0.60)	26,548	10.49	CM	1.88	(0.02)	332	1.84
CMAN	1.03	-	3,560	0.98	EGCO	192.00	(26.00)	24,502	199.69	CPF	21.60	(1.70)	466,827	22.04
GC	4.60	(0.12)	1,276	4.53	ESSO	3.54	(0.32)	225,433	3.57	CPI	1.11	(0.05)	404	1.08
GGC	4.46	(0.59)	22,109	4.52	GPSC	52.50	(9.00)	305,939	54.33	F&D	-	-	-	-
GIFT	1.94	(0.10)	6,642	1.97	GULF	138.50	(17.00)	194,125	144.82	HTC	15.90	(1.70)	1,554	16.19
IVL	16.90	(2.80)	340,260	17.59	GUNKUL	2.00	(0.18)	305,745	2.02	ICHI	4.00	(0.34)	18,893	4.05
NFC	1.28	(0.19)	9	1.31	IFEC	-	-	-	-	KBS	2.38	(0.08)	1,045	2.33
PATO	8.10	(0.05)	364	8.04	IRPC	1.95	(0.25)	1,289,745	1.99	KSL	1.44	(0.12)	24,529	1.44
PMTA	5.50	(0.35)	277	5.22	LANNA	4.82	(0.23)	506	4.81	KTIS	2.90	(0.02)	254	2.92
PTTGC	24.80	(2.95)	312,123	25.51	MDX	1.30	(0.07)	679	1.31	LST	4.18	(0.22)	1,407	4.19
SUTHA	1.10	(0.12)	150	1.12	PRIME	0.26	-	11,800	0.25	M	41.75	(4.25)	6,201	42.04
TCCC	17.50	(0.20)	122	17.12	PTG	10.20	(1.30)	119,488	10.35	MALEE	3.64	(0.32)	1,153	3.76
TPA	-	-	-	-	PTT	27.25	(2.25)	1,669,093	27.41	MINT	14.20	(2.40)	421,994	14.55
UAC	2.28	(0.06)	28	2.23	PTTEP	55.50	(7.75)	292,339	57.43	OISHI	33.00	(2.25)	134	33.63
UP	-	-	-	-	RATCH	51.25	(5.25)	44,553	52.35	OSP	33.25	(5.75)	152,048	33.77
VNT	15.60	(2.00)	14,715	15.78	RPC	0.39	-	16,081	0.39	PB	68.25	-	20	68.05
WG	-	-	-	-	SCG	3.86	(0.02)	191	3.89	PM	4.88	(0.32)	7,222	4.92
YCI	-	-	-	-	SCI	0.88	(0.15)	55,486	0.89	PRG	10.20	(0.30)	11	10.20
Commerce	-	-	-	-	SCN	1.15	(0.13)	10,396	1.18	RBF	3.08	(0.54)	146,744	3.16
BEAUTY	1.21	(0.21)	1,005,344	1.26	SGP	6.70	-	25,831	6.59	SAPPE	14.30	(0.50)	3,003	14.21
BIG	0.31	(0.05)	126,008	0.33	SKE	0.46	(0.08)	11,583	0.47	SAUCE	21.20	(0.30)	195	21.31
BJC	35.50	(5.50)	127,456	37.78	SOLAR	0.60	(0.07)	6,805	0.63	SFP	-	-	-	-
COL	11.70	(1.60)	2,456	11.94	SPCG	13.40	(2.10)	12,958	13.60	SNP	9.70	(0.70)	146	10.32
COM7	16.80	(2.90)	208,064	16.89	SPRC	4.26	(0.74)	317,506	4.40	SORKON	43.00	(4.00)	48	43.13
CPALL	58.50	(0.75)	567,955	58.85	SSP	5.85	(0.20)	12,723	5.81	SSC	28.00	(1.00)	7	28.00
CPW	0.92	(0.14)	17,396	0.95	SUPER	0.31	(0.03)	1,150,573	0.32	SSF	-	-	-	-
CRC	21.00	(3.70)	360,159	21.12	SUPEREIF	8.50	(0.55)	2,216	8.57	SST	3.00	0.02	21	2.98
CSS	0.68	(0.09)	30,089	0.70	SUSCO	1.60	(0.15)	5,975	1.64	TC	2.40	0.14	278	2.26
DOHOME	4.76	(0.84)	219,657	4.79	TAE	2.14	(0.14)	45,317	2.21	TFG	2.44	(0.20)	36,352	2.50
FN	0.58	(0.10)	10,313	0.62	TCC	0.15	(0.01)	13,207	0.15	TFMAMA	178.50	0.50	296	175.97
FTE	1.37	(0.06)	4,426	1.39	TOP	27.00	(3.25)	232,248	27.40	TIPCO	4.16	(0.32)	2,346	4.17
GLOBAL	9.80	(1.70)	69,752	9.90	TPIPP	2.78	(0.36)	198,535	2.90	TKN	4.66	(0.74)	65,078	4.84
HMPRO	9.70	(1.70)	740,926	9.77	TSE	1.67	(0.20)	57,225	1.72	TU	13.90	0.10	243,775	13.88
ILM	6.90	(1.00)	14,487	7.13	TTW	11.40	(0.70)	64,411	11.45	TVO	21.20	(1.50)	20,998	21.54
IT	1.58	(0.09)	299	1.53	WHAUP	3.60	(0.30)	83,625	3.63	ZEN	5.90	(0.85)	4,355	5.94
KAMART	2.10	(0.30)	24,090	2.14	WP	3.04	(0.16)	1,171	3.09	Health Care Services	-	-	-	-
LOXLEY	0.75	(0.05)	13,906	0.75	Media & Publishing	-	-	-	-	AHC	14.90	(0.60)	175	

## Main Board Quotation

Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.90	(0.08)	333	2.87	CGD	0.58	(0.04)	103,264	0.58	IHL	2.26	(0.12)	21,947	2.31
RAM	140.00	-	60	139.62	CI	0.53	(0.04)	364	0.54	INGRS	0.28	(0.01)	4,386	0.27
RJH	18.70	(1.30)	3,077	18.81	CPN	33.25	(5.75)	144,985	33.53	IRC	9.95	(1.15)	361	10.10
RPH	4.58	(0.32)	18,277	4.72	ESTAR	0.22	(0.03)	45,297	0.23	PCSGH	-	-	-	-
SKR	4.62	(0.04)	3,015	4.58	EVER	0.12	(0.01)	95,100	0.12	SAT	7.85	(0.75)	8,566	8.05
SVH	410.00	26.00	17	399.41	FPT	8.25	(0.70)	1,656	8.74	SPG	12.70	0.20	2	12.70
THG	17.60	(1.70)	7,074	17.93	GLAND	2.30	-	20	2.21	STANLY	125.50	(7.50)	339	126.37
VIBHA	1.32	(0.11)	41,702	1.35	GOLD	7.65	0.10	693	7.59	TKT	0.70	0.05	771	0.58
VIH	5.25	(0.40)	6,974	5.26	GREEN	0.50	(0.06)	4,055	0.50	TNPC	0.55	-	5,203	0.54
WPH	1.38	(0.05)	1,205	1.41	J	0.44	(0.07)	1,773	0.46	TRU	3.82	(0.10)	192	3.79
Tourism & Leisure	-	-	-	-	JCK	0.59	(0.04)	5,377	0.57	TSC	-	-	-	-
ASIA	4.24	0.14	12	4.21	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	13.20	(2.30)	42,321	13.72	KWG	0.68	(0.04)	2,024	0.67	ALLA	0.90	(0.14)	35,677	0.95
CSR	78.75	-	2	74.13	LALIN	3.70	(0.28)	5,856	3.81	ASEFA	2.44	(0.28)	3,420	2.46
DTC	6.80	(0.20)	100	6.91	LH	6.00	(0.80)	455,343	6.23	CPT	0.59	(0.01)	6,640	0.60
ERW	2.14	(0.36)	201,080	2.18	LPN	3.04	(0.26)	51,701	3.09	CRANE	1.31	(0.04)	6,733	1.34
GRAND	0.44	-	59,917	0.44	MBK	13.10	(1.90)	8,101	13.48	CTW	3.96	(0.10)	131	4.00
LRH	26.50	(3.50)	16	27.08	MJD	1.99	0.01	476	1.98	FMT	19.70	(3.10)	40	20.21
MANRIN	-	-	-	-	MK	2.10	(0.10)	3,465	2.11	HTECH	1.24	(0.21)	17,513	1.28
OHTL	-	-	-	-	NCH	0.54	0.05	31	0.54	KKC	0.26	-	953	0.24
ROH	-	-	-	-	NNCL	1.46	(0.15)	2,545	1.51	PK	0.64	(0.02)	432	0.64
SHANG	65.00	(1.75)	81	60.31	NOBLE	9.95	(0.45)	22,863	10.05	SNC	6.70	(0.40)	3,157	6.78
SHR	1.48	(0.15)	109,508	1.47	NUSA	0.31	(0.01)	146,262	0.30	STARK	1.87	(0.09)	4,631	1.88
VRANDA	4.70	(0.20)	3,269	4.76	NVD	1.08	(0.02)	2,685	1.09	TCJ	1.91	(0.07)	181	1.93
Home & Office Prod.	-	-	-	-	ORI	3.24	(0.36)	199,046	3.21	VARO	-	-	-	-
ACC	0.65	0.02	1,788	0.65	PACE	-	-	-	-	Property Fund & REI	-	-	-	-
AJA	0.20	(0.01)	134,296	0.22	PF	0.38	(0.05)	126,667	0.39	AIMCG	4.58	(0.06)	1,421	4.48
DTCI	-	-	-	-	PLAT	1.97	(0.33)	28,022	1.99	AIMRT	10.30	(0.40)	3,961	10.30
FANCY	0.25	(0.04)	3,732	0.26	POLAR	-	-	-	-	AMATAR	10.30	(0.10)	9	10.39
KYE	230.00	(8.00)	7	230.71	PRECHA	0.61	(0.05)	340	0.65	B-WORK	10.10	(0.40)	436	10.10
L&E	1.54	(0.08)	1,210	1.55	PRIN	1.19	(0.01)	2,006	1.10	BKER	6.00	(0.75)	1,561	5.93
MODERN	1.86	(0.06)	12,642	1.91	PSH	8.80	(0.75)	37,108	8.89	BKCP	10.60	(1.00)	589	10.57
OGC	-	-	-	-	QH	1.84	(0.14)	521,846	1.86	BOFFICE	13.50	(0.50)	3,422	13.54
ROCK	-	-	-	-	RICHY	0.53	(0.04)	9,802	0.52	CPNGC	9.05	(0.45)	3,201	8.96
SIAM	1.20	(0.04)	1,539	1.18	RML	0.48	(0.03)	4,544	0.48	CPNREIT	24.30	(4.20)	100,974	24.82
TSR	1.25	(0.15)	4,593	1.28	ROJNA	3.34	(0.24)	17,133	3.37	CPTGF	9.55	(0.45)	2,973	9.73
Insurance	-	-	-	-	S	1.19	(0.12)	17,084	1.21	CTARAF	4.70	(0.24)	497	4.74
AYUD	27.00	(2.75)	428	27.45	SAMCO	1.20	(0.03)	35	1.21	DREIT	3.90	(0.14)	772	3.99
BKI	220.00	(8.00)	428	219.08	SC	1.79	(0.13)	37,570	1.80	ERWPF	4.00	(0.36)	50	4.01
BLA	10.90	(1.20)	26,715	11.18	SENA	1.87	(0.11)	25,971	1.88	FTREIT	13.00	(1.40)	10,310	13.59
BUI	-	-	-	-	SF	3.62	(0.30)	29,123	3.63	FUTUREPF	15.50	(2.60)	18,343	15.56
CHARAN	-	-	-	-	SIRI	0.56	(0.05)	576,869	0.57	GAHREIT	7.25	(0.60)	375	7.25
INSURE	-	-	-	-	SPALI	13.50	(0.80)	85,792	13.50	GOLDFP	5.95	(1.05)	1,165	5.99
MTI	67.75	(1.00)	129	65.94	U	0.74	(0.09)	117,609	0.77	GVREIT	13.30	(0.20)	518	13.50
NKI	-	-	-	-	UV	2.02	(0.30)	35,772	2.11	HPF	3.94	(0.04)	100	3.73
NSI	48.25	(4.00)	6	48.33	WHA	2.12	(0.34)	845,123	2.17	HREIT	6.60	(0.60)	4,213	6.83
SEG	-	-	-	-	WIN	0.33	-	340	0.32	IMPACT	14.00	(0.60)	18,239	14.00
SMK	25.50	(1.00)	158	25.64	Paper & Printing Mat	-	-	-	-	KNPFF	7.00	0.45	72	6.56
THRE	0.31	(0.01)	21,507	0.31	UTP	6.75	(0.35)	5,274	6.80	LHHOTEL	9.90	(0.40)	2,101	9.87
THREL	2.06	(0.16)	8,979	2.05	Fashion	-	-	-	-	LHPF	5.60	(0.10)	1,169	5.50
TIP	18.40	(0.70)	11,822	18.79	AFC	-	-	-	-	LHSC	12.00	(0.60)	5,864	11.49
TQM	63.00	(8.00)	84,699	70.55	B52	0.17	0.01	7,024	0.17	LUXF	-	-	-	-
TSI	0.38	(0.04)	944	0.38	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	2.94	(0.06)	136	2.87	CPH	2.20	(0.16)	10	2.20	M-PAT	4.00	-	235	3.42
Mining	-	-	-	-	CPL	0.72	(0.10)	238	0.81	M-STOR	-	-	-	-
PDI	3.74	(0.24)	1,663	3.83	ICC	35.25	-	3	35.25	MIPF	10.50	(0.60)	6	10.38
THL	-	-	-	-	NC	-	-	-	-	MIT	2.20	0.08	15	2.20
Packaging	-	-	-	-	PAF	0.36	-	225	0.36	MJLF	6.40	(0.60)	1,633	6.73
AJ	7.70	-	367	7.63	PDJ	1.00	-	886	1.00	MINIT	0.95	(0.03)	2,065	0.88
ALUCON	119.00	(4.50)	14	121.00	PG	4.54	(0.26)	93	4.54	MINIT2	3.90	(0.52)	72	4.16
BGC	7.35	(1.20)	13,520	7.53	SABINA	13.90	(1.80)	8,016	14.19	MNRF	2.70	0.12	41	2.41
CSC	41.25	(1.75)	317	41.26	SAWANG	3.84	(0.50)	4	3.84	POPF	9.00	(0.35)	652	9.09
GLOCON	0.45	(0.06)	647,349	0.47	SUC	34.00	(0.75)	842	34.00	PPF	11.10	(0.20)	310	11.20
NEP	0.13	-	13,500	0.13	TNL	-	-	-	-	QHHR	6.40	(0.45)	455	6.45
PTL	8.40	(0.55)	4,363	8.40	TPCORP	10.20	-	18	10.20	QHOP	2.84	(0.14)	8	2.76
SFLEX	5.15	(0.05)	5,304	5.07	TR	20.30	(2.40)	53	20.43	QHPF	9.70	(0.40)	4,180	9.76
SITHAI	0.47	-	6,915	0.47	TTI	-	-	-	-	SBPF	1.81	(0.31)	443	1.81
SLP	0.37	-	299	0.35	TTT	37.00	(3.00)	6	36.67	SHREIT	3.14	(0.10)	57	3.16
SMPC	4.14	(0.54)	9,832	4.28	UPF	-	-	-	-	SIRIP	9.60	(0.20)	155	9.62
SPACK	-	-	-	-	UT	14.50	-	2	14.50	SPF	13.00	(1.20)	5,873	12.94
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPRIME	9.55	(1.05)	1,643	10.12
TFI	0.02	(0.01)	165	0.02	Transportation & Log	-	-	-	-	SRIPANWA	6.30	(0.80)	453	6.37
THIP	18.90	(1.10)	102	18.89	AAV	1.03	(0.17)	394,469	1.04	SSPF	7.90	(0.25)	10	7.90
TMD	19.90	(0.50)	9	19.96	AOT	47.25	(6.50)	538,052	48.66	SSTRT	4.96	(0.14)	451	4.98
TOPP	-	-	-	-	ASIMAR	0.58	(0.05)	2,567	0.60	TIF1	7.55	(0.20)	109	7.58
TPBI	2.38	(0.12)	142	2.45	B	0.15	(0.02)	16,530	0.15	TLGF	15.60	(1.40)	32,189	16.00
TPP	12.00	(2.10)	45	12.42	BA	3.74	(0.38)	9,935	3.81	TLHPF	9.00	(0.40)	157	9.07
Personal Products &	-	-	-	-	BEM	6.75	(0.85)	1,408,848	6.79	TNPF	1.96	(0.04)	53	1.96
APCO	3.04	(0.16)	5,786	3.04	BTS	8.50	(0.95)	727,680	8.60	TPRIME	12.30	(0.10)	1,033	12.09
DDD	10.70	(1.10)	427	10.84	BTSIGIF	7.00	(0.70)	53,628	6.94	TTLPF	21.00	(0.70)	10	21.00
JCT	70.00	(4.25)	4	71.06	III	4.00	(0.10)	15,635	3.94	TU-PF	1.15	0.05	10	1.15
OCC	9.80	0.60	1	9.80	JUTHA	0.19	(0.01)	10	0.19	URBNPF	3.00	(0.20)	38	3.00
S & J	-	-	-	-	JWD	4.96	(0.69)	12,593	5.07	WHABT	9.00	(0.20)	32	9.00
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	12.60	(1.10)	4,083	13.06
TNR	4.90	(0.20)	699	4.99	NOK	0.80	(0.07)	2,199	0.86	Steel	-	-	-	-
TOG	3.06	(0.52)	3,435	3.12	NYT	2.64	(0.18)	18,751	2.67	AMC	1.11	(0.02)	312	1.09
Professional Service	-	-	-	-	PORT	1.12	(0.14)	7,347	1.14	BSBM	0.71	(0.07)	607	0.72
BWG	0.19	(0.03)	274,445	0.19	PRM	3.50	(0.20)	115,980	3.46	CEN	0.33	(0.01)	678	0.33
GENCO	0.32	(0.01)	18,898	0.32	PSL	2.86	(0.48)	56,618	2.95	CITY	1.37	0.15	1,453	1.40
PRO	-	-	-	-	RCL	1.77	(0.13)	1,445	1.82	CSP	0.49	(0.01)	45	0.49
SISB	6.35	(0.90)	79,057	6.46	TFIFIF	9.50	(0.60)	169,157	9.50	GJS	0.05	-	111,301	0.05
TEAMG	1.52	(0.20)	16,111	1.56	THAI	2.78	(0.30)	52,392	2.85	GSTEEL	-	-	-	-
Property Developmei	-	-	-	-	TSTE	7.00	-	2	6.53	INOX	0.36	(0.05)	513	0.38
A	4.70	(0.24)	142	4.81	TTA	2.00	(0.24)	27,316	2.03	LHK	1.96	-	776	1.98
AMATA	9.30	(1.40)	87,044	9.52	WICE	1.29	(0.11)	6,365	1.27	MAX	0.01	-	583,330	0.01
AMATAV	3.38	-	663	3.39	Automotive	-	-</							

## Main Board Quotation

Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AGE	0.50	-	24,719	-	ADVA01C2003A	0.01	(0.01)	16,083	-
ABICO	3.00	-	183	2.00	AIE	0.22	(0.02)	81,586	-	ADVA01C2003B	0.01	-	16,479	-
AU	5.55	(0.95)	86,242	5.00	PSTC	0.28	(0.03)	1,455,901	-	ADVA01C2005A	0.19	(0.08)	29,314	-
JCKH	0.14	0.01	521	-	QTC	3.16	(0.04)	1,492	3.00	ADVA01C2005B	0.04	(0.02)	9,883	-
KASET	1.01	-	324	-	SAAM	0.60	(0.03)	3,127	-	ADVA01C2007B	0.17	(0.06)	45,209	-
MM	-	-	-	-	SEAOIL	1.64	(0.14)	7,476	1.00	ADVA01C2008A	0.74	(0.24)	80,586	-
SUN	1.26	(0.08)	3,191	1.00	SR	0.63	-	248	-	ADVA01P2003A	1.05	0.16	520	1.00
TACC	2.90	(0.20)	17,295	2.00	TAKUNI	0.27	(0.03)	3,618	-	ADVA01P2003B	0.57	0.24	2,951	-
TMILL	2.48	(0.20)	8,161	2.00	TPCH	7.50	(0.75)	8,622	7.00	ADVA01P2007B	0.48	0.08	190,627	-
XO	3.52	(0.16)	3,269	3.00	TRT	1.62	(0.12)	203	1.00	ADVA06C2005A	-	-	-	-
Consumer Products	-	-	-	-	UMS	0.13	0.01	1	-	ADVA08C2005A	0.05	(0.02)	3,236	-
BGT	0.43	0.01	99	-	UWC	0.02	-	12,210	-	ADVA08P2004A	0.36	0.14	317,473	-
BIZ	2.60	(0.02)	2,817	2.00	Services (MAI)	-	-	-	-	ADVA11C2006A	0.02	0.01	400	-
DOD	3.74	(0.66)	71,123	3.00	A5	-	-	-	-	ADVA11P2005A	0.19	0.02	15,924	-
ECF	0.96	(0.08)	312,693	1.00	AKP	0.68	(0.05)	6,000	-	ADVA13C2004A	0.01	(0.01)	3,562	-
HPT	0.39	-	4	-	AMA	2.94	(0.16)	2,246	2.00	ADVA13C2006A	0.48	(0.19)	10,448	-
IP	4.44	(0.54)	2,201	4.00	ARIP	0.25	(0.03)	1,023	-	ADVA13C2007A	0.19	(0.07)	19,738	-
JUBILE	13.80	(1.30)	810	14.00	ATP30	0.66	(0.05)	4,043	-	ADVA13P2003A	-	-	-	-
MOONG	3.00	(0.14)	1,592	3.00	AUCT	4.76	(0.29)	17,573	4.00	ADVA16C2005A	0.01	-	100	-
NPK	6.40	(1.10)	353	6.00	BOL	2.50	(0.18)	1,830	2.00	ADVA16C2007A	0.09	-	102	-
OCEAN	0.75	(0.07)	5,944	-	CHUO	-	-	-	-	ADVA16C2009A	0.21	(0.03)	2	-
TM	2.20	(0.12)	8,707	2.00	CMO	0.73	-	3,617	-	ADVA19C2005A	0.05	(0.01)	1,402	-
Financials (MAI)	-	-	-	-	D	2.20	(0.38)	4,188	2.00	ADVA19C2007A	0.56	(0.15)	5,540	-
ACAP	0.38	(0.06)	8,306	-	DCORP	0.27	(0.04)	11,120	-	ADVA19C2007B	-	-	-	-
AF	0.58	(0.05)	300	-	EFORL	0.03	-	85,320	-	ADVA19C2008A	0.95	(0.25)	247,427	1.00
AIRA	0.93	(0.05)	2,417	-	ETE	0.50	(0.02)	549	-	ADVA19P2006A	0.41	0.03	14,484	-
ASN	-	-	-	-	FSMART	5.50	(0.20)	6,270	5.00	ADVA19P2009A	0.53	0.11	253,172	-
BROOK	0.35	(0.01)	26,267	-	FVC	0.20	(0.02)	12,402	-	ADVA24C2006A	-	-	-	-
CHAYO	3.68	(0.62)	91,291	3.00	GSC	0.40	(0.06)	1,844	-	ADVA28C2004A	-	-	-	-
GCAP	1.12	(0.12)	2,427	1.00	HARN	1.63	(0.05)	2,711	1.00	ADVA28C2005A	0.06	0.02	500	-
LIT	2.24	(0.08)	1,628	2.00	IMH	1.71	(0.16)	1,362	1.00	ADVA28C2007A	0.10	(0.06)	2,061	-
MITSI	0.99	(0.08)	7,230	1.00	JKN	3.40	(0.30)	18,864	3.00	ADVA28C2008A	0.74	(0.30)	141,116	-
SGF	0.28	(0.04)	37,254	-	KIAT	0.24	(0.03)	107,247	-	ADVA28C2008B	-	-	-	-
Industrials (MAI)	-	-	-	-	KOOL	0.44	(0.07)	5,909	-	ADVA28P2004A	0.32	0.12	5,665	-
ZS	1.54	(0.07)	1,001	1.00	LDC	0.45	(0.03)	1,282	-	ADVA41C2004A	-	-	-	-
ACG	0.75	(0.11)	1,231	-	MORE	0.28	(0.03)	173,610	-	ADVA41C2005A	-	-	-	-
ADB	0.37	(0.02)	134	-	MPG	0.20	(0.01)	73	-	ADVA41C2006A	-	-	-	-
BM	1.30	(0.06)	196	1.00	MVP	1.30	(0.03)	1,325	1.00	ADVA41C2007A	-	-	-	-
CHO	0.42	-	39,832	-	NBC	0.37	(0.03)	1,032	-	ADVA41C2007B	0.83	(0.04)	54,387	-
CHOW	0.55	(0.08)	742	-	NCL	0.72	(0.08)	146	-	ADVA41P2004A	0.73	0.16	158	-
CIG	0.15	-	4,825	-	NEWS	0.01	-	410	-	ADVA41P2005A	0.70	(0.01)	40	-
COLOR	0.97	(0.01)	1,760	-	NINE	1.79	(0.14)	335	1.00	ADVA42C2003A	-	-	-	-
CPR	2.04	(0.20)	287	2.00	OTO	2.56	(0.34)	423	2.00	ADVA42C2005A	-	-	-	-
FPI	2.04	(0.02)	1,851	2.00	PHOL	1.43	(0.07)	4,519	1.00	ADVA42P2007A	-	-	-	-
GTB	0.51	(0.01)	394	-	PICO	-	-	-	-	AEON01C2005A	0.02	-	1,002	-
KCM	0.27	(0.03)	3,329	-	QLT	3.88	0.08	3	3.00	AEON13C2007A	-	-	-	-
KUMWEL	0.65	(0.07)	3,396	-	RP	0.77	-	399	-	AEON19C2003A	-	-	-	-
KWM	0.67	(0.05)	185	-	SE	1.06	(0.09)	599	1.00	AEON19C2006A	-	-	-	-
MBAX	2.72	(0.10)	424	2.00	SONIC	0.76	(0.08)	4,975	-	AMAT01C2004A	-	-	-	-
MGT	1.07	(0.08)	579	1.00	SPA	7.10	(1.00)	7,080	7.00	AMAT01C2004B	-	-	-	-
NDR	0.88	(0.11)	365	-	THMUJ	0.34	(0.05)	2,059	-	AMAT01C2007B	0.01	-	3,400	-
PDG	2.26	(0.02)	1,595	2.00	TNDT	2.14	(0.36)	4,504	2.00	AMAT01C2008A	-	-	-	-
PIMO	0.75	(0.07)	1,339	-	TNH	22.80	(1.50)	405	22.00	AMAT01P2008A	2.14	0.39	1,022	2.00
PJW	0.92	(0.04)	966	-	TNP	1.76	(0.06)	4,960	1.00	AMAT06C2005A	-	-	-	-
PPM	0.41	(0.07)	679	-	TSF	-	-	-	-	AMAT08C2005A	-	-	-	-
RWI	0.89	-	21	-	TVD	0.49	(0.03)	3,087	-	AMAT11C2004A	0.03	0.02	2	-
SALEE	0.77	-	52	-	TVT	0.38	(0.01)	919	-	AMAT11C2008A	-	-	-	-
SANKO	0.80	(0.03)	753	-	VL	0.90	(0.11)	406,384	-	AMAT13C2004A	-	-	-	-
SELIC	1.76	(0.03)	2,649	1.00	WINNER	1.84	(0.02)	1,398	1.00	AMAT13C2006A	-	-	-	-
SWC	3.76	-	733	3.00	YGG	3.32	(0.52)	2,387	3.00	AMAT16C2003A	-	-	-	-
TMC	0.27	(0.02)	2,058	-	Technology (MAI)	-	-	-	-	AMAT16C2006A	-	-	-	-
TMI	0.65	(0.01)	2,258	-	APP	1.26	(0.17)	1,876	1.00	AMAT16C2008A	-	-	-	-
TMW	29.25	(2.00)	58	29.00	COMAN	1.48	(0.07)	177	1.00	AMAT19C2003A	-	-	-	-
TPAC	6.55	(0.30)	66	6.00	ICN	1.23	(0.16)	6,694	1.00	AMAT19C2005A	-	-	-	-
TPLAS	0.85	(0.09)	3,463	-	INSET	2.02	(0.08)	7,046	2.00	AMAT19C2006A	-	-	-	-
UBIS	5.00	0.02	173	4.00	IRCP	0.32	-	6,531	-	AMAT19C2008A	-	-	-	-
UEC	0.50	(0.04)	29	-	ITEL	1.40	(0.12)	4,568	1.00	AMAT24C2006A	-	-	-	-
UKEM	0.32	(0.04)	18,511	-	NETBAY	26.50	(1.50)	1,090	26.00	AMAT41C2004A	-	-	-	-
UREKA	0.69	(0.07)	2,627	-	PLANET	0.66	(0.11)	3,127	-	AMAT41C2005A	-	-	-	-
YUASA	8.85	(0.25)	386	8.00	SIMAT	2.08	(0.18)	16,426	2.00	AMAT41C2006A	-	-	-	-
ZIGA	0.58	(0.04)	3,145	-	SKY	12.00	(0.80)	10,228	12.00	AMAT42C2003A	-	-	-	-
Property & Construc	-	-	-	-	SPVI	1.50	(0.26)	37,880	1.00	AMAT42C2005A	-	-	-	-
ALL	2.46	(0.32)	10,735	2.00	TPS	1.66	(0.12)	2,416	1.00	AMAT42C2007A	-	-	-	-
ARIN	0.47	(0.04)	1,654	-	UPA	0.11	-	27,930	-	ANAN13C2007A	0.01	(0.01)	582	-
ARROW	5.65	(0.20)	456	5.00	VCOM	1.64	-	2,384	1.00	ANAN19C2004A	-	-	-	-
BC	0.81	(0.14)	2,691	-	Unit Trust	-	-	-	-	ANAN19C2007A	-	-	-	-
BSM	0.24	(0.02)	16,594	-	MGE	-	-	-	-	AOT01C2004A	0.01	(0.01)	9,792	-
BTW	0.39	(0.03)	1,105	-	SCBSET	-	-	-	-	AOT01C2004B	0.01	-	28,146	-
CAZ	1.33	(0.09)	2,205	1.00	ETF	-	-	-	-	AOT01C2006B	0.02	(0.01)	11,905	-
CHEWA	0.27	(0.02)	4,329	-	1DIV	6.29	(0.51)	1,076	6.00	AOT01C2007A	0.07	(0.05)	133,460	-
CMC	0.53	(0.06)	4,452	-	ABFTH	1,340.00	(84.00)	1	1,340.00	AOT01P2004A	2.80	0.40	3,600	2.00
CRD	0.37	-	1,067	-	BMSCG	4.57	(0.56)	678	4.00	AOT01P2004B	3.00	0.78	4,385	2.00
DIMET	-	-	-	-	BMSCITH	7.67	(0.83)	16,738	7.00	AOT01P2006B	2.40	0.85	35,467	2.00
FLOYD	0.95	(0.05)	1,105	-	BSET100	6.61	(0.76)	3,802	6.00	AOT01P2007A	2.14	0.54	143,281	2.00
HYDRO	-	-	-	-	CHINA									

## Main Board Quotation

## Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2007A	0.03	(0.04)	68	-	BBL28C2005A	0.01	-	300	-	BGR101C2009A	0.30	(0.18)	129,309	-
AOT19C2008A	0.20	(0.19)	171,279	-	BBL28C2007A	-	-	-	-	BGR101P2003A	1.04	0.70	1,595	-
AOT19P2004A	2.76	0.83	1,156	2.00	BBL41C2004A	-	-	-	-	BGR101P2006A	2.36	0.79	6,097	2.00
AOT19P2009A	0.55	(0.45)	571,125	-	BBL41C2005A	-	-	-	-	BGR106C2005A	-	-	-	-
AOT24C2003A	-	-	-	-	BBL41C2006A	-	-	-	-	BGR108C2003A	-	-	-	-
AOT24C2006A	-	-	-	-	BBL41C2007A	-	-	-	-	BGR108C2005A	0.03	(0.02)	2,620	-
AOT27C2008A	0.02	-	4	-	BBL41C2007B	-	-	-	-	BGR111C2006A	0.07	(0.12)	13,700	-
AOT28C2006A	0.01	-	1,000	-	BBL41P2004A	-	-	-	-	BGR111C2008A	0.07	(0.02)	7,429	-
AOT28C2006B	-	-	-	-	BBL41P2006A	-	-	-	-	BGR113C2004A	-	-	-	-
AOT28C2008A	0.10	(0.02)	105	-	BBL42C2003A	-	-	-	-	BGR113C2006A	0.02	-	21	-
AOT28C2008B	0.15	(0.12)	63,035	-	BBL42C2005A	-	-	-	-	BGR113C2007A	0.08	(0.04)	17,991	-
AOT28C2008C	0.24	(0.19)	139,191	-	BBL42C2007A	-	-	-	-	BGR113C2008A	0.17	(0.11)	31,546	-
AOT28P2004A	2.50	(0.14)	10	2.00	BCH01C2006A	-	-	-	-	BGR113P2005A	2.32	1.07	4,656	2.00
AOT41C2004A	-	-	-	-	BCH01C2006B	-	-	-	-	BGR116C2005A	-	-	-	-
AOT41C2005A	-	-	-	-	BCH01P2006A	-	-	-	-	BGR119C2004A	-	-	-	-
AOT41C2006A	-	-	-	-	BCH06C2006A	-	-	-	-	BGR119C2006A	-	-	-	-
AOT41C2007A	-	-	-	-	BCH06P2006A	-	-	-	-	BGR119C2008A	0.17	(0.15)	6,363	-
AOT41C2007B	0.32	(0.19)	36,086	-	BCH08C2004A	-	-	-	-	BGR119C2008B	0.41	(0.25)	251,182	-
AOT41P2004A	-	-	-	-	BCH11C2008A	-	-	-	-	BGR119P2007A	1.57	0.34	2,932	1.00
AOT41P2005A	-	-	-	-	BCH13C2004A	-	-	-	-	BGR124C2004A	0.02	(0.04)	1	-
AOT41P2006A	2.56	(0.08)	12	2.00	BCH13C2007A	-	-	-	-	BGR127P2006A	1.07	0.35	54,305	-
AOT42C2006A	0.01	(0.01)	101	-	BCH16C2006A	-	-	-	-	BGR141C2004A	-	-	-	-
AOT42P2003A	1.61	1.01	2,709	1.00	BCH19C2005A	-	-	-	-	BGR141C2005A	-	-	-	-
AOT42P2009A	2.68	0.50	480	2.00	BCH19C2006A	0.04	(0.04)	500	-	BGR141C2006A	-	-	-	-
AP19C2007A	0.04	-	500	-	BCH19C2008A	0.10	(0.07)	5,101	-	BGR141C2007A	0.25	(0.20)	12,604	-
AP28C2004A	0.01	(0.01)	572	-	BCH24C2003A	-	-	-	-	BGR141P2004A	-	-	-	-
AP28C2006A	-	-	-	-	BCH27C2003A	-	-	-	-	BGR141P2005A	1.46	0.17	4	1.00
AWC01C2003A	0.01	-	9,303	-	BCH41C2005A	-	-	-	-	BGR141P2006A	-	-	-	-
AWC01C2003B	-	-	-	-	BCH41C2006A	-	-	-	-	BGR142C2003A	-	-	-	-
AWC01C2004A	-	-	-	-	BCP01C2005A	-	-	-	-	BGR142C2006A	-	-	-	-
AWC01C2009A	0.05	(0.03)	4,055	-	BCP01C2005B	-	-	-	-	BH01C2004A	0.39	(0.01)	120	-
AWC01P2003A	1.75	0.05	2	1.00	BCP01P2005A	1.29	0.17	1,031	1.00	BH01C2004B	-	-	-	-
AWC01P2003B	-	-	-	-	BCP11C2004A	-	-	-	-	BH01P2004A	0.54	0.16	30,166	-
AWC01P2003B	1.61	0.25	2,022	1.00	BCP13C2003B	-	-	-	-	BH08C2007A	0.28	(0.12)	14,353	-
AWC06C2004A	-	-	-	-	BCP13C2007A	-	-	-	-	BH11C2008A	0.20	(0.08)	220	-
AWC08C2004A	-	-	-	-	BCP19C2004A	-	-	-	-	BH13C2006A	0.12	(0.04)	1,014	-
AWC13C2006A	0.01	(0.01)	1,303	-	BCP19C2005A	-	-	-	-	BH19C2003A	-	-	-	-
AWC13P2006A	1.83	0.15	88	1.00	BCP24C2004A	-	-	-	-	BH19C2006A	0.11	(0.08)	1,233	-
AWC16C2005A	-	-	-	-	BCPG01C2005A	-	-	-	-	BH24C2003A	-	-	-	-
AWC16C2007A	-	-	-	-	BCPG01C2005B	-	-	-	-	BH27C2007A	0.19	(0.09)	41,832	-
AWC19C2003A	-	-	-	-	BCPG01C2008B	0.06	(0.04)	1	-	BH41C2004A	-	-	-	-
AWC19C2004A	-	-	-	-	BCPG01C2009A	0.21	(0.03)	5	-	BH41C2005A	0.39	0.07	20,340	-
AWC19C2006A	-	-	-	-	BCPG01P2005A	1.08	(0.11)	450	1.00	BH41C2006A	0.48	0.10	10	-
AWC24C2007A	-	-	-	-	BCPG01P2009A	0.93	0.20	2,334	-	BH41P2004A	0.18	0.08	210	-
AWC28C2006A	-	-	-	-	BCPG13C2004A	-	-	-	-	BH41P2006A	0.89	0.11	206	-
AWC28C2008A	0.04	(0.05)	485	-	BCPG13C2007A	-	-	-	-	BH42C2003A	-	-	-	-
AWC41C2004A	-	-	-	-	BCPG16C2009A	0.03	(0.11)	100	-	BH42C2008A	0.25	(0.23)	50	-
AWC41C2005A	-	-	-	-	BCPG19C2003A	-	-	-	-	BJC01C2004A	0.05	(0.01)	600	-
AWC41C2006A	-	-	-	-	BCPG19C2005A	-	-	-	-	BJC01C2004B	0.01	-	80	-
AWC41C2007A	-	-	-	-	BCPG28C2004A	-	-	-	-	BJC01C2008B	0.22	(0.20)	23,193	-
AWC41C2007B	0.14	(0.12)	10,500	-	BCPG28C2008A	-	-	-	-	BJC01C2009A	0.38	(0.20)	1,075	-
AWC42C2003A	-	-	-	-	BCPG41C2005A	-	-	-	-	BJC01P2004A	1.17	0.46	4,926	1.00
AWC42C2008A	-	-	-	-	BCPG42C2004A	-	-	-	-	BJC01P2009A	0.47	0.18	132,000	-
AWC42C2008A	-	-	-	-	BCPG42C2007A	-	-	-	-	BJC06C2006A	-	-	-	-
BANP01C2005A	0.01	-	500	-	BDMS01C2007B	0.03	(0.01)	3,206	-	BJC11C2008A	0.12	(0.11)	460	-
BANP01C2005B	-	-	-	-	BDMS01P2008A	0.74	0.19	14,133	-	BJC13C2004A	0.01	-	250	-
BANP01P2005A	1.64	0.20	142	1.00	BDMS06C2008A	0.08	(0.12)	107,535	-	BJC13C2005A	0.04	(0.01)	8,268	-
BANP01P2005B	1.88	0.42	45	1.00	BDMS06P2004A	0.77	(0.15)	10	-	BJC16C2006A	-	-	-	-
BANP06C2005A	0.01	(0.01)	563	-	BDMS08C2003A	-	-	-	-	BJC19C2003A	-	-	-	-
BANP08C2005A	-	-	-	-	BDMS08C2006A	-	-	-	-	BJC19C2005A	-	-	-	-
BANP08C2007A	-	-	-	-	BDMS11C2007A	0.08	(0.04)	780	-	BJC19C2007A	0.14	(0.13)	70,425	-
BANP08P2003A	-	-	-	-	BDMS11C2008A	0.03	(0.01)	1	-	BJC24C2003A	-	-	-	-
BANP11C2004A	-	-	-	-	BDMS13C2004A	-	-	-	-	BJC24C2006A	-	-	-	-
BANP11C2008A	-	-	-	-	BDMS13C2008A	0.10	(0.05)	1,138	-	BJC27C2009A	0.10	(0.05)	23,175	-
BANP13C2003A	-	-	-	-	BDMS16C2006A	-	-	-	-	BJC28C2004A	-	-	-	-
BANP13C2006A	0.01	-	100	-	BDMS19C2005A	-	-	-	-	BJC28C2007A	0.09	0.07	5	-
BANP13C2008A	-	-	-	-	BDMS19C2005B	-	-	-	-	BJC41C2004A	-	-	-	-
BANP19C2004A	-	-	-	-	BDMS24C2006A	-	-	-	-	BJC41C2005A	-	-	-	-
BANP19C2005A	-	-	-	-	BDMS41C2004A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP19C2007A	0.01	-	159	-	BDMS41C2005A	-	-	-	-	BJC41C2007A	0.42	(0.07)	19,988	-
BANP19C2007B	-	-	-	-	BDMS41C2006A	-	-	-	-	BJC41C2008A	0.41	(0.24)	35,114	-
BANP19P2003A	-	-	-	-	BDMS41P2004A	-	-	-	-	BJC41P2004A	0.91	0.15	230	-
BANP24C2003A	-	-	-	-	BDMS41P2006A	-	-	-	-	BJC41P2005A	0.99	0.07	60	-
BANP27C2007A	0.01	-	1	-	BDMS42C2003A	-	-	-	-	BJC42C2004A	-	-	-	-
BANP28C2004A	-	-	-	-	BEC01C2006A	0.04	(0.01)	100	-	BLAN19C2004A	-	-	-	-
BANP28C2008A	0.05	(0.05)	701	-	BEC01C2006B	0.02	-	1,000	-	BLAN28C2004A	-	-	-	-
BANP41C2004A	-	-	-	-	BEC01P2006A	1.26	0.11	249	1.00	BPP01C2005A	-	-	-	-
BANP41C2005A	-	-	-	-	BEC19C2003A	-	-	-	-	BPP01C2005B	-	-	-	-
BANP41C2006A	0.01	(0.02)	1	-	BEC19C2005A	-	-	-	-	BPP01P2005A	1.72	0.45	1,446	1.00
BANP41C2007A	-	-	-	-	BEC42C2003A	-	-	-	-	BPP13C2004A	-	-	-	-
BANP41P2007A	1.56	0.09	2	1.00	BEC42C2005A	-	-	-	-	BPP13C2007A	-	-	-	-
BANP42C2004A	-	-	-	-	BEM01C2004A	0.01	(0.01)	12,258	-	BPP19C2005A	-	-	-	-
BANP42C2006A	-	-	-	-	BEM01C2004B	-	-	-	-	BPP19C2007A	0.02	(0.03)	7,212	-
BANP42P2005A	-	-	-	-	BEM01P2004A	0.90	0.18	1,748	-	BPP24C2003A	-	-	-	-
BBL06C2007A	0.02	-	2,230	-	BEM06C2004A	-	-	-	-	BTS01C2005A	0.02	-	1,244	-
BBL06P2004A	-	-	-	-	BEM08C2005A	0.01	-	10,000	-	BTS01C2005B	0.02	-	4,100	-
BBL08C2005A	-	-	-	-	BEM11C2003A	-	-	-	-	BTS01P2005A	0.94	0.26	8,705	-
BBL08C2007A	0.02	-	1,300	-	BEM13C2004A	-	-	-	-	BTS08C2005A	0.02	-	1,089	-
BBL08P2007A	2.42	0.48	9,281	2.00	BEM13C2007A	0.06	0.01	71	-	BTS11C2003A	0.02	(0.03)	2	-
BBL11C2005A	0.02	0.01	10,451	-	BEM16C2006A	-	-	-	-	BTS13C2003A	-	-	-	-
BBL11C2007A	0.01	-	801	-	BEM19C2005A	0.01	(0.01)	1,000	-	BTS13C2006A	-	-	-	-
BBL11P2008A	2.52	0.52	264	2.00	BEM24C2003A	-	-	-	-	BTS13C2008A	0.05	(0.03)	6,615	-
BBL13C2004A	0.01	-	100	-	BEM28C2006A	-	-	-	-	BTS16C2008A	-	-	-	-
BBL13C2006A	0.01	-	3,570	-	BEM28C2007A	-	-	-	-	BTS19C2005A	-	-	-	-
BBL13C2008A	0.14	(0.07)	4,067	-	BEM28C2008A	-	-	-	-	BTS19C2008A	0.05	(0.04)	9,000	-
BBL13P2004A	3.50	0.36	50	3.00	BEM41C2004A	-	-	-	-	BTS24C2007A	0.03	-	500	-
BBL13P2008A	1.37	0.30	6,306	1.00	BEM41C2006A	0.03	(0.02)	500	-	BTS41C2003A				

## Main Board Quotation

Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG01C2004A	0.04	(0.07)	2,280	-	CKP24C2006A	-	-	-	-	CRC13C2008A	0.03	(0.02)	94,474	-
CBG01C2004B	-	-	-	-	CKP27C2005A	-	-	-	-	CRC19C2008A	0.04	(0.06)	1,729	-
CBG01C2007B	0.15	(0.15)	66,736	-	CKP28C2004A	-	-	-	-	CRC19C2008B	0.04	(0.01)	1,330	-
CBG01P2003A	0.11	0.09	231,840	-	CKP28C2004B	-	-	-	-	CRC28C2007A	0.03	(0.04)	3,025	-
CBG01P2004A	1.74	0.89	24,464	1.00	CKP28C2006A	-	-	-	-	CRC28C2007B	0.03	(0.01)	15,902	-
CBG01P2007B	2.12	0.74	7,628	1.00	CKP41C2004A	-	-	-	-	CRC41C2007A	0.05	(0.08)	19,445	-
CBG06C2005A	-	-	-	-	CKP41C2005A	-	-	-	-	DTAC01C2004A	0.02	-	11	-
CBG08C2003A	-	-	-	-	CKP41C2006A	-	-	-	-	DTAC01C2004B	0.01	-	6	-
CBG08C2007A	0.31	(0.25)	70,139	-	CKP41C2007A	-	-	-	-	DTAC01C2007B	-	-	-	-
CBG11C2008A	0.22	(0.12)	1,310	-	CKP42C2003A	-	-	-	-	DTAC01C2008A	0.18	(0.07)	1,654	-
CBG13C2004A	-	-	-	-	CKP42C2005A	-	-	-	-	DTAC01P2004A	2.18	0.28	51	2.00
CBG13C2008A	0.32	(0.23)	33,426	-	CKP42C2006A	-	-	-	-	DTAC01P2004B	1.87	(0.59)	2,918	1.00
CBG13P2006A	1.84	0.48	902	1.00	COM708C2007A	-	(0.03)	3,660	-	DTAC01P2007B	0.96	0.24	220	1.00
CBG16C2008A	0.09	(0.06)	1,732	-	COM711C2004A	-	-	-	-	DTAC01P2008A	1.08	0.20	762	1.00
CBG19C2004A	-	-	-	-	COM713C2004A	-	-	-	-	DTAC06C2006A	0.02	(0.01)	25	-
CBG19C2005A	-	-	-	-	COM713C2007A	-	-	-	-	DTAC08C2005A	-	-	-	-
CBG19C2008A	0.35	(0.29)	196,413	-	COM713C2008A	0.11	(0.14)	13,154	-	DTAC08C2005B	-	-	-	-
CBG19P2006A	2.12	0.67	1,417	1.00	COM716C2008A	-	-	-	-	DTAC08C2007A	0.05	(0.06)	1,430	-
CBG24C2003A	-	-	-	-	COM719C2003A	-	-	-	-	DTAC13C2006A	0.03	0.01	4	-
CBG24C2008A	0.24	(0.14)	377	-	COM719C2005A	-	-	-	-	DTAC13C2007A	0.05	(0.04)	3,353	-
CBG41C2004A	-	-	-	-	COM719C2008A	0.16	(0.15)	7,402	-	DTAC13P2006A	-	-	-	-
CBG41C2005A	0.33	(0.20)	33,841	-	COM719P2004A	0.70	0.35	13,399	-	DTAC13P2007A	0.28	0.05	854	-
CBG41C2006A	0.11	(0.24)	1	-	COM724C2007A	-	-	-	-	DTAC13P2008A	1.43	0.22	73	1.00
CBG41P2004A	-	-	-	-	COM741C2004A	-	-	-	-	DTAC16C2009A	-	-	-	-
CBG41P2006A	2.44	(0.22)	201	2.00	COM741C2006A	-	-	-	-	DTAC19C2005A	-	-	-	-
CBG42C2003A	-	-	-	-	COM742C2004A	-	-	-	-	DTAC19C2006A	-	-	-	-
CBG42C2006A	-	-	-	-	CPAL01C2004A	0.03	0.01	8,517	-	DTAC19C2007A	0.09	(0.08)	200	-
CBG42C2008A	-	-	-	-	CPAL01C2004B	-	-	-	-	DTAC19P2007A	-	-	-	-
CENT01C2003A	0.01	-	2,350	-	CPAL01C2006A	0.14	0.03	21,206	-	DTAC24C2004A	-	-	-	-
CENT01C2003B	-	-	-	-	CPAL01C2006B	0.06	0.02	9,992	-	DTAC24C2007A	-	-	-	-
CENT01C2006A	-	-	-	-	CPAL01C2008B	0.15	(0.01)	114,772	-	DTAC27C2008A	0.12	(0.07)	23,493	-
CENT01C2006B	-	-	-	-	CPAL01P2004A	1.83	0.06	226	1.00	DTAC41C2004A	-	-	-	-
CENT01C2009A	0.14	(0.05)	16	-	CPAL01P2004B	1.14	0.17	7,083	1.00	DTAC41C2005A	-	-	-	-
CENT01P2003A	1.60	0.08	1	1.00	CPAL01P2008B	1.00	0.09	40,718	-	DTAC41C2006A	0.04	0.01	1	-
CENT01P2009A	1.68	0.48	34,792	1.00	CPAL06C2006A	0.04	0.01	2,277	-	DTAC41C2007A	0.14	(0.07)	17,205	-
CENT06C2003A	-	-	-	-	CPAL08C2004A	-	-	-	-	DTAC41C2007B	0.19	(0.10)	39,398	-
CENT06C2006A	0.18	(0.14)	6,301	-	CPAL08C2006A	0.03	-	500	-	DTAC41P2005A	-	-	-	-
CENT06P2007A	2.30	0.37	4,590	2.00	CPAL08P2006A	1.11	0.02	200	1.00	DTAC41P2006A	-	-	-	-
CENT08C2004A	-	-	-	-	CPAL11C2006A	0.03	0.02	899	-	DTAC42C2004A	-	-	-	-
CENT11C2004A	-	-	-	-	CPAL11C2007A	0.07	-	580	-	DTAC42C2006A	-	-	-	-
CENT11C2007A	0.01	(0.03)	1	-	CPAL13C2004A	0.02	0.01	50	-	EA06C2005A	-	-	-	-
CENT13C2005A	-	-	-	-	CPAL13C2007A	0.13	(0.01)	56,843	-	EA08C2004A	-	-	-	-
CENT13C2006A	-	-	-	-	CPAL16C2006A	-	-	-	-	EA08C2006A	0.05	(0.06)	10,792	-
CENT19C2004A	-	-	-	-	CPAL16C2007A	-	-	-	-	EA11C2005A	-	-	-	-
CENT19C2005A	-	-	-	-	CPAL19C2004A	-	-	-	-	EA13C2005A	-	-	-	-
CENT19C2008A	0.05	(0.06)	14,960	-	CPAL19C2005A	-	-	-	-	EA13C2006A	-	-	-	-
CENT24C2003A	-	-	-	-	CPAL19C2008A	0.18	(0.02)	313,552	-	EA13C2008A	0.18	(0.02)	4	-
CENT24C2008A	-	-	-	-	CPAL19P2004A	0.87	0.06	1,494	-	EA13P2006A	1.47	0.38	960	1.00
CENT27C2008A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA16C2003A	-	-	-	-
CENT28C2004A	-	-	-	-	CPAL28C2004A	-	-	-	-	EA16C2006A	-	-	-	-
CENT28C2005A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA16C2008A	0.04	(0.01)	2,185	-
CENT28C2006A	-	-	-	-	CPAL28C2007A	-	-	-	-	EA19C2004A	-	-	-	-
CENT28C2008A	0.04	(0.02)	8,057	-	CPAL28C2008A	0.31	(0.05)	118,050	-	EA19C2008A	0.19	(0.10)	641	-
CENT41C2004A	-	-	-	-	CPAL28C2008B	0.43	(0.05)	219,610	-	EA19P2007A	1.22	0.23	200	1.00
CENT41C2005A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA24C2003A	-	-	-	-
CENT41C2006A	-	-	-	-	CPAL41C2005A	-	-	-	-	EA24C2004A	-	-	-	-
CENT42C2004A	-	-	-	-	CPAL41C2006A	0.12	0.08	110	-	EA27C2006A	-	-	-	-
CENT42C2006A	-	-	-	-	CPAL41C2007A	0.25	(0.03)	10,400	-	EA28C2004A	-	-	-	-
CHG01C2006A	0.11	(0.04)	1,486	-	CPAL41P2004A	1.19	0.07	3,516	1.00	EA28C2004B	-	-	-	-
CHG01C2006B	-	-	-	-	CPAL41P2005A	-	-	-	-	EA28C2006A	0.03	(0.01)	832	-
CHG01P2006A	0.73	0.12	236	-	CPAL41P2006A	-	-	-	-	EA41C2004A	-	-	-	-
CHG08C2005A	-	-	-	-	CPAL42C2003A	-	-	-	-	EA41C2005A	-	-	-	-
CHG13C2006A	-	-	-	-	CPAL42C2005A	0.01	(0.07)	100	-	EA41C2006A	-	-	-	-
CHG16C2009A	-	-	-	-	CPAL42C2007A	0.02	-	101	-	EA41P2004A	0.89	0.23	1,786	-
CHG19C2004A	-	-	-	-	CPF01C2004A	0.01	(0.02)	7,781	-	EA42C2004A	-	-	-	-
CHG27C2009A	0.08	(0.05)	18,700	-	CPF01C2004B	0.01	-	159	-	EGCO01C2004A	0.01	-	310	-
CHG41C2005A	-	-	-	-	CPF01P2004A	0.47	0.17	26,306	-	EGCO01C2004B	-	-	-	-
CHG42C2006A	-	-	-	-	CPF08C2006A	0.02	-	3,200	-	EGCO01C2007B	0.03	(0.01)	21,959	-
CK01C2005A	0.06	(0.06)	8,100	-	CPF11C2004A	-	-	-	-	EGCO06C2004A	-	-	-	-
CK01C2005B	0.01	-	6,287	-	CPF11C2007A	-	-	-	-	EGCO06C2007A	-	-	-	-
CK01P2005A	0.86	0.31	1,846	-	CPF13C2006A	0.03	-	6,900	-	EGCO06P2004A	-	-	-	-
CK06C2004A	0.01	-	2,250	-	CPF13C2008A	0.11	(0.03)	46,429	-	EGCO13C2005A	0.02	-	5	-
CK11C2007A	-	-	-	-	CPF16C2007A	-	-	-	-	EGCO19C2005A	-	-	-	-
CK13C2003A	-	-	-	-	CPF19C2003A	-	-	-	-	EGCO19C2007A	0.03	(0.02)	100	-
CK13C2006A	-	-	-	-	CPF19C2005A	0.02	(0.01)	268	-	EGCO41C2004A	-	-	-	-
CK16C2003A	-	-	-	-	CPF19C2006A	-	-	-	-	EGCO41C2006A	0.05	(0.09)	3,800	-
CK16C2006A	-	-	-	-	CPF24C2007A	0.06	(0.01)	100	-	EGCO41P2004A	-	-	-	-
CK19C2003A	-	-	-	-	CPF28C2004A	-	-	-	-	EGCO41P2006A	2.44	0.30	12	2.00
CK19C2004A	-	-	-	-	CPF28C2007A	0.04	(0.01)	200	-	EGCO42C2003A	-	-	-	-
CK19C2007A	-	-	-	-	CPF41C2004A	-	-	-	-	EGCO42C2007A	0.01	(0.04)	5,753	-
CK24C2003A	-	-	-	-	CPF41C2005A	-	-	-	-	EPG08C2004A	0.01	-	3,000	-
CK27C2008A	0.08	0.03	1	-	CPF41P2005A	0.69	0.03	1,410	-	EPG13C2004A	-	-	-	-
CK41C2003A	-	-	-	-	CPF42C2003A	-	-	-	-	EPG13C2006A	0.01	-	1,650	-
CK41C2004A	-	-	-	-	CPN01C2005A	0.02	(0.02)	70	-	EPG19C2005A	-	-	-	-
CK41C2005A	-	-	-	-	CPN01C2005B	0.01	-	3,000	-	EPG19C2007A	-	-	-	-
CK42C2006A	-	-	-	-	CPN01P2005A	3.16	0.78	2,449	3.00	EPG19C2008A	-	-	-	-
CKP01C2004A	-	-	-	-	CPN06C2006A	-	-	-	-	EPG24C2008A	-	-	-	-
CKP01C2004B	-	-	-	-	CPN11C2006A	0.01	-	2	-	ERW06C2006A	-	-	-	-
CKP01C2008B	-	-	-	-	CPN11C2008A	0.01	(0.04)	3,000	-	ERW06C2007A	0.01	(0.01)	500	-
CKP01C2009A	0.26	(0.02)	40	-	CPN13C2004A	-	-	-	-	ERW06P2006A	2.12	0.12	1	2.00
CKP01P2004A	-	-	-	-	CPN13C2007A	0.03	-	1,000	-	ERW13C2005A	-	-	-	-
CKP01P2009A	1.28	0.26	2	1.00	CPN16C2005A	-	-	-	-	ERW13C2006A	-	-	-	-
CKP08C2004A	-	-	-	-	CPN19C2004A	-	-	-	-	ERW13C2007A	-	-	-	-
CKP11C2006A	-	-	-	-	CPN19C2007A	0.01	(0.04)	7,040	-	ERW19C2005A	0.01	(0.01)	100	-
CKP13C2003A	-	-	-	-	CPN24C2007A	0.11	(0.15)	12,082	-	ERW19C2006A	-	-	-	-
CKP13C2004A	-	-	-	-	CPN41C2004A	-	-	-	-	ERW19C2007A	-	-	-	-
CKP13C2004B	-	-	-	-	CPN41C2006A</									



## Main Board Quotation

Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ESSO13C2006A	0.02	(0.02)	27	-	GULF41C2006A	0.40	(0.25)	44,416	-	IRPC01P2007B	1.10	0.26	22,327	1.00
ESSO19C2004A	-	-	-	-	GULF41P2003A	0.93	0.46	192	-	IRPC06C2005A	0.01	-	412	-
ESSO19C2007A	-	-	-	-	GULF41P2004A	1.69	0.17	100	1.00	IRPC06C2007A	0.02	-	1,125	-
ESSO24C2003A	-	-	-	-	GULF41P2005A	1.73	0.03	2	1.00	IRPC06P2004A	-	-	-	-
ESSO24C2007A	-	-	-	-	GULF41P2006A	1.68	0.03	38	1.00	IRPC11C2005A	0.01	(0.02)	2	-
ESSO41C2004A	-	-	-	-	GULF41P2007A	2.36	0.43	2,594	2.00	IRPC11C2008A	-	-	-	-
ESSO41C2005A	-	-	-	-	GULF42C2003A	-	-	-	-	IRPC13C2006A	-	-	-	-
ESSO41C2006A	-	-	-	-	GUNK01C2005A	-	-	-	-	IRPC13C2007A	-	-	-	-
ESSO42C2003A	-	-	-	-	GUNK01C2005B	0.01	(0.01)	240	-	IRPC13C2008A	-	-	-	-
ESSO42C2007A	0.01	(0.04)	301	-	GUNK01P2005A	1.02	0.20	674	-	IRPC16C2008A	-	-	-	-
GFPT13C2003A	-	-	-	-	GUNK11C2007A	-	-	-	-	IRPC19C2003A	-	-	-	-
GFPT19C2004A	-	-	-	-	GUNK13C2006A	-	-	-	-	IRPC19C2005A	-	-	-	-
GFPT19C2006A	-	-	-	-	GUNK19C2003A	-	-	-	-	IRPC19C2007A	-	-	-	-
GFPT24C2007A	-	-	-	-	GUNK19C2006A	-	-	-	-	IRPC19C2008A	0.18	(0.11)	134,686	-
GFPT42C2004A	-	-	-	-	GUNK24C2006A	-	-	-	-	IRPC24C2004A	-	-	-	-
GFPT42C2008A	-	-	-	-	GUNPC28C2005A	-	-	-	-	IRPC24C2007A	-	-	-	-
GLOB01C2003A	0.01	-	22,254	-	GUNK41C2005A	-	-	-	-	IRPC27C2007A	-	-	-	-
GLOB01C2007B	-	-	-	-	GUNK41P2005A	1.09	(0.04)	1	1.00	IRPC28C2006A	-	-	-	-
GLOB01C2008A	-	-	-	-	GUNK42C2003A	-	-	-	-	IRPC28C2008A	0.10	(0.07)	35,337	-
GLOB01P2003A	-	-	-	-	HANA01C2006A	0.07	(0.06)	30	-	IRPC41C2004A	-	-	-	-
GLOB06C2006A	-	-	-	-	HANA01C2006B	-	-	-	-	IRPC41C2005A	-	-	-	-
GLOB13C2007A	-	-	-	-	HANA01P2006A	1.14	0.26	2,246	1.00	IRPC41C2006A	-	-	-	-
GLOB19C2005A	-	-	-	-	HANA11C2008A	-	-	-	-	IRPC41C2007A	0.19	(0.08)	2,761	-
GLOB19C2007A	-	-	-	-	HANA13C2006A	0.01	(0.02)	1	-	IRPC41P2004A	-	-	-	-
GLOB24C2005A	-	-	-	-	HANA13C2008A	0.10	(0.04)	40	-	IRPC41P2005A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA16C2008A	-	-	-	-	IRPC41P2006A	-	-	-	-
GLOB42C2009A	-	-	-	-	HANA19C2003A	-	-	-	-	IRPC41P2007A	-	-	-	-
GPSCO1C2003A	0.01	-	139,766	-	HANA19C2006A	-	-	-	-	IRPC42C2003A	-	-	-	-
GPSCO1C2003B	0.01	-	27,318	-	HANA27C2007A	-	-	-	-	IRPC42C2006A	-	-	-	-
GPSCO1C2005A	0.04	(0.04)	4,682	-	HANA27P2007A	1.18	0.22	21,101	1.00	IVL01C2004A	0.01	-	19,110	-
GPSCO1C2005B	0.02	0.01	2,156	-	HANA41C2006A	-	-	-	-	IVL01C2004B	0.01	-	1,544	-
GPSCO1C2007B	0.12	(0.04)	3,326	-	HMPR01C2006A	0.04	(0.01)	2,051	-	IVL01C2006B	0.02	-	3,886	-
GPSCO1C2008A	0.22	(0.16)	251,296	-	HMPR01C2006B	0.02	-	131	-	IVL01P2004A	1.10	-	115	1.00
GPSCO1P2003A	2.50	1.29	1,657	2.00	HMPR01P2006A	1.48	0.40	2,614	1.00	IVL01P2004B	0.76	0.34	19,374	-
GPSCO1P2005A	2.86	1.01	320	2.00	HMPR06C2006A	0.11	(0.12)	2,902	-	IVL01P2006B	1.29	0.24	2,346	1.00
GPSCO1P2005B	2.18	0.71	310	2.00	HMPR06P2007A	-	-	-	-	IVL06C2003A	-	-	-	-
GPSCO1P2007B	2.72	1.48	4,406	1.00	HMPR11C2003A	0.01	-	1,600	-	IVL06C2008A	0.03	-	75	-
GPSCO1P2008A	2.56	0.72	11,575	2.00	HMPR13C2006A	-	-	-	-	IVL06P2005A	-	-	-	-
GPSCO6C2006A	0.02	(0.01)	100	-	HMPR13C2007A	0.02	(0.02)	4	-	IVL08C2004A	0.02	-	100	-
GPSCO6C2008A	0.18	(0.27)	119,163	-	HMPR19C2003A	-	-	-	-	IVL08P2003A	-	-	-	-
GPSCO8C2004B	-	-	-	-	HMPR19C2005A	-	-	-	-	IVL08P2004A	-	-	-	-
GPSCO8C2007A	0.06	(0.11)	22,217	-	HMPR19C2007A	0.05	(0.02)	1,000	-	IVL11C2005A	-	-	-	-
GPSCO8P2006A	2.12	0.67	693	1.00	HMPR24C2004A	-	-	-	-	IVL11C2006A	-	-	-	-
GPSC11P2006A	0.06	(0.34)	9,298	-	HMPR41C2005A	-	-	-	-	IVL13C2006A	0.01	(0.06)	839	-
GPSC13C2005A	0.05	(0.04)	665	-	HMPR41C2006A	-	-	-	-	IVL13C2008A	0.24	(0.17)	22,852	-
GPSC13C2007A	0.11	(0.11)	4,730	-	HMPR41C2007A	-	-	-	-	IVL13P2004A	1.56	0.26	129	1.00
GPSC13C2008A	0.23	(0.24)	86,132	-	HMPR41C2007B	0.06	(0.10)	2,540	-	IVL16C2006A	-	-	-	-
GPSC13P2005A	-	-	-	-	HMPR42C2003A	-	-	-	-	IVL16C2009A	-	-	-	-
GPSC13P2007A	2.86	1.24	245	2.00	HSI28C2003A	0.05	0.02	54	-	IVL19C2003A	-	-	-	-
GPSC16C2003A	-	-	-	-	HSI28C2003B	-	-	-	-	IVL19C2004A	-	-	-	-
GPSC16C2007A	0.05	(0.03)	373	-	HSI28C2003C	-	-	-	-	IVL19C2006A	-	-	-	-
GPSC19C2004A	-	-	-	-	HSI28C2004A	0.17	(0.23)	204,540	-	IVL19C2008A	0.14	(0.15)	105,318	-
GPSC19C2007A	0.07	(0.13)	180	-	HSI28C2004B	0.09	(0.17)	13,733	-	IVL19P2003A	-	-	-	-
GPSC19C2008A	0.33	(0.28)	68,657	-	HSI28C2004C	0.09	(0.01)	22	-	IVL19P2006A	1.23	0.10	529	1.00
GPSC19C2009A	0.65	(0.38)	247,268	-	HSI28C2005A	0.84	(0.54)	801,381	-	IVL24C2003A	-	-	-	-
GPSC19P2005A	1.93	0.51	2,475	1.00	HSI28C2005B	0.52	(0.44)	438,194	-	IVL27P2007A	1.03	0.21	70,920	-
GPSC24C2007A	-	-	-	-	HSI28C2005C	0.36	(0.31)	346,810	-	IVL28C2007A	-	-	-	-
GPSC27C2005A	-	-	-	-	HSI28C2005D	0.21	(0.23)	159,093	-	IVL41C2004A	-	-	-	-
GPSC28C2008A	0.14	(0.12)	30,308	-	HSI28P2003A	-	-	-	-	IVL41C2005A	-	-	-	-
GPSC41C2004A	-	-	-	-	HSI28P2003B	-	-	-	-	IVL41C2006A	-	-	-	-
GPSC41C2005A	0.03	-	2,000	-	HSI28P2003C	-	-	-	-	IVL41C2007A	-	-	-	-
GPSC41C2005B	0.10	(0.07)	215	-	HSI28P2004A	3.56	0.96	361,461	3.00	IVL41C2007B	0.21	(0.10)	8,816	-
GPSC41C2006A	0.06	(0.04)	7	-	HSI28P2004B	4.22	1.08	36,962	3.00	IVL41P2004A	-	-	-	-
GPSC41P2004A	-	-	-	-	HSI28P2004C	-	-	-	-	IVL41P2005A	-	-	-	-
GPSC41P2005A	-	-	-	-	HSI28P2005A	4.38	1.08	29,259	4.00	IVL41P2006A	-	-	-	-
GPSC41P2006A	2.68	0.78	17	2.00	HSI28P2005B	3.66	0.86	396,259	3.00	IVL41P2007A	-	-	-	-
GPSC42C2006A	-	-	-	-	HSI28P2005C	3.08	0.76	66,796	2.00	IVL42C2005A	-	-	-	-
GPSC42P2006A	-	-	-	-	HSI28P2005D	2.48	0.60	261,612	2.00	IVL42C2008A	-	-	-	-
GULF01C2003A	0.04	(0.19)	51,462	-	INTU01C2003A	0.01	-	9,450	-	JAS13C2006A	0.07	(0.01)	1,799	-
GULF01C2003B	0.01	-	50,939	-	INTU01C2003B	-	-	-	-	JAS19C2004A	0.02	(0.02)	111,630	-
GULF01C2005A	0.20	(0.21)	399,843	-	INTU01C2006A	0.15	(0.04)	1,750	-	JAS41C2004A	-	-	-	-
GULF01C2005B	0.07	(0.07)	57,966	-	INTU01C2006B	0.06	(0.01)	204	-	JAS41C2005A	-	-	-	-
GULF01C2007A	0.08	(0.05)	480,402	-	INTU01P2003A	-	-	-	-	JAS41C2006A	-	-	-	-
GULF01P2003A	0.07	0.05	48,731	-	INTU01P2003B	0.79	(0.81)	2,454	-	JAS41P2005A	0.51	0.07	3	-
GULF01P2003B	0.06	0.04	5,347	-	INTU01P2006A	-	-	-	-	JMT13C2006A	0.07	(0.04)	10,590	-
GULF01P2005A	2.00	0.80	109,869	1.00	INTU01P2006B	0.79	0.25	159	-	JMT19C2006A	0.06	(0.01)	2,727	-
GULF03C2005A	0.10	(0.10)	19	-	INTU13C2004A	-	-	-	-	JMT42C2006A	-	-	-	-
GULF06C2004A	0.05	(0.09)	9,179	-	INTU13C2006A	0.08	(0.04)	4,314	-	KBAN01C2004A	0.02	-	612	-
GULF08C2003A	-	-	-	-	INTU13P2004A	-	-	-	-	KBAN01C2004B	-	-	-	-
GULF11C2003A	0.70	(0.42)	605	-	INTU16C2005A	-	-	-	-	KBAN01C2007A	0.05	(0.02)	26,871	-
GULF11C2006A	0.15	(0.08)	1,570	-	INTU16C2007A	-	-	-	-	KBAN01C2007B	0.02	(0.01)	14,452	-
GULF13C2004A	0.03	(0.02)	3,483	-	INTU16C2009A	-	-	-	-	KBAN01P2004A	3.30	0.54	10	3.00
GULF13C2006A	0.07	(0.06)	53,261	-	INTU19C2004A	-	-	-	-	KBAN01P2004B	2.80	1.36	8,138	2.00
GULF13C2006B	0.04	(0.04)	7,257	-	INTU19C2005A	-	-	-	-	KBAN01P2007A	2.92	0.62	948	2.00
GULF13C2008A	0.34	(0.17)	474,690	-	INTU19P2007A	0.53	(0.05)	835	-	KBAN01P2007B	3.60	1.22	904	3.00
GULF13P2004A	0.88	0.48	80,399	-	INTU23C211A	0.57	0.01	68	-	KBAN06C2004A	-	-	-	-
GULF13P2005A	1.93	0.82	42,394	1.00	INTU24C2003A	-	-	-	-	KBAN06C2008A	0.10	(0.01)	2,307	-
GULF16C2003A	0.10	-	21	-	INTU24C2008A	0.16	(0.09)	2,730	-	KBAN08C2005A	0.02	0.01	2,280	-
GULF16C2007A	0.19	(0.03)	1,334	-	INTU28C2008A	0.09	(0.05)	9,011	-	KBAN08C2007A	-	-	-	-
GULF19C2003A	0.01	(0.04)	14,632	-	INTU41C2004A	-	-	-	-	KBAN08P2004A	-	-	-	-
GULF19C2004A	-	-	-	-	INTU41C2005A	-	-	-	-	KBAN13C2006A	0.01	-	6,520	-
GULF19C2006A	0.03	(0.02)	10,519	-	INTU41C2006A	-	-	-	-	KBAN13C2008A	0.05	(0.03)	1,001	-
GULF19C2008A	0.57	(0.31)	1,671,335	-	INTU41C2007A	-	-	-	-	KBAN13P2006A	3.06	0.96	1,659	2.00
GULF19P2003A	0.05	0.02	89,484	-										

## Main Board Quotation

Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN28C2004A	-	-	-	-	MINT01P2003A	2.16	0.18	2	2.00	PTG03C2005A	0.02	-	200	-
KBAN28C2008A	0.03	(0.03)	6,450	-	MINT01P2008A	1.75	0.25	40,463	1.00	PTG06C2006A	-	-	-	-
KBAN28C2008B	0.29	(0.34)	75,781	-	MINT06C2006A	0.01	(0.01)	1,020	-	PTG08C2005A	-	-	-	-
KBAN28C2008C	0.44	(0.43)	102,893	-	MINT06P2007A	-	-	-	-	PTG08C2007A	0.08	(0.07)	16,893	-
KBAN41C2003A	-	-	-	-	MINT08C2003A	-	-	-	-	PTG11C2003A	-	-	-	-
KBAN41C2004A	-	-	-	-	MINT11C2006A	-	-	-	-	PTG11C2005A	-	-	-	-
KBAN41C2005A	-	-	-	-	MINT13C2004A	-	-	-	-	PTG13C2004A	-	-	-	-
KBAN41C2007A	-	-	-	-	MINT13C2006A	-	-	-	-	PTG13C2006A	-	-	-	-
KBAN41C2008A	-	-	-	-	MINT13C2008A	0.03	(0.02)	601	-	PTG13P2004A	1.22	-	1	1.00
KBAN41P2004A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG13P2006A	0.74	0.27	899	-
KBAN41P2005A	-	-	-	-	MINT19C2006A	-	-	-	-	PTG16C2009A	-	-	-	-
KBAN41P2006A	-	-	-	-	MINT19P2004A	2.54	0.26	6,231	2.00	PTG19C2003A	-	-	-	-
KBAN42C2003A	-	-	-	-	MINT24C2006A	-	-	-	-	PTG19C2004A	-	-	-	-
KBAN42C2004A	-	-	-	-	MINT28C2006A	-	-	-	-	PTG19C2005A	-	-	-	-
KBAN42C2007A	-	-	-	-	MINT28C2008A	-	-	-	-	PTG19C2006A	0.05	(0.01)	400	-
KBAN42P2008A	-	-	-	-	MINT41C2004A	-	-	-	-	PTG19C2008A	0.22	(0.13)	80,825	-
KCE01C2004A	0.08	(0.07)	6,329	-	MINT41C2005A	-	-	-	-	PTG19P2006A	0.93	0.16	25	-
KCE01C2004B	0.05	-	10	-	MINT41C2007A	-	-	-	-	PTG27C2007A	0.07	(0.03)	4,154	-
KCE01C2007B	0.02	-	6,110	-	MINT41P2004A	-	-	-	-	PTG28C2004A	-	-	-	-
KCE01C2008A	0.07	(0.03)	29,774	-	MINT42C2004A	-	-	-	-	PTG41C2004A	-	-	-	-
KCE01P2004A	2.36	0.76	9,006	2.00	MTC01C2003A	0.02	-	2,960	-	PTG41C2005A	-	-	-	-
KCE08C2005A	0.02	-	309	-	MTC01C2003B	0.02	0.01	20	-	PTG41C2006A	0.11	(0.04)	75	-
KCE08C2005B	0.01	(0.01)	55	-	MTC01C2007B	0.04	(0.01)	4,288	-	PTG41P2005A	-	-	-	-
KCE11C2004A	-	-	-	-	MTC01C2008A	0.06	(0.04)	70,839	-	PTG42C2004A	-	-	-	-
KCE13C2004A	-	-	-	-	MTC01P2003A	2.12	0.74	6,275	1.00	PTG42C2006A	-	-	-	-
KCE13C2005A	-	-	-	-	MTC03C2005A	-	-	-	-	PTT01C2004A	0.01	(0.01)	14,886	-
KCE13C2006A	0.06	(0.06)	3,500	-	MTC06C2007A	-	-	-	-	PTT01C2004B	0.02	0.01	448	-
KCE16C2007A	0.03	(0.01)	1,001	-	MTC08C2005A	0.01	(0.02)	1	-	PTT01C2007A	0.05	(0.03)	205,342	-
KCE19C2005A	0.04	0.01	1,017	-	MTC11C2008A	-	-	-	-	PTT01C2007B	0.02	(0.02)	25,827	-
KCE19C2007A	-	-	-	-	MTC13C2003A	-	-	-	-	PTT01P2004A	1.47	0.21	862	1.00
KCE19C2008A	0.27	(0.20)	647,455	-	MTC13C2007A	0.03	(0.04)	5,851	-	PTT01P2004B	1.41	0.34	371	1.00
KCE24C2005A	0.09	(0.11)	1,200	-	MTC13P2003A	-	-	-	-	PTT01P2007A	1.79	0.19	5,658	1.00
KCE27C2007A	0.03	-	1	-	MTC16C2007A	-	-	-	-	PTT01P2007B	1.85	0.36	2,609	1.00
KCE41C2005A	-	-	-	-	MTC19C2006A	-	-	-	-	PTT06C2005A	-	-	-	-
KCE41C2006A	-	-	-	-	MTC19P2004A	1.68	0.73	11,414	1.00	PTT08C2005A	0.01	(0.01)	765	-
KKP01C2006A	-	-	-	-	MTC24C2004A	-	-	-	-	PTT08P2005A	1.55	0.31	204	1.00
KKP01C2006B	0.01	(0.01)	3,750	-	MTC27C2007A	0.04	-	289	-	PTT11C2004A	-	-	-	-
KKP01P2006A	3.16	0.34	400	3.00	MTC28C2006A	0.01	-	1,000	-	PTT11C2008A	0.02	(0.02)	1,446	-
KKP08C2003A	-	-	-	-	MTC28C2008A	0.02	(0.03)	250	-	PTT13C2004A	0.01	-	120	-
KKP11C2007A	-	-	-	-	MTC41C2004A	-	-	-	-	PTT13C2006A	0.02	-	3,100	-
KKP13C2004A	-	-	-	-	MTC41C2007A	0.27	0.15	1,602	-	PTT13C2008A	0.03	(0.01)	36,695	-
KKP13C2007A	0.05	(0.01)	400	-	MTC41P2004A	-	-	-	-	PTT13C2008B	0.20	(0.08)	19,119	-
KKP19C2003A	-	-	-	-	MTC42C2003A	-	-	-	-	PTT13P2004A	1.56	0.16	10	1.00
KKP24C2003A	-	-	-	-	ORI13C2004A	-	-	-	-	PTT13P2006A	1.98	0.12	385	2.00
KKP41C2006A	-	-	-	-	ORI19C2003A	-	-	-	-	PTT13P2008A	0.37	0.11	89,505	-
KTB01C2003A	0.01	-	4,850	-	ORI19C2005A	-	-	-	-	PTT16C2008A	0.01	(0.01)	3,640	-
KTB01C2008B	-	-	-	-	ORI28C2004A	-	-	-	-	PTT19C2005A	0.01	-	100	-
KTB01C2009A	0.08	(0.02)	2,725	-	ORI28C2007A	-	-	-	-	PTT19C2008A	0.21	(0.08)	96,622	-
KTB01P2003A	1.75	(0.01)	2	1.00	ORI41C2004A	-	-	-	-	PTT19P2003A	-	-	-	-
KTB01P2009A	1.00	0.15	80	-	OSP01C2003A	0.01	(0.02)	700	-	PTT19P2006A	1.65	0.16	225	1.00
KTB11C2004A	0.05	0.04	1	-	OSP01C2003B	-	-	-	-	PTT24C2003A	-	-	-	-
KTB11C2006A	-	-	-	-	OSP01C2006A	0.14	(0.11)	77,178	-	PTT24C2008A	0.04	(0.01)	101	-
KTB13C2006A	-	-	-	-	OSP01C2006B	0.04	(0.04)	120	-	PTT28C2004A	0.01	(0.01)	1	-
KTB19C2005A	-	-	-	-	OSP01P2003A	0.56	0.43	11,374	-	PTT28C2007A	-	-	-	-
KTB24C2004A	-	-	-	-	OSP01P2006A	1.08	0.47	24,643	1.00	PTT28C2008A	0.09	(0.05)	6	-
KTB41C2004A	-	-	-	-	OSP06C2005A	-	-	-	-	PTT28C2008B	0.20	(0.10)	60,452	-
KTB41C2006A	-	-	-	-	OSP08C2004A	-	-	-	-	PTT28C2008C	-	-	-	-
KTB41P2004A	-	-	-	-	OSP11C2005A	-	-	-	-	PTT28P2004A	1.40	0.30	602	1.00
KT01C2004A	-	-	-	-	OSP13C2004A	-	-	-	-	PTT41C2004A	-	-	-	-
KT01C2004B	0.02	-	2,300	-	OSP13C2006A	0.04	(0.05)	1,650	-	PTT41C2005A	-	-	-	-
KT01C2007A	0.13	(0.10)	19,014	-	OSP16C2008A	0.04	(0.02)	1,470	-	PTT41C2006A	-	-	-	-
KT01C2007B	0.08	(0.02)	120	-	OSP19C2004A	0.04	0.03	1	-	PTT41C2007A	0.45	-	350	-
KT01P2004A	1.04	0.51	1,981	1.00	OSP19C2005A	0.06	(0.05)	13,471	-	PTT41P2004A	-	-	-	-
KT01P2007A	0.89	0.34	51,443	-	OSP24C2008A	-	-	-	-	PTT41P2005A	-	-	-	-
KT06C2006A	-	-	-	-	OSP41C2004A	-	-	-	-	PTT41P2006A	-	-	-	-
KT08C2004A	-	-	-	-	OSP41C2005A	0.10	(0.11)	11,914	-	PTT42C2003A	-	-	-	-
KT08C2006A	0.06	(0.08)	185,340	-	OSP41P2004A	0.80	0.21	215	-	PTT42C2007A	0.01	-	313	-
KTC11C2005A	-	-	-	-	OSP42C2005A	-	-	-	-	PTTE01C2004A	0.02	0.01	4,005	-
KTC13C2004A	-	-	-	-	PLAN08C2004A	0.01	-	1,525	-	PTTE01C2004B	0.02	-	601	-
KTC13C2006A	0.03	(0.04)	290	-	PLAN13C2004A	-	-	-	-	PTTE01C2007A	0.04	(0.02)	70,413	-
KTC13P2006A	0.69	0.29	1,745	-	PLAN13C2005A	-	-	-	-	PTTE01C2007B	0.03	0.01	44,831	-
KTC13P2007A	1.32	0.30	200	1.00	PLAN13C2007A	-	-	-	-	PTTE01P2004A	2.78	0.38	156	2.00
KTC19C2005A	-	-	-	-	PLAN19C2005A	-	-	-	-	PTTE01P2004B	3.38	0.72	172	3.00
KTC19C2006A	-	-	-	-	PLAN19C2007A	0.01	-	1,100	-	PTTE01P2007A	3.84	0.44	2,408	3.00
KTC19C2008A	0.26	(0.17)	147,011	-	PLAN24C2006A	-	-	-	-	PTTE01P2007B	5.65	1.25	1,499	5.00
KTC19P2005A	0.80	0.13	100	-	PLAN27C2008A	0.01	-	35	-	PTTE06C2006A	0.01	(0.01)	1,090	-
KTC27C2007A	-	-	-	-	PLAN28C2004A	-	-	-	-	PTTE06P2006A	-	-	-	-
KTC28C2004A	-	-	-	-	PLAN28C2005A	-	-	-	-	PTTE08C2005A	-	-	-	-
KTC28C2006A	-	-	-	-	PLAN41C2004A	-	-	-	-	PTTE08P2005A	3.06	(0.44)	58	3.00
KTC41C2004A	-	-	-	-	PLAN41C2005A	-	-	-	-	PTTE08P2006A	-	-	-	-
KTC41C2005A	-	-	-	-	PLAN41C2006A	-	-	-	-	PTTE11C2006A	-	-	-	-
KTC41C2006A	-	-	-	-	PLAN42C2007A	-	-	-	-	PTTE13C2004A	-	-	-	-
KTC42C2003A	-	-	-	-	PRM08C2003A	-	-	-	-	PTTE13C2006A	0.02	(0.01)	670	-
KTC42C2006A	-	-	-	-	PRM13C2003A	-	-	-	-	PTTE13C2008A	0.03	(0.02)	18,396	-
LH01C2003A	-	-	-	-	PRM13C2006A	-	-	-	-	PTTE13C2008B	0.15	(0.17)	59,563	-
LH01P2003A	-	-	-	-	PRM19C2004A	-	-	-	-	PTTE13P2006A	4.14	0.52	1,082	3.00
LH11C2007A	-	-	-	-	PRM19C2006A	0.01	(0.02)	203	-	PTTE13P2008A	1.39	0.39	51,094	1.00
LH19C2003A	-	-	-	-	PRM42C2006A	-	-	-	-	PTTE16C2003A	-	-	-	-
LH19C2003B	-	-	-	-	PSH19C2003A	-	-	-	-	PTTE16C2009A	0.05	(0.04)	502	-
LH19C2007A	-	-	-	-	PSH19C2005A	-	-	-	-	PTTE19C2006A	0.02	0.01	2	-
LH19P2004A	-	-	-	-	PSL06C2006A	-	-	-	-	PTTE19C2008A	0.02	(0.01)	20,282	-
LH41C2004A	-	-	-	-	PSL13C2003A	-	-	-	-	PTTE19C2008B	0.25	(0.16)	80,531	-
LH41C2005A	-	-	-	-	PSL19C2004A	-	-	-	-	PTTE19C2009A	0.82	(0.18)	34,267	-
LH41C2006A	-	-	-	-	PSL19C2006A	-	-	-	-	PTTE19P2004A	2.76	0.32	14	2.00
MAJO13C2007A	-	-	-	-	PSL19C2007A	0.07	(0.09)	2,385	-	PTTE19P2006A	3.30	0.08	115	3.00
MAJO19C2006A	-	-	-	-	PTG01C2003A	0.01	(0.01)	50	-	PTTE24C2003A	-	-	-	-
MBK19C200														

**Main Board Quotation**

**Issue Date :**

*Monday March 23, 2020*

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------



## Main Board Quotation

Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE41P2004A	-	-	-	-	S5001C2007A	0.20	(0.04)	638,979	-	S5028C2006B	0.03	(0.01)	5,389	-
PTTE42C2004A	-	-	-	-	S5001P2003F	-	-	-	-	S5028C2006C	0.48	(0.57)	16,453	-
PTTE42P2008A	-	-	-	-	S5001P2003G	15.70	1.80	104	15.00	S5028C2006D	0.77	(0.74)	9,087	-
PTTG01C2005A	0.02	-	2,005	-	S5001P2003H	-	-	-	-	S5028P2003A	2.98	0.36	54	2.00
PTTG01C2005B	0.01	(0.01)	8,258	-	S5001P2003I	-	-	-	-	S5028P2004A	10.20	3.60	200	9.00
PTTG01C2007B	0.02	(0.01)	4,878	-	S5001P2003J	7.65	1.00	11	7.00	S5028P2004B	6.90	2.56	300	6.00
PTTG01C2008A	0.03	-	1,078	-	S5001P2004A	6.55	0.90	3,634	6.00	S5028P2006A	2.78	0.64	9,478	2.00
PTTG01P2005A	3.18	0.20	5	3.00	S5001P2005A	5.60	1.08	11,732	5.00	S5028P2006B	2.36	0.70	294,107	2.00
PTTG01P2005B	-	-	-	-	S5001P2006F	13.10	3.70	1,300	12.00	S5028P2006C	1.17	0.26	156,201	1.00
PTTG01P2007B	2.52	(0.34)	80	2.00	S5001P2006G	11.90	4.40	2,108	10.00	S5041C2003A	-	-	-	-
PTTG01P2008A	2.40	0.32	369	2.00	S5001P2006H	6.50	2.38	19,553	5.00	S5041C2003B	-	-	-	-
PTTG06C2006A	-	-	-	-	S5001P2007A	5.55	0.50	80,516	5.00	S5041C2003C	-	-	-	-
PTTG08C2004A	-	-	-	-	S5006C2003A	-	-	-	-	S5041C2003D	-	-	-	-
PTTG08P2004A	-	-	-	-	S5006C2003B	-	-	-	-	S5041C2003E	-	-	-	-
PTTG11C2004A	-	-	-	-	S5006C2003C	0.01	(0.01)	72	-	S5041C2006A	0.18	(0.31)	37,740	-
PTTG11C2007A	-	-	-	-	S5006C2006A	0.03	-	3	-	S5041C2006B	0.37	(0.39)	5,448	-
PTTG13C2005A	-	-	-	-	S5006C2006B	0.02	(0.01)	1,454	-	S5041C2006C	1.19	(0.89)	2,958,163	1.00
PTTG13C2007A	0.01	(0.02)	200	-	S5006P2003A	-	-	-	-	S5041C2006D	2.18	(1.18)	158,909	2.00
PTTG13C2008A	0.07	(0.05)	15,917	-	S5006P2003B	-	-	-	-	S5041P2003A	-	-	-	-
PTTG13P2004A	2.80	(0.24)	20	2.00	S5006P2003C	-	-	-	-	S5041P2003B	-	-	-	-
PTTG13P2008A	1.41	0.12	280	1.00	S5006P2006A	14.50	1.50	1	14.00	S5041P2003C	-	-	-	-
PTTG16C2006A	-	-	-	-	S5006P2006B	-	-	-	-	S5041P2003D	-	-	-	-
PTTG19C2006A	-	-	-	-	S5008C2003A	-	-	-	-	S5041P2003E	-	-	-	-
PTTG19C2006B	-	-	-	-	S5008C2003B	-	-	-	-	S5041P2006A	10.00	1.90	1,282	9.00
PTTG19C2008A	0.02	-	1,000	-	S5008C2006A	0.04	(0.03)	48,462	-	S5041P2006B	8.80	1.80	450	8.00
PTTG19C2008B	0.18	(0.09)	106,819	-	S5008P2003A	-	-	-	-	S5041P2006C	4.90	1.10	220,251	4.00
PTTG19P2003A	-	-	-	-	S5008P2003B	23.90	6.20	34	22.00	S5041P2006D	3.76	0.68	392,536	3.00
PTTG19P2006A	-	-	-	-	S5008P2003C	-	-	-	-	SAWA01C2003A	-	-	-	-
PTTG24C2003A	-	-	-	-	S5011C2003A	-	-	-	-	SAWA01C2003B	0.01	-	400	-
PTTG24C2008A	-	-	-	-	S5011P2003A	-	-	-	-	SAWA01C2006A	0.07	(0.05)	30,370	-
PTTG27P2006A	2.82	0.04	150	2.00	S5013C2003A	0.01	-	31,024	-	SAWA01C2006B	0.05	0.01	574	-
PTTG28C2006A	-	-	-	-	S5013C2003B	0.01	-	304	-	SAWA01P2003A	1.18	0.61	106	1.00
PTTG28C2008A	-	-	-	-	S5013C2003C	0.01	-	4	-	SAWA01P2006A	3.12	0.98	3,743	3.00
PTTG41C2003A	-	-	-	-	S5013C2003D	0.01	-	3	-	SAWA06C2007A	-	-	-	-
PTTG41C2004A	-	-	-	-	S5013C2003E	0.01	-	12	-	SAWA08C2006A	0.03	(0.01)	200	-
PTTG41C2005A	-	-	-	-	S5013C2006A	0.01	(0.01)	471,237	-	SAWA11C2003A	-	-	-	-
PTTG41C2006A	-	-	-	-	S5013C2006B	0.01	-	938,645	-	SAWA13C2005A	-	-	-	-
PTTG41C2007A	-	-	-	-	S5013C2006C	0.01	-	143,595	-	SAWA13C2007A	0.05	(0.02)	1,440	-
PTTG41C2008A	0.42	(0.02)	1,530	-	S5013C2006D	0.02	-	1,120,218	-	SAWA16C2008A	0.03	(0.01)	2,983	-
PTTG41P2006A	-	-	-	-	S5013C2006E	0.09	(0.06)	1,293,671	-	SAWA19C2005A	-	-	-	-
PTTG42C2003A	-	-	-	-	S5013C2006F	0.74	(0.54)	3,882,167	-	SAWA19C2009A	0.36	(0.29)	309,205	-
PTTG42C2007A	0.09	-	1	-	S5013P2003A	-	-	-	-	SAWA24C2004A	-	-	-	-
QH01C2006A	-	-	-	-	S5013P2003B	11.10	2.30	196	10.00	SAWA27C2007A	-	-	-	-
QH01C2006B	-	-	-	-	S5013P2003C	11.00	0.40	5	11.00	SAWA28C2004A	-	-	-	-
QH01P2006A	0.98	0.16	305	-	S5013P2003D	-	-	-	-	SAWA28C2007A	0.03	(0.03)	850	-
QH11C2006A	-	-	-	-	S5013P2003E	8.90	2.15	7	8.00	SAWA28C2008A	-	-	-	-
QH19C2006A	-	-	-	-	S5013P2006A	9.45	1.70	1,750	8.00	SAWA41C2004A	-	-	-	-
QH27C2007A	-	-	-	-	S5013P2006B	7.00	2.00	863	6.00	SAWA41C2005A	0.10	0.03	5,005	-
RATC01C2003A	-	-	-	-	S5013P2006C	6.40	1.60	4,762	5.00	SAWA41P2004A	1.87	0.48	123	1.00
RATC01C2003B	0.01	-	1,000	-	S5013P2006D	5.35	2.23	359,684	4.00	SAWA41P2005A	2.78	0.32	1	2.00
RATC01C2006A	0.12	(0.12)	160	-	S5013P2006E	3.94	1.26	1,907,839	3.00	SAWA42C2003A	-	-	-	-
RATC01C2006B	-	-	-	-	S5016C2003A	-	-	-	-	SCB01C2004A	0.01	-	6,139	-
RATC01P2006A	1.59	0.35	614	1.00	S5016C2003B	-	-	-	-	SCB01C2004B	0.01	-	124,009	-
RATC06C2006A	0.01	(0.01)	1,812	-	S5016C2003C	-	-	-	-	SCB01C2007A	0.03	(0.01)	24,766	-
RATC06P2006A	-	-	-	-	S5016C2003D	-	-	-	-	SCB01C2007B	0.04	-	51	-
RATC13C2004A	-	-	-	-	S5016C2003E	-	-	-	-	SCB01C2008B	0.06	(0.03)	7,642	-
RATC13C2007A	0.08	(0.04)	3,203	-	S5016C2006A	0.01	-	6,396	-	SCB01C2009A	0.19	(0.09)	10,990	-
RATC16C2008A	-	-	-	-	S5016C2006B	-	-	-	-	SCB01P2004A	2.44	0.04	38	2.00
RATC19C2005A	0.04	(0.01)	1	-	S5016P2003A	-	-	-	-	SCB01P2004B	3.14	0.50	42	2.00
RATC19C2007A	0.09	(0.06)	30	-	S5016P2003C	-	-	-	-	SCB01P2007A	2.12	0.35	1,312	2.00
RATC24C2006A	-	-	-	-	S5016P2003D	-	-	-	-	SCB01P2007B	2.70	0.62	739	2.00
RATC27C2004A	-	-	-	-	S5016P2006A	-	-	-	-	SCB06C2007A	-	-	-	-
RATC27C2007A	-	-	-	-	S5016P2006B	7.65	1.65	16	7.00	SCB08C2005A	-	-	-	-
RATC41C2004A	-	-	-	-	S5019C2003A	-	-	-	-	SCB08C2007A	-	-	-	-
RATC41C2005A	-	-	-	-	S5019C2003B	-	-	-	-	SCB08P2004A	-	-	-	-
RATC41C2006A	0.40	0.13	17,070	-	S5019C2003C	-	-	-	-	SCB11C2005A	0.01	-	372	-
RATC41P2004A	-	-	-	-	S5019C2003D	-	-	-	-	SCB11C2006A	0.01	-	5,996	-
RATC41P2006A	-	-	-	-	S5019C2006A	0.02	-	11,376	-	SCB11C2008A	-	-	-	-
RATC42C2003A	-	-	-	-	S5019C2006B	0.01	(0.01)	3,112	-	SCB11P2005A	-	-	-	-
RATC42C2006A	-	-	-	-	S5019C2006C	0.09	(0.08)	26,185	-	SCB13C2006A	0.01	-	5,677	-
RS06C2004A	-	-	-	-	S5019C2009A	1.97	(0.73)	94,862	2.00	SCB13C2006B	-	-	-	-
RS08P2003A	1.57	(0.43)	1	1.00	S5019P2003A	10.30	0.90	30	10.00	SCB13C2007A	0.04	-	2	-
RS08P2006A	1.16	0.12	650	1.00	S5019P2003B	-	-	-	-	SCB13C2008A	0.21	(0.09)	1,020	-
RS13C2004A	-	-	-	-	S5019P2003C	-	-	-	-	SCB13P2006A	3.22	0.38	53	3.00
RS13C2006A	-	-	-	-	S5019P2003D	10.80	2.60	97	10.00	SCB13P2008A	1.53	0.41	379	1.00
RS16C2005A	-	-	-	-	S5019P2006A	7.00	1.45	160	6.00	SCB16C2003A	-	-	-	-
RS19C2004A	-	-	-	-	S5019P2006B	5.90	1.70	2,435	5.00	SCB16C2008A	-	-	-	-
RS19C2005A	-	-	-	-	S5019P2006C	6.05	2.11	3,803	5.00	SCB19C2003A	-	-	-	-
RS19C2007A	0.06	(0.03)	1,602	-	S5024C2003A	-	-	-	-	SCB19C2006A	-	-	-	-
RS24C2004A	-	-	-	-	S5024C2003B	-	-	-	-	SCB19C2007A	-	-	-	-
RS24C2008A	0.04	(0.03)	1,100	-	S5024C2003C	-	-	-	-	SCB19C2008A	0.39	(0.23)	135,796	-
RS41C2004A	-	-	-	-	S5024C2006A	0.03	-	200	-	SCB19P2005A	3.00	0.42	100	3.00
RS42C2004A	-	-	-	-	S5024C2006B	0.01	(0.01)	501	-	SCB24C2004A	-	-	-	-
RS42C2008A	-	-	-	-	S5024C2009A	0.06	-	26,886	-	SCB24C2008A	0.16	(0.09)	2,450	-
S10001C2011A	0.03	-	17,129	-	S5024C2009B	0.36	(0.43)	61,874	-	SCB27C2007A	0.01	-	1,993	-
S5001C2003F	0.02	0.01	13,425	-	S5024P2003A	25.00	-	2	24.00	SCB27P2006A	2.42	0.20	30	2.00
S5001C2003G	0.02	0.01	185,594	-	S5024P2003B	-	-	-	-	SCB28C2004A	-	-	-	-
S5001C2003H	0.01	-	16,721	-	S5024P2006A	21.80	4.00	25	21.00	SCB28C2006A	-	-	-	-
S5001C2003I	0.01	-	10,574	-	S5024P2006B	11.40	3.90	162	11.00	SCB28C2006B	-	-	-	-
S5001C2003J	0.01	-	66,494	-	S5024P2006C	6.25	2.99	2,000	5.00	SCB28C2008A	0.07	(0.02)	3	-
S5001C2004A	0.01	-	23,862	-	S5028C2003A	-	-	-	-	SCB41C2004A	-	-	-	-

## Main Board Quotation

Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001C2005A	0.02	(0.01)	220,333	-	S5028C2003B	-	-	-	-	SCB41C2005A	-	-	-	-
S5001C2006F	0.03	(0.01)	174,206	-	S5028C2004A	-	-	-	-	SCB41C2006A	-	-	-	-
S5001C2006G	0.02	-	35,483	-	S5028C2004B	0.01	-	204	-	SCB41C2006B	-	-	-	-
S5001C2006H	0.05	(0.03)	408,204	-	S5028C2006A	0.03	(0.01)	6,039	-	SCB41C2008A	-	-	-	-

## Main Board Quotation

Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB41P2004A	-	-	-	-	STEC01C2004A	-	-	-	-	TKN16C2008A	-	-	-	-
SCB41P2005A	-	-	-	-	STEC01C2006A	0.08	(0.04)	10,160	-	TKN19C2004A	-	-	-	-
SCB42C2003A	-	-	-	-	STEC01C2006B	-	-	-	-	TKN19C2004B	-	-	-	-
SCB42C2006A	-	-	-	-	STEC01P2003A	-	-	-	-	TKN19C2007A	-	-	-	-
SCB42C2007A	-	-	-	-	STEC01P2006A	1.26	0.29	1	1.00	TKN28C2007A	0.03	(0.04)	100	-
SCC01C2004A	0.05	(0.05)	1,239	-	STEC06C2004A	-	-	-	-	TKN41C2005A	-	-	-	-
SCC01C2004B	0.01	(0.01)	1,530	-	STEC08C2004A	-	-	-	-	TKN41C2006A	-	-	-	-
SCC01P2004A	1.91	0.56	1,619	1.00	STEC08C2005A	-	-	-	-	TKN42C2003A	-	-	-	-
SCC06C2007A	0.03	(0.05)	3,421	-	STEC11C2007A	0.01	(0.03)	2	-	TKN42C2006A	-	-	-	-
SCC08C2004A	0.01	-	1,000	-	STEC13C2003A	-	-	-	-	TMB01C2004A	-	-	-	-
SCC08P2006A	1.75	0.73	6,860	1.00	STEC13C2004A	-	-	-	-	TMB01C2004B	0.01	-	3,000	-
SCC11C2003A	-	-	-	-	STEC16C2003A	-	-	-	-	TMB01P2004A	-	-	-	-
SCC11C2006A	0.01	-	300	-	STEC16C2006A	-	-	-	-	TMB19C2004A	-	-	-	-
SCC11C2007A	0.06	(0.05)	638	-	STEC16C2009A	-	-	-	-	TMB19C2007A	0.02	-	1,500	-
SCC13C2004A	-	-	-	-	STEC19C2004A	-	-	-	-	TMB19P2004A	-	-	-	-
SCC13C2008A	0.25	(0.20)	3,288	-	STEC19C2005A	0.02	(0.03)	400	-	TMB41C2004A	-	-	-	-
SCC13P2006A	1.60	0.57	4,501	1.00	STEC24C2003A	-	-	-	-	TMB41C2005A	-	-	-	-
SCC16C2005A	-	-	-	-	STEC24C2006A	0.03	(0.05)	150	-	TMB41P2006A	1.70	0.11	1	1.00
SCC19C2003A	-	-	-	-	STEC28C2004A	-	-	-	-	TOA01C2006A	0.13	(0.05)	1	-
SCC19C2003B	-	-	-	-	STEC28C2004B	0.01	(0.01)	3,875	-	TOA01C2006B	-	-	-	-
SCC19C2006A	-	-	-	-	STEC28C2005A	0.01	(0.03)	5,080	-	TOA08C2003A	-	-	-	-
SCC19C2008A	0.23	(0.19)	996	-	STEC41C2004A	-	-	-	-	TOA13C2007A	-	-	-	-
SCC19P2004A	1.02	0.33	50	1.00	STEC41C2005A	-	-	-	-	TOA19C2004A	-	-	-	-
SCC24C2003A	-	-	-	-	STEC41C2006A	-	-	-	-	TOA19C2007A	0.11	(0.04)	56,217	-
SCC24C2006A	-	-	-	-	STEC41P2004A	-	-	-	-	TOA24C2005A	-	-	-	-
SCC27P2008A	0.70	0.30	45,623	-	STEC41P2005A	0.93	0.16	5,063	-	TOA41C2004A	-	-	-	-
SCC28C2004A	-	-	-	-	STEC42C2004A	-	-	-	-	TOP01C2003A	0.01	-	150,200	-
SCC28C2008A	0.22	(0.22)	72,434	-	SUPE13C2003A	-	-	-	-	TOP01C2003B	0.01	-	290	-
SCC41C2004A	-	-	-	-	SUPE19C2004A	-	-	-	-	TOP01C2006A	0.02	-	660	-
SCC41C2005A	-	-	-	-	SUPE19C2007A	0.02	(0.01)	7,600	-	TOP01C2006B	0.01	(0.01)	597	-
SCC41C2006A	0.26	0.16	312	-	SUPE42C2004A	0.09	0.08	1	-	TOP01C2008B	0.04	(0.03)	350	-
SCC41C2006B	0.38	(0.27)	35,338	-	TASC01C2003A	-	-	-	-	TOP01C2009A	0.10	(0.08)	26,970	-
SCC41P2004A	-	-	-	-	TASC01C2003B	0.01	-	8,510	-	TOP01P2003A	-	-	-	-
SCC41P2005A	-	-	-	-	TASC01C2007B	0.13	(0.07)	812	-	TOP01P2006A	4.10	0.40	18	4.00
SCC41P2006A	-	-	-	-	TASC01C2008A	0.29	(0.15)	1,330	-	TOP01P2009A	1.79	0.50	2,916	1.00
SCC42C2003A	-	-	-	-	TASC01P2003A	0.36	0.22	2,828	-	TOP06C2004A	0.01	-	3,300	-
SCC42C2008A	-	-	-	-	TASC01P2008A	1.21	0.32	3,362	1.00	TOP06C2007A	0.02	0.01	3,270	-
SGP13C2004A	-	-	-	-	TASC08C2005A	0.03	(0.01)	1,000	-	TOP06P2005A	-	-	-	-
SGP13C2006A	-	-	-	-	TASC08C2006A	0.10	(0.11)	12,800	-	TOP08C2003A	-	-	-	-
SGP13C2007A	0.06	-	1,000	-	TASC13C2006A	0.14	(0.07)	3,150	-	TOP08C2007A	0.02	-	10,000	-
SGP19C2006A	-	-	-	-	TASC16C2008A	-	-	-	-	TOP08P2003A	-	-	-	-
SGP19C2006B	0.05	-	100	-	TASC19C2003A	-	-	-	-	TOP08P2007A	-	-	-	-
SGP42C2007A	0.04	0.02	1,000	-	TASC19C2006A	0.25	(0.12)	5,734	-	TOP11C2007A	0.01	-	6,913	-
SIRI13C2007A	-	-	-	-	TASC19C2007A	0.12	(0.05)	1,256	-	TOP13C2004A	-	-	-	-
SIRI19C2004A	-	-	-	-	TASC19P2004A	0.43	0.14	1,539	-	TOP13C2006A	0.02	-	1,002	-
SIRI19C2007A	0.02	(0.01)	114	-	TASC24C2006A	-	-	-	-	TOP13C2008A	-	-	-	-
SPAL01C2004A	-	-	-	-	TASC28C2004A	-	-	-	-	TOP13C2008B	0.08	(0.06)	587	-
SPAL01C2004B	-	-	-	-	TASC28C2006A	0.03	(0.05)	1,000	-	TOP13P2005A	-	-	-	-
SPAL06P2004A	0.95	-	10	-	TASC41C2004A	-	-	-	-	TOP13P2006A	3.74	0.44	10	3.00
SPAL11C2006A	0.03	(0.04)	1	-	TASC41C2005A	0.25	(0.15)	10,022	-	TOP16C2008A	-	-	-	-
SPAL13C2003A	-	-	-	-	TASC42C2003A	-	-	-	-	TOP19C2003A	-	-	-	-
SPAL13C2006A	-	-	-	-	TASC42C2005A	0.06	(0.06)	840	-	TOP19C2006A	-	-	-	-
SPAL19C2004A	-	-	-	-	TCAP01C2007B	-	-	-	-	TOP19C2007A	-	-	-	-
SPAL24C2003A	-	-	-	-	TCAP01C2008A	0.03	(0.03)	238	-	TOP19C2008A	-	-	-	-
SPAL27C2008A	-	-	-	-	TCAP01P2008A	2.74	0.44	277	2.00	TOP19P2006A	-	-	-	-
SPAL41C2004A	-	-	-	-	TCAP13C2007A	-	-	-	-	TOP24C2007A	-	-	-	-
SPAL42C2003A	-	-	-	-	TCAP19C2004A	-	-	-	-	TOP24C2008A	0.26	(0.16)	103,810	-
SPRC01C2003A	0.01	(0.01)	2,124	-	TCAP41C2004A	-	-	-	-	TOP28C2004A	-	-	-	-
SPRC01C2003B	0.01	-	2,000	-	THAI11C2003A	0.01	-	2	-	TOP41C2004A	-	-	-	-
SPRC01C2007A	0.02	(0.02)	6,680	-	THAI13C2004A	-	-	-	-	TOP41C2005A	-	-	-	-
SPRC06C2007A	0.01	-	500	-	THAI19C2004A	-	-	-	-	TOP41C2006A	-	-	-	-
SPRC06P2003A	-	-	-	-	THAI27C2008A	0.01	(0.03)	2,000	-	TOP41C2007A	-	-	-	-
SPRC06P2007A	-	-	-	-	THAI42C2003A	-	-	-	-	TOP41C2008A	-	-	-	-
SPRC08C2005A	-	-	-	-	THAI42C2005A	0.01	-	100	-	TOP41P2004A	-	-	-	-
SPRC08C2006A	-	-	-	-	THAN01C2006A	-	-	-	-	TOP41P2005A	-	-	-	-
SPRC11C2005A	-	-	-	-	THAN01C2006B	-	-	-	-	TOP41P2006A	-	-	-	-
SPRC11C2008A	-	-	-	-	THAN01P2006A	0.84	0.06	313	-	TOP42C2007A	-	-	-	-
SPRC13C2004A	-	-	-	-	THAN06C2005A	0.01	-	1	-	TP19C2004A	-	-	-	-
SPRC13C2006A	-	-	-	-	THAN13C2003A	-	-	-	-	TRUE01C2004A	0.02	-	72,181	-
SPRC13C2008A	-	-	-	-	THAN13C2007A	0.02	(0.03)	500	-	TRUE01C2004B	0.01	(0.01)	800	-
SPRC19C2005A	-	-	-	-	THAN19C2004A	-	-	-	-	TRUE01C2007A	0.19	(0.06)	37,889	-
SPRC19C2005B	-	-	-	-	THAN19C2007A	-	-	-	-	TRUE01C2007B	0.07	(0.05)	595	-
SPRC19C2007A	0.03	(0.02)	50	-	THAN27C2003A	-	-	-	-	TRUE01P2004A	1.11	0.19	479	1.00
SPRC19P2005A	1.31	0.21	22	1.00	THAN41C2005A	-	-	-	-	TRUE01P2004B	0.79	0.37	38,828	-
SPRC24C2003A	-	-	-	-	TISC01C2006A	0.02	(0.05)	25,518	-	TRUE01P2007B	0.90	0.29	28,505	-
SPRC28C2008A	0.03	(0.01)	4,300	-	TISC01C2006B	0.02	(0.01)	1,272	-	TRUE06C2004A	-	-	-	-
SPRC41C2004A	-	-	-	-	TISC01P2006A	1.77	0.24	23,667	1.00	TRUE06C2007A	0.09	(0.07)	408	-
SPRC41C2005A	-	-	-	-	TISC11C2005A	-	-	-	-	TRUE08C2004A	-	-	-	-
SPRC41C2006A	-	-	-	-	TISC11C2007A	0.07	0.01	3,671	-	TRUE08C2005A	-	-	-	-
SPRC42C2006A	0.01	-	50	-	TISC13C2004A	-	-	-	-	TRUE08C2007A	0.11	(0.08)	49,600	-
STA01C2003A	0.05	(0.06)	1	-	TISC13C2006A	-	-	-	-	TRUE08P2005A	1.47	0.47	2,630	1.00
STA01C2003B	0.01	(0.01)	26,040	-	TISC19C2004A	-	-	-	-	TRUE11C2005A	-	-	-	-
STA01C2008B	0.08	(0.04)	3,701	-	TISC19C2006A	-	-	-	-	TRUE11C2005B	-	-	-	-
STA01C2009A	0.14	(0.10)	10,291	-	TISC41C2005A	-	-	-	-	TRUE13C2003A	-	-	-	-
STA01P2003A	0.15	0.12	59,729	-	TISC41C2006A	-	-	-	-	TRUE13C2003B	-	-	-	-
STA01P2009A	0.80	0.22	4,905	-	TISC41P2006A	1.80	0.03	24	1.00	TRUE13C2006A	-	-	-	-
STA11C2005A	-	-	-	-	TISC42C2003A	-	-	-	-	TRUE13C2007A	0.10	(0.04)	1,556	-
STA13C2003A	-	-	-	-	TKN01C2003A	0.01	-	30	-	TRUE19C2003A	-	-	-	-
STA13C2006A	0.06	(0.04)	4,170	-	TKN01C2003B	-	-	-	-	TRUE19C2004A	-	-	-	-

**Main Board Quotation**

**Issue Date :**

*Monday March 23, 2020*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STA19C2004A	0.05	(0.05)	2,000	-	TKN01C2007B	-	-	-	-	TRUE19C2006A	-	-	-	-
STA19C2005A	0.25	(0.21)	1,735	-	TKN01C2008A	0.10	-	60	-	TRUE19C2007A	0.14	(0.12)	27,960	-
STA19C2007A	0.07	(0.05)	4,948	-	TKN08C2003A	-	-	-	-	TRUE19P2003A	-	-	-	-
STA42C2007A	-	-	-	-	TKN08C2007A	-	-	-	-	TRUE19P2005A	1.01	0.33	630	-
STEC01C2003A	0.01	-	26,722	-	TKN13C2004A	-	-	-	-	TRUE28C2006A	-	-	-	-
STEC01C2003B	-	-	-	-	TKN13C2006A	-	-	-	-	TRUE41C2004A	-	-	-	-

## Main Board Quotation

Issue Date :

Monday March 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE41C2005A	-	-	-	-	BTS-W5	0.51	(0.11)	505,833	-	SIMAT-W3	0.21	(0.02)	621	-
TRUE41C2006A	-	-	-	-	CGD-W4	0.03	(0.01)	13,060	-	SIMAT-W4	0.60	(0.03)	1,147	-
TRUE41C2007A	-	-	-	-	CGH-W3	0.01	-	2,004	-	SMART-W2	0.10	(0.10)	78	-
TRUE41P2004A	-	-	-	-	CI-W1	0.01	-	5	-	SWC-W1	2.04	(0.10)	124	2.00
TRUE41P2005A	-	-	-	-	CKP-W1	0.01	(0.01)	161,852	-	TAKUNI-W	0.02	-	1,084	-
TRUE42C2003A	-	-	-	-	CRANE-W1	0.87	0.19	27,514	-	TVD-W2	0.05	(0.01)	981	-
TRUE42C2004A	-	-	-	-	DCC-W1	0.17	(0.01)	12,009	-	Preferred Shares	-	-	-	-
TRUE42C2007A	-	-	-	-	ECL-W3	0.06	(0.02)	16,208	-	SGF-P1	-	-	-	-
TTW27C2009A	0.12	(0.05)	7,158	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU01C2004A	0.14	0.01	667	-	EIC-W3	0.01	(0.01)	2,800	-	-	-	-	-	-
TU01C2004B	0.11	0.03	1,234	-	EMC-W6	0.02	-	44,691	-	-	-	-	-	-
TU01P2004A	0.10	0.01	67,585	-	EPCO-W3	0.12	(0.01)	507	-	-	-	-	-	-
TU06C2004A	0.01	(0.01)	7,130	-	GLOCON-W4	0.10	(0.02)	24,976	-	-	-	-	-	-
TU06P2007A	0.70	0.10	10	-	J-W1	0.04	(0.02)	3	-	-	-	-	-	-
TU11C2003A	-	-	-	-	JAS-W3	0.50	(0.24)	693,395	-	-	-	-	-	-
TU11C2008A	0.31	(0.04)	7,520	-	JCK-W5	0.02	(0.01)	6,572	-	-	-	-	-	-
TU13C2004A	0.14	0.04	3,512	-	JMT-W2	2.42	(0.74)	4,725	2.00	-	-	-	-	-
TU19C2003A	-	-	-	-	MACO-W2	0.03	(0.01)	62,067	-	-	-	-	-	-
TU19C2005A	0.24	(0.01)	5,528	-	MILL-W4	0.01	(0.01)	225,544	-	-	-	-	-	-
TU19C2007A	0.18	(0.02)	12,171	-	MILL-W5	0.01	-	2	-	-	-	-	-	-
TU24C2003A	-	-	-	-	MINT-W6	0.93	(0.14)	3,867	-	-	-	-	-	-
TU24C2006A	0.20	(0.03)	250	-	NFC-W1	0.16	(0.08)	1,194	-	-	-	-	-	-
TU27C2004A	-	-	-	-	NOK-W1	0.01	-	24,710	-	-	-	-	-	-
TU27C2006A	0.14	(0.03)	57,018	-	NVD-W1	0.04	(0.03)	6,478	-	-	-	-	-	-
TU41C2004A	-	-	-	-	ORI-W1	0.06	(0.01)	62,824	-	-	-	-	-	-
TU41C2005A	0.41	(0.06)	17,604	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU41P2004A	-	-	-	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU42C2007A	0.17	0.01	9	-	PDI-W1	0.16	(0.02)	1,685	-	-	-	-	-	-
TVO13C2007A	0.18	(0.02)	59	-	PDJ-W4	0.12	(0.03)	134	-	-	-	-	-	-
TVO19C2004A	-	-	-	-	PERM-W1	0.05	(0.02)	9,003	-	-	-	-	-	-
TVO19C2007A	0.02	(0.02)	60,675	-	PORT-W1	0.20	(0.03)	400	-	-	-	-	-	-
VGI01C2005A	0.02	-	1,164	-	PPPM-W4	-	-	-	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	PRIME-W1	0.01	-	186,524	-	-	-	-	-	-
VGI08C2006A	-	-	-	-	PRIME-W2	0.01	-	56,081	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	RICHY-W2	0.01	-	30,739	-	-	-	-	-	-
VGI13C2006A	-	-	-	-	RS-W3	0.07	(0.04)	7,472	-	-	-	-	-	-
VGI19C2006A	0.01	(0.08)	10	-	SAMART-W2	0.30	(0.06)	1,405	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	SAWAD-W1	3.74	(2.06)	18,962	4.00	-	-	-	-	-
VGI41C2007A	-	-	-	-	SDC-W1	0.07	0.01	1	-	-	-	-	-	-
WHA01C2005A	0.02	0.01	90	-	SINGER-W1	-	-	-	-	-	-	-	-	-
WHA01C2005B	0.01	(0.01)	2,017	-	SINGER-W2	0.86	(0.14)	20	-	-	-	-	-	-
WHA01C2008B	-	-	-	-	SMT-W2	0.01	-	36	-	-	-	-	-	-
WHA01C2009A	0.23	(0.06)	550	-	SST-W2	0.20	(0.04)	28	-	-	-	-	-	-
WHA01P2005A	2.42	0.66	74	2.00	SUPER-W4	-	-	-	-	-	-	-	-	-
WHA01P2009A	0.99	0.29	6,497	-	SVI-W3	-	-	-	-	-	-	-	-	-
WHA06C2007A	-	-	-	-	TCC-W3	-	-	-	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	TCC-W4	0.02	(0.01)	501	-	-	-	-	-	-
WHA08C2005A	0.01	-	567	-	TCC-W5	0.07	(0.01)	1,274	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	TCJ-W2	-	-	-	-	-	-	-	-	-
WHA08P2006A	1.65	-	100	1.00	TFG-W2	0.02	(0.01)	1,509	-	-	-	-	-	-
WHA11C2008A	0.04	-	1,615	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA13C2003A	-	-	-	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA13C2005A	0.01	(0.05)	918	-	THE-W2	0.01	-	29	-	-	-	-	-	-
WHA13C2006A	0.02	(0.03)	1,100	-	TNITY-W1	0.05	(0.02)	3,851	-	-	-	-	-	-
WHA16C2006A	0.02	0.01	2	-	TRITN-W3	0.04	-	35,705	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	TTCL-W1	0.15	(0.03)	2,152	-	-	-	-	-	-
WHA19C2004A	-	-	-	-	U-W4	-	-	-	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	UAC-W2	0.05	-	1,326	-	-	-	-	-	-
WHA19C2006A	-	-	-	-	VGI-W2	0.56	(0.11)	168,715	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	VIBHA-W2	0.30	(0.02)	3,403	-	-	-	-	-	-
WHA24C2007A	-	-	-	-	VIBHA-W3	0.09	(0.01)	27,300	-	-	-	-	-	-
WHA24P2003A	-	-	-	-	WAVE-W1	0.01	-	3,000	-	-	-	-	-	-
WHA27C2008A	-	-	-	-	WIJK-W2	0.07	(0.01)	3,782	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	ZMICO-W4	0.04	-	16,241	-	-	-	-	-	-
WHA28C2005A	0.01	(0.02)	9,584	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA28C2006A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA41C2004A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA41C2007A	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
WHA41P2005A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA42C2006A	-	-	-	-	U-P	1.55	(0.09)	1,667	1.00	-	-	-	-	-
Preferred/Foreign	-	-	-	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
BH-Q	-	-	-	-	BM-W1	0.01	(0.01)	5,525	-	-	-	-	-	-
CSC-Q	-	-	-	-	BROOK-W5	0.08	(0.02)	46,692	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	CHO-W2	0.03	(0.01)	27,038	-	-	-	-	-	-
KTB-Q	-	-	-	-	D-W1	0.25	(0.05)	2,176	-	-	-	-	-	-
SCB-Q	-	-	-	-	DOD-W1	0.20	(0.10)	107,343	-	-	-	-	-	-
TCAP-Q	-	-	-	-	ECF-W3	0.19	(0.01)	2	-	-	-	-	-	-
TISCO-Q	-	-	-	-	EFORL-W3	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	EFORL-W4	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	FVC-W2	0.01	-	3	-	-	-	-	-	-
7UP-W4	0.06	-	146,837	-	HPT-W1	0.12	(0.05)	1	-	-	-	-	-	-
AKR-W1	0.03	(0.01)	14,357	-	HYDRO-W1	-	-	-	-	-	-	-	-	-
ALT-W1	0.05	(0.01)	6,959	-	ITEL-W1	0.12	(0.04)	5,735	-	-	-	-	-	-
APEX-W1	-	-	-	-	JKN-W1	0.05	(0.07)	820	-	-	-	-	-	-
APURE-W2	0.04	(0.01)	3,192	-	LIT-W1	0.17	(0.03)	811	-	-	-	-	-	-
AS-W1	0.01	-	750	-	META-W4	0.03	-	506	-	-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AYUD-W1	0.02	(0.02)	1,603	-	NEWS-W6	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	OCEAN-W3	0.21	-	2,781	-	-	-	-	-	-
B-W4	-	-	-	-	PROUD-W2	0.02	-	510	-	-	-	-	-	-
B-W5	0.02	-	11,557	-	RWI-W2	0.04	-	1,122	-	-	-	-	-	-
B52-W2	-	-	-	-	SANKO-W1	0.03	(0.02)	1,045	-	-	-	-	-	-
BKD-W2	0.04	-	1,000	-	SIMAT-W2	0.03	(0.01)	9,194	-	-	-	-	-	-





**Main Board Quotation**

**Issue Date :**

*Monday March 23, 2020*

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-