

## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.26	0.01	5,633	1.26	MCOT	6.35	(0.10)	4,437	6.31
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	1.56	(0.02)	89,559	1.58
SAFARI	-	-	-	-	DIF	14.30	(0.70)	244,114	14.52	MPIC	1.33	0.01	1	1.33
VI	-	-	-	-	DTAC	37.25	(3.50)	104,853	38.81	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.20	0.05	107	5.10	PLANB	2.82	(0.14)	440,408	2.91
WR	-	-	-	-	HUMAN	6.35	0.25	7,293	6.30	POST	-	-	-	-
Agribusiness	-	-	-	-	ILINK	2.20	-	1,230	2.20	PRAKIT	-	-	-	-
CHOTI	-	-	-	-	INET	1.67	-	25,428	1.71	SE-ED	1.47	(0.01)	268	1.47
EE	0.42	(0.01)	60,109	0.41	INTUCH	48.00	(2.00)	174,382	48.92	TBSP	-	-	-	-
GFPT	8.50	(0.20)	24,766	8.58	JAS	5.00	0.10	1,299,219	5.02	TH	0.50	-	1	0.50
LEE	1.87	-	319	1.86	JASIF	7.85	(0.50)	308,254	8.04	TKS	3.72	-	7,796	3.75
NER	1.73	-	349,891	1.75	JMART	5.65	0.15	78,985	5.73	VGI	5.35	(0.35)	149,667	5.51
PPPM	0.35	-	2,154	0.34	JTS	0.69	-	52	0.68	WAVE	0.92	-	400	0.92
STA	10.70	(0.30)	109,115	10.92	MFEK	4.26	-	1,259	4.24	WORK	6.55	(0.20)	12,775	6.62
TRUBB	0.57	0.05	38,571	0.58	MSC	3.98	0.02	346	3.93	Finance & Securities	-	-	-	-
TWPC	2.74	(0.06)	7,114	2.78	PT	4.00	-	371	3.99	AEC	0.16	(0.02)	8,991	0.17
UPOIC	2.12	0.04	133	2.11	SAMART	4.42	(0.10)	65,307	4.49	AEONTS	95.00	(3.75)	2,308	96.43
UVAN	3.68	-	1,668	3.69	SAMTEL	4.98	0.04	719	4.96	AMANAH	1.73	(0.08)	534,875	1.81
VPO	0.30	0.01	665	0.29	SDC	0.09	0.01	7,185	0.09	ASAP	1.00	0.01	718	1.00
Banking	-	-	-	-	SIS	5.25	(0.05)	2,039	5.27	ASK	15.30	(0.30)	3,517	15.38
BAY	19.00	-	5,027	19.23	SVOA	0.66	-	13,568	0.65	ASP	1.23	-	18,198	1.24
BBL	98.75	(1.75)	90,432	99.16	SYMC	1.76	0.06	72	1.76	BAM	20.40	0.40	3,403,842	20.62
CIMBT	0.42	-	4,373	0.41	SYNEX	3.84	(0.02)	9,170	3.87	BFIT	24.30	(0.70)	33,449	25.13
KBANK	88.25	(3.25)	144,741	89.67	THCOM	2.30	-	5,934	2.31	CGH	0.72	(0.01)	18,333	0.72
KKP	38.25	(0.75)	37,014	38.50	TRUE	3.04	(0.10)	1,632,608	3.10	ECL	0.59	-	43,052	0.60
KTB	11.20	(0.20)	476,482	11.33	TWZ	0.05	-	66,251	0.05	FNS	1.82	0.01	2,500	1.82
LHFG	0.89	(0.01)	29,163	0.88	Electronic Componen	-	-	-	-	FSS	0.80	(0.04)	306	0.75
SCB	67.75	(1.50)	185,602	68.71	CCET	1.35	(0.01)	1,026	1.36	GBX	0.36	(0.01)	7,088	0.37
TCAP	32.50	(0.75)	58,049	32.86	DELTA	34.00	-	10,630	34.61	GL	2.50	(0.10)	4,170	2.55
TISCO	69.25	(0.50)	75,761	69.69	EIC	0.03	-	141	0.03	IFS	1.87	-	1,550	1.86
TMB	0.81	(0.07)	5,722,990	0.84	HANA	22.50	(0.50)	36,512	23.21	JMT	13.10	-	197,763	13.35
Construction Materia	-	-	-	-	KCE	14.20	0.50	499,278	14.49	KCAR	8.00	0.05	426	7.98
CCP	0.18	-	19,929	0.18	METCO	123.00	(5.50)	9	124.83	KGI	3.68	0.02	33,881	3.66
COTTO	0.85	-	1,767	0.86	NEX	2.88	0.08	16,638	2.84	KTC	26.00	(1.25)	89,290	26.60
DCC	1.33	(0.01)	24,256	1.35	SMT	0.71	0.06	9,039	0.69	MBKET	4.18	(0.02)	590	4.20
DCON	0.25	-	3,929	0.24	SVI	1.90	(0.04)	9,467	1.92	MFC	12.70	(0.20)	89	12.71
DRT	4.88	(0.06)	2,677	4.86	TEAM	0.40	-	332	0.39	ML	0.46	0.03	728	0.45
EPG	3.54	0.02	40,507	3.56	Energy & Utilities	-	-	-	-	MTC	29.75	(5.25)	299,408	31.99
GEL	0.09	0.01	41,544	0.08	7UP	0.31	(0.02)	106,950	0.32	PE	0.03	0.01	2,484	0.03
PPP	1.33	-	822	1.31	ABPIF	3.50	(0.08)	768	3.49	PL	1.96	(0.02)	288	2.00
Q-CON	4.64	0.06	955	4.60	ACE	2.46	(0.02)	27,191	2.46	S11	4.54	(0.10)	2,865	4.57
RCI	3.20	0.30	2	3.04	AI	0.86	-	15,196	0.86	SAWAD	37.00	(5.50)	231,098	39.52
SCC	318.00	(6.00)	36,584	318.50	AKR	0.41	0.01	11,584	0.41	THANI	3.42	(0.56)	488,844	3.54
SCCC	117.00	(2.00)	725	117.47	BAFS	18.80	(0.10)	3,114	18.67	TK	6.45	(0.15)	3,856	6.44
SCP	4.40	0.08	3,818	4.41	BANPU	5.35	0.05	269,037	5.34	TNITY	3.06	(0.02)	11	3.08
SKN	1.51	(0.04)	1,168	1.53	BCP	15.20	0.20	20,237	15.25	UOBKH	2.12	(0.18)	144	2.30
TASCO	16.80	(0.40)	88,910	17.17	BCPG	12.20	(0.20)	32,078	12.32	ZMICO	0.48	0.01	7,417	0.47
TCMC	0.85	-	495	0.85	BGRIM	39.25	(0.50)	205,930	39.76	Food & Beverage	-	-	-	-
TOA	30.50	(1.00)	12,758	30.90	BPP	11.90	(0.10)	57,799	12.04	APURE	0.60	(0.01)	856	0.60
TIPL	1.11	-	194,683	1.12	BRRGIF	6.05	-	7	6.05	ASIAN	3.00	0.06	4,501	3.00
UMI	0.34	(0.01)	5,606	0.33	CKP	2.98	0.02	167,206	2.99	BR	1.37	(0.04)	14,582	1.42
VNG	2.12	-	1,259	2.12	DEMCO	1.30	0.01	1,577	1.29	BRR	2.22	-	1,644	2.21
WHIK	1.06	0.01	3,851	1.05	EA	33.00	(0.75)	61,666	33.29	CBG	61.50	(2.00)	37,723	62.78
Petrochemicals & Che	-	-	-	-	EASTW	9.05	(0.15)	9,772	9.15	CFRESH	0.89	-	1,061	0.90
BCT	39.25	-	7	39.25	EGATIF	11.50	(0.20)	5,340	11.53	CM	2.18	0.04	319	2.17
CMAN	1.00	0.02	1,586	0.98	EGCO	230.00	(1.00)	11,962	229.91	CPF	24.30	-	438,334	24.41
GC	4.88	-	753	4.87	ESSO	4.20	(0.04)	414,700	4.31	CPI	1.20	0.03	1	1.20
GGC	6.20	0.25	22,252	6.19	GPSC	56.00	(1.00)	231,939	57.23	F&D	-	-	-	-
GIFT	2.00	0.01	521	2.01	GULF	149.00	(1.00)	96,008	149.54	HTC	16.80	(0.40)	1,701	16.95
IVL	21.30	(0.10)	386,366	21.37	GUNKUL	2.18	(0.02)	295,184	2.19	ICHI	3.98	(0.04)	27,435	4.04
NFC	1.37	(0.05)	13	1.38	IFEC	-	-	-	-	KBS	2.38	0.06	24	2.31
PATO	8.05	(0.05)	251	8.03	IRPC	2.14	-	1,425,348	2.15	KSL	1.47	-	26,542	1.47
PMTA	5.90	0.25	3	6.10	LANNA	5.05	-	794	5.07	KTIS	2.86	(0.02)	1,740	2.88
PTTGC	31.25	0.75	515,898	31.35	MDX	1.33	0.03	531	1.31	LST	4.44	0.08	1,837	4.42
SUTHA	1.19	0.01	613	1.12	PRIME	0.24	-	8,916	0.24	M	46.25	(1.00)	9,142	46.64
TCCC	17.60	(1.30)	103	17.95	PTG	9.40	(0.30)	185,307	9.60	MALEE	3.86	0.10	610	3.81
TPA	5.20	(0.40)	644	5.13	PTT	30.25	(0.50)	1,126,240	30.49	MINT	16.50	(0.30)	409,496	16.69
UAC	2.28	-	4,438	2.31	PTTEP	67.00	(0.50)	213,447	67.07	OISHI	34.75	-	113	34.28
UP	-	-	-	-	RATCH	57.00	-	56,722	57.35	OSP	34.75	(1.00)	55,791	35.17
VNT	18.50	0.80	34,102	18.60	RPC	0.40	-	4,282	0.40	PB	68.75	(0.75)	17	69.07
WG	-	-	-	-	SCG	3.96	0.04	158	3.87	PM	4.98	(0.07)	6,175	4.98
YCI	-	-	-	-	SCI	0.89	-	3,891	0.88	PRG	11.20	0.70	5	10.92
Commerce	-	-	-	-	SCN	1.37	0.10	23,982	1.35	RBF	3.68	0.02	220,092	3.75
BEAUTY	1.30	0.02	1,409,398	1.32	SGP	7.40	(0.30)	8,371	7.59	SAPPE	14.70	(0.20)	4,873	14.95
BIG	0.32	-	56,600	0.32	SKE	0.50	-	2,674	0.49	SAUCE	23.00	0.20	155	23.00
BJC	39.25	(1.25)	51,395	39.87	SOLAR	0.61	(0.02)	2,801	0.62	SFP	-	-	-	-
COL	12.00	0.10	841	11.94	SPCG	14.00	(0.30)	6,284	14.06	SNP	10.30	(0.50)	5	10.50
COM7	15.60	-	238,150	16.01	SPRC	4.36	(0.06)	412,339	4.43	SORKON	46.75	3.50	3	46.25
CPALL	60.25	(0.75)	315,201	60.59	SSP	5.95	(0.05)	14,223	5.93	SSC	28.00	(1.00)	5	28.00
CPW	0.92	-	4,558	0.91	SUPER	0.34	(0.01)	634,125	0.34	SSF	-	-	-	-
CRC	27.00	(1.00)	204,297	27.51	SUPEREIF	9.40	(0.25)	1,673	9.55	SST	2.92	(0.02)	172	3.02
CSS	0.65	-	22,623	0.66	SUSCO	1.64	-	7,046	1.65	TC	2.36	(0.12)	480	2.36
DOHOME	4.64	(0.06)	176,615	4.77	TAE	2.22	(0.04)	16,445	2.22	TFG	3.18	0.06	110,484	3.21
FN	0.58	-	2,517	0.58	TCC	0.16	0.01	3,299	0.15	TFMAMA	188.50	(0.50)	77	189.24
FTE	1.46	0.03	1,017	1.46	TOP	31.00	0.25	367,925	31.52	TIPCO	4.46	0.04	7,187	4.51
GLOBAL	8.90	(0.25)	33,883	9.04	TPIPP	3.00	(0.06)	145,032	3.02	TKN	5.10	(0.20)	62,886	5.23
HMPRO	10.70	(0.40)	374,321	10.98	TSE	1.82	(0.02)	63,140	1.83	TU	13.90	0.10	188,686	13.81
ILM	8.05	(0.05)	7,797	8.06	TTW	13.00	0.30	75,487	12.84	TVO	21.80	(0.70)	9,734	22.11
IT	1.38	(0.05)	311	1.37	WHAUP	4.04	(0.12)	52,587	4.08	ZEN	6.45	(0.10)	3,701	6.51
KAMART	1.98	(0.04)	108,867	2.00	WP	3.20	-	741	3.23	Health Care Services	-	-	-	-
LOXLEY	0.98	(0.07)	77,431	1.01	Media & Publishing	-	-	-	-	AHC	14.40	-	40	14.56
MAKRO	32.75	(0.25)	3,581	33.02	AMARIN	2.96	-	50	2.94	BCH	11.60	0.20	86,296	11.60
MC	6.85	(0.10)	27,460	6.92	AQUA	0.32	-	181,948</						

## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.64	(0.04)	2,347	2.66	CGD	0.57	-	30,734	0.56	IHL	2.18	(0.02)	714	2.20
RAM	140.00	-	32	139.84	CPI	0.54	0.02	242	0.53	INGRS	0.29	-	2,263	0.28
RJH	18.70	(0.10)	3,368	18.72	CPN	40.50	(2.25)	123,789	41.21	IRC	9.95	0.10	54	9.95
RPB	4.58	(0.10)	7,641	4.63	ESTAR	0.22	(0.01)	23,401	0.22	PCSGH	4.50	(0.02)	26	4.50
SKR	4.38	(0.02)	2,710	4.35	EVER	0.12	-	14,181	0.12	SAT	8.15	0.25	7,276	8.15
SVH	390.00	1.00	5	388.40	FPT	8.90	0.10	721	8.82	SPG	-	-	-	-
THG	17.50	(0.40)	2,397	17.71	GLAND	2.26	0.02	92	2.26	STANLY	121.50	(2.00)	185	121.80
VIBHA	1.36	(0.02)	42,304	1.37	GOLD	7.65	(0.05)	1,283	7.70	TKT	0.62	(0.02)	72	0.62
VIH	5.10	(0.10)	1,510	5.14	GREEN	-	-	-	-	TNPC	0.58	(0.01)	762	0.58
WPH	1.36	(0.02)	1,424	1.37	J	0.40	-	1,129	0.40	TRU	3.80	(0.02)	145	3.77
Tourism & Leisure					JCK	0.55	(0.01)	4,643	0.54	TSC	8.90	(0.60)	1	8.90
ASIA	3.58	(0.26)	102	3.69	KC	-	-	-	-	Industrial Materials				
CENDEL	14.80	(0.60)	19,695	15.12	KWG	0.70	-	1,017	0.72	ALLA	1.06	0.02	12,118	1.04
CSR	-	-	-	-	LALIN	3.76	(0.04)	1,235	3.80	ASEFA	2.68	0.02	332	2.66
DTC	6.80	(0.25)	486	6.82	LH	6.50	(0.20)	476,246	6.57	CPT	0.63	(0.02)	2,616	0.64
ERW	2.30	(0.18)	115,080	2.37	LPN	3.26	(0.02)	49,393	3.27	CRANE	1.55	(0.05)	360	1.55
GRAND	0.45	0.01	24,819	0.45	MBK	12.70	(0.40)	9,692	12.85	CTW	4.28	0.10	239	4.26
LRH	27.00	0.50	17	27.00	MJD	1.91	(0.01)	1,085	1.88	FMT	21.40	(1.00)	1	21.40
MANRIN	-	-	-	-	MK	2.50	0.08	3,336	2.47	HTECH	1.39	0.03	4,984	1.36
OHTL	-	-	-	-	NCH	0.49	0.02	301	0.48	KKC	0.30	0.01	285	0.28
ROH	-	-	-	-	NNCL	1.44	0.02	4,220	1.44	PK	0.63	(0.04)	2,154	0.63
SHANG	64.75	-	4	64.75	NOBLE	11.90	-	9,567	11.85	SNC	6.80	-	2,193	6.78
SHR	1.62	(0.03)	97,559	1.63	NUSA	0.28	-	44,275	0.28	STARK	1.82	-	3,295	1.80
VRANDA	4.62	(0.02)	1,675	4.61	NVD	1.10	-	1,374	1.10	TCJ	2.00	-	3	2.03
Home & Office Produ					ORI	3.70	0.16	216,361	3.77	VARO	-	-	-	-
ACC	0.63	0.01	212	0.62	PACE	-	-	-	-	Property Fund & REIT				
AJA	0.17	(0.03)	508,838	0.18	PF	0.35	(0.01)	177,821	0.36	AIMCG	4.72	0.08	2,283	4.70
DTCI	20.50	1.00	62	20.21	PLAT	2.02	(0.02)	14,779	2.04	AIMIRT	10.90	(0.30)	2,190	10.90
FANCY	0.28	(0.01)	3,037	0.27	POLAR	-	-	-	-	AMATAR	10.20	-	2	10.20
KYE	-	-	-	-	PRECHA	0.53	-	54	0.52	B-WORK	10.60	0.10	1,241	10.50
L&E	1.55	(0.02)	1,755	1.56	PRIN	-	-	-	-	BKER	6.05	0.20	1,931	6.03
MODERN	2.02	0.03	3,050	2.01	PSH	9.20	(0.05)	23,306	9.36	BKCP	-	-	-	-
OGC	-	-	-	-	QH	1.84	(0.02)	416,277	1.85	BOFFICE	13.80	(0.20)	786	13.99
ROCK	-	-	-	-	RICHY	0.59	0.01	67,859	0.61	CPNCG	10.40	(0.60)	1,559	10.57
SIAM	1.22	(0.01)	285	1.19	RML	0.48	0.03	29,529	0.48	CPNREIT	23.60	(0.20)	10,120	23.59
TSR	1.40	0.02	2,293	1.40	ROJNA	3.68	(0.04)	10,501	3.68	CPTGF	10.20	-	234	10.17
Insurance					S	1.30	0.03	30,634	1.29	CTARAF	4.62	(0.16)	823	4.65
AYUD	29.50	-	12	29.23	SAMCO	1.34	(0.02)	226	1.34	DREIT	3.60	(0.04)	587	3.61
BKI	219.00	(1.00)	299	219.67	SC	1.83	-	24,271	1.84	ERWPF	4.12	0.02	192	4.11
BLA	11.90	-	5,979	12.04	SENA	1.90	-	7,364	1.90	FTREIT	13.40	(0.10)	9,058	13.49
BUI	-	-	-	-	SF	3.66	-	14,348	3.65	FUTUREPF	16.60	-	396	16.60
CHARAN	-	-	-	-	SIRI	0.60	0.01	426,411	0.60	GAHREIT	7.35	0.05	468	7.18
INSURE	-	-	-	-	SPALI	15.10	0.20	84,510	15.16	GOLDPF	6.00	(0.40)	77	6.00
MTI	69.50	0.50	1,043	69.58	U	0.77	(0.04)	99,462	0.78	GVREIT	13.50	(0.20)	915	13.50
NKI	-	-	-	-	UV	2.40	-	14,409	2.38	HPF	3.66	(0.32)	264	3.62
NSI	-	-	-	-	WHA	2.14	(0.06)	604,371	2.18	HREIT	6.55	-	1,975	6.63
SEG	-	-	-	-	WIN	0.32	-	680	0.31	IMPACT	14.40	(0.20)	3,226	14.38
SMK	28.00	-	220	28.00	Paper & Printing Mat					KPNPF	-	-	-	-
THRE	0.47	(0.04)	49,933	0.48	UTP	6.90	-	5,103	6.92	LHHOTEL	13.00	(0.70)	5,488	12.98
THREL	2.10	(0.02)	4,879	2.11	Fashion					LHPF	5.80	-	232	5.77
TIP	18.90	-	2,719	18.87	AFC	-	-	-	-	LHSC	12.40	(0.50)	141	12.25
TQM	68.75	1.50	41,875	69.25	B52	0.19	-	5,482	0.18	LUXF	6.25	-	31	6.25
TSI	0.36	-	4	0.36	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.02	(0.08)	648	3.04	CPH	-	-	-	-	M-PAT	3.66	(0.34)	5	3.73
Mining					CPL	0.87	0.01	32	0.87	M-STOR	6.45	-	15	6.45
PDI	3.92	(0.08)	1,052	3.95	ICC	35.25	1.75	20	34.44	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
Packaging					PAF	0.36	-	1,240	0.36	MJLF	7.40	-	32	7.40
AJ	7.45	-	30	7.45	PDJ	0.98	-	850	0.98	MNIT	0.93	-	205	0.93
ALUCON	119.00	(1.00)	10	119.00	PG	-	-	-	-	MNIT2	2.92	(0.08)	96	2.84
BGC	7.85	(0.65)	8,738	8.11	SABINA	17.00	-	3,387	17.02	MNRF	2.70	0.10	5	2.57
CSC	43.75	(0.75)	153	44.18	SAWANG	-	-	-	-	POPF	11.20	(0.20)	1,021	11.33
GLOCON	0.44	(0.04)	25,547	0.45	SUC	33.75	0.25	1,311	33.50	PPF	11.20	-	51	11.20
NEP	0.13	-	5,000	0.13	TNL	-	-	-	-	QHHR	6.75	(0.15)	150	6.78
PTL	9.30	-	2,756	9.31	TPCORP	11.00	-	27	11.00	QHOP	2.70	(0.08)	15	2.64
SFLEX	5.10	0.12	1,839	5.01	TR	-	-	-	-	QHPF	10.10	(0.50)	3,277	10.39
SITHAI	0.47	(0.01)	1,459	0.48	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.39	0.04	33	0.36	TTT	41.00	1.00	4	41.50	SHREIT	3.14	(0.02)	266	3.14
SMPC	4.50	0.16	2,445	4.43	UPF	28.00	0.25	27	28.07	SIRIP	-	-	-	-
SPACK	0.94	(0.04)	25	0.96	UT	14.00	(0.50)	6	13.83	SPF	13.00	(1.60)	14,584	13.37
TCOAT	-	-	-	-	WACOAL	48.00	0.50	44	47.15	SPRIME	10.20	(0.50)	6	10.27
TFI	0.03	-	182	0.03	Transportation & Log					SRIPANWA	7.45	0.25	106	7.45
THIP	19.70	(0.10)	215	19.71	AAV	1.04	(0.02)	206,905	1.05	SSPF	8.45	0.30	7	8.39
TMD	-	-	-	-	AOT	49.50	(1.25)	419,125	50.04	SSTRT	4.94	-	12	4.94
TOPP	-	-	-	-	ASIMAR	0.82	0.04	2,298	0.82	TIF1	7.85	-	45	7.85
TPBI	2.60	-	96	2.54	B	0.16	0.02	85,494	0.15	TLGF	15.10	(0.10)	8,159	15.09
TPP	13.90	(0.70)	16	14.54	BA	4.00	(0.02)	7,222	4.01	TLHPF	-	-	-	-
Personal Products &					BEM	7.65	(0.10)	399,860	7.65	TNPF	-	-	-	-
APCO	3.30	0.16	20,102	3.28	BTS	8.90	(0.20)	621,495	8.93	TPRIME	14.40	-	1,693	14.40
DDD	12.00	0.50	486	12.18	BTSGIF	7.50	(0.65)	67,612	7.58	TTLPF	21.00	-	30	21.00
JCT	-	-	-	-	III	3.92	(0.12)	6,253	3.95	TU-PF	1.10	(0.05)	25	1.10
OCC	-	-	-	-	JUTHA	0.27	0.03	504	0.27	URBNPF	3.02	-	97	3.02
S & J	20.50	(0.40)	23	20.53	JWD	5.40	0.20	15,266	5.38	WHABT	8.30	(0.10)	172	8.37
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	12.50	(0.10)	4,021	12.52
TNR	6.20	-	751	6.26	NOK	0.78	(0.01)	1,524	0.78	Steel	-	-	-	-
TOG	3.00	(0.24)	1,736	3.09	NYT	2.66	(0.04)	39,691	2.67	AMC	1.10	0.02	54	1.09
Professional Service					PORT	1.34	0.13	72,849	1.30	BSBM	0.73	0.02		

## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	AGE	0.52	(0.03)	16,720	-	ADVA01C2003A	-	-	-	-
ABICO	2.80	(0.20)	1,918	2.00	AIE	0.21	(0.01)	41,913	-	ADVA01C2003B	-	-	-	-
AU	6.80	(0.10)	23,822	6.00	PSTC	0.29	-	1,240,606	-	ADVA01C2005A	0.26	(0.03)	16,146	-
JCKH	0.22	-	54	-	QTC	3.20	-	241	3.00	ADVA01C2005B	0.04	-	1,485	-
KASET	0.96	-	64	-	SAAM	0.62	-	332	-	ADVA01C2007B	0.20	(0.06)	6,790	-
MM	1.60	0.04	486	1.00	SEAOIL	1.70	(0.01)	6,099	1.00	ADVA01C2008A	0.90	(0.10)	5,620	-
SUN	1.36	-	1,543	1.00	SR	0.80	0.03	1,732	-	ADVA01P2003A	-	-	-	-
TACC	3.04	(0.04)	24,058	3.00	TAKUNI	0.28	-	7,669	-	ADVA01P2003B	-	-	-	-
TMILL	2.44	(0.02)	254	2.00	TPCH	8.60	0.35	14,113	8.00	ADVA01P2007B	0.37	0.03	95,078	-
XO	3.90	-	1,627	3.00	TRT	1.75	0.02	11,020	1.00	ADVA06C2005A	-	-	-	-
<b>Consumer Products</b>														
BGT	0.40	(0.04)	8,635	-	UMS	-	-	-	-	ADVA08C2005A	0.05	(0.02)	400	-
BIZ	2.70	(0.06)	302	2.00	UWC	0.02	0.01	6,054	-	ADVA08P2004A	0.21	0.02	47,518	-
DOD	3.72	(0.04)	33,026	3.00	Services (MAI)	-	-	-	-	ADVA11C2006A	-	-	-	-
ECF	0.98	(0.01)	17,976	-	A5	-	-	-	-	ADVA11P2005A	0.09	-	781	-
HPT	0.40	-	328	-	AKP	0.69	0.01	6,205	-	ADVA13C2004A	0.02	0.01	30	-
IP	4.72	(0.18)	1,341	4.00	AMA	3.14	0.08	6,991	3.00	ADVA13C2006A	0.59	(0.04)	708	-
JUBILE	12.50	0.20	982	12.00	ARIP	0.26	(0.01)	518	-	ADVA13C2007A	0.25	-	3,326	-
MOONG	3.10	0.02	2,128	3.00	ATP30	0.66	(0.01)	2,810	-	ADVA13C2008A	0.39	(0.04)	461,488	-
NPK	10.30	0.55	53	9.00	AUCT	4.18	-	29,462	4.00	ADVA16C2005A	0.01	-	1	-
OCEAN	0.81	(0.01)	1,809	-	BOL	2.62	0.04	1,238	2.00	ADVA16C2007A	-	-	-	-
TM	2.32	0.02	1,948	2.00	CHUO	-	-	-	-	ADVA16C2009A	-	-	-	-
<b>Financials (MAI)</b>														
ACAP	0.44	0.02	12,812	-	CMO	0.86	-	404	-	ADVA19C2005A	-	-	-	-
AF	-	-	-	-	D	2.16	0.02	724	2.00	ADVA19C2007A	0.63	(0.15)	8,354	-
AIRA	0.80	(0.02)	5	-	DCORP	0.29	0.01	9,653	-	ADVA19C2007B	0.20	(0.03)	1,806	-
ASN	4.10	(0.30)	13	4.00	EFORL	0.03	-	42,312	-	ADVA19C2008A	1.09	(0.15)	111,130	1.00
BROOK	0.36	-	89,272	-	ETE	0.50	(0.01)	395	-	ADVA19C2009A	0.76	(0.10)	270,847	-
CHAYO	3.82	0.06	326,340	3.00	FSMART	5.45	(0.05)	6,947	5.00	ADVA19P2006A	0.32	0.01	1,072	-
GCAP	1.04	(0.04)	7,753	1.00	FVC	0.22	-	7,383	-	ADVA19P2009A	0.41	0.04	476,592	-
LIT	2.30	-	1,424	2.00	GSC	0.42	-	739	-	ADVA24C2006A	-	-	-	-
MTSIB	1.04	0.01	2,988	1.00	HARN	1.77	-	1,251	1.00	ADVA28C2004A	-	-	-	-
SGF	0.35	0.02	53,978	-	IMH	1.65	0.01	604	1.00	ADVA28C2005A	-	-	-	-
<b>Industrials (MAI)</b>														
2S	1.64	(0.04)	214	1.00	JKN	3.42	-	24,415	3.00	ADVA28C2007A	0.13	(0.02)	10	-
ACG	0.79	(0.01)	291	-	KIAT	0.26	-	8,201	-	ADVA28C2008A	0.88	(0.13)	114,486	-
ADB	0.38	-	810	-	KOOL	0.48	-	1,453	-	ADVA28C2008B	-	-	-	-
BM	1.28	(0.03)	146	1.00	LDC	0.47	(0.01)	3,567	-	ADVA28P2004A	0.08	0.02	1,702	-
CHO	0.42	0.01	40,078	-	MORE	0.21	(0.02)	123,518	-	ADVA41C2004A	-	-	-	-
CHOW	0.58	0.01	1,004	-	MPG	0.18	-	519	-	ADVA41C2005A	-	-	-	-
CIG	0.16	-	140	-	MVP	1.18	(0.02)	308	1.00	ADVA41C2006A	0.23	(0.02)	3	-
COLOR	1.00	-	1,002	1.00	NBC	0.39	(0.01)	305	-	ADVA41C2007A	0.30	(0.04)	4,812	-
CPR	2.14	0.02	558	2.00	NCL	0.75	-	12	-	ADVA41C2007B	0.92	(0.12)	400	-
FPI	2.08	-	683	2.00	NEWS	0.01	-	160,256	-	ADVA41P2004A	0.50	0.07	2,900	-
GTB	0.49	-	3,220	-	NINE	-	-	-	-	ADVA41P2005A	0.53	0.04	17,926	-
KCM	0.29	(0.01)	4,022	-	OTO	2.50	(0.10)	582	2.00	ADVA42C2005A	-	-	-	-
KUMWEL	0.72	0.02	4,307	-	PHOL	1.46	-	2,433	1.00	ADVA42P2007A	2.04	0.11	16,979	1.00
KWM	0.68	(0.01)	2,526	-	PICO	3.44	-	5	3.00	AEON01C2005A	0.02	-	2	-
MBAX	2.74	0.04	459	2.00	QLT	3.60	(0.14)	184	3.00	AEON13C2007A	-	-	-	-
MGT	1.21	0.03	259	1.00	RP	0.86	(0.01)	47	-	AEON19C2003A	-	-	-	-
NDR	0.90	-	1	-	SE	1.07	0.02	22	1.00	AEON19C2006A	-	-	-	-
PDG	2.54	-	7	2.00	SONIC	0.78	(0.01)	1,827	-	AMAT01C2004A	-	-	-	-
PIMO	0.80	-	7,197	-	SPA	7.00	(0.30)	4,359	7.00	AMAT01C2004B	0.02	0.01	1	-
PJW	0.92	-	456	-	THMUI	0.35	(0.01)	432	-	AMAT01C2007B	0.02	-	2	-
PPM	0.44	(0.01)	205	-	TNDT	1.48	(0.09)	3,679	1.00	AMAT01C2008A	-	-	-	-
RWI	0.97	0.01	138	-	TNH	23.90	-	53	23.00	AMAT01P2008A	1.93	(0.04)	121	1.00
SALEE	0.77	(0.01)	52	-	TNP	1.81	0.01	1,786	1.00	AMAT06C2005A	-	-	-	-
SANKO	0.81	-	1,917	-	TSF	-	-	-	-	AMAT08C2005A	-	-	-	-
SELIC	1.66	(0.02)	2,427	1.00	TVD	0.50	-	23,969	-	AMAT11C2004A	-	-	-	-
SWC	3.80	0.02	331	3.00	TVT	0.34	-	805	-	AMAT11C2008A	-	-	-	-
TMC	0.31	-	222	-	VL	0.87	(0.05)	195,894	-	AMAT13C2004A	0.01	-	2	-
TMI	0.61	(0.03)	2,840	-	WINNER	1.93	0.02	2,846	1.00	AMAT13C2006A	0.01	(0.02)	1	-
TMW	29.25	0.25	47	28.00	YGG	4.00	(0.02)	837	4.00	AMAT16C2003A	-	-	-	-
TPAC	8.25	0.75	246	8.00	<b>Technology (MAI)</b>									
TPLAS	0.91	(0.01)	1,140	-	APP	1.35	(0.05)	431	1.00	AMAT16C2006A	-	-	-	-
UBIS	5.00	-	501	4.00	APP	1.35	(0.05)	431	1.00	AMAT16C2008A	0.01	-	100	-
UEC	-	-	-	-	COMAN	1.50	0.06	322	1.00	AMAT19C2003A	-	-	-	-
UKEM	0.33	(0.01)	7,611	-	ICN	1.43	-	5,579	1.00	AMAT19C2005A	-	-	-	-
UREKA	0.77	0.02	1,630	-	INSET	2.18	-	5,542	2.00	AMAT19C2006A	-	-	-	-
YUASA	9.30	(0.15)	71	9.00	IRCP	0.30	(0.01)	3,215	-	AMAT19C2008A	-	-	-	-
ZIGA	0.93	-	4,558	-	ITEL	1.57	0.02	3,508	1.00	AMAT24C2006A	-	-	-	-
<b>Property &amp; Construc</b>														
ALL	2.76	(0.02)	3,587	2.00	NETBAY	27.25	-	722	27.00	AMAT41C2004A	0.01	-	1,300	-
ARIN	0.49	-	2,694	-	PLANET	0.68	(0.04)	152	-	AMAT41C2005A	-	-	-	-
ARROW	5.90	-	803	5.00	SIMAT	2.06	-	2,362	2.00	AMAT41C2006A	-	-	-	-
BC	0.81	-	693	-	SKY	12.20	(0.10)	2,084	12.00	AMAT42C2005A	0.09	0.01	21,585	-
BSM	0.25	-	8,854	-	SPVI	1.50	(0.01)	11,623	1.00	AMAT42C2007A	-	-	-	-
BTW	0.44	0.01	749	-	TPS	1.74	(0.03)	2,578	1.00	ANAN13C2007A	0.01	-	2	-
CAZ	1.24	0.01	4,206	1.00	UPA	0.11	0.01	5,233	-	ANAN19C2004A	-	-	-	-
CHEWA	0.28	0.02	4,076	-	VCOM	1.75	(0.10)	85	1.00	ANAN19C2007A	-	-	-	-
CMC	0.60	(0.01)	2,212	-	Unit Trust	-	-	-	-	AOT01C2004A	0.01	-	51,082	-
CRD	0.38	(0.01)	988	-	MGE	-	-	-	-	AOT01C2004B	0.01	-	6,003	-
DIMET	0.55	0.07	55,977	-	SCBSET	-	-	-	-	AOT01C2006B	0.02	-	4,201	-
FLOYD	0.96	-	541	-	ETF	-	-	-	-	AOT01C2007A	0.08	-	8,088	-
HYDRO	-	-	-	-	IDIV	7.04	0.04	160	7.00	AOT01P2004A	2.64	0.12	412	2.00
JSP	0.21	0.01	8,600	-	ABFTH	-	-	-	-	AOT01P2004B	2.68	0.26	1	2.00
K	0.68	0.03	18	-	BMSCG	4.91	(0.01)	651	4.00	AOT01P2006B	2.10	0.12	18,433	2.00
KUN	0.88	0.01	1,220	-	BMSCITH	8.30	(0.18)	3,279	8.00	AOT01P2007A	2.02	0.03	22,964	2.00
META	0.54	(0.09)	11,391	-	BSET100	7.13	(0.16)	611	7.00	AOT06C2007A	-	-	-	-
PPS	0.42	0.02	5,445	-	CHINA	5.								

## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT19C2008A	0.25	(0.03)	1,100	-	BBL24C2004A	-	-	-	-	BGRI01C2009A	0.39	-	15,685	-
AOT19C2009A	0.32	(0.04)	86,037	-	BBL28C2005A	-	-	-	-	BGRI01P2003A	-	-	-	-
AOT19P2004A	2.44	-	5	2.00	BBL28C2007A	-	-	-	-	BGRI01P2006A	1.88	0.07	3,823	1.00
AOT19P2009A	0.47	0.03	639,916	-	BBL28C2010A	0.31	(0.02)	86,266	-	BGRI06C2005A	-	-	-	-
AOT19P2009B	0.58	0.03	143,278	-	BBL41C2004A	-	-	-	-	BGRI08C2003A	-	-	-	-
AOT24C2003A	-	-	-	-	BBL41C2005A	-	-	-	-	BGRI08C2005A	-	-	-	-
AOT24C2006A	-	-	-	-	BBL41C2006A	-	-	-	-	BGRI11C2006A	0.11	(0.01)	7,644	-
AOT27C2008A	-	-	-	-	BBL41C2007A	-	-	-	-	BGRI11C2008A	0.06	-	50	-
AOT28C2006A	-	-	-	-	BBL41C2007B	-	-	-	-	BGRI13C2004A	-	-	-	-
AOT28C2006B	-	-	-	-	BBL41P2004A	-	-	-	-	BGRI13C2006A	0.02	-	90	-
AOT28C2008A	-	-	-	-	BBL41P2006A	-	-	-	-	BGRI13C2007A	-	-	-	-
AOT28C2008B	0.17	(0.02)	26,824	-	BBL42C2005A	-	-	-	-	BGRI13C2008A	0.19	-	1,689	-
AOT28C2008C	0.28	(0.04)	68,637	-	BBL42C2007A	-	-	-	-	BGRI13C2009A	0.52	(0.03)	153,765	-
AOT28P2004A	-	-	-	-	BCH01C2006A	-	-	-	-	BGRI13P2005A	1.39	(0.31)	4	1.00
AOT41C2004A	-	-	-	-	BCH01C2006B	-	-	-	-	BGRI16C2005A	-	-	-	-
AOT41C2005A	-	-	-	-	BCH01P2006A	-	-	-	-	BGRI19C2004A	0.04	0.01	30	-
AOT41C2006A	-	-	-	-	BCH06C2006A	-	-	-	-	BGRI19C2005A	-	-	-	-
AOT41C2007A	-	-	-	-	BCH06P2006A	-	-	-	-	BGRI19C2006A	-	-	-	-
AOT41C2007B	0.33	(0.06)	65,652	-	BCH08C2004A	-	-	-	-	BGRI19C2008A	0.20	(0.04)	3,515	-
AOT41P2004A	-	-	-	-	BCH11C2008A	-	-	-	-	BGRI19C2008B	0.50	(0.02)	353,879	-
AOT41P2005A	-	-	-	-	BCH13C2004A	-	-	-	-	BGRI19P2007A	1.34	-	50	1.00
AOT41P2006A	2.46	-	30	2.00	BCH13C2007A	-	-	-	-	BGRI24C2004A	-	-	-	-
AOT42C2006A	0.01	(0.01)	2,000	-	BCH16C2006A	-	-	-	-	BGRI27P2006A	0.87	0.04	277	-
AOT42P2009A	2.14	-	20	2.00	BCH19C2005A	-	-	-	-	BGRI41C2004A	-	-	-	-
AP19C2007A	-	-	-	-	BCH19C2006A	-	-	-	-	BGRI41C2005A	-	-	-	-
AP28C2004A	-	-	-	-	BCH19C2008A	-	-	-	-	BGRI41C2006A	0.06	(0.01)	2	-
AP28C2006A	-	-	-	-	BCH24C2003A	-	-	-	-	BGRI41C2007A	0.36	0.03	24,984	-
AWCO1C2003A	-	-	-	-	BCH27C2003A	-	-	-	-	BGRI41P2004A	-	-	-	-
AWCO1C2003B	-	-	-	-	BCH41C2005A	-	-	-	-	BGRI41P2005A	1.37	0.06	5	1.00
AWCO1C2004A	-	-	-	-	BCH41C2006A	-	-	-	-	BGRI41P2006A	-	-	-	-
AWCO1C2009A	0.05	-	6	-	BCP01C2005A	-	-	-	-	BGRI42C2006A	-	-	-	-
AWCO1P2003A	-	-	-	-	BCP01C2005B	-	-	-	-	BH01C2004A	0.12	-	184	-
AWCO1P2003B	-	-	-	-	BCP01P2005A	-	-	-	-	BH01C2004B	0.02	-	1,484	-
AWCO1P2007A	1.42	0.02	186	1.00	BCP11C2004A	-	-	-	-	BH01P2004A	0.80	0.04	18	-
AWCO6C2004A	-	-	-	-	BCP13C2003B	-	-	-	-	BH08C2007A	0.16	-	47,148	-
AWCO8C2004A	-	-	-	-	BCP13C2007A	-	-	-	-	BH11C2008A	0.11	(0.01)	4,336	-
AWC13C2006A	0.01	-	1,674	-	BCP19C2004A	-	-	-	-	BH13C2006A	0.04	(0.03)	300	-
AWC13P2006A	-	-	-	-	BCP19C2005A	-	-	-	-	BH19C2003A	-	-	-	-
AWC16C2005A	-	-	-	-	BCP24C2004A	-	-	-	-	BH19C2006A	0.06	-	2,787	-
AWC16C2007A	0.02	-	100	-	BCPG01C2005A	-	-	-	-	BH19C2009A	0.53	0.01	20,463	-
AWC19C2003A	-	-	-	-	BCPG01C2005B	-	-	-	-	BH24C2003A	-	-	-	-
AWC19C2004A	-	-	-	-	BCPG01C2008B	-	-	-	-	BH27C2007A	0.10	-	100	-
AWC19C2006A	-	-	-	-	BCPG01C2009A	-	-	-	-	BH41C2004A	-	-	-	-
AWC24C2007A	-	-	-	-	BCPG01P2005A	0.75	-	236	-	BH41C2005A	0.20	-	600	-
AWC28C2006A	-	-	-	-	BCPG01P2009A	0.68	(0.03)	28	-	BH41C2006A	0.19	(0.01)	2,996	-
AWC28C2008A	-	-	-	-	BCPG13C2004A	-	-	-	-	BH41P2004A	-	-	-	-
AWC28C2010A	0.31	0.01	62,937	-	BCPG13C2007A	-	-	-	-	BH41P2006A	1.16	(0.02)	100	1.00
AWC41C2004A	0.01	-	224	-	BCPG16C2009A	-	-	-	-	BH42C2008A	1.26	(0.02)	3,671	1.00
AWC41C2005A	-	-	-	-	BCPG19C2003A	-	-	-	-	BJC01C2004A	0.05	(0.02)	20	-
AWC41C2006A	-	-	-	-	BCPG19C2005A	-	-	-	-	BJC01C2004B	-	-	-	-
AWC41C2007A	-	-	-	-	BCPG28C2004A	-	-	-	-	BJC01C2008B	0.38	(0.03)	801	-
AWC41C2007B	-	-	-	-	BCPG28C2008A	0.21	(0.01)	18,668	-	BJC01C2009A	-	-	-	-
AWC42C2008A	-	-	-	-	BCPG41C2005A	-	-	-	-	BJC01P2004A	-	-	-	-
BANP01C2005A	-	-	-	-	BCPG42C2004A	-	-	-	-	BJC01P2009A	0.33	-	30,127	-
BANP01C2005B	-	-	-	-	BCPG42C2007A	-	-	-	-	BJC06C2006A	-	-	-	-
BANP01P2005A	1.53	(0.08)	25	1.00	BDMS01C2007B	0.03	(0.01)	3,051	-	BJC11C2008A	0.21	-	1	-
BANP01P2005B	-	-	-	-	BDMS01P2008A	0.62	0.01	1,443	-	BJC13C2004A	-	-	-	-
BANP06C2005A	-	-	-	-	BDMS06C2008A	0.10	-	11,707	-	BJC13C2005A	-	-	-	-
BANP08C2005A	-	-	-	-	BDMS06P2004A	-	-	-	-	BJC16C2006A	-	-	-	-
BANP08C2007A	-	-	-	-	BDMS08C2003A	-	-	-	-	BJC19C2003A	-	-	-	-
BANP08P2003A	-	-	-	-	BDMS08C2006A	-	-	-	-	BJC19C2005A	-	-	-	-
BANP11C2004A	-	-	-	-	BDMS11C2007A	0.05	(0.03)	33	-	BJC19C2007A	0.19	(0.08)	8,422	-
BANP11C2008A	-	-	-	-	BDMS11C2008A	-	-	-	-	BJC24C2003A	-	-	-	-
BANP13C2006A	-	-	-	-	BDMS13C2004A	-	-	-	-	BJC24C2006A	0.63	0.48	7,200	-
BANP13C2008A	0.28	0.03	144,224	-	BDMS13C2008A	0.10	-	240	-	BJC27C2009A	-	-	-	-
BANP19C2004A	-	-	-	-	BDMS16C2006A	-	-	-	-	BJC28C2004A	-	-	-	-
BANP19C2005A	-	-	-	-	BDMS19C2005A	0.02	0.01	5,700	-	BJC28C2007A	0.34	(0.06)	69,054	-
BANP19C2007A	-	-	-	-	BDMS19C2005B	-	-	-	-	BJC28C2010A	0.24	(0.02)	19,210	-
BANP19C2007B	0.01	(0.01)	200	-	BDMS24C2006A	-	-	-	-	BJC41C2004A	-	-	-	-
BANP19C2009A	0.30	-	68,821	-	BDMS41C2004A	-	-	-	-	BJC41C2005A	-	-	-	-
BANP19P2003A	-	-	-	-	BDMS41C2005A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP24C2003A	-	-	-	-	BDMS41C2006A	-	-	-	-	BJC41C2007A	0.40	(0.05)	5,662	-
BANP27C2007A	-	-	-	-	BDMS41P2004A	-	-	-	-	BJC41C2008A	0.62	(0.05)	6,002	-
BANP28C2004A	-	-	-	-	BDMS41P2006A	-	-	-	-	BJC41P2004A	0.52	(0.08)	3,305	-
BANP28C2008A	0.04	-	120	-	BEC01C2006A	-	-	-	-	BJC41P2005A	-	-	-	-
BANP41C2004A	-	-	-	-	BEC01C2006B	-	-	-	-	BJC42C2004A	-	-	-	-
BANP41C2005A	-	-	-	-	BEC01P2006A	1.37	(0.02)	60	1.00	BLAN19C2004A	-	-	-	-
BANP41C2006A	-	-	-	-	BEC19C2003A	-	-	-	-	BLAN28C2004A	-	-	-	-
BANP41C2007A	-	-	-	-	BEC19C2005A	-	-	-	-	BPP01C2005A	-	-	-	-
BANP41P2005A	1.36	(0.03)	1,500	1.00	BEC42C2005A	0.48	0.21	3	-	BPP01C2005B	-	-	-	-
BANP41P2007A	-	-	-	-	BEM01C2004A	-	-	-	-	BPP01P2005A	1.33	0.01	401	1.00
BANP42C2004A	-	-	-	-	BEM01C2004B	-	-	-	-	BPP13C2004A	-	-	-	-
BANP42C2006A	-	-	-	-	BEM01P2007A	0.68	0.04	1,976	-	BPP13C2007A	0.20	-	78,999	-
BANP42P2005A	-	-	-	-	BEM06C2004A	-	-	-	-	BPP19C2005A	-	-	-	-
BBL06C2007A	0.02	-	3,820	-	BEM08C2005A	-	-	-	-	BPP19C2007A	0.05	-	9,162	-
BBL06P2004A	-	-	-	-	BEM11C2003A	-	-	-	-	BPP24C2003A	-	-	-	-
BBL08C2005A	-	-	-	-	BEM13C2004A	-	-	-	-	BTS01C2005A	0.02	-	4,002	-
BBL08C2007A	-	-	-	-	BEM13C2007A	0.02	-	150	-	BTS01C2005B	-	-	-	-
BBL08P2007A	1.81	0.07	11,084	1.00	BEM16C2006A	-	-	-	-	BTS01P2005A	0.86	0.05	2,275	-
BBL11C2005A	-	-	-	-	BEM19C2005A	-	-	-	-	BTS08C2005A	-	-	-	-
BBL11C2007A	-	-	-	-	BEM24C2003A	-	-	-	-	BTS11C2003A	-	-	-	-
BBL11P2008A	1.93	(0.09)	40	1.00	BEM28C2006A	-	-	-	-	BTS13C2006A	0.03	(0.02)	226	-
BBL13C2004A	0.01	-	50	-	BEM28C2007A	-	-	-	-	BTS13C2008A	0.05	0.01	1,011	-
BBL13C2006A	0.04	-	1,000	-	BEM28C2008A	0.07	(0.01)	2,758	-	BTS16C2008A	-	-	-	-
BBL13C2008A	0.20	(0.02)	181,868	-	BEM28C2010A	0.39	(0.02)	12,183	-	BTS19C2005A	-	-	-	-
BBL13P2004A	-	-	-	-	BEM41C2004A	-	-	-	-	BTS19C2008A	0.08	0.02	10	-
BBL13P2008A	1.00	0.04	2,399	1.00	BEM41C2006A	-	-	-	-	BTS24C2007A	-	-	-	-
BBL16C2006A	0.04	(0.01)	20	-	BEM41P2004A	-	-	-	-	BTS41C2004A	-	-	-	-
BBL19C2003A	-	-	-	-	BGRI01C2003A	-	-	-	-	BTS41C2006A	-	-	-	-
BBL19C2005A	-	-	-	-	BGRI01C2003B	-	-	-	-	BTS41P2004A	0.93	(0.05)	1	-
BBL19C2007A	-	-	-	-	BGRI01C2006A	0.04	(0.01)	18,						

## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CBG01C2007B	0.19	-	22,290	-	CKP41C2004A	-	-	-	-	CRC28C2007A	0.04	(0.02)	3	-
CBG01P2003A	-	-	-	-	CKP41C2005A	-	-	-	-	CRC28C2007B	0.04	0.01	5	-
CBG01P2004A	1.23	0.07	19,542	1.00	CKP41C2006A	-	-	-	-	CRC41C2007A	0.29	(0.04)	38,101	-
CBG01P2007B	1.81	0.02	3,614	1.00	CKP41C2007A	0.13	0.02	4,000	-	DTAC01C2004A	0.08	0.04	1	-
CBG06C2005A	-	-	-	-	CKP42C2005A	0.40	0.14	2,801	-	DTAC01C2004B	-	-	-	-
CBG08C2003A	-	-	-	-	CKP42C2006A	0.47	(0.04)	24,989	-	DTAC01C2007B	0.15	(0.03)	3,483	-
CBG08C2007A	0.32	(0.06)	68,225	-	COM708C2007A	0.02	0.01	2,040	-	DTAC01C2008A	0.35	(0.07)	2,336	-
CBG11C2008A	-	-	-	-	COM711C2004A	0.03	0.02	1	-	DTAC01P2004A	1.62	(0.08)	10	1.00
CBG13C2004A	-	-	-	-	COM713C2004A	-	-	-	-	DTAC01P2004B	1.12	0.36	741	-
CBG13C2008A	0.32	(0.05)	14,276	-	COM713C2007A	-	-	-	-	DTAC01P2007B	0.60	0.15	545	-
CBG13P2006A	-	-	-	-	COM713C2008A	0.06	-	18,208	-	DTAC01P2008A	0.74	0.01	1,450	-
CBG16C2008A	0.08	(0.01)	1	-	COM716C2008A	-	-	-	-	DTAC06C2006A	-	-	-	-
CBG19C2004A	-	-	-	-	COM719C2003A	-	-	-	-	DTAC08C2005A	-	-	-	-
CBG19C2005A	-	-	-	-	COM719C2005A	-	-	-	-	DTAC08C2005B	-	-	-	-
CBG19C2008A	0.40	(0.06)	448,651	-	COM719C2008A	0.10	0.02	26,929	-	DTAC08C2007A	0.10	(0.09)	2,132	-
CBG19P2006A	1.80	(0.02)	288	1.00	COM719C2009A	0.40	-	192,168	-	DTAC08C2008A	0.39	(0.62)	119,154	-
CBG24C2003A	-	-	-	-	COM719P2004A	0.82	0.03	10,678	-	DTAC13C2006A	-	-	-	-
CBG24C2008A	0.22	(0.03)	3,951	-	COM724C2007A	-	-	-	-	DTAC13C2007A	0.14	0.01	45	-
CBG41C2004A	-	-	-	-	COM741C2004A	-	-	-	-	DTAC13P2006A	-	-	-	-
CBG41C2005A	0.48	(0.07)	14,172	-	COM741C2006A	-	-	-	-	DTAC13P2007A	0.19	0.03	46,967	-
CBG41C2006A	0.22	0.03	1	-	COM742C2004A	0.47	0.16	1	-	DTAC13P2008A	1.05	0.17	16,456	-
CBG41P2004A	-	-	-	-	COM742C2004A	0.03	-	1,107	-	DTAC16C2009A	-	-	-	-
CBG41P2006A	-	-	-	-	CPAL01C2004B	-	-	-	-	DTAC19C2005A	-	-	-	-
CBG42C2006A	-	-	-	-	CPAL01C2006A	0.12	(0.03)	10,317	-	DTAC19C2006A	-	-	-	-
CBG42C2008A	1.63	(0.13)	5,700	1.00	CPAL01C2006B	0.05	0.01	1,698	-	DTAC19C2007A	0.22	(0.07)	2,212	-
CENT01C2003A	-	-	-	-	CPAL01C2008B	0.18	(0.01)	26,340	-	DTAC19C2009A	0.33	(0.67)	30,991	-
CENT01C2003B	-	-	-	-	CPAL01P2004A	1.63	0.02	40	1.00	DTAC19P2007A	0.49	0.04	1,342	-
CENT01C2006A	0.03	0.01	2,000	-	CPAL01P2004B	0.82	0.01	155	-	DTAC24C2004A	-	-	-	-
CENT01C2006B	-	-	-	-	CPAL01P2008B	0.85	0.03	5,800	-	DTAC24C2007A	-	-	-	-
CENT01C2009A	0.19	0.02	287	-	CPAL06C2006A	0.02	(0.02)	1,012	-	DTAC27C2008A	0.24	(0.06)	25,067	-
CENT01P2003A	-	-	-	-	CPAL08C2004A	0.01	-	12	-	DTAC41C2004A	-	-	-	-
CENT01P2009A	1.30	(0.11)	3,525	1.00	CPAL08C2006A	-	-	-	-	DTAC41C2005A	-	-	-	-
CENT06C2006A	0.22	(0.04)	19,800	-	CPAL08C2008A	0.38	(0.03)	62,216	-	DTAC41C2006A	0.08	(0.05)	13	-
CENT06P2007A	-	-	-	-	CPAL08P2006A	-	-	-	-	DTAC41C2007A	0.27	(0.05)	14,167	-
CENT08C2004A	-	-	-	-	CPAL11C2006A	-	-	-	-	DTAC41C2007B	0.36	(0.16)	9,693	-
CENT11C2004A	-	-	-	-	CPAL11C2007A	-	-	-	-	DTAC41P2005A	-	-	-	-
CENT11C2007A	-	-	-	-	CPAL13C2004A	0.01	-	101	-	DTAC41P2006A	1.69	0.06	6	1.00
CENT13C2005A	-	-	-	-	CPAL13C2007A	0.11	(0.02)	4,260	-	DTAC42C2004A	-	-	-	-
CENT13C2006A	-	-	-	-	CPAL13C2009A	0.62	(0.03)	221,432	-	DTAC42C2006A	0.99	0.10	1	-
CENT19C2004A	-	-	-	-	CPAL16C2006A	-	-	-	-	EA06C2005A	0.03	-	335	-
CENT19C2005A	-	-	-	-	CPAL16C2007A	-	-	-	-	EA08C2004A	-	-	-	-
CENT19C2008A	-	-	-	-	CPAL19C2004A	-	-	-	-	EA08C2006A	0.06	(0.01)	11,509	-
CENT24C2003A	-	-	-	-	CPAL19C2005A	-	-	-	-	EA11C2005A	-	-	-	-
CENT24C2008A	-	-	-	-	CPAL19C2008A	0.20	(0.02)	123,317	-	EA13C2005A	0.02	(0.05)	67	-
CENT27C2008A	-	-	-	-	CPAL19P2004A	0.66	0.11	2	-	EA13C2006A	0.03	-	3	-
CENT28C2004A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA13C2008A	0.13	0.01	16	-
CENT28C2005A	-	-	-	-	CPAL24C2009A	0.68	(0.03)	30,764	-	EA13P2006A	-	-	-	-
CENT28C2006A	-	-	-	-	CPAL28C2004A	-	-	-	-	EA16C2003A	-	-	-	-
CENT28C2008A	0.18	(0.02)	76,231	-	CPAL28C2005A	-	-	-	-	EA16C2006A	-	-	-	-
CENT28C2010A	0.28	(0.03)	87,076	-	CPAL28C2007A	-	-	-	-	EA16C2008A	0.03	(0.01)	87	-
CENT41C2004A	0.01	-	1	-	CPAL28C2008A	0.34	(0.02)	84,400	-	EA19C2004A	-	-	-	-
CENT41C2005A	-	-	-	-	CPAL28C2008B	0.51	(0.03)	97,537	-	EA19C2008A	-	-	-	-
CENT41C2006A	-	-	-	-	CPAL41C2004A	-	-	-	-	EA19P2007A	1.05	(0.06)	50	1.00
CENT42C2004A	-	-	-	-	CPAL41C2005A	-	-	-	-	EA24C2003A	-	-	-	-
CENT42C2006A	0.62	(0.01)	2,040	-	CPAL41C2006A	-	-	-	-	EA24C2004A	-	-	-	-
CHG01C2006A	0.10	-	291	-	CPAL41C2007A	0.33	(0.02)	28,644	-	EA27C2006A	-	-	-	-
CHG01C2006B	-	-	-	-	CPAL41P2004A	0.84	0.05	4,276	-	EA28C2004A	-	-	-	-
CHG01P2006A	-	-	-	-	CPAL41P2005A	-	-	-	-	EA28C2004B	-	-	-	-
CHG08C2005A	-	-	-	-	CPAL41P2006A	-	-	-	-	EA28C2006A	0.10	(0.02)	13,025	-
CHG13C2006A	0.10	0.01	59,018	-	CPAL42C2005A	-	-	-	-	EA41C2004A	-	-	-	-
CHG16C2009A	-	-	-	-	CPAL42C2007A	-	-	-	-	EA41C2005A	-	-	-	-
CHG19C2004A	-	-	-	-	CPF01C2004A	0.05	(0.01)	4,605	-	EA41C2006A	0.12	(0.01)	100	-
CHG27C2009A	0.09	-	488	-	CPF01C2004B	-	-	-	-	EA41P2004A	-	-	-	-
CHG41C2005A	-	-	-	-	CPF01P2004A	0.24	-	550	-	EA42C2004A	-	-	-	-
CHG42C2006A	-	-	-	-	CPF08C2006A	-	-	-	-	EGCO01C2004A	-	-	-	-
CK01C2005A	0.08	(0.04)	132	-	CPF11C2004A	-	-	-	-	EGCO01C2004B	-	-	-	-
CK01C2005B	0.01	-	800	-	CPF11C2007A	-	-	-	-	EGCO01C2007B	0.09	-	588	-
CK01P2005A	0.53	(0.01)	16	-	CPF13C2006A	0.02	-	11,028	-	EGCO06C2004A	-	-	-	-
CK06C2004A	-	-	-	-	CPF13C2008A	0.16	(0.01)	32,704	-	EGCO06C2007A	-	-	-	-
CK11C2007A	-	-	-	-	CPF16C2007A	-	-	-	-	EGCO06P2004A	-	-	-	-
CK13C2006A	0.05	0.03	1	-	CPF19C2003A	-	-	-	-	EGCO13C2005A	0.01	(0.01)	1,714	-
CK16C2003A	-	-	-	-	CPF19C2005A	-	-	-	-	EGCO19C2005A	-	-	-	-
CK16C2006A	-	-	-	-	CPF19C2006A	-	-	-	-	EGCO19C2007A	0.02	(0.01)	400	-
CK19C2003A	-	-	-	-	CPF24C2007A	0.08	-	475	-	EGCO41C2004A	-	-	-	-
CK19C2004A	-	-	-	-	CPF28C2004A	-	-	-	-	EGCO41C2006A	-	-	-	-
CK19C2007A	-	-	-	-	CPF28C2007A	-	-	-	-	EGCO41P2004A	-	-	-	-
CK24C2003A	-	-	-	-	CPF28C2010A	0.39	(0.01)	143,998	-	EGCO41P2006A	1.94	0.02	224	1.00
CK27C2008A	-	-	-	-	CPF41C2004A	-	-	-	-	EGCO42C2007A	0.01	-	100	-
CK41C2003A	-	-	-	-	CPF41C2005A	0.08	0.01	19	-	EPG08C2004A	-	-	-	-
CK41C2004A	-	-	-	-	CPF41P2005A	0.47	(0.03)	2	-	EPG13C2004A	-	-	-	-
CK41C2005A	-	-	-	-	CPN01C2005A	0.01	-	44	-	EPG13C2006A	-	-	-	-
CK42C2006A	0.79	0.04	7,620	-	CPN01C2005B	-	-	-	-	EPG19C2005A	-	-	-	-
CKP01C2004A	-	-	-	-	CPN01P2005A	2.22	0.29	4,997	2.00	EPG19C2007A	-	-	-	-
CKP01C2004B	-	-	-	-	CPN06C2006A	-	-	-	-	EPG19C2008A	0.27	0.04	124	-
CKP01C2008B	-	-	-	-	CPN11C2006A	0.01	-	1	-	EPG24C2008A	0.04	0.01	40	-
CKP01C2009A	0.28	0.02	80	-	CPN11C2008A	0.02	(0.01)	1	-	ERW06C2006A	-	-	-	-
CKP01P2004A	-	-	-	-	CPN13C2004A	-	-	-	-	ERW06C2007A	-	-	-	-
CKP01P2009A	-	-	-	-	CPN13C2007A	0.02	(0.03)	22	-	ERW06P2006A	-	-	-	-
CKP08C2004A	-	-	-	-	CPN16C2005A	-	-	-	-	ERW13C2005A	-	-	-	-
CKP11C2006A	-	-	-	-	CPN19C2004A	-	-	-	-	ERW13C2006A	-	-	-	-
CKP13C2004A	-	-	-	-	CPN19C2007A	0.05	-	21	-	ERW13C2007A	0.01	-	7	-
CKP13C2004B	-	-	-	-	CPN24C2007A	0.23	(0.07)	13,513	-	ERW19C2005A	-	-	-	-
CKP13C2007A	-	-	-	-	CPN41C2004A	-	-	-	-	ERW19C2006A	-	-	-	-
CKP16C2005A	-	-	-	-	CPN41C2006A	-	-	-	-	ERW19C2007A	0.03	(0.03)	200	-
CKP16C2007A	-	-	-	-	CPN41P2005A	2.48	(0.18)	20	2.00	ERW24C2006A	-	-	-	-
CKP19C2003A	-	-	-	-	CPN41P2006A	-	-	-	-	ESSO01C2004A	0.01	-	40	-
CKP19C2005A	-	-	-	-	CPN42C2004A	-	-	-	-	ESSO01C2004B	0.01	(0.01)	40	-
CKP19C2006A	-	-	-	-	CPN42C2006A	-	-	-	-					

## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ESSO19C2004A	-	-	-	-	GULF41C2004A	-	-	-	-	IRPC01P2005A	-	-	-	-
ESSO19C2007A	-	-	-	-	GULF41C2005A	0.15	(0.01)	2,001	-	IRPC01P2005B	1.66	(0.13)	10	1.00
ESSO19C2009A	0.70	(0.02)	247,499	-	GULF41C2006A	0.67	(0.04)	66,838	-	IRPC01P2007B	0.91	(0.02)	1,365	-
ESSO24C2003A	-	-	-	-	GULF41P2004A	1.22	0.04	20	1.00	IRPC06C2005A	0.01	-	12	-
ESSO24C2007A	0.03	0.01	90	-	GULF41P2005A	-	-	-	-	IRPC06C2007A	-	-	-	-
ESSO41C2004A	-	-	-	-	GULF41P2006A	1.46	0.04	150,126	1.00	IRPC06P2004A	-	-	-	-
ESSO41C2005A	0.02	(0.01)	540	-	GULF41P2007A	-	-	-	-	IRPC11C2005A	-	-	-	-
ESSO41C2006A	-	-	-	-	GUNK01C2005A	-	-	-	-	IRPC11C2008A	-	-	-	-
ESSO42C2007A	-	-	-	-	GUNK01C2005B	0.02	-	101	-	IRPC13C2006A	-	-	-	-
GFPT19C2004A	-	-	-	-	GUNK01P2005A	-	-	-	-	IRPC13C2007A	0.03	-	1,006	-
GFPT19C2006A	0.03	(0.01)	4,963	-	GUNK11C2007A	-	-	-	-	IRPC13C2008A	0.15	0.02	1	-
GFPT24C2007A	0.04	(0.01)	1,000	-	GUNK13C2006A	0.02	0.01	40	-	IRPC16C2008A	-	-	-	-
GFPT42C2004A	-	-	-	-	GUNK19C2003A	-	-	-	-	IRPC19C2003A	-	-	-	-
GFPT42C2008A	-	-	-	-	GUNK19C2006A	-	-	-	-	IRPC19C2005A	-	-	-	-
GLOB01C2003A	-	-	-	-	GUNK24C2006A	-	-	-	-	IRPC19C2007A	0.07	0.02	1,000	-
GLOB01C2007B	-	-	-	-	GUNK28C2005A	-	-	-	-	IRPC19C2008A	0.25	-	246,805	-
GLOB01C2008A	0.07	0.01	20	-	GUNK41C2005A	-	-	-	-	IRPC24C2004A	-	-	-	-
GLOB01P2003A	-	-	-	-	GUNK41P2005A	-	-	-	-	IRPC24C2007A	-	-	-	-
GLOB06C2006A	0.01	(0.04)	2	-	HANA01C2006A	0.06	0.04	270	-	IRPC27C2007A	-	-	-	-
GLOB13C2007A	-	-	-	-	HANA01C2006B	0.05	(0.01)	205	-	IRPC28C2006A	-	-	-	-
GLOB19C2005A	-	-	-	-	HANA01P2006A	0.86	-	110	-	IRPC28C2008A	0.19	-	102,479	-
GLOB19C2007A	0.05	-	50	-	HANA11C2008A	0.08	0.02	1	-	IRPC41C2004A	-	-	-	-
GLOB24C2005A	-	-	-	-	HANA13C2006A	-	-	-	-	IRPC41C2005A	-	-	-	-
GLOB41C2004A	-	-	-	-	HANA13C2008A	-	-	-	-	IRPC41C2006A	-	-	-	-
GLOB42C2009A	-	-	-	-	HANA16C2008A	-	-	-	-	IRPC41C2007A	0.24	0.01	8,000	-
GPSC01C2003A	-	-	-	-	HANA19C2003A	-	-	-	-	IRPC41P2004A	-	-	-	-
GPSC01C2003B	-	-	-	-	HANA19C2006A	-	-	-	-	IRPC41P2005A	-	-	-	-
GPSC01C2005A	0.04	-	2,941	-	HANA27C2007A	-	-	-	-	IRPC41P2006A	-	-	-	-
GPSC01C2005B	0.01	-	381	-	HANA27P2007A	-	-	-	-	IRPC41P2007A	-	-	-	-
GPSC01C2007B	0.11	0.01	1,781	-	HANA41C2006A	-	-	-	-	IRPC42C2006A	-	-	-	-
GPSC01C2008A	0.24	(0.01)	78,528	-	HMPR01C2006A	-	-	-	-	IVL01C2004A	0.02	0.01	502	-
GPSC01P2003A	-	-	-	-	HMPR01C2006B	-	-	-	-	IVL01C2004B	0.01	-	400	-
GPSC01P2005A	2.32	0.02	100	2.00	HMPR01P2006A	1.24	0.09	4,613	1.00	IVL01C2006B	0.03	-	451	-
GPSC01P2005B	1.67	0.01	715	1.00	HMPR06C2006A	0.13	(0.04)	65,980	-	IVL01P2004A	0.80	(0.19)	482	-
GPSC01P2007B	1.64	0.06	1,033	1.00	HMPR06P2007A	-	-	-	-	IVL01P2004B	0.29	(0.02)	19,454	-
GPSC01P2008A	2.18	(0.04)	662	2.00	HMPR11C2003A	-	-	-	-	IVL01P2006B	0.83	(0.02)	8,137	-
GPSC06C2006A	0.02	-	105	-	HMPR13C2006A	-	-	-	-	IVL06C2008A	0.07	0.03	1,500	-
GPSC06C2008A	0.23	(0.03)	171,026	-	HMPR13C2007A	-	-	-	-	IVL06P2005A	-	-	-	-
GPSC08C2004B	0.02	-	1	-	HMPR19C2003A	-	-	-	-	IVL08C2004A	0.02	0.01	10,000	-
GPSC08C2007A	0.08	(0.01)	24,248	-	HMPR19C2005A	-	-	-	-	IVL08P2003A	-	-	-	-
GPSC08P2006A	-	-	-	-	HMPR19C2007A	-	-	-	-	IVL08P2004A	0.54	(0.34)	101	-
GPSC11C2006A	0.09	0.01	3,970	-	HMPR24C2004A	-	-	-	-	IVL11C2005A	-	-	-	-
GPSC13C2005A	0.03	-	201	-	HMPR41C2005A	-	-	-	-	IVL11C2006A	0.03	0.01	300	-
GPSC13C2007A	0.12	(0.02)	1,541	-	HMPR41C2006A	-	-	-	-	IVL13C2006A	0.02	-	3,311	-
GPSC13C2008A	0.29	(0.02)	49,717	-	HMPR41C2007A	0.31	0.16	4,015	-	IVL13C2008A	0.51	(0.01)	413,960	-
GPSC13C2009A	0.60	(0.40)	811,387	-	HMPR41C2007B	0.15	(0.03)	1,500	-	IVL13P2004A	0.66	0.03	5	-
GPSC13P2005A	-	-	-	-	HSI28C2003A	-	-	-	-	IVL16C2006A	-	-	-	-
GPSC13P2007A	1.86	0.03	20	1.00	HSI28C2003B	-	-	-	-	IVL16C2009A	0.11	-	10	-
GPSC16C2003A	-	-	-	-	HSI28C2003C	-	-	-	-	IVL19C2003A	-	-	-	-
GPSC16C2007A	0.09	0.04	1,429	-	HSI28C2004A	0.20	(0.14)	96,999	-	IVL19C2004A	-	-	-	-
GPSC19C2004A	-	-	-	-	HSI28C2004B	0.09	(0.08)	16,739	-	IVL19C2006A	0.02	0.01	40	-
GPSC19C2007A	0.09	(0.04)	1,420	-	HSI28C2004C	0.05	(0.07)	121	-	IVL19C2008A	0.37	(0.01)	6,670	-
GPSC19C2008A	0.40	(0.04)	182,967	-	HSI28C2005A	1.18	(0.31)	1,078,501	1.00	IVL19C2009A	0.90	(0.01)	255,195	-
GPSC19C2009A	0.77	(0.04)	498,228	-	HSI28C2005B	0.75	(0.22)	394,670	-	IVL19P2003A	-	-	-	-
GPSC19P2005A	1.54	(0.08)	26	1.00	HSI28C2005C	0.50	(0.17)	138,982	-	IVL19P2006A	0.79	(0.12)	1	-
GPSC24C2007A	-	-	-	-	HSI28C2005D	0.30	(0.12)	160,010	-	IVL24C2003A	-	-	-	-
GPSC27C2005A	-	-	-	-	HSI28P2003A	-	-	-	-	IVL27P2007A	0.75	(0.02)	210	-
GPSC28C2008A	0.21	(0.02)	74,373	-	HSI28P2003B	-	-	-	-	IVL28C2007A	0.02	(0.02)	5,400	-
GPSC41C2004A	-	-	-	-	HSI28P2003C	-	-	-	-	IVL41C2004A	-	-	-	-
GPSC41C2005A	-	-	-	-	HSI28P2004A	2.22	0.40	143,748	2.00	IVL41C2005A	-	-	-	-
GPSC41C2005B	-	-	-	-	HSI28P2004B	2.84	0.52	65,006	2.00	IVL41C2006A	0.09	0.06	710	-
GPSC41C2006A	-	-	-	-	HSI28P2004C	3.72	0.66	271,582	3.00	IVL41C2007A	-	-	-	-
GPSC41P2004A	-	-	-	-	HSI28P2005A	3.02	0.36	130,528	2.00	IVL41C2007B	0.76	0.41	32,880	-
GPSC41P2005A	2.58	0.58	468	2.00	HSI28P2005B	2.44	0.30	112,429	2.00	IVL41P2004A	-	-	-	-
GPSC41P2006A	-	-	-	-	HSI28P2005C	1.97	0.24	606,929	1.00	IVL41P2005A	-	-	-	-
GPSC42C2006A	-	-	-	-	HSI28P2005D	1.56	0.18	856,044	1.00	IVL41P2006A	-	-	-	-
GPSC42P2006A	-	-	-	-	HSI41C2005A	0.62	(0.18)	488,612	-	IVL41P2007A	-	-	-	-
GULF01C2003A	-	-	-	-	HSI41P2005A	1.13	0.14	869,498	1.00	IVL42C2005A	-	-	-	-
GULF01C2003B	-	-	-	-	INTU01C2003A	-	-	-	-	IVL42C2008A	1.77	0.74	1	1.00
GULF01C2005A	0.29	(0.03)	72,891	-	INTU01C2003B	-	-	-	-	JAS13C2006A	0.15	0.03	46,909	-
GULF01C2005B	0.09	(0.01)	16,893	-	INTU01C2006A	-	-	-	-	JAS19C2004A	0.07	0.01	83,299	-
GULF01C2007A	0.11	(0.01)	82,726	-	INTU01C2006B	-	-	-	-	JAS19C2009A	0.87	0.03	71,359	-
GULF01P2003A	-	-	-	-	INTU01P2003A	-	-	-	-	JAS41C2004A	-	-	-	-
GULF01P2003B	-	-	-	-	INTU01P2003B	-	-	-	-	JAS41C2005A	-	-	-	-
GULF01P2005A	1.33	0.05	42,540	1.00	INTU01P2006A	1.04	(0.06)	8	1.00	JAS41C2006A	0.18	0.01	20,406	-
GULF03C2005A	-	-	-	-	INTU01P2006B	0.68	0.12	319	-	JAS41P2005A	0.25	(0.02)	114,592	-
GULF06C2004A	0.10	-	2,602	-	INTU13C2004A	-	-	-	-	JMT13C2006A	0.05	(0.02)	4,220	-
GULF08C2003A	-	-	-	-	INTU13C2006A	-	-	-	-	JMT19C2006A	-	-	-	-
GULF08C2008A	0.84	(0.03)	110,091	-	INTU13C2008A	0.52	(0.07)	128,870	-	JMT42C2006A	0.01	-	11	-
GULF11C2003A	-	-	-	-	INTU13P2004A	0.47	0.21	2	-	KBAN01C2004A	0.02	-	853	-
GULF11C2006A	0.15	(0.04)	6,860	-	INTU16C2005A	-	-	-	-	KBAN01C2004B	-	-	-	-
GULF13C2004A	-	-	-	-	INTU16C2007A	-	-	-	-	KBAN01C2007A	0.07	0.01	12,637	-
GULF13C2006A	0.08	(0.01)	5,536	-	INTU16C2009A	-	-	-	-	KBAN01C2007B	0.01	-	1,150	-
GULF13C2006B	0.04	(0.01)	511	-	INTU19C2004A	-	-	-	-	KBAN01P2004A	-	-	-	-
GULF13C2008A	0.41	(0.03)	71,184	-	INTU19C2005A	-	-	-	-	KBAN01P2004B	1.80	0.10	2,589	1.00
GULF13C2009A	0.84	(0.03)	1,395,496	-	INTU19C2009A	0.39	(0.61)	97,967	-	KBAN01P2007A	2.46	0.06	403	2.00
GULF13P2004A	0.44	0.05	27,446	-	INTU19P2007A	0.45	0.17	403	-	KBAN01P2007B	2.72	0.18	9	2.00
GULF13P2005A	1.22	0.03	4,063	1.00	INTU23C2111A	0.55	(0.12)	1	-	KBAN06C2004A	0.01	-	39,004	-
GULF16C2003A	-	-	-	-	INTU24C2003A	-	-	-	-	KBAN06C2008A	0.06	(0.03)	296	-
GULF16C2007A	0.13	(0.03)	616	-	INTU24C2008A	0.21	(0.02)	2,000	-	KBAN08C2005A	-	-	-	-
GULF19C2003A	-	-	-	-	INTU28C2008A	0.24	(0.07)	55,628	-	KBAN08C2007A	0.02	(0.01)	520	-
GULF19C2004A	-	-	-	-	INTU28C2010A	0.30	(0.05)	35,423	-	KBAN08P2004A	-	-	-	-
GULF19C2006A	0.03	0.01	1,300	-	INTU41C2004A	0.01	-	143	-	KBAN13C2006A	-	-	-	-
GULF19C2008A	0.71	(0.03)	630,534	-	INTU41C2005A	-	-	-	-	KBAN13C2008A	0.06	-		



## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KBAN19P2004A	-	-	-	-	MINT01C2003B	-	-	-	-	PTG03C2005A	0.01	(0.01)	10,000	-
KBAN19P2007A	-	-	-	-	MINT01C2007B	-	-	-	-	PTG06C2006A	0.11	0.10	410	-
KBAN24C2005A	-	-	-	-	MINT01C2008A	0.04	(0.01)	5,556	-	PTG08C2005A	0.01	(0.01)	79	-
KBAN28C2004A	-	-	-	-	MINT01P2003A	-	-	-	-	PTG08C2007A	0.06	(0.01)	2,800	-
KBAN28C2008A	-	-	-	-	MINT01P2008A	1.52	0.02	16,052	1.00	PTG11C2003A	-	-	-	-
KBAN28C2008B	0.45	(0.09)	122,927	-	MINT06C2006A	-	-	-	-	PTG11C2005A	-	-	-	-
KBAN28C2008C	0.72	(0.08)	80,748	-	MINT06P2007A	-	-	-	-	PTG13C2004A	-	-	-	-
KBAN28C2010A	0.16	(0.01)	21,818	-	MINT08C2003A	-	-	-	-	PTG13C2006A	0.03	(0.02)	30	-
KBAN41C2004A	-	-	-	-	MINT11C2006A	-	-	-	-	PTG13P2004A	-	-	-	-
KBAN41C2005A	-	-	-	-	MINT13C2004A	-	-	-	-	PTG13P2006A	-	-	-	-
KBAN41C2007A	-	-	-	-	MINT13C2006A	-	-	-	-	PTG16C2009A	-	-	-	-
KBAN41C2008A	0.40	(0.04)	15,863	-	MINT13C2008A	-	-	-	-	PTG19C2003A	-	-	-	-
KBAN41P2004A	-	-	-	-	MINT19C2004A	-	-	-	-	PTG19C2004A	-	-	-	-
KBAN41P2005A	-	-	-	-	MINT19C2006A	-	-	-	-	PTG19C2005A	-	-	-	-
KBAN41P2006A	-	-	-	-	MINT19P2004A	-	-	-	-	PTG19C2006A	-	-	-	-
KBAN42C2004A	-	-	-	-	MINT24C2006A	-	-	-	-	PTG19C2008A	0.16	(0.03)	155,137	-
KBAN42C2007A	0.01	-	124	-	MINT28C2006A	-	-	-	-	PTG19P2006A	-	-	-	-
KBAN42P2008A	-	-	-	-	MINT28C2008A	0.03	(0.01)	56	-	PTG27C2007A	-	-	-	-
KCE01C2004A	0.12	0.03	25,631	-	MINT41C2004A	-	-	-	-	PTG28C2004A	-	-	-	-
KCE01C2004B	0.04	-	106	-	MINT41C2005A	-	-	-	-	PTG41C2004A	-	-	-	-
KCE01C2007B	0.03	-	6,649	-	MINT41C2007A	-	-	-	-	PTG41C2005A	-	-	-	-
KCE01C2008A	0.10	0.02	20,860	-	MINT41P2004A	-	-	-	-	PTG41C2006A	-	-	-	-
KCE01P2004A	1.65	(0.37)	3,424	1.00	MINT42C2004A	-	-	-	-	PTG41P2005A	-	-	-	-
KCE08C2005A	0.02	0.01	2,827	-	MTC01C2003A	-	-	-	-	PTG42C2004A	-	-	-	-
KCE08C2005B	-	-	-	-	MTC01C2003B	-	-	-	-	PTG42C2006A	-	-	-	-
KCE11C2004A	0.02	(0.04)	210	-	MTC01C2007B	-	-	-	-	PTT01C2004A	0.01	-	2,706	-
KCE13C2004A	-	-	-	-	MTC01C2008A	0.04	(0.01)	14,023	-	PTT01C2004B	0.01	(0.01)	863	-
KCE13C2005A	-	-	-	-	MTC01P2003A	-	-	-	-	PTT01C2007A	0.04	(0.01)	34,268	-
KCE13C2006A	0.10	0.04	2,621	-	MTC03C2005A	-	-	-	-	PTT01C2007B	0.02	0.01	10,633	-
KCE16C2007A	0.04	-	426	-	MTC06C2007A	-	-	-	-	PTT01P2004A	1.20	-	176	1.00
KCE19C2005A	0.05	0.01	101	-	MTC08C2005A	-	-	-	-	PTT01P2004B	0.95	0.02	250	-
KCE19C2007A	0.11	0.03	998	-	MTC11C2008A	-	-	-	-	PTT01P2007A	1.53	(0.03)	5,925	1.00
KCE19C2008A	0.41	0.04	76,023	-	MTC13C2007A	0.03	-	2,470	-	PTT01P2007B	1.40	0.01	470	1.00
KCE19C2009A	0.45	0.04	544,755	-	MTC16C2007A	-	-	-	-	PTT06C2005A	-	-	-	-
KCE24C2005A	-	-	-	-	MTC19C2006A	-	-	-	-	PTT06C2008A	0.40	(0.05)	70,727	-
KCE27C2007A	0.03	-	277	-	MTC19C2009A	0.34	(0.16)	383,024	-	PTT08C2005A	-	-	-	-
KCE41C2005A	-	-	-	-	MTC19P2004A	2.50	0.86	9,234	2.00	PTT08P2005A	1.11	(0.01)	11,406	1.00
KCE41C2006A	0.18	-	50	-	MTC24C2004A	-	-	-	-	PTT11C2004A	-	-	-	-
KKP01C2006A	0.01	(0.01)	6,000	-	MTC27C2007A	-	-	-	-	PTT11C2008A	0.03	-	11	-
KKP01C2006B	-	-	-	-	MTC28C2006A	-	-	-	-	PTT13C2004A	-	-	-	-
KKP01P2006A	-	-	-	-	MTC28C2008A	-	-	-	-	PTT13C2006A	0.02	-	4,409	-
KKP08C2003A	-	-	-	-	MTC41C2004A	-	-	-	-	PTT13C2008A	0.05	-	10,802	-
KKP11C2007A	-	-	-	-	MTC41C2007A	0.12	(0.11)	1,612	-	PTT13C2008B	0.29	(0.01)	7,565	-
KKP13C2004A	-	-	-	-	MTC41P2004A	2.66	0.42	6	2.00	PTT13C2009A	0.35	(0.02)	533,686	-
KKP13C2007A	-	-	-	-	ORI13C2004A	0.01	-	400	-	PTT13P2004A	-	-	-	-
KKP19C2003A	-	-	-	-	ORI19C2003A	-	-	-	-	PTT13P2006A	1.67	(0.05)	29	1.00
KKP24C2003A	-	-	-	-	ORI19C2005A	-	-	-	-	PTT13P2008A	0.25	-	113,336	-
KKP41C2006A	-	-	-	-	ORI28C2004A	-	-	-	-	PTT16C2008A	0.02	-	450	-
KTBO1C2003A	-	-	-	-	ORI28C2007A	-	-	-	-	PTT19C2005A	-	-	-	-
KTBO1C2008B	0.04	(0.01)	5,002	-	ORI41C2004A	-	-	-	-	PTT19C2008A	0.30	(0.02)	314,167	-
KTBO1C2009A	-	-	-	-	OSP01C2003A	-	-	-	-	PTT19P2003A	-	-	-	-
KTBO1P2003A	-	-	-	-	OSP01C2003B	-	-	-	-	PTT19P2006A	1.23	-	109	1.00
KTBO1P2009A	-	-	-	-	OSP01C2006A	0.16	-	4,721	-	PTT24C2003A	-	-	-	-
KTB11C2004A	-	-	-	-	OSP01C2006B	-	-	-	-	PTT24C2008A	0.07	(0.02)	1,700	-
KTB11C2006A	-	-	-	-	OSP01P2003A	-	-	-	-	PTT28C2004A	-	-	-	-
KTB13C2006A	-	-	-	-	OSP01P2006A	0.90	0.08	6,081	-	PTT28C2007A	-	-	-	-
KTB19C2005A	-	-	-	-	OSP06C2005A	-	-	-	-	PTT28C2008A	0.11	-	19,199	-
KTB24C2004A	-	-	-	-	OSP06C2008A	0.39	(0.06)	37,994	-	PTT28C2008B	0.29	(0.01)	57,344	-
KTB41C2004A	-	-	-	-	OSP08C2004A	0.01	-	2,000	-	PTT28C2008C	-	-	-	-
KTB41C2006A	-	-	-	-	OSP11C2005A	-	-	-	-	PTT28P2004A	-	-	-	-
KTB41P2004A	-	-	-	-	OSP13C2004A	-	-	-	-	PTT41C2004A	-	-	-	-
KTC01C2004A	-	-	90	-	OSP13C2006A	-	-	-	-	PTT41C2005A	-	-	-	-
KTC01C2004B	-	-	-	-	OSP16C2008A	-	-	-	-	PTT41C2006A	-	-	-	-
KTC01C2007A	0.13	-	14,056	-	OSP19C2004A	-	-	-	-	PTT41C2007A	0.54	0.03	15,810	-
KTC01C2007B	0.06	-	612	-	OSP19C2005A	-	-	-	-	PTT41P2004A	-	-	-	-
KTC01P2004A	1.12	0.16	2,468	1.00	OSP24C2008A	-	-	-	-	PTT41P2005A	1.30	(0.17)	20	1.00
KTC01P2007A	0.92	0.06	1,279	-	OSP41C2004A	-	-	-	-	PTT41P2006A	-	-	-	-
KTC06C2006A	0.01	-	6	-	OSP41C2005A	-	-	-	-	PTT42C2007A	-	-	-	-
KTC08C2004A	-	-	-	-	OSP41P2004A	0.69	0.07	419	-	PTTE01C2004A	0.02	-	1,001	-
KTC08C2006A	0.05	(0.01)	26,100	-	OSP42C2005A	-	-	-	-	PTTE01C2004B	-	-	-	-
KTC11C2005A	-	-	-	-	PLAN08C2004A	0.01	(0.01)	100	-	PTTE01C2007A	0.03	-	27,611	-
KTC13C2004A	-	-	-	-	PLAN13C2004A	-	-	-	-	PTTE01C2007B	0.02	0.01	6,151	-
KTC13C2006A	0.02	(0.01)	650	-	PLAN13C2005A	-	-	-	-	PTTE01P2004A	2.24	(0.04)	201	2.00
KTC13C2008A	0.34	(0.03)	77,909	-	PLAN13C2007A	-	-	-	-	PTTE01P2004B	2.20	0.08	143	2.00
KTC13P2006A	0.68	0.04	606	-	PLAN19C2005A	-	-	-	-	PTTE01P2007A	3.24	0.02	497	3.00
KTC13P2007A	-	-	-	-	PLAN19C2007A	0.01	-	2,061	-	PTTE01P2007B	3.84	(0.14)	335	3.00
KTC19C2005A	-	-	-	-	PLAN24C2006A	-	-	-	-	PTTE06C2006A	0.01	(0.01)	3,000	-
KTC19C2006A	-	-	-	-	PLAN27C2008A	0.01	-	2,000	-	PTTE06C2008A	0.97	(0.02)	82,274	-
KTC19C2008A	0.23	(0.04)	242,836	-	PLAN28C2004A	-	-	-	-	PTTE06P2006A	-	-	-	-
KTC19P2005A	0.82	-	22	-	PLAN28C2005A	-	-	-	-	PTTE08C2005A	0.01	-	300	-
KTC27C2007A	0.02	-	20	-	PLAN41C2004A	-	-	-	-	PTTE08C2008A	1.38	(0.02)	69,696	1.00
KTC28C2004A	-	-	-	-	PLAN41C2005A	-	-	-	-	PTTE08P2005A	-	-	-	-
KTC28C2006A	0.07	-	4,000	-	PLAN41C2006A	-	-	-	-	PTTE08P2006A	-	-	-	-
KTC41C2004A	-	-	-	-	PLAN42C2007A	0.01	-	1,000	-	PTTE11C2006A	-	-	-	-
KTC41C2005A	-	-	-	-	PRM08C2003A	-	-	-	-	PTTE13C2004A	-	-	-	-
KTC41C2006A	-	-	-	-	PRM13C2006A	-	-	-	-	PTTE13C2006A	0.03	-	55	-
KTC42C2006A	-	-	-	-	PRM19C2004A	-	-	-	-	PTTE13C2008A	0.02	-	74,995	-
LH01C2003A	-	-	-	-	PRM19C2006A	0.03	(0.01)	6,600	-	PTTE13C2008B	0.28	(0.03)	13,820	-
LH01P2003A	-	-	-	-	PRM42C2006A	0.03	0.01	1,250	-	PTTE13C2009A	0.93	(0.04)	214,077	-
LH11C2007A	-	-	-	-	PSH19C2003A	-	-	-	-	PTTE13P2006A	3.20	0.02	701	3.00
LH19C2003A	-	-	-	-	PSH19C2005A	-	-	-	-	PTTE13P2008A	0.77	(0.04)	41,209	-
LH19C2003B	-	-	-	-	PSL06C2006A	0.02	0.01	60	-	PTTE16C2003A	-	-	-	-
LH19C2007A	-	-	-	-	PSL19C2004A	0.04	0.02	1	-	PTTE16C2009A	0.06	-	150	-
LH19P2004A	-	-	-	-	PSL19C2006A	-	-	-	-	PTTE19C2006A	-	-	-	-
LH41C2004A	-	-	-	-	PSL19C2007A	0.09	0.03	2,679	-	PTTE19C2008A	0.03	-	15,010	-
LH41C2005A	-	-	-	-	PTG01C2003A	-	-	-	-	PTTE19C2008B	0.47	(0.02)	267,960	-
LH41C2006A	-	-	-	-	PTG01C2003B	-	-	-	-	PTTE19C2009A	1.33	(0.03)	175,434	1.00
MAJ013C2007A	0.10	(0.03)	4,740	-	PTG01C2005A	-	-	-	-	PTTE19C2009B	0.75	(0.25)	109,464	-
MAJ019C2006A	-	-	-	-										

**Main Board Quotation**

**Issue Date :**

*Wednesday April 01, 2020*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT01C2003A	-	-	-	-	PTG01P2005B	1.42	0.09	148	1.00	PTTE24C2008A	-	-	-	-



## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE28C2005A	-	-	-	-	S5001C2006F	0.03	0.01	21,775	-	S5024C2003B	-	-	-	-
PTTE28C2008A	-	-	-	-	S5001C2006G	0.03	(0.01)	37,979	-	S5024C2003C	-	-	-	-
PTTE28P2004A	-	-	-	-	S5001C2006H	0.08	0.01	205,929	-	S5024C2006A	-	-	-	-
PTTE41C2005A	-	-	-	-	S5001C2007A	0.08	-	230,364	-	S5024C2006B	0.01	(0.01)	3,441	-
PTTE41C2006A	-	-	-	-	S5001P2003F	-	-	-	-	S5024C2006C	1.63	(0.17)	60,031	1.00
PTTE41C2007A	-	-	-	-	S5001P2003G	-	-	-	-	S5024C2009A	-	-	-	-
PTTE41P2004A	-	-	-	-	S5001P2003H	-	-	-	-	S5024C2009B	0.57	(0.11)	59,418	-
PTTE42C2004A	-	-	-	-	S5001P2003I	-	-	-	-	S5024P2003A	-	-	-	-
PTTE42P2008A	4.78	2.70	1	4.00	S5001P2003J	-	-	-	-	S5024P2003B	-	-	-	-
PTTG01C2005A	0.01	-	1,570	-	S5001P2004A	5.75	0.45	417	5.00	S5024P2006A	25.25	(0.75)	1	25.00
PTTG01C2005B	0.01	-	660	-	S5001P2005A	4.74	0.10	1,278	4.00	S5024P2006B	14.60	0.50	1	14.00
PTTG01C2007B	-	-	-	-	S5001P2006F	10.10	0.20	30	10.00	S5024P2006C	5.00	1.00	171	4.00
PTTG01C2008A	0.05	0.01	218,838	-	S5001P2006G	8.60	0.20	114	8.00	S5024P2006D	3.28	0.18	79,480	3.00
PTTG01P2005A	2.58	(0.10)	30	2.00	S5001P2006H	4.50	0.46	5,567	4.00	S5028C2003A	-	-	-	-
PTTG01P2005B	2.50	(0.36)	1,265	2.00	S5001P2007A	3.66	0.26	43,307	3.00	S5028C2003B	-	-	-	-
PTTG01P2007B	1.65	(0.15)	242	1.00	S5006C2003A	-	-	-	-	S5028C2004A	-	-	-	-
PTTG01P2008A	1.78	(0.06)	554	1.00	S5006C2003B	-	-	-	-	S5028C2004B	-	-	-	-
PTTG06C2006A	-	-	-	-	S5006C2003C	-	-	-	-	S5028C2006A	0.03	0.01	300	-
PTTG08C2004A	-	-	-	-	S5006C2006A	0.03	0.01	230	-	S5028C2006B	0.02	-	5	-
PTTG08P2004A	1.60	(0.56)	3,414	1.00	S5006C2006B	0.02	-	5,938	-	S5028C2006C	0.78	(0.14)	420,566	-
PTTG11C2004A	-	-	-	-	S5006C2006C	0.68	(0.06)	179,868	-	S5028C2006D	1.22	(0.11)	208	1.00
PTTG11C2007A	0.01	-	100	-	S5006C2006D	0.79	(0.08)	185,995	-	S5028C2009A	0.69	(0.10)	211,340	-
PTTG13C2005A	-	-	-	-	S5006P2003A	-	-	-	-	S5028P2003A	-	-	-	-
PTTG13C2007A	0.03	-	199	-	S5006P2003B	-	-	-	-	S5028P2004A	7.55	0.45	20	7.00
PTTG13C2008A	0.26	0.10	2,968	-	S5006P2003C	-	-	-	-	S5028P2004B	-	-	-	-
PTTG13P2004A	-	-	-	-	S5006P2006A	-	-	-	-	S5028P2006A	2.40	0.20	2,245	2.00
PTTG13P2008A	0.97	(0.14)	565	-	S5006P2006B	-	-	-	-	S5028P2006B	1.87	0.12	76,867	1.00
PTTG16C2006A	-	-	-	-	S5006P2006C	0.89	0.05	164,311	-	S5028P2006C	0.94	0.05	314,084	-
PTTG19C2006A	-	-	-	-	S5006P2006D	0.84	0.05	184,005	-	S5028P2009A	2.06	0.07	116,406	2.00
PTTG19C2006B	-	-	-	-	S5008C2003A	-	-	-	-	S5041C2003A	-	-	-	-
PTTG19C2008A	0.04	-	39,789	-	S5008C2003B	-	-	-	-	S5041C2003B	-	-	-	-
PTTG19C2008B	0.39	0.03	360,328	-	S5008C2006A	0.02	-	47,183	-	S5041C2003C	-	-	-	-
PTTG19P2003A	-	-	-	-	S5008C2006B	1.28	(0.18)	702,427	1.00	S5041C2003D	-	-	-	-
PTTG19P2006A	-	-	-	-	S5008P2003A	-	-	-	-	S5041C2003E	-	-	-	-
PTTG24C2003A	-	-	-	-	S5008P2003B	-	-	-	-	S5041C2006A	0.32	(0.05)	40,149	-
PTTG24C2008A	-	-	-	-	S5008P2003C	-	-	-	-	S5041C2006B	0.57	(0.05)	1,150	-
PTTG27P2006A	2.20	(0.62)	1	2.00	S5008P2006A	0.61	(0.13)	145,555	-	S5041C2006C	1.63	(0.20)	1,371,351	1.00
PTTG28C2006A	-	-	-	-	S5011C2003A	-	-	-	-	S5041C2006D	2.82	(0.30)	72,914	2.00
PTTG28C2008A	0.16	0.02	46,318	-	S5011P2003A	-	-	-	-	S5041C2006E	1.02	(0.10)	2,089,432	1.00
PTTG41C2004A	-	-	-	-	S5013C2003A	-	-	-	-	S5041P2003A	-	-	-	-
PTTG41C2005A	-	-	-	-	S5013C2003B	-	-	-	-	S5041P2003B	-	-	-	-
PTTG41C2006A	-	-	-	-	S5013C2003C	-	-	-	-	S5041P2003C	-	-	-	-
PTTG41C2007A	-	-	-	-	S5013C2003D	-	-	-	-	S5041P2003D	-	-	-	-
PTTG41C2008A	0.66	0.10	35,714	-	S5013C2003E	-	-	-	-	S5041P2003E	-	-	-	-
PTTG41P2006A	-	-	-	-	S5013C2006A	0.02	0.01	26,821	-	S5041P2006A	8.30	0.30	2,178	8.00
PTTG42C2007A	0.01	-	2,930	-	S5013C2006B	0.01	-	45,799	-	S5041P2006B	7.05	(0.45)	2,026	6.00
QH01C2006A	-	-	-	-	S5013C2006C	0.02	-	3,631	-	S5041P2006C	3.88	0.18	105,375	3.00
QH01C2006B	-	-	-	-	S5013C2006D	0.04	-	357,378	-	S5041P2006D	3.02	0.12	66,013	2.00
QH01P2006A	0.99	0.01	400	-	S5013C2006E	0.09	-	184,867	-	S5041P2006E	1.28	0.03	1,088,944	1.00
QH11C2006A	-	-	-	-	S5013C2006F	0.97	(0.12)	3,544,388	1.00	SAWA01C2003A	-	-	-	-
QH19C2006A	-	-	-	-	S5013P2003A	-	-	-	-	SAWA01C2003B	-	-	-	-
QH27C2007A	-	-	-	-	S5013P2003B	-	-	-	-	SAWA01C2006A	0.04	(0.01)	3,766	-
RATC01C2003A	-	-	-	-	S5013P2003C	-	-	-	-	SAWA01C2006B	0.03	0.01	2,000	-
RATC01C2003B	-	-	-	-	S5013P2003D	-	-	-	-	SAWA01P2003A	-	-	-	-
RATC01C2006A	0.22	(0.01)	121	-	S5013P2003E	-	-	-	-	SAWA01P2006A	3.76	0.82	1,303	3.00
RATC01C2006B	-	-	-	-	S5013P2006A	7.55	0.85	76	7.00	SAWA06C2007A	0.02	-	100	-
RATC01P2006A	1.23	0.06	475	1.00	S5013P2006B	5.30	0.30	213	5.00	SAWA08C2006A	-	-	-	-
RATC06C2006A	0.02	-	18	-	S5013P2006C	5.00	0.40	1,299	4.00	SAWA11C2003A	-	-	-	-
RATC06P2006A	-	-	-	-	S5013P2006D	4.14	0.98	229,925	3.00	SAWA13C2005A	0.01	(0.02)	360	-
RATC13C2004A	-	-	-	-	S5013P2006E	2.52	0.42	215,253	2.00	SAWA13C2007A	0.02	(0.03)	143	-
RATC13C2007A	0.10	(0.01)	1,440	-	S5013P2006F	0.84	0.04	7,522,004	-	SAWA16C2008A	0.04	(0.01)	4	-
RATC16C2008A	-	-	-	-	S5016C2003A	-	-	-	-	SAWA19C2005A	-	-	-	-
RATC19C2005A	0.04	-	2	-	S5016C2003B	-	-	-	-	SAWA19C2009A	0.24	(0.14)	742,830	-
RATC19C2007A	0.15	(0.03)	1,005	-	S5016C2003C	-	-	-	-	SAWA24C2004A	-	-	-	-
RATC24C2006A	-	-	-	-	S5016C2003D	-	-	-	-	SAWA27C2007A	-	-	-	-
RATC27C2004A	-	-	-	-	S5016C2003E	-	-	-	-	SAWA28C2004A	-	-	-	-
RATC27C2007A	-	-	-	-	S5016C2006A	0.01	-	500	-	SAWA28C2007A	-	-	-	-
RATC41C2004A	-	-	-	-	S5016C2006B	0.05	-	1	-	SAWA28C2008A	0.03	(0.03)	61	-
RATC41C2005A	-	-	-	-	S5016C2006C	0.97	(0.11)	98,429	1.00	SAWA41C2004A	-	-	-	-
RATC41C2006A	0.50	0.01	25,159	-	S5016P2003A	-	-	-	-	SAWA41C2005A	-	-	-	-
RATC41P2004A	-	-	-	-	S5016P2003C	-	-	-	-	SAWA41P2004A	2.04	(0.02)	1	2.00
RATC41P2006A	-	-	-	-	S5016P2003D	-	-	-	-	SAWA41P2005A	2.80	0.04	2	2.00
RATC42C2006A	0.04	0.01	1,100	-	S5016P2006A	-	-	-	-	SCB01C2004A	0.01	(0.01)	21,781	-
RS06C2004A	-	-	-	-	S5016P2006B	4.34	(0.50)	2	4.00	SCB01C2004B	0.01	(0.01)	30	-
RS08P2003A	-	-	-	-	S5016P2006C	1.05	0.04	224,640	1.00	SCB01C2007A	0.04	-	2,538	-
RS08P2006A	1.08	0.10	340	1.00	S5019C2003A	-	-	-	-	SCB01C2007B	0.03	-	500	-
RS13C2004A	-	-	-	-	S5019C2003B	-	-	-	-	SCB01C2008B	0.14	0.02	2,773	-
RS13C2006A	-	-	-	-	S5019C2003C	-	-	-	-	SCB01C2009A	0.37	(0.01)	1,392	-
RS16C2005A	-	-	-	-	S5019C2003D	-	-	-	-	SCB01P2004A	2.10	(0.22)	118	2.00
RS19C2004A	-	-	-	-	S5019C2006A	0.01	-	23,061	-	SCB01P2004B	1.93	0.03	40	1.00
RS19C2005A	-	-	-	-	S5019C2006B	0.04	(0.02)	13,442	-	SCB01P2007A	1.66	(0.04)	1,124	1.00
RS19C2007A	0.06	(0.02)	70,444	-	S5019C2006C	0.12	(0.04)	3,131	-	SCB01P2007B	-	-	-	-
RS24C2004A	-	-	-	-	S5019C2006D	0.77	(0.11)	447,334	-	SCB06C2007A	-	-	-	-
RS24C2008A	0.23	(0.03)	1	-	S5019C2009A	2.38	(0.20)	19,954	2.00	SCB08C2005A	0.02	-	13	-
RS41C2004A	-	-	-	-	S5019P2003A	-	-	-	-	SCB08C2007A	0.06	-	23	-
RS42C2004A	-	-	-	-	S5019P2003B	-	-	-	-	SCB08P2004A	2.10	(0.02)	200	2.00
RS42C2008A	0.23	(0.05)	1,952	-	S5019P2003C	-	-	-	-	SCB11C2005A	-	-	-	-
S10001C2011A	0.02	(0.01)	112	-	S5019P2003D	-	-	-	-	SCB11C2006A	0.01	-	5,000	-
S5001C2003F	-	-	-	-	S5019P2006A	5.75	0.25	17	5.00	SCB11C2008A	0.04	-	270	-
S5001C2003G	-	-	-	-	S5019P2006B	4.30	0.10	2	4.00	SCB11P2005A	-	-	-	-

## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001C2003H	-	-	-	-	S5019P2006C	4.24	0.34	204	4.00	SCB13C2006A	0.01	(0.01)	501	-
S5001C2003I	-	-	-	-	S5019P2006D	1.09	0.06	956,791	1.00	SCB13C2006B	0.05	0.04	1	-
S5001C2003J	-	-	-	-	S5019P2006E	0.71	0.03	91,600	-	SCB13C2007A	0.03	(0.01)	2,684	-
S5001C2004A	0.02	0.01	3,212	-	S5019P2006F	0.62	0.03	926,719	-	SCB13C2008A	0.36	(0.01)	630	-
S5001C2005A	0.02	-	23,685	-	S5024C2003A	-	-	-	-	SCB13P2006A	-	-	-	-

## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB13P2008A	0.89	0.02	25,194	-	SPRC41C2005A	-	-	-	-	TISC13C2006A	0.02	-	40	-
SCB16C2003A	-	-	-	-	SPRC41C2006A	-	-	-	-	TISC19C2004A	-	-	-	-
SCB16C2008A	-	-	-	-	SPRC42C2006A	-	-	-	-	TISC19C2006A	-	-	-	-
SCB19C2003A	-	-	-	-	STA01C2003A	-	-	-	-	TISC41C2005A	-	-	-	-
SCB19C2006A	-	-	-	-	STA01C2003B	-	-	-	-	TISC41C2006A	0.06	(0.01)	50	-
SCB19C2007A	0.06	-	9,501	-	STA01C2008B	0.12	(0.02)	10	-	TISC41P2006A	1.58	0.03	400	1.00
SCB19C2008A	0.70	(0.05)	286,184	-	STA01C2009A	0.21	(0.04)	4,351	-	TKN01C2003A	-	-	-	-
SCB19P2005A	-	-	-	-	STA01P2003A	-	-	-	-	TKN01C2003B	-	-	-	-
SCB24C2004A	-	-	-	-	STA01P2009A	0.63	0.09	210	-	TKN01C2007B	-	-	-	-
SCB24C2008A	0.40	(0.02)	21,516	-	STA11C2005A	0.07	-	100	-	TKN01C2008A	-	-	-	-
SCB27C2007A	-	-	-	-	STA13C2006A	0.08	(0.01)	6,816	-	TKN08C2003A	-	-	-	-
SCB27P2006A	-	-	-	-	STA19C2004A	0.08	0.01	360	-	TKN08C2007A	-	-	-	-
SCB28C2004A	-	-	-	-	STA19C2005A	0.39	(0.07)	6,438	-	TKN13C2004A	-	-	-	-
SCB28C2006A	-	-	-	-	STA19C2007A	0.10	(0.02)	17,944	-	TKN13C2006A	0.03	-	3	-
SCB28C2006B	-	-	-	-	STA19C2009A	0.26	(0.74)	55,966	-	TKN16C2008A	-	-	-	-
SCB28C2008A	0.12	0.02	500	-	STA42C2007A	0.09	(0.01)	1	-	TKN19C2004A	-	-	-	-
SCB28C2010A	0.47	(0.01)	55,093	-	STEC01C2003A	-	-	-	-	TKN19C2004B	-	-	-	-
SCB41C2004A	-	-	-	-	STEC01C2003B	-	-	-	-	TKN19C2007A	-	-	-	-
SCB41C2005A	-	-	-	-	STEC01C2004A	-	-	-	-	TKN28C2007A	-	-	-	-
SCB41C2006A	-	-	-	-	STEC01C2006A	0.11	-	378	-	TKN41C2005A	-	-	-	-
SCB41C2006B	-	-	-	-	STEC01C2006B	-	-	-	-	TKN41C2006A	-	-	-	-
SCB41C2008A	0.59	(0.04)	32,127	-	STEC01P2003A	-	-	-	-	TKN42C2006A	0.20	(0.04)	4,202	-
SCB41P2004A	-	-	-	-	STEC01P2006A	-	-	-	-	TMB01C2004A	0.02	0.01	1	-
SCB41P2005A	-	-	-	-	STEC06C2004A	-	-	-	-	TMB01C2004B	-	-	-	-
SCB42C2006A	-	-	-	-	STEC08C2004A	-	-	-	-	TMB01P2004A	1.78	0.10	53	1.00
SCB42C2007A	-	-	-	-	STEC08C2005A	-	-	-	-	TMB19C2004A	-	-	-	-
SCC01C2004A	0.09	(0.01)	1,010	-	STEC11C2007A	-	-	-	-	TMB19C2007A	0.02	-	1	-
SCC01C2004B	-	-	-	-	STEC13C2003A	-	-	-	-	TMB19P2004A	-	-	-	-
SCC01P2004A	1.34	0.01	1,446	1.00	STEC13C2004A	-	-	-	-	TMB41C2004A	-	-	-	-
SCC06C2007A	-	-	-	-	STEC16C2003A	-	-	-	-	TMB41C2005A	-	-	-	-
SCC08C2004A	-	-	-	-	STEC16C2006A	-	-	-	-	TMB41P2006A	1.55	0.10	1	1.00
SCC08P2006A	0.86	0.05	5,287	-	STEC16C2009A	-	-	-	-	TOA01C2006A	-	-	-	-
SCC11C2003A	-	-	-	-	STEC19C2004A	-	-	-	-	TOA01C2006B	0.05	(0.06)	600	-
SCC11C2006A	-	-	-	-	STEC19C2005A	-	-	-	-	TOA08C2003A	-	-	-	-
SCC11C2007A	-	-	-	-	STEC24C2003A	-	-	-	-	TOA13C2007A	0.11	-	158	-
SCC13C2004A	-	-	-	-	STEC24C2006A	-	-	-	-	TOA19C2004A	-	-	-	-
SCC13C2008A	0.46	(0.05)	145	-	STEC28C2004A	-	-	-	-	TOA19C2007A	-	-	-	-
SCC13P2006A	0.80	(0.01)	1,085	-	STEC28C2004B	-	-	-	-	TOA24C2005A	-	-	-	-
SCC16C2005A	-	-	-	-	STEC28C2005A	-	-	-	-	TOA41C2004A	-	-	-	-
SCC19C2003A	-	-	-	-	STEC41C2004A	-	-	-	-	TOP01C2003A	-	-	-	-
SCC19C2003B	-	-	-	-	STEC41C2005A	-	-	-	-	TOP01C2003B	-	-	-	-
SCC19C2006A	-	-	-	-	STEC41C2006A	-	-	-	-	TOP01C2006A	0.01	-	2,908	-
SCC19C2008A	0.69	(0.07)	70,483	-	STEC41P2004A	-	-	-	-	TOP01C2006B	0.02	-	8,709	-
SCC19P2004A	0.53	(0.02)	771	-	STEC41P2005A	0.73	(0.09)	4,780	-	TOP01C2008B	0.07	0.02	650	-
SCC24C2003A	-	-	-	-	STEC42C2004A	-	-	-	-	TOP01C2009A	0.18	0.02	27,733	-
SCC24C2006A	-	-	-	-	SUPE19C2004A	-	-	-	-	TOP01P2003A	-	-	-	-
SCC27P2008A	0.32	0.02	4,978	-	SUPE19C2007A	-	-	-	-	TOP01P2006A	-	-	-	-
SCC28C2004A	-	-	-	-	SUPE42C2004A	-	-	-	-	TOP01P2009A	1.29	(0.16)	2,384	1.00
SCC28C2008A	0.60	(0.04)	24,753	-	TASC01C2003A	-	-	-	-	TOP06C2004A	-	-	-	-
SCC28C2010A	0.53	(0.03)	43,922	-	TASC01C2003B	-	-	-	-	TOP06C2007A	0.01	-	50	-
SCC41C2004A	-	-	-	-	TASC01C2007B	-	-	-	-	TOP06C2008A	0.38	0.02	427,904	-
SCC41C2005A	-	-	-	-	TASC01C2008A	0.34	-	1,490	-	TOP06P2005A	-	-	-	-
SCC41C2006A	-	-	-	-	TASC01P2003A	-	-	-	-	TOP08C2003A	-	-	-	-
SCC41C2006B	0.85	(0.05)	85,290	-	TASC01P2008A	0.99	(0.16)	31	-	TOP08C2007A	0.03	0.01	1,520	-
SCC41P2004A	-	-	-	-	TASC08C2005A	-	-	-	-	TOP08P2003A	-	-	-	-
SCC41P2005A	1.30	(0.20)	30	1.00	TASC08C2006A	0.09	(0.02)	18,636	-	TOP08P2007A	-	-	-	-
SCC41P2006A	1.67	(0.06)	598	1.00	TASC13C2006A	0.16	(0.01)	20	-	TOP11C2007A	0.02	-	141	-
SCC42C2008A	-	-	-	-	TASC16C2008A	-	-	-	-	TOP13C2004A	0.01	-	1	-
SGP13C2004A	-	-	-	-	TASC19C2003A	-	-	-	-	TOP13C2006A	0.02	-	22	-
SGP13C2006A	0.01	-	19,600	-	TASC19C2006A	0.23	(0.01)	600	-	TOP13C2008A	0.04	0.01	987	-
SGP13C2007A	-	-	-	-	TASC19C2007A	-	-	-	-	TOP13C2008B	0.16	0.03	10,436	-
SGP19C2006A	-	-	-	-	TASC19C2009A	0.40	(0.60)	20,162	-	TOP13P2005A	-	-	-	-
SGP19C2006B	-	-	-	-	TASC19P2004A	0.32	(0.02)	331	-	TOP13P2006A	3.04	(0.24)	10	3.00
SGP42C2007A	0.10	(0.04)	500	-	TASC24C2006A	-	-	-	-	TOP16C2008A	-	-	-	-
SIRI13C2007A	-	-	-	-	TASC28C2004A	-	-	-	-	TOP19C2003A	-	-	-	-
SIRI19C2004A	-	-	-	-	TASC28C2006A	-	-	-	-	TOP19C2006A	-	-	-	-
SIRI19C2007A	-	-	-	-	TASC41C2004A	-	-	-	-	TOP19C2007A	0.04	0.02	451	-
SPAL01C2004A	0.04	0.01	101	-	TASC41C2005A	0.27	(0.04)	11,480	-	TOP19C2008A	0.16	-	311,229	-
SPAL01C2004B	-	-	-	-	TASC42C2005A	-	-	-	-	TOP19P2006A	3.30	0.10	10	3.00
SPAL06P2004A	-	-	-	-	TCAP01C2007B	0.05	0.01	1	-	TOP24C2007A	0.01	-	500	-
SPAL11C2006A	0.09	0.01	1	-	TCAP01C2008A	0.08	0.02	30	-	TOP24C2008A	0.37	0.03	77,192	-
SPAL13C2006A	-	-	-	-	TCAP01P2008A	-	-	-	-	TOP28C2004A	-	-	-	-
SPAL19C2004A	-	-	-	-	TCAP13C2007A	0.06	(0.01)	1	-	TOP41C2004A	-	-	-	-
SPAL24C2003A	-	-	-	-	TCAP19C2004A	-	-	-	-	TOP41C2005A	-	-	-	-
SPAL27C2008A	0.04	0.01	1	-	TCAP41C2004A	-	-	-	-	TOP41C2006A	0.04	0.01	30	-
SPAL41C2004A	-	-	-	-	THAI11C2003A	-	-	-	-	TOP41C2007A	-	-	-	-
SPRC01C2003A	-	-	-	-	THAI13C2004A	-	-	-	-	TOP41C2008A	-	-	-	-
SPRC01C2003B	-	-	-	-	THAI19C2004A	-	-	-	-	TOP41P2004A	-	-	-	-
SPRC01C2007A	-	-	-	-	THAI27C2008A	-	-	-	-	TOP41P2005A	1.88	0.37	644	1.00
SPRC06C2007A	-	-	-	-	THAI42C2005A	-	-	-	-	TOP41P2006A	-	-	-	-
SPRC06P2007A	-	-	-	-	THAN01C2006A	0.06	(0.03)	200	-	TOP42C2007A	-	-	-	-
SPRC08C2005A	0.02	-	10	-	THAN01C2006B	-	-	-	-	TPI19C2004A	0.04	0.01	100	-
SPRC08C2006A	-	-	-	-	THAN01P2006A	1.07	0.27	200	1.00	TRUE01C2004A	-	-	-	-
SPRC11C2005A	-	-	-	-	THAN06C2005A	0.01	-	1	-	TRUE01C2004B	0.01	(0.02)	1,400	-
SPRC11C2008A	-	-	-	-	THAN13C2007A	-	-	-	-	TRUE01C2007A	0.22	(0.02)	14,702	-
SPRC13C2004A	-	-	-	-	THAN19C2004A	-	-	-	-	TRUE01C2007B	0.08	-	416	-
SPRC13C2006A	-	-	-	-	THAN19C2007A	-	-	-	-	TRUE01P2004A	1.07	0.09	70	1.00
SPRC13C2008A	-	-	-	-	THAN27C2003A	-	-	-	-	TRUE01P2004B	0.56	0.10	131	-

## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC19C2005A	-	-	-	-	THAN41C2005A	-	-	-	-	TRUE01P2007B	0.76	0.03	4,921	-
SPRC19C2005B	-	-	-	-	TISC01C2006A	0.05	(0.01)	3,071	-	TRUE06C2004A	-	-	-	-
SPRC19C2007A	-	-	-	-	TISC01C2006B	-	-	-	-	TRUE06C2007A	-	-	-	-
SPRC19P2005A	-	-	-	-	TISC01P2006A	1.48	0.06	24	1.00	TRUE08C2004A	-	-	-	-
SPRC24C2003A	-	-	-	-	TISC11C2005A	0.01	(0.02)	1,000	-	TRUE08C2005A	-	-	-	-
SPRC28C2008A	-	-	-	-	TISC11C2007A	0.04	(0.01)	369	-	TRUE08C2007A	0.12	(0.02)	33,940	-
SPRC41C2004A	-	-	-	-	TISC13C2004A	-	-	-	-	TRUE08P2005A	1.24	0.12	1	1.00

## Main Board Quotation

Issue Date :

Wednesday April 01, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE11C2005A	-	-	-	-	Warrant	-	-	-	-	HPT-W1	0.14	0.01	1,729	-
TRUE11C2005B	-	-	-	-	7UP-W4	0.06	0.01	63,888	-	HYDRO-W1	-	-	-	-
TRUE13C2006A	0.08	-	1	-	AKR-W1	0.04	-	93,209	-	ITEL-W1	0.18	0.01	69,102	-
TRUE13C2007A	0.12	(0.02)	639	-	ALT-W1	0.13	0.05	216,085	-	JKN-W1	0.16	0.06	960,536	-
TRUE19C2003A	-	-	-	-	APEX-W1	-	-	-	-	LIT-W1	0.24	(0.02)	7,939	-
TRUE19C2004A	-	-	-	-	APURE-W2	0.06	0.01	6,017	-	META-W4	0.01	(0.01)	69,390	-
TRUE19C2006A	-	-	-	-	AS-W1	0.02	0.01	18,966	-	NEWS-W6	-	-	-	-
TRUE19C2007A	0.15	(0.04)	321	-	AYUD-W1	0.26	(0.04)	360,586	-	OCEAN-W3	0.21	-	1,436	-
TRUE19C2009A	0.34	(0.66)	36,714	-	B-W3	-	-	-	-	PROUD-W2	0.04	0.01	9,916	-
TRUE19P2003A	-	-	-	-	B-W4	0.02	-	574	-	RWI-W2	0.06	0.01	20,513	-
TRUE19P2005A	-	-	-	-	B-W5	0.03	-	100,195	-	SANKO-W1	0.05	0.01	1,801	-
TRUE28C2006A	0.03	-	212	-	B52-W2	-	-	-	-	SIMAT-W2	0.03	-	11,763	-
TRUE41C2004A	-	-	-	-	BKD-W2	0.05	(0.01)	40,521	-	SIMAT-W3	0.24	0.02	17,578	-
TRUE41C2005A	-	-	-	-	BTS-W5	0.56	(0.02)	189,426	-	SIMAT-W4	0.79	(0.01)	316	-
TRUE41C2006A	-	-	-	-	CGD-W4	0.04	-	28,449	-	SMART-W2	0.15	0.03	582	-
TRUE41C2007A	0.41	(0.05)	780	-	CGH-W3	0.01	-	5,838	-	SWC-W1	2.28	(0.08)	65	2.00
TRUE41P2004A	-	-	-	-	CI-W1	0.01	(0.01)	13,801	-	TAKUNI-W	0.03	0.02	27,474	-
TRUE41P2005A	-	-	-	-	CKP-W1	0.03	0.02	1,922,166	-	TVD-W2	0.09	0.02	89,671	-
TRUE42C2004A	-	-	-	-	CRANE-W1	1.07	(0.24)	4,265	1.00	Preferred Shares	-	-	-	-
TRUE42C2007A	0.07	(0.05)	10	-	DCC-W1	0.19	0.01	39,499	-	SGF-P1	-	-	-	-
TTW27C2009A	0.21	-	27,818	-	ECL-W3	0.08	0.01	178,819	-	-	-	-	-	-
TU01C2004A	0.15	0.01	61	-	EIC-W2	-	-	-	-	-	-	-	-	-
TU01C2004B	0.08	(0.01)	1,629	-	EIC-W3	-	-	-	-	-	-	-	-	-
TU01P2004A	0.11	(0.01)	10,244	-	EMC-W6	0.03	-	1,605	-	-	-	-	-	-
TU06C2004A	0.01	(0.01)	100	-	EPCO-W3	0.17	0.04	11,006	-	-	-	-	-	-
TU06P2007A	0.31	(0.03)	99	-	GLOCON-W4	0.11	-	23,895	-	-	-	-	-	-
TU08C2008A	0.30	-	67,026	-	J-W1	0.08	0.01	1,128	-	-	-	-	-	-
TU11C2003A	-	-	-	-	JAS-W3	1.22	0.06	1,420,389	1.00	-	-	-	-	-
TU11C2008A	0.30	-	5,000	-	JCK-W5	0.02	(0.01)	12,003	-	-	-	-	-	-
TU13C2004A	0.09	0.01	600	-	JMT-W2	2.48	0.12	5,358	2.00	-	-	-	-	-
TU19C2003A	-	-	-	-	MACO-W2	0.05	-	443,682	-	-	-	-	-	-
TU19C2005A	0.21	(0.03)	551	-	MILL-W4	0.02	0.01	211,611	-	-	-	-	-	-
TU19C2007A	0.19	0.01	2,444	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU19C2009A	0.24	-	98,547	-	MINT-W6	1.35	(0.06)	85,618	1.00	-	-	-	-	-
TU24C2003A	-	-	-	-	NFC-W1	0.45	0.05	347	-	-	-	-	-	-
TU24C2006A	-	-	-	-	NOK-W1	-	-	-	-	-	-	-	-	-
TU27C2004A	-	-	-	-	NVD-W1	0.08	0.01	6,744	-	-	-	-	-	-
TU27C2006A	0.13	-	7,711	-	ORI-W1	0.17	0.07	1,370,125	-	-	-	-	-	-
TU41C2004A	-	-	-	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU41C2005A	0.38	0.01	663	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU41P2004A	0.01	(0.05)	25	-	PDI-W1	0.21	0.05	57,395	-	-	-	-	-	-
TU42C2007A	-	-	-	-	PDJ-W4	0.13	-	1,017	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	PERM-W1	0.07	-	53,391	-	-	-	-	-	-
TVO19C2004A	-	-	-	-	PORT-W1	0.47	0.17	327,721	-	-	-	-	-	-
TVO19C2007A	0.03	0.01	100	-	PPPM-W4	0.08	(0.01)	20,992	-	-	-	-	-	-
VGI01C2005A	0.01	(0.01)	604	-	PRIME-W1	-	-	-	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	PRIME-W2	0.01	(0.01)	1,000	-	-	-	-	-	-
VGI08C2006A	-	-	-	-	RICHY-W2	0.02	0.01	53,805	-	-	-	-	-	-
VGI11C2008A	0.01	(0.05)	50	-	RS-W3	0.42	(0.08)	277,864	-	-	-	-	-	-
VGI13C2006A	-	-	-	-	SAMART-W2	0.32	(0.02)	14,843	-	-	-	-	-	-
VGI19C2006A	-	-	-	-	SAWAD-W1	3.16	(0.38)	8,497	3.00	-	-	-	-	-
VGI41C2006A	-	-	-	-	SDC-W1	-	-	-	-	-	-	-	-	-
VGI41C2007A	-	-	-	-	SINGER-W1	1.15	0.15	40	1.00	-	-	-	-	-
WHA01C2005A	0.02	0.01	10,023	-	SINGER-W2	1.02	0.02	331	1.00	-	-	-	-	-
WHA01C2005B	0.01	(0.01)	10,240	-	SMT-W2	0.02	0.01	396,366	-	-	-	-	-	-
WHA01C2008B	-	-	-	-	SST-W2	0.29	0.01	4,351	-	-	-	-	-	-
WHA01C2009A	0.20	(0.02)	498	-	SUPER-W4	0.01	-	42,354	-	-	-	-	-	-
WHA01P2005A	2.36	0.10	21	2.00	TCC-W3	0.03	-	18,280	-	-	-	-	-	-
WHA01P2009A	0.93	0.02	274	-	TCC-W4	0.03	-	2,295	-	-	-	-	-	-
WHA06C2007A	0.02	-	537	-	TCC-W5	0.08	-	79	-	-	-	-	-	-
WHA08C2003A	-	-	-	-	TCJ-W2	0.04	0.02	156,010	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	TFG-W2	0.01	-	566,466	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA08P2006A	-	-	-	-	TH-W2	0.01	-	1,205	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	THE-W2	-	-	-	-	-	-	-	-	-
WHA13C2005A	-	-	-	-	TNITY-W1	0.13	0.02	44,328	-	-	-	-	-	-
WHA13C2006A	0.04	0.02	800	-	TRITN-W3	0.04	-	31	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	TTCL-W1	0.19	0.01	73,316	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	U-W4	0.01	-	11,900	-	-	-	-	-	-
WHA19C2004A	-	-	-	-	UAC-W2	0.09	0.02	139,235	-	-	-	-	-	-
WHA19C2005A	-	-	-	-	VGI-W2	0.63	(0.05)	515,741	-	-	-	-	-	-
WHA19C2006A	-	-	-	-	VIBHA-W2	0.35	(0.01)	903	-	-	-	-	-	-
WHA24C2004A	-	-	-	-	VIBHA-W3	0.10	-	223,297	-	-	-	-	-	-
WHA24C2007A	0.16	(0.01)	2,002	-	WAVE-W1	0.03	0.01	114,467	-	-	-	-	-	-
WHA24P2003A	-	-	-	-	WIIK-W2	0.08	-	131,389	-	-	-	-	-	-
WHA27C2008A	-	-	-	-	ZMICO-W4	0.05	0.01	24,069	-	-	-	-	-	-
WHA28C2004A	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
WHA28C2005A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
WHA28C2006A	-	-	-	-	CSC-P	-	-	-	-	-	-	-	-	-
WHA41C2004A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
WHA41C2005A	-	-	-	-	KTB-P	-	-	-	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	SCB-P	-	-	-	-	-	-	-	-	-
WHA41C2007A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
WHA41P2005A	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA42C2005A	-	-	-	-	U-P	1.47	0.02	655	1.00	-	-	-	-	-
WHA42C2006A	-	-	-	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	BM-W1	0.03	0.01	9,333	-	-	-	-	-	-
BH-Q	-	-	-	-	BROOK-W5	0.10	0.01	138,917	-	-	-	-	-	-

**Main Board Quotation**

**Issue Date :**

*Wednesday April 01, 2020*

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CSC-Q	-	-	-	-	CHO-W2	0.04	-	360,656	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	D-W1	0.29	(0.02)	2,704	-	-	-	-	-	-
KTB-Q	-	-	-	-	DOD-W1	0.33	0.04	419,254	-	-	-	-	-	-
SCB-Q	-	-	-	-	ECF-W3	0.20	-	879	-	-	-	-	-	-
TCAP-Q	-	-	-	-	EFORL-W3	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	FVC-W2	0.01	-	34	-	-	-	-	-	-





**Main Board Quotation**

**Issue Date :**

*Wednesday April 01, 2020*

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-