

Main Board Quotation

Issue Date :

Thursday April 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.45	0.06	3,314	1.41	MCOT	6.20	(0.05)	6,579	6.27
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	1.85	0.11	400,475	1.86
SAFARI	-	-	-	-	DIF	14.80	-	172,160	14.89	MPIC	-	-	-	-
VI	-	-	-	-	DTAC	38.75	0.75	61,204	38.59	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.30	0.05	669	5.30	PLANB	3.78	0.04	663,848	3.93
WR	-	-	-	-	HUMAN	6.90	-	6,660	6.91	POST	1.62	(0.01)	1	1.62
Agribusiness					ILINK	2.42	(0.02)	11,456	2.48	PRAKIT	8.95	-	308	9.01
CHOTI	66.00	3.00	7	65.71	INET	1.84	0.01	13,296	1.85	SE-ED	1.58	0.10	17	1.57
EE	0.53	0.02	30,257	0.52	INTUCH	46.75	0.50	350,939	47.32	TBSP	12.30	(0.60)	6	12.32
GFPT	9.50	(0.05)	51,762	9.72	JAS	5.25	-	1,244,620	5.31	TH	0.49	-	2,510	0.48
LEE	1.91	-	791	1.93	JASIF	8.35	-	195,744	8.47	TKS	4.20	0.12	11,765	4.21
NER	2.06	(0.04)	354,063	2.10	JMART	6.60	0.20	51,204	6.72	VGI	6.35	0.15	400,579	6.67
PPPM	0.38	0.01	2,190	0.37	JTS	0.73	-	1,004	0.70	WAVE	0.98	0.03	1	0.98
STA	11.20	(0.10)	223,195	11.43	MFEC	4.34	0.04	4,858	4.33	WORK	8.00	(0.05)	109,928	8.31
TRUBB	0.56	-	5,673	0.56	MSC	4.38	0.06	365	4.39	Finance & Securities	-	-	-	-
TWPC	2.80	0.04	30,412	2.82	PT	3.98	-	4,353	4.00	AEC	0.18	0.01	7,197	0.17
UPOIC	2.52	0.02	159	2.51	SAMART	4.80	0.14	157,176	4.85	AEONTS	110.00	5.00	13,128	111.01
UVAN	3.76	0.06	1,648	3.78	SAMTEL	5.30	0.15	8,734	5.38	AMANAH	2.26	0.12	656,599	2.29
VPO	0.34	0.03	7,793	0.33	SDC	0.10	-	24,539	0.10	ASAP	1.01	0.01	7,171	1.02
Banking					SIS	5.75	0.10	18,891	5.86	ASK	15.50	-	18,955	15.97
BAY	19.80	(0.20)	21,528	20.08	SVOA	0.69	0.04	47,371	0.70	ASP	1.46	0.09	61,713	1.46
BBL	106.00	1.00	197,597	109.51	SYMC	2.10	0.08	2,735	2.09	BAM	21.20	(0.70)	2,867,173	21.96
CIMBT	0.43	0.01	32,617	0.43	SYNEX	4.42	-	43,396	4.58	BFIT	28.25	(0.50)	46,278	29.50
KBANK	97.50	(2.50)	227,776	98.66	THCOM	2.80	0.12	29,645	2.88	CGH	0.74	(0.01)	16,367	0.74
KKP	46.25	0.75	127,437	46.99	TRUE	3.22	0.08	2,241,537	3.21	ECL	0.70	0.05	73,340	0.70
KTB	11.10	(0.30)	539,251	11.37	TWZ	0.05	(0.01)	150,543	0.06	FNS	1.88	-	804	1.90
LHFG	0.98	0.06	44,631	0.96	Electronic Componer	-	-	-	-	FSS	1.02	0.04	150	0.96
SCB	73.50	(3.25)	303,017	74.29	CCET	1.38	0.03	36,333	1.36	GBX	0.40	0.03	6,200	0.40
TCAP	36.75	1.00	189,239	37.38	DELTA	37.50	1.00	12,305	38.34	GL	2.72	0.02	16,700	2.77
TISCO	77.25	1.50	187,859	78.31	EIC	0.03	(0.01)	77,525	0.03	IFS	2.16	0.02	5,310	2.21
TMB	0.88	0.01	4,836,983	0.90	HANA	25.00	0.20	30,571	26.12	JMT	15.50	(0.40)	110,300	15.92
Construction Materia					KCE	14.80	0.10	509,143	15.33	KCAR	8.00	0.05	987	7.99
CCP	0.20	0.01	63,096	0.21	METCO	125.50	1.50	12	125.88	KGI	3.96	-	57,137	3.97
COTTO	0.87	-	2,323	0.86	NEX	2.54	(0.02)	11,588	2.54	KTC	29.50	1.25	406,856	30.58
DCC	1.42	(0.02)	19,336	1.44	SMT	0.84	0.02	3,096	0.83	MBKET	4.50	0.08	1,844	4.53
DCON	0.24	-	39,529	0.24	SVI	2.08	0.15	40,509	2.07	MFC	13.10	0.10	869	12.99
DRT	5.15	0.05	2,832	5.09	TEAM	0.44	0.01	2,598	0.45	ML	0.52	0.03	4,843	0.54
EPG	4.00	-	74,815	4.13	Energy & Utilities	-	-	-	-	MTC	39.25	1.00	247,598	40.70
GEL	0.09	-	86,108	0.09	7UP	0.33	0.01	459,912	0.34	PE	0.04	0.01	901	0.03
PPP	1.50	0.02	4,097	1.53	ABPIF	3.58	0.04	1,058	3.58	PL	2.20	0.02	1,256	2.24
Q-CON	4.36	(0.42)	1,073	4.27	ACE	2.54	(0.06)	160,038	2.59	S11	4.98	0.10	8,712	5.01
RCI	2.92	(0.08)	221	2.78	AI	1.01	0.05	44,565	1.00	SAWAD	47.50	2.25	257,218	48.61
SCC	320.00	(9.00)	29,709	322.88	AKR	0.43	-	9,627	0.45	THANI	3.48	-	744,989	3.59
SCCC	130.50	5.00	1,579	130.58	BAFS	20.70	0.90	15,225	20.52	TK	7.00	0.10	3,203	7.05
SCP	5.10	0.26	6,186	5.08	BANPU	6.05	-	406,306	6.14	TNITY	3.20	0.06	333	3.22
SKN	1.54	0.01	632	1.53	BCP	18.60	0.20	29,062	18.91	UOBKH	2.48	-	21	2.37
TASCO	17.60	-	103,862	17.93	BCPG	14.00	0.30	69,528	14.03	ZMICO	0.49	0.01	17,279	0.49
TCMC	0.95	0.01	2,732	0.96	BGRIM	43.50	(0.25)	225,139	44.54	Food & Beverage	-	-	-	-
TOA	33.50	0.75	15,412	33.88	BPP	13.10	(0.30)	39,465	13.27	APURE	0.70	0.04	12,187	0.70
TPIPL	1.17	0.05	432,269	1.18	BRRGIF	6.30	-	254	6.31	ASIAN	3.40	0.14	5,959	3.36
UMI	0.37	-	11,403	0.38	CKP	3.32	(0.02)	265,976	3.40	BR	1.50	0.03	10,241	1.51
VNG	2.02	-	13,622	2.03	DEMCO	2.00	0.26	20,161	2.00	BRR	2.32	0.04	2,201	2.38
WIHK	1.08	0.03	7,027	1.07	EA	36.50	-	95,739	37.01	CBG	69.50	-	50,003	70.56
Petrochemicals & Ch					EASTW	9.95	(0.05)	16,102	10.12	CFRESH	1.02	0.05	852	1.01
BCT	39.25	1.75	4	38.00	EGATIF	11.80	-	13,911	11.74	CM	2.50	0.10	1,849	2.50
CMAN	1.00	-	5,892	1.00	EGCO	251.00	-	17,092	252.21	CPF	25.50	(0.25)	328,948	25.66
GC	5.15	0.10	525	5.13	ESSO	4.92	(0.04)	225,517	5.04	CPI	1.23	0.04	300	1.23
GGC	7.50	0.10	16,564	7.57	GPSC	66.00	1.25	265,521	66.98	F&D	-	-	-	-
GIFT	2.36	0.02	9,681	2.33	GULF	170.00	2.00	134,272	171.87	HTC	16.90	0.40	11,237	16.96
IVL	24.50	0.30	433,675	25.03	GUNKUL	2.42	(0.06)	221,885	2.49	ICHI	4.66	0.12	46,757	4.73
NFC	1.35	(0.07)	39	1.43	IFEC	-	-	-	-	KBS	2.88	0.30	946	2.84
PATO	9.25	1.20	1,475	8.16	IRPC	2.46	(0.04)	1,885,175	2.56	KSL	1.83	0.17	181,706	1.83
PMTA	6.10	-	126	6.14	LANNA	5.40	0.15	1,848	5.43	KTIS	3.12	0.12	2,257	3.10
PTTGC	34.75	(1.00)	360,311	36.00	MDX	1.60	0.16	26,838	1.55	LST	4.62	-	1,548	4.64
SUTHA	1.23	0.03	1,025	1.21	PRIME	0.24	-	48,371	0.23	M	54.50	(1.00)	7,006	55.63
TCCC	18.00	0.20	387	18.02	PTG	11.70	0.50	325,745	11.87	MALEE	5.25	0.47	6,959	5.26
TPA	5.50	(0.10)	159	5.51	PTT	35.75	(0.25)	1,559,378	36.40	MINT	18.60	(0.20)	847,848	18.90
UAC	2.54	0.14	9,924	2.52	PTTEP	79.75	(3.00)	327,369	82.57	OISHI	37.50	0.50	610	37.25
UP	-	-	-	-	RATCH	60.00	(0.25)	71,169	60.44	OSP	38.00	0.25	100,735	39.12
VNT	20.20	(0.10)	12,061	20.51	RPC	0.45	(0.01)	19,118	0.46	PB	69.75	0.50	138	69.68
WG	136.50	1.50	1	136.50	SCG	3.98	0.10	76	4.04	PM	5.30	0.10	10,637	5.39
YCI	-	-	-	-	SCI	0.90	0.02	26,637	0.93	PRG	12.10	0.30	21	12.25
Commerce					SCN	1.29	0.06	19,973	1.29	RBF	4.18	0.08	134,327	4.22
BEAUTY	1.49	0.04	1,458,325	1.50	SGP	7.80	(0.15)	7,862	7.90	SAPPE	15.70	(0.70)	6,267	15.91
BIG	0.36	-	178,814	0.37	SKE	0.58	0.03	10,014	0.56	SAUCE	23.30	0.40	92	23.22
BJC	41.50	1.00	100,544	42.15	SOLAR	0.71	0.01	13,004	0.72	SFP	-	-	-	-
COL	13.70	-	916	13.88	SPCG	16.10	0.50	10,856	16.07	SNP	11.30	0.40	1	11.30
COM7	18.00	0.80	374,876	18.08	SPRC	4.90	-	260,097	5.03	SORKON	46.75	1.75	19	46.66
CPALL	63.25	1.00	513,356	63.48	SSP	6.25	0.05	5,460	6.31	SSC	29.00	1.00	62	28.96
CPW	1.05	0.05	15,941	1.04	SUPER	0.45	0.01	2,829,897	0.47	SSF	7.75	1.00	19	7.37
CRC	31.75	-	399,198	31.97	SUPEREIF	9.45	(0.10)	6,867	9.56	SST	2.92	0.04	190	2.90
CSS	0.73	0.03	98,386	0.74	SUSCO	1.82	0.03	34,788	1.84	TC	2.64	0.04	422	2.61
DOHOME	5.90	(0.25)	252,412	6.12	TAE	2.40	0.04	21,769	2.42	TFG	3.32	0.06	84,394	3.35
FN	0.69	0.05	57,771	0.68	TCC	0.19	0.02	10,113	0.18	TFMAMA	188.50	2.00	147	187.29
FTE	1.64	0.04	8,387	1.64	TOP	35.50	(1.00)	333,488	36.53	TIPCO	5.20	0.38	13,099	5.29
GLOBAL	11.40	0.30	113,606	11.71	TRIIP	3.40	0.04	217,579	3.42	TKN	6.35	0.15	148,932	6.53
HMPRO	12.30	(0.10)	354,717	12.69	TSE	2.24	0.12	175,081	2.22	TU	12.90	(0.10)	310,050	13.16
ILM	9.45	(0.40)	7,955	9.80	TTW	13.30	0.30	71,875	13.27	TVO	23.90	0.40	9,509	23.95
IT	1.45	0.06	3,849	1.42	WHAUP	4.20	-	108,638	4.26	ZEN	7.40	0.05	11,524	7.40
KAMART	2.64	0.12	49,596	2.67	WP	3.30	0.10	7,328	3.33	Health Care Services	-	-	-	-
LOXLEY	0.99	(0.01)	37,265	1.00	Media & Publishing	-	-	-	-	AHC	14.3			

Main Board Quotation

Issue Date :

Thursday April 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.62	0.10	16,560	2.65	CGD	0.60	-	4,521	0.60	IHL	2.44	0.12	21,592	2.44
RAM	140.00	-	9	139.72	CI	0.57	0.01	4,400	0.59	INGRS	0.37	0.03	8,298	0.37
RJH	20.10	-	4,857	20.36	CPN	44.00	0.25	134,488	44.10	IRC	10.00	(0.10)	181	10.01
RPH	5.30	0.05	33,449	5.29	ESTAR	0.25	0.01	261,352	0.25	PCSGH	4.64	0.16	1,732	4.60
SKR	4.66	0.06	1,126	4.67	EVER	0.15	0.01	69,813	0.15	SAT	9.70	0.30	15,970	9.90
SVH	410.00	2.00	36	408.94	FPT	10.10	0.10	1,046	10.31	SPG	14.00	-	10	15.42
THG	19.30	0.30	6,383	19.48	GLAND	2.14	0.02	869	2.14	STANLY	124.50	1.50	550	124.72
VIBHA	1.48	0.02	25,358	1.47	GOLD	7.55	(0.10)	3,333	7.75	TKT	0.60	0.01	1,351	0.59
VIH	5.50	0.05	9,496	5.48	GREEN	0.73	0.09	3,207	0.72	TNPC	0.60	0.04	6	0.58
WPH	1.49	0.01	1,835	1.49	J	0.37	-	19,537	0.36	TRU	3.64	(0.02)	266	3.64
Tourism & Leisure					JCK	0.63	(0.01)	19,384	0.62	TSC	10.20	0.90	10	10.20
ASIA	3.52	0.28	82	3.48	KC	-	-	-	-	Industrial Materials				
CENTEL	17.40	(0.50)	58,216	17.98	KWG	0.83	0.03	691	0.82	ALLA	1.10	-	11,111	1.09
CSR	-	-	-	-	LALIN	3.90	0.04	9,422	3.92	ASEFA	2.72	-	2,605	2.70
DTC	6.75	(0.10)	997	6.82	LH	7.25	0.25	783,214	7.37	CPT	0.65	-	2,540	0.66
ERW	2.96	(0.14)	464,296	3.00	LPN	3.96	0.28	61,655	3.96	CRANE	1.76	-	3,027	1.80
GRAND	0.57	0.07	100,659	0.56	MBK	15.00	0.40	28,447	15.55	CTW	4.40	(0.10)	2,060	4.40
LRH	31.00	-	22	30.95	MJD	1.90	-	2,503	1.91	FMT	-	-	-	-
MANRIN	23.30	(0.10)	8	23.23	MK	2.66	0.04	5,785	2.66	HTECH	1.62	0.08	6,974	1.62
OHTL	380.00	12.00	9	375.89	NCH	0.53	0.02	423	0.52	KKC	0.35	-	535	0.35
ROH	34.25	1.25	8	33.94	NNCL	1.55	0.02	4,585	1.55	PK	0.75	0.04	1,655	0.75
SHANG	64.00	0.50	10	63.50	NOBLE	14.00	(0.80)	14,086	14.71	SNC	7.30	0.20	4,258	7.31
SHR	1.84	0.09	515,878	1.82	NUSA	0.30	0.01	219,122	0.31	STARK	1.87	(0.02)	9,517	1.89
VRANDA	4.52	(0.08)	4,328	4.57	NVD	1.12	0.02	1,519	1.10	TCJ	1.80	(0.30)	1,746	1.86
Home & Office Prod.					ORI	4.70	-	91,315	4.83	VARO	6.00	-	6	6.00
ACC	0.65	0.02	1,158	0.64	PACE	-	-	-	-	Property Fund & REI				
AJA	0.16	(0.02)	261,327	0.17	PF	0.38	0.01	1,103,098	0.39	AIMCG	5.20	0.05	6,476	5.30
DTCI	22.40	2.40	1	22.40	PLAT	3.04	0.38	14,546	3.02	AIMIRT	11.20	-	15,371	11.17
FANCY	0.32	0.04	18,192	0.31	POLAR	-	-	-	-	AMATAR	10.00	0.15	104	10.00
KYE	238.00	4.00	2	238.00	PRECHA	0.58	0.04	2,382	0.56	B-WORK	10.90	0.10	1,465	10.80
L&E	1.68	0.05	1,156	1.66	PRIN	1.30	(0.02)	1,604	1.30	BKER	6.05	-	4,788	6.01
MODERN	2.16	0.06	11,249	2.15	PSH	10.40	0.30	41,646	10.73	BKKCP	11.40	0.30	509	11.35
OGC	-	-	-	-	QH	2.12	0.08	430,691	2.13	BOFFICE	13.80	(0.10)	2,521	13.79
ROCK	-	-	-	-	RICHY	0.62	0.01	13,660	0.62	CPNCG	10.40	0.10	2,148	10.38
SIAM	1.23	(0.01)	409	1.23	RML	0.47	0.01	73,766	0.48	CPNREIT	23.80	0.10	19,731	23.88
TSR	1.58	0.04	3,571	1.57	ROJNA	4.18	0.10	28,511	4.21	CPTGF	10.10	-	2,107	10.08
Insurance					S	1.54	0.01	51,128	1.57	CTARAF	4.74	0.02	2,679	4.65
AYUD	31.75	0.25	43	32.06	SAMCO	1.34	0.03	519	1.35	DREIT	3.52	(0.02)	2,218	3.51
BKI	228.00	4.00	234	227.52	SC	2.12	0.04	59,923	2.12	ERWPF	4.14	-	181	4.13
BLA	13.30	0.30	13,909	13.52	SENA	2.06	0.07	73,614	2.06	FTREIT	14.30	0.10	8,917	14.31
BUI	6.90	-	48	6.94	SF	3.98	(0.04)	103,161	4.06	FUTUREPF	17.10	(0.40)	2,797	17.03
CHARAN	-	-	-	-	SIRI	0.69	0.03	771,060	0.69	GAHREIT	7.20	-	106	7.34
INSURE	-	-	-	-	SPALI	16.20	0.20	72,768	16.22	GOLDFP	6.00	-	49	6.00
MTI	76.50	(1.50)	69	76.40	U	0.96	0.08	208,670	0.97	GVREIT	13.90	-	4,435	13.90
NKI	-	-	-	-	UV	2.96	0.20	39,541	2.98	HPF	3.96	-	64	3.96
NSI	47.50	-	7	47.93	WHA	2.44	(0.06)	1,814,261	2.54	HREIT	7.00	0.15	39,157	7.00
SEG	-	-	-	-	WIN	0.28	(0.02)	13,498	0.29	IMPACT	15.40	0.10	15,059	15.58
SMK	28.50	0.50	96	28.13	Paper & Printing Mat					KPNPF	-	-	-	-
THRE	0.49	-	34,666	0.49	UTP	8.20	0.30	11,295	8.25	LHHOTEL	11.90	(0.10)	6,965	11.86
THREL	2.36	0.08	17,672	2.37	Fashion					LHPP	6.30	0.20	2	6.28
TIP	20.10	0.30	3,182	20.15	AFC	5.75	(0.25)	7	5.49	LHSC	12.80	0.10	291	12.83
TQM	68.25	(0.25)	25,394	68.83	B52	0.17	-	1,507	0.18	LUXF	6.55	0.05	75	6.60
TSI	0.36	-	2,640	0.34	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.28	-	1,384	3.26	CPH	2.56	0.24	96	2.49	M-PAT	3.90	(0.10)	13	3.90
Mining					CPL	0.90	0.07	90	0.86	M-STOR	6.35	(0.10)	12	6.17
PDI	4.12	0.10	5,054	4.09	ICC	34.25	0.75	1	34.25	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.20	(0.04)	101	2.22
Packaging					PAF	0.42	0.04	8,671	0.42	MJLF	7.20	0.20	1,240	7.17
AJ	7.80	(0.05)	1,802	7.89	PDJ	1.01	0.01	7,821	1.00	MNIT	0.94	0.01	102	0.94
ALUCON	128.00	2.50	11	127.64	PG	-	-	-	-	MNIT2	3.00	0.26	1	3.00
BGC	9.25	0.25	9,740	9.35	SABINA	17.40	(0.10)	9,038	17.66	MNRF	2.70	0.04	1,106	2.68
CSC	45.25	1.00	276	44.84	SAWANG	6.00	(0.40)	108	5.87	POPF	10.90	(0.20)	1,569	11.03
GLOCON	0.42	-	9,512	0.42	SUC	34.25	0.25	33	34.52	PPF	11.20	-	501	11.20
NEP	0.12	(0.01)	3	0.12	TNL	-	-	-	-	QHHR	6.45	0.05	1,162	6.44
PTL	11.20	0.10	6,454	11.41	TPCORP	10.20	(0.20)	23	10.42	OHOP	2.76	(0.02)	18	2.76
SFLEX	5.40	-	16,358	5.44	TR	22.70	(0.10)	60	22.83	QHPF	10.20	(0.10)	2,550	10.33
SITHAI	0.54	0.01	5,968	0.53	TTI	-	-	-	-	SBPF	2.28	0.08	1	2.28
SLP	0.38	0.01	1,619	0.38	TTT	40.00	-	15	39.33	SHREIT	3.08	(0.02)	1,704	3.08
SMPC	5.30	0.10	2,111	5.29	UPF	29.00	1.00	8	28.56	SIRIP	-	-	-	-
SPACK	1.02	0.03	391	1.01	UT	-	-	-	-	SPF	12.70	0.20	7,441	12.75
TCOAT	-	-	-	-	WACOAL	46.25	(0.75)	4	46.06	SPRIME	11.50	0.40	3,850	11.22
TFI	0.03	-	4,702	0.03	Transportation & Log					SRIPANWA	8.00	0.40	524	7.72
THIP	20.20	0.40	180	20.25	AAV	1.46	0.10	1,319,058	1.48	SSPF	8.45	-	25	8.45
TMD	22.00	(0.50)	5	22.00	AOT	56.75	-	574,932	57.78	SSTRT	4.94	0.02	223	4.94
TOPP	160.00	-	2	160.00	ASIMAR	0.91	0.02	1,340	0.91	TIF1	7.90	(0.05)	70	7.90
TPBI	2.38	0.08	2,465	2.33	B	0.16	0.01	68,949	0.16	TLGF	14.60	0.10	23,022	14.71
TPP	14.90	(0.10)	9	15.90	BA	4.68	0.06	103,991	4.88	TLHPF	9.85	-	5	9.85
Personal Products &					BEM	8.20	0.10	1,545,088	8.37	TNPF	2.08	(0.12)	98	2.00
APCO	3.40	0.08	12,892	3.41	BTS	10.10	0.25	795,605	10.21	TPRIME	14.50	0.50	1,334	14.14
DDD	12.80	(0.20)	1,623	13.12	BTSGIF	7.00	0.05	56,773	7.00	TTLPF	21.20	(0.70)	15	21.07
JCT	74.00	(5.00)	4	75.50	III	4.22	0.10	24,135	4.18	TU-PF	1.00	(0.06)	943	0.96
OCC	10.80	1.30	2	10.75	JUTHA	-	-	-	-	URBNPF	-	-	-	-
S & J	23.10	0.10	1	23.10	JWD	5.85	0.15	11,756	5.87	WHABT	8.45	0.30	29	8.40
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	14.10	0.10	3,815	14.04
TNR	6.80	(0.05)	979	6.90	NOK	0.89	0.04	9,913	0.87	Steel	-	-	-	-
TOG	3.30	0.02	581	3.23	NYT	2.98	0.10	71,498	3.00	AMC	1.18	0.06	2,352	1.18
Professional Service					PORT	1.57	0.05	55,865	1.60	BSBM	0.75	(0.01)	491	0.76
BWG	0.24	0.03	488,391	0.24	PRM	4.96	0.06	167,916	5.08	CEN	0.36	0.02	2,444	0.35
GENCO	0.42	0.05	26,015	0.41	PSL	3.84	0.24	144,841	3.87	CITY	1.38	-	87	1.28
PRO	-	-	-	-	RCL	2.10	0.08	13,661	2.14	CSP	0.50	(0.02)	320	0.50
SISB	7.10	(0.25)	173,224	7.35	TFIF	10.10	-	39,871	10.11	GJS	0.07	0.01	288,114	0.06
TEAMG	2.00	0.15	34,695	1.97	THAI	5.55	0.71	32,564	5.55	GSTEEL	-	-	-	-
Property Developmei					TSTE	7.00	-	10	7.00	INOX	0.43	(0.04)	4,148	0.43
A	4.70	-	58	4.73	TTA	2.98	(0.02)	129,301	3.07	LHK	2.16	0.04	1,550	2.17
AMATA	12.30	0.20	287,150	12.47	WICE	1.88	(0.09)	18,310	1.97	MAX	0.01	-	510,072	0.01

Main Board Quotation

Issue Date :

Thursday April 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.57	0.02	37,473	-	ADVA01C2005B	0.04	-	1,255	-
ABICO	3.02	0.08	274	3.00	AIE	0.23	(0.01)	123,423	-	ADVA01C2007B	0.19	0.01	17,422	-
AU	7.80	(0.30)	52,748	7.00	PSTC	0.31	0.02	6,848,312	-	ADVA01C2008A	0.76	0.05	27,852	-
JCKH	0.25	-	1,104	-	QTC	3.46	0.12	1,716	3.00	ADVA01P2007B	0.45	0.01	49,458	-
KASET	1.16	0.04	389	1.00	SAAM	0.63	0.01	2,402	-	ADVA06C2005A	0.01	(0.01)	104	-
MM	1.53	0.07	336	1.00	SEA01L	2.26	0.14	11,208	2.00	ADVA08C2005A	0.07	0.02	751	-
SUN	1.53	-	6,606	1.00	SR	0.71	(0.07)	476	-	ADVA08P2004A	0.27	(0.03)	1,851	-
TACC	3.30	(0.16)	25,659	3.00	TAKUNI	0.30	0.02	18,876	-	ADVA11C2006A	0.02	0.01	3,000	-
TMILL	2.46	(0.04)	6,190	2.00	TPCH	9.40	0.30	11,829	9.00	ADVA11P2005A	0.10	(0.01)	4,823	-
XO	4.04	0.02	4,326	4.00	TRT	1.81	(0.01)	7,615	1.00	ADVA13C2004A	-	-	-	-
Consumer Products					UMS	0.13	0.01	71	-	ADVA13C2006A	0.52	0.05	20	-
BGT	0.40	(0.02)	6,159	-	UWC	0.02	0.01	9,474	-	ADVA13C2007A	0.20	-	1,479	-
BIZ	2.90	0.12	3,199	2.00	Services (MAI)	-	-	-	-	ADVA13C2008A	0.33	0.02	324,152	-
DOD	4.52	0.30	37,438	4.00	A5	-	-	-	-	ADVA16C2005A	-	-	-	-
ECF	0.99	0.01	72,592	-	AKP	0.78	0.05	1,205	-	ADVA16C2007A	-	-	-	-
HPT	0.50	0.06	10,293	-	AMA	3.68	0.20	9,867	3.00	ADVA16C2009A	0.13	(0.08)	102	-
IP	5.10	(0.05)	2,620	5.00	ARIP	0.29	0.03	3,183	-	ADVA19C2005A	-	-	-	-
JUBILE	13.80	0.60	7,128	13.00	ATP30	0.75	0.06	9,871	-	ADVA19C2007A	0.52	0.04	24,090	-
MOONG	3.20	-	3,039	3.00	AUCT	4.92	0.02	96,070	5.00	ADVA19C2007B	0.13	(0.02)	210	-
NPK	10.50	(1.50)	134	10.00	BOL	2.62	-	508	2.00	ADVA19C2008A	0.93	0.06	128,890	-
OCEAN	0.82	0.01	8,860	-	CHUO	-	-	-	-	ADVA19C2009A	0.66	0.05	364,825	-
TM	2.52	-	8,178	2.00	CMO	0.85	(0.01)	8,609	-	ADVA19P2006A	0.27	(0.03)	6,255	-
Financials (MAI)					D	2.58	-	1,227	2.00	ADVA19P2009A	0.43	(0.04)	334,042	-
ACAP	0.52	0.01	16,995	-	DCORP	0.33	0.01	8,520	-	ADVA24C2006A	-	-	-	-
AF	0.54	-	1,244	-	EFORL	0.03	-	119,766	-	ADVA28C2004A	-	-	-	-
AIRA	0.83	0.02	284	-	ETE	0.52	0.01	11,403	-	ADVA28C2005A	0.04	(0.01)	10	-
ASN	4.60	-	31	4.00	FSMART	5.65	-	7,453	5.00	ADVA28C2007A	-	-	-	-
BROOK	0.37	(0.01)	60,568	-	FVC	0.24	-	6,939	-	ADVA28C2008A	0.71	0.06	250,087	-
CHAYO	4.60	(0.08)	236,046	4.00	GSC	0.55	0.05	2,907	-	ADVA28C2008B	1.15	0.08	18,885	1.00
GCAP	1.19	0.04	28,951	1.00	HARN	1.99	-	4,543	2.00	ADVA28C2012A	0.21	(0.79)	55,063	-
LIT	2.52	0.02	4,481	2.00	IMH	1.99	0.09	989	1.00	ADVA28P2004A	-	-	-	-
MITSI	0.98	(0.04)	9,980	1.00	JKN	3.84	0.08	65,455	3.00	ADVA41C2004A	-	-	-	-
SGF	0.39	(0.01)	47,529	-	KIAT	0.28	0.01	60,158	-	ADVA41C2005A	-	-	-	-
Industrials (MAI)					KOOL	0.60	0.05	35,944	-	ADVA41C2006A	0.15	0.01	1	-
2S	1.65	(0.07)	2,022	1.00	LDC	0.58	0.03	6,501	-	ADVA41C2007A	0.24	0.02	40,532	-
ACG	0.78	0.01	2,522	-	MORE	0.26	0.02	85,483	-	ADVA41C2007B	0.77	0.05	254,473	-
ADB	0.40	0.01	1,090	-	MPG	0.19	0.01	631	-	ADVA41P2004A	0.51	(0.10)	1,183	-
BM	1.32	-	764	1.00	MVP	1.13	(0.10)	947	1.00	ADVA41P2005A	0.58	(0.02)	13,091	-
CHO	0.41	-	59,701	-	NBC	0.38	-	15,349	-	ADVA42C2005A	0.05	0.02	9	-
CHOW	0.60	-	2,041	-	NCL	0.68	-	380	-	ADVA42P2007A	2.06	(0.10)	13,473	2.00
CIG	0.18	0.01	10,503	-	NEWS	0.01	-	650	-	AEON01C2005A	0.02	-	101	-
COLOR	0.85	(0.05)	3,678	-	NINE	1.80	0.03	221	1.00	AEON13C2007A	0.06	(0.01)	8,158	-
CPR	2.28	(0.16)	6,011	2.00	OTO	2.54	0.04	910	2.00	AEON19C2006A	0.03	0.01	3	-
FPI	2.00	(0.06)	1,853	2.00	PHOL	1.58	0.09	7,378	1.00	AMAT01C2004A	-	-	-	-
GTB	0.52	(0.03)	16,350	-	PICO	3.48	0.16	247	3.00	AMAT01C2004B	-	-	-	-
KCM	0.32	0.01	6,778	-	QLT	3.86	(0.06)	360	3.00	AMAT01C2007B	-	-	-	-
KUMWEL	0.73	(0.01)	10,935	-	RP	1.08	0.01	566	1.00	AMAT01C2008A	0.12	(0.03)	3,502	-
KWM	0.73	0.02	3,944	-	SE	1.07	(0.03)	1,417	1.00	AMAT01P2008A	1.28	-	424	1.00
MBAX	2.68	(0.02)	2,183	2.00	SONIC	0.80	0.01	4,815	-	AMAT06C2005A	-	-	-	-
MGT	1.35	0.12	995	1.00	SPA	8.45	0.30	24,247	8.00	AMAT08C2005A	-	-	-	-
NDR	0.90	-	1,308	-	THMUI	0.44	0.02	230	-	AMAT11C2004A	-	-	-	-
PDG	2.80	0.06	321	2.00	TNDT	1.87	0.24	7,741	1.00	AMAT11C2008A	-	-	-	-
PIMO	0.85	0.02	41,021	-	TNH	30.75	1.25	187	30.00	AMAT13C2004A	-	-	-	-
PJW	1.00	0.04	5,342	-	TNP	1.90	(0.05)	8,205	1.00	AMAT13C2006A	-	-	-	-
PPM	0.51	(0.01)	1,341	-	TSF	-	-	-	-	AMAT16C2006A	-	-	-	-
RWI	1.05	(0.07)	622	1.00	TVD	0.54	0.01	34,412	-	AMAT16C2008A	0.04	-	20	-
SALEE	0.73	(0.01)	434	-	TVT	0.33	-	4,432	-	AMAT19C2005A	-	-	-	-
SANKO	0.81	(0.01)	6,251	-	VL	0.87	-	45,693	-	AMAT19C2006A	-	-	-	-
SELIC	1.71	-	6,166	1.00	WINNER	2.08	-	245	2.00	AMAT19C2008A	0.12	0.01	580	-
SWC	4.18	0.04	2,128	4.00	YGG	4.06	-	528	4.00	AMAT19C2009A	0.39	0.01	232,044	-
TMC	0.36	0.02	7,128	-	Technology (MAI)					AMAT24C2006A	-	-	-	-
TMI	0.63	-	6,496	-	APP	1.37	0.01	6,548	1.00	AMAT41C2005A	-	-	-	-
TMW	31.00	0.75	189	31.00	COMAN	1.73	0.03	1,277	1.00	AMAT41C2006A	-	-	-	-
TPAC	8.50	-	1,017	8.00	ICN	1.50	0.02	6,893	1.00	AMAT42C2005A	0.17	0.01	20,528	-
TPLAS	1.09	0.04	9,247	1.00	INSET	2.34	-	19,645	2.00	AMAT42C2007A	1.01	0.39	1	1.00
UBIS	4.96	(0.04)	2,491	4.00	JRCP	0.32	0.01	7,209	-	ANAN13C2007A	0.01	-	11	-
UEC	0.61	0.01	206	-	ITEL	1.87	0.04	15,721	1.00	ANAN19C2004A	-	-	-	-
UKEM	0.37	(0.01)	17,786	-	NETBAY	29.50	-	4,046	30.00	ANAN19C2007A	-	-	-	-
UREKA	1.02	0.02	11,011	1.00	PLANET	0.79	-	7,879	-	AOT01C2004A	0.01	-	3,457	-
YUASA	9.85	0.25	493	9.00	SIMAT	1.89	(0.07)	11,755	1.00	AOT01C2004B	0.01	-	1,910	-
ZIGA	1.02	0.04	3,382	1.00	SKY	12.30	-	5,701	12.00	AOT01C2006B	0.04	0.01	64,813	-
Property & Construc					SPVI	1.81	0.07	48,508	1.00	AOT01C2007A	0.21	0.02	225,535	-
ALL	2.80	0.02	7,633	2.00	TPS	1.81	0.01	7,433	1.00	AOT01P2004A	1.93	(0.13)	366	1.00
ARIN	0.47	0.01	5,958	-	UPA	0.14	0.01	7,984	-	AOT01P2004B	1.31	(0.34)	35	1.00
ARROW	7.20	0.35	1,308	7.00	VCOM	2.00	0.06	4,733	2.00	AOT01P2006B	1.17	(0.01)	11,318	1.00
BC	0.88	0.08	7,923	-	Unit Trust					AOT01P2007A	1.41	0.01	71,602	1.00
BSM	0.26	-	14,115	-	MGE	-	-	-	-	AOT06C2007A	0.04	(0.01)	9	-
BTW	0.53	0.01	946	-	SCBSET	-	-	-	-	AOT06C2008A	0.71	-	101,820	-
CAZ	1.31	0.03	12,176	1.00	ETF					AOT08C2005A	0.02	-	3	-
CHEWA	0.29	-	40,080	-	1DIV	7.59	(0.05)	763	7.00	AOT08C2006A	0.02	-	1,100	-
CMC	0.66	-	2,446	-	ABFTH	-	-	-	-	AOT08C2007A	-	-	-	-
CRD	0.42	0.01	5,267	-	BMSCG	5.53	0.04	633	5.00	AOT08P2004A	1.10	-	325	-
DIMET	0.67	0.01	64,540	-	BMSCITH	9.07	0.04	4,549	9.00	AOT11C2004A	-	-	-	-
FLOYD	0.95													

Main Board Quotation

Issue Date :

Thursday April 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT27C2008A	-	-	-	-	BCH01C2006B	-	-	-	-	BGR124C2004A	0.06	-	5	-
AOT28C2006A	-	-	-	-	BCH01P2006A	0.89	(0.10)	30	-	BGR127P2006A	0.64	0.03	224	-
AOT28C2006B	-	-	-	-	BCH06C2006A	-	-	-	-	BGR141C2005A	-	-	-	-
AOT28C2008A	0.19	0.03	2,439	-	BCH06P2006A	-	-	-	-	BGR141C2006A	0.12	0.06	70	-
AOT28C2008B	0.32	(0.01)	105,754	-	BCH08C2004A	-	-	-	-	BGR141C2007A	0.50	(0.02)	41,906	-
AOT28C2008C	0.50	-	131,570	-	BCH11C2008A	0.08	0.05	1,450	-	BGR141P2005A	-	-	-	-
AOT28P2004A	-	-	-	-	BCH13C2004A	-	-	-	-	BGR141P2006A	-	-	-	-
AOT41C2004A	-	-	-	-	BCH13C2007A	-	-	-	-	BGR142C2006A	0.03	0.01	3,623	-
AOT41C2005A	-	-	-	-	BCH16C2006A	-	-	-	-	BH01C2004A	0.16	0.01	10	-
AOT41C2006A	-	-	-	-	BCH19C2005A	-	-	-	-	BH01C2004B	0.01	-	3,240	-
AOT41C2007A	-	-	-	-	BCH19C2006A	-	-	-	-	BH01P2004A	0.57	(0.01)	46	-
AOT41C2007B	0.55	-	109,631	-	BCH19C2008A	0.43	(0.04)	49,117	-	BH08C2007A	0.18	-	5,456	-
AOT41P2004A	-	-	-	-	BCH41C2005A	-	-	-	-	BH11C2008A	-	-	-	-
AOT41P2005A	-	-	-	-	BCH41C2006A	-	-	-	-	BH13C2006A	0.07	-	2,714	-
AOT41P2006A	-	-	-	-	BCH41C2007A	-	-	-	-	BH19C2006A	0.06	-	3,345	-
AOT41P2009A	0.51	-	23,591	-	BCH41C2008A	-	-	-	-	BH19C2009A	0.58	(0.01)	205,754	-
AOT42C2006A	0.02	0.01	1,711	-	BCH41C2009A	-	-	-	-	BH24C2008A	0.53	(0.01)	11,803	-
AOT42P2009A	-	-	-	-	BCH41C2010A	-	-	-	-	BH27C2007A	0.11	(0.01)	1	-
AP19C2007A	-	-	-	-	BCH41C2011A	-	-	-	-	BH41C2004A	-	-	-	-
AP28C2004A	-	-	-	-	BCH41C2012A	-	-	-	-	BH41C2005A	0.24	0.02	4,000	-
AP28C2006A	-	-	-	-	BCH41C2013A	-	-	-	-	BH41C2006A	0.20	-	60	-
AP28C2012A	0.57	(0.43)	324,598	-	BCH41C2014A	-	-	-	-	BH41P2006A	-	-	-	-
AWC01C2004A	0.02	0.01	1	-	BCH41C2015A	-	-	-	-	BH42C2008A	1.30	0.01	15,369	1.00
AWC01C2009A	0.17	0.02	16,493	-	BCH41C2016A	-	-	-	-	BJC01C2004A	0.07	0.04	1,830	-
AWC01P2007A	0.78	(0.06)	18,172	-	BCH41C2017A	-	-	-	-	BJC01C2004B	-	-	-	-
AWC06C2004A	-	-	-	-	BCH41C2018A	-	-	-	-	BJC01C2008B	0.46	0.10	1,993	-
AWC08C2004A	-	-	-	-	BCH41C2019A	-	-	-	-	BJC01C2009A	0.66	0.02	215	-
AWC13C2006A	0.01	-	1,110	-	BCH41C2020A	-	-	-	-	BJC01P2004A	0.70	(0.11)	72	-
AWC13P2006A	0.70	(0.13)	315	-	BCH41C2021A	-	-	-	-	BJC01P2009A	0.27	(0.04)	8,219	-
AWC16C2005A	0.03	-	9	-	BCH41C2022A	-	-	-	-	BJC06C2006A	-	-	-	-
AWC16C2007A	0.02	-	2,753	-	BCH41C2023A	-	-	-	-	BJC11C2008A	0.26	0.08	700	-
AWC19C2004A	-	-	-	-	BCH41C2024A	-	-	-	-	BJC13C2004A	-	-	-	-
AWC19C2006A	0.01	-	3,400	-	BCH41C2025A	-	-	-	-	BJC13C2005A	0.07	0.01	1,900	-
AWC19C2010A	0.72	(0.28)	146,219	-	BCH41C2026A	-	-	-	-	BJC16C2006A	-	-	-	-
AWC24C2007A	0.03	-	1	-	BCH41C2027A	-	-	-	-	BJC19C2005A	0.17	0.03	33,109	-
AWC28C2006A	-	-	-	-	BCH41C2028A	-	-	-	-	BJC19C2007A	0.29	0.03	5,732	-
AWC28C2008A	0.28	0.07	304	-	BCH41C2029A	-	-	-	-	BJC24C2006A	0.68	0.06	22,131	-
AWC28C2010A	0.71	0.12	236,791	-	BCH41C2030A	-	-	-	-	BJC27C2009A	0.17	(0.01)	900	-
AWC41C2005A	-	-	-	-	BCH41C2031A	-	-	-	-	BJC28C2004A	-	-	-	-
AWC41C2006A	-	-	-	-	BCH41C2032A	-	-	-	-	BJC28C2007A	0.40	0.03	89,820	-
AWC41C2007A	-	-	-	-	BCH41C2033A	-	-	-	-	BJC28C2010A	0.27	0.03	56,847	-
AWC41C2007B	0.69	0.12	97,076	-	BCH41C2034A	-	-	-	-	BJC41C2005A	-	-	-	-
AWC42C2008A	0.03	0.01	1,696	-	BCH41C2035A	-	-	-	-	BJC41C2006A	-	-	-	-
BANP01C2005A	0.02	-	1,989	-	BCH41C2036A	-	-	-	-	BJC41C2007A	0.45	0.06	32,087	-
BANP01C2005B	-	-	-	-	BCH41C2037A	-	-	-	-	BJC41C2008A	0.70	0.06	39,110	-
BANP01P2005A	-	-	-	-	BCH41C2038A	-	-	-	-	BJC41P2005A	0.60	(0.04)	600	-
BANP01P2005B	-	-	-	-	BCH41C2039A	-	-	-	-	BJC42C2004A	-	-	-	-
BANP06C2005A	-	-	-	-	BCH41C2040A	-	-	-	-	BLAN19C2004A	-	-	-	-
BANP08C2005A	0.02	(0.07)	4,004	-	BCH41C2041A	-	-	-	-	BLAN28C2004A	-	-	-	-
BANP08C2007A	0.04	0.01	3,195	-	BCH41C2042A	-	-	-	-	BPP01C2005A	-	-	-	-
BANP11C2004A	-	-	-	-	BCH41C2043A	-	-	-	-	BPP01C2005B	-	-	-	-
BANP11C2008A	-	-	-	-	BCH41C2044A	-	-	-	-	BPP01P2005A	0.86	(0.03)	61	-
BANP13C2006A	0.01	-	16	-	BCH41C2045A	-	-	-	-	BPP13C2004A	-	-	-	-
BANP13C2008A	0.38	0.01	97,142	-	BCH41C2046A	-	-	-	-	BPP13C2007A	0.30	-	170,823	-
BANP19C2004A	-	-	-	-	BCH41C2047A	-	-	-	-	BPP19C2005A	-	-	-	-
BANP19C2005A	-	-	-	-	BCH41C2048A	-	-	-	-	BPP19C2007A	0.10	-	18,850	-
BANP19C2007A	0.01	-	8,400	-	BCH41C2049A	-	-	-	-	BTS01C2005A	0.03	-	9,099	-
BANP19C2007B	0.05	0.01	1	-	BCH41C2050A	-	-	-	-	BTS01C2005B	0.02	0.01	726	-
BANP19C2009A	0.41	-	42,309	-	BCH41C2051A	-	-	-	-	BTS01P2005A	0.54	(0.05)	8,989	-
BANP27C2007A	-	-	-	-	BCH41C2052A	-	-	-	-	BTS08C2005A	0.02	-	51	-
BANP28C2004A	-	-	-	-	BCH41C2053A	-	-	-	-	BTS13C2006A	-	-	-	-
BANP28C2008A	0.09	-	100	-	BCH41C2054A	-	-	-	-	BTS13C2008A	0.08	0.02	12,662	-
BANP28C2012A	0.27	(0.73)	69,778	-	BCH41C2055A	-	-	-	-	BTS16C2008A	-	-	-	-
BANP41C2004A	-	-	-	-	BCH41C2056A	-	-	-	-	BTS19C2005A	-	-	-	-
BANP41C2005A	-	-	-	-	BCH41C2057A	-	-	-	-	BTS19C2008A	0.12	0.04	902	-
BANP41C2006A	-	-	-	-	BCH41C2058A	-	-	-	-	BTS24C2007A	0.04	0.02	325	-
BANP41C2007A	0.41	0.31	20	-	BCH41C2059A	-	-	-	-	BTS41C2004A	-	-	-	-
BANP41P2005A	1.16	(0.04)	3,341	1.00	BCH41C2060A	-	-	-	-	BTS41C2006A	0.08	0.01	1,090	-
BANP41P2007A	-	-	-	-	BCH41C2061A	-	-	-	-	BTS41P2004A	-	-	-	-
BANP42C2004A	-	-	-	-	BCH41C2062A	-	-	-	-	BTS42C2008A	0.02	(0.01)	1,128	-
BANP42C2006A	0.33	0.02	596	-	BCH41C2063A	-	-	-	-	CBG01C2004A	0.08	-	2,707	-
BANP42P2005A	1.82	(0.02)	7,462	1.00	BCH41C2064A	-	-	-	-	CBG01C2004B	0.01	-	500	-
BBL06C2007A	0.02	-	7,613	-	BCH41C2065A	-	-	-	-	CBG01C2007B	0.28	(0.03)	6,818	-
BBL06P2004A	-	-	-	-	BCH41C2066A	-	-	-	-	CBG01P2004A	0.52	-	9,216	-
BBL08C2005A	0.01	-	2,000	-	BCH41C2067A	-	-	-	-	CBG01P2007B	1.16	(0.01)	1,327	1.00
BBL08C2007A	0.03	-	3,631	-	BCH41C2068A	-	-	-	-	CBG06C2005A	-	-	-	-
BBL08P2007A	1.51	(0.01)	24,892	1.00	BCH41C2069A	-	-	-	-	CBG08C2007A	0.52	-	50,354	-
BBL11C2005A	0.01	-	1,455	-	BCH41C2070A	-	-	-	-	CBG11C2008A	0.35	(0.06)	12	-
BBL11C2007A	0.02	-	11,560	-	BCH41C2071A	-	-	-	-	CBG13C2004A	-	-	-	-
BBL11P2008A	1.62	0.04	119	1.00	BCH41C2072A	-	-	-	-	CBG13C2008A	0.55	(0.03)	374	-
BBL13C2004A	-	-	-	-	BCH41C2073A	-	-	-	-	CBG13P2006A	-	-	-	-
BBL13C2006A	-	-	-	-	BCH41C2074A	-	-	-	-	CBG16C2008A	0.17	(0.02)	14	-
BBL13C2008A	0.26	0.01	286,987	-	BCH41C2075A	-	-	-	-	CBG19C2004A	-	-	-	-
BBL13P2004A	-	-	-	-	BCH41C2076A	-	-	-	-	CBG19C2005A	0.12	0.06	10	-
BBL13P2008A	0.81	(0.03)	149	-	BCH41C2077A	-	-	-	-	CBG19C2008A	0.61	(0.01)	379,104	-
BBL16C2006A	-	-	-	-	BCH41C2078A	-	-	-	-	CBG19P2006A	1.24	0.04	9	1.00
BBL19C2005A	0.03	0.02	14	-	BCH41C2079A	-	-	-	-	CBG24C2008A	0.40	0.03	311	-
BBL19C2007A	-	-	-	-	BCH41C2080A	-	-	-	-	CBG41C2004A	-	-	-	-
BBL19C2009A	1.15	(0.03)	73,070	1.00	BCH41C2081A	-	-	-	-	CBG41C2005A	0.64	(0.02)	42,685	-
BBL19P2007A	1.34	(0.29)	55	1.00	BCH41C2082A	-	-	-	-	CBG41C2006A	0.33	0.03	2	-
BBL24C2004A	-	-	-	-	BCH41C2083A	-	-	-	-	CBG41P2004A	1.29	0.04	200	1.00
BBL28C2005A	-	-	-	-	BCH41C2084A	-	-	-	-	CBG41P2006A	-	-	-	-
BBL28C2007A	0.11	0.07	4	-	BCH41C2085A	-	-	-	-	CBG42C2006A	-	-	-	-
BBL28C2010A	0.36	-	234,267	-	BCH41C2086A	-	-	-	-	CBG42C2008A	2.02	(0.04)	15,750	2.00
BBL41C2004A	-	-	-	-	BCH41C2087A	-	-	-	-	CENT01C2006A	0.04	0.01	1,675	-
BBL41C2005A	-	-	-	-	BCH41C2088A	-	-	-	-	CENT01C2006B	-	-	-	-
BBL41C2006A	-	-	-	-	BCH41C2089A	-	-	-	-	CENT01C2009A	0.36	0.05	634	-
BBL41C2007A	-	-	-	-	BCH41C2090A	-	-	-	-	CENT01P2009A	0.86	0.04	10,629	-
BBL41C2007B	-	-	-	-	BCH41C2091A	-	-	-	-	CENT06C2006A	0.38	(0.03)	46,158	

Main Board Quotation

Issue Date :

Thursday April 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CENT13C2005A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA08C2006A	0.12	-	5,581	-
CENT13C2006A	-	-	-	-	CPAL24C2009A	0.79	0.06	19,065	-	EA11C2005A	-	-	-	-
CENT19C2004A	-	-	-	-	CPAL28C2004A	-	-	-	-	EA13C2005A	-	-	-	-
CENT19C2005A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA13C2006A	-	-	-	-
CENT19C2008A	0.50	(0.05)	163,477	-	CPAL28C2007A	0.05	0.01	700	-	EA13C2008A	0.19	(0.01)	4,454	-
CENT24C2008A	-	-	-	-	CPAL28C2008A	0.41	0.03	169,517	-	EA13P2006A	1.18	(0.03)	30,878	1.00
CENT27C2008A	-	-	-	-	CPAL28C2008B	0.61	0.05	292,439	-	EA16C2006A	-	-	-	-
CENT28C2004A	-	-	-	-	CPAL41C2005A	-	-	-	-	EA16C2008A	0.04	0.01	2,265	-
CENT28C2005A	-	-	-	-	CPAL41C2006A	-	-	-	-	EA19C2004A	-	-	-	-
CENT28C2006A	-	-	-	-	CPAL41C2007A	0.40	0.05	4,888	-	EA19C2008A	0.28	(0.01)	13,715	-
CENT28C2008A	0.33	(0.03)	192,306	-	CPAL41P2004A	0.33	(0.24)	650	-	EA19P2007A	-	-	-	-
CENT28C2010A	0.44	(0.03)	28,824	-	CPAL41P2005A	-	-	-	-	EA24C2004A	-	-	-	-
CENT41C2005A	-	-	-	-	CPAL41P2006A	-	-	-	-	EA27C2006A	-	-	-	-
CENT41C2006A	0.17	0.15	20	-	CPAL42C2005A	-	-	-	-	EA28C2004A	-	-	-	-
CENT42C2004A	-	-	-	-	CPAL42C2007A	0.03	0.01	400	-	EA28C2004B	-	-	-	-
CENT42C2006A	0.85	(0.03)	16,780	-	CPF01C2004A	0.08	-	50	-	EA28C2006A	0.15	-	72,092	-
CHG01C2006A	0.14	(0.01)	223	-	CPF01C2004B	0.01	-	2,010	-	EA28C2012A	0.25	(0.75)	61,565	-
CHG01C2006B	0.03	0.01	1,000	-	CPF01P2004A	0.12	0.02	763	-	EA41C2004A	-	-	-	-
CHG01P2006A	0.49	(0.02)	151	-	CPF08C2006A	-	-	-	-	EA41C2005A	0.05	0.01	100	-
CHG08C2005A	0.02	(0.01)	10	-	CPF11C2004A	-	-	-	-	EA41C2006A	0.19	0.02	1,000	-
CHG13C2006A	0.15	0.01	22,391	-	CPF11C2007A	-	-	-	-	EA41P2004A	-	-	-	-
CHG16C2009A	-	-	-	-	CPF13C2006A	0.04	-	4,908	-	EA42C2004A	-	-	-	-
CHG19C2004A	-	-	-	-	CPF13C2008A	0.19	-	7,630	-	EGCO01C2004A	-	-	-	-
CHG27C2009A	0.13	-	1,000	-	CPF16C2007A	-	-	-	-	EGCO01C2004B	-	-	-	-
CHG41C2005A	-	-	-	-	CPF19C2005A	-	-	-	-	EGCO01C2007B	0.12	0.01	6,711	-
CHG42C2006A	-	-	-	-	CPF19C2006A	0.04	-	1,000	-	EGCO06C2004A	-	-	-	-
CK01C2005A	0.20	0.07	13,119	-	CPF19C2009A	0.57	(0.03)	4,004	-	EGCO06C2007A	-	-	-	-
CK01C2005B	0.02	0.01	28,430	-	CPF24C2007A	0.12	0.01	300	-	EGCO06P2004A	-	-	-	-
CK01P2005A	0.27	(0.12)	2,743	-	CPF28C2004A	-	-	-	-	EGCO13C2005A	-	-	-	-
CK06C2004A	-	-	-	-	CPF28C2007A	-	-	-	-	EGCO19C2005A	-	-	-	-
CK11C2007A	-	-	-	-	CPF28C2010A	0.43	(0.04)	3,696	-	EGCO19C2007A	0.11	0.05	1,720	-
CK13C2006A	0.04	0.02	3,165	-	CPF41C2004A	-	-	-	-	EGCO24C2009A	0.71	(0.03)	20,578	-
CK16C2006A	0.03	0.01	1,086	-	CPF41C2005A	-	-	-	-	EGCO41C2004A	-	-	-	-
CK19C2004A	-	-	-	-	CPF41P2005A	0.41	0.03	3,541	-	EGCO41C2006A	-	-	-	-
CK19C2007A	-	-	-	-	CPN01C2005A	-	-	-	-	EGCO41P2004A	-	-	-	-
CK27C2008A	-	-	-	-	CPN01C2005B	-	-	-	-	EGCO41P2006A	1.53	0.02	234	1.00
CK41C2005A	-	-	-	-	CPN01P2005A	1.78	0.04	3,418	1.00	EGCO42C2007A	0.01	(0.01)	100	-
CK42C2006A	0.95	0.08	12,105	-	CPN06C2006A	-	-	-	-	EPG08C2004A	-	-	-	-
CKP01C2004A	-	-	-	-	CPN11C2006A	-	-	-	-	EPG13C2004A	-	-	-	-
CKP01C2004B	-	-	-	-	CPN11C2008A	0.04	-	1,013	-	EPG13C2006A	0.01	(0.01)	651	-
CKP01C2008B	-	-	-	-	CPN13C2004A	-	-	-	-	EPG19C2005A	0.06	0.02	51	-
CKP01C2009A	0.45	0.05	180	-	CPN13C2007A	0.03	(0.02)	622	-	EPG19C2007A	-	-	-	-
CKP01P2004A	-	-	-	-	CPN16C2005A	-	-	-	-	EPG19C2008A	0.45	0.08	300	-
CKP01P2009A	0.73	(0.02)	4	-	CPN19C2004A	-	-	-	-	EPG24C2008A	0.08	0.03	700	-
CKP08C2004A	-	-	-	-	CPN19C2007A	-	-	-	-	ERW06C2006A	-	-	-	-
CKP11C2006A	0.01	-	6,000	-	CPN24C2007A	0.28	(0.01)	27,142	-	ERW06C2007A	0.02	-	1,000	-
CKP13C2004A	-	-	-	-	CPN41C2004A	-	-	-	-	ERW06P2006A	-	-	-	-
CKP13C2004B	-	-	-	-	CPN41C2006A	-	-	-	-	ERW13C2005A	-	-	-	-
CKP13C2007A	-	-	-	-	CPN41P2005A	-	-	-	-	ERW13C2006A	-	-	-	-
CKP16C2005A	-	-	-	-	CPN41P2006A	-	-	-	-	ERW13C2007A	-	-	-	-
CKP16C2007A	0.02	-	1	-	CPN42C2004A	-	-	-	-	ERW19C2005A	-	-	-	-
CKP19C2005A	-	-	-	-	CPN42C2006A	1.61	(0.02)	14,326	1.00	ERW19C2006A	-	-	-	-
CKP19C2006A	-	-	-	-	CRC01C2007A	0.15	-	3,234	-	ERW19C2007A	-	-	-	-
CKP24C2006A	-	-	-	-	CRC08C2007A	0.24	(0.01)	118,693	-	ERW24C2006A	0.07	(0.11)	400	-
CKP27C2005A	-	-	-	-	CRC13C2008A	0.13	0.02	23,147	-	ESSO01C2004A	0.02	0.01	349	-
CKP28C2004A	-	-	-	-	CRC13C2009A	0.49	-	378,520	-	ESSO01C2004B	0.02	0.01	1,252	-
CKP28C2004B	-	-	-	-	CRC19C2008A	0.22	(0.03)	1,000	-	ESSO01C2008B	0.10	-	1	-
CKP28C2006A	-	-	-	-	CRC19C2008B	0.51	(0.01)	156,037	-	ESSO01C2009A	0.22	(0.01)	220	-
CKP28C2012A	0.32	(0.68)	56,984	-	CRC24C2008A	0.55	-	23,681	-	ESSO01P2009A	0.78	0.05	179	-
CKP41C2004A	-	-	-	-	CRC28C2007A	0.10	(0.02)	29,474	-	ESSO08C2004A	0.05	0.03	1	-
CKP41C2005A	-	-	-	-	CRC28C2007B	-	-	-	-	ESSO08C2008A	1.21	(0.03)	35,722	1.00
CKP41C2006A	-	-	-	-	CRC28C2012A	0.25	(0.75)	36,694	-	ESSO13C2006A	0.05	0.02	339	-
CKP41C2007A	0.21	0.01	320	-	CRC41C2007A	0.44	(0.01)	9,039	-	ESSO19C2004A	-	-	-	-
CKP42C2005A	0.42	(0.01)	4,192	-	CRC41C2009A	0.55	-	48,544	-	ESSO19C2007A	0.11	-	1,393	-
CKP42C2006A	0.60	(0.02)	17,471	-	DTAC01C2004A	0.02	0.01	1,400	-	ESSO19C2009A	0.97	(0.02)	16,585	1.00
COM708C2007A	0.05	-	999	-	DTAC01C2004B	-	-	-	-	ESSO24C2007A	-	-	-	-
COM711C2004A	-	-	-	-	DTAC01C2007B	0.16	0.05	5	-	ESSO41C2004A	-	-	-	-
COM713C2004A	-	-	-	-	DTAC01C2008A	0.33	0.01	760	-	ESSO41C2005A	-	-	-	-
COM713C2007A	0.04	-	1,400	-	DTAC01P2004A	-	-	-	-	ESSO41C2006A	-	-	-	-
COM713C2008A	0.12	0.02	11,994	-	DTAC01P2004B	0.86	(0.11)	241	-	ESSO42C2007A	0.09	0.03	100	-
COM716C2008A	-	-	-	-	DTAC01P2007B	-	-	-	-	GFPT19C2004A	-	-	-	-
COM719C2005A	-	-	-	-	DTAC01P2008A	0.65	(0.04)	461	-	GFPT19C2006A	0.05	-	32,012	-
COM719C2008A	0.15	0.02	400	-	DTAC06C2006A	-	-	-	-	GFPT24C2007A	-	-	-	-
COM719C2009A	0.58	0.06	242,577	-	DTAC08C2005A	-	-	-	-	GFPT42C2004A	-	-	-	-
COM719P2004A	0.43	(0.11)	730	-	DTAC08C2005B	-	-	-	-	GFPT42C2008A	-	-	-	-
COM724C2007A	-	-	-	-	DTAC08C2007A	0.12	(0.02)	875	-	GLOB01C2007B	0.09	0.02	31	-
COM741C2004A	-	-	-	-	DTAC08C2008A	0.41	0.01	82,880	-	GLOB01C2008A	0.20	0.12	201	-
COM741C2006A	-	-	-	-	DTAC13C2006A	0.02	(0.02)	1,440	-	GLOB06C2006A	0.01	-	1	-
COM742C2004A	-	-	-	-	DTAC13C2007A	0.10	-	430	-	GLOB13C2007A	0.09	0.07	751	-
CPAL01C2004A	0.02	-	3,123	-	DTAC13C2009A	0.36	0.02	125,527	-	GLOB19C2005A	-	-	-	-
CPAL01C2004B	-	-	-	-	DTAC13P2006A	-	-	-	-	GLOB19C2007A	0.10	0.04	368	-
CPAL01C2006A	0.16	0.02	19,308	-	DTAC13P2007A	0.17	-	31,704	-	GLOB24C2005A	-	-	-	-
CPAL01C2006B	0.06	-	220	-	DTAC13P2008A	0.92	(0.04)	30,245	-	GLOB41C2004A	-	-	-	-
CPAL01C2008B	0.21	0.01	54,425	-	DTAC16C2009A	-	-	-	-	GLOB42C2009A	-	-	-	-
CPAL01P2004A	-	-	-	-	DTAC19C2005A	-	-	-	-	GPSC01C2005A	0.09	-	47,565	-
CPAL01P2004B	0.47	(0.20)	2,801	-	DTAC19C2006A	-	-	-	-	GPSC01C2005B	0.02	-	12,621	-
CPAL01P2008B	0.67	(0.05)	15,829	-	DTAC19C2007A	-	-	-	-	GPSC01C2007B	0.21	(0.02)	2,498	-
CPAL06C2006A	0.03	0.01	111,430	-	DTAC19C2009A	0.37	0.03	174,205	-	GPSC01C2008A	0.45	-	40,248	-
CPAL08C2004A	0.01	(0.04)	31	-	DTAC19P2007A	-	-	-	-	GPSC01P2005A	1.34	(0.09)	600	1.00
CPAL08C2006A	0.03	-	55	-	DTAC24C2004A	-	-	-	-	GPSC01P2005B	0.71	(0.13)	17	-
CPAL08C2008A	0.47	0.04	138,485	-	DTAC24C2007A	-	-	-	-	GPSC01P2007B	0.83	(0.10)	608	-
CPAL08P2006A	0.76	(0.35)	2	-	DTAC27C2008A	-	-	-	-	GPSC01P2008A	1.52	(0.07)	4,703	1.00
CPAL11C2006A	0.03	(0.01)	50	-	DTAC41C2004A	-	-	-	-	GPSC06C2006A	0.02	-	4,012	-
CPAL11C2007A	0.08	0.01	300	-	DTAC41C2005A	-	-	-	-	GPSC06C2008A	0.55	0.04	130,348	-
CPAL13C2004A	-	-	-	-	DTAC41C2006A	-	-	-	-	GPSC08C2004B	0.02	0.01	1	-
CPAL13C2007A	0.13	0.01	42,432	-	DTAC41									

Main Board Quotation

Issue Date :

Thursday April 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GPSC13P2007A	1.12	(0.15)	1	1.00	HSI28P2005B	1.65	(0.17)	60,970	1.00	JAS19C2009A	0.97	0.02	5,913	-
GPSC16C2007A	0.12	-	4,201	-	HSI28P2005C	1.29	(0.13)	17,796	1.00	JAS41C2004A	-	-	-	-
GPSC19C2004A	-	-	-	-	HSI28P2005D	0.99	(0.11)	48,036	-	JAS41C2005A	-	-	-	-
GPSC19C2007A	0.27	0.04	27,897	-	HSI28P2006A	1.20	(0.12)	20,591	1.00	JAS41C2006A	0.20	-	12,980	-
GPSC19C2008A	0.73	0.05	311,373	-	HSI28P2006B	0.95	(0.09)	3,812	-	JAS41P2005A	0.17	(0.01)	77,410	-
GPSC19C2009A	1.20	0.05	87,138	1.00	HSI28P2006C	0.74	(0.08)	49,457	-	JMT13C2006A	0.06	-	6,297	-
GPSC19P2005A	-	-	-	-	HSI41C2005A	0.77	0.04	137,606	-	JMT19C2006A	-	-	-	-
GPSC24C2007A	0.05	0.01	100	-	HSI41P2005A	0.75	(0.09)	154,181	-	JMT42C2006A	-	-	-	-
GPSC27C2005A	-	-	-	-	INTU01C2006A	0.14	0.01	10,709	-	KBAN01C2004A	0.01	-	5,724	-
GPSC28C2008A	0.37	0.01	124,230	-	INTU01C2006B	0.04	-	1,200	-	KBAN01C2004B	0.01	-	400	-
GPSC41C2005A	0.14	0.09	1	-	INTU01P2006A	1.22	-	3,478	1.00	KBAN01C2007A	0.14	0.03	16,741	-
GPSC41C2005B	-	-	-	-	INTU01P2006B	-	-	-	-	KBAN01C2007B	0.04	0.01	44,210	-
GPSC41C2006A	-	-	-	-	INTU13C2004A	-	-	-	-	KBAN01P2004A	2.18	(0.26)	90	2.00
GPSC41C2009A	1.07	0.04	98,878	1.00	INTU13C2006A	0.07	(0.01)	2,460	-	KBAN01P2004B	0.74	(0.01)	7,780	-
GPSC41P2005A	1.67	(0.11)	47,263	1.00	INTU13C2008A	0.46	0.01	194,163	-	KBAN01P2007A	1.92	(0.04)	4,441	1.00
GPSC41P2006A	1.71	(0.09)	6,447	1.00	INTU13P2004A	-	-	-	-	KBAN01P2007B	1.65	(0.16)	761	1.00
GPSC42C2006A	0.11	(0.02)	202	-	INTU16C2005A	-	-	-	-	KBAN06C2004A	0.01	-	72,567	-
GPSC42P2006A	4.28	0.98	7,774	4.00	INTU16C2007A	-	-	-	-	KBAN06C2008A	0.15	0.02	123,323	-
GULF01C2005A	0.66	0.02	75,475	-	INTU16C2009A	-	-	-	-	KBAN08C2005A	-	-	-	-
GULF01C2005B	0.25	0.02	49,137	-	INTU19C2004A	-	-	-	-	KBAN08C2007A	-	-	-	-
GULF01C2007A	0.21	0.01	227,739	-	INTU19C2005A	-	-	-	-	KBAN08P2004A	-	-	-	-
GULF01P2005A	0.55	(0.06)	72,508	-	INTU19C2009A	0.34	0.02	306,978	-	KBAN13C2006A	0.02	0.01	9,260	-
GULF03C2005A	0.14	0.08	1,249	-	INTU19P2007A	0.43	(0.09)	5,228	-	KBAN13C2008A	0.13	0.02	8,685	-
GULF06C2004A	0.24	(0.12)	365	-	INTU23C2111A	0.58	-	19	-	KBAN13C2008B	1.27	0.07	968,406	1.00
GULF08C2008A	1.21	0.03	79,103	1.00	INTU24C2008A	0.29	0.01	16,568	-	KBAN13P2006A	1.42	(0.51)	44	1.00
GULF11C2006A	0.62	0.06	7,629	-	INTU28C2008A	0.19	0.01	98,946	-	KBAN13P2008A	0.89	-	9,018	-
GULF13C2004A	0.01	-	250	-	INTU28C2010A	0.26	0.02	57,850	-	KBAN16C2005A	0.01	-	1,010	-
GULF13C2006A	0.19	(0.01)	15,817	-	INTU41C2005A	-	-	-	-	KBAN16C2008A	0.04	0.01	3,550	-
GULF13C2006B	0.12	0.02	9,003	-	INTU41C2006A	-	-	-	-	KBAN19C2004A	-	-	-	-
GULF13C2008A	0.67	0.04	46,147	-	INTU41C2007A	-	-	-	-	KBAN19C2007A	0.05	0.03	4,078	-
GULF13C2009A	1.17	0.03	1,693,598	1.00	INTU41P2004A	1.35	(0.10)	200	1.00	KBAN19C2009A	1.44	0.08	137,936	1.00
GULF13P2004A	0.15	0.01	17,340	-	INTU41P2005A	-	-	-	-	KBAN19P2004A	-	-	-	-
GULF13P2005A	0.54	(0.08)	15,136	-	INTU41P2006A	-	-	-	-	KBAN19P2007A	-	-	-	-
GULF16C2007A	0.40	(0.02)	153	-	INTU42C2005A	0.16	0.01	44,486	-	KBAN24C2005A	0.01	(0.02)	232	-
GULF19C2004A	0.09	0.02	1,402	-	IRPC01C2005A	0.02	0.01	350,387	-	KBAN28C2004A	-	-	-	-
GULF19C2006A	0.07	(0.02)	11,153	-	IRPC01C2005B	0.02	0.01	10	-	KBAN28C2008A	0.13	0.01	300	-
GULF19C2008A	1.11	0.05	575,323	1.00	IRPC01C2007B	0.20	0.03	8,231	-	KBAN28C2008B	0.82	0.03	129,467	-
GULF19P2006A	0.61	(0.07)	2,399	-	IRPC01P2005A	1.54	0.02	124	1.00	KBAN28C2008C	1.27	0.16	40	1.00
GULF19P2009A	0.55	(0.01)	254,588	-	IRPC01P2005B	-	-	-	-	KBAN28C2010A	0.26	0.02	82,117	-
GULF24C2005A	0.63	(0.12)	4,890	-	IRPC01P2007B	0.61	0.05	2,379	-	KBAN41C2005A	-	-	-	-
GULF27C2004A	0.93	(0.09)	1	-	IRPC06C2005A	-	-	-	-	KBAN41C2007A	-	-	-	-
GULF28C2006A	0.06	0.01	1,694	-	IRPC06C2007A	0.06	0.02	14,330	-	KBAN41C2008A	0.62	0.05	7,781	-
GULF28C2008A	-	-	-	-	IRPC06P2004A	-	-	-	-	KBAN41P2005A	1.77	(0.13)	4,092	1.00
GULF28C2008B	0.73	0.01	211,466	-	IRPC11C2005A	-	-	-	-	KBAN41P2006A	-	-	-	-
GULF28C2008C	0.92	-	76,740	-	IRPC11C2008A	0.04	-	8,300	-	KBAN42C2004A	-	-	-	-
GULF41C2005A	0.29	0.02	20	-	IRPC13C2006A	-	-	-	-	KBAN42C2007A	-	-	-	-
GULF41C2006A	1.02	-	222,304	1.00	IRPC13C2007A	0.11	0.03	28,799	-	KBAN42P2008A	-	-	-	-
GULF41P2004A	0.58	(0.05)	652	-	IRPC13C2008A	-	-	-	-	KCE01C2004A	0.12	(0.01)	8,093	-
GULF41P2005A	-	-	-	-	IRPC13C2009A	0.41	(0.02)	4,383	-	KCE01C2004B	0.02	(0.02)	2,140	-
GULF41P2006A	0.99	(0.02)	129,256	-	IRPC16C2008A	0.26	0.12	1	-	KCE01C2007B	0.03	-	1	-
GULF41P2007A	1.64	(0.15)	332	1.00	IRPC19C2005A	0.06	0.02	1	-	KCE01C2008A	0.11	0.02	73,944	-
GUNK01C2005A	0.06	0.01	1,000	-	IRPC19C2007A	-	-	-	-	KCE01P2004A	1.45	0.02	3,342	1.00
GUNK01C2005B	0.02	-	20	-	IRPC19C2008A	0.41	(0.03)	104,391	-	KCE08C2005A	0.05	0.02	20	-
GUNK01P2005A	-	-	-	-	IRPC24C2004A	-	-	-	-	KCE08C2005B	-	-	-	-
GUNK11C2007A	-	-	-	-	IRPC24C2007A	-	-	-	-	KCE08C2009A	0.64	(0.36)	106,101	-
GUNK13C2006A	-	-	-	-	IRPC27C2007A	-	-	-	-	KCE11C2004A	-	-	-	-
GUNK19C2006A	0.09	0.02	400	-	IRPC28C2006A	-	-	-	-	KCE13C2004A	-	-	-	-
GUNK24C2006A	-	-	-	-	IRPC28C2008A	0.32	(0.02)	121,749	-	KCE13C2005A	0.01	-	594	-
GUNK28C2005A	-	-	-	-	IRPC41C2004A	-	-	-	-	KCE13C2006A	0.10	-	3,267	-
GUNK28C2012A	0.22	(0.78)	19,156	-	IRPC41C2005A	-	-	-	-	KCE16C2007A	0.05	0.01	7,511	-
GUNK41C2005A	-	-	-	-	IRPC41C2006A	-	-	-	-	KCE19C2005A	0.01	(0.03)	1,702	-
GUNK41P2005A	-	-	-	-	IRPC41C2007A	0.36	(0.01)	22,752	-	KCE19C2007A	0.15	0.04	1,199	-
HANA01C2006A	0.17	0.11	2,100	-	IRPC41P2005A	-	-	-	-	KCE19C2008A	0.48	0.04	79,340	-
HANA01C2006B	-	-	-	-	IRPC41P2006A	-	-	-	-	KCE19C2009A	0.49	0.01	731,527	-
HANA01P2006A	0.67	(0.02)	101	-	IRPC41P2007A	-	-	-	-	KCE24C2005A	-	-	-	-
HANA11C2008A	-	-	-	-	IRPC42C2006A	0.06	0.04	5	-	KCE27C2007A	0.03	-	1,165	-
HANA13C2006A	-	-	-	-	IVL01C2004A	0.02	0.01	210	-	KCE41C2005A	-	-	-	-
HANA13C2008A	0.20	0.03	61	-	IVL01C2004B	-	-	-	-	KCE41C2006A	0.19	0.01	21	-
HANA16C2008A	-	-	-	-	IVL01C2006B	0.06	-	25,284	-	KKP01C2006A	0.02	0.01	18,940	-
HANA19C2006A	-	-	-	-	IVL01P2004A	0.47	-	913	-	KKP01C2006B	0.02	0.01	500	-
HANA27C2007A	-	-	-	-	IVL01P2004B	0.10	0.01	29,505	-	KKP01P2006A	2.06	(0.14)	450	1.00
HANA27P2007A	-	-	-	-	IVL01P2006B	0.57	0.01	12,608	-	KKP11C2007A	-	-	-	-
HANA41C2006A	-	-	-	-	IVL06C2008A	0.16	0.01	91,909	-	KKP13C2004A	-	-	-	-
HMPR01C2006A	0.06	0.01	6,688	-	IVL06P2005A	-	-	-	-	KKP13C2007A	0.06	0.01	3,401	-
HMPR01C2006B	-	-	-	-	IVL08C2004A	0.02	0.01	730	-	KKP41C2006A	-	-	-	-
HMPR01P2006A	0.89	0.02	4,086	-	IVL08P2004A	0.21	(0.02)	15	-	KTBO1C2008B	0.09	0.01	2,244	-
HMPR06C2006A	0.21	(0.01)	50,739	-	IVL11C2005A	0.03	(0.01)	249	-	KTBO1C2009A	0.18	(0.02)	102	-
HMPR06P2007A	-	-	-	-	IVL11C2006A	0.07	-	2,620	-	KTBO1P2009A	0.61	-	3,111	-
HMPR13C2006A	-	-	-	-	IVL13C2006A	0.07	0.02	2,360	-	KTB11C2004A	-	-	-	-
HMPR13C2007A	-	-	-	-	IVL13C2008A	0.78	0.03	333,432	-	KTB11C2006A	-	-	-	-
HMPR19C2005A	-	-	-	-	IVL13P2004A	-	-	-	-	KTB13C2006A	-	-	-	-
HMPR19C2007A	0.09	0.03	1	-	IVL16C2006A	0.01	-	10,000	-	KTB19C2005A	-	-	-	-
HMPR19C2010A	0.34	(0.66)	66,135	-	IVL16C2009A	0.12	(0.05)	779	-	KTB24C2004A	-	-	-	-
HMPR24C2004A	-	-	-	-	IVL19C2004A	0.02	(0.01)	5,105	-	KTB41C2004A	-	-	-	-
HMPR24C2008A	0.43	(0.01)	34,002	-	IVL19C2006A	0.03	0.01	7,366	-	KTB41C2006A	0.14	0.11	700	-
HMPR41C2005A	-	-	-	-	IVL19C2008A	0.62	-	8,338	-	KTB41P2004A	1.06	0.22	100	1.00
HMPR41C2006A	-	-	-	-	IVL19C2009A	1.17	(0.01)	113,197	1.00	KTC01C2004A	-	-	-	-
HMPR41C2007A	0.42	(0.03)	24,562	-	IVL19P2006A	0.60	0.01	25	-	KTC01C2004B	0.01	-	1	-
HMPR41C2007B	0.27	(0.01)	3,390	-	IVL24C2008A	1.06	-	12,896	1.00	KTC01C2007A	0.21	0.02	47,267	-
HSI28C2004A	0.24	0.02	28,863	-	IVL27P2007A	0.48	(0.06)	5,017						

Main Board Quotation

Issue Date :

Thursday April 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC19C2008A	0.35	0.05	946,642	-	PSL06C2006A	0.02	-	2,000	-	PTTE19C2008A	0.09	(0.02)	19,893	-
KTC19P2005A	0.39	(0.31)	30	-	PSL19C2004A	0.06	0.02	1	-	PTTE19C2008B	0.97	(0.14)	21,852	1.00
KTC27C2007A	0.06	(0.02)	2	-	PSL19C2006A	0.01	(0.01)	617	-	PTTE19C2009A	1.97	(0.21)	51,942	2.00
KTC28C2004A	-	-	-	-	PSL19C2007A	0.29	0.05	832	-	PTTE19C2009B	1.20	(0.13)	108,966	1.00
KTC28C2006A	-	0.01	75,196	-	PTG01C2005A	0.07	0.03	2,158	-	PTTE19C2010A	0.65	(0.35)	365,289	-
KTC41C2004A	-	-	-	-	PTG01C2005B	0.02	-	331	-	PTTE19P2004A	1.02	0.18	3	-
KTC41C2005A	-	-	-	-	PTG01C2007B	0.17	0.02	11,873	-	PTTE19P2006A	-	-	-	-
KTC41C2006A	0.12	0.05	310	-	PTG01P2005A	1.08	(0.04)	4,153	-	PTTE19P2009A	0.47	0.04	104,767	-
KTC42C2006A	0.04	-	911	-	PTG01P2005B	0.69	(0.06)	5,999	-	PTTE24C2008A	0.08	(0.02)	500	-
LH11C2007A	0.02	-	488	-	PTG03C2005A	0.02	0.01	101	-	PTTE28C2005A	-	-	-	-
LH19C2007A	0.04	0.02	4,010	-	PTG06C2006A	-	-	-	-	PTTE28C2008A	0.12	(0.02)	1,350	-
LH19P2004A	-	-	-	-	PTG08C2005A	0.02	0.01	79	-	PTTE28P2004A	-	-	-	-
LH41C2004A	-	-	-	-	PTG08C2007A	0.11	-	6,713	-	PTTE41C2005A	-	-	-	-
LH41C2005A	-	-	-	-	PTG11C2005A	-	-	-	-	PTTE41C2006A	-	-	-	-
LH41C2006A	-	-	-	-	PTG13C2004A	-	-	-	-	PTTE41C2007A	1.67	(0.08)	5,909	1.00
MAJO13C2007A	0.17	-	20,923	-	PTG13C2006A	0.08	-	31	-	PTTE41C2009A	-	-	-	-
MAJO19C2006A	-	-	-	-	PTG13P2004A	-	-	-	-	PTTE41P2004A	-	-	-	-
MBK19C2004A	-	-	-	-	PTG13P2006A	0.43	(0.11)	1,753	-	PTTE42C2004A	0.02	0.01	786	-
MEGA16C2009A	0.14	0.06	1	-	PTG16C2009A	-	-	-	-	PTTE42P2008A	-	-	-	-
MEGA19C2005A	-	-	-	-	PTG19C2004A	-	-	-	-	PTTG01C2005A	0.02	-	3,510	-
MINT01C2007B	0.03	-	16,431	-	PTG19C2005A	0.05	0.03	2	-	PTTG01C2005B	-	-	-	-
MINT01C2008A	0.06	0.02	101,598	-	PTG19C2006A	0.10	-	2,550	-	PTTG01C2007B	0.03	-	21,652	-
MINT01P2008A	1.31	0.07	21,039	1.00	PTG19C2008A	0.34	0.04	463,852	-	PTTG01C2008A	0.11	(0.02)	41,206	-
MINT06C2006A	-	-	-	-	PTG19P2006A	0.76	(0.06)	11	-	PTTG01P2005A	2.08	0.02	45	2.00
MINT06P2007A	-	-	-	-	PTG27C2007A	0.09	0.05	1,000	-	PTTG01P2005B	-	-	-	-
MINT11C2006A	-	-	-	-	PTG28C2004A	-	-	-	-	PTTG01P2007B	-	-	-	-
MINT13C2004A	-	-	-	-	PTG41C2004A	-	-	-	-	PTTG01P2008A	1.36	0.04	101	1.00
MINT13C2006A	-	-	-	-	PTG41C2005A	-	-	-	-	PTTG06C2006A	-	-	-	-
MINT13C2008A	0.05	-	14,580	-	PTG41C2006A	0.14	0.05	45	-	PTTG08C2004A	-	-	-	-
MINT19C2004A	-	-	-	-	PTG41P2005A	-	-	-	-	PTTG08C2008A	0.56	(0.44)	38,879	-
MINT19C2006A	-	-	-	-	PTG42C2004A	-	-	-	-	PTTG08P2004A	-	-	-	-
MINT19P2004A	1.75	(0.10)	625	1.00	PTG42C2006A	0.08	0.04	600	-	PTTG11C2004A	-	-	-	-
MINT24C2006A	-	-	-	-	PTT01C2004A	0.09	-	55,241	-	PTTG11C2007A	0.05	-	8	-
MINT28C2006A	-	-	-	-	PTT01C2004B	0.02	-	2,272	-	PTTG13C2005A	-	-	-	-
MINT28C2008A	0.03	(0.01)	2,567	-	PTT01C2007A	0.14	-	156,007	-	PTTG13C2007A	0.03	-	21	-
MINT41C2004A	-	-	-	-	PTT01C2007B	0.05	0.01	277,623	-	PTTG13C2008A	0.31	(0.03)	128	-
MINT41C2005A	-	-	-	-	PTT01P2004A	0.78	0.07	3,098	-	PTTG13C2009A	0.48	(0.04)	346,167	-
MINT41C2007A	-	-	-	-	PTT01P2004B	0.33	0.05	18,155	-	PTTG13P2004A	-	-	-	-
MINT41P2004A	1.53	(0.14)	10	1.00	PTT01P2007A	1.12	0.05	14,498	1.00	PTTG13P2008A	0.62	0.06	4,594	-
MINT42C2004A	-	-	-	-	PTT01P2007B	0.67	0.05	9,980	-	PTTG16C2006A	-	-	-	-
MTC01C2007B	0.05	0.01	12,850	-	PTT06C2005A	0.02	-	111	-	PTTG19C2006A	-	-	-	-
MTC01C2008A	0.08	0.01	106,874	-	PTT06C2008A	0.79	(0.02)	38,758	-	PTTG19C2006B	-	-	-	-
MTC03C2005A	-	-	-	-	PTT08C2005A	0.02	(0.01)	100	-	PTTG19C2008A	0.10	(0.02)	6,003	-
MTC06C2007A	-	-	-	-	PTT08C2008A	0.59	(0.41)	73,904	-	PTTG19C2008B	0.57	(0.03)	9,371	-
MTC08C2005A	-	-	-	-	PTT08P2005A	0.44	0.08	253	-	PTTG19C2009A	0.36	(0.04)	201,279	-
MTC08C2009A	0.82	(0.18)	110,461	-	PTT11C2004A	0.01	(0.01)	66	-	PTTG19P2006A	-	-	-	-
MTC11C2008A	-	-	-	-	PTT11C2008A	0.09	(0.01)	1,601	-	PTTG19P2009A	0.61	0.03	164,358	-
MTC13C2007A	0.04	0.02	4,992	-	PTT13C2004A	-	-	-	-	PTTG24C2008A	0.61	0.03	10,442	-
MTC16C2007A	0.04	0.03	140	-	PTT13C2006A	0.05	-	10,784	-	PTTG27P2006A	-	-	-	-
MTC19C2006A	0.01	(0.01)	300	-	PTT13C2008A	0.16	-	71,427	-	PTTG28C2006A	-	-	-	-
MTC19C2009A	0.64	0.04	384,573	-	PTT13C2008B	0.47	(0.08)	2,680	-	PTTG28C2008A	0.24	(0.01)	102,873	-
MTC19P2004A	1.01	(0.14)	27,225	-	PTT13C2009A	0.52	(0.02)	154,036	-	PTTG41C2004A	-	-	-	-
MTC24C2004A	-	-	-	-	PTT13P2004A	-	-	-	-	PTTG41C2005A	-	-	-	-
MTC27C2007A	-	-	-	-	PTT13P2006A	1.18	-	30	1.00	PTTG41C2006A	-	-	-	-
MTC28C2006A	-	-	-	-	PTT13P2008A	0.13	-	101,622	-	PTTG41C2007A	0.58	(0.06)	10,660	-
MTC28C2008A	0.07	0.01	7	-	PTT13P2009A	0.43	0.01	244,216	-	PTTG41C2008A	0.82	(0.03)	169	-
MTC41C2004A	-	-	-	-	PTT16C2008A	0.05	-	2,193	-	PTTG41P2006A	-	-	-	-
MTC41C2007A	0.31	0.02	14,908	-	PTT19C2005A	0.06	0.01	24,460	-	PTTG42C2007A	-	-	-	-
MTC41P2004A	-	-	-	-	PTT19C2008A	0.55	(0.04)	19,777	-	QH01C2006A	-	-	-	-
ORI13C2004A	-	-	-	-	PTT19C2009A	0.49	(0.02)	200,325	-	QH01C2006B	-	-	-	-
ORI19C2005A	-	-	-	-	PTT19P2006A	0.68	(0.01)	621	-	QH01P2006A	-	-	-	-
ORI28C2004A	-	-	-	-	PTT19P2009A	0.29	0.01	297,677	-	QH11C2006A	-	-	-	-
ORI28C2007A	-	-	-	-	PTT24C2008A	0.23	0.06	101	-	QH19C2006A	-	-	-	-
ORI28C2012A	0.53	(0.47)	113,394	-	PTT28C2004A	-	-	-	-	QH27C2007A	-	-	-	-
ORI41C2004A	-	-	-	-	PTT28C2007A	0.06	(0.01)	50	-	RATC01C2006A	0.28	0.02	691	-
OSP01C2006A	0.24	0.02	10,284	-	PTT28C2008A	0.23	(0.01)	129,789	-	RATC01C2006B	0.10	(0.04)	600	-
OSP01C2006B	0.10	0.02	2,030	-	PTT28C2008B	0.48	(0.04)	1,647	-	RATC01P2006A	0.94	(0.05)	390	-
OSP01P2006A	0.61	0.01	8,815	-	PTT28C2008C	2.10	(0.04)	118	2.00	RATC06C2006A	0.03	0.01	708	-
OSP06C2005A	-	-	-	-	PTT28P2004A	-	-	-	-	RATC06P2006A	-	-	-	-
OSP06C2008A	0.60	(0.02)	40,174	-	PTT41C2004A	-	-	-	-	RATC13C2004A	-	-	-	-
OSP08C2004A	-	-	-	-	PTT41C2005A	-	-	-	-	RATC13C2007A	0.15	(0.02)	1,414	-
OSP11C2005A	0.10	0.02	91	-	PTT41C2006A	-	-	-	-	RATC16C2008A	-	-	-	-
OSP13C2004A	0.02	0.01	200	-	PTT41C2007A	0.79	(0.01)	704	-	RATC19C2005A	0.07	-	1	-
OSP13C2006A	0.06	-	3,573	-	PTT41P2004A	-	-	-	-	RATC19C2007A	-	-	-	-
OSP16C2008A	0.05	0.01	1,432	-	PTT41P2005A	-	-	-	-	RATC24C2006A	0.09	(0.03)	500	-
OSP19C2004A	-	-	-	-	PTT41P2006A	-	-	-	-	RATC27C2004A	-	-	-	-
OSP19C2005A	0.09	0.04	522	-	PTT42C2007A	0.02	(0.01)	12,522	-	RATC27C2007A	-	-	-	-
OSP19C2009A	0.42	0.01	119,899	-	PTTE01C2004A	0.02	-	3,830	-	RATC41C2004A	0.17	0.09	1,000	-
OSP24C2008A	-	-	-	-	PTTE01C2004B	0.02	-	200	-	RATC41C2005A	-	-	-	-
OSP41C2004A	-	-	-	-	PTTE01C2007A	0.06	-	110,534	-	RATC41C2006A	0.53	(0.03)	26,123	-
OSP41C2005A	0.20	(0.01)	15,708	-	PTTE01C2007B	0.03	-	106,249	-	RATC41P2004A	-	-	-	-
OSP41P2004A	0.41	(0.04)	1,755	-	PTTE01P2004A	1.55	0.17	516	1.00	RATC41P2006A	-	-	-	-
OSP42C2005A	0.05	0.02	500	-	PTTE01P2004B	0.93	0.14	8,609	-	RATC42C2006A	-	-	-	-
PLAN08C2004A	-	-	-	-	PTTE01P2007A	2.44	0.20	957	2.00	RS06C2004A	0.02	0.01	1	-
PLAN13C2004A	-	-	-	-	PTTE01P2007B	2.26	0.36	1,711	1.00	RS08P2006A	0.88	(0.07)	35,543	-
PLAN13C2005A	0.01	-	500	-	PTTE06C2006A	0.02	-	1,131	-	RS13C2004A	-	-	-	-
PLAN13C2007A	0.01	-	7,010	-	PTTE06C2008A	1.77	(0.25)	46,880	2.00	RS13C2006A	-	-	-	-
PLAN19C2005A	-	-	-	-	PTTE06P2006A	-	-	-	-	RS16C2005A	-	-	-	-
PLAN19C2007A	0.02	0.01	3,706	-	PTTE08C2005A	-	-	-	-	RS19C2004A	-	-	-	-
PLAN24C2006A	-	-	-	-	PTTE08C2008A	1.84	(0.14)	46,912	1.00	RS19C2005A	-	-	-	-
PLAN27C2008A	-	-	-	-	PTTE08P2005A	-	-	-	-	RS19C2007A	0.09	0.01	54,260	-
PLAN28C2004A	-	-	-	-	PTTE08P2006A	-	-	-	-	RS24C2004A	-	-	-	-
PLAN28C2005A	0.01	(0.03)	1,000	-	PTTE11C2006A	-	-	-	-	RS24C2008A	0.06	0.02	300	-
PLAN28C2012A	0.46	(0												

Main Board Quotation

Issue Date :

Thursday April 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001P2004A	4.38	(0.04)	2,403	4.00	SAWA16C2008A	0.07	0.03	18	-	SPAL06P2004A	-	-	-	-
S5001P2005A	3.80	0.16	1,909	3.00	SAWA19C2005A	-	-	-	-	SPAL11C2006A	-	-	-	-
S5001P2006F	6.35	(0.40)	18	6.00	SAWA19C2009A	0.53	0.07	159,470	-	SPAL13C2006A	-	-	-	-
S5001P2006G	4.72	(0.33)	197	4.00	SAWA19C2009B	0.66	0.07	208,525	-	SPAL19C2004A	-	-	-	-
S5001P2006H	2.66	0.10	1,617	2.00	SAWA24C2004A	-	-	-	-	SPAL27C2008A	-	-	-	-
S5001P2007A	2.66	0.12	35,179	2.00	SAWA27C2007A	-	-	-	-	SPAL41C2004A	-	-	-	-
S5006C2006A	0.03	(0.01)	14,447	-	SAWA28C2004A	-	-	-	-	SPRC01C2007A	0.03	0.01	341	-
S5006C2006B	0.07	(0.01)	7,479	-	SAWA28C2007A	0.05	0.01	2	-	SPRC06C2007A	0.02	0.01	5,000	-
S5006C2006C	0.94	(0.01)	271,066	1.00	SAWA28C2008A	0.06	0.02	1,022	-	SPRC06P2007A	-	-	-	-
S5006C2006D	1.14	0.01	400,907	1.00	SAWA28C2012A	0.46	(0.54)	171,411	-	SPRC08C2005A	0.02	-	1	-
S5006P2006A	-	-	-	-	SAWA41C2005A	0.11	0.01	200	-	SPRC08C2006A	-	-	-	-
S5006P2006B	-	-	-	-	SAWA41P2005A	-	-	-	-	SPRC11C2005A	-	-	-	-
S5006P2006C	0.58	(0.01)	204,942	-	SCB01C2004A	0.02	-	14,131	-	SPRC11C2008A	0.06	0.03	350	-
S5006P2006D	0.52	(0.02)	88,662	-	SCB01C2004B	0.02	0.01	500	-	SPRC13C2004A	-	-	-	-
S5008C2006A	0.06	(0.02)	60,032	-	SCB01C2007A	0.08	-	50,101	-	SPRC13C2006A	0.01	(0.04)	1,855	-
S5008C2006B	1.99	-	373,976	2.00	SCB01C2007B	0.03	-	12,567	-	SPRC13C2008A	-	-	-	-
S5008C2006C	1.31	(0.01)	431,820	1.00	SCB01C2008B	0.31	0.07	2,403	-	SPRC19C2005A	-	-	-	-
S5008P2006A	0.32	0.07	123,526	-	SCB01C2009A	0.57	0.01	6,292	-	SPRC19C2005B	-	-	-	-
S5008P2006B	0.66	(0.04)	84,733	-	SCB01P2004A	1.51	(0.13)	20	1.00	SPRC19C2007A	0.06	0.04	1	-
S5013C2006A	0.09	(0.02)	2,047,883	-	SCB01P2004B	0.89	(0.17)	335	-	SPRC19P2005A	-	-	-	-
S5013C2006B	0.10	0.01	822,972	-	SCB01P2007A	1.20	(0.03)	2,078	1.00	SPRC28C2008A	-	-	-	-
S5013C2006C	0.36	0.26	1,281,068	-	SCB01P2007B	1.13	(0.07)	773	1.00	SPRC41C2004A	-	-	-	-
S5013C2006D	0.18	0.02	440,740	-	SCB06C2007A	0.02	-	7,581	-	SPRC41C2005A	-	-	-	-
S5013C2006E	0.56	(0.14)	389,407	-	SCB08C2005A	-	-	-	-	SPRC41C2006A	-	-	-	-
S5013C2006F	1.38	-	852,462	1.00	SCB08C2007A	0.12	0.05	1,254	-	SPRC42C2006A	0.02	0.01	1	-
S5013C2006G	1.00	(0.01)	7,310,548	1.00	SCB08P2004A	-	-	-	-	STA01C2008B	-	-	-	-
S5013P2006A	4.82	(0.08)	332	4.00	SCB11C2005A	-	-	-	-	STA01C2009A	0.25	-	9,726	-
S5013P2006B	3.52	0.12	483	3.00	SCB11C2006A	0.01	-	5	-	STA01P2009A	0.50	0.01	380	-
S5013P2006C	2.42	(0.68)	125	2.00	SCB11C2008A	0.08	0.03	100	-	STA11C2005A	0.07	(0.01)	100	-
S5013P2006D	2.60	(0.08)	652,386	2.00	SCB11P2005A	-	-	-	-	STA13C2006A	0.09	-	9,029	-
S5013P2006E	1.49	(0.02)	208,070	1.00	SCB13C2006A	0.01	-	6,055	-	STA19C2004A	-	-	-	-
S5013P2006F	0.44	(0.02)	1,308,698	-	SCB13C2006B	0.05	-	1	-	STA19C2005A	0.52	0.02	3,409	-
S5013P2006G	0.53	(0.04)	7,995,886	-	SCB13C2007A	0.13	0.02	1,142	-	STA19C2007A	0.10	(0.02)	2,103	-
S5016C2006A	0.04	0.02	99,756	-	SCB13C2008A	0.64	(0.02)	45	-	STA19C2009A	0.28	(0.01)	384,553	-
S5016C2006B	0.12	0.04	1,921	-	SCB13C2009A	1.00	-	588,664	1.00	STA42C2007A	0.09	(0.04)	500	-
S5016C2006C	1.32	(0.01)	211,107	1.00	SCB13P2006A	-	-	-	-	STEC01C2004A	-	-	-	-
S5016C2006D	1.28	0.28	220,394	1.00	SCB13P2008A	0.53	(0.05)	23,634	-	STEC01C2006A	0.23	0.05	6,819	-
S5016P2006A	-	-	-	-	SCB16C2008A	-	-	-	-	STEC01C2006B	0.04	0.01	24,823	-
S5016P2006B	-	-	-	-	SCB19C2006A	-	-	-	-	STEC01P2006A	0.56	(0.12)	455	-
S5016P2006C	0.64	(0.04)	157,393	-	SCB19C2007A	0.13	(0.01)	5,506	-	STEC06C2004A	0.02	0.01	7,795	-
S5016P2006D	0.70	(0.30)	186,912	-	SCB19C2008A	1.08	0.02	130,861	1.00	STEC08C2004A	-	-	-	-
S5019C2006A	0.09	0.07	350,941	-	SCB19P2005A	-	-	-	-	STEC08C2005A	0.12	0.02	701	-
S5019C2006B	0.18	0.06	40,555	-	SCB24C2004A	-	-	-	-	STEC11C2007A	0.03	(0.01)	1,400	-
S5019C2006C	0.44	0.01	1,460	-	SCB24C2008A	0.75	0.02	61,686	-	STEC13C2004A	0.02	0.01	5,550	-
S5019C2006D	1.11	-	946,090	1.00	SCB27C2007A	0.01	-	1	-	STEC16C2006A	0.09	-	1	-
S5019C2006E	0.64	(0.02)	1,108,855	-	SCB27P2006A	1.41	(0.10)	40	1.00	STEC16C2009A	-	-	-	-
S5019C2006F	1.52	0.03	218,205	1.00	SCB28C2004A	-	-	-	-	STEC19C2004A	-	-	-	-
S5019C2009A	3.04	(0.02)	80,150	3.00	SCB28C2006A	-	-	-	-	STEC19C2005A	-	-	-	-
S5019P2006A	3.82	(0.32)	1,016	3.00	SCB28C2006B	-	-	-	-	STEC19C2009A	0.45	0.07	182,357	-
S5019P2006B	3.00	0.18	3	2.00	SCB28C2008A	0.28	0.03	1	-	STEC24C2006A	0.15	0.08	300	-
S5019P2006C	2.62	0.22	748	2.00	SCB28C2010A	0.70	0.02	88,112	-	STEC28C2004A	-	-	-	-
S5019P2006D	0.66	(0.03)	930,545	-	SCB41C2005A	-	-	-	-	STEC28C2004B	-	-	-	-
S5019P2006E	0.42	(0.01)	65,143	-	SCB41C2006A	-	-	-	-	STEC28C2005A	0.05	0.04	60	-
S5019P2006F	0.28	(0.02)	1,233,813	-	SCB41C2006B	-	-	-	-	STEC28C2012A	0.31	(0.69)	54,326	-
S5024C2006A	0.03	-	11,192	-	SCB41C2008A	0.88	0.01	88,134	-	STEC41C2004A	-	-	-	-
S5024C2006B	0.08	0.03	10,370	-	SCB41P2005A	-	-	-	-	STEC41C2005A	-	-	-	-
S5024C2006C	2.26	(0.02)	34,981	2.00	SCB42C2006A	-	-	-	-	STEC41C2006A	-	-	-	-
S5024C2009A	0.07	0.02	36,629	-	SCB42C2007A	0.02	-	1,010	-	STEC41P2004A	-	-	-	-
S5024C2009B	1.09	0.02	70,286	1.00	SCC01C2004A	0.10	0.01	4,600	-	STEC41P2005A	-	-	-	-
S5024P2006A	19.80	(1.70)	1	19.00	SCC01C2004B	0.01	-	2,100	-	STEC42C2004A	0.35	0.05	8,000	-
S5024P2006B	10.90	(0.50)	2	11.00	SCC01P2004A	1.07	(0.08)	75	1.00	SUPE19C2004A	-	-	-	-
S5024P2006C	2.60	-	45	2.00	SCC06C2007A	0.10	-	41,050	-	SUPE19C2007A	0.08	0.01	61,895	-
S5024P2006D	1.90	(0.08)	318,960	1.00	SCC08C2004A	-	-	-	-	SUPE42C2004A	-	-	-	-
S5028C2004A	-	-	-	-	SCC08P2006A	0.64	(0.05)	851	-	TASC01C2007B	0.15	0.02	1,502	-
S5028C2004B	0.01	-	16,960	-	SCC11C2006A	-	-	-	-	TASC01C2008A	0.42	0.08	411	-
S5028C2006A	0.04	0.01	125,072	-	SCC11C2007A	0.13	0.01	2,000	-	TASC01P2008A	-	-	-	-
S5028C2006B	0.11	0.03	6,709	-	SCC13C2004A	-	-	-	-	TASC08C2005A	-	-	-	-
S5028C2006C	1.52	0.01	3,002,153	1.00	SCC13C2008A	0.48	(0.03)	2,111	-	TASC08C2006A	0.14	0.02	1	-
S5028C2006D	2.18	0.14	203	2.00	SCC13P2006A	0.54	(0.31)	137	-	TASC13C2006A	0.15	(0.03)	533	-
S5028C2009A	1.08	0.01	2,465,880	1.00	SCC16C2005A	-	-	-	-	TASC16C2008A	-	-	-	-
S5028P2004A	3.78	(0.58)	202	3.00	SCC19C2006A	-	-	-	-	TASC19C2006A	0.27	0.01	1,650	-
S5028P2004B	2.98	-	61	3.00	SCC19C2008A	0.76	(0.02)	19,361	-	TASC19C2007A	0.11	-	1,599	-
S5028P2006A	1.72	(0.09)	1,405	1.00	SCC19P2004A	-	-	-	-	TASC19C2009A	0.45	-	211,004	-
S5028P2006B	1.32	(0.03)	17,077	1.00	SCC24C2006A	-	-	-	-	TASC19P2004A	0.22	0.04	11	-
S5028P2006C	0.64	(0.02)	854,353	-	SCC27P2008A	0.24	-	2,456	-	TASC24C2006A	-	-	-	-
S5028P2009A	1.73	-	1,269,712	1.00	SCC28C2004A	-	-	-	-	TASC28C2004A	-	-	-	-
S5041C2006A	0.62	0.02	3,345	-	SCC28C2008A	0.68	-	3,927	-	TASC28C2006A	-	-	-	-
S5041C2006B	1.02	0.02	100	1.00	SCC28C2010A	0.57	(0.01)	26,828	-	TASC28C2012A	0.27	(0.73)	56,981	-
S5041C2006C	2.44	-	760,792	2.00	SCC41C2005A	-	-	-	-	TASC41C2004A	-	-	-	-
S5041C2006D	3.88	(0.04)	190,328	4.00	SCC41C2006A	-	-	-	-	TASC41C2005A	0.31	-	15,990	-
S5041C2006E	1.47	0.01	57,963	1.00	SCC41C2006B	0.91	0.02	61,483	-	TASC42C2005A	-	-	-	-
S5041C2006F	1.19	0.02	4,757,543	1.00	SCC41P2005A	-	-	-	-	TCAP01C2007B	0.05	-	413	-
S5041P2006A	6.60	(0.10)	62,621	6.00	SCC41P2006A	-	-	-	-	TCAP01C2008A	0.11	0.01	7,790	-
S5041P2006B	-	-	-	-	SCC42C2008A	0.18	0.05	920	-	TCAP01P2008A	1.81	(0.15)	188	1.00
S5041P2006C	2.82	(0.06)	1,350,197	2.00	SGP13C2004A	0.02	0.01	5	-	TCAP13C2007A	0.06	-	52	-
S5041P2006D	2.26	(0.04)	81,889	2.00	SGP13C2006A	-	-	-	-	TCAP19C2004A	0.01	(0.03)	1,001	-
S5041P2006E	0.96	(0.02)	27,179	-	SGP13C2007A	-	-	-	-	TCAP41C2004A	0.03	(0.03)	100	-
S5041P2006F	0.58	(0.02)	117,614	-	SGP19C2006A	-	-	-	-	THAI13C2004A	-			

Main Board Quotation

Issue Date :

Thursday April 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
THAN13C2007A	-	-	-	-	TRUE08P2005A	-	-	-	-	AS-W1	0.01	-	1,240	-
THAN19C2004A	-	-	-	-	TRUE11C2005A	0.01	-	270	-	AYUD-W1	0.06	0.01	140,172	-
THAN19C2007A	0.04	-	300	-	TRUE11C2005B	-	-	-	-	B-W3	-	-	-	-
THAN41C2005A	-	-	-	-	TRUE13C2006A	-	-	-	-	B-W4	0.02	-	383	-
TISC01C2006A	0.12	0.01	22,014	-	TRUE13C2007A	0.11	(0.02)	170	-	B-W5	0.03	-	11,074	-
TISC01C2006B	0.03	-	3,595	-	TRUE19C2004A	-	-	-	-	B52-W2	-	-	-	-
TISC01P2006A	1.11	(0.05)	246	1.00	TRUE19C2006A	-	-	-	-	BKD-W2	0.07	0.01	123	-
TISC11C2005A	-	-	-	-	TRUE19C2007A	0.16	(0.02)	2,080	-	BTS-W5	0.71	0.02	503,776	-
TISC11C2007A	0.08	0.01	1,556	-	TRUE19C2009A	0.40	0.02	160,947	-	CGD-W4	0.04	-	7,261	-
TISC13C2004A	-	-	-	-	TRUE19P2005A	-	-	-	-	CGH-W3	0.01	-	27	-
TISC13C2006A	-	-	-	-	TRUE28C2006A	-	-	-	-	CI-W1	0.01	-	5	-
TISC19C2004A	0.06	-	40	-	TRUE28C2012A	0.22	(0.78)	20,836	-	CKP-W1	0.02	(0.01)	375,018	-
TISC19C2006A	0.02	-	2,500	-	TRUE41C2004A	-	-	-	-	CRANE-W1	1.00	0.07	30	1.00
TISC41C2005A	-	-	-	-	TRUE41C2005A	-	-	-	-	DCC-W1	0.25	-	32,111	-
TISC41C2006A	0.10	0.02	220	-	TRUE41C2006A	-	-	-	-	ECL-W3	0.08	-	105,906	-
TISC41P2006A	1.28	(0.18)	305	1.00	TRUE41C2007A	0.47	0.04	850	-	EIC-W2	-	-	-	-
TKN01C2007B	0.03	-	500	-	TRUE41P2005A	-	-	-	-	EIC-W3	-	-	-	-
TKN01C2008A	0.18	0.01	3,565	-	TRUE42C2004A	-	-	-	-	EMC-W6	0.03	0.01	121	-
TKN08C2007A	-	-	-	-	TRUE42C2007A	1.44	0.52	41	1.00	EPCO-W3	0.23	(0.01)	16,306	-
TKN13C2004A	-	-	-	-	TTW27C2009A	0.23	0.02	21,716	-	GLOCON-W4	0.10	(0.01)	25,105	-
TKN13C2006A	0.04	(0.06)	600	-	TU01C2004A	0.05	(0.02)	2,139	-	J-W1	0.08	-	560	-
TKN16C2008A	-	-	-	-	TU01C2004B	0.02	(0.01)	33,010	-	JAS-W3	0.96	(0.06)	383,380	1.00
TKN19C2004A	0.05	(0.01)	41	-	TU01P2004A	0.15	0.02	43,796	-	JCK-W5	0.04	0.01	3,953	-
TKN19C2004B	-	-	-	-	TU06C2004A	0.01	-	69,633	-	JMT-W2	2.68	0.06	6,909	2.00
TKN19C2007A	0.10	(0.03)	1,375	-	TU06P2007A	-	-	-	-	MACO-W2	0.05	-	517,017	-
TKN28C2007A	-	-	-	-	TU08C2008A	0.22	(0.01)	169,070	-	MILL-W4	0.02	-	2,707	-
TKN28C2012A	0.28	(0.72)	62,718	-	TU11C2008A	0.22	-	2,220	-	MILL-W5	-	-	-	-
TKN41C2005A	-	-	-	-	TU13C2004A	0.02	-	400	-	MINT-W6	1.35	(0.05)	77,332	1.00
TKN41C2006A	-	-	-	-	TU19C2005A	0.12	(0.03)	4,711	-	NFC-W1	0.35	(0.03)	151	-
TKN42C2006A	0.34	0.01	15,282	-	TU19C2007A	0.17	-	1,521	-	NOK-W1	0.01	-	9	-
TMB01C2004A	0.02	-	57	-	TU19C2009A	0.17	(0.01)	294,690	-	NVD-W1	0.06	(0.01)	2,478	-
TMB01C2004B	-	-	-	-	TU24C2006A	-	-	-	-	ORI-W1	0.14	(0.01)	93,081	-
TMB01P2004A	-	-	-	-	TU27C2004A	-	-	-	-	PACE-W2	-	-	-	-
TMB19C2004A	-	-	-	-	TU27C2006A	0.09	0.01	862	-	PACE-W3	-	-	-	-
TMB19C2007A	0.03	0.01	1,867	-	TU41C2005A	-	-	-	-	PD1-W1	0.28	(0.02)	26,579	-
TMB19P2004A	-	-	-	-	TU41C2009A	0.28	0.02	300	-	PDJ-W4	0.15	0.01	2	-
TMB41C2004A	-	-	-	-	TU42C2007A	-	-	-	-	PERM-W1	0.08	0.01	115,507	-
TMB41C2005A	0.03	-	377	-	TVO13C2007A	0.21	0.05	140	-	PORT-W1	0.51	(0.02)	167,726	-
TMB41P2006A	-	-	-	-	TVO19C2004A	-	-	-	-	PPPM-W4	0.09	0.01	2,631	-
TOA01C2006A	0.27	0.04	1	-	TVO19C2007A	0.04	0.01	200	-	PRIME-W1	0.01	(0.01)	40	-
TOA01C2006B	-	-	-	-	VG101C2005A	0.01	(0.01)	7,500	-	PRIME-W2	-	-	-	-
TOA13C2007A	0.15	-	6	-	VG106C2007A	0.11	0.02	502	-	RICHY-W2	0.02	0.01	22,116	-
TOA19C2004A	-	-	-	-	VG108C2006A	-	-	-	-	RS-W3	0.35	0.10	729,747	-
TOA19C2007A	0.37	0.02	81,131	-	VG11C2008A	-	-	-	-	SAMART-W2	0.37	0.01	117,048	-
TOA24C2005A	0.09	0.08	1	-	VG113C2006A	0.05	0.03	20	-	SAWAD-W1	4.22	0.72	48,814	4.00
TOA41C2004A	-	-	-	-	VG119C2006A	-	-	-	-	SDC-W1	-	-	-	-
TOP01C2006A	0.03	-	79,261	-	VG141C2006A	-	-	-	-	SINGER-W1	1.26	(0.02)	1,107	1.00
TOP01C2006B	-	-	-	-	VG141C2007A	0.18	0.01	6,600	-	SINGER-W2	1.15	0.10	263	1.00
TOP01C2008B	0.16	0.01	7	-	WHA01C2005A	0.01	(0.01)	1,501	-	SMT-W2	0.01	-	450	-
TOP01C2009A	0.27	(0.04)	4,106	-	WHA01C2005B	0.01	-	110	-	SST-W2	0.31	0.01	1,116	-
TOP01P2006A	2.82	0.22	68	2.00	WHA01C2008B	0.15	0.02	200	-	SUPER-W4	0.01	-	6,511	-
TOP01P2009A	0.97	0.11	2,561	-	WHA01C2009A	0.31	(0.02)	11,271	-	TCC-W3	0.03	0.01	358	-
TOP06C2004A	0.01	-	72,626	-	WHA01P2005A	1.74	-	50	1.00	TCC-W4	0.02	(0.01)	409	-
TOP06C2007A	0.02	-	37,063	-	WHA01P2009A	0.65	(0.02)	1,858	-	TCC-W5	0.09	0.01	1,703	-
TOP06C2008A	0.60	(0.09)	8,281	-	WHA06C2007A	0.03	0.01	201	-	TCJ-W2	0.02	-	8,044	-
TOP06P2005A	-	-	-	-	WHA08C2005A	-	-	-	-	TFG-W2	0.01	-	961	-
TOP08C2007A	-	-	-	-	WHA08C2006A	0.02	0.01	100	-	TGPRO-W3	-	-	-	-
TOP08P2007A	-	-	-	-	WHA08P2006A	-	-	-	-	TH-W2	-	-	-	-
TOP11C2007A	0.02	0.01	11	-	WHA11C2008A	-	-	-	-	THE-W2	-	-	-	-
TOP13C2004A	0.01	-	500	-	WHA13C2005A	-	-	-	-	TNITY-W1	0.11	0.01	2,809	-
TOP13C2006A	0.02	-	20	-	WHA13C2006A	0.05	-	1,010	-	TRITN-W3	0.05	-	28,231	-
TOP13C2008A	0.12	-	5,762	-	WHA16C2006A	-	-	-	-	TTCL-W1	0.39	(0.07)	386,593	-
TOP13C2008B	0.50	(0.07)	140,276	-	WHA16C2008A	0.13	0.12	1	-	U-W4	0.01	-	100	-
TOP13P2005A	-	-	-	-	WHA19C2004A	-	-	-	-	UAC-W2	0.09	-	64,658	-
TOP13P2006A	2.40	0.14	6	2.00	WHA19C2005A	-	-	-	-	VGI-W2	0.64	(0.04)	1,411,362	-
TOP16C2008A	-	-	-	-	WHA19C2006A	0.04	-	2,001	-	VIBHA-W2	0.44	0.02	6,079	-
TOP19C2006A	-	-	-	-	WHA24C2004A	-	-	-	-	VIBHA-W3	0.12	0.01	70,018	-
TOP19C2007A	0.04	-	18,000	-	WHA24C2007A	0.22	(0.02)	51,194	-	WAVE-W1	0.01	-	6,760	-
TOP19C2008A	0.26	(0.03)	297,636	-	WHA27C2008A	-	-	-	-	WIK-W2	0.09	-	104,210	-
TOP19P2006A	-	-	-	-	WHA28C2004A	-	-	-	-	ZMICO-W4	0.05	-	28,788	-
TOP24C2007A	0.02	0.01	2,540	-	WHA28C2005A	-	-	-	-	Preferred Shares	-	-	-	-
TOP24C2008A	0.51	(0.04)	31,020	-	WHA28C2006A	-	-	-	-	BH-P	-	-	-	-
TOP28C2004A	-	-	-	-	WHA28C2012A	0.26	(0.74)	126,823	-	CSC-P	-	-	-	-
TOP41C2004A	-	-	-	-	WHA41C2004A	-	-	-	-	JUTHA-P	-	-	-	-
TOP41C2005A	-	-	-	-	WHA41C2005A	-	-	-	-	KTB-P	-	-	-	-
TOP41C2006A	-	-	-	-	WHA41C2006A	-	-	-	-	SCB-P	-	-	-	-
TOP41C2007A	-	-	-	-	WHA41C2007A	-	-	-	-	TCAP-P	-	-	-	-
TOP41C2008A	0.57	0.01	6,218	-	WHA41P2005A	-	-	-	-	TISCO-P	-	-	-	-
TOP41P2004A	-	-	-	-	WHA42C2005A	-	-	-	-	U-P	1.51	(0.02)	4,216	1.00
TOP41P2005A	-	-	-	-	WHA42C2006A	-	-	-	-	Warrant (MAI)	-	-	-	-
TOP41P2006A	-	-	-	-	Preferred/Foreign	-	-	-	-	BM-W1	0.02	-	9,480	-
TOP42C2007A	-	-	-	-	BH-Q	-	-	-	-	BROOK-W5	0.10	-	130,492	-
TPI19C2004A	-	-	-	-	CSC-Q	-	-	-	-	CHO-W2	0.04	-	14,248	-
TRUE01C2004A	0.02	-	5,653	-	JUTHA-Q	-	-	-	-	D-W1	0.31	(0.08)	400	-
TRUE01C2004B	-	-	-	-	KTB-Q	-	-	-	-	DOD-W1	0.34	(0.01)	275,674	-
TRUE01C2007A	0.24	-	7,476	-	SCB-Q	-	-	-	-	ECF-W3	0.19	0.01	3,244	-
TRUE01C2007B	0.10	0.02	1,186	-	TCAP-Q	-	-	-	-	EFORL-W3	0.01	-	50	-
TRUE01P2004A	-	-	-	-	TISCO-Q	-	-	-	-	EFORL-W4	-	-	-	-
TRUE01P2004B	-	-	-	-	U-Q	-	-	-	-	FVC-W2	0.01	-	3,995	-
TRUE01P2007B	0.59	(0.02)	4,574	-	Warrant	-	-	-	-	HPT-W1	0.24	0.06	48,936	-
TRUE06C2004A	-	-	-	-	7UP-W4	0.06	-	246,743	-	HYDRO-W1	-	-	-	-
TRUE06C2007A	0.08	0.01	29,191	-	AKR-W1	0.04	(0.01)	132,964	-	ITEL-W1	0.25	-	108,935	-
TRUE08C2004A	-	-	-	-	ALT-W1	0.13	-	20,569	-	JKN-W1	0.01	(0.01)	72,440	-
TRUE08C2005A	-	-	-	-	APEX-W1	-	-	-	-	LIT-W1	0.31	-	9,733	-
TRUE08C2007A	0.15	-	1,419	-	APURE-W2	0.06	0.01	50,781	-	META-W4	0.02	-	59,238	-

