

## Main Board Quotation

Issue Date :

Thursday April 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	1.72	0.15	28,154	1.70	MCOT	6.25	0.25	17,475	6.18
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	2.28	0.26	363,426	2.16
SAFARI	-	-	-	-	DIF	15.10	0.10	104,358	15.00	MPIC	1.32	(0.03)	24	1.32
VI	-	-	-	-	DTAC	45.50	2.00	87,033	44.64	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.50	0.05	463	5.45	PLANB	4.52	0.42	1,224,265	4.36
WR	-	-	-	-	HUMAN	6.55	(0.25)	4,459	6.57	POST	1.62	0.05	1	1.62
Agribusiness	-	-	-	-	ILINK	3.58	(0.04)	5,630	3.62	PRAKIT	9.15	-	1	9.15
CHOTI	-	-	-	-	INET	1.93	0.04	5,525	1.92	SE-ED	-	-	-	-
EE	0.53	0.01	24,927	0.53	INTUCH	52.00	-	183,248	52.23	TBSP	-	-	-	-
GFPT	11.30	0.30	59,246	11.28	JAS	4.02	0.06	2,177,012	4.05	TH	0.46	0.02	3,955	0.45
LEE	2.00	0.04	5,929	2.00	JASIF	9.20	0.20	291,046	9.08	TKS	4.96	0.12	10,665	4.91
NER	2.58	-	230,397	2.57	JMART	7.60	0.85	110,892	7.20	VGI	7.55	0.45	298,616	7.38
PPPM	0.46	0.01	15,748	0.47	JTS	0.73	0.01	1,002	0.74	WAVE	0.90	(0.04)	129	0.92
STA	12.80	(0.10)	85,090	12.82	MFEC	4.80	-	9,208	4.81	WORK	9.35	1.20	270,239	8.80
TRUBB	0.72	0.09	35,858	0.72	MSC	4.54	(0.04)	412	4.54	Finance & Securities	-	-	-	-
TWPC	2.92	0.06	21,402	2.89	PT	4.02	0.02	1,740	4.02	AEC	0.20	-	3,953	0.20
UPOIC	2.30	-	375	2.29	SAMART	4.86	0.04	30,286	4.83	AEONTS	117.00	2.00	2,430	116.18
UVAN	3.76	0.02	622	3.77	SAMTEL	5.75	0.25	3,529	5.72	AMANAH	2.86	0.26	690,625	2.80
VPO	0.38	0.02	16,026	0.38	SDC	0.13	(0.01)	51,435	0.14	ASAP	1.24	0.15	382,525	1.22
Banking	-	-	-	-	SIS	7.20	0.15	7,367	7.19	ASK	15.50	-	12,057	15.53
BAY	21.40	0.20	6,439	21.28	SVOA	0.98	(0.02)	60,408	0.99	ASP	1.58	0.07	38,186	1.54
BBL	104.50	-	116,681	104.51	SYMC	2.18	0.08	58	2.14	BAM	24.00	1.30	3,220,368	23.39
CIMBT	0.61	(0.01)	179,466	0.61	SYNEX	5.95	0.20	22,178	5.93	BFIT	27.00	(0.75)	60,684	27.51
KBANK	90.50	0.25	140,710	91.09	THCOM	3.76	0.08	20,694	3.76	CGH	0.75	-	3,153	0.75
KKP	42.25	-	55,298	42.42	TRUE	3.28	-	1,121,350	3.29	ECH	0.81	0.01	17,943	0.81
KTB	10.70	-	375,891	10.71	TWZ	0.05	-	97,816	0.05	FNS	1.90	0.01	314	1.90
LHFG	0.99	(0.01)	60,824	0.99	Electronic Componer	-	-	-	-	FSS	1.12	0.01	300	1.12
SCB	68.50	1.50	138,128	68.09	CCET	1.42	0.04	26,721	1.43	GBX	0.39	0.01	130	0.39
TCAP	35.50	-	41,494	35.58	DELTA	40.25	0.25	15,402	40.61	GL	3.14	0.12	74,661	3.13
TISCO	81.25	-	144,612	81.29	EIC	0.06	0.01	366,608	0.06	IFS	2.28	-	3,064	2.29
TMB	0.92	(0.01)	1,413,759	0.93	HANA	26.75	(0.50)	23,193	27.05	JMT	18.00	0.60	116,171	17.68
Construction Materia	-	-	-	-	KCE	15.20	-	231,610	15.19	KCAR	8.00	-	569	8.04
CCP	0.21	-	92,676	0.22	METCO	129.50	0.50	17	129.29	KGI	3.72	0.06	62,146	3.69
COTTO	0.98	0.05	9,685	0.98	NEX	2.80	0.06	29,559	2.78	KTC	32.00	(0.50)	95,596	32.23
DCC	1.56	-	54,614	1.56	SMT	0.81	0.03	9,277	0.82	MBKET	5.65	0.40	1,460	5.43
DCON	0.27	-	36,780	0.27	SVI	2.24	0.06	22,380	2.24	MFC	13.50	0.10	626	13.51
DRT	5.15	0.05	9,452	5.15	TEAM	0.62	0.05	7,099	0.60	ML	0.58	-	2,499	0.58
EPG	4.72	(0.02)	99,794	4.78	Energy & Utilities	-	-	-	-	MTC	45.50	(0.25)	94,843	46.11
GEL	0.12	-	9,428	0.12	7UP	0.44	0.01	333,881	0.44	PE	0.02	-	21,922	0.02
PPP	1.81	0.05	1,776	1.76	ABPIF	3.52	-	1,328	3.50	PL	2.06	0.04	353	2.04
Q-CON	4.36	(0.02)	57	4.37	ACE	3.08	0.14	108,593	3.01	S11	5.20	0.20	4,011	5.17
RCI	2.88	-	200	2.88	AI	1.06	-	19,720	1.06	SAWAD	53.00	0.25	114,910	53.56
SCC	326.00	(2.00)	20,106	327.59	AKR	0.45	-	10,252	0.46	THANI	3.90	0.08	534,675	3.92
SCCC	119.50	1.50	897	119.80	BAFS	23.60	1.10	12,762	23.14	TK	7.35	0.15	1,740	7.23
SCP	5.10	0.18	3,593	5.14	BANPU	5.60	0.15	373,639	5.59	TNITY	3.36	0.02	77	3.36
SKN	1.58	(0.01)	239	1.59	BCP	18.20	0.50	20,790	18.14	UOBKH	-	-	-	-
TASCO	18.60	(0.20)	141,870	18.79	BCPG	16.20	-	37,580	16.12	ZMICO	0.51	-	5,694	0.51
TCMC	1.03	0.02	4,428	1.01	BGRIM	46.00	-	405,625	46.22	Food & Beverage	-	-	-	-
TOA	37.25	-	20,172	37.61	BPP	14.40	-	75,218	14.61	APURE	1.08	0.04	50,278	1.07
TPIPL	1.18	-	255,100	1.18	BRRGIF	7.20	0.20	251	7.05	ASIAN	4.40	0.10	6,848	4.41
UMI	0.49	-	14,163	0.49	CKP	3.70	0.14	398,858	3.66	BR	2.22	0.10	31,112	2.23
VNG	1.99	-	13,696	2.00	DEMCO	2.40	0.16	24,722	2.36	BRR	2.36	0.02	1,136	2.36
WIHK	1.10	-	1,361	1.11	EA	38.75	0.75	178,143	38.42	CBG	77.25	(1.00)	44,176	77.78
Petrochemicals & Ch	-	-	-	-	EASTW	9.75	0.20	19,213	9.70	CFRESH	1.65	-	20,620	1.68
BCT	38.50	(0.50)	8	38.72	EGATIF	12.10	0.10	2,677	12.02	CM	2.70	(0.02)	913	2.71
CMAN	1.21	0.13	22,644	1.16	EGCO	266.00	6.00	26,463	268.54	CPF	27.75	-	198,769	27.85
GC	4.96	(0.04)	120	4.96	ESSO	5.10	0.12	157,641	5.11	CPI	1.21	0.01	1,481	1.20
GGC	8.20	0.20	71,414	8.27	GPSC	72.25	0.50	507,802	71.95	F&D	-	-	-	-
GIFT	2.60	(0.14)	9,247	2.69	GULF	39.25	0.25	1,021,862	39.40	HTC	17.90	0.40	2,369	17.69
IVL	27.75	(0.25)	223,818	27.59	GUNKUL	2.78	0.04	262,931	2.77	ICHI	5.70	0.40	65,489	5.53
NFC	1.44	(0.01)	4	1.45	IFEC	-	-	-	-	KBS	3.02	0.04	1,334	3.15
PATO	9.10	0.05	373	9.12	IRPC	2.68	0.12	1,898,869	2.66	KSL	1.85	0.05	36,432	1.84
PMTA	7.20	(0.05)	5	7.20	LANNA	5.60	0.05	1,700	5.61	KTIS	3.16	0.06	1,554	3.15
PTTGC	38.25	3.25	547,606	36.88	MDX	1.68	0.01	592	1.64	LST	5.00	0.12	2,536	4.96
SUTHA	1.79	0.09	709	1.73	PRIME	0.27	0.02	11,903	0.26	M	54.25	0.25	1,485	54.44
TCCC	21.60	1.80	402	21.56	PTG	13.20	0.20	174,980	13.25	MALEE	5.45	(0.10)	1,857	5.55
TPA	5.25	0.05	26	5.20	PTT	33.75	0.50	1,026,771	33.83	MINT	20.70	0.10	245,412	20.65
UAC	2.70	0.10	8,367	2.67	PTTEP	76.00	1.25	219,937	76.06	OISHI	38.50	1.50	244	38.13
UP	-	-	-	-	RATCH	64.50	2.00	114,703	64.28	OSP	41.75	(0.25)	68,994	42.11
VNT	21.80	0.60	4,881	21.60	RPC	0.45	-	6,460	0.45	PB	70.00	-	6	69.71
WG	-	-	-	-	SCG	3.96	-	155	3.95	PM	6.10	0.10	1,547	6.07
YCI	-	-	-	-	SCI	1.02	0.06	24,015	1.00	PRG	-	-	-	-
Commerce	-	-	-	-	SCN	1.45	0.09	18,895	1.41	RBF	4.60	0.10	230,600	4.59
BEAUTY	1.61	(0.03)	1,001,529	1.62	SGP	7.75	(0.05)	3,818	7.79	SAPPE	16.20	(0.20)	2,851	16.25
BIG	0.50	0.03	101,247	0.50	SKE	0.62	0.03	5,781	0.61	SAUCE	23.60	-	131	23.55
BJC	42.25	-	69,031	42.34	SOLAR	0.76	0.05	61,622	0.76	SFP	125.00	5.00	2	125.00
COL	14.40	0.10	414	14.30	SPCG	16.80	0.20	3,684	16.83	SNP	11.40	0.10	171	11.31
COM7	20.80	0.50	223,155	20.64	SPRC	5.05	0.21	504,358	5.01	SORKON	46.00	-	1	46.00
CPALL	66.50	0.50	299,228	66.19	SSP	6.35	-	10,299	6.36	SSC	29.25	0.50	10	29.25
CPW	1.25	0.08	21,399	1.23	SUPER	0.51	0.03	1,902,841	0.50	SSF	7.35	0.95	22	7.16
CRC	36.00	1.00	171,444	36.01	SUPEREIF	10.10	0.20	5,161	9.99	SST	3.02	0.02	339	3.02
CSS	0.90	0.11	92,715	0.87	SUSCO	2.08	0.04	12,680	2.07	TC	2.74	0.02	191	2.69
DOHOME	7.15	0.20	116,708	7.07	TAE	2.54	0.12	34,459	2.48	TFG	3.82	0.20	215,919	3.79
FN	0.85	(0.02)	25,453	0.87	TCC	0.20	-	8,394	0.19	TFMAMA	188.50	(1.00)	31	188.44
FTE	1.52	0.02	4,649	1.52	TOP	41.00	0.75	297,578	41.26	TIPCO	5.55	0.05	7,240	5.59
GLOBAL	13.40	0.30	44,558	13.30	TPIPP	3.76	0.06	75,320	3.73	TKN	6.85	0.10	82,576	6.81
HMPRO	13.60	0.50	237,522	13.40	TSE	2.64	0.14	161,709	2.57	TU	12.90	(0.10)	110,198	12.89
ILM	10.20	0.35	12,526	10.00	TTW	13.40	(0.10)	50,475	13.41	TVO	24.80	0.30	7,785	24.67
IT	1.91	0.10	637	1.89	WHAUP	4.50	0.08	56,915	4.47	ZEN	8.75	0.15	3,407	8.75
KAMART	3.00	0.26	75,045	2.97	WP	4.06	0.06	3,220	4.04	Health Care Services	-	-	-	-
LOXLEY	1.27	(0.02)	77,315	1.28	Media & Publishing	-	-	-	-	AHC	13.80	0.20	251	13.74
MAKRO	36.50	0.75	8,465	36.28	AMARIN	3								

## Main Board Quotation

Issue Date :

Thursday April 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.54	0.02	2,032	2.51	CGD	0.70	-	12,852	0.70	IHL	2.28	(0.02)	12,335	2.29
RAM	140.00	-	61	139.80	CI	0.62	0.01	161	0.62	INGRS	0.39	0.02	10,918	0.38
RJH	21.70	0.20	2,191	21.66	CPN	48.25	0.25	116,977	47.98	IRC	10.90	-	20	10.87
RPH	5.35	0.10	7,058	5.37	ESTAR	0.28	0.02	18,491	0.27	PCSGH	-	-	-	-
SKR	4.80	0.06	2,925	4.77	EVER	0.15	(0.01)	54,045	0.16	SAT	9.95	0.05	4,807	9.91
SVH	416.00	(2.00)	5	417.20	FPT	11.60	-	392	11.58	SPG	-	-	-	-
THG	19.70	0.40	7,447	19.52	GLAND	2.14	-	51	2.14	STANLY	126.00	(1.00)	209	126.94
VIBHA	1.68	0.01	52,665	1.68	GOLD	7.90	0.15	3,575	7.96	TKT	0.67	0.03	2,178	0.67
VIH	5.85	-	1,254	5.86	GREEN	0.76	(0.05)	480	0.77	TNPC	0.67	0.03	1	0.67
WPH	1.56	0.01	1,513	1.55	J	0.57	0.01	30,546	0.55	TRU	3.50	0.02	618	3.49
Tourism & Leisure	-	-	-	-	JCK	0.63	0.01	9,395	0.62	TSC	-	-	-	-
ASIA	3.40	-	662	3.34	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	20.30	0.30	64,929	20.23	KWG	0.84	0.04	267	0.80	ALLA	1.04	(0.01)	6,890	1.05
CSR	79.50	7.25	1	79.50	LALIN	3.94	(0.02)	1,389	3.96	ASEFA	2.80	(0.02)	502	2.80
DTC	7.05	0.05	413	7.02	LH	7.20	(0.05)	447,767	7.19	CPT	0.69	(0.01)	869	0.70
ERW	2.92	0.04	254,993	2.93	LPN	3.56	(0.16)	195,280	3.60	CRANE	1.97	0.25	9,128	1.94
GRAND	0.68	0.07	71,716	0.66	MBK	15.40	0.30	13,520	15.38	CTW	5.10	0.12	171	5.05
LRH	33.50	0.25	41	33.77	MJD	1.84	(0.02)	9,189	1.87	FMT	22.50	(0.10)	6	22.50
MANRIN	24.20	(0.60)	23	24.50	MK	2.72	-	4,735	2.71	HTECH	2.06	-	4,060	2.10
OHTL	-	-	-	-	NCH	0.54	0.02	1,474	0.54	KKC	0.42	-	531	0.38
ROH	33.25	(1.50)	8	33.25	NNCL	1.69	0.02	2,932	1.69	PK	0.91	0.06	1,303	0.89
SHANG	63.75	0.50	8	63.03	NOBLE	13.70	0.30	6,789	13.64	SNC	8.05	0.35	2,836	7.90
SHR	1.81	-	127,472	1.81	NUSA	0.31	0.03	198,632	0.29	STARK	2.20	-	27,693	2.21
VRANDA	4.58	-	1,581	4.59	NVD	1.06	(0.01)	1,624	1.06	TCJ	2.06	(0.02)	814	2.04
Home & Office Prod.	-	-	-	-	ORI	4.36	0.04	50,840	4.35	VARO	-	-	-	-
ACC	0.60	(0.01)	1,592	0.60	PACE	-	-	-	-	Property Fund & REI	-	-	-	-
AJA	0.18	(0.01)	51,841	0.19	PF	0.37	-	520,338	0.37	AIMCG	6.05	0.05	3,274	6.05
DTCI	22.40	(0.60)	1	22.40	PLAT	3.02	(0.02)	1,290	3.00	AIMIRT	11.50	-	165	11.49
FANCY	0.37	0.01	5,728	0.36	POLAR	-	-	-	-	AMATAR	9.90	-	125	9.90
KYE	240.00	(1.00)	14	240.36	PRECHA	0.60	-	22	0.60	B-WORK	11.20	0.10	1	11.20
L&E	1.72	(0.01)	203	1.74	PRIN	1.27	-	365	1.26	BKER	6.60	0.25	3,919	6.43
MODERN	2.28	0.06	544	2.27	PSH	10.70	-	14,900	10.67	BKKCP	11.70	0.30	102	11.43
OGC	24.40	(0.10)	23	24.30	QH	2.14	0.02	352,674	2.14	BOFFICE	14.40	-	10	14.40
ROCK	-	-	-	-	RICHY	0.67	0.01	61,614	0.66	CPNCG	10.50	-	2,338	10.42
SIAM	1.18	0.01	6,509	1.18	RML	0.51	0.01	15,850	0.50	CPNREIT	30.00	0.75	47,029	29.97
TSR	1.75	0.04	1,733	1.73	ROJNA	4.20	0.06	13,953	4.17	CPTGF	12.20	0.80	654	11.89
Insurance	-	-	-	-	S	1.62	0.03	10,116	1.61	CTARAF	4.98	0.04	130	4.98
AYUD	34.00	-	101	34.69	SAMCO	1.30	0.01	322	1.30	DREIT	3.48	(0.04)	2,017	3.50
BKI	238.00	1.00	166	238.20	SC	2.12	0.02	42,286	2.11	ERWPF	4.20	0.04	4	4.20
BLA	14.60	0.20	10,277	14.47	SENA	2.12	(0.04)	11,544	2.14	FTREIT	15.00	0.40	12,903	14.99
BUI	-	-	-	-	SF	4.32	0.06	51,764	4.30	FUTUREPF	19.40	0.40	1,586	19.20
CHARAN	-	-	-	-	SIRI	0.72	-	514,901	0.71	GAHREIT	7.20	(0.05)	60	7.20
INSURE	-	-	-	-	SPALI	15.30	(0.70)	58,284	15.37	GOLDPF	-	-	-	-
MTI	80.25	-	3	80.25	U	1.20	0.07	216,658	1.20	GVREIT	14.40	(0.10)	753	14.30
NKI	48.50	(4.50)	2	50.75	UV	3.02	0.02	17,149	3.02	HPF	3.90	0.02	577	3.91
NSI	52.50	2.50	6	52.50	WHA	2.86	0.22	1,699,679	2.74	HREIT	7.55	-	534	7.54
SEG	-	-	-	-	WIN	0.33	-	1,455	0.32	IMPACT	15.60	-	2,366	15.49
SMK	29.25	0.25	10	29.38	Paper & Printing Mat	-	-	-	-	KPNPF	-	-	-	-
THRE	0.48	0.01	18,701	0.47	UTP	9.30	0.15	3,783	9.28	LHHOTEL	12.00	-	198	12.00
THREL	2.66	0.04	7,197	2.62	Fashion	-	-	-	-	LHPP	6.70	(0.15)	176	6.54
TIP	21.30	0.40	2,963	21.21	AFC	-	-	-	-	LHSC	13.80	-	255	13.77
TQM	77.00	4.50	30,679	75.95	B52	0.17	-	38,301	0.16	LUXF	6.30	(0.15)	33	6.23
TSI	0.34	-	2,742	0.33	BTNC	15.30	(1.60)	74	15.40	M-II	-	-	-	-
TVI	3.24	-	1,965	3.25	CPH	2.96	0.24	6	2.91	M-PAT	4.00	-	95	4.00
Mining	-	-	-	-	CPL	0.87	(0.01)	1,135	0.89	M-STOR	6.20	(0.10)	16	6.12
PDI	4.26	-	230	4.27	ICC	-	-	-	-	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
Packaging	-	-	-	-	PAF	0.58	0.02	10,547	0.58	MJLF	7.40	0.30	351	7.36
AJ	9.00	0.05	801	8.83	PDJ	1.00	(0.02)	7,404	1.01	MNIT	1.05	0.07	159	1.01
ALUCON	128.00	3.00	2	126.50	PG	4.90	(0.06)	2	4.93	MNIT2	3.46	(0.44)	258	3.35
BGC	9.05	-	11,887	9.06	SABINA	17.60	(0.10)	20,190	17.69	MNRF	2.70	0.08	30	2.70
CSC	47.00	0.50	43	46.85	SAWANG	8.05	(0.70)	46	7.89	POPF	11.00	-	1,070	10.95
GLOCON	0.47	0.01	21,544	0.47	SUC	36.50	-	24	37.77	PPF	11.20	-	11	11.20
NEP	0.13	-	1,100	0.12	TNL	-	-	-	-	QHHR	6.65	0.05	2,443	6.65
PTL	12.20	-	8,089	12.28	TPCORP	9.90	-	18	9.94	QHOP	2.50	0.08	975	2.47
SFLEX	6.30	0.05	11,155	6.29	TR	22.50	(0.10)	15	22.57	QHPF	10.90	0.10	1,608	10.80
SITHAI	0.60	-	558	0.60	TTI	21.00	1.00	2	21.00	SBPF	2.58	0.24	485	2.60
SLP	0.37	(0.04)	1,405	0.39	TTT	40.25	(0.75)	29	39.95	SHREIT	4.60	0.46	12,537	4.59
SMPC	5.65	-	2,999	5.65	UPF	40.25	5.25	33	39.61	SIRIP	-	-	-	-
SPACK	1.03	0.01	557	1.01	UT	-	-	-	-	SPF	12.60	(0.10)	7,787	12.56
TCOAT	-	-	-	-	WACOAL	46.00	(0.25)	46	46.01	SPRIME	12.10	0.10	372	12.01
TFI	0.05	-	9,082	0.04	Transportation & Log	-	-	-	-	SRIPANWA	8.00	-	420	7.98
THIP	20.00	0.10	187	20.05	AAV	1.83	0.05	923,150	1.80	SSPF	8.50	(0.10)	103	8.27
TMD	22.00	(0.10)	1	22.00	AOT	60.25	(1.00)	357,545	60.14	SSTRT	4.98	0.02	60	4.98
TOPP	-	-	-	-	ASIMAR	1.08	0.01	1,685	1.07	TIF1	8.10	0.05	3	8.10
TPBI	2.62	0.12	10,513	2.59	B	0.21	-	7,357	0.21	TLGF	18.30	0.60	28,856	18.11
TPP	14.60	(0.10)	5	14.60	BA	5.65	0.10	17,104	5.62	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BEM	9.25	0.05	481,975	9.23	TNPF	2.00	0.01	9,265	2.00
APCO	3.70	0.02	1,744	3.69	BTS	11.00	-	328,084	11.02	TPRIME	13.50	0.20	286	13.47
DDD	13.00	(0.40)	1,457	13.20	BTSGIF	7.55	0.10	39,092	7.49	TTLPF	-	-	-	-
JCT	73.00	(1.00)	1	73.00	III	4.48	(0.02)	33,204	4.52	TU-PF	1.01	-	8	1.01
OCC	-	-	-	-	JUTHA	0.37	-	3	0.37	URBNPF	3.02	-	20	3.02
S & J	-	-	-	-	JWD	6.70	0.20	32,741	6.76	WHABT	8.35	-	2	8.35
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	15.20	0.50	8,810	15.09
TNR	6.50	0.15	605	6.47	NOK	1.19	(0.02)	1,428	1.19	Steel	-	-	-	-
TOG	3.64	0.04	805	3.63	NYT	3.38	0.10	59,397	3.38	AMC	1.37	0.14	23,613	1.36
Professional Service	-	-	-	-	PORT	1.73	0.01	40,619	1.73	BSBM	0.71	-	2,946	0.70
BWG	0.39	0.04	1,229,843	0.38	PRM	6.70	0.05	149,709	6.74	CEN	0.51	(0.02)	6,572	0.53
GENCO	0.43	0.02	10,308	0.42	PSL	3.98	(0.02)	67,305	4.00	CITY	1.40	-	546	1.40
PRO	-	-	-	-	RCL	3.06	0.06	12,618	3.08	CSP	0.52	0.02	12	0.52
SISB	8.70	0.10	28,403	8.69	TFIF	10.60	0.10	49,915	10.47	GJS	0.07	0.01	115,357	0.06
TEAMG	2.06	0.02	2,387	2.05	THAI	7.00	(0.25)	147,969	7.20	GSTEEL	-	-	-	-
Property Developmei	-	-	-	-	TSTE	-	-	-	-	INOX	0.43	-	514	0.43
A	4.70	0.06	53	4.69	TTA	3.06	-	20,482	3.05	LHK	2.26	0.02	3,476	2.24
AMATA	13.40	0.40	155,406	13.12	WICE	1.98	0.05	45,175	1.99	MAX	0.02	0.01	377,814	0.02
AMATAV	3.66	0.02	468	3.71	Automotive	-	-	-	-	MCS	9.20	-	4,920	9.23
ANAN	1.48	-	16,379	1.48	AH	8.10	(0.15							

## Main Board Quotation

Issue Date :

Thursday April 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AGE	0.65	(0.01)	16,160	-	ADVA01C2005B	0.03	-	1,000	-
ABICO	3.10	-	954	3.00	AIE	0.25	0.01	55,629	-	ADVA01C2007B	0.18	(0.02)	10,774	-
AU	8.80	(0.10)	41,106	8.00	PSTC	0.36	0.02	1,718,198	-	ADVA01C2008A	0.90	(0.05)	861	-
JCKH	-	-	-	-	QTC	3.52	0.04	596	3.00	ADVA01P2007B	0.33	0.02	13,523	-
KASET	1.23	0.01	79	1.00	SAAM	0.71	0.02	1,732	-	ADVA06C2005A	-	-	-	-
MM	1.57	(0.04)	598	1.00	SEA0IL	2.18	0.16	15,064	2.00	ADVA08C2005A	0.02	(0.05)	81	-
SUN	1.61	0.05	5,072	1.00	SR	0.78	(0.06)	2,620	-	ADVA08C2009A	0.77	(0.06)	67,736	-
TACC	3.72	(0.02)	12,873	3.00	TAKUNI	0.33	-	5,189	-	ADVA08P2004A	0.03	(0.01)	400	-
TMILL	2.50	-	716	2.00	TPCH	10.20	-	5,998	10.00	ADVA11C2006A	-	-	-	-
XO	4.26	0.02	4,639	4.00	TRT	1.73	0.03	478	1.00	ADVA11P2005A	0.04	(0.01)	1,942	-
Consumer Products	-	-	-	-	UMS	0.12	-	352	-	ADVA13C2006A	0.54	-	1	-
BGT	0.63	0.01	3,647	-	UWC	0.02	-	191,346	-	ADVA13C2007A	0.22	-	3,305	-
BIZ	2.98	0.02	926	2.00	Services (MAI)	-	-	-	-	ADVA13C2008A	0.37	(0.01)	322,021	-
DOD	6.15	-	40,248	6.00	A5	-	-	-	-	ADVA13P2009A	1.19	0.03	61,621	1.00
ECF	1.02	0.04	112,726	1.00	AKP	0.87	-	9,200	-	ADVA16C2005A	-	-	-	-
HPT	0.61	0.01	1,167	-	AMA	4.06	(0.04)	1,566	4.00	ADVA16C2007A	-	-	-	-
IP	6.35	-	5,468	6.00	ARIP	0.33	-	2,589	-	ADVA16C2009A	0.24	(0.04)	1	-
JUBILE	14.80	0.20	1,706	14.00	ATP30	0.91	0.06	85,488	-	ADVA19C2005A	-	-	-	-
MOONG	3.62	0.06	22,873	3.00	AUCT	6.20	0.35	29,541	6.00	ADVA19C2007A	0.61	(0.09)	1,153	-
NPK	9.55	(0.40)	16	9.00	BOL	2.78	-	754	2.00	ADVA19C2007B	-	-	-	-
OCEAN	0.86	0.01	31,943	-	CHUO	-	-	-	-	ADVA19C2008A	1.10	(0.07)	31,639	1.00
TM	2.56	0.06	11,924	2.00	CMO	0.92	-	1,090	-	ADVA19C2009A	0.73	(0.05)	98,825	-
Financials (MAI)	-	-	-	-	D	2.80	0.06	2,380	2.00	ADVA19P2006A	0.15	0.01	1,524	-
ACAP	0.75	(0.01)	20,410	-	DCORP	0.33	(0.01)	6,185	-	ADVA19P2009A	0.31	0.02	86,655	-
AF	-	-	-	-	EFORL	0.03	(0.01)	32,211	-	ADVA24C2006A	-	-	-	-
AIRA	0.85	-	1	-	ETE	0.59	0.03	7,221	-	ADVA28C2005A	-	-	-	-
ASN	4.56	(0.02)	54	4.00	FSMART	6.05	-	4,918	6.00	ADVA28C2007A	-	-	-	-
BROOK	0.36	(0.04)	154,162	-	FVC	0.35	-	6,638	-	ADVA28C2008A	0.83	(0.08)	59,455	-
CHAYO	5.40	0.05	65,790	5.00	GSC	0.63	-	883	-	ADVA28C2008B	-	-	-	-
GCAP	1.38	-	13,325	1.00	HARN	1.99	0.02	761	1.00	ADVA28C2012A	0.24	-	23,905	-
LIT	3.38	(0.04)	6,092	3.00	IMH	2.54	-	883	2.00	ADVA28P2012A	0.42	0.01	14,507	-
MITSIB	1.04	0.02	2,617	1.00	JKN	4.16	0.14	80,603	4.00	ADVA41C2005A	-	-	-	-
SGF	0.44	0.01	45,325	-	KIAT	0.36	-	103,692	-	ADVA41C2006A	0.14	(0.03)	7	-
Industrials (MAI)	-	-	-	-	KOOL	0.76	0.05	158,204	-	ADVA41C2007A	-	-	-	-
2S	1.73	0.01	1,250	1.00	LDC	0.75	0.07	14,055	-	ADVA41C2007B	0.86	(0.05)	3,751	-
ACG	0.76	(0.01)	1,077	-	MORE	0.19	(0.03)	2,095,160	-	ADVA41P2005A	0.36	-	18,198	-
ADB	0.51	0.03	3,108	-	MPG	0.18	-	1,197	-	ADVA42C2005A	0.03	-	30	-
BM	1.48	0.01	1,341	1.00	MVP	1.11	-	1,212	1.00	ADVA42P2007A	1.61	0.01	13,716	1.00
CHO	0.47	0.02	67,242	-	NBC	0.48	0.02	4,111	-	AEON01C2005A	0.02	-	3	-
CHOW	0.81	0.10	36,274	-	NCL	0.70	0.01	713	-	AEON13C2007A	0.06	-	110	-
CIG	0.23	0.01	3,887	-	NEWS	0.01	-	36,120	-	AEON19C2006A	-	-	-	-
COLOR	0.87	0.02	3,682	-	NINE	1.76	0.03	169	1.00	AMAT01C2004A	-	-	-	-
CPR	2.54	0.02	100	2.00	OTO	2.48	0.04	1,204	2.00	AMAT01C2004B	-	-	-	-
FPI	2.04	(0.02)	2,881	2.00	PHOL	1.69	0.03	1,386	1.00	AMAT01C2007B	0.03	-	98	-
GTB	0.55	0.02	22,323	-	PICO	3.16	(0.02)	5	3.00	AMAT01C2008A	0.19	0.04	2	-
KCM	0.40	-	14,977	-	QLT	4.12	0.24	196	4.00	AMAT01P2008A	0.94	(0.13)	309	1.00
KUMWEL	0.93	0.03	16,556	-	RP	1.13	-	902	1.00	AMAT06C2005A	-	-	-	-
KWM	0.79	-	1,302	-	SE	1.26	0.02	560	1.00	AMAT08C2005A	-	-	-	-
MBAX	3.08	0.06	1,289	3.00	SONIC	1.01	0.07	22,329	-	AMAT11C2004A	-	-	-	-
MGT	1.41	0.01	635	1.00	SPA	8.05	-	14,560	8.00	AMAT11C2008A	-	-	-	-
NDR	0.92	0.07	1,216	-	THMUJ	0.50	0.01	620	-	AMAT13C2006A	0.02	(0.01)	700	-
PDG	2.88	0.02	98	2.00	TNDT	1.89	0.06	184	1.00	AMAT16C2006A	-	-	-	-
PIMO	1.05	(0.07)	164,188	1.00	TNH	30.00	-	400	30.00	AMAT16C2008A	0.05	0.01	1,917	-
PJW	1.16	0.03	3,394	1.00	TNP	1.97	0.02	3,247	1.00	AMAT19C2005A	-	-	-	-
PPM	0.61	0.02	509	-	TSF	-	-	-	-	AMAT19C2006A	-	-	-	-
RWI	1.01	0.01	100	-	TVD	0.71	(0.02)	130,018	-	AMAT19C2008A	0.19	0.02	1	-
SALEE	0.70	(0.01)	6,373	-	TVT	0.44	0.05	39,655	-	AMAT19C2009A	0.50	0.04	232,816	-
SANKO	0.90	0.03	10,241	-	VL	1.06	(0.03)	129,096	1.00	AMAT24C2006A	-	-	-	-
SELIC	1.73	(0.02)	921	1.00	WINNER	2.12	0.06	2,251	2.00	AMAT41C2005A	-	-	-	-
SWC	4.24	0.08	2,976	4.00	YGG	4.82	0.12	2,863	4.00	AMAT41C2006A	-	-	-	-
TMC	0.40	(0.02)	1,737	-	Technology (MAI)	-	-	-	-	AMAT42C2005A	0.08	(0.01)	1,401	-
TMI	0.65	0.02	17,112	-	APP	1.37	0.03	2,130	1.00	AMAT42C2007A	1.09	0.06	15,210	1.00
TMW	33.00	-	32	32.00	COMAN	1.70	0.01	1,064	1.00	ANAN13C2007A	0.01	-	13	-
TPAC	10.30	0.65	294	10.00	ICN	1.49	-	851	1.00	ANAN19C2004A	-	-	-	-
TPLAS	1.15	(0.03)	5,227	1.00	INSET	2.52	0.02	12,227	2.00	ANAN19C2007A	-	-	-	-
UBIS	4.74	(0.06)	226	4.00	JRCP	0.40	0.01	9,687	-	AOT01C2004A	0.02	-	1,750	-
UEC	0.61	-	21,167	-	ITEL	2.24	0.12	37,459	2.00	AOT01C2004B	0.01	-	16,006	-
UKEM	0.47	0.06	104,332	-	NETBAY	31.50	0.25	2,310	30.00	AOT01C2006B	0.04	(0.01)	1,500	-
UREKA	1.19	0.01	9,807	1.00	PLANET	0.82	(0.03)	7,126	-	AOT01C2007A	0.25	(0.01)	58,084	-
YUASA	10.90	(0.20)	278	10.00	SIMAT	2.06	0.04	6,415	2.00	AOT01P2004A	1.79	(0.02)	210	1.00
ZIGA	1.16	0.13	14,973	1.00	SKY	13.30	0.50	5,853	13.00	AOT01P2004B	1.05	(0.33)	224	1.00
Property & Construc	-	-	-	-	SPVI	2.32	0.22	133,187	2.00	AOT01P2006B	0.75	0.03	3,954	-
ALL	2.72	-	8,840	2.00	TPS	2.02	0.03	6,546	2.00	AOT01P2007A	1.13	0.03	20,521	1.00
ARIN	0.50	-	5,338	-	UPA	0.17	-	17,161	-	AOT06C2007A	0.06	-	51	-
ARROW	6.70	0.05	465	6.00	VCOM	2.38	0.06	8,553	2.00	AOT06C2008A	0.90	(0.07)	153,491	-
BC	0.99	0.01	56	-	Unit Trust	-	-	-	-	AOT06P2009A	0.57	(0.43)	40,756	-
BSM	0.26	0.01	3,999	-	MGE	-	-	-	-	AOT08C2005A	0.01	-	860	-
BTW	0.62	0.02	5,454	-	SCBSET	-	-	-	-	AOT08C2006A	-	-	-	-
CAZ	1.52	0.19	25,190	1.00	ETF	-	-	-	-	AOT08C2007A	-	-	-	-
CHEWA	0.32	0.01	1,479	-	1DIV	7.69	0.07	306	7.00	AOT08C2009A	0.96	(0.06)	108,641	-
CMC	0.66	(0.01)	839	-	ABFTH	-	-	-	-	AOT08P2004A	-	-	-	-
CRD	0.47	-	421	-	BMSCG	5.90	0.09	59	5.00	AOT08P2009A	0.91	(0.09)	57,645	-
DIMET	0.37	(0.01)	76,098	-	BMSCITH	9.44	0.05	5,131	9.00	AOT11C2004A	-	-	-	-
FLOYD	1.00	0.03	4,697	1.00										

## Main Board Quotation

Issue Date :

Thursday April 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT24C2009A	0.61	(0.39)	11,768	-	BBL11C2005A	-	-	-	-	BGR113P2005A	-	-	-	-
AOT27C2008A	0.09	-	300	-	BBL14C2006A	-	-	-	-	BGR116C2005A	0.02	0.01	1,264	-
AOT28C2006A	0.01	-	297	-	BBL41C2007A	-	-	-	-	BGR119C2004A	-	-	-	-
AOT28C2006B	-	-	-	-	BBL41C2007B	-	-	-	-	BGR119C2005A	0.06	0.05	5,010	-
AOT28C2008A	0.31	-	10	-	BBL41P2006A	-	-	-	-	BGR119C2006A	-	-	-	-
AOT28C2008B	0.49	(0.05)	85,483	-	BBL42C2005A	-	-	-	-	BGR119C2008A	0.37	0.02	5,294	-
AOT28C2008C	0.60	(0.04)	66,488	-	BBL42C2007A	-	-	-	-	BGR119C2008B	0.80	0.01	10,653	-
AOT28P2012A	0.43	0.01	44,154	-	BCH01C2006A	-	-	-	-	BGR119C2009A	0.62	(0.01)	379,196	-
AOT41C2005A	-	-	-	-	BCH01C2006B	0.01	(0.01)	2,150	-	BGR119P2007A	0.77	(0.07)	500	-
AOT41C2006A	-	-	-	-	BCH01P2006A	-	-	-	-	BGR124C2004A	-	-	-	-
AOT41C2007A	-	-	-	-	BCH06C2006A	-	-	-	-	BGR124C2009A	0.60	(0.40)	57,800	-
AOT41C2007B	0.61	(0.06)	109,729	-	BCH06P2006A	-	-	-	-	BGR127P2006A	0.51	(0.09)	17	-
AOT41P2005A	-	-	-	-	BCH08C2004A	-	-	-	-	BGR141C2005A	-	-	-	-
AOT41P2006A	-	-	-	-	BCH11C2008A	-	-	-	-	BGR141C2006A	0.10	0.02	50	-
AOT41P2009A	0.40	-	4,407	-	BCH13C2007A	0.20	-	700	-	BGR141C2007A	0.55	0.02	61,439	-
AOT41P2009B	0.72	0.03	58,379	-	BCH16C2006A	0.02	(0.10)	100	-	BGR141P2005A	-	-	-	-
AOT42C2006A	-	-	-	-	BCH19C2005A	-	-	-	-	BGR141P2006A	-	-	-	-
AOT42P2009A	-	-	-	-	BCH19C2006A	-	-	-	-	BGR142C2006A	-	-	-	-
AP19C2007A	-	-	-	-	BCH19C2008A	0.44	-	24,049	-	BH01C2004A	-	-	-	-
AP19C2010A	0.68	(0.01)	84,936	-	BCH41C2005A	-	-	-	-	BH01C2004B	-	-	-	-
AP28C2006A	-	-	-	-	BCH41C2006A	-	-	-	-	BH01P2004A	-	-	-	-
AP28C2012A	0.60	(0.01)	42,987	-	BCP01C2005A	-	-	-	-	BH08C2007A	0.18	-	1,067	-
AWC01C2004A	0.01	-	2,569	-	BCP01C2005B	-	-	-	-	BH11C2008A	-	-	-	-
AWC01C2009A	0.26	0.03	133	-	BCP01P2005A	-	-	-	-	BH13C2006A	-	-	-	-
AWC01P2007A	0.42	(0.01)	807	-	BCP11C2004A	-	-	-	-	BH19C2006A	-	-	-	-
AWC06C2004A	-	-	-	-	BCP13C2007A	0.03	0.01	1,103	-	BH19C2009A	0.59	(0.01)	68,086	-
AWC06C2009A	1.21	0.07	24,915	1.00	BCP19C2004A	-	-	-	-	BH24C2008A	0.54	-	5,192	-
AWC08C2004A	-	-	-	-	BCP19C2005A	-	-	-	-	BH27C2007A	-	-	-	-
AWC13C2006A	-	-	-	-	BCEP24C2004A	-	-	-	-	BH41C2004A	-	-	-	-
AWC13C2009A	1.04	0.09	121,680	1.00	BCEP01C2005A	-	-	-	-	BH41C2005A	-	-	-	-
AWC13P2006A	0.39	(0.02)	180	-	BCEP01C2005B	-	-	-	-	BH41C2006A	-	-	-	-
AWC16C2005A	-	-	-	-	BCEP01C2008B	-	-	-	-	BH41P2006A	-	-	-	-
AWC16C2007A	0.03	(0.07)	431	-	BCEP01C2009A	0.65	0.17	200	-	BH42C2008A	1.25	(0.02)	6,196	1.00
AWC19C2004A	-	-	-	-	BCEP01P2005A	0.14	(0.13)	270	-	BJC01C2004A	-	-	-	-
AWC19C2006A	-	-	-	-	BCEP01P2009A	0.29	(0.04)	101	-	BJC01C2004B	-	-	-	-
AWC19C2010A	0.97	0.08	63,469	-	BCEP13C2007A	0.28	-	3,001	-	BJC01C2008B	0.43	(0.01)	1	-
AWC24C2007A	0.02	-	5	-	BCEP16C2009A	-	-	-	-	BJC01C2009A	0.64	-	123	-
AWC28C2006A	-	-	-	-	BCEP19C2005A	0.24	(0.02)	21,663	-	BJC01P2004A	0.55	(0.05)	16	-
AWC28C2008A	-	-	-	-	BCEP28C2008A	0.50	-	83,816	-	BJC01P2009A	0.21	(0.02)	1,913	-
AWC28C2010A	0.91	0.11	1	-	BCEP28C2012A	0.35	0.01	31,085	-	BJC06C2006A	0.09	0.01	1,217	-
AWC28C2012A	0.20	0.03	14,104	-	BCEP41C2005A	-	-	-	-	BJC11C2008A	-	-	-	-
AWC41C2005A	0.07	(0.02)	1,000	-	BCEP42C2004A	-	-	-	-	BJC13C2005A	-	-	-	-
AWC41C2006A	-	-	-	-	BCEP42C2007A	-	-	-	-	BJC16C2006A	-	-	-	-
AWC41C2007A	-	-	-	-	BCEP42C2007B	0.04	(0.01)	3,673	-	BJC19C2005A	0.14	(0.01)	12,833	-
AWC41C2007B	0.87	0.04	12,312	-	BCEP42C2008A	0.46	0.03	106	-	BJC19C2007A	0.28	0.01	4,728	-
AWC42C2008A	0.08	(0.01)	1,900	-	BCEP42C2008B	0.20	-	28,841	-	BJC24C2006A	0.65	(0.01)	5,599	-
BANP01C2005A	0.02	-	409	-	BCEP42C2008C	-	-	-	-	BJC27C2009A	0.16	0.02	500	-
BANP01C2005B	-	-	-	-	BCEP42C2009A	0.58	(0.42)	52,255	-	BJC28C2007A	0.38	(0.01)	101,619	-
BANP01P2005A	-	-	-	-	BCEP42C2009A	0.02	0.01	6	-	BJC28C2010A	0.27	-	31,733	-
BANP01P2005B	-	-	-	-	BCEP42C2009B	-	-	-	-	BJC41C2005A	-	-	-	-
BANP06C2005A	0.02	-	1,001	-	BCEP42C2009C	-	-	-	-	BJC41C2006A	-	-	-	-
BANP08C2005A	-	-	-	-	BCEP42C2009D	-	-	-	-	BJC41C2007A	0.29	0.01	100	-
BANP08C2007A	0.03	-	250	-	BCEP42C2009E	-	-	-	-	BJC41C2008A	0.70	0.05	14,143	-
BANP08P2009A	1.00	(0.05)	23,647	1.00	BCEP42C2009F	-	-	-	-	BJC41P2005A	-	-	-	-
BANP11C2004A	-	-	-	-	BCEP42C2009G	-	-	-	-	BJC42C2004A	-	-	-	-
BANP11C2008A	-	-	-	-	BCEP42C2009H	-	-	-	-	BLAN19C2004A	-	-	-	-
BANP13C2006A	-	-	-	-	BCEP42C2009I	-	-	-	-	BPP01C2005A	0.05	0.02	500	-
BANP13C2008A	0.30	0.01	302,864	-	BCEP42C2009J	-	-	-	-	BPP01C2005B	-	-	-	-
BANP19C2004A	-	-	-	-	BCEP42C2009K	-	-	-	-	BPP01P2005A	0.50	(0.01)	164	-
BANP19C2005A	-	-	-	-	BCEP42C2009L	-	-	-	-	BPP13C2007A	0.37	-	8,885	-
BANP19C2007A	0.02	0.01	10	-	BCEP42C2009M	-	-	-	-	BPP19C2005A	-	-	-	-
BANP19C2007B	-	-	-	-	BCEP42C2009N	-	-	-	-	BPP19C2007A	0.21	0.05	1	-
BANP19C2009A	0.35	0.03	65,514	-	BCEP42C2009O	-	-	-	-	BTS01C2005A	-	-	-	-
BANP27C2007A	-	-	-	-	BCEP42C2009P	-	-	-	-	BTS01C2005B	0.01	(0.01)	1,500	-
BANP28C2008A	-	-	-	-	BCEP42C2009Q	-	-	-	-	BTS01P2005A	0.27	(0.04)	2,246	-
BANP28C2012A	0.24	0.02	41,026	-	BCEP42C2009R	-	-	-	-	BTS08C2005A	0.02	-	701	-
BANP41C2004A	-	-	-	-	BCEP42C2009S	-	-	-	-	BTS13C2006A	0.03	0.01	1	-
BANP41C2005A	-	-	-	-	BCEP42C2009T	-	-	-	-	BTS13C2008A	0.14	-	901	-
BANP41C2006A	-	-	-	-	BCEP42C2009U	-	-	-	-	BTS13C2009A	0.31	(0.01)	147,450	-
BANP41C2007A	-	-	-	-	BCEP42C2009V	-	-	-	-	BTS16C2008A	-	-	-	-
BANP41P2005A	1.24	0.01	3,156	1.00	BCEP42C2009W	-	-	-	-	BTS19C2005A	-	-	-	-
BANP41P2007A	-	-	-	-	BCEP42C2009X	-	-	-	-	BTS19C2008A	0.31	-	42,517	-
BANP42C2004A	-	-	-	-	BCEP42C2009Y	-	-	-	-	BTS24C2007A	0.05	-	201	-
BANP42C2006A	0.22	0.01	50	-	BCEP42C2009Z	-	-	-	-	BTS41C2006A	-	-	-	-
BANP42P2005A	1.80	(0.07)	6,000	1.00	BCEP42C2010A	-	-	-	-	BTS42C2008A	0.08	0.01	1	-
BBL06C2007A	0.03	-	4,800	-	BCEP42C2010B	-	-	-	-	CBG01C2004A	0.05	(0.04)	4,759	-
BBL06C2009A	0.86	0.01	30,576	-	BCEP42C2010C	-	-	-	-	CBG01C2004B	0.02	0.01	120	-
BBL06P2004A	-	-	-	-	BCEP42C2010D	-	-	-	-	CBG01C2007B	0.39	(0.03)	1,944	-
BBL08C2005A	-	-	-	-	BCEP42C2010E	-	-	-	-	CBG01P2004A	0.03	(0.02)	1,140	-
BBL08C2007A	0.03	(0.01)	9	-	BCEP42C2010F	-	-	-	-	CBG01P2007B	0.69	0.03	10,004	-
BBL08C2009A	0.58	(0.01)	48,481	-	BCEP42C2010G	-	-	-	-	CBG06C2005A	-	-	-	-
BBL08P2007A	1.25	0.01	1,442	1.00	BCEP42C2010H	-	-	-	-	CBG08C2007A	0.72	(0.05)	9,365	-
BBL08P2009A	0.93	(0.08)	26,084	-	BCEP42C2010I	-	-	-	-	CBG11C2008A	-	-	-	-
BBL11C2005A	0.01	-	12,000	-	BCEP42C2010J	-	-	-	-	CBG13C2008A	0.96	(0.05)	21,622	1.00
BBL11C2007A	-	-	-	-	BCEP42C2010K	-	-	-	-	CBG13P2006A	-	-	-	-
BBL11P2008A	1.41	0.05	10	-	BCEP42C2010L	-	-	-	-	CBG16C2008A	-	-	-	-
BBL13C2004A	-	-	-	-	BCEP42C2010M	-	-	-	-	CBG19C2004A	-	-	-	-
BBL13C2006A	0.04	0.02	1	-	BCEP42C2010N	-	-	-	-	CBG19C2005A	-	-	-	-
BBL13C2008A	0.28	-	240,059	-	BCEP42C2010O	-	-	-	-	CBG19C2008A	0.84	(0.06)	29,921	-
BBL13P2004A	-	-	-	-	BCEP42C2010P	-	-	-	-	CBG19C2010A	0.85	(0.03)	175,962	-
BBL13P2008A	0.65	(0.05)	428	-	BCEP42C2010Q	-	-	-	-	CBG19P2006A	0.75	-	10	-
BBL16C2006A	-	-	-	-	BCEP42C2010R	-	-	-	-	CBG24C2008A	1.35	(0.04)	10,317	1.00
BBL19C2005A	-	-	-	-	BCEP42C2010S	-	-	-	-	CBG41C2005A	0.75	(0.06)	104,786	-
BBL19C2007A	-	-	-	-	BCEP42C2010T	-	-	-	-	CBG41C2006A	-	-	-	-
BBL19C2009A	1.21	(0.10)	7	1.00	BCEP42C2010U	-	-	-	-	CBG41P2004A	-	-	-	-
BBL19C2010A	0.58	(0.02)	95,136	-	BCEP42C2010V	-	-	-	-	CBG41P2006A	1.40	0.04	121	1.00
BBL19P2007A	1.41	0.12	1	1.00	BCEP42C2010W	-	-	-	-	CBG42C2006A	-	-	-	-
BBL19P2010A	0.85	(												

## Main Board Quotation

Issue Date :

Thursday April 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CENT06P2007A	-	-	-	-	CPAL19C2008A	0.32	0.02	56,378	-	EA08C2006A	0.13	-	6,945	-
CENT08C2004A	-	-	-	-	CPAL19P2004A	-	-	-	-	EA08C2009A	0.54	(0.46)	68,677	-
CENT11C2004A	-	-	-	-	CPAL19P2010A	0.39	(0.01)	1,513	-	EA11C2005A	-	-	-	-
CENT11C2007A	-	-	-	-	CPAL24C2005A	-	-	-	-	EA13C2005A	0.03	-	100	-
CENT13C2005A	-	-	-	-	CPAL24C2009A	0.89	0.02	27,315	-	EA13C2006A	0.04	-	1,000	-
CENT13C2006A	-	-	-	-	CPAL28C2005A	-	-	-	-	EA13C2008A	0.21	0.02	772	-
CENT19C2004A	-	-	-	-	CPAL28C2007A	-	-	-	-	EA13C2009A	0.45	0.02	145,066	-
CENT19C2005A	-	-	-	-	CPAL28C2008A	0.49	0.02	156,596	-	EA13P2006A	0.93	(0.06)	2	-
CENT19C2008A	0.75	0.02	222,647	-	CPAL28C2008B	0.71	0.03	155,475	-	EA16C2006A	-	-	-	-
CENT24C2008A	0.30	0.01	11,858	-	CPAL41C2005A	-	-	-	-	EA16C2008A	0.04	-	7,167	-
CENT27C2008A	-	-	-	-	CPAL41C2006A	-	-	-	-	EA19C2004A	-	-	-	-
CENT28C2005A	-	-	-	-	CPAL41C2007A	0.33	0.01	21,946	-	EA19C2008A	0.34	0.03	3,794	-
CENT28C2006A	-	-	-	-	CPAL41P2005A	-	-	-	-	EA19C2010A	0.44	0.03	130,446	-
CENT28C2008A	0.54	0.02	16,859	-	CPAL41P2006A	-	-	-	-	EA19P2007A	-	-	-	-
CENT28C2010A	0.63	-	10,112	-	CPAL42C2005A	-	-	-	-	EA24C2004A	-	-	-	-
CENT41C2005A	-	-	-	-	CPAL42C2007A	-	-	-	-	EA24C2008A	0.44	(0.56)	24,662	-
CENT41C2006A	-	-	-	-	CPF01C2004A	0.14	0.01	600	-	EA27C2006A	-	-	-	-
CENT42C2004A	-	-	-	-	CPF01C2004B	0.01	-	2,000	-	EA28C2006A	0.14	0.01	36,082	-
CENT42C2006A	1.01	0.01	15,564	1.00	CPF01P2004A	0.01	(0.01)	5,275	-	EA28C2012A	0.28	0.01	18,367	-
CHG01C2006A	0.19	0.01	2	-	CPF08C2006A	0.03	(0.01)	1,011	-	EA41C2005A	-	-	-	-
CHG01C2006B	-	-	-	-	CPF11C2004A	-	-	-	-	EA41C2006A	0.18	0.02	20,230	-
CHG01P2006A	0.35	(0.04)	3	-	CPF11C2007A	-	-	-	-	EA41P2004A	-	-	-	-
CHG08C2005A	-	-	-	-	CPF13C2006A	0.05	-	610	-	EA42C2004A	-	-	-	-
CHG13C2006A	0.15	0.01	5,946	-	CPF13C2008A	0.26	(0.01)	6,979	-	EGCO01C2004A	-	-	-	-
CHG16C2009A	-	-	-	-	CPF16C2007A	0.08	0.01	5,040	-	EGCO01C2004B	-	-	-	-
CHG19C2004A	-	-	-	-	CPF19C2005A	-	-	-	-	EGCO01C2007B	0.15	0.03	32,341	-
CHG27C2009A	0.16	-	40	-	CPF19C2006A	0.05	(0.02)	200	-	EGCO06C2004A	0.01	-	5,001	-
CHG41C2005A	-	-	-	-	CPF19C2009A	0.79	0.01	2,262	-	EGCO06C2007A	-	-	-	-
CHG42C2006A	-	-	-	-	CPF24C2007A	-	-	-	-	EGCO06P2004A	-	-	-	-
CK01C2005A	-	-	-	-	CPF28C2007A	0.05	(0.02)	310	-	EGCO06P2009A	0.53	(0.47)	67,852	-
CK01C2005B	-	-	-	-	CPF28C2010A	0.63	-	648	-	EGCO13C2005A	0.02	0.01	1	-
CK01P2005A	0.18	-	960	-	CPF41C2005A	-	-	-	-	EGCO19C2005A	-	-	-	-
CK06C2004A	-	-	-	-	CPF41C2008A	0.23	-	3,716	-	EGCO19C2007A	0.13	0.03	7	-
CK11C2007A	-	-	-	-	CPF41P2005A	0.21	(0.03)	51	-	EGCO19C2010A	0.83	0.05	93,649	-
CK13C2006A	0.05	0.01	5	-	CPN01C2005A	0.03	-	60	-	EGCO24C2009A	0.81	0.05	84,334	-
CK16C2006A	-	-	-	-	CPN01C2005B	-	-	-	-	EGCO41C2004A	-	-	-	-
CK19C2004A	-	-	-	-	CPN01P2005A	1.22	(0.07)	293	1.00	EGCO41C2006A	-	-	-	-
CK19C2007A	-	-	-	-	CPN06C2006A	-	-	-	-	EGCO41P2004A	-	-	-	-
CK27C2008A	0.20	(0.01)	300	-	CPN11C2006A	-	-	-	-	EGCO41P2006A	1.12	(0.17)	210	1.00
CK41C2005A	-	-	-	-	CPN11C2008A	0.07	-	1,801	-	EGCO42C2007A	0.02	-	4,217	-
CK42C2006A	0.85	(0.01)	6,670	-	CPN13C2007A	0.05	(0.03)	862	-	EPG08C2004A	-	-	-	-
CKP01C2004A	0.01	-	1,500	-	CPN16C2005A	-	-	-	-	EPG13C2006A	-	-	-	-
CKP01C2004B	-	-	-	-	CPN19C2004A	-	-	-	-	EPG19C2005A	-	-	-	-
CKP01C2008B	-	-	-	-	CPN19C2007A	0.10	0.05	5	-	EPG19C2007A	-	-	-	-
CKP01C2009A	-	-	-	-	CPN19C2010A	0.49	-	113,582	-	EPG19C2008A	0.67	(0.03)	2,987	-
CKP01P2004A	-	-	-	-	CPN24C2007A	0.34	(0.01)	26,852	-	EPG24C2008A	0.14	0.02	250	-
CKP01P2009A	0.52	(0.08)	97	-	CPN41C2006A	-	-	-	-	ERW06C2006A	-	-	-	-
CKP08C2004A	-	-	-	-	CPN41P2005A	-	-	-	-	ERW06C2007A	-	-	-	-
CKP11C2006A	-	-	-	-	CPN41P2006A	-	-	-	-	ERW06P2006A	-	-	-	-
CKP13C2004A	-	-	-	-	CPN42C2004A	-	-	-	-	ERW13C2005A	-	-	-	-
CKP13C2004B	-	-	-	-	CPN42C2006A	1.68	0.02	9,627	1.00	ERW13C2006A	-	-	-	-
CKP13C2007A	0.17	0.01	460	-	CRC01C2007A	0.21	-	1,685	-	ERW13C2007A	-	-	-	-
CKP16C2005A	-	-	-	-	CRC08C2007A	0.38	0.04	2,733	-	ERW19C2005A	-	-	-	-
CKP16C2007A	-	-	-	-	CRC08C2009A	0.54	(0.46)	20,641	-	ERW19C2006A	-	-	-	-
CKP19C2005A	-	-	-	-	CRC13C2008A	0.19	0.01	13,457	-	ERW19C2007A	-	-	-	-
CKP19C2006A	-	-	-	-	CRC13C2009A	0.61	0.03	180,341	-	ERW24C2006A	-	-	-	-
CKP19C2010A	0.55	0.06	94,484	-	CRC19C2008A	0.36	0.05	11,851	-	ESSO01C2004A	0.02	0.01	61	-
CKP24C2006A	-	-	-	-	CRC19C2008B	0.65	0.04	43,518	-	ESSO01C2004B	0.02	-	999	-
CKP27C2005A	-	-	-	-	CRC24C2008A	0.70	0.03	7,398	-	ESSO01C2008B	0.12	-	169	-
CKP28C2006A	-	-	-	-	CRC28C2007A	0.20	0.03	2,748	-	ESSO01C2009A	0.21	0.02	953	-
CKP28C2012A	0.41	0.04	86,336	-	CRC28C2007B	0.12	-	100	-	ESSO01P2009A	0.63	(0.09)	15,673	-
CKP41C2004A	-	-	-	-	CRC28C2012A	0.33	0.01	41,760	-	ESSO08C2004A	0.05	-	1,066	-
CKP41C2005A	-	-	-	-	CRC41C2007A	-	-	-	-	ESSO08C2008A	-	-	-	-
CKP41C2006A	-	-	-	-	CRC41C2009A	0.69	0.02	24,489	-	ESSO13C2006A	0.04	0.02	5	-
CKP41C2007A	-	-	-	-	DTAC01C2004A	0.04	0.02	200	-	ESSO19C2004A	-	-	-	-
CKP42C2005A	-	-	-	-	DTAC01C2004B	-	-	-	-	ESSO19C2007A	0.10	(0.02)	543	-
CKP42C2006A	0.68	0.09	15,079	-	DTAC01C2007B	0.28	0.08	423	-	ESSO19C2009A	1.00	0.05	21,993	1.00
COM708C2007A	0.06	-	424	-	DTAC01C2008A	0.57	0.10	1,264	-	ESSO19C2010A	0.30	0.01	263,411	-
COM711C2004A	-	-	-	-	DTAC01P2004A	0.82	(0.32)	2	-	ESSO24C2007A	-	-	-	-
COM713C2004A	-	-	-	-	DTAC01P2004B	0.11	(0.10)	3,015	-	ESSO41C2004A	-	-	-	-
COM713C2007A	-	-	-	-	DTAC01P2007B	-	-	-	-	ESSO41C2005A	-	-	-	-
COM713C2008A	0.24	0.01	1,982	-	DTAC01P2008A	0.37	(0.08)	2,928	-	ESSO41C2006A	0.21	0.02	9,360	-
COM716C2008A	0.09	0.02	2	-	DTAC06C2006A	0.03	-	8,148	-	ESSO42C2007A	0.07	0.01	1	-
COM719C2005A	-	-	-	-	DTAC08C2005A	-	-	-	-	GFPT19C2004A	-	-	-	-
COM719C2008A	0.30	0.02	330	-	DTAC08C2005B	-	-	-	-	GFPT19C2006A	0.11	-	24,641	-
COM719C2009A	0.82	0.05	281,107	-	DTAC08C2007A	-	-	-	-	GFPT24C2007A	0.14	0.01	400	-
COM719P2004A	0.17	0.02	1	-	DTAC08C2008A	0.59	0.04	77,020	-	GFPT42C2004A	-	-	-	-
COM724C2007A	-	-	-	-	DTAC13C2006A	0.04	0.01	901	-	GFPT42C2008A	-	-	-	-
COM741C2006A	-	-	-	-	DTAC13C2007A	0.21	0.03	769	-	GLOB01C2007B	0.13	0.01	4,000	-
COM742C2004A	-	-	-	-	DTAC13C2009A	0.54	0.06	117,070	-	GLOB01C2008A	-	-	-	-
CPAL01C2004A	0.02	-	2,421	-	DTAC13P2006A	-	-	-	-	GLOB06C2006A	-	-	-	-
CPAL01C2004B	0.01	-	3,003	-	DTAC13P2007A	0.09	(0.02)	8,082	-	GLOB13C2007A	0.37	0.02	1,002	-
CPAL01C2006A	0.20	0.01	10,999	-	DTAC13P2008A	0.53	(0.07)	285,581	-	GLOB19C2005A	0.01	(0.05)	450	-
CPAL01C2006B	0.06	0.01	848	-	DTAC16C2009A	-	-	-	-	GLOB19C2007A	-	-	-	-
CPAL01C2008B	0.26	0.01	30,283	-	DTAC19C2005A	0.02	-	2,499	-	GLOB19C2010A	0.39	0.02	21,369	-
CPAL01P2004A	-	-	-	-	DTAC19C2006A	0.14	0.03	20	-	GLOB24C2005A	-	-	-	-
CPAL01P2004B	-	-	-	-	DTAC19C2007A	-	-	-	-	GLOB41C2004A	-	-	-	-
CPAL01P2008B	0.47	(0.03)	317	-	DTAC19C2009A	0.61	0.08	191,016	-	GLOB42C2009A	-	-	-	-
CPAL06C2006A	-	-	-	-	DTAC19P2007A	0.18	(0.04)	102	-	GPSCO1C2005A	0.17	0.04	17,098	-
CPAL08C2004A	0.01	-	780	-	DTAC24C2004A	-	-	-	-	GPSCO1C2005B	0.02	-	40,541	-
CPAL08C2006A	0.03	(0.01)	50	-	DTAC24C2007A	0.59	0.08	10,929	-	GPSCO1C2007B	0.33	0.05	9,166	-
CPAL08C2008A	0.54	0.01	102,353	-	DTAC27C2008A	0.36	0.08	250	-	GPSCO1C2008A	0.61	0.01	38,130	-
CPAL08P2006A	-	-	-	-	DTAC41C2004A	-	-	-	-	GPSCO1P2005A	0.73	(0.10)	1,295	-
CPAL08P2009A	0.52	(0.03)	131,068	-	DTAC41C2005A	-	-	-	-	GPSCO1P2005B	0.28	(0.04)	13,948	-
CPAL11C2006A	0.03	-	11	-	DTAC41C2006A	0.10	-	400	-	GPSCO1P2007B	0.51	(0.03)	1,315	



## Main Board Quotation

Issue Date :

Thursday April 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GPSC13C2007A	0.37	0.02	1,803	-	HSI28C2005A	1.12	-	19,163	1.00	IVL13C2006A	-	-	-	-
GPSC13C2008A	0.70	0.02	519	-	HSI28C2005B	0.67	0.02	12,228	-	IVL13C2008A	1.09	(0.02)	9,839	1.00
GPSC13C2009A	1.10	0.01	707,811	1.00	HSI28C2005C	0.39	0.02	54,032	-	IVL13C2009A	0.34	-	368,520	-
GPSC13P2005A	-	-	-	-	HSI28C2005D	0.20	0.01	469,066	-	IVL16C2006A	-	-	-	-
GPSC13P2007A	-	-	-	-	HSI28C2006A	1.61	0.02	1,367	1.00	IVL16C2009A	-	-	-	-
GPSC16C2007A	0.11	0.01	5,589	-	HSI28C2006B	1.08	0.01	10,127	1.00	IVL19C2004A	-	-	-	-
GPSC19C2004A	-	-	-	-	HSI28C2006C	0.72	0.02	308,065	-	IVL19C2006A	0.07	0.01	1	-
GPSC19C2007A	0.35	(0.02)	6,820	-	HSI28C2007A	1.36	0.36	35	1.00	IVL19C2008A	0.91	0.02	10	-
GPSC19C2008A	0.95	0.02	443,229	-	HSI28C2007B	0.86	(0.14)	27	-	IVL19C2009A	1.56	(0.02)	11,208	1.00
GPSC19C2009A	1.49	0.03	80,260	1.00	HSI28C2007C	0.54	(0.46)	474	-	IVL19C2010A	0.37	-	59,529	-
GPSC19C2010A	0.86	0.01	669,445	-	HSI28C2010L	0.57	(0.43)	2,983	-	IVL19P2006A	0.32	(0.04)	84	-
GPSC19P2005A	0.42	(0.08)	160	-	HSI28P2004A	0.64	(0.10)	5,602	-	IVL19P2010A	0.53	-	141,688	-
GPSC19P2010A	0.68	(0.01)	214,494	-	HSI28P2004B	1.34	(0.30)	188	1.00	IVL24C2008A	1.35	0.04	5,360	1.00
GPSC24C2007A	0.08	0.01	3	-	HSI28P2004C	-	-	-	-	IVL27P2007A	0.35	(0.03)	303	-
GPSC27C2005A	-	-	-	-	HSI28P2005A	1.86	(0.10)	2	1.00	IVL28C2007A	0.07	(0.01)	12,001	-
GPSC28C2008A	0.48	-	177,947	-	HSI28P2005B	1.37	(0.09)	414	1.00	IVL41C2005A	-	-	-	-
GPSC41C2005A	0.11	(0.02)	300	-	HSI28P2005C	1.04	(0.04)	80,682	1.00	IVL41C2006A	-	-	-	-
GPSC41C2005B	-	-	-	-	HSI28P2005D	0.71	(0.06)	46,883	-	IVL41C2007A	0.20	0.01	1	-
GPSC41C2006A	-	-	-	-	HSI28P2006A	1.09	(0.02)	196	1.00	IVL41C2007B	-	-	-	-
GPSC41C2009A	0.87	(0.33)	58,210	-	HSI28P2006B	0.82	(0.03)	136,257	-	IVL41C2009A	0.36	-	30,578	-
GPSC41P2005A	1.06	(0.12)	23,732	1.00	HSI28P2006C	0.61	(0.03)	42,437	-	IVL41P2005A	-	-	-	-
GPSC41P2006A	0.78	(0.60)	13,864	-	HSI28P2007A	-	-	-	-	IVL41P2006A	-	-	-	-
GPSC42C2006A	0.16	0.02	10	-	HSI28P2007B	1.68	0.68	28	1.00	IVL41P2007A	-	-	-	-
GPSC42P2006A	3.06	(0.08)	8,680	3.00	HSI28P2007C	1.27	0.27	24	1.00	IVL42C2005A	-	-	-	-
GULF01C2005A	1.56	0.17	24,027	1.00	HSI28P2010L	1.05	0.05	20,265	1.00	IVL42C2008A	2.98	0.02	1,166	3.00
GULF01C2005B	0.56	0.03	13,890	-	HSI41C2005A	0.51	(0.02)	188,556	-	JAS13C2006A	0.26	0.06	12,616	-
GULF01C2007A	0.47	0.12	280,683	-	HSI41C2006A	-	-	-	-	JAS13C2009A	0.36	0.02	227,034	-
GULF01P2005A	0.38	0.02	54,724	-	HSI41C2006B	0.59	-	358,162	-	JAS19C2004A	0.07	-	88,827	-
GULF03C2005A	0.64	0.13	201	-	HSI41P2005A	0.58	(0.04)	140,278	-	JAS19C2009A	1.11	0.04	48,733	1.00
GULF06C2004A	1.10	0.07	1,573	-	HSI41P2006A	1.12	(0.07)	400	1.00	JAS41C2005A	0.19	0.02	1,407	-
GULF06C2009A	0.75	(0.25)	39,357	-	HSI41P2006B	0.98	(0.04)	218,337	1.00	JAS41C2006A	0.27	0.02	8,149	-
GULF08C2008A	1.71	0.06	736	1.00	INTU01C2006A	0.19	-	3,572	-	JAS41P2005A	0.11	(0.01)	90,802	-
GULF11C2006A	0.89	0.09	7,699	-	INTU01C2006B	0.05	-	1	-	JMT13C2006A	0.10	0.01	5,381	-
GULF13C2006A	0.37	(0.01)	18,002	-	INTU01P2006A	0.80	(0.02)	4,758	-	JMT19C2006A	-	-	-	-
GULF13C2006B	0.15	(0.04)	31,179	-	INTU01P2006B	0.30	(0.02)	23,274	-	JMT42C2006A	0.07	(0.02)	200	-
GULF13C2008A	1.10	(0.03)	5,013	1.00	INTU06C2009A	0.76	(0.24)	28,037	-	KBAN01C2004A	0.02	-	6,441	-
GULF13C2009A	1.62	0.02	20,210	1.00	INTU13C2006A	-	-	-	-	KBAN01C2004B	0.01	-	940	-
GULF13C2009B	0.51	(0.01)	1,154,142	-	INTU13C2008A	0.60	0.01	239,031	-	KBAN01C2007A	0.10	(0.01)	27,184	-
GULF13P2004A	-	-	-	-	INTU13P2004A	-	-	-	-	KBAN01C2007B	0.04	0.01	5,036	-
GULF13P2005A	0.28	0.03	1,393	-	INTU16C2005A	-	-	-	-	KBAN01P2004A	-	-	-	-
GULF13P2009A	0.41	(0.02)	719,782	-	INTU16C2007A	-	-	-	-	KBAN01P2004B	0.95	(0.05)	310	-
GULF16C2007A	0.92	0.07	500	-	INTU16C2009A	-	-	-	-	KBAN01P2007A	2.12	(0.10)	24	2.00
GULF19C2004A	0.18	0.09	945	-	INTU19C2004A	-	-	-	-	KBAN01P2007B	-	-	-	-
GULF19C2006A	0.14	-	12,707	-	INTU19C2005A	-	-	-	-	KBAN06C2008A	0.08	-	14,451	-
GULF19C2008A	1.67	0.02	28,457	1.00	INTU19C2009A	0.47	-	118,063	-	KBAN08C2005A	-	-	-	-
GULF19C2010A	0.49	-	1,066,791	-	INTU19P2007A	-	-	-	-	KBAN08C2007A	0.03	(0.01)	305	-
GULF19P2006A	0.24	(0.01)	16,726	-	INTU23C2111A	-	-	-	-	KBAN08P2004A	-	-	-	-
GULF19P2009A	0.37	(0.02)	332,539	-	INTU24C2008A	0.41	-	33,355	-	KBAN13C2006A	0.03	0.02	13,362	-
GULF19P2010A	0.37	-	118,779	-	INTU28C2008A	0.31	0.01	116,152	-	KBAN13C2008A	0.10	-	354	-
GULF24C2005A	1.27	0.51	1	1.00	INTU28C2010A	0.37	0.01	81,214	-	KBAN13C2008B	0.92	-	306,115	-
GULF27C2004A	-	-	-	-	INTU41C2005A	-	-	-	-	KBAN13P2006A	-	-	-	-
GULF28C2006A	0.06	-	3,502	-	INTU41C2006A	-	-	-	-	KBAN13P2008A	0.91	(0.02)	1,930	-
GULF28C2008A	0.59	0.10	100	-	INTU41C2007A	-	-	-	-	KBAN16C2005A	-	-	-	-
GULF28C2008B	1.12	0.01	120	1.00	INTU41P2004A	-	-	-	-	KBAN16C2008A	0.04	0.01	200	-
GULF28C2008C	-	-	-	-	INTU41P2005A	-	-	-	-	KBAN19C2004A	-	-	-	-
GULF41C2005A	-	-	-	-	INTU41P2006A	-	-	-	-	KBAN19C2007A	-	-	-	-
GULF41C2006A	1.54	0.04	10,374	1.00	INTU42C2005A	0.13	(0.05)	7,288	-	KBAN19C2009A	1.08	-	87,835	1.00
GULF41P2004A	-	-	-	-	IRPC01C2005A	0.01	-	1	-	KBAN19C2010A	0.33	0.01	106,191	-
GULF41P2005A	-	-	-	-	IRPC01C2005B	0.01	(0.01)	501	-	KBAN19P2004A	-	-	-	-
GULF41P2006A	0.51	(0.06)	43,273	-	IRPC01C2007B	0.20	-	2,182	-	KBAN19P2007A	-	-	-	-
GULF41P2007A	-	-	-	-	IRPC01P2005A	-	-	-	-	KBAN19P2010P	0.75	(0.02)	54,956	-
GUNK01C2005A	0.11	0.01	50	-	IRPC01P2005B	0.60	(0.19)	89	-	KBAN24C2005A	-	-	-	-
GUNK01C2005B	-	-	-	-	IRPC01P2007B	0.43	(0.08)	4,438	-	KBAN28C2008A	0.09	(0.01)	150	-
GUNK01P2005A	-	-	-	-	IRPC06C2005A	0.01	-	27	-	KBAN28C2008B	0.55	0.01	109,416	-
GUNK11C2007A	0.08	0.03	604	-	IRPC06C2007A	0.06	0.01	2,571	-	KBAN28C2008C	0.87	(0.02)	2,866	-
GUNK13C2006A	0.09	-	1,105	-	IRPC06P2004A	-	-	-	-	KBAN28C2010A	0.17	(0.01)	88,358	-
GUNK19C2006A	0.11	0.01	750	-	IRPC11C2005A	0.01	-	1	-	KBAN41C2005A	-	-	-	-
GUNK24C2006A	0.29	0.01	3,030	-	IRPC11C2008A	0.04	0.01	1	-	KBAN41C2007A	-	-	-	-
GUNK28C2005A	-	-	-	-	IRPC13C2006A	0.01	(0.02)	3,423	-	KBAN41C2008A	0.42	(0.02)	53,228	-
GUNK28C2012A	0.32	0.02	2,340	-	IRPC13C2007A	-	-	-	-	KBAN41P2005A	-	-	-	-
GUNK41C2005A	-	-	-	-	IRPC13C2008A	-	-	-	-	KBAN41P2006A	-	-	-	-
GUNK41P2005A	-	-	-	-	IRPC13C2009A	0.48	0.06	516,991	-	KBAN42C2004A	-	-	-	-
HANA01C2006A	-	-	-	-	IRPC16C2008A	-	-	-	-	KBAN42C2007A	-	-	-	-
HANA01C2006B	-	-	-	-	IRPC19C2005A	-	-	-	-	KBAN42P2008A	-	-	-	-
HANA01P2006A	-	-	-	-	IRPC19C2007A	0.18	(0.03)	1,500	-	KCE01C2004A	0.07	-	1,565	-
HANA11C2008A	0.11	(0.01)	30	-	IRPC19C2008A	0.55	0.05	554	-	KCE01C2004B	0.01	-	668	-
HANA13C2006A	-	-	-	-	IRPC19C2010A	0.37	0.04	361,200	-	KCE01C2007B	0.03	-	3,202	-
HANA13C2008A	0.19	(0.02)	7,100	-	IRPC24C2004A	-	-	-	-	KCE01C2008A	0.13	-	8,170	-
HANA16C2008A	-	-	-	-	IRPC24C2007A	-	-	-	-	KCE01P2004A	-	-	-	-
HANA19C2006A	0.10	(0.01)	11,440	-	IRPC27C2007A	-	-	-	-	KCE06C2009A	0.68	(0.32)	12,509	-
HANA27C2007A	0.20	0.10	2,606	-	IRPC28C2006A	-	-	-	-	KCE08C2005A	-	-	-	-
HANA27P2007A	-	-	-	-	IRPC28C2008A	0.41	0.06	300,851	-	KCE08C2005B	-	-	-	-
HANA41C2006A	-	-	-	-	IRPC28C2012A	0.24	0.03	64,956	-	KCE08C2009A	0.64	(0.02)	39,229	-
HMPRO1C2006A	0.09	0.01	68	-	IRPC41C2004A	-	-	-	-	KCE11C2004A	-	-	-	-
HMPRO1C2006B	0.02	-	4	-	IRPC41C2005A	0.02	0.01	2	-	KCE13C2004A	-	-	-	-
HMPRO1P2006A	0.63	(0.06)	1,868	-	IRPC41C2006A	-	-	-	-	KCE13C2005A	-	-	-	-
HMPRO6C2006A	0.24	0.03	69,659	-	IRPC41C2007A	0.40	0.06	70,787	-	KCE13C2006A	0.10	-	1,098	-
HMPRO6P2007A	0.38	0.02	1,952	-	IRPC41P2005A	-	-	-	-	KCE13C2009A	0.44	(0.02)	198,740	-
HMPR13C2006A	-	-	-	-	IRPC41P2006A	-	-	-	-	KCE16C2007A	0.04	0.01	1	-
HMPR13C2007A	-	-	-	-	IRPC41P2007A	-	-	-	-	KCE19C2005A	0.06	0.05		

## Main Board Quotation

Issue Date :

Thursday April 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KKP41C2006A	-	-	-	-	OSP08C2009A	0.63	(0.37)	25,722	-	PTT41P2006A	-	-	-	-
KTB01C2008B	-	-	-	-	OSP11C2005A	-	-	-	-	PTT42C2007A	0.03	-	500	-
KTB01C2009A	0.15	(0.01)	402	-	OSP13C2004A	-	-	-	-	PTTE01C2004A	0.02	-	8,603	-
KTB01P2009A	-	-	-	-	OSP13C2006A	0.10	0.01	1,410	-	PTTE01C2004B	0.02	0.01	17	-
KTB11C2004A	-	-	-	-	OSP16C2008A	0.08	-	3,000	-	PTTE01C2007A	0.04	(0.01)	28,636	-
KTB11C2006A	-	-	-	-	OSP19C2004A	-	-	-	-	PTTE01C2007B	0.02	(0.01)	17,217	-
KTB13C2006A	-	-	-	-	OSP19C2005A	0.13	(0.01)	278	-	PTTE01P2004A	-	-	-	-
KTB19C2005A	-	-	-	-	OSP19C2009A	0.54	(0.02)	261,736	-	PTTE01P2004B	1.19	(0.14)	2,469	1.00
KTB24C2004A	-	-	-	-	OSP24C2008A	0.28	(0.06)	200	-	PTTE01P2007A	2.62	(0.10)	2,248	2.00
KTB28C2012A	0.17	-	20,424	-	OSP41C2005A	0.18	-	3,658	-	PTTE01P2007B	2.60	(0.20)	5,915	2.00
KTB41C2004A	-	-	-	-	OSP41P2004A	-	-	-	-	PTTE06C2006A	0.01	(0.01)	6,604	-
KTB41C2006A	-	-	-	-	OSP42C2005A	-	-	-	-	PTTE06C2008A	1.47	0.10	64,252	1.00
KTB41P2004A	-	-	-	-	PLAN08C2004A	-	-	-	-	PTTE06P2006A	3.74	(0.18)	204	3.00
KTC01C2004A	0.01	-	4,303	-	PLAN13C2005A	-	-	-	-	PTTE08C2005A	-	-	-	-
KTC01C2004B	0.01	-	1,150	-	PLAN13C2007A	0.02	-	16,246	-	PTTE08C2008A	1.62	0.07	62,622	1.00
KTC01C2007A	0.29	-	756	-	PLAN19C2005A	0.02	0.01	1	-	PTTE08P2005A	1.74	(0.03)	200	1.00
KTC01C2007B	0.14	-	4,317	-	PLAN19C2007A	0.02	-	1,333	-	PTTE08P2006A	2.50	0.30	20	2.00
KTC01P2004A	0.11	(0.04)	4,764	-	PLAN19C2010A	0.83	0.18	401,492	-	PTTE11C2006A	0.02	-	900	-
KTC01P2007A	0.34	0.01	3,378	-	PLAN24C2006A	-	-	-	-	PTTE13C2006A	0.02	(0.01)	152	-
KTC06C2006A	0.05	-	6,863	-	PLAN27C2008A	-	-	-	-	PTTE13C2008A	0.06	-	17,525	-
KTC08C2004A	-	-	-	-	PLAN28C2005A	-	-	-	-	PTTE13C2008B	0.63	0.03	101	-
KTC08C2006A	-	-	-	-	PLAN28C2012A	0.69	0.16	182,502	-	PTTE13C2009A	1.14	0.04	272,570	1.00
KTC11C2005A	-	-	-	-	PLAN41C2005A	-	-	-	-	PTTE13P2006A	-	-	-	-
KTC13C2006A	0.07	-	249	-	PLAN41C2006A	-	-	-	-	PTTE13P2008A	0.40	(0.04)	28,460	-
KTC13C2008A	0.54	(0.03)	260,515	-	PLAN42C2007A	-	-	-	-	PTTE13P2009A	0.89	(0.04)	232,143	-
KTC13P2006A	0.18	0.01	9,796	-	PRM13C2006A	0.14	(0.02)	2,987	-	PTTE16C2009A	0.08	0.02	903	-
KTC13P2007A	0.68	-	94	-	PRM19C2004A	-	-	-	-	PTTE19C2006A	0.02	-	5	-
KTC19C2005A	-	-	-	-	PRM19C2006A	0.23	0.01	6,239	-	PTTE19C2008A	0.07	-	801	-
KTC19C2006A	0.10	(0.01)	1,000	-	PRM19C2010A	0.51	0.01	25,561	-	PTTE19C2008B	0.70	0.06	2,520	-
KTC19C2008A	0.47	(0.02)	27,032	-	PRM42C2006A	0.83	(0.01)	5,775	-	PTTE19C2009A	1.75	0.13	118	1.00
KTC19C2010A	0.26	(0.01)	126,397	-	PSH19C2005A	-	-	-	-	PTTE19C2009B	0.99	0.04	535,107	-
KTC19P2005A	-	-	-	-	PSL06C2006A	-	-	-	-	PTTE19C2010A	0.52	0.03	218,025	-
KTC27C2007A	0.06	-	2	-	PSL19C2004A	-	-	-	-	PTTE19P2004A	-	-	-	-
KTC28C2006A	0.11	(0.01)	44,281	-	PSL19C2006A	-	-	-	-	PTTE19P2006A	2.12	(0.14)	300	2.00
KTC28C2012A	0.24	(0.01)	55,534	-	PSL19C2007A	0.31	(0.01)	1,648	-	PTTE19P2009A	0.45	(0.02)	185,305	-
KTC41C2004A	-	-	-	-	PTG01C2005A	-	-	-	-	PTTE19P2009B	1.07	(0.04)	73,577	1.00
KTC41C2005A	-	-	-	-	PTG01C2005B	-	-	-	-	PTTE24C2008A	0.09	(0.01)	60	-
KTC41C2006A	-	-	-	-	PTG01C2007B	0.21	0.02	1,472	-	PTTE28C2005A	-	-	-	-
KTC42C2006A	-	-	-	-	PTG01P2005A	-	-	-	-	PTTE28C2008A	0.17	0.01	28,965	-
LH11C2007A	-	-	-	-	PTG01P2005B	-	-	-	-	PTTE41C2005A	-	-	-	-
LH19C2007A	-	-	-	-	PTG03C2005A	-	-	-	-	PTTE41C2006A	0.21	0.01	200	-
LH19P2004A	-	-	-	-	PTG06C2006A	-	-	-	-	PTTE41C2007A	0.89	0.05	1,915	-
LH41C2004A	-	-	-	-	PTG08C2005A	-	-	-	-	PTTE41C2008A	0.63	0.05	74,128	-
LH41C2005A	-	-	-	-	PTG08C2007A	0.18	0.01	1,235	-	PTTE41C2009A	0.91	0.03	20	-
LH41C2006A	-	-	-	-	PTG11C2005A	0.02	0.01	80	-	PTTE41P2004A	-	-	-	-
MAJ013C2007A	0.12	(0.02)	79,565	-	PTG13C2004A	-	-	-	-	PTTE41P2009A	1.50	(0.06)	24,198	1.00
MAJ019C2006A	-	-	-	-	PTG13C2006A	0.10	0.03	1	-	PTTE42C2004A	-	-	-	-
MBK19C2004A	-	-	-	-	PTG13P2004A	-	-	-	-	PTTE42P2008A	-	-	-	-
MEGA16C2009A	-	-	-	-	PTG13P2006A	0.18	(0.10)	14	-	PTTG01C2005A	0.02	-	2,190	-
MEGA19C2005A	-	-	-	-	PTG16C2009A	-	-	-	-	PTTG01C2005B	-	-	-	-
MINT01C2007B	0.02	(0.01)	4,906	-	PTG19C2004A	-	-	-	-	PTTG01C2007B	-	-	-	-
MINT01C2008A	0.06	-	47,486	-	PTG19C2005A	0.04	(0.02)	30	-	PTTG01C2008A	0.15	0.04	81,947	-
MINT01P2008A	1.09	0.03	7,520	1.00	PTG19C2006A	-	-	-	-	PTTG01P2005A	1.82	(0.36)	5	1.00
MINT06C2006A	-	-	-	-	PTG19C2008A	0.47	0.02	248,514	-	PTTG01P2005B	1.42	(0.47)	7	1.00
MINT06P2007A	1.22	(0.01)	1,224	1.00	PTG19C2010A	0.32	0.01	225,153	-	PTTG01P2007B	0.81	(0.30)	13	-
MINT11C2006A	-	-	-	-	PTG19P2008A	-	-	-	-	PTTG01P2008A	1.14	(0.24)	598	1.00
MINT13C2006A	0.02	-	1,025	-	PTG27C2007A	0.15	0.03	1	-	PTTG06C2006A	0.01	-	100	-
MINT13C2008A	0.05	0.01	5,430	-	PTG41C2005A	-	-	-	-	PTTG08C2004A	-	-	-	-
MINT13C2009A	0.65	-	137,589	-	PTG41C2006A	-	-	-	-	PTTG08C2008A	0.64	0.10	66,528	-
MINT19C2004A	-	-	-	-	PTG41P2005A	-	-	-	-	PTTG08P2004A	-	-	-	-
MINT19C2006A	0.05	-	201	-	PTG42C2004A	-	-	-	-	PTTG11C2004A	-	-	-	-
MINT19C2010A	0.65	0.01	63,778	-	PTG42C2006A	0.08	-	1,500	-	PTTG11C2007A	-	-	-	-
MINT19P2004A	-	-	-	-	PTT01C2004A	0.04	0.01	6,391	-	PTTG13C2005A	-	-	-	-
MINT24C2006A	-	-	-	-	PTT01C2004B	0.02	-	50	-	PTTG13C2007A	0.03	0.01	2,100	-
MINT28C2006A	-	-	-	-	PTT01C2007A	0.10	0.01	106,663	-	PTTG13C2008A	0.46	0.02	652	-
MINT28C2008A	0.05	0.01	262	-	PTT01C2007B	0.04	(0.01)	33,472	-	PTTG13C2009A	0.57	0.11	780,220	-
MINT28C2012A	0.43	-	32,698	-	PTT01P2004A	0.91	(0.02)	64	-	PTTG13P2004A	-	-	-	-
MINT41C2004A	-	-	-	-	PTT01P2004B	0.44	(0.06)	695	-	PTTG13P2008A	-	-	-	-
MINT41C2005A	-	-	-	-	PTT01P2007A	1.27	(0.01)	6,932	1.00	PTTG16C2006A	-	-	-	-
MINT41C2007A	-	-	-	-	PTT01P2007B	0.82	(0.07)	11,431	-	PTTG19C2006A	-	-	-	-
MINT41P2004A	-	-	-	-	PTT06C2005A	-	-	-	-	PTTG19C2006B	0.01	(0.05)	1	-
MINT42C2004A	-	-	-	-	PTT06C2008A	0.62	0.03	54,040	-	PTTG19C2008A	0.11	0.02	2,120	-
MTC01C2007B	0.03	-	1,346	-	PTT08C2005A	-	-	-	-	PTTG19C2008B	0.68	0.15	12,669	-
MTC01C2008A	0.16	-	28,101	-	PTT08C2008A	0.47	-	55,135	-	PTTG19C2009A	0.44	0.10	597,284	-
MTC03C2005A	-	-	-	-	PTT08P2005A	0.62	(0.07)	223	-	PTTG19P2006A	-	-	-	-
MTC06C2007A	-	-	-	-	PTT08P2009A	0.85	(0.15)	43,221	-	PTTG19P2009A	0.49	(0.08)	49,737	-
MTC06C2009A	1.07	(0.02)	35,047	1.00	PTT11C2004A	0.02	-	62	-	PTTG24C2008A	0.66	0.08	10,013	-
MTC08C2005A	-	-	-	-	PTT11C2008A	0.05	(0.01)	9,178	-	PTTG27P2006A	-	-	-	-
MTC08C2009A	1.05	(0.02)	71,521	1.00	PTT13C2006A	0.03	(0.01)	100	-	PTTG28C2006A	-	-	-	-
MTC11C2008A	-	-	-	-	PTT13C2008A	0.10	-	19,892	-	PTTG28C2008A	0.27	0.06	124,926	-
MTC13C2007A	0.04	0.01	1,362	-	PTT13C2008B	0.40	0.01	8,764	-	PTTG41C2004A	-	-	-	-
MTC13C2009A	0.59	(0.01)	442,055	-	PTT13C2009A	0.41	-	233,084	-	PTTG41C2005A	-	-	-	-
MTC16C2007A	0.04	0.02	1,010	-	PTT13P2004A	-	-	-	-	PTTG41C2006A	-	-	-	-
MTC19C2006A	0.03	0.02	11,301	-	PTT13P2006A	-	-	-	-	PTTG41C2007A	0.59	0.05	5,455	-
MTC19C2009A	0.86	(0.01)	152,369	-	PTT13P2008A	0.09	(0.01)	20,656	-	PTTG41C2008A	0.87	0.09	10,894	-
MTC19C2010A	0.57	(0.43)	50,257	-	PTT13P2009A	0.42	(0.02)	98,521	-	PTTG41P2006A	-	-	-	-
MTC19P2004A	0.19	(0.06)	2,900	-	PTT16C2008A	0.03	0.01	48	-	PTTG42C2007A	0.02	-	500	-
MTC24C2004A	-	-	-	-	PTT19C2005A	0.02	-	1,810	-	QH01C2006A	-	-	-	-
MTC27C2007A	-	-	-	-	PTT19C2008A	0.43	0.03	1,918	-	QH01C2006B	-	-	-	-
MTC28C2006A	-	-	-	-	PTT19C2009A	0.39	0.01	217,396	-	QH01P2006A	0.62	-	40	-
MTC28C2008A	0.13	0.01	2,509	-	PTT19P2006A	0.78	(0.06)	2	-	QH11C2006A	-	-	-	-
MTC41C2004A	-	-	-	-	PTT19P2009A	0.29	(0.01)	90,170	-	QH19C2006A	-	-	-	-
MTC41C2007A	0.41	(0.02)	32,228	-	PTT24C2008A	-	-	-	-	QH27C2007A	-	-	-	-
M														

## Main Board Quotation

Issue Date :

Thursday April 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RATC24C2006A	0.11	0.02	154	-	S5019P2006F	0.11	(0.02)	245,722	-	SCB27P2006A	-	-	-	-
RATC27C2004A	-	-	-	-	S5019P2006G	0.61	(0.05)	868,998	-	SCB28C2006A	-	-	-	-
RATC27C2007A	0.23	(0.01)	2,142	-	S5024C2006A	-	-	-	-	SCB28C2006B	-	-	-	-
RATC41C2004A	-	-	-	-	S5024C2006B	0.06	(0.02)	4,235	-	SCB28C2008A	-	-	-	-
RATC41C2005A	-	-	-	-	S5024C2006C	2.38	0.04	2,000	2.00	SCB28C2010A	0.52	0.05	40,808	-
RATC41C2006A	0.63	0.07	47,824	-	S5024C2006D	1.33	0.01	8,353	1.00	SCB41C2005A	-	-	-	-
RATC41P2004A	-	-	-	-	S5024C2006E	1.09	(0.01)	107,146	1.00	SCB41C2006A	-	-	-	-
RATC41P2006A	-	-	-	-	S5024C2009A	0.07	-	4,489	-	SCB41C2006B	-	-	-	-
RATC42C2006A	0.06	0.02	100	-	S5024C2009B	1.31	0.05	99,798	1.00	SCB41C2008A	0.64	0.06	67,864	-
RS06C2004A	0.02	-	11	-	S5024P2006A	-	-	-	-	SCB41P2005A	-	-	-	-
RS08P2006A	0.59	(0.15)	210	-	S5024P2006B	9.50	(0.50)	17,214	9.00	SCB42C2006A	-	-	-	-
RS13C2004A	-	-	-	-	S5024P2006C	1.49	(0.01)	84	1.00	SCB42C2007A	-	-	-	-
RS13C2006A	0.12	0.04	50	-	S5024P2006D	1.03	(0.09)	296,957	1.00	SCC01C2004A	0.06	0.01	280	-
RS16C2005A	-	-	-	-	S5024P2006E	0.75	(0.06)	178,808	-	SCC01C2004B	0.01	-	70	-
RS19C2004A	-	-	-	-	S5028C2004A	-	-	-	-	SCC01P2004A	0.94	(0.19)	20	-
RS19C2005A	-	-	-	-	S5028C2004B	-	-	-	-	SCC06C2007A	0.09	-	18,981	-
RS19C2007A	0.18	0.08	203,391	-	S5028C2006A	0.04	-	1,675	-	SCC08C2004A	-	-	-	-
RS24C2004A	-	-	-	-	S5028C2006B	0.17	0.09	3	-	SCC08P2006A	0.51	(0.01)	87	-
RS24C2008A	0.11	0.05	100	-	S5028C2006C	1.76	0.06	861,367	1.00	SCC11C2006A	-	-	-	-
RS41C2004A	-	-	-	-	S5028C2006D	2.42	0.08	1	2.00	SCC11C2007A	-	-	-	-
RS42C2004A	-	-	-	-	S5028C2009A	1.23	0.03	1,310,926	1.00	SCC13C2004A	-	-	-	-
RS42C2008A	0.45	0.15	85,417	-	S5028P2004A	3.06	(0.38)	51	3.00	SCC13C2008A	-	-	-	-
S10001C2011A	0.05	-	7,456	-	S5028P2004B	1.96	(0.20)	790	1.00	SCC13C2009A	0.76	(0.03)	53,821	-
S5001C2004A	0.01	-	229,318	-	S5028P2006A	1.53	(0.04)	1,004,894	1.00	SCC13P2006A	-	-	-	-
S5001C2005A	0.04	0.01	92,592	-	S5028P2006B	1.00	(0.03)	1,497	1.00	SCC13P2009A	1.28	0.01	40,505	1.00
S5001C2006F	0.04	-	43,178	-	S5028P2006C	0.48	(0.01)	1,391,694	-	SCC16C2005A	-	-	-	-
S5001C2006G	0.07	(0.01)	12,650	-	S5028P2009A	1.52	(0.02)	1,442,236	1.00	SCC19C2006A	-	-	-	-
S5001C2006H	0.30	(0.01)	59,457	-	S5041C2006A	0.68	0.01	16,026	-	SCC19C2008A	0.77	(0.03)	14,647	-
S5001C2007A	0.30	-	127,842	-	S5041C2006B	1.10	0.07	19,196	1.00	SCC19C2010A	0.70	(0.02)	49,474	-
S5001P2004A	4.30	0.20	25	4.00	S5041C2006C	2.64	0.04	494,554	2.00	SCC19P2004A	-	-	-	-
S5001P2005A	3.02	(0.08)	1,196	3.00	S5041C2006D	4.28	0.08	26,041	4.00	SCC19P2010A	0.63	-	10,453	-
S5001P2006F	5.80	0.20	3	5.00	S5041C2006E	1.63	0.03	941	1.00	SCC21C2006A	-	-	-	-
S5001P2006G	4.02	(0.42)	3	4.00	S5041C2006F	1.34	0.03	202,862	1.00	SCC27P2008A	0.25	0.14	2,510	-
S5001P2006H	2.08	0.20	1,144	1.00	S5041C2006G	0.68	0.01	2,322,982	-	SCC28C2008A	-	-	-	-
S5001P2007A	2.76	0.02	13,435	2.00	S5041P2006A	5.55	(0.05)	46	5.00	SCC28C2010A	0.59	0.01	4,078	-
S5006C2006A	0.05	-	2,911	-	S5041P2006B	-	-	-	-	SCC41C2005A	-	-	-	-
S5006C2006B	0.06	(0.01)	1,931	-	S5041P2006C	2.24	(0.06)	115,698	2.00	SCC41C2006A	-	-	-	-
S5006C2006C	1.04	0.02	204,342	1.00	S5041P2006D	1.70	(0.05)	200,981	1.00	SCC41C2006B	0.83	(0.03)	27,665	-
S5006C2006D	1.24	0.02	221,998	1.00	S5041P2006E	0.74	(0.02)	76,497	-	SCC41P2005A	-	-	-	-
S5006C2006E	1.20	0.02	534,392	1.00	S5041P2006F	0.39	(0.03)	29,707	-	SCC41P2006A	-	-	-	-
S5006C2006F	1.98	0.98	442,638	1.00	S5041P2006G	0.79	(0.04)	1,897,752	-	SCC42C2008A	-	-	-	-
S5006P2006A	4.78	(0.47)	1	4.00	SAWA01C2006A	0.17	0.01	20,415	-	SGP13C2006A	-	-	-	-
S5006P2006B	1.74	(0.06)	101	1.00	SAWA01C2006B	0.04	0.01	24	-	SGP13C2007A	-	-	-	-
S5006P2006C	0.38	(0.01)	56,863	-	SAWA01P2006A	1.47	(0.06)	1,274	1.00	SGP19C2006A	-	-	-	-
S5006P2006D	0.33	(0.02)	16,131	-	SAWA06C2007A	0.06	-	1,361	-	SGP19C2006B	0.25	(0.01)	3,153	-
S5006P2006E	0.72	(0.06)	502,458	-	SAWA08C2006A	-	-	-	-	SGP42C2007A	2.30	(0.04)	46	2.00
S5006P2006F	1.27	0.27	391,811	1.00	SAWA13C2005A	0.03	-	1	-	SIR11C2007A	-	-	-	-
S5008C2006A	0.09	0.01	2,820	-	SAWA13C2007A	0.06	0.02	1,996	-	SIR19C2004A	-	-	-	-
S5008C2006B	2.06	-	233,741	2.00	SAWA13C2009A	0.74	-	160,746	-	SIR19C2007A	0.02	0.01	401	-
S5008C2006C	1.27	0.02	284,709	1.00	SAWA16C2008A	-	-	-	-	SPAL01C2004A	-	-	-	-
S5008C2006D	1.36	0.36	1,107,743	1.00	SAWA19C2005A	-	-	-	-	SPAL01C2004B	-	-	-	-
S5008P2006A	0.09	(0.01)	19,332	-	SAWA19C2009A	0.73	0.01	15,051	-	SPAL06P2009A	0.50	-	7,417	-
S5008P2006B	0.32	(0.03)	10,525	-	SAWA19C2009B	0.80	0.02	105,803	-	SPAL11C2006A	-	-	-	-
S5008P2006C	0.89	(0.11)	370,628	-	SAWA24C2004A	-	-	-	-	SPAL13C2006A	-	-	-	-
S5013C2006A	0.05	-	77,991	-	SAWA27C2007A	-	-	-	-	SPAL19C2004A	-	-	-	-
S5013C2006B	0.06	-	54,427	-	SAWA28C2007A	0.01	(0.06)	100	-	SPAL27C2008A	-	-	-	-
S5013C2006C	0.13	-	33,493	-	SAWA28C2008A	-	-	-	-	SPRC01C2007A	0.04	(0.01)	1,400	-
S5013C2006D	0.15	0.01	38,601	-	SAWA28C2012A	0.57	0.01	65,702	-	SPRC06C2007A	-	-	-	-
S5013C2006E	0.56	0.02	10,207	-	SAWA41C2005A	-	-	-	-	SPRC06P2007A	2.10	(0.14)	12,978	2.00
S5013C2006F	1.40	0.01	1,556,244	1.00	SAWA41C2009A	0.74	0.01	53,402	-	SPRC08C2005A	-	-	-	-
S5013C2006G	1.00	0.02	7,491,104	-	SAWA41P2005A	-	-	-	-	SPRC08C2006A	0.01	(0.01)	500	-
S5013C2006H	0.77	0.01	6,404,012	-	SCB01C2004A	0.01	-	12,454	-	SPRC11C2005A	-	-	-	-
S5013P2006A	4.44	(0.06)	52	3.00	SCB01C2004B	0.01	-	29,960	-	SPRC11C2008A	-	-	-	-
S5013P2006B	2.50	(0.34)	10	2.00	SCB01C2007A	0.08	0.02	215	-	SPRC13C2006A	0.03	0.01	2	-
S5013P2006C	2.78	(0.34)	87	2.00	SCB01C2007B	0.04	0.01	197	-	SPRC13C2008A	0.08	-	14,000	-
S5013P2006D	1.46	(0.13)	17,445	1.00	SCB01C2008B	0.11	0.01	8,452	-	SPRC19C2005A	-	-	-	-
S5013P2006E	0.92	(0.05)	80,346	-	SCB01C2009A	0.38	0.03	26,223	-	SPRC19C2005B	-	-	-	-
S5013P2006F	0.20	(0.01)	410,204	-	SCB01P2004A	-	-	-	-	SPRC19C2007A	0.04	(0.01)	1	-
S5013P2006G	0.23	(0.01)	2,179,338	-	SCB01P2004B	-	-	-	-	SPRC19P2005A	-	-	-	-
S5013P2006H	0.62	(0.05)	7,552,840	-	SCB01P2007A	1.39	(0.10)	1,762	1.00	SPRC28C2008A	-	-	-	-
S5013P2006I	0.34	(0.03)	3,068,298	-	SCB01P2007B	1.48	(0.01)	1	1.00	SPRC41C2004A	-	-	-	-
S5016C2006A	0.04	-	3,757	-	SCB06C2007A	0.02	(0.01)	38	-	SPRC41C2005A	-	-	-	-
S5016C2006B	0.08	-	90	-	SCB08C2005A	-	-	-	-	SPRC41C2006A	-	-	-	-
S5016C2006C	1.29	0.02	29,548	1.00	SCB08C2007A	0.08	0.01	28	-	SPRC42C2006A	0.01	-	10,251	-
S5016C2006D	1.28	0.01	57,617	1.00	SCB08P2004A	-	-	-	-	STA01C2008B	-	-	-	-
S5016C2006E	1.36	0.03	206,454	1.00	SCB11C2005A	0.01	-	1,000	-	STA01C2009A	0.35	(0.01)	4,988	-
S5016P2006A	-	-	-	-	SCB11C2006A	0.01	-	12	-	STA01P2009A	0.33	-	239	-
S5016P2006B	-	-	-	-	SCB11C2008A	0.08	0.01	1	-	STA11C2005A	-	-	-	-
S5016P2006C	0.35	(0.02)	17,479	-	SCB11P2005A	-	-	-	-	STA13C2006A	0.16	-	3,994	-
S5016P2006D	0.36	(0.02)	15,767	-	SCB13C2006A	0.01	-	4,000	-	STA13C2009A	0.35	(0.01)	85,531	-
S5016P2006E	0.73	(0.05)	96,712	-	SCB13C2006B	0.02	0.01	9,001	-	STA19C2004A	-	-	-	-
S5016P2103Z	3.82	0.40	10	3.00	SCB13C2007A	-	-	-	-	STA19C2005A	0.94	0.06	1,500	-
S5019C2006A	0.05	0.01	6,162	-	SCB13C2008A	0.45	(0.04)	26	-	STA19C2007A	0.23	0.04	253	-
S5019C2006B	0.16	0.06	1,081	-	SCB13C2009A	0.77	0.05	148,625	-	STA19C2009A	0.40	(0.01)	48,241	-
S5019C2006C	0.52	0.03	77	-	SCB13P2006A	-	-	-	-	STA28C2012A	0.25	-	28,814	-
S5019C2006D	1.10	0.01	596,499	1.00	SCB13P2008A	0.63	(0.05)	4,226	-	STA42C2007A	-	-	-	-
S5019C2006E	0.53	(0.01)	361,167	-	SCB16C2008A	-	-	-	-	STEC01C2004A	-	-	-	-
S5019C2006F	1.70	0.03	391,141	1.00	SCB19C2006A	-	-	-	-	STEC01C2006A	0.33	0.02	200	



## Main Board Quotation

Issue Date :

Thursday April 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STEC16C2006A	0.02	(0.07)	12	-	TOP01C2008B	0.20	-	2,079	-	WHA01C2005B	-	-	-	-
STEC16C2009A	-	-	-	-	TOP01C2009A	0.42	0.02	10,045	-	WHA01C2008B	-	-	-	-
STEC19C2004A	-	-	-	-	TOP01P2006A	-	-	-	-	WHA01C2009A	0.47	0.11	104	-
STEC19C2005A	-	-	-	-	TOP01P2009A	0.61	(0.02)	21,295	-	WHA01P2005A	1.08	(0.44)	20	1.00
STEC19C2009A	0.58	-	80,512	-	TOP06C2007A	0.05	-	5,509	-	WHA01P2009A	0.42	(0.13)	1,591	-
STEC24C2006A	0.23	0.05	300	-	TOP06C2008A	0.95	0.04	71,881	-	WHA06C2007A	0.04	-	294	-
STEC28C2005A	-	-	-	-	TOP06P2005A	-	-	-	-	WHA08C2005A	-	-	-	-
STEC28C2012A	0.38	(0.01)	54,756	-	TOP08C2007A	0.08	0.03	201	-	WHA08C2006A	-	-	-	-
STEC41C2005A	-	-	-	-	TOP08P2007A	-	-	-	-	WHA08P2006A	0.70	(0.14)	100	-
STEC41C2006A	0.33	-	11,144	-	TOP11C2007A	0.02	0.01	10	-	WHA11C2008A	0.05	-	100	-
STEC41P2004A	-	-	-	-	TOP13C2006A	0.03	(0.01)	13	-	WHA13C2005A	-	-	-	-
STEC41P2005A	0.28	(0.17)	12	-	TOP13C2008A	0.15	0.02	22,155	-	WHA13C2006A	0.05	-	116	-
STEC42C2004A	-	-	-	-	TOP13C2008B	0.72	0.02	378,499	-	WHA16C2006A	-	-	-	-
SUPE19C2004A	-	-	-	-	TOP13P2005A	-	-	-	-	WHA16C2008A	0.14	-	1	-
SUPE19C2007A	0.11	0.02	52,939	-	TOP13P2006A	-	-	-	-	WHA19C2004A	-	-	-	-
SUPE42C2004A	-	-	-	-	TOP16C2008A	0.05	0.01	1,153	-	WHA19C2005A	-	-	-	-
TASCO1C2007B	-	-	-	-	TOP19C2006A	0.02	-	1,175	-	WHA19C2006A	0.03	0.01	10,350	-
TASCO1C2008A	0.40	(0.02)	1,461	-	TOP19C2007A	0.05	0.01	320	-	WHA19C2010A	0.49	0.10	157,935	-
TASCO1P2008A	0.80	0.09	5,594	-	TOP19C2008A	0.40	0.02	610,700	-	WHA24C2004A	-	-	-	-
TASCO8C2005A	-	-	-	-	TOP19P2006A	2.14	(0.20)	200	2.00	WHA24C2007A	0.33	0.09	53,323	-
TASCO8C2006A	0.17	(0.02)	200	-	TOP24C2007A	0.02	-	1	-	WHA27C2008A	-	-	-	-
TASC13C2006A	0.13	(0.04)	822	-	TOP24C2008A	0.69	0.04	18,214	-	WHA28C2005A	-	-	-	-
TASC13C2009A	0.40	(0.60)	90,220	-	TOP41C2004A	-	-	-	-	WHA28C2006A	-	-	-	-
TASC16C2008A	-	-	-	-	TOP41C2005A	-	-	-	-	WHA28C2012A	0.38	0.08	74,582	-
TASC19C2006A	0.33	-	1,008	-	TOP41C2006A	-	-	-	-	WHA41C2004A	-	-	-	-
TASC19C2007A	-	-	-	-	TOP41C2007A	-	-	-	-	WHA41C2005A	-	-	-	-
TASC19C2009A	0.51	(0.02)	139,062	-	TOP41C2008A	0.57	0.02	31,653	-	WHA41C2006A	-	-	-	-
TASC19P2004A	-	-	-	-	TOP41P2004A	-	-	-	-	WHA41C2007A	0.25	0.03	16,215	-
TASC24C2006A	0.23	0.08	1	-	TOP41P2005A	-	-	-	-	WHA41P2005A	-	-	-	-
TASC28C2006A	0.02	-	500	-	TOP41P2006A	-	-	-	-	WHA42C2005A	-	-	-	-
TASC28C2012A	0.31	(0.01)	23,972	-	TOP42C2007A	0.06	0.01	1	-	WHA42C2006A	-	-	-	-
TASC41C2004A	0.04	0.01	4	-	TP119C2004A	-	-	-	-	Preferred/Foreign	-	-	-	-
TASC41C2005A	0.30	(0.06)	34,546	-	TRUE01C2004A	0.02	0.01	4,001	-	BH-Q	-	-	-	-
TASC42C2005A	-	-	-	-	TRUE01C2004B	-	-	-	-	CSC-Q	-	-	-	-
TCAP01C2007B	-	-	-	-	TRUE01C2007A	0.23	-	12,438	-	JUTHA-Q	-	-	-	-
TCAP01C2008A	0.09	0.02	1	-	TRUE01C2007B	0.06	-	6,751	-	KTB-Q	-	-	-	-
TCAP01P2008A	1.67	(0.03)	9	1.00	TRUE01P2004A	-	-	-	-	SCB-Q	-	-	-	-
TCAP13C2007A	-	-	-	-	TRUE01P2004B	0.09	(0.05)	243	-	TCAP-Q	-	-	-	-
TCAP19C2004A	-	-	-	-	TRUE01P2007B	0.44	-	552	-	TISCO-Q	-	-	-	-
TCAP41C2004A	-	-	-	-	TRUE06C2004A	-	-	-	-	U-Q	-	-	-	-
THAI19C2004A	0.09	(0.04)	858	-	TRUE06C2007A	0.09	0.01	12,876	-	Warrant	-	-	-	-
THAI27C2008A	0.51	(0.07)	581	-	TRUE08C2004A	-	-	-	-	7UP-W4	0.13	-	347,347	-
THAI42C2005A	0.39	(0.01)	4,528	-	TRUE08C2005A	-	-	-	-	AKR-W1	0.05	0.01	17,616	-
THAN01C2006A	0.04	0.01	1,446	-	TRUE08C2007A	-	-	-	-	ALT-W1	0.33	0.14	432,925	-
THAN01C2006B	-	-	-	-	TRUE08P2005A	-	-	-	-	APEX-W1	-	-	-	-
THAN01P2006A	-	-	-	-	TRUE11C2005A	-	-	-	-	APURE-W2	0.14	(0.01)	155,543	-
THAN06C2005A	0.35	(0.45)	1	-	TRUE11C2005B	0.01	-	1,000	-	AS-W1	-	-	-	-
THAN13C2007A	-	-	-	-	TRUE13C2006A	-	-	-	-	AYUD-W1	-	-	-	-
THAN19C2004A	-	-	-	-	TRUE13C2007A	0.11	0.01	305	-	B-W3	0.01	-	98	-
THAN19C2007A	-	-	-	-	TRUE13C2009A	0.37	-	41,810	-	B-W4	0.02	-	112	-
THAN41C2005A	-	-	-	-	TRUE19C2004A	-	-	-	-	B-W5	0.04	-	20,431	-
TISCO1C2006A	0.14	(0.02)	5,056	-	TRUE19C2006A	-	-	-	-	B52-W2	-	-	-	-
TISCO1C2006B	-	-	-	-	TRUE19C2007A	0.18	0.01	241	-	BKD-W2	0.08	0.01	8,955	-
TISCO1P2006A	0.98	-	10,445	-	TRUE19C2009A	0.40	-	77,380	-	BTS-W5	0.93	(0.02)	1,667,752	-
TISC11C2005A	-	-	-	-	TRUE19P2005A	-	-	-	-	CGD-W4	0.07	(0.01)	35,130	-
TISC11C2007A	-	-	-	-	TRUE28C2006A	-	-	-	-	CGH-W3	0.01	-	120	-
TISC13C2006A	-	-	-	-	TRUE28C2012A	0.24	0.01	7,066	-	CI-W1	0.01	-	1	-
TISC19C2004A	-	-	-	-	TRUE41C2004A	-	-	-	-	CKP-W1	0.01	-	15,334	-
TISC19C2006A	0.02	-	50	-	TRUE41C2005A	-	-	-	-	CRANE-W1	0.66	0.25	580	-
TISC19C2010A	0.76	-	15,386	-	TRUE41C2006A	-	-	-	-	DCC-W1	0.31	(0.01)	151,063	-
TISC41C2005A	-	-	-	-	TRUE41C2007A	0.28	-	5,783	-	ECL-W3	0.12	-	52,056	-
TISC41C2006A	-	-	-	-	TRUE41P2005A	-	-	-	-	EIC-W2	-	-	-	-
TISC41P2006A	1.14	(0.01)	16	1.00	TRUE42C2004A	-	-	-	-	EIC-W3	0.03	0.01	3,772	-
TKN01C2007B	-	-	-	-	TRUE42C2007A	1.40	(0.03)	6,985	1.00	EMC-W6	0.03	-	13,830	-
TKN01C2008A	-	-	-	-	TTW27C2009A	0.23	(0.01)	8,500	-	EPCO-W3	0.31	0.01	42,788	-
TKN08C2007A	-	-	-	-	TU01C2004A	-	-	-	-	GLOCON-W4	0.15	-	14,528	-
TKN13C2006A	0.04	(0.01)	50	-	TU01C2004B	0.02	0.01	5	-	J-W1	0.27	(0.04)	12,430	-
TKN16C2008A	-	-	-	-	TU01P2004A	-	-	-	-	JAS-W3	0.99	0.06	1,327,881	1.00
TKN19C2004A	-	-	-	-	TU06P2007A	0.40	0.02	1,624	-	JCK-W5	0.02	-	901	-
TKN19C2004B	-	-	-	-	TU08C2008A	0.19	(0.01)	61,535	-	JMT-W2	3.20	0.16	3,317	3.00
TKN19C2007A	-	-	-	-	TU11C2008A	-	-	-	-	MACO-W2	0.06	-	28,518	-
TKN19C2010A	0.43	0.02	154,645	-	TU13C2004A	-	-	-	-	MILL-W4	0.03	0.01	98,897	-
TKN28C2007A	0.02	(0.01)	100	-	TU19C2005A	0.08	-	2,799	-	MILL-W5	0.01	-	58	-
TKN28C2012A	0.32	-	29,228	-	TU19C2007A	0.10	-	250	-	MINI-W6	2.14	-	84,455	2.00
TKN41C2005A	-	-	-	-	TU19C2009A	0.15	(0.01)	71,693	-	NFC-W1	0.43	(0.02)	128	-
TKN41C2006A	-	-	-	-	TU24C2006A	-	-	-	-	NOK-W1	0.01	-	11,498	-
TKN42C2006A	0.31	(0.02)	13,088	-	TU27C2004A	-	-	-	-	NVD-W1	0.10	-	16,717	-
TMB01C2004A	0.02	-	18,001	-	TU27C2006A	0.05	(0.02)	2,100	-	ORI-W1	0.14	-	28,637	-
TMB01C2004B	-	-	-	-	TU28C2012A	0.18	(0.01)	15,187	-	PACE-W2	-	-	-	-
TMB01P2004A	-	-	-	-	TU41C2005A	0.18	-	300	-	PACE-W3	-	-	-	-
TMB19C2004A	-	-	-	-	TU41C2009A	0.23	-	200	-	PDI-W1	0.33	-	3,216	-
TMB19C2007A	0.05	-	2,953	-	TU42C2007A	-	-	-	-	PDJ-W4	0.16	-	149	-
TMB19P2004A	-	-	-	-	TVO13C2007A	-	-	-	-	PERM-W1	0.13	0.02	84,968	-
TMB41C2004A	-	-	-	-	TVO19C2004A	-	-	-	-	PORT-W1	0.63	(0.01)	96,625	-
TMB41C2005A	-	-	-	-	TVO19C2007A	0.05	0.01	7	-	PPPM-W4	0.12	0.01	75,268	-
TMB41P2006A	-	-	-	-	VGIO1C2005A	0.04	-	46,175	-	PRIME-W1	-	-	-	-
TOA01C2006A	-	-	-	-	VGIO6C2007A	0.17	0.04	3,708	-	PRIME-W2	-	-	-	-
TOA01C2006B	0.17	0.03	1,800	-	VGIO8C2006A	-	-	-	-	RICHY-W2	0.02	-	1,112	-
TOA13C2007A	0.48	(0.02)	1,225	-	VG11C2008A	0.06	0.01	5	-	RS-W3	0.13	0.02	629,551	-
TOA19C2004A	-	-	-	-	VG13C2006A	0.07	0.02	55	-	SAMART-W2	0.35	-	12,087	-
TOA19C2007A	0.49	0.01	68,474	-	VG19C2006A	0.04	0.03	400	-	SAWAD-W1	6.75	0.25	10,303	6.00
TOA24C2005A	-	-	-	-	VG19C2010A	0.53	0.08	67,345	-	SDC-W1	0.08	(0.01)	311	-
TOA41C2004A	-	-	-	-	VG141C2006A	-	-	-	-	SINGER-W1	1.18	-	215	1.00
TOP01C2006A	0.03	-	99,416	-	VG141C2007A	-	-	-	-	SINGER-W2	1.09	(0.01)	309	1.00
TOP01C2006B	0.02	-	302	-	WHA01C2005A	0.02	-	11	-	SMT-W2	0.01	-	50	-



