

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	2.34	(0.06)	16,297	2.34	MCOT	5.80	(0.05)	1,554	5.83
POMPI	-	-	-	-	BLISS	-	-	-	-	MONO	2.44	0.02	96,635	2.41
SAFARI	-	-	-	-	DIF	16.20	-	127,622	16.27	MPIC	1.28	0.14	323	1.26
VI	-	-	-	-	DTAC	42.50	1.25	80,852	42.61	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.40	0.15	1,369	5.36	PLANB	5.40	0.10	474,399	5.51
WR	-	-	-	-	HUMAN	7.60	0.35	16,381	7.44	POST	1.93	0.13	47	1.93
Agribusiness					ILINK	3.28	(0.04)	8,363	3.28	PRAKIT	7.90	-	264	7.91
CHOTI	73.00	0.50	6	73.00	INET	2.06	0.06	22,626	2.04	SE-ED	1.35	0.01	80	1.36
EE	0.50	0.02	88,675	0.49	INTUCH	52.75	(0.50)	109,284	53.33	TBSP	14.30	1.30	1	14.30
GFPT	11.80	(0.10)	52,576	12.00	JAS	3.78	(0.02)	533,991	3.79	TH	0.43	0.01	217	0.43
LEE	2.12	0.02	2,834	2.12	JASIF	9.50	-	227,784	9.53	TKS	4.92	0.06	5,333	4.90
NER	2.36	(0.04)	218,903	2.40	JMART	8.40	0.15	144,835	8.38	VGI	8.15	0.05	263,401	8.21
PPPM	0.43	-	13,476	0.43	JTS	0.91	0.01	497	0.92	WAVE	1.07	0.04	230	1.04
STA	17.60	0.40	383,714	17.42	MFEC	4.64	0.04	2,322	4.63	WORK	10.10	0.15	55,340	10.14
TRUBB	1.22	0.12	88,528	1.21	MSC	5.20	0.15	1,213	5.06	Finance & Securities				
TWPC	3.86	0.04	59,391	3.88	PT	4.34	(0.02)	6,577	4.37	AEC	0.31	0.04	70,694	0.31
UPOIC	2.74	(0.04)	124	2.64	SAMART	5.00	0.08	19,933	4.99	AEONTS	128.50	(1.00)	7,851	130.21
UVAN	4.06	0.04	2,124	4.06	SAMTEL	5.20	0.20	4,527	5.11	AMANAH	2.86	0.06	405,415	2.89
VPO	0.36	0.01	795	0.36	SDC	0.13	(0.01)	12,284	0.14	ASAP	1.09	0.04	139,914	1.09
Banking					SIS	7.45	0.20	19,035	7.39	ASK	17.70	0.70	33,805	17.64
BAY	21.50	0.20	5,483	21.38	SVOA	0.89	0.02	25,859	0.88	ASP	1.52	0.01	19,401	1.52
BBL	96.75	2.50	222,190	96.67	SYMC	2.60	-	294	2.61	BAM	23.50	0.10	973,419	23.62
CIMBT	0.56	0.01	38,487	0.55	SYNEX	6.50	0.15	12,463	6.47	BFIT	27.25	-	17,675	27.46
KBANK	87.00	4.75	266,220	85.81	THCOM	3.60	0.04	41,104	3.60	CGH	0.73	(0.01)	25,972	0.74
KKP	40.50	1.25	69,628	40.21	TRUE	3.32	0.02	1,709,080	3.35	ECL	0.78	0.02	42,072	0.79
KTB	9.95	-	1,006,287	9.86	TWZ	0.07	0.01	361,627	0.06	FNS	1.99	0.06	151	1.95
LHFG	1.01	0.02	75,204	1.00	Electronic Componer					FSS	1.12	0.01	89	1.08
SCB	69.50	2.75	210,094	69.12	CCET	1.46	0.01	6,096	1.47	GBX	0.43	(0.01)	9,991	0.43
TCAP	34.50	0.50	69,280	34.50	DELTA	58.50	(0.50)	15,433	58.93	GL	2.92	0.10	49,715	2.90
TISCO	67.75	0.75	81,325	67.80	EIC	0.11	-	549,703	0.10	IFS	2.60	0.02	6,682	2.61
TMB	0.97	0.03	3,429,945	0.96	HANA	28.75	0.50	43,473	28.98	JMT	20.10	0.90	165,178	19.79
Construction Materia					KCE	16.80	0.70	456,674	16.71	KCAR	7.85	(0.05)	2,194	7.82
CCP	0.30	0.01	165,323	0.30	METCO	123.00	1.50	50	122.54	KGI	3.76	0.02	187,873	3.76
COTTO	1.26	-	3,231	1.26	NEX	3.90	0.50	359,702	3.70	KTC	37.75	1.00	122,237	37.52
DCC	1.84	-	54,346	1.85	SMT	0.90	-	1,374	0.89	MBKET	6.70	0.15	2,174	6.64
DCON	0.27	(0.01)	20,257	0.28	SVI	2.86	0.04	21,088	2.86	MFC	12.80	0.20	535	12.60
DRT	5.35	(0.05)	20,206	5.38	TEAM	0.68	0.01	1,923	0.69	ML	0.61	0.01	1,567	0.61
EPG	5.20	-	89,761	5.17	Energy & Utilities					MTC	51.75	2.50	148,882	51.07
GEL	0.12	-	52,626	0.12	7UP	0.44	0.02	214,219	0.43	PE	-	-	-	-
PPP	1.97	-	2,634	1.94	ABPIF	3.48	-	1,853	3.50	PL	1.99	0.01	2,151	1.98
Q-CON	4.44	(0.06)	109	4.44	ACE	3.60	0.02	140,506	3.61	S11	5.20	0.05	2,483	5.20
RCI	2.76	0.06	1	2.76	AI	1.20	0.02	73,872	1.20	SAWAD	53.50	0.25	213,383	53.99
SCC	345.00	6.00	23,655	344.53	AKR	0.52	0.01	19,810	0.53	THANI	3.50	0.06	575,650	3.51
SCCC	119.00	1.50	2,951	118.54	BAFS	22.50	0.50	9,012	22.51	TK	7.80	0.10	3,900	7.85
SCP	5.25	0.10	3,553	5.24	BANPU	7.35	(0.05)	1,740,002	7.52	TNITY	3.50	-	1,091	3.50
SKN	2.08	0.02	17,864	2.15	BCP	21.20	0.60	133,862	21.01	UOBKH	3.28	-	2	3.26
TASCO	20.30	0.80	241,208	20.20	BCPG	16.00	(0.10)	91,254	16.14	ZMICO	0.56	0.01	9,925	0.56
TCMC	0.89	0.03	64,610	0.89	BGRIM	47.50	2.25	326,696	46.99	Food & Beverage				
TOA	36.25	(0.25)	25,857	36.86	BPP	16.10	(0.20)	56,898	16.31	APURE	1.57	(0.04)	98,967	1.56
TPIPL	1.20	0.01	47,742	1.19	BRRGIF	7.30	0.15	614	7.24	ASIAN	5.40	0.30	44,624	5.41
UMI	0.47	(0.01)	3,956	0.47	CKP	4.20	-	221,887	4.25	BR	2.12	0.04	5,365	2.11
VNG	3.48	(0.02)	2,647	3.45	DEMCO	2.34	-	6,160	2.32	BRR	3.14	0.04	938	3.19
WIJK	1.24	0.02	43,382	1.24	EA	39.75	1.25	124,890	39.90	CBG	96.00	1.00	58,039	97.10
Petrochemicals & Ch					EASTW	10.00	-	14,252	10.08	CFRESH	1.69	(0.01)	9,135	1.73
BCT	36.75	0.25	507	36.74	EGATIF	12.00	0.10	27,891	12.00	CM	2.78	0.04	558	2.76
CMAN	1.32	0.13	15,862	1.26	EGCO	254.00	-	20,665	256.67	CPF	29.00	-	429,557	29.12
GC	5.20	(0.05)	863	5.25	ESSO	6.10	0.10	437,679	6.16	CPI	1.21	-	5,274	1.22
GGC	8.25	0.20	40,277	8.23	GPSC	73.25	1.75	287,238	73.33	F&D	18.70	1.30	1	18.70
GIFT	2.24	0.06	12,422	2.23	GULF	38.00	0.75	345,322	38.32	HTC	17.90	0.10	5,834	17.89
IVL	31.00	1.25	346,642	30.88	GUNKUL	2.86	0.02	255,256	2.87	ICHI	6.75	(0.15)	141,219	6.87
NFC	1.76	(0.09)	65	1.77	IFEC	-	-	-	-	KBS	3.10	-	188	3.08
PATO	8.95	-	233	8.90	IRPC	2.90	-	1,723,550	2.95	KSL	2.02	0.11	123,471	1.98
PMTA	8.15	(0.10)	35	8.29	LANNA	6.85	0.10	10,097	6.90	KTIS	3.10	0.04	3,667	3.08
PTTGC	46.00	1.75	457,315	45.90	MDX	1.91	0.01	3,686	1.90	LST	4.36	0.06	6,565	4.34
SUTHA	3.00	(0.06)	1,769	3.01	PRIME	0.35	-	18,101	0.35	M	52.75	1.00	8,856	52.36
TCCC	20.10	0.10	30	20.16	PTG	15.40	0.40	187,772	15.48	MALEE	6.25	(0.15)	6,538	6.36
TPA	5.25	0.05	1	5.25	PTT	36.50	0.50	1,067,621	36.78	MINT	18.00	1.20	3,035,769	17.64
UAC	3.28	0.04	3,434	3.25	PTTEP	88.00	2.50	250,459	88.58	OISHI	41.50	0.50	288	41.31
UP	-	-	-	-	RATCH	64.50	1.00	67,619	64.72	OSP	41.75	-	88,005	42.07
VNT	20.90	0.50	13,949	20.86	RPC	0.56	0.06	68,565	0.54	PB	70.50	0.75	39	70.39
WG	-	-	-	-	SCG	3.96	0.04	135	3.93	PM	6.95	(0.05)	2,536	7.01
YCI	-	-	-	-	SCI	1.19	0.02	6,020	1.19	PRG	11.70	(0.10)	95	11.80
Commerce					SCN	1.79	0.04	17,699	1.80	RBF	6.00	0.45	714,030	6.01
BEAUTY	1.72	0.02	724,704	1.73	SGP	8.60	0.15	45,920	8.61	SAPPE	17.10	(0.20)	4,453	17.32
BIG	0.49	(0.01)	49,260	0.50	SKE	0.77	0.01	2,217	0.77	SAUCE	23.70	0.10	232	23.63
BJC	37.75	0.50	68,375	37.85	SOLAR	0.84	-	8,483	0.85	SFP	-	-	-	-
COL	14.20	0.40	3,748	14.14	SPCG	17.30	-	5,309	17.42	SNP	10.80	0.30	185	10.74
COM7	25.25	2.25	313,226	24.57	SPRC	7.10	0.20	530,757	7.20	SORKON	52.00	2.00	169	51.93
CPALL	69.75	-	378,093	70.08	SSP	7.50	0.25	29,384	7.45	SSC	29.00	(0.50)	86	29.35
CPW	1.17	0.03	34,850	1.16	SUPER	0.62	0.01	1,206,634	0.62	SSF	7.10	0.40	1	7.10
CRC	36.25	1.75	207,519	36.26	SUPEREIF	11.20	0.20	6,339	11.20	SST	2.80	(0.06)	40	2.83
CSS	1.09	-	30,708	1.09	SUSCO	2.04	-	38,663	2.07	TC	3.26	0.06	393	3.24
DOHOME	8.25	-	208,186	8.43	TAE	2.56	(0.02)	20,746	2.60	TFG	4.24	(0.02)	108,466	4.28
FN	1.00	0.09	233,034	0.99	TCC	0.20	0.01	55,347	0.20	TFMAMA	201.00	1.50	64	201.19
FTE	1.61	0.01	3,314	1.60	TOP	46.25	2.25	251,029	46.06	TIPCO	6.05	(0.05)	13,202	6.16
GLOBAL	14.60	0.10	108,985	14.87	TPIPP	3.90	0.02	128,468	3.92	TKN	8.50	0.20	352,106	8.52
HMPRO	14.60	(0.40)	386,006	14.86	TSE	2.96	(0.08)	202,426	3.05	TU	12.30	(0.20)	194,269	12.47
ILM	11.30	-	36,842	11.33	TTW	13.80	-	34,908	13.90	TVO	25.75	0.75	27,752	25.69
IT	1.82	(0.02)	1,439	1.85	WHAUP	4.52	0.14	72,757	4.48	ZEN	8.35	0.40	10,067	8.27
KAMART	2.92	0.02	37,087	2.97	WP	4.74	0.20	3,281	4.68	Health Care Services				
LOXLEY	1.54	0.07	171,360	1.52	Media & Publishing					AHC	12.50			

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.66	0.06	32,299	2.64	CGD	0.62	0.01	15,505	0.61	IHL	2.10	0.02	12,909	2.10
RAM	139.00	(0.50)	40	139.58	CI	0.64	0.02	23	0.65	INGRS	0.34	(0.01)	2,860	0.35
RJH	22.10	0.10	694	22.09	CPN	49.00	0.50	98,140	49.37	IRC	13.80	-	1,398	13.80
RPH	5.20	-	9,581	5.18	ESTAR	0.29	-	5,834	0.29	PCSGH	4.48	(0.12)	75	4.45
SKR	4.80	0.02	2,657	4.77	EVER	0.20	0.01	105,809	0.20	SAT	11.10	0.20	7,973	11.13
SVH	418.00	4.00	6	415.33	FPT	12.00	-	1,611	11.98	SPG	-	-	-	-
THG	19.90	0.20	5,564	19.81	GLAND	2.14	-	137	2.14	STANLY	144.00	4.00	974	143.91
VIBHA	1.58	0.03	77,896	1.58	GOLD	8.40	-	13,868	8.40	TKT	0.88	-	312	0.89
VIH	6.30	-	8,381	6.33	GREEN	0.76	(0.01)	61	0.76	TNPC	0.68	0.01	1	0.68
WPH	1.62	0.03	2,070	1.60	J	0.60	(0.05)	43,213	0.61	TRU	3.44	0.04	242	3.39
Tourism & Leisure	-	-	-	-	JCK	0.74	0.01	1,031	0.74	TSC	9.95	0.10	3	9.92
ASIA	3.48	0.20	753	3.41	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	20.40	2.20	162,271	20.04	KWG	0.72	(0.02)	696	0.73	ALLA	1.13	-	12,486	1.14
CSR	-	-	-	-	LALIN	4.52	0.20	7,629	4.44	ASEFA	3.12	(0.02)	1,895	3.13
DTC	7.00	-	1,129	6.99	LH	6.65	0.10	460,648	6.68	CPT	0.69	-	7,201	0.69
ERW	2.88	0.36	470,107	2.78	LPN	4.52	(0.18)	102,490	4.59	CRANE	2.64	0.28	146,461	2.52
GRAND	0.57	0.01	50,157	0.57	MBK	15.20	-	22,806	15.34	CTW	4.88	-	318	4.87
LRH	30.50	-	19	29.93	MJD	1.80	0.09	8,352	1.76	FMT	23.00	0.70	2	23.00
MANRIN	-	-	-	-	MK	2.42	-	6,257	2.45	HTECH	2.28	0.12	7,289	2.25
OHTL	-	-	-	-	NCH	0.53	-	1,529	0.54	KKC	0.38	-	770	0.38
ROH	-	-	-	-	NNCL	1.94	0.04	839	1.93	PK	1.06	0.03	866	1.05
SHANG	63.50	(0.50)	13	63.50	NOBLE	11.50	0.10	21,112	11.50	SNC	8.75	0.25	4,439	8.67
SHR	2.20	0.12	765,571	2.18	NUSA	0.35	0.04	265,775	0.33	STARK	2.24	0.02	32,202	2.23
VRANDA	5.00	0.34	32,904	5.00	NVD	1.11	(0.02)	9,049	1.13	TCJ	2.52	(0.10)	9,009	2.65
Home & Office Prod.	-	-	-	-	ORI	4.80	0.24	323,925	4.74	VARO	-	-	-	-
ACC	0.60	0.02	42	0.60	PACE	-	-	-	-	Property Fund & REI	-	-	-	-
AJA	0.13	-	362,581	0.14	PF	0.35	-	783,503	0.35	AIMCG	7.45	(0.15)	2,787	7.55
DTCI	30.00	1.00	32	29.18	PLAT	2.88	0.28	136,298	2.86	AIMRT	12.70	-	3,359	12.57
FANCY	0.42	-	7,784	0.42	POLAR	-	-	-	-	AMATAR	10.10	0.10	106	10.10
KYE	272.00	20.00	21	267.05	PRECHA	0.79	0.05	1,000	0.74	B-WORK	11.70	-	42	11.70
L&E	1.62	(0.01)	1,002	1.61	PRIN	1.29	-	3,110	1.30	BKER	7.30	0.25	2,498	7.19
MODERN	2.28	-	2,507	2.29	PSH	10.80	0.10	25,533	10.81	BKKCP	11.70	(0.10)	1,556	11.53
OGC	-	-	-	-	QH	2.06	0.02	403,338	2.07	BOFFICE	-	-	-	-
ROCK	12.80	1.10	70	12.79	RICHY	0.58	0.01	5,989	0.57	CPNCG	10.20	(0.20)	5,441	10.20
SIAM	1.23	-	2,643	1.23	RML	0.48	(0.01)	33,984	0.49	CPNREIT	29.25	-	14,261	29.32
TSR	1.86	0.04	1,922	1.82	ROJNA	4.14	0.06	12,411	4.12	CPTGF	11.80	-	990	11.80
Insurance	-	-	-	-	S	1.79	0.14	301,747	1.73	CTARAF	5.00	-	144	4.97
AYUD	36.00	0.50	10	36.00	SAMCO	1.26	(0.01)	214	1.24	DREIT	3.82	0.18	15,248	3.74
BKI	281.00	4.00	186	279.62	SC	1.97	0.04	47,735	1.97	ERWPF	4.36	0.12	544	4.28
BLA	14.90	0.20	7,512	14.96	SENA	2.34	(0.02)	23,617	2.35	FTREIT	16.40	0.40	20,661	16.22
BUI	-	-	-	-	SF	4.80	-	108,945	4.90	FUTUREPF	18.80	0.20	265	18.64
CHARAN	-	-	-	-	SIRI	0.71	0.01	391,844	0.72	GAHREIT	7.15	-	141	7.15
INSURE	-	-	-	-	SPALI	14.20	0.60	66,508	14.09	GOLDFP	5.80	-	56	5.80
MTI	89.50	1.50	257	88.93	U	1.32	0.03	229,152	1.33	GVREIT	14.60	-	1,021	14.60
NKI	-	-	-	-	UV	2.92	0.04	22,346	2.92	HPF	4.66	(0.02)	147	4.69
NSI	55.00	0.25	20	55.00	WHA	2.80	0.06	868,546	2.81	HREIT	8.10	-	8,953	8.09
SEG	31.00	1.50	20	30.65	WIN	0.34	0.01	1,529	0.33	IMPACT	15.90	0.60	8,904	15.68
SMK	32.00	1.00	60	31.58	Paper & Printing Mat	-	-	-	-	KNPFF	7.00	0.15	100	7.00
THRE	0.49	0.01	43,631	0.49	UTP	10.60	(0.20)	25,238	10.74	LHHOTEL	12.40	-	441	12.48
THREL	2.42	0.04	7,822	2.42	Fashion	-	-	-	-	LHPF	6.40	(0.05)	203	6.42
TIP	22.70	0.40	4,892	22.74	AFC	5.50	(0.25)	1	5.50	LHSC	13.00	0.20	5,804	13.00
TQM	81.50	5.00	37,487	81.12	B52	0.16	-	12,187	0.16	LUXF	6.35	(0.25)	10	6.49
TSI	0.30	-	6,880	0.30	BTNC	-	-	-	-	M-II	7.00	(0.30)	1	7.00
TVI	2.94	(0.02)	3,721	2.97	CPH	-	-	-	-	M-PAT	-	-	-	-
Mining	-	-	-	-	CPL	0.93	0.01	96	0.93	M-STOR	5.65	-	6	5.61
PDI	5.45	0.05	13,564	5.53	ICC	-	-	-	-	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.54	-	9	2.55
Packaging	-	-	-	-	PAF	0.52	0.01	465	0.50	MJLF	7.35	(0.05)	755	7.33
AJ	10.30	0.10	6,707	10.23	PDJ	1.01	-	3,941	1.00	MNIT	1.25	0.14	15	1.22
ALUCON	143.50	(1.50)	10	144.75	PG	5.10	0.24	43	5.08	MNIT2	-	-	-	-
BGC	9.90	0.25	41,198	9.94	SABINA	19.40	1.10	31,664	19.45	MNRF	-	-	-	-
CSC	47.25	0.50	335	47.37	SAWANG	9.00	-	12	8.98	POPF	11.00	(0.10)	1,611	10.91
GLOCON	0.53	0.02	19,114	0.52	SUC	37.00	-	45	37.37	PPF	11.20	-	266	11.20
NEP	-	-	-	-	TNL	-	-	-	-	QHHR	6.95	-	569	6.89
PTL	14.40	-	14,680	14.41	TPCORP	9.95	0.10	1	9.95	QHOP	2.58	0.02	73	2.54
SFLEX	7.95	0.35	15,661	7.84	TR	22.90	0.70	58	22.82	QHPF	11.00	-	8,261	10.96
SITHAI	0.70	-	9,586	0.71	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.41	-	4,952	0.40	TTT	41.75	0.25	44	42.14	SHREIT	4.86	(0.14)	5,798	4.91
SMPC	8.10	(0.05)	5,299	8.16	UPF	47.00	(3.75)	18	47.00	SIRIP	-	-	-	-
SPACK	1.25	(0.04)	2,741	1.23	UT	-	-	-	-	SPF	13.00	0.50	37,470	13.02
TCOAT	-	-	-	-	WACOAL	45.75	-	1	45.75	SPRIME	12.00	0.10	2,173	11.84
TFI	0.04	-	10	0.04	Transportation & Log	-	-	-	-	SRIPANWA	8.35	0.35	108	8.20
THIP	23.10	-	460	23.02	AAV	1.80	0.13	1,144,431	1.79	SSPF	8.95	(0.05)	101	8.85
TMD	22.60	(0.10)	34	22.70	AOT	60.00	1.50	298,244	60.26	SSTRT	5.65	0.15	92	5.59
TOPP	182.00	4.00	3	182.00	ASIMAR	1.17	0.02	3,000	1.15	TIF1	8.40	0.05	459	8.40
TPBI	3.16	-	3,174	3.16	B	0.22	0.01	53,719	0.21	TLGF	19.70	0.60	6,439	19.49
TPP	15.20	(0.10)	24	15.18	BA	5.45	0.25	32,773	5.39	TLHPF	9.15	0.05	57	9.14
Personal Products &	-	-	-	-	BEM	9.80	0.25	737,287	9.78	TNPF	2.20	0.10	2,002	2.10
APCO	4.06	0.16	12,706	4.05	BTS	12.00	0.30	441,532	11.92	TPRIME	15.30	-	1,500	15.30
DDD	16.90	(0.40)	915	17.08	BTSGIF	7.50	0.10	75,467	7.47	TTLPF	22.00	-	111	21.94
JCT	-	-	-	-	III	4.30	0.06	8,327	4.30	TU-PF	1.15	0.12	5	1.14
OCC	9.10	0.10	11	9.33	JUTHA	0.34	0.04	283	0.32	URBNPF	-	-	-	-
S & J	-	-	-	-	JWD	6.45	0.15	25,839	6.43	WHABT	8.55	0.05	2	8.60
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	16.80	0.30	21,934	16.75
TNR	7.70	0.50	3,004	7.61	NOK	1.01	0.02	7,181	0.95	Steel	-	-	-	-
TOG	3.74	-	435	3.75	NYT	2.86	-	36,082	2.86	AMC	1.26	(0.01)	2,403	1.25
Professional Service	-	-	-	-	PORT	1.72	0.12	25,780	1.68	BSBM	0.94	(0.02)	6,585	0.94
BWG	0.37	0.02	461,954	0.37	PRM	7.05	0.15	205,315	7.03	CEN	0.59	(0.03)	9,125	0.58
GENCO	0.46	0.01	2,129	0.44	PSL	3.94	0.50	622,223	3.76	CITY	1.57	0.02	2,144	1.54
PRO	-	-	-	-	RCL	3.10	0.10	8,444	3.10	CSP	0.57	(0.02)	96	0.57
SISB	8.45	0.45	47,068	8.40	TFHFIF	11.50	0.20	114,317	11.45	GJS	0.08	-	5,940	0.08
TEAMG	2.00	0.01	22,298	2.00	THAI	4.70	0.60	1,887,921	4.36	GSTEEL	-	-	-	-
Property Developme	-	-	-	-	TSTE	6.80	0.35	1	6.80	INOX	0.44	-	1,398	0.44
A	4.66	(0.04)	206	4.64	TTA	2.90	0.16	281,839	2.84	LHK	2.42	0.04	1,081	2.40
AMATA	12.90	0.50	270,753	12.77	WICE	2.90	0.20	65,857	2.85	MAX	0.02	0.01	247,285	0.02
AMATAV	4.60	0.08	715	4.69	Automotive	-	-	-	-	MCS	10.20	-	14,879	10.18
ANAN	1.40	-	92,296</											

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.69	(0.03)	47,917	-	ADVA01C2007B	0.12	0.01	17,625	-
ABICO	4.16	(0.06)	3,717	4.00	AIE	0.32	-	174,594	-	ADVA01C2008A	0.62	0.01	5,870	-
AU	9.25	0.80	341,635	9.00	PSTC	0.41	-	1,167,750	-	ADVA01P2007B	0.34	-	1,964	-
JCHK	0.31	(0.04)	1,894	-	QTC	3.86	0.02	291	3.00	ADVA06C2005A	-	-	-	-
KASET	1.43	-	106	1.00	SAAM	0.95	0.03	3,840	-	ADVA06C2009A	0.28	-	65,421	-
MM	1.58	0.07	1,199	1.00	SEAOIL	2.44	-	18,135	2.00	ADVA08C2005A	-	-	-	-
SUN	2.12	-	3,366	2.00	SR	0.68	(0.05)	2,627	-	ADVA08C2009A	0.51	-	55,630	-
TACC	4.22	0.02	52,929	4.00	TAKUNI	0.37	(0.02)	21,587	-	ADVA08P2009A	0.74	(0.02)	17,360	-
TMILL	2.88	-	9,236	2.00	TPCH	12.50	0.60	31,186	12.00	ADVA11C2006A	-	-	-	-
XO	6.45	(0.15)	7,006	6.00	TRT	1.66	0.01	615	1.00	ADVA11C2011A	0.83	-	11,421	-
Consumer Products	-	-	-	-	UMS	0.26	0.03	77	-	ADVA11P2005A	0.02	0.01	2	-
BGT	0.79	0.10	3,841	-	UWC	0.03	-	68,431	-	ADVA11P2011A	0.87	(0.01)	3,600	-
BIZ	3.18	0.02	1,319	3.00	Services (MAI)	-	-	-	-	ADVA13C2006A	0.19	(0.04)	325	-
DOD	6.20	-	25,056	6.00	A5	-	-	-	-	ADVA13C2007A	0.12	-	56	-
ECF	1.10	0.03	76,042	1.00	AKP	0.95	(0.01)	5,613	-	ADVA13C2008A	0.24	(0.01)	113,391	-
HPT	0.68	(0.01)	46	-	AMA	4.30	0.18	15,741	4.00	ADVA13C2010A	0.93	0.01	179,109	-
IP	7.15	-	18,233	7.00	ARIP	0.30	0.01	1,408	-	ADVA13P2009A	1.22	(0.01)	56,290	1.00
JUBILE	15.70	0.20	6,480	15.00	ATP30	0.81	-	6,950	-	ADVA16C2005A	-	-	-	-
MOONG	3.38	0.02	3,050	3.00	AUCT	7.30	0.40	43,447	7.00	ADVA16C2007A	0.02	(0.01)	100	-
NPK	10.70	0.30	25	10.00	BOL	3.30	0.06	24,409	3.00	ADVA16C2009A	0.10	0.02	5	-
OCEAN	0.84	(0.02)	18,051	-	CHUO	-	-	-	-	ADVA19C2005A	-	-	-	-
TM	2.36	0.04	10,530	2.00	CMO	0.89	(0.01)	4,303	-	ADVA19C2007A	-	-	-	-
Financials (MAI)	-	-	-	-	D	3.54	0.04	3,107	3.00	ADVA19C2007B	-	-	-	-
ACAP	0.67	(0.01)	9,594	-	DCORP	0.31	(0.01)	3,594	-	ADVA19C2008A	0.75	0.01	21,476	-
AF	0.62	-	320	-	EFORL	0.03	-	21,458	-	ADVA19C2009A	0.49	0.01	73,791	-
AIRA	0.96	-	167	-	ETE	0.73	(0.03)	6,313	-	ADVA19C2010A	0.23	0.01	25,189	-
ASN	4.52	-	168	4.00	FSMART	5.60	0.05	11,799	5.00	ADVA19P2006A	-	-	-	-
BROOK	0.37	0.01	10,108	-	FVC	0.36	(0.01)	379	-	ADVA19P2009A	0.31	(0.02)	50,817	-
CHAYO	6.20	0.15	133,966	6.00	GSC	0.62	0.02	1,457	-	ADVA19P2010A	0.92	(0.03)	52,914	-
GCAP	1.43	(0.05)	33,820	1.00	HARN	2.04	(0.02)	7,548	2.00	ADVA24C2006A	-	-	-	-
LIT	3.00	(0.12)	13,968	3.00	IMH	2.40	(0.04)	568	2.00	ADVA24C2009A	0.44	0.01	2,364	-
MITSIB	0.95	(0.13)	52,343	-	JKN	5.00	0.04	78,035	5.00	ADVA28C2007A	-	-	-	-
SGF	0.45	(0.01)	43,195	-	KIAT	0.43	-	95,537	-	ADVA28C2008A	0.47	-	56,535	-
Industrials (MAI)	-	-	-	-	KOOL	0.70	0.03	121,840	-	ADVA28C2008B	0.87	(0.04)	16	-
2S	2.32	0.04	5,733	2.00	LDC	0.73	0.02	4,572	-	ADVA28C2012A	0.17	0.01	26,302	-
ACG	0.85	-	9,823	-	MORE	0.21	-	63,842	-	ADVA28P2012A	0.42	-	14,987	-
ADB	0.67	-	1,323	-	MPG	0.22	(0.02)	9,934	-	ADVA41C2005A	-	-	-	-
BM	1.99	0.10	3,082	1.00	MVP	1.18	(0.01)	28,384	1.00	ADVA41C2006A	0.02	(0.12)	2	-
CHO	0.42	(0.01)	29,842	-	NBC	0.58	0.02	245	-	ADVA41C2007A	-	-	-	-
CHOW	1.18	0.15	21,156	1.00	NCL	0.65	(0.01)	6,801	-	ADVA41C2007B	0.49	0.01	61,316	-
CIG	0.24	-	789	-	NEWS	0.01	-	853,951	-	ADVA41P2005A	-	-	-	-
COLOR	0.92	0.01	541	-	NINE	1.75	(0.01)	171	1.00	ADVA41P2009A	1.25	(0.03)	36,699	1.00
CPR	2.78	0.08	1,146	2.00	OTO	2.52	0.02	592	2.00	ADVA42C2005A	-	-	-	-
FPI	2.04	-	4,077	2.00	PHOL	2.28	(0.02)	40,885	2.00	ADVA42P2007A	1.36	(0.05)	5,109	1.00
GTB	0.58	(0.01)	10,275	-	PICO	-	-	-	-	AEON01C2005A	0.02	-	501	-
KCM	0.42	(0.02)	18,472	-	QLT	4.06	0.06	430	4.00	AEON13C2007A	0.05	-	1,291	-
KUMWEL	0.77	-	1,652	-	RP	1.26	0.07	10,395	1.00	AEON19C2006A	-	-	-	-
KWM	0.75	(0.01)	2,081	-	SE	1.42	(0.02)	2,335	1.00	AEON19C2010A	0.71	(0.03)	391,917	-
MBAX	4.12	(0.02)	3,675	4.00	SONIC	1.04	-	5,702	1.00	AMAT01C2007B	-	-	-	-
MGT	1.77	0.05	4,642	1.00	SPA	6.45	0.80	149,591	6.00	AMAT01C2008A	0.14	0.02	1	-
NDR	0.91	0.02	417	-	THMUI	0.49	-	172	-	AMAT01P2008A	-	-	-	-
PDG	3.20	(0.02)	1,344	3.00	TNDT	2.56	(0.12)	1,918	2.00	AMAT06C2005A	-	-	-	-
PIMO	1.16	0.04	158,242	1.00	TNH	29.25	(0.50)	200	29.00	AMAT06C2010A	0.42	0.06	88,908	-
PJW	1.13	-	19,837	1.00	TNP	2.42	0.06	31,546	2.00	AMAT08C2005A	-	-	-	-
PPM	0.86	0.02	676	-	TSF	-	-	-	-	AMAT08C2010A	0.37	0.04	59,893	-
RWI	1.14	0.08	21,335	1.00	TVD	0.73	0.05	72,604	-	AMAT11C2008A	-	-	-	-
SALEE	0.67	(0.01)	458	-	TVT	0.42	0.02	2,062	-	AMAT13C2006A	-	-	-	-
SANKO	0.90	-	3,711	-	VL	1.01	-	43,653	1.00	AMAT13C2010A	0.33	0.04	180,018	-
SELIC	2.04	0.04	5,041	2.00	WINNER	2.66	-	8,919	2.00	AMAT16C2006A	-	-	-	-
SWC	3.90	0.08	2,539	3.00	YGG	4.96	(0.09)	5,369	5.00	AMAT16C2008A	-	-	-	-
TMC	0.39	-	1,334	-	Technology (MAI)	-	-	-	-	AMAT19C2005A	-	-	-	-
TMI	0.63	0.01	1,525	-	APP	1.43	0.04	3,666	1.00	AMAT19C2006A	-	-	-	-
TMW	35.75	0.50	87	35.00	COMAN	1.73	0.04	4,125	1.00	AMAT19C2008A	0.09	(0.05)	450	-
TPAC	10.30	0.10	12	10.00	ICN	1.63	0.04	1,971	1.00	AMAT19C2009A	0.40	0.04	332,720	-
TPLAS	1.14	(0.02)	3,581	1.00	INSET	2.48	(0.02)	17,927	2.00	AMAT24C2006A	-	-	-	-
UBIS	4.62	-	27	4.00	IRCP	0.45	(0.01)	2,985	-	AMAT41C2005A	-	-	-	-
UEC	0.76	(0.02)	3,802	-	ITEL	2.12	(0.04)	21,305	2.00	AMAT41C2006A	-	-	-	-
UKEM	0.66	0.01	35,286	-	NETBAY	33.50	1.00	6,792	33.00	AMAT42C2005A	0.01	-	10,004	-
UREKA	1.09	-	13,972	1.00	PLANET	0.77	(0.01)	1,297	-	AMAT42C2007A	0.75	0.05	5,452	-
YUASA	13.90	1.80	4,341	13.00	SIMAT	2.02	0.02	7,220	2.00	ANAN13C2007A	0.01	-	133	-
ZIGA	1.18	-	3,327	1.00	SKY	14.80	0.20	4,841	14.00	ANAN19C2007A	-	-	-	-
Property & Construc	-	-	-	-	SPVI	2.30	-	104,489	2.00	AOT01C2006B	0.03	-	6,200	-
ALL	3.22	0.02	361,299	3.00	TPS	1.87	-	3,675	1.00	AOT01C2007A	0.19	(0.01)	14,435	-
ARIN	0.90	0.08	46,941	-	UPA	0.18	0.01	8,706	-	AOT01P2006B	0.63	(0.11)	596	-
ARROW	7.55	(0.10)	606	7.00	VCOM	2.58	(0.06)	7,088	2.00	AOT01P2007A	1.09	(0.09)	5,488	1.00
BC	1.00	-	138	1.00	Unit Trust	-	-	-	-	AOT06C2007A	-	-	-	-
BSM	0.26	-	2,157	-	MGE	-	-	-	-	AOT06C2008A	0.84	0.06	45	-
BTW	0.66	(0.04)	6,653	-	SCBSET	-	-	-	-	AOT06C2009A	0.52	0.05	77,048	-
CAZ	1.63	(0.03)	3,390	1.00	ETF	-	-	-	-	AOT06P2009A	0.47	(0.05)	36,250	-
CHEWA	0.32	-	13,140	-	1DIV	8.09	0.19	299	8.00	AOT08C2005A	0.02	-	1,501	-
CMC	0.67	-	1,160	-	ABFTF	-	-	-	-	AOT08C2006A	-	-	-	-
CRD	0.45	(0.02)	2,148	-	BMSCG	6.34	0.12	2,277	6.00	AOT08C2007A	0.24	0.10	1	-
DIMET	-	-	-	-	BMSCITH	9.72	0.16	4,115	9.00	AOT08C2009A	0.88	0.05	31,377	-
FLOYD	1.00	0.01	1,371	1.00	BSET100	8.58	0.17							

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT27C2008A	0.03	0.01	530	-	BBL41C2009A	0.34	0.03	130,037	-	BGR124C2009A	0.56	0.08	23,616	-
AOT28C2006A	0.01	-	104	-	BBL41P2006A	-	-	-	-	BGR127P2006A	0.33	(0.09)	14,642	-
AOT28C2006B	-	-	-	-	BBL41P2010A	1.07	(0.03)	20,814	1.00	BGR141C2006A	0.02	(0.02)	50	-
AOT28C2008A	-	-	-	-	BBL42C2005A	-	-	-	-	BGR141C2007A	0.47	0.06	29,348	-
AOT28C2008B	0.40	0.05	32,958	-	BBL42C2007A	-	-	-	-	BGR141P2005A	-	-	-	-
AOT28C2008C	-	-	-	-	BCH01C2006A	0.07	0.02	341	-	BGR141P2006A	-	-	-	-
AOT28C2012A	0.31	0.03	16,821	-	BCH01C2006B	-	-	-	-	BGR142C2006A	-	-	-	-
AOT28P2012A	0.37	(0.03)	16,827	-	BCH01P2006A	-	-	-	-	BH08C2007A	0.07	(0.02)	1,053	-
AOT41C2005A	-	-	-	-	BCH06C2006A	-	-	-	-	BH11C2008A	-	-	-	-
AOT41C2006A	-	-	-	-	BCH06P2006A	-	-	-	-	BH13C2006A	-	-	-	-
AOT41C2007A	-	-	-	-	BCH11C2008A	-	-	-	-	BH13C2010A	0.37	0.05	87,892	-
AOT41C2007B	0.46	0.04	91,622	-	BCH13C2007A	0.19	0.03	39,977	-	BH19C2006A	-	-	-	-
AOT41P2005A	-	-	-	-	BCH16C2006A	-	-	-	-	BH19C2009A	0.35	0.06	107,931	-
AOT41P2006A	-	-	-	-	BCH19C2005A	-	-	-	-	BH24C2008A	0.29	0.05	12,524	-
AOT41P2009A	0.31	(0.03)	50	-	BCH19C2006A	0.02	(0.01)	4,000	-	BH27C2007A	0.08	(0.02)	300	-
AOT41P2009B	0.58	(0.06)	7,633	-	BCH19C2008A	0.48	0.05	54,414	-	BH41C2005A	-	-	-	-
AOT41P2010A	0.84	(0.05)	115,344	-	BCH41C2005A	-	-	-	-	BH41C2006A	-	-	-	-
AOT42C2006A	-	-	-	-	BCH41C2006A	-	-	-	-	BH41C2009A	0.35	(0.02)	9,972	-
AOT42P2009A	-	-	-	-	BCP01C2005A	-	-	-	-	BH41P2006A	0.99	0.04	2	-
AP19C2007A	-	-	-	-	BCP01C2005B	-	-	-	-	BH42C2008A	0.71	(0.03)	6,462	-
AP19C2010A	0.68	0.01	46,404	-	BCP01P2005A	-	-	-	-	BJC01C2008B	-	-	-	-
AP28C2006A	0.01	(0.02)	5,493	-	BCP13C2007A	0.03	0.02	10	-	BJC01C2009A	0.49	0.04	1	-
AP28C2012A	0.62	0.01	52,308	-	BCEP19C2005A	-	-	-	-	BJC01P2009A	0.29	(0.01)	6,365	-
AWC01C2009A	0.23	0.01	180	-	BCPG01C2005A	0.22	0.05	34,670	-	BJC06C2006A	-	-	-	-
AWC01P2007A	0.41	(0.05)	6,446	-	BCPG01C2005B	0.01	-	5,920	-	BJC11C2008A	-	-	-	-
AWC06C2009A	0.98	0.04	96,583	1.00	BCPG01C2008B	-	-	-	-	BJC13C2005A	-	-	-	-
AWC13C2006A	-	-	-	-	BCPG01C2009A	-	-	-	-	BJC13C2010A	0.32	0.01	36,261	-
AWC13C2009A	0.79	0.01	450,981	-	BCPG01P2005A	0.02	(0.04)	4,002	-	BJC16C2006A	-	-	-	-
AWC13C2010A	0.19	0.01	135,374	-	BCPG01P2009A	0.19	(0.01)	493	-	BJC19C2005A	-	-	-	-
AWC13P2006A	0.29	(0.08)	400	-	BCPG13C2007A	0.20	(0.06)	1,001	-	BJC19C2007A	0.16	0.07	1	-
AWC16C2005A	-	-	-	-	BCPG13C2010A	0.38	(0.01)	163,104	-	BJC19C2010A	0.26	0.01	20,411	-
AWC16C2007A	0.02	-	1,237	-	BCPG16C2009A	-	-	-	-	BJC24C2006A	0.28	0.01	3,280	-
AWC19C2006A	-	-	-	-	BCPG19C2005A	0.09	-	3,912	-	BJC27C2009A	-	-	-	-
AWC19C2010A	0.76	0.03	256,354	-	BCPG19C2010A	0.37	(0.01)	44,828	-	BJC28C2007A	0.14	0.01	27,927	-
AWC19C2010B	0.20	(0.01)	25,910	-	BCPG28C2008A	0.40	(0.02)	21,039	-	BJC28C2010A	0.16	(0.01)	2,849	-
AWC24C2007A	-	-	-	-	BCPG28C2012A	0.32	(0.01)	25,550	-	BJC41C2005A	-	-	-	-
AWC28C2006A	-	-	-	-	BCPG41C2005A	-	-	-	-	BJC41C2006A	-	-	-	-
AWC28C2008A	-	-	-	-	BCPG42C2007A	-	-	-	-	BJC41C2007A	-	-	-	-
AWC28C2010A	0.78	0.04	400	-	BDMS01C2007B	0.03	(0.01)	4,936	-	BJC41C2008A	0.43	(0.01)	11,460	-
AWC28C2012A	0.15	-	24,701	-	BDMS01P2008A	0.43	(0.09)	1,631	-	BJC41P2005A	-	-	-	-
AWC41C2006A	-	-	-	-	BDMS06C2008A	0.12	0.03	16,783	-	BPP01C2005A	-	-	-	-
AWC41C2007A	0.08	-	2,000	-	BDMS06C2010A	0.56	0.10	152,540	-	BPP01C2005B	-	-	-	-
AWC41C2007B	0.44	(0.26)	8,308	-	BDMS06P2009A	0.52	(0.08)	71,726	-	BPP01P2005A	0.06	(0.06)	1,343	-
AWC42C2008A	-	-	-	-	BDMS08C2006A	0.02	0.01	6,807	-	BPP13C2007A	0.45	(0.03)	60,967	-
BANP01C2005A	0.02	0.01	10,025	-	BDMS11C2007A	-	-	-	-	BPP19C2005A	-	-	-	-
BANP01C2005B	-	-	-	-	BDMS11C2008A	0.04	-	210	-	BPP19C2007A	0.32	(0.04)	163	-
BANP01P2005A	-	-	-	-	BDMS11C2011A	0.83	0.08	49,442	-	BPP19C2010A	0.48	(0.02)	103,480	-
BANP01P2005B	0.34	(0.06)	800	-	BDMS13C2008A	0.29	0.06	94,073	-	BTS01C2005A	0.04	0.01	992	-
BANP06C2005A	0.01	(0.01)	1,999	-	BDMS13C2009A	0.42	0.08	243,731	-	BTS01C2005B	-	-	-	-
BANP08C2005A	-	-	-	-	BDMS16C2006A	-	-	-	-	BTS01P2005A	0.07	(0.03)	977	-
BANP08C2007A	0.04	-	12,608	-	BDMS19C2005A	-	-	-	-	BTS08C2005A	-	-	-	-
BANP08C2009A	0.67	0.01	95,989	-	BDMS19C2005B	-	-	-	-	BTS11C2011A	0.46	0.01	6,991	-
BANP08P2009A	0.63	-	88,889	-	BDMS19C2010A	0.37	0.05	135,187	-	BTS13C2006A	0.02	-	3	-
BANP11C2008A	0.01	(0.02)	1	-	BDMS19P2010A	0.51	(0.06)	62,463	-	BTS13C2008A	0.21	0.01	194	-
BANP13C2006A	-	-	-	-	BDMS24C2006A	-	-	-	-	BTS13C2009A	0.35	0.02	77,367	-
BANP13C2008A	0.63	(0.01)	473,845	-	BDMS28C2012A	0.25	0.04	35,492	-	BTS16C2008A	-	-	-	-
BANP19C2005A	-	-	-	-	BDMS41C2005A	-	-	-	-	BTS19C2005A	-	-	-	-
BANP19C2007A	0.01	-	105,468	-	BDMS41C2006A	-	-	-	-	BTS19C2008A	0.36	0.03	12,853	-
BANP19C2007B	0.08	0.02	21,270	-	BDMS41C2009A	0.30	0.05	55,635	-	BTS19C2010A	0.31	0.02	36,858	-
BANP19C2009A	0.66	(0.01)	222,349	-	BDMS41P2006A	0.34	(0.11)	1,050	-	BTS24C2007A	-	-	-	-
BANP19C2010A	0.52	(0.48)	204,788	-	BEC01C2006A	0.06	0.01	50	-	BTS41C2006A	0.11	0.01	8,830	-
BANP19P2010A	0.30	-	158,807	-	BEC01C2006B	-	-	-	-	BTS42C2008A	0.05	(0.02)	44	-
BANP27C2007A	0.04	(0.03)	1	-	BEC01P2006A	0.50	(0.07)	200	-	CBG01C2007B	0.90	0.02	14,838	-
BANP28C2008A	0.22	(0.06)	527	-	BEC19C2005A	-	-	-	-	CBG01P2007B	0.20	(0.02)	45,755	-
BANP28C2012A	0.43	-	114,077	-	BEC42C2005A	-	-	-	-	CBG06C2005A	-	-	-	-
BANP41C2005A	-	-	-	-	BEM06P2009A	0.33	(0.03)	2,230	-	CBG08C2007A	1.52	(0.04)	8,171	1.00
BANP41C2006A	-	-	-	-	BEM08C2005A	0.02	0.01	800	-	CBG11C2008A	1.00	0.03	21	1.00
BANP41C2007A	0.57	0.01	11,546	-	BEM08C2009A	0.90	0.07	54,263	-	CBG13C2008A	1.63	0.04	12,656	1.00
BANP41C2010A	0.62	(0.03)	6,006	-	BEM11C2011A	0.57	0.03	17,412	-	CBG13C2010A	1.15	0.15	70,623	1.00
BANP41P2005A	-	-	-	-	BEM13C2007A	-	-	-	-	CBG13P2006A	0.07	(0.04)	1,675	-
BANP41P2007A	0.91	(0.13)	5,128	-	BEM13C2009A	0.61	0.04	297,094	-	CBG16C2008A	-	-	-	-
BANP42C2006A	0.55	0.30	1	-	BEM16C2006A	-	-	-	-	CBG19C2005A	0.42	0.03	163	-
BANP42P2005A	0.94	(0.03)	5,314	-	BEM19C2005A	-	-	-	-	CBG19C2008A	1.70	0.14	160	1.00
BBL06C2007A	0.03	0.01	716	-	BEM19C2010A	0.70	0.05	21,865	-	CBG19C2010A	1.36	0.03	106,083	1.00
BBL06C2009A	0.58	0.05	106,299	-	BEM19P2010A	0.45	(0.03)	70,063	-	CBG19P2006A	0.13	(0.04)	759	-
BBL08C2005A	-	-	-	-	BEM24C2008A	0.80	0.05	4,748	-	CBG24C2008A	2.02	0.08	7,177	2.00
BBL08C2007A	0.03	(0.01)	150	-	BEM28C2006A	-	-	-	-	CBG41C2005A	1.18	0.05	10	1.00
BBL08C2009A	0.39	0.03	36,457	-	BEM28C2007A	-	-	-	-	CBG41C2006A	0.81	0.06	1,023	-
BBL08P2007A	1.58	(0.09)	1	1.00	BEM28C2008A	0.41	0.04	15,210	-	CBG41C2009A	1.50	0.05	76,120	1.00
BBL08P2009A	1.00	(0.06)	55,379	1.00	BEM28C2010A	0.73	0.06	57,808	-	CBG41P2006A	0.39	(0.04)	89,813	-
BBL11C2005A	-	-	-	-	BEM41C2006A	-	-	-	-	CBG42C2006A	-	-	-	-
BBL11C2007A	0.01	(0.01)	17,532	-	BGR101C2006A	0.07	0.01	20,703	-	CBG42C2008A	3.44	0.10	4,889	3.00
BBL11C2011A	0.70	0.04	25,977	-	BGR101C2006B	0.01	-	8,604	-	CENT01C2006A	-	-	-	-
BBL11P2008A	1.73	(0.13)	200	1.00	BGR101C2008B	0.27	-	113	-	CENT01C2006B	-	-	-	-
BBL13C2006A	0.01	-	1	-	BGR101C2009A	0.59	0.08	8,589	-	CENT01C2009A	0.45	0.11	133	-
BBL13C2008A	0.13	0.02	166,409	-	BGR101P2006A	0.72	(0.20)	1,240	-	CENT01P2009A	0.47	(0.15)	23,336	-
BBL13C2010A	1.09	0.09	481,802	1.00	BGR106C2005A	-	-	-	-	CENT06C2006A	0.31	0.14	110,051	-
BBL13P2008A	0.77	(0.08)	400	-	BGR106C2010A	0.58	0.12	102,202	-	CENT06P2007A	-	-	-	-
BBL13P2010A	1.23	(0.11)	126,355	1.00	BGR108C2005A	0.01	(0.01)	430	-	CENT11C2007A	-	-	-	-
BBL16C2006A	-	-	-	-	BGR108C2009A	0.60	0.07	125,134	-	CENT13C2005A	-	-	-	-
BBL19C2005A	-	-	-	-	BGR111C2006A	0.23	0.07	24,696	-	CENT13C2				

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Tuesday May 19, 2020				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHG01C2006A	0.18	0.04	47	-	CPF41C2008A	0.24	0.01	200	-	EPG19C2008A	-	-	-	-
CHG01C2006B	-	-	-	-	CPF41P2005A	0.06	(0.02)	55	-	EPG19C2010A	1.01	-	9,772	-
CHG01P2006A	0.27	(0.04)	100	-	CPN01C2005A	0.01	-	455	-	EPG24C2008A	0.22	-	7,048	-
CHG08C2005A	-	-	-	-	CPN01C2005B	0.01	(0.01)	100	-	ERW06C2006A	0.02	-	12,001	-
CHG13C2006A	0.09	0.01	2,262	-	CPN01P2005A	0.99	(0.11)	596	-	ERW06C2007A	-	-	-	-
CHG16C2009A	0.31	0.01	15,442	-	CPN06C2006A	-	-	-	-	ERW06C2010A	0.51	0.20	95,190	-
CHG27C2009A	0.14	0.01	2,463	-	CPN06C2010A	0.67	0.03	41,396	-	ERW06P2006A	-	-	-	-
CHG41C2005A	-	-	-	-	CPN11C2006A	0.02	0.01	1	-	ERW13C2005A	-	-	-	-
CHG42C2006A	-	-	-	-	CPN11C2008A	0.04	(0.02)	1,517	-	ERW13C2006A	-	-	-	-
CK01C2005A	-	-	-	-	CPN13C2007A	0.02	(0.01)	484	-	ERW13C2007A	-	-	-	-
CK01C2005B	-	-	-	-	CPN13C2009A	0.45	0.01	113,666	-	ERW19C2005A	-	-	-	-
CK01P2005A	0.20	(0.06)	3,400	-	CPN16C2005A	-	-	-	-	ERW19C2006A	0.04	-	10	-
CK06C2009A	0.22	0.03	20,300	-	CPN19C2007A	0.04	-	300	-	ERW19C2007A	0.14	0.05	12,703	-
CK11C2007A	-	-	-	-	CPN19C2010A	0.45	-	46,677	-	ERW19C2010A	0.53	(0.47)	154,284	-
CK13C2006A	-	-	-	-	CPN19P2010A	0.75	(0.02)	13,886	-	ERW24C2006A	-	-	-	-
CK16C2006A	0.01	(0.01)	530	-	CPN24C2007A	0.24	0.01	92,380	-	ESS001C2008B	0.18	0.03	25	-
CK19C2007A	-	-	-	-	CPN41C2006A	-	-	-	-	ESS001C2009A	0.38	0.02	2,138	-
CK19C2010A	0.30	0.03	30,645	-	CPN41C2009A	0.36	0.02	4,355	-	ESS001P2009A	0.34	(0.02)	2,176	-
CK27C2008A	-	-	-	-	CPN41P2005A	-	-	-	-	ESS008C2008A	-	-	-	-
CK41C2005A	-	-	-	-	CPN41P2006A	-	-	-	-	ESS013C2006A	0.01	-	1,410	-
CK41C2009A	0.25	0.02	74	-	CPM42C2006A	0.93	-	4,065	-	ESS013C2010A	0.37	0.02	28,267	-
CK42C2006A	0.22	0.02	2,842	-	CRCO1C2007A	0.18	-	590	-	ESS019C2007A	0.14	0.01	500	-
CKP01C2008B	0.46	0.13	1	-	CRCO8C2007A	0.35	0.06	3,389	-	ESS019C2009A	1.42	0.04	2,462	1.00
CKP01C2009A	0.83	(0.01)	149	-	CRCO8C2009A	0.50	0.05	44,311	-	ESS019C2010A	0.41	0.01	164,057	-
CKP01P2009A	0.21	(0.05)	167	-	CRCL3C2008A	0.19	-	10	-	ESS024C2007A	0.33	0.01	10,926	-
CKP08C2010A	0.68	0.01	26,350	-	CRCL3C2009A	0.56	0.06	123,833	-	ESS041C2005A	-	-	-	-
CKP11C2006A	-	-	-	-	CRCL3C2008A	-	-	-	-	ESS041C2006A	0.26	0.02	880	-
CKP13C2007A	0.33	0.03	200	-	CRCL3C2008B	0.58	0.06	35,097	-	ESS041C2010A	0.39	0.01	44,789	-
CKP13C2010A	0.58	0.02	21,737	-	CRCL9C2010A	0.40	0.04	91,193	-	ESS042C2007A	-	-	-	-
CKP16C2005A	-	-	-	-	CRCL9C2008A	0.63	0.05	5,340	-	GFPT19C2006A	0.10	(0.01)	73,141	-
CKP16C2007A	0.12	-	1	-	CRCL9C2007A	0.18	0.01	60	-	GFPT19C2010A	0.33	(0.01)	89,561	-
CKP19C2005A	-	-	-	-	CRCL9C2007B	-	-	-	-	GFPT24C2007A	0.15	-	2,266	-
CKP19C2006A	-	-	-	-	CRCL9C2008A	-	-	-	-	GFPT24C2008A	-	-	-	-
CKP19C2010A	0.74	-	44,304	-	CRCL9C2008B	0.31	0.03	33,100	-	GFPT42C2008A	-	-	-	-
CKP24C2006A	0.01	-	700	-	CRCL9C2009A	0.46	0.05	26,686	-	GLOB01C2007B	0.26	0.06	180	-
CKP27C2005A	-	-	-	-	CRCL9C2009A	-	-	-	-	GLOB01C2008A	0.51	0.07	30	-
CKP28C2006A	-	-	-	-	CRCL9C2010A	-	-	-	-	GLOB06C2006A	0.13	0.02	2	-
CKP28C2012A	0.57	0.02	13,689	-	DTAC01C2007B	0.13	0.04	709	-	GLOB13C2007A	0.42	-	30,835	-
CKP41C2006A	-	-	-	-	DTAC01C2008A	0.42	0.04	2,466	-	GLOB19C2005A	0.01	-	2	-
CKP41C2007A	-	-	-	-	DTAC01P2007B	-	-	-	-	GLOB19C2007A	-	-	-	-
CKP42C2005A	-	-	-	-	DTAC01P2008A	0.36	(0.06)	875	-	GLOB19C2010A	0.44	0.01	72,511	-
CKP42C2006A	0.63	0.02	4,058	-	DTAC06C2006A	-	-	-	-	GLOB24C2005A	-	-	-	-
COM708C2007A	0.11	0.05	3,077	-	DTAC08C2005A	-	-	-	-	GLOB42C2009A	1.57	0.33	1	1.00
COM708C2010A	0.96	0.21	81,675	-	DTAC08C2005B	-	-	-	-	GPSCO1C2005A	0.05	0.02	2,910	-
COM713C2007A	0.13	0.08	22,503	-	DTAC08C2007A	-	-	-	-	GPSCO1C2005B	0.02	-	514	-
COM713C2008A	0.54	0.16	1,271	-	DTAC08C2008A	0.43	0.04	82,979	-	GPSCO1C2007B	0.24	-	234	-
COM713C2010A	0.89	0.20	305,141	-	DTAC13C2006A	-	-	-	-	GPSCO1C2008A	0.57	0.04	9,940	-
COM716C2008A	0.06	(0.03)	502	-	DTAC13C2007A	-	-	-	-	GPSCO1P2005A	0.35	(0.18)	254	-
COM719C2005A	-	-	-	-	DTAC13C2009A	0.37	0.03	116,969	-	GPSCO1P2005B	0.02	(0.03)	718	-
COM719C2008A	0.67	0.18	3,624	-	DTAC13P2006A	-	-	-	-	GPSCO1P2007B	0.33	(0.04)	1,474	-
COM719C2009A	1.41	0.30	50,349	1.00	DTAC13P2007A	0.08	-	6,520	-	GPSCO1P2008A	1.00	(0.04)	382	1.00
COM719C2010A	0.96	0.21	323,298	-	DTAC13P2008A	0.48	(0.06)	96,704	-	GPSCO6C2006A	0.02	0.01	5,801	-
COM724C2007A	0.32	0.07	28,991	-	DTAC16C2009A	0.69	0.07	83,902	-	GPSCO6C2008A	0.71	0.09	181,609	-
COM741C2006A	-	-	-	-	DTAC19C2005A	-	-	-	-	GPSCO8C2007A	0.24	0.02	5,020	-
CPAL01C2006A	0.31	-	6,172	-	DTAC19C2006A	-	-	-	-	GPSCO8C2009A	0.88	0.06	134,774	-
CPAL01C2006B	0.04	(0.03)	2,357	-	DTAC19C2007A	0.42	0.04	118,568	-	GPSCO8P2006A	-	-	-	-
CPAL01C2008B	0.34	-	41,321	-	DTAC19C2010A	0.35	0.03	101,077	-	GPSC11C2006A	0.22	0.04	1	-
CPAL01P2008B	0.23	-	6,958	-	DTAC19P2007A	0.45	(0.05)	49,566	-	GPSC13C2005A	-	-	-	-
CPAL06C2006A	-	-	-	-	DTAC24C2007A	0.39	0.05	7,485	-	GPSC13C2007A	-	-	-	-
CPAL08C2006A	-	-	-	-	DTAC27C2008A	0.26	0.04	12,533	-	GPSC13C2008A	0.81	0.08	1	-
CPAL08C2008A	0.66	-	89,524	-	DTAC41C2005A	-	-	-	-	GPSC13C2009A	1.03	0.08	537,464	1.00
CPAL08P2006A	0.13	(0.09)	162	-	DTAC41C2006A	-	-	-	-	GPSC13P2007A	-	-	-	-
CPAL08P2009A	0.33	(0.01)	63,729	-	DTAC41C2007A	0.23	0.02	1,123	-	GPSC16C2007A	0.08	0.01	4,418	-
CPAL11C2006A	0.02	-	250	-	DTAC41C2007B	0.47	0.04	50,202	-	GPSC19C2007A	-	-	-	-
CPAL11C2007A	0.08	(0.03)	154	-	DTAC41P2006A	-	-	-	-	GPSC19C2008A	0.91	0.08	102,559	-
CPAL13C2007A	-	-	-	-	DTAC42C2006A	0.67	0.06	7,531	-	GPSC19C2009A	1.49	0.13	30,603	1.00
CPAL13C2009A	0.87	-	1,400,712	-	EA06C2005A	0.02	-	32,904	-	GPSC19C2010A	0.81	0.06	770,583	-
CPAL16C2006A	-	-	-	-	EA08C2006A	0.11	0.02	3,470	-	GPSC19P2005A	0.11	(0.23)	1	-
CPAL16C2007A	-	-	-	-	EA08C2009A	0.52	0.03	71,013	-	GPSC19P2010A	0.56	(0.04)	159,501	-
CPAL19C2005A	-	-	-	-	EA11C2005A	-	-	-	-	GPSC24C2007A	-	-	-	-
CPAL19C2008A	0.41	(0.01)	280,629	-	EA13C2005A	-	-	-	-	GPSC27C2005A	0.01	-	85	-
CPAL19C2010A	0.50	-	82,302	-	EA13C2006A	0.02	-	600	-	GPSC28C2008A	0.44	0.05	87,003	-
CPAL19P2010A	0.25	-	28,167	-	EA13C2008A	0.18	0.02	105	-	GPSC41C2005A	-	-	-	-
CPAL19P2010B	0.95	(0.02)	351,265	-	EA13C2009A	0.42	0.03	143,558	-	GPSC41C2005B	-	-	-	-
CPAL24C2005A	-	-	-	-	EA13P2006A	0.54	(0.12)	25,398	-	GPSC41C2006A	-	-	-	-
CPAL24C2009A	1.03	(0.01)	30,232	1.00	EA16C2006A	0.01	-	300	-	GPSC41C2009A	0.78	0.07	237,351	-
CPAL28C2007A	0.08	-	1,020	-	EA16C2008A	0.04	-	312	-	GPSC41P2005A	-	-	-	-
CPAL28C2008A	0.65	(0.02)	51,224	-	EA19C2008A	0.36	0.05	50	-	GPSC41P2006A	0.45	(0.09)	120,409	-
CPAL28C2008B	0.87	(0.10)	1	-	EA19C2010A	0.41	0.03	55,747	-	GPSC42C2006A	1.56	0.09	5,221	1.00
CPAL28C2012A	0.32	-	4,739	-	EA19P2007A	-	-	-	-	GPSC42P2006A	-	-	-	-
CPAL41C2005A	-	-	-	-	EA24C2008A	0.41	0.04	11,071	-	GULF01C2005A	1.04	-	1,851	1.00
CPAL41C2006A	-	-	-	-	EA27C2006A	-	-	-	-	GULF01C2005B	0.14	-	1,752	-
CPAL41C2007A	0.37	(0.01)	14,556	-	EA28C2006A	0.04	(0.01)	14,787	-	GULF01C2007A	0.34	-	48,644	-
CPAL41P2005A	-	-	-	-	EA28C2012A	0.28	0.01	57,453	-	GULF01P2005A	0.02	-	5,247	-
CPAL41P2006A	-	-	-	-	EA41C2005A	-	-	-	-	GULF03C2005A	0.33	0.03	1	-
CPAL42C2005A	-	-	-	-	EA41C2006A	0.10	0.02	9	-	GULF06C2009A	0.61	0.03	35,133	-
CPAL42C2007A	-	-	-	-	EA41C2009A	0.33	0.01	29,874	-	GULF08C2008A	1.49	(0.18)	30	1.00
CPF08C2006A	0.04	0.01	1,005	-	EGCO01C2007B	0.11	-	2,777	-	GULF08C2009A	0.42	0.02	32,335	-
CPF08C2010A	0.29	0.01	29,608	-	EGCO06C2007A	0.06	-	18	-	GULF11C2006A	0.60	0.02	2,299	-
CPF11C2007A	0.21	0.01	5	-	EGCO06P2009A	0.53	-	42,588	-	GULF11C2011A	0.54	0.01	19,452	-
CPF13C2006A	0.04	(0.01)	553	-	EGCO13C200									

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF24C2005A	-	-	-	-	INTU28C2010A	0.33	(0.02)	25,331	-	KBAN19C2009A	0.83	0.17	267,300	-
GULF24C2009A	0.37	0.02	7,616	-	INTU41C2005A	-	-	-	-	KBAN19C2010A	0.24	0.05	91,738	-
GULF28C2006A	-	-	-	-	INTU41C2006A	-	-	-	-	KBAN19P2007A	2.12	(0.08)	100	2.00
GULF28C2008A	-	-	-	-	INTU41C2007A	0.17	(0.01)	21,616	-	KBAN19P2010P	0.71	(0.12)	116,684	-
GULF28C2008B	-	-	-	-	INTU41P2005A	-	-	-	-	KBAN24C2005A	-	-	-	-
GULF28C2008C	1.21	(0.01)	101	1.00	INTU41P2006A	-	-	-	-	KBAN24C2009A	0.73	0.15	28,538	-
GULF28C2012A	0.25	0.02	15,258	-	INTU42C2005A	-	-	-	-	KBAN28C2008A	0.06	0.01	201	-
GULF41C2005A	-	-	-	-	IRPC01C2005A	0.01	-	8	-	KBAN28C2008B	0.32	0.09	108,026	-
GULF41C2006A	-	-	-	-	IRPC01C2005B	-	-	-	-	KBAN28C2008C	0.57	0.13	57,945	-
GULF41C2009A	0.38	0.02	93,277	-	IRPC01C2007A	0.31	0.01	1,576	-	KBAN28C2010A	0.12	0.03	33,519	-
GULF41P2005A	-	-	-	-	IRPC01P2005A	0.98	(0.22)	1	-	KBAN28P2012A	0.77	(0.08)	32,086	-
GULF41P2006A	0.26	(0.05)	1,582	-	IRPC01P2005B	-	-	-	-	KBAN41C2007A	-	-	-	-
GULF41P2007A	-	-	-	-	IRPC01P2007B	0.21	(0.03)	11,297	-	KBAN41C2008A	0.24	(0.02)	422	-
GULF41P2009A	0.55	(0.04)	128,916	-	IRPC06C2005A	0.01	-	708	-	KBAN41C2009A	0.71	0.12	111,541	-
GUNK01C2005A	-	-	-	-	IRPC06C2007A	0.07	0.01	1,460	-	KBAN41P2005A	-	-	-	-
GUNK01C2005B	-	-	-	-	IRPC06C2010A	0.54	(0.01)	65,652	-	KBAN41P2006A	-	-	-	-
GUNK01P2005A	-	-	-	-	IRPC11C2005A	0.02	0.01	1	-	KBAN41P2010A	1.05	(0.18)	34,442	1.00
GUNK11C2007A	-	-	-	-	IRPC11C2008A	0.04	-	5,793	-	KBAN42C2007A	-	-	-	-
GUNK13C2006A	-	-	-	-	IRPC13C2006A	-	-	-	-	KBAN42P2008A	6.10	3.36	1	6.00
GUNK19C2006A	0.14	(0.05)	410	-	IRPC13C2007A	0.12	-	902	-	KCE01C2007B	0.02	-	199	-
GUNK19C2010A	0.39	0.01	106,950	-	IRPC13C2008A	-	-	-	-	KCE01C2008A	0.10	(0.01)	10,435	-
GUNK24C2006A	0.30	-	4,867	-	IRPC13C2009A	0.56	0.01	359,168	-	KCE06C2009A	0.84	0.08	164,876	-
GUNK28C2012A	0.37	-	18,868	-	IRPC16C2008A	0.47	(0.01)	36,080	-	KCE08C2005A	-	-	-	-
GUNK41C2005A	-	-	-	-	IRPC19C2005A	-	-	-	-	KCE08C2005B	-	-	-	-
GUNK41P2005A	-	-	-	-	IRPC19C2007A	-	-	-	-	KCE08C2009A	0.74	0.07	97,917	-
HANA01C2006A	-	-	-	-	IRPC19C2008A	-	-	-	-	KCE13C2005A	-	-	-	-
HANA01C2006B	-	-	-	-	IRPC19C2010A	0.42	-	180,207	-	KCE13C2006A	0.05	(0.05)	649	-
HANA01P2006A	-	-	-	-	IRPC24C2007A	0.45	-	3,990	-	KCE13C2009A	0.47	0.05	526,293	-
HANA11C2008A	0.11	-	1,251	-	IRPC27C2007A	-	-	-	-	KCE16C2007A	0.03	0.01	501	-
HANA13C2006A	-	-	-	-	IRPC28C2006A	-	-	-	-	KCE19C2005A	0.01	-	1	-
HANA13C2008A	0.19	0.01	35,766	-	IRPC28C2008A	0.49	0.01	53,920	-	KCE19C2007A	-	-	-	-
HANA16C2008A	-	-	-	-	IRPC28C2012A	0.28	-	31,189	-	KCE19C2008A	0.56	0.03	2,627	-
HANA19C2006A	0.08	-	5,300	-	IRPC41C2005A	-	-	-	-	KCE19C2009A	0.57	0.06	435,410	-
HANA19C2010A	0.30	-	40,282	-	IRPC41C2006A	-	-	-	-	KCE19C2010A	0.55	0.05	235,698	-
HANA27C2007A	0.18	0.01	6,772	-	IRPC41C2007A	0.46	0.01	20,143	-	KCE24C2005A	-	-	-	-
HANA27P2007A	0.42	(0.08)	35	-	IRPC41P2005A	-	-	-	-	KCE27C2007A	0.02	(0.02)	1,506	-
HANA41C2006A	0.07	(0.05)	250	-	IRPC41P2006A	-	-	-	-	KCE41C2005A	-	-	-	-
HMPR01C2006A	0.14	(0.03)	267	-	IRPC41P2007A	-	-	-	-	KCE41C2006A	-	-	-	-
HMPR01C2006B	-	-	-	-	IRPC42C2006A	0.02	-	5,020	-	KKP01C2006A	-	-	-	-
HMPR01P2006A	0.39	0.03	7,977	-	IVL01C2006B	0.13	0.02	7,765	-	KKP01C2006B	-	-	-	-
HMPR06C2006A	0.12	(0.05)	48,487	-	IVL01P2006B	0.14	(0.03)	1,783	-	KKP01P2006A	-	-	-	-
HMPR06P2007A	-	-	-	-	IVL06C2008A	0.41	0.07	179,890	-	KKP11C2007A	-	-	-	-
HMPR11C2011A	0.63	(0.03)	14,300	-	IVL06C2010A	0.46	0.07	69,676	-	KKP13C2007A	-	-	-	-
HMPR13C2006A	-	-	-	-	IVL06P2005A	-	-	-	-	KKP13C2010A	0.39	0.02	103,557	-
HMPR13C2007A	-	-	-	-	IVL06P2009A	0.16	(0.03)	373,452	-	KKP19C2010A	0.48	0.04	87,928	-
HMPR13C2009A	0.42	(0.04)	33,621	-	IVL08C2009A	0.49	0.05	34,315	-	KKP41C2006A	-	-	-	-
HMPR19C2005A	-	-	-	-	IVL11C2005A	-	-	-	-	KTB01C2008B	0.05	(0.01)	200	-
HMPR19C2007A	-	-	-	-	IVL11C2006A	0.16	0.03	100	-	KTB01C2009A	0.11	0.01	1,800	-
HMPR19C2010A	0.49	(0.04)	30,187	-	IVL13C2006A	-	-	-	-	KTB01P2009A	0.86	(0.01)	842	-
HMPR24C2008A	0.63	(0.02)	11,597	-	IVL13C2008A	1.33	0.24	116	1.00	KTB11C2006A	0.01	-	10,000	-
HMPR41C2005A	-	-	-	-	IVL13C2009A	0.41	0.03	392,395	-	KTB13C2006A	-	-	-	-
HMPR41C2006A	-	-	-	-	IVL16C2006A	-	-	-	-	KTB19C2005A	-	-	-	-
HMPR41C2007A	-	-	-	-	IVL16C2009A	0.54	0.07	27,330	-	KTB19C2010A	0.21	-	141,822	-
HMPR41C2007B	0.41	(0.06)	11,549	-	IVL19C2006A	0.08	0.02	279	-	KTB24C2009A	0.21	(0.01)	15,133	-
HSI28C2005A	0.59	0.13	4,981	-	IVL19C2008A	1.25	0.15	1	1.00	KTB28C2012A	0.12	-	13,410	-
HSI28C2005B	0.21	0.06	24,231	-	IVL19C2009A	1.92	0.23	5,310	1.00	KTB41C2006A	-	-	-	-
HSI28C2005C	0.07	0.01	3,019	-	IVL19C2010A	0.44	0.04	449,388	-	KTC01C2007A	0.46	0.05	254	-
HSI28C2005D	0.01	-	4,596	-	IVL19P2006A	-	-	-	-	KTC01C2007B	0.18	0.02	4,161	-
HSI28C2006A	1.48	0.20	13,207	1.00	IVL19P2010A	0.35	(0.03)	143,850	-	KTC01P2007A	0.12	(0.02)	7,695	-
HSI28C2006B	0.91	0.14	8,722	-	IVL24C2008A	1.59	0.15	4,582	1.00	KT06C2006A	0.15	0.03	12,171	-
HSI28C2006C	0.50	0.09	131,403	-	IVL27P2007A	0.22	(0.05)	600	-	KT08C2006A	-	-	-	-
HSI28C2007A	1.22	0.19	12,808	1.00	IVL28C2007A	0.11	0.03	10,230	-	KTC11C2005A	-	-	-	-
HSI28C2007B	0.79	0.14	26,170	-	IVL28C2012A	0.27	0.03	12,378	-	KTC13C2006A	0.09	0.01	2,323	-
HSI28C2007C	0.47	0.08	170,299	-	IVL41C2005A	-	-	-	-	KTC13C2008A	0.74	0.04	186,426	-
HSI28C2010L	0.54	0.08	7,869	-	IVL41C2006A	-	-	-	-	KTC13P2006A	0.05	0.03	10,133	-
HSI28P2005A	0.86	(0.41)	16,324	-	IVL41C2007A	-	-	-	-	KTC13P2007A	0.27	(0.07)	210	-
HSI28P2005B	0.41	(0.24)	73,047	-	IVL41C2007B	-	-	-	-	KTC19C2005A	-	-	-	-
HSI28P2005C	0.20	(0.26)	3,322	-	IVL41C2009A	0.39	0.05	31,797	-	KTC19C2006A	0.16	0.02	1	-
HSI28P2005D	0.07	(0.06)	275,250	-	IVL41P2005A	-	-	-	-	KTC19C2008A	0.73	0.03	2,181	-
HSI28P2006A	0.63	(0.17)	192,629	-	IVL41P2006A	-	-	-	-	KTC19C2010A	0.39	0.03	225,703	-
HSI28P2006B	0.41	(0.12)	164,904	-	IVL41P2007A	-	-	-	-	KTC19P2005A	-	-	-	-
HSI28P2006C	0.26	(0.09)	84,657	-	IVL42C2005A	0.02	(0.14)	2,000	-	KTC19P2010A	0.44	(0.02)	66,341	-
HSI28P2007A	1.47	(0.28)	9,813	1.00	IVL42C2008A	4.26	0.66	289	4.00	KTC27C2007A	-	-	-	-
HSI28P2007B	1.08	(0.20)	26,491	1.00	JAS13C2006A	0.10	-	4,886	-	KTC28C2006A	0.12	0.02	4,180	-
HSI28P2007C	0.82	(0.17)	37,192	-	JAS13C2009A	0.25	(0.01)	180,948	-	KTC28C2012A	0.34	0.02	23,728	-
HSI28P2010L	0.87	(0.10)	4,309	-	JAS19C2009A	0.86	(0.09)	1,501	-	KTC41C2005A	-	-	-	-
HSI41C2005A	0.11	0.04	145	-	JAS19C2010A	0.40	(0.02)	11,448	-	KTC41C2006A	-	-	-	-
HSI41C2006A	0.55	0.09	1,332,976	-	JAS28C2012A	0.24	(0.01)	606	-	KTC41C2009A	0.47	0.04	7,248	-
HSI41C2006B	0.44	0.09	757	-	JAS41C2005A	-	-	-	-	KTC42C2006A	0.08	0.01	105	-
HSI41C2007A	0.69	(0.31)	178,571	-	JAS41C2006A	0.09	(0.01)	165	-	LH11C2007A	0.04	-	200	-
HSI41C2007B	0.41	(0.59)	20,496	-	JAS41C2009A	0.44	(0.03)	19,096	-	LH13C2010A	0.32	0.02	25,831	-
HSI41P2005A	0.09	(0.14)	500	-	JAS41P2005A	0.02	(0.01)	24,442	-	LH19C2007A	-	-	-	-
HSI41P2006A	0.70	(0.14)	1,543,863	-	JMT13C2006A	0.08	0.02	14,166	-	LH19C2010A	0.32	0.01	32,447	-
HSI41P2006B	0.59	(0.13)	29,676	-	JMT19C2006A	0.11	0.01	8,345	-	LH41C2005A	-	-	-	-
HSI41P2007A	1.30	(0.28)	80,706	1.00	JMT19C2010A	0.70	0.07	97,335	-	LH41C2006A	-	-	-	-
HSI41P2007B	0.95	(0.24)	193,953	-	JMT42C2006A	0.07	0.02	1,458	-	MAJO13C2007A	0.10	0.04	134,154	-
INTU01C2006A	0.20	0.01	2	-	KBAN01C2007A	0.05	0.01	5,715	-	MAJO19C2006A	0.06	-	3,000	-
INTU01C2006B	-	-	-	-	KBAN01C2007B	0.02	0.01	753	-	MEGA16C2009A	0.55	0.10	259	-
INTU01P2006A	0.70	(0.05)	92	-	KBAN01P2007A	2.40	(0.18)	3	2.00	MEGA19C2005A	0.09	0.01	1,200	-
INTU01P2006B	0.16	(0.05)	298	-	KBAN01P2007B	-	-	-						

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT24C2006A	0.04	(0.02)	20	-	PTT08P2005A	0.14	(0.11)	46,069	-	PTTG41C2006A	-	-	-	-
MINT28C2006A	-	-	-	-	PTT08P2009A	0.65	(0.02)	130	-	PTTG41C2007A	0.54	0.09	1,674	-
MINT28C2008A	-	-	-	-	PTT11C2008A	0.05	-	11,987	-	PTTG41C2008A	1.19	0.11	5,787	1.00
MINT28C2012A	0.26	0.04	173,155	-	PTT13C2006A	0.01	-	8,489	-	PTTG41C2010A	0.70	0.09	351,047	-
MINT41C2005A	-	-	-	-	PTT13C2008A	0.10	0.01	3,992	-	PTTG41P2006A	-	-	-	-
MINT41C2007A	-	-	-	-	PTT13C2008B	0.45	0.01	753	-	PTTG41P2010A	0.28	(0.05)	82,618	-
MINT41C2010A	0.39	0.07	15,967	-	PTT13C2009A	0.45	0.02	639,829	-	PTTG42C2007A	0.05	0.02	200	-
MTC01C2007B	0.02	-	1,314	-	PTT13P2006A	0.44	(0.27)	1	-	QH01C2006A	0.05	-	20	-
MTC01C2008A	0.20	0.04	37,782	-	PTT13P2008A	0.04	(0.01)	40,594	-	QH01C2006B	-	-	-	-
MTC03C2005A	-	-	-	-	PTT13P2009A	0.29	(0.01)	19,511	-	QH01P2006A	0.51	(0.06)	90	-
MTC06C2007A	-	-	-	-	PTT16C2008A	0.04	0.02	375	-	QH11C2006A	-	-	-	-
MTC06C2009A	1.33	0.11	34,962	1.00	PTT19C2005A	-	-	-	-	QH19C2006A	-	-	-	-
MTC08C2005A	0.02	(0.02)	6,011	-	PTT19C2008A	0.60	0.05	255	-	QH27C2007A	-	-	-	-
MTC08C2009A	1.26	0.12	76,256	1.00	PTT19C2009A	0.44	0.01	344,248	-	RATC01C2006A	-	-	-	-
MTC11C2008A	-	-	-	-	PTT19P2006A	0.41	(0.11)	300	-	RATC01C2006B	-	-	-	-
MTC13C2007A	0.03	0.01	3,964	-	PTT19P2009A	0.19	(0.01)	30,472	-	RATC01P2006A	-	-	-	-
MTC13C2009A	0.71	0.07	312,480	-	PTT19P2010A	0.50	(0.01)	239,442	-	RATC06C2006A	0.01	(0.01)	124	-
MTC16C2007A	0.06	0.04	20	-	PTT24C2008A	0.38	0.01	7,483	-	RATC06C2009A	0.75	0.03	60,500	-
MTC19C2006A	0.01	-	1,900	-	PTT28C2007A	-	-	-	-	RATC06P2006A	0.04	(0.02)	50	-
MTC19C2009A	1.05	0.12	57,240	1.00	PTT28C2008A	0.15	-	75,716	-	RATC13C2007A	0.43	0.02	252,063	-
MTC19C2010A	0.70	0.07	226,802	-	PTT28C2008B	0.51	0.05	350	-	RATC13C2010A	0.58	0.02	298,495	-
MTC24C2009A	0.64	(0.36)	18,350	-	PTT28C2008C	-	-	-	-	RATC16C2008A	-	-	-	-
MTC27C2007A	0.03	0.01	240	-	PTT41C2005A	-	-	-	-	RATC19C2005A	-	-	-	-
MTC28C2006A	-	-	-	-	PTT41C2006A	-	-	-	-	RATC19C2007A	0.64	0.01	100,999	-
MTC28C2008A	0.14	-	1	-	PTT41C2007A	0.66	0.03	702	-	RATC24C2006A	-	-	-	-
MTC28C2012A	0.40	0.03	48,371	-	PTT41C2009A	0.36	0.02	14,344	-	RATC27C2007A	0.21	0.03	100	-
MTC41C2007A	0.42	0.02	31,492	-	PTT41P2005A	-	-	-	-	RATC41C2005A	-	-	-	-
ORI19C2005A	-	-	-	-	PTT41P2006A	-	-	-	-	RATC41C2006A	0.35	0.02	26,490	-
ORI19C2010A	0.68	0.09	156,681	-	PTT41P2010A	0.40	(0.02)	11,808	-	RATC41P2006A	0.25	(0.40)	400	-
ORI28C2007A	0.01	(0.01)	8	-	PTT42C2007A	0.02	-	344	-	RATC42C2006A	-	-	-	-
ORI28C2012A	0.49	0.04	59,655	-	PTTE01C2007A	0.03	(0.01)	14,867	-	RS08P2006A	-	-	-	-
OSP01C2006A	0.30	(0.03)	1,170	-	PTTE01C2007B	0.03	-	5,350	-	RS13C2006A	0.18	0.03	367,301	-
OSP01C2006B	-	-	-	-	PTTE01P2007A	1.95	(0.11)	810	1.00	RS16C2005A	-	-	-	-
OSP01P2006A	0.24	0.04	646	-	PTTE01P2007B	1.14	(0.20)	1,899	1.00	RS19C2005A	-	-	-	-
OSP06C2005A	0.01	-	300	-	PTTE06C2006A	0.02	-	1	-	RS19C2007A	0.16	0.03	429,313	-
OSP06C2008A	0.84	0.01	71,175	-	PTTE06C2008A	2.28	0.18	26,688	2.00	RS19C2010A	0.76	0.08	112,320	-
OSP06P2009A	0.46	(0.01)	13,162	-	PTTE06P2006A	-	-	-	-	RS24C2008A	0.09	0.01	35,481	-
OSP08C2009A	0.57	-	22,270	-	PTTE06P2009A	0.52	(0.06)	32,962	-	RS42C2008A	0.39	0.06	21,800	-
OSP11C2005A	0.08	(0.05)	600	-	PTTE08C2005A	0.01	-	501	-	S10001C2011A	0.04	(0.01)	287	-
OSP13C2006A	0.04	-	3,000	-	PTTE08C2008A	2.00	0.09	10,462	2.00	S5001C2005A	0.01	-	15,973	-
OSP13C2010A	0.49	0.01	116,031	-	PTTE08P2005A	-	-	-	-	S5001C2006F	0.02	-	38,122	-
OSP16C2008A	-	-	-	-	PTTE08P2006A	-	-	-	-	S5001C2006G	0.04	-	2,638	-
OSP19C2005A	-	-	-	-	PTTE11C2006A	-	-	-	-	S5001C2006H	0.25	0.04	76,483	-
OSP19C2009A	0.49	-	65,647	-	PTTE11C2011A	0.94	0.04	11,460	-	S5001C2007A	0.31	0.02	63,878	-
OSP19C2010A	0.35	-	77,850	-	PTTE13C2006A	0.01	-	1	-	S5001P2005A	2.72	(0.18)	598	2.00
OSP24C2008A	0.39	-	17,128	-	PTTE13C2008A	0.05	0.01	62,331	-	S5001P2006F	4.14	(0.36)	17	3.00
OSP41C2005A	-	-	-	-	PTTE13C2008B	0.73	0.07	10,325	-	S5001P2006G	2.30	(0.70)	411	2.00
OSP41C2010A	0.43	-	36,032	-	PTTE13C2009A	1.46	0.10	304,957	1.00	S5001P2006H	0.54	(0.10)	18,341	-
OSP42C2005A	-	-	-	-	PTTE13P2006A	1.51	(0.19)	145	1.00	S5001P2007A	1.29	(0.31)	31,728	1.00
PLAN13C2005A	-	-	-	-	PTTE13P2008A	0.07	(0.01)	26,717	-	S5006C2006A	0.02	(0.01)	7,001	-
PLAN13C2007A	0.07	-	7	-	PTTE13P2009A	0.48	(0.05)	18,009	-	S5006C2006B	0.18	0.15	2,800	-
PLAN13C2010A	0.30	0.01	409,729	-	PTTE16C2009A	-	-	-	-	S5006C2006C	1.02	0.08	141,666	1.00
PLAN19C2005A	-	-	-	-	PTTE19C2006A	0.02	-	5	-	S5006C2006D	1.18	0.09	253,770	1.00
PLAN19C2007A	0.09	0.01	323	-	PTTE19C2008A	0.08	-	41,562	-	S5006C2006E	0.81	0.09	226,192	-
PLAN19C2010A	1.18	0.05	38,131	1.00	PTTE19C2008B	1.18	0.15	2,607	1.00	S5006C2006F	1.96	0.17	326,539	1.00
PLAN19C2010B	0.30	0.01	190,849	-	PTTE19C2009A	2.40	0.20	160	2.00	S5006P2006A	-	-	-	-
PLAN24C2006A	-	-	-	-	PTTE19C2009B	1.37	0.10	47,672	1.00	S5006P2006B	-	-	-	-
PLAN24C2009A	0.30	(0.70)	23,600	-	PTTE19C2010A	0.70	0.06	237,258	-	S5006P2006C	0.17	(0.04)	15,294	-
PLAN27C2008A	-	-	-	-	PTTE19C2010B	1.11	0.09	127,493	1.00	S5006P2006D	0.13	(0.04)	10	-
PLAN28C2012A	0.97	0.02	65,986	1.00	PTTE19P2006A	1.34	(0.31)	10	1.00	S5006P2006E	0.16	(0.07)	115,360	-
PLAN41C2005A	-	-	-	-	PTTE19P2009A	0.27	(0.03)	3,722	-	S5006P2006F	0.77	(0.12)	251,788	-
PLAN41C2006A	-	-	-	-	PTTE19P2009B	0.64	(0.05)	36,826	-	S5008C2006A	0.04	0.01	2,316	-
PLAN42C2007A	-	-	-	-	PTTE24C2008A	0.11	0.06	2,704	-	S5008C2006B	1.68	0.14	10,345	1.00
PRM13C2006A	0.14	0.02	816	-	PTTE28C2008A	0.21	0.01	21,012	-	S5008C2006C	0.90	0.06	188,771	-
PRM19C2006A	0.23	-	3	-	PTTE28C2012A	0.73	0.04	29,413	-	S5008C2006D	0.94	0.07	638,157	-
PRM19C2010A	0.55	0.02	84,140	-	PTTE41C2005A	-	-	-	-	S5008P2006A	0.02	-	5,595	-
PRM42C2006A	0.72	0.03	9,188	-	PTTE41C2006A	-	-	-	-	S5008P2006B	0.06	(0.01)	4,293	-
PSH19C2005A	-	-	-	-	PTTE41C2007A	1.12	0.10	1,070	1.00	S5008P2006C	0.25	(0.05)	1,970	-
PSL06C2006A	0.02	-	20	-	PTTE41C2008A	0.82	0.04	69,350	-	S5013C2006A	0.02	-	106,609	-
PSL19C2006A	-	-	-	-	PTTE41C2009A	-	-	-	-	S5013C2006B	0.02	(0.01)	8,691	-
PSL19C2007A	0.43	0.33	69,433	-	PTTE41P2009A	1.04	(0.07)	24	1.00	S5013C2006C	0.06	-	17,710	-
PTG01C2005A	0.15	0.05	363	-	PTTE41P2010A	0.99	(0.23)	51,992	-	S5013C2006D	0.06	-	18,340	-
PTG01C2005B	-	-	-	-	PTTE42P2008A	0.77	(0.22)	211	-	S5013C2006E	0.46	0.05	51,934	-
PTG01C2007B	0.36	0.04	3,998	-	PTTG01C2005A	0.01	-	37,479	-	S5013C2006F	1.04	0.07	2,048,512	1.00
PTG01P2005A	-	-	-	-	PTTG01C2005B	0.02	-	500	-	S5013C2006G	0.65	0.05	673,218	-
PTG01P2005B	0.06	0.03	1	-	PTTG01C2007B	0.05	0.02	163,085	-	S5013C2006H	0.52	0.06	1,022,175	-
PTG03C2005A	0.02	-	7	-	PTTG01C2008A	0.27	0.05	112,254	-	S5013C2006I	0.40	0.04	2,115,435	-
PTG06C2006A	0.02	(0.02)	20	-	PTTG01P2005A	1.01	(0.63)	29	1.00	S5013C2009A	1.15	0.10	3,745,839	1.00
PTG08C2005A	-	-	-	-	PTTG01P2005B	0.26	(0.73)	266	-	S5013C2009B	0.81	(0.19)	2,930,359	-
PTG08C2007A	0.31	(0.01)	6,701	-	PTTG01P2007B	0.21	(0.12)	287	-	S5013P2006A	3.00	(0.14)	30	2.00
PTG11C2005A	-	-	-	-	PTTG01P2008A	0.57	(0.13)	245	-	S5013P2006B	1.64	(0.40)	191	1.00
PTG13C2006A	0.08	0.03	2,876	-	PTTG06C2006A	-	-	-	-	S5013P2006C	1.60	0.38	49	1.00
PTG13P2006A	0.05	-	240	-	PTTG08C2008A	0.83	0.08	82,809	-	S5013P2006D	0.37	(0.21)	14,368	-
PTG16C2009A	0.53	0.04	39,797	-	PTTG08P2010A	0.52	(0.06)	57,658	-	S5013P2006E	0.47	(0.12)	936,549	-
PTG19C2005A	0.02	0.01	245	-	PTTG11C2007A	-	-	-	-	S5013P2006F	0.03	-	31,482	-
PTG19C2006A	0.23	0.05	10	-	PTTG13C2005A	-	-	-	-	S5013P2006G	0.03	(0.01)	100,824	-
PTG19C2008A	0.71	0.07	13,524	-	PTTG13C2007A	0.08	0.02	655	-	S5013P2006H	0.15	(0.04)	577,197	-

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Securities	Close	Change	Volume (Lot)	Average Price
------------	-------	--------	-----------------	------------------

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5019C2006A	0.01	(0.01)	6,742	-	SCB11C2006A	0.01	-	1,570	-	STA19C2009A	1.00	0.05	37,432	-
S5019C2006B	0.07	0.01	6,952	-	SCB11C2008A	0.04	-	100	-	STA19C2010A	0.76	0.05	114,630	-
S5019C2006C	0.57	0.16	7,422	-	SCB11P2005A	-	-	-	-	STA19C2010B	0.48	(0.52)	300,711	-
S5019C2006D	0.72	0.04	537,946	-	SCB13C2006A	0.01	-	200	-	STA28C2012A	0.58	0.04	106,582	-
S5019C2006E	0.17	0.01	4,581	-	SCB13C2006B	0.03	0.02	643	-	STA42C2007A	0.84	(0.03)	1	-
S5019C2006F	1.53	0.15	206,139	1.00	SCB13C2007A	0.02	-	971	-	STEC01C2006A	0.21	0.04	22,695	-
S5019C2006G	0.11	0.02	4,000	-	SCB13C2008A	0.41	0.02	64	-	STEC01C2006B	-	-	-	-
S5019C2007B	0.72	0.07	983,440	-	SCB13C2009A	0.70	0.09	209,288	-	STEC01P2006A	0.23	(0.08)	14	-
S5019C2009A	3.34	0.14	45,167	3.00	SCB13P2006A	-	-	-	-	STEC08C2005A	0.03	-	10	-
S5019C2009B	1.28	0.10	812,126	1.00	SCB13P2008A	0.50	(0.08)	58	-	STEC11C2007A	0.04	0.02	1	-
S5019C2009C	0.56	0.06	551,708	-	SCB16C2008A	-	-	-	-	STEC16C2006A	-	-	-	-
S5019P2006A	2.40	(0.44)	1	2.00	SCB19C2006A	-	-	-	-	STEC16C2009A	-	-	-	-
S5019P2006B	1.41	(0.58)	2	1.00	SCB19C2007A	-	-	-	-	STEC19C2005A	-	-	-	-
S5019P2006C	0.81	(0.24)	612	-	SCB19C2008A	0.74	0.11	89,884	-	STEC19C2009A	0.46	0.05	75,809	-
S5019P2006D	0.14	(0.03)	4,278	-	SCB19C2010A	0.45	0.05	46,986	-	STEC24C2006A	0.24	0.04	10,760	-
S5019P2006E	0.05	(0.03)	4,815	-	SCB19P2005A	-	-	-	-	STEC28C2012A	0.33	0.03	41,011	-
S5019P2006F	0.01	(0.01)	32,303	-	SCB19P2010A	0.72	(0.07)	47,372	-	STEC41C2005A	-	-	-	-
S5019P2006G	0.15	(0.05)	3,491	-	SCB24C2008A	0.45	0.06	16,003	-	STEC41C2006A	-	-	-	-
S5019P2007B	0.51	(0.11)	678,350	-	SCB27C2007A	-	-	-	-	STEC41C2009A	0.26	0.04	16,322	-
S5019P2009A	0.80	(0.10)	877,550	-	SCB27P2006A	-	-	-	-	STEC41P2005A	-	-	-	-
S5019P2009B	0.42	(0.07)	137,992	-	SCB28C2006A	-	-	-	-	SUPE19C2007A	0.20	0.01	47,042	-
S5024C2006A	0.02	0.01	1,019	-	SCB28C2006B	-	-	-	-	SUPE19C2010A	0.17	-	16,168	-
S5024C2006B	-	-	-	-	SCB28C2008A	-	-	-	-	TASC01C2007B	0.17	0.03	100	-
S5024C2006C	1.97	0.10	13,200	2.00	SCB28C2010A	0.49	0.07	73,816	-	TASC01C2008A	0.52	0.08	21,913	-
S5024C2006D	-	-	-	-	SCB41C2005A	-	-	-	-	TASC01P2008A	0.48	(0.12)	688	-
S5024C2006E	0.62	0.06	32	-	SCB41C2006A	-	-	-	-	TASC06C2009A	0.63	0.09	121,275	-
S5024C2009A	0.06	-	1,150	-	SCB41C2006B	-	-	-	-	TASC08C2005A	0.02	0.01	716	-
S5024C2009B	1.56	0.16	115,064	1.00	SCB41C2008A	0.53	0.07	79,672	-	TASC08C2006A	0.20	0.03	1,101	-
S5024P2006A	-	-	-	-	SCB41P2005A	-	-	-	-	TASC13C2006A	0.14	0.02	4,186	-
S5024P2006B	6.65	(1.10)	1	6.00	SCB42C2006A	-	-	-	-	TASC13C2009A	0.48	0.07	367,655	-
S5024P2006C	-	-	-	-	SCB42C2007A	0.01	(0.02)	2,055	-	TASC16C2008A	-	-	-	-
S5024P2006D	0.28	(0.07)	1,564	-	SCC06C2007A	0.19	0.09	21	-	TASC19C2006A	0.43	0.05	381	-
S5024P2006E	0.20	(0.05)	130	-	SCC08P2006A	0.16	(0.03)	7,001	-	TASC19C2007A	0.15	0.04	110	-
S5024P2006F	0.71	(0.14)	266,344	-	SCC11C2006A	0.01	(0.01)	1,521	-	TASC19C2009A	0.61	0.07	169,094	-
S5028C2006A	0.03	-	2,402	-	SCC11C2007A	0.16	0.03	1,624	-	TASC24C2006A	0.26	0.06	2	-
S5028C2006B	0.07	0.01	2	-	SCC11C2011A	0.83	0.03	11,303	-	TASC28C2006A	0.03	0.01	1	-
S5028C2006C	1.58	0.18	460,179	1.00	SCC13C2008A	-	-	-	-	TASC28C2012A	0.36	0.03	49,944	-
S5028C2006D	-	-	-	-	SCC13C2009A	0.82	0.05	74,812	-	TASC41C2005A	0.24	0.09	2,010	-
S5028C2007A	0.75	0.10	1,021,825	-	SCC13P2006A	-	-	-	-	TASC42C2009A	0.59	0.06	46,122	-
S5028C2009A	1.20	0.11	612,389	1.00	SCC13P2009A	1.03	(0.05)	50,909	1.00	TASC42C2005A	-	-	-	-
S5028C2009B	0.70	0.07	1,247,220	-	SCC16C2005A	-	-	-	-	TCAP01C2007B	-	-	-	-
S5028P2006A	1.28	(0.11)	877,834	1.00	SCC19C2006A	-	-	-	-	TCAP01C2008A	0.08	0.01	2,636	-
S5028P2006B	0.68	(0.08)	3,027	-	SCC19C2008A	-	-	-	-	TCAP01P2008A	1.69	(0.12)	1	1.00
S5028P2006C	0.28	(0.05)	394,295	-	SCC19C2010A	0.74	0.04	166,090	-	TCAP13C2007A	0.03	-	70	-
S5028P2007A	0.82	(0.10)	1,436,090	-	SCC19P2010A	0.45	(0.03)	7,309	-	TCAP19C2010A	0.37	0.01	216,416	-
S5028P2009A	1.30	(0.06)	312,981	1.00	SCC24C2006A	-	-	-	-	THAI27C2008A	0.44	0.22	35,827	-
S5028P2009B	0.93	(0.07)	409,178	-	SCC27P2008A	0.17	0.01	10	-	THAI42C2005A	0.36	0.32	71,072	-
S5041C2006A	0.47	0.07	11,780	-	SCC28C2008A	-	-	-	-	THAN01C2006A	0.02	0.01	500	-
S5041C2006B	0.54	(0.21)	300	-	SCC28C2010A	0.66	0.05	88,360	-	THAN01C2006B	-	-	-	-
S5041C2006C	2.28	0.18	10,253	2.00	SCC41C2005A	-	-	-	-	THAN01P2006A	1.04	(0.09)	110	1.00
S5041C2006D	-	-	-	-	SCC41C2006A	0.37	(0.26)	1,956	-	THAN06C2005A	-	-	-	-
S5041C2006E	1.60	0.12	2	1.00	SCC41C2006B	0.76	0.04	34,396	-	THAN13C2007A	-	-	-	-
S5041C2006F	-	-	-	-	SCC41P2006A	-	-	-	-	THAN19C2007A	-	-	-	-
S5041C2006G	0.56	0.06	1,478,238	-	SCC42C2008A	-	-	-	-	THAN19C2010A	0.44	0.03	122,107	-
S5041C2009A	1.37	0.15	2,863,212	1.00	SGP13C2006A	0.01	-	3,500	-	THAN41C2005A	-	-	-	-
S5041C2009B	0.81	(0.19)	178,783	-	SGP13C2007A	0.34	0.02	131,623	-	TISCO1C2006A	0.05	0.03	2,705	-
S5041P2006A	-	-	-	-	SGP19C2006A	-	-	-	-	TISCO1C2006B	-	-	-	-
S5041P2006B	-	-	-	-	SGP19C2006B	0.28	0.03	370,014	-	TISCO1P2006A	1.20	(0.02)	580	1.00
S5041P2006C	1.45	(0.17)	38,673	1.00	SGP42C2007A	3.30	1.02	6,592	2.00	TISC11C2005A	-	-	-	-
S5041P2006D	0.91	(0.10)	3,515	-	SIRI13C2007A	-	-	-	-	TISC11C2007A	0.04	-	100	-
S5041P2006E	0.39	(0.04)	1	-	SIRI19C2007A	0.02	-	800	-	TISC13C2006A	0.01	(0.01)	1,760	-
S5041P2006F	0.15	(0.03)	135,301	-	SPAL06P2009A	0.58	(0.05)	141,783	-	TISC13C2010A	0.60	-	121,098	-
S5041P2006G	0.46	(0.07)	107,367	-	SPAL11C2006A	-	-	-	-	TISC19C2006A	0.01	-	2	-
S5041P2009A	1.24	(0.12)	1,672,564	1.00	SPAL13C2006A	-	-	-	-	TISC19C2010A	0.49	0.02	147,305	-
S5041P2009B	1.27	(0.17)	706,427	1.00	SPAL27C2008A	-	-	-	-	TISC41C2005A	-	-	-	-
SAWA01C2006A	0.12	-	3,000	-	SPRC01C2007A	0.11	0.01	113	-	TISC41C2006A	-	-	-	-
SAWA01C2006B	0.01	-	503	-	SPRC06C2007A	0.03	0.01	20,983	-	TISC41P2006A	-	-	-	-
SAWA01P2006A	1.20	(0.05)	751	1.00	SPRC06C2010A	0.67	0.06	61,636	-	TKN01C2007B	0.10	0.04	102	-
SAWA06C2007A	0.03	(0.01)	5	-	SPRC06P2007A	-	-	-	-	TKN01C2008A	0.31	0.01	2,004	-
SAWA08C2006A	-	-	-	-	SPRC08C2005A	-	-	-	-	TKN08C2007A	0.19	0.01	1,120	-
SAWA13C2005A	-	-	-	-	SPRC08C2006A	-	-	-	-	TKN13C2006A	-	-	-	-
SAWA13C2007A	0.04	-	107	-	SPRC11C2005A	-	-	-	-	TKN13C2010A	0.53	0.03	143,388	-
SAWA13C2009A	0.67	0.01	428,784	-	SPRC11C2008A	0.18	-	500	-	TKN16C2008A	-	-	-	-
SAWA16C2008A	0.10	0.01	1	-	SPRC13C2006A	0.03	(0.02)	2,500	-	TKN19C2007A	-	-	-	-
SAWA19C2005A	-	-	-	-	SPRC13C2008A	0.29	0.15	13	-	TKN19C2010A	0.68	0.04	255,291	-
SAWA19C2009A	0.71	0.01	14,862	-	SPRC13C2010A	0.43	0.03	140,079	-	TKN28C2007A	-	-	-	-
SAWA19C2009B	0.70	-	284,872	-	SPRC19C2005A	-	-	-	-	TKN28C2012A	0.51	0.03	79,136	-
SAWA27C2007A	-	-	-	-	SPRC19C2005B	-	-	-	-	TKN41C2006A	-	-	-	-
SAWA28C2007A	-	-	-	-	SPRC19C2007A	0.16	0.01	320	-	TKN42C2006A	0.38	0.04	14,925	-
SAWA28C2008A	-	-	-	-	SPRC19C2010A	0.52	0.03	57,377	-	TMB19C2007A	0.05	-	4,341	-
SAWA28C2012A	0.55	0.01	75,554	-	SPRC19P2005A	0.46	(0.15)	28	-	TMB41C2005A	0.01	(0.02)	426	-
SAWA41C2005A	-	-	-	-	SPRC28C2008A	0.13	0.03	10	-	TMB41P2006A	-	-	-	-
SAWA41C2009A	0.66	-	49,392	-	SPRC41C2005A	-	-	-	-	TOA01C2006A	-	-	-	-
SAWA41P2005A	-	-	-	-	SPRC41C2006A	-	-	-	-	TOA01C2006B	-	-	-	-
SCB01C2007A	0.05	0.01	1,360	-	SPRC42C2006A	-	-	-	-	TOA13C2007A	0.35	(0.01)	53,945	-
SCB01C2007B	-	-	-	-	STA01C2008B	0.75	0.08	19,541	-	TOA19C2007A	0.37	(0.01)	63,012	-
SCB01C2008B	0.10	-	1,501	-	STA01C2009A	1.00	0.04	1,803	-	TOA19C2010A	0.41	(0.01)	136,995	-
SCB01C2009A	0.36	0.06	36,938	-	STA01P2009A	0.09	(0.02)	42,462	-	TOA24C2005A	-	-	-	-
SCB01P2007A	1.32	(0.15)	321	1.00	STA08C2010A	0.76	0.04	250,1						

Asia Plus Securities Company Limited

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price
SCB08C2005A	0.01	-	3	-
SCB08C2007A	0.06	-	1,500	-
SCB08C2009A	0.70	0.09	85,053	-
SCB11C2005A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
STA13C2009A	0.90	0.05	173,220	-
STA13C2010A	0.48	(0.52)	746,490	-
STA19C2005A	2.72	0.14	138	2.00
STA19C2007A	0.84	0.02	21	-

Daily Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price
TOP01C2009A	0.59	0.07	2,390	-
TOP01P2006A	-	-	-	-
TOP01P2009A	0.34	(0.05)	2,210	-
TOP06C2007A	0.04	-	129,870	-

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP06C2008A	1.33	0.18	64,926	1.00	WHA13C2005A	-	-	-	-	VIBHA-W3	0.15	-	73,370	-
TOP06P2005A	-	-	-	-	WHA13C2006A	0.02	-	3	-	WIHK-W2	0.21	(0.01)	252,495	-
TOP06P2010A	0.52	(0.10)	49,135	-	WHA13C2009A	0.37	0.02	186,097	-	ZMICO-W4	0.09	0.01	43,667	-
TOP08C2007A	0.08	0.02	819	-	WHA16C2006A	-	-	-	-	Preferred Shares	-	-	-	-
TOP08C2010A	0.71	0.07	84,826	-	WHA16C2008A	-	-	-	-	BH-P	-	-	-	-
TOP08P2007A	-	-	-	-	WHA19C2005A	-	-	-	-	CSC-P	-	-	-	-
TOP11C2007A	0.02	-	211	-	WHA19C2006A	0.02	(0.02)	75	-	JUTHA-P	-	-	-	-
TOP11C2011A	0.79	0.06	23,394	-	WHA19C2010A	0.44	0.03	94,452	-	KTB-P	-	-	-	-
TOP13C2006A	-	-	-	-	WHA24C2007A	0.22	0.02	10,302	-	SCB-P	-	-	-	-
TOP13C2008A	0.22	0.05	4,208	-	WHA27C2008A	0.22	0.01	1,258	-	TCAP-P	-	-	-	-
TOP13C2008B	0.90	0.13	12,933	-	WHA28C2006A	-	-	-	-	TISCO-P	-	-	-	-
TOP13C2010A	0.69	(0.31)	326,879	-	WHA28C2012A	0.35	0.01	24,523	-	U-P	1.72	0.03	986	1.00
TOP13P2005A	-	-	-	-	WHA41C2005A	-	-	-	-	Warrant (MAI)	-	-	-	-
TOP13P2006A	-	-	-	-	WHA41C2006A	-	-	-	-	BM-W1	0.08	(0.02)	84,220	-
TOP16C2008A	0.08	0.02	5,559	-	WHA41C2007A	0.17	0.01	5,800	-	BROOK-W5	0.10	-	27,784	-
TOP19C2006A	-	-	-	-	WHA41P2005A	-	-	-	-	CHO-W2	0.06	(0.01)	140,308	-
TOP19C2007A	0.07	0.02	5,217	-	WHA42C2005A	-	-	-	-	D-W1	1.00	0.04	10,501	1.00
TOP19C2008A	0.52	0.08	231,748	-	WHA42C2006A	-	-	-	-	DIMET-W3	-	-	-	-
TOP19C2010A	0.67	0.07	85,142	-	Preferred/Foreign	-	-	-	-	DOD-W1	0.47	-	138,355	-
TOP19P2006A	-	-	-	-	BH-Q	-	-	-	-	ECF-W3	0.35	(0.01)	40,380	-
TOP19P2010A	0.59	(0.41)	73,229	-	CSC-Q	-	-	-	-	EFORL-W3	-	-	-	-
TOP24C2007A	0.03	0.01	1	-	JUTHA-Q	-	-	-	-	EFORL-W4	-	-	-	-
TOP24C2008A	0.79	0.11	12,985	-	KTB-Q	-	-	-	-	FVC-W2	0.01	-	9,006	-
TOP41C2005A	-	-	-	-	SCB-Q	-	-	-	-	HPT-W1	0.24	-	5,555	-
TOP41C2006A	-	-	-	-	TCAP-Q	-	-	-	-	HYDRO-W1	-	-	-	-
TOP41C2007A	-	-	-	-	TISCO-Q	-	-	-	-	ITEL-W1	0.29	-	25,610	-
TOP41C2008A	0.45	0.09	31,060	-	U-Q	-	-	-	-	LIT-W1	0.52	(0.06)	33,199	-
TOP41P2006A	-	-	-	-	Warrant	-	-	-	-	META-W4	0.04	-	124,948	-
TOP41P2010A	0.54	(0.05)	11,858	-	7UP-W4	0.12	-	67,921	-	NEWS-W6	-	-	-	-
TOP42C2007A	0.03	0.01	10	-	AKR-W1	0.07	0.01	512,173	-	OCEAN-W3	0.35	-	20,486	-
TQM19C2010A	1.07	0.17	164,918	1.00	ALT-W1	0.33	(0.02)	24,275	-	PROUD-W2	0.08	(0.03)	21,935	-
TRUE01C2007A	0.20	-	29,111	-	APEX-W1	-	-	-	-	RWI-W2	0.13	(0.02)	681,952	-
TRUE01C2007B	0.05	-	950	-	APURE-W2	0.21	(0.01)	113,052	-	SANKO-W1	0.14	(0.02)	7,883	-
TRUE01P2007B	0.30	(0.07)	532	-	B-W3	-	-	-	-	SIMAT-W2	-	-	-	-
TRUE06C2007A	0.07	-	46	-	B-W4	0.04	-	6,728	-	SIMAT-W3	0.34	(0.01)	4,898	-
TRUE06C2009A	0.38	-	81,317	-	B-W5	0.05	-	82,077	-	SIMAT-W4	0.98	0.01	2	-
TRUE08C2005A	-	-	-	-	B52-W2	-	-	-	-	SMART-W2	0.22	0.01	59,575	-
TRUE08C2007A	-	-	-	-	BKD-W2	0.11	-	17,581	-	SWC-W1	3.08	0.16	10	3.00
TRUE08P2005A	-	-	-	-	BTS-W5	1.25	0.03	2,019,293	1.00	TAKUNI-W	0.05	-	37,731	-
TRUE08P2010A	0.62	(0.02)	71,170	-	CGD-W4	0.06	-	37,021	-	TAPAC-W4	0.46	(0.02)	63,843	-
TRUE11C2005A	-	-	-	-	CGH-W3	0.02	(0.01)	105,497	-	TVD-W2	0.23	0.03	147,964	-
TRUE11C2005B	-	-	-	-	CI-W1	-	-	-	-	Preferred Shares	-	-	-	-
TRUE13C2006A	-	-	-	-	CKP-W1	-	-	-	-	SGF-P1	-	-	-	-
TRUE13C2007A	0.10	-	3	-	CRANE-W1	0.66	(0.17)	50,878	-	-	-	-	-	-
TRUE13C2009A	0.33	0.01	261,880	-	DCC-W1	0.49	(0.01)	33,645	-	-	-	-	-	-
TRUE19C2006A	-	-	-	-	ECL-W3	0.14	0.01	195,399	-	-	-	-	-	-
TRUE19C2007A	-	-	-	-	EIC-W2	-	-	-	-	-	-	-	-	-
TRUE19C2009A	0.36	-	116,349	-	EIC-W3	0.04	(0.01)	350	-	-	-	-	-	-
TRUE19P2005A	-	-	-	-	EMC-W6	0.04	-	21,028	-	-	-	-	-	-
TRUE28C2006A	-	-	-	-	EP-W3	0.37	-	22,687	-	-	-	-	-	-
TRUE28C2012A	0.22	-	58,663	-	GLOCON-W4	0.20	-	45,795	-	-	-	-	-	-
TRUE41C2005A	-	-	-	-	J-W1	0.36	(0.01)	831	-	-	-	-	-	-
TRUE41C2006A	-	-	-	-	JAS-W3	0.57	(0.03)	151,426	-	-	-	-	-	-
TRUE41C2007A	0.15	(0.01)	8,830	-	JCK-W5	0.01	-	55,512	-	-	-	-	-	-
TRUE41P2005A	-	-	-	-	JMT-W2	3.90	0.02	34,093	3.00	-	-	-	-	-
TRUE42C2007A	1.11	-	7,432	1.00	MACO-W2	0.08	-	530,548	-	-	-	-	-	-
TTW27C2009A	0.24	0.01	15,149	-	MILL-W4	0.05	(0.01)	134,724	-	-	-	-	-	-
TU06C2009A	0.25	(0.02)	29,890	-	MILL-W5	-	-	-	-	-	-	-	-	-
TU06P2007A	0.45	0.03	480	-	MINT-W6	1.75	(0.05)	323,321	1.00	-	-	-	-	-
TU08C2008A	0.12	(0.01)	20,879	-	NFC-W1	0.74	(0.11)	1,617	-	-	-	-	-	-
TU11C2008A	0.13	(0.02)	3,100	-	NOK-W1	-	-	-	-	-	-	-	-	-
TU13C2010A	0.28	(0.02)	4,744	-	NVD-W1	0.14	-	98,186	-	-	-	-	-	-
TU19C2005A	-	-	-	-	ORI-W1	0.33	0.01	376,910	-	-	-	-	-	-
TU19C2007A	0.06	-	1,501	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU19C2009A	0.09	(0.01)	35,672	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU19C2010A	0.24	(0.01)	9,713	-	PDI-W1	0.64	(0.10)	428,869	-	-	-	-	-	-
TU24C2006A	0.14	(0.03)	2,177	-	PDJ-W4	0.29	(0.02)	5,929	-	-	-	-	-	-
TU27C2006A	-	-	-	-	PERM-W1	0.15	0.01	26,796	-	-	-	-	-	-
TU28C2012A	0.15	-	3,105	-	PORT-W1	0.59	0.04	123,935	-	-	-	-	-	-
TU41C2005A	-	-	-	-	PPPM-W4	0.11	-	5,977	-	-	-	-	-	-
TU41C2009A	0.16	(0.01)	6,864	-	PRIME-W1	0.03	(0.01)	9,667	-	-	-	-	-	-
TU42C2007A	0.02	(0.08)	700	-	PRIME-W2	0.02	(0.01)	13,838	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	RICHY-W2	-	-	-	-	-	-	-	-	-
TVO19C2007A	-	-	-	-	RS-W3	-	-	-	-	-	-	-	-	-
VGI01C2005A	0.07	-	2	-	SAMART-W2	0.37	0.02	38,875	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	SAWAD-W1	-	-	-	-	-	-	-	-	-
VGI08C2006A	0.02	(0.05)	72	-	SDC-W1	0.12	0.02	2,118	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	SINGER-W1	2.04	0.02	12,495	2.00	-	-	-	-	-
VGI13C2006A	-	-	-	-	SINGER-W2	2.18	0.06	15,189	2.00	-	-	-	-	-
VGI13C2010A	0.41	0.01	137,109	-	SMT-W2	-	-	-	-	-	-	-	-	-
VGI19C2006A	-	-	-	-	SST-W2	0.81	0.01	574	-	-	-	-	-	-
VGI19C2010A	0.58	-	61,219	-	SUPER-W4	0.01	-	15,061	-	-	-	-	-	-
VGI41C2006A	-	-	-	-	TCC-W3	0.05	0.01	22,526	-	-	-	-	-	-
VGI41C2007A	0.26	0.02	14,550	-	TCC-W4	0.05	0.01	85,165	-	-	-	-	-	-
WHA01C2005A	0.01	-	772	-	TCC-W5	0.13	0.01	1,141	-	-	-	-	-	-
WHA01C2005B	-	-	-	-	TCJ-W2	-	-	-	-	-	-	-	-	-
WHA01C2008B	-	-	-	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
WHA01C2009A	0.45	0.02	220	-	TH-W2	-	-	-	-	-	-	-	-	-
WHA01P2005A	0.81	(0.13)	42	-	TNITY-W1	0.21	-	15,133	-	-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA01P2009A	0.33	(0.02)	326	-	TRITN-W3	0.09	0.01	46,116	-	-	-	-	-	-
WHA06C2007A	0.03	0.01	2,691	-	TTCL-W1	0.37	-	3,618	-	-	-	-	-	-
WHA08C2005A	-	-	-	-	U-W4	0.01	-	7,901	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	UAC-W2	0.06	(0.05)	79,523	-	-	-	-	-	-
WHA08P2006A	0.55	(0.05)	5	-	VGI-W2	0.98	0.01	1,015,402	1.00	-	-	-	-	-
WHA11C2008A	-	-	-	-	VIBHA-W2	0.56	0.03	60,587	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Main Board Quotation

Issue Date :

Tuesday May 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-