

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday June 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	2.72	(0.02)	72,308	2.73	MCOT	5.80	-	5,232	5.86
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	2.88	(0.10)	65,253	2.97
SAFARI	-	-	-	-	DIF	15.90	0.10	95,738	15.87	MPIC	1.49	0.04	4	1.49
VI	-	-	-	-	DTAC	42.75	(2.50)	95,916	43.97	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.50	(0.10)	885	5.48	PLANB	6.00	(0.40)	676,600	6.30
WR	-	-	-	-	HUMAN	8.00	-	13,021	7.95	POST	1.60	0.02	22	1.58
Agribusiness					ILINK	3.66	(0.06)	5,865	3.68	PRAKIT	8.00	-	634	8.00
CHOTI	72.25	(0.75)	2	72.25	INET	2.16	(0.04)	60,196	2.18	SE-ED	1.40	-	130	1.40
EE	0.48	(0.01)	117,464	0.49	INTUCH	56.25	(0.50)	167,881	56.49	TBSP	13.50	0.20	7	13.76
GFPT	13.10	0.20	131,152	13.08	JAS	3.86	(0.20)	2,217,155	3.96	TH	0.48	(0.03)	2,425	0.49
LEE	2.22	0.02	932	2.21	JASIF	9.45	-	127,963	9.47	TKS	5.15	(0.05)	5,693	5.24
NER	2.56	(0.18)	1,212,419	2.69	JMART	9.85	(0.05)	158,589	9.95	VGI	7.45	(0.30)	235,599	7.66
PPPM	0.38	(0.01)	24,806	0.38	JTS	1.36	0.17	41,569	1.35	WAVE	1.14	(0.06)	149	1.15
STA	24.90	(1.10)	262,006	25.57	MFEF	4.42	(0.06)	8,743	4.46	WORK	11.50	(0.20)	233,556	12.03
TRUBB	1.90	0.04	116,791	1.87	MSC	4.92	(0.04)	2,155	4.92	Finance & Securities	-	-	-	-
TWPC	4.24	(0.06)	24,597	4.30	PT	4.58	(0.06)	3,699	4.64	AEC	0.37	0.04	125,308	0.37
UPOIC	3.50	-	261	3.49	SAMART	5.40	(0.30)	29,273	5.58	AEONTS	146.00	(5.00)	6,656	148.37
UVAN	4.28	(0.02)	1,199	4.29	SAMTEL	5.50	(0.20)	15,493	5.70	AMANAHA	2.96	(0.04)	1,017,530	3.07
VPO	0.40	(0.01)	2,334	0.41	SDC	0.17	-	24,691	0.17	ASAP	1.44	(0.08)	101,640	1.46
Banking					SIS	8.20	(0.10)	5,239	8.26	ASK	18.90	(0.30)	18,157	19.15
BAY	26.75	(0.75)	17,628	26.90	SVOA	1.01	0.05	203,092	1.04	ASP	1.85	(0.04)	95,885	1.89
BBL	123.00	1.50	170,814	123.81	SYMC	3.40	0.04	212	3.41	BAM	25.00	(1.00)	2,307,398	25.32
CIMBT	0.69	(0.01)	142,900	0.69	SYNEX	7.20	(0.05)	15,674	7.16	BFIT	31.25	(1.75)	43,784	32.14
KBANK	113.00	(1.00)	260,180	115.01	THCOM	3.94	0.16	417,278	4.03	CGH	0.78	-	89,432	0.79
KKP	49.25	0.50	137,200	50.01	TRUE	3.84	(0.14)	1,387,814	3.90	ECL	0.97	(0.05)	193,063	1.01
KTB	11.80	(0.10)	1,122,738	11.98	TWZ	0.07	-	678,013	0.07	FNS	2.24	(0.02)	9,177	2.27
LHFG	1.16	(0.02)	53,798	1.16	Electronic Componer	-	-	-	-	FSS	1.50	0.19	61,186	1.45
SCB	87.75	0.25	320,185	88.98	CCET	1.58	0.02	162,521	1.64	GBX	0.50	-	62,958	0.52
TCAP	41.25	(1.00)	105,910	42.28	DELTA	54.75	0.25	13,117	55.70	GL	4.26	(0.20)	106,215	4.45
TISCO	79.75	(1.00)	102,684	81.01	HANA	30.25	(0.25)	28,507	30.72	IFS	2.64	(0.06)	32,057	2.67
TMB	1.22	(0.03)	5,942,641	1.24	KCE	19.50	-	934,311	19.92	JMT	21.00	(0.40)	73,599	21.06
Construction Materia					METCO	137.00	(2.00)	22	138.34	KCAR	7.60	(0.05)	5,367	7.64
CCP	0.30	0.01	117,849	0.29	NEX	3.88	(0.12)	72,273	3.96	KGI	3.58	(0.12)	107,658	3.65
COTTO	1.24	0.02	56,813	1.27	SMT	1.14	(0.02)	24,008	1.18	KTC	38.50	(0.75)	98,409	38.59
DCC	1.87	(0.02)	140,581	1.86	SVI	3.08	(0.08)	107,414	3.20	MBKET	8.60	-	6,113	8.67
DCON	0.31	(0.01)	30,258	0.31	TEAM	0.76	0.01	4,839	0.78	MFC	13.50	(0.10)	323	13.70
DRT	5.75	-	10,716	5.79	W	0.13	-	3,005,239	0.13	ML	0.81	(0.01)	6,427	0.82
EPG	5.00	(0.45)	385,906	5.43	Energy & Utilities	-	-	-	-	MTC	56.25	(1.25)	90,792	57.02
GEL	0.20	(0.02)	63,654	0.21	7UP	0.43	(0.01)	193,523	0.43	PE	-	-	-	-
PPP	1.97	-	3,020	1.96	ABPIF	3.54	-	353	3.53	PL	2.10	-	29,111	2.12
Q-CON	5.00	-	20	5.03	ACE	4.22	0.08	586,478	4.18	S11	5.55	(0.25)	13,016	5.67
RCI	2.86	0.08	3,550	2.84	AI	1.30	(0.03)	67,324	1.33	SAWAD	60.00	(1.50)	172,545	61.29
SCC	367.00	4.00	54,171	371.35	AKR	0.53	-	50,178	0.54	THANI	4.04	(0.08)	705,085	4.14
SCCC	140.00	(0.50)	4,231	141.39	BAFS	25.50	(0.75)	7,965	25.93	TK	7.95	-	10,975	8.04
SCP	5.45	(0.20)	4,370	5.53	BANPU	6.70	(0.25)	697,231	6.84	TNITY	3.78	(0.04)	1,170	3.84
SKN	2.10	(0.02)	5,527	2.14	BCP	22.40	(1.20)	67,840	22.90	UOBKH	3.54	-	326	3.54
TASCO	23.60	-	578,035	24.13	BCPG	17.20	(0.20)	150,152	17.66	ZMICO	0.69	-	56,273	0.69
TCMC	1.24	0.13	943,160	1.23	BGRIM	53.75	(3.00)	463,482	56.50	Food & Beverage	-	-	-	-
TOA	36.00	(0.75)	41,292	36.76	BPP	17.70	(0.40)	33,925	18.01	APURE	2.14	(0.02)	27,384	2.14
TPIPL	1.28	(0.01)	324,583	1.31	BRGIF	7.10	-	616	7.09	ASIAN	6.30	(0.30)	22,100	6.49
UMI	0.67	0.08	191,437	0.65	CKP	4.48	(0.16)	442,014	4.60	BR	2.06	(0.08)	14,370	2.12
VNG	3.22	-	3,094	3.24	DEMCO	3.14	(0.10)	17,833	3.19	BRR	3.14	-	1,153	3.15
WIJK	1.41	0.01	48,211	1.42	EA	41.75	(2.00)	79,301	42.67	CBG	92.00	(4.75)	119,238	94.48
Petrochemicals & Ch					EASTW	10.40	(0.10)	39,453	10.48	CFRESH	2.46	(0.06)	4,829	2.46
BCT	41.50	1.75	1,514	41.20	EGATIF	12.00	0.10	8,991	11.97	CM	2.84	(0.02)	164	2.84
CMAN	1.31	-	10,501	1.32	EGCO	272.00	(8.00)	17,589	276.19	CPF	32.00	(0.75)	727,177	31.86
GC	5.25	0.05	1,764	5.25	ESSO	7.20	(0.60)	626,949	7.46	CPI	1.26	-	1,354	1.26
GGC	9.00	(0.35)	40,140	9.31	GPSC	78.50	(1.75)	386,574	80.88	F&D	-	-	-	-
GIFT	2.28	(0.06)	11,433	2.31	GULF	37.25	(0.75)	595,577	37.98	HTC	18.30	(0.40)	7,365	18.62
IVL	30.75	(1.75)	410,270	31.66	GUNKUL	2.86	0.02	933,219	2.88	ICHI	6.85	0.05	387,114	6.98
NFC	1.73	(0.01)	47	1.74	IFEC	-	-	-	-	KBS	3.14	(0.04)	897	3.16
PATO	9.00	(0.15)	557	9.08	IRPC	2.84	(0.16)	1,614,900	2.91	KSL	2.28	(0.08)	50,931	2.30
PMTA	8.55	-	8	8.55	LANNA	7.75	0.10	6,933	7.74	KTIS	2.98	(0.04)	2,106	2.99
PTTGC	48.75	(2.50)	393,090	49.63	MDX	2.08	(0.02)	4,846	2.10	LST	4.46	(0.16)	9,403	4.53
SUTHA	3.40	-	637	3.33	PRIME	0.34	(0.01)	8,064	0.35	M	58.50	(0.50)	9,256	58.95
TCCC	20.30	0.10	490	20.32	PTG	15.70	(0.60)	383,311	15.94	MALEE	6.80	(0.35)	13,561	7.02
TPA	5.25	(0.10)	36	5.30	PTT	39.00	(1.75)	1,165,673	39.43	MINT	23.90	0.80	3,313,358	24.61
UAC	3.44	-	7,700	3.43	PTTEP	95.50	(6.00)	358,954	97.65	OISHI	42.50	(1.00)	357	43.06
UP	-	-	-	-	RATCH	67.25	(2.50)	93,791	68.21	OSP	40.25	(0.25)	149,104	40.70
VNT	22.90	(0.60)	32,128	23.12	RPC	0.54	(0.03)	17,625	0.56	PB	69.50	(0.50)	23	69.58
WG	145.00	(0.50)	4	145.88	SCG	4.00	-	40	3.99	PM	6.95	(0.05)	9,733	6.95
YCI	-	-	-	-	SCI	1.33	(0.06)	12,695	1.37	PRG	12.00	-	12	12.02
Commerce					SCN	1.89	0.02	162,668	1.96	RBF	6.50	0.05	364,881	6.56
BEAUTY	1.72	(0.08)	402,741	1.76	SGP	9.00	(0.20)	81,196	9.27	SAPPE	17.70	0.10	18,543	17.90
BIG	0.55	(0.04)	197,924	0.57	SKE	0.82	-	8,319	0.84	SAUCE	23.90	(0.20)	85	23.97
BIC	41.75	(2.25)	75,825	42.72	SOLAR	1.14	(0.02)	11,703	1.17	SFP	-	-	-	-
COL	15.40	(0.20)	2,402	15.64	SPG	17.80	(0.30)	11,334	17.98	SNP	10.90	-	306	11.00
COM7	26.00	(1.25)	183,367	26.27	SPRC	6.80	(0.50)	906,396	6.95	SORKON	52.00	(1.00)	13	53.08
CPALL	71.50	(0.75)	477,975	71.89	SSP	7.55	(0.05)	6,906	7.59	SSC	38.00	(1.50)	37	38.85
CPW	1.64	(0.10)	58,646	1.68	SUPER	0.85	(0.04)	8,306,016	0.87	SSF	6.55	(0.35)	6	6.55
CRC	36.00	(1.50)	154,808	36.89	SUPEREIF	11.50	(0.30)	23,160	11.53	SST	2.78	(0.06)	494	2.80
CSS	1.20	(0.09)	64,272	1.26	SUSCO	2.56	0.02	105,998	2.61	TC	3.48	(0.06)	439	3.45
DOHOME	9.30	0.05	267,898	9.36	TAE	2.74	(0.06)	11,469	2.76	TFG	4.30	(0.16)	135,288	4.34
FN	1.06	0.04	256,041	1.10	TCC	0.23	-	40,056	0.23	TFMAMA	198.50	-	175	199.47
FTE	1.69	-	3,845	1.69	TOP	46.50	(2.50)	343,354	47.83	TIPCO	6.50	(0.05)	22,288	6.62
GLOBAL	16.20	(0.40)	108,774	16.39	TPIPP	4.08	(0.04)	362,661	4.12	TKN	10.80	0.95	1,550,237	10.66
HMPRO	15.50	-	386,876	15.87	TSE	2.88	(0.02)	304,170	2.96	TU	12.80	(0.80)	768,195	13.00
ILM	12.20	(0.40)	41,724	12.45	TTW	13.90	(0.10)	26,543	13.99	TVO	27.25	(0.25)	16,959	27.52
IT	2.54	-	2,521	2.53	WHAUP	4.68	(0.10)	118,485	4.76	ZEN	9.50	0.40	51,472	9.51
KAMART	3.04	(0.10)	30,013	3.12	WP	5.05	-	1,920	5.00	Health Care Services	-	-	-	-
LOXLEY	1.57													

Main Board Quotation

Issue Date :

Tuesday June 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.88	(0.12)	47,693	2.94	CGD	0.69	0.07	155,660	0.68	IHL	2.46	(0.10)	220,676	2.64
RAM	149.00	-	51	149.35	CI	0.81	(0.01)	805	0.82	INGRS	0.41	0.02	37,306	0.40
RJH	22.70	(0.10)	4,615	22.60	CPN	53.50	(0.25)	93,268	54.10	IRC	13.60	-	355	13.84
RPH	5.50	(0.05)	28,659	5.53	ESTAR	0.37	(0.02)	11,473	0.38	PCSGH	4.46	(0.04)	300	4.50
SKR	5.00	-	270	5.03	EVER	0.24	(0.01)	125,708	0.24	SAT	11.30	(0.20)	10,696	11.54
SVH	424.00	(6.00)	5	426.00	FPT	12.60	-	1,300	12.78	SPG	13.00	(0.30)	3	13.03
THG	20.50	(0.50)	6,867	20.84	GLAND	2.30	(0.02)	663	2.32	STANLY	173.00	(1.00)	860	174.08
VIBHA	1.61	(0.04)	80,350	1.64	GOLD	8.40	-	3,261	8.40	TKT	0.86	-	1,302	0.83
VIH	7.00	-	21,029	7.06	GREEN	0.77	-	11,156	0.79	TNPC	0.78	(0.03)	1,170	0.80
WPH	1.68	(0.05)	3,994	1.70	J	0.75	(0.02)	20,260	0.74	TRU	3.48	(0.02)	2,051	3.47
Tourism & Leisure	-	-	-	-	JCK	0.68	(0.02)	3,805	0.70	TSC	10.00	-	82	10.00
ASIA	4.12	0.12	400	4.01	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	25.00	-	208,808	26.05	KWG	0.91	(0.02)	2,275	0.91	ALLA	1.30	0.01	29,563	1.30
CSR	-	-	-	-	LALIN	4.72	-	2,422	4.70	ASEFA	3.22	-	2,069	3.20
DTC	7.85	0.80	92,496	7.78	LH	7.85	(0.35)	889,039	8.01	CPT	0.85	(0.02)	11,269	0.85
ERW	4.14	0.04	1,576,493	4.31	LPN	4.86	(0.24)	391,324	4.97	CRANE	2.24	0.08	13,336	2.22
GRAND	0.64	0.02	49,881	0.64	MBK	16.10	0.30	202,047	16.39	CTW	4.92	(0.08)	1,143	4.97
LRH	36.25	-	55	36.57	MJD	1.93	(0.05)	48,482	1.95	FMT	-	-	-	-
MANRIN	23.20	(0.10)	1	23.20	MK	2.68	-	11,130	2.66	HTECH	2.66	0.02	15,100	2.72
OHTL	380.00	8.00	15	366.67	NCH	0.60	(0.01)	1,331	0.61	KKC	0.45	0.05	3,355	0.44
ROH	35.50	3.50	3	34.00	NNCL	1.88	0.03	33,689	1.87	PK	1.68	(0.06)	628	1.69
SHANG	62.00	-	48	62.03	NOBLE	11.90	(0.20)	18,296	12.06	SNC	8.95	(0.10)	4,009	8.99
SHR	2.40	0.02	648,750	2.48	NUSA	0.36	(0.01)	222,923	0.37	STARK	2.00	(0.06)	222,354	2.02
VRANDA	6.10	(0.40)	12,620	6.53	NVD	1.17	(0.03)	8,234	1.17	TCJ	2.82	(0.10)	1,411	2.89
Home & Office Produ	-	-	-	-	ORI	5.30	(0.35)	250,927	5.46	VARO	3.94	(0.04)	50	3.95
ACC	0.60	0.01	2,372	0.59	PACE	0.03	-	135,109	0.03	Property Fund & REIT	-	-	-	-
AJA	0.16	0.02	1,603,640	0.15	PF	0.45	(0.03)	2,865,953	0.46	AIMCG	7.75	(0.35)	1,663	7.87
DTCI	-	-	-	-	PLAT	3.40	(0.02)	137,335	3.50	AIMIRT	13.10	(0.10)	4,239	13.15
FANCY	0.53	(0.04)	9,854	0.56	POLAR	-	-	-	-	AMATAR	10.40	(0.10)	129	10.36
KYE	316.00	(2.00)	6	316.83	PRECHA	0.93	(0.14)	5,498	0.98	B-WORK	12.10	-	928	11.97
L&E	1.59	(0.01)	5,146	1.60	PRIN	1.50	(0.02)	2,836	1.51	BKER	7.10	(0.05)	521	7.10
MODERN	2.48	-	4,833	2.50	PSH	12.80	(0.30)	24,211	12.97	BKKCP	11.80	-	100	11.80
OGC	-	-	-	-	QH	2.28	(0.06)	721,948	2.31	BOFFICE	14.20	-	216	14.20
ROCK	-	-	-	-	RICHY	0.69	(0.02)	64,222	0.70	CPNCG	11.30	(0.20)	6,629	11.30
SIAM	1.44	(0.01)	6,875	1.44	RML	0.63	(0.05)	146,037	0.64	CPNREIT	28.25	(0.75)	13,711	28.66
TSR	2.02	(0.06)	3,049	2.05	ROJNA	4.20	(0.16)	26,783	4.27	CPTGF	12.30	(0.10)	161	12.32
Insurance	-	-	-	-	S	1.81	(0.03)	222,641	1.86	CTARAF	5.10	-	589	5.10
AYUD	35.50	-	39	35.50	SAMCO	1.23	(0.01)	10,628	1.23	DREIT	4.70	(0.06)	1,863	4.68
BKI	282.00	-	50	281.34	SC	2.18	(0.02)	87,513	2.21	ERWPF	4.84	0.06	11	4.82
BLA	17.20	(0.30)	37,919	17.39	SENA	2.62	(0.10)	20,509	2.67	FTREIT	16.40	0.30	9,333	16.34
BUI	7.80	0.05	1	7.80	SF	4.84	(0.10)	73,295	4.96	FUTUREPF	19.30	0.10	1,641	19.27
CHARAN	21.80	(0.10)	1	21.80	SIRI	0.89	(0.02)	2,194,967	0.91	GAHREIT	7.35	-	330	7.35
INSURE	-	-	-	-	SPALI	15.60	(0.50)	72,704	16.00	GOLDPF	6.10	0.05	62	6.05
MTI	88.25	(0.25)	2	88.25	U	1.61	(0.04)	1,713,393	1.70	GVREIT	15.80	0.10	846	15.69
NKI	-	-	-	-	UV	3.56	(0.16)	80,460	3.68	HPF	4.76	(0.14)	507	4.75
NSI	55.00	(1.00)	2	55.13	WHA	3.24	(0.10)	1,100,468	3.30	HREIT	8.60	-	5,233	8.64
SEG	28.25	-	1	28.25	WIN	0.38	(0.01)	1,643	0.38	IMPACT	19.80	-	12,827	19.63
SMK	34.00	-	24	34.00	Paper & Printing Mat	-	-	-	-	KNPFP	6.90	(0.05)	4	6.90
THRE	0.53	(0.02)	176,291	0.55	UTP	10.50	(0.50)	40,051	10.84	LHHOTEL	13.30	-	176	13.41
THREL	2.74	(0.06)	44,255	2.84	Fashion	-	-	-	-	LHPF	6.30	(0.05)	550	6.32
TIP	22.50	(0.40)	6,727	22.73	AFC	-	-	-	-	LHSC	14.30	(0.30)	673	14.39
TQM	98.00	(2.00)	5,897	99.70	B52	0.15	-	88,570	0.15	LUXF	6.55	(0.05)	398	6.53
TSI	0.33	0.01	219,146	0.35	BTNC	12.00	(0.20)	34	11.97	M-II	7.45	(0.10)	5	7.45
TVI	3.24	(0.04)	2,895	3.24	CPH	3.24	0.02	10	3.24	M-PAT	4.30	(0.08)	6	4.30
Mining	-	-	-	-	CPL	0.89	-	144	0.88	M-STOR	5.95	(0.05)	200	5.95
PDI	6.60	(0.30)	2,637	6.74	ICC	32.50	-	16	32.66	MIPF	14.80	0.80	1	14.80
THL	-	-	-	-	NC	8.10	(0.10)	186	8.07	MIT	2.60	0.14	21	2.61
Packaging	-	-	-	-	PAF	0.59	(0.01)	8,168	0.60	MJLF	8.00	0.10	1,168	8.00
AJ	13.10	(0.70)	29,572	13.61	PDJ	1.08	-	2,501	1.07	MNIT	1.51	0.11	1	1.51
ALUCON	146.00	1.50	11	145.95	PG	-	-	-	-	MNIT2	-	-	-	-
BGC	11.60	0.10	73,276	11.80	SABINA	19.20	(0.40)	10,064	19.53	MNRF	2.78	-	3	2.78
CSC	48.75	(0.75)	94	49.23	SAWANG	10.90	(0.10)	104	12.33	POPF	11.40	(0.10)	813	11.45
GLOCON	0.62	(0.04)	67,704	0.64	SUC	37.00	-	96	37.41	PPF	11.40	0.10	1	11.40
NEP	0.16	(0.01)	12,151	0.17	TNL	18.50	-	7	18.50	QHHR	7.25	(0.10)	1,250	7.32
PTL	15.80	(0.10)	42,000	15.87	TPCORP	9.75	(0.05)	14	9.76	QHOP	2.60	(0.06)	246	2.62
SFLEX	9.30	(0.05)	4,097	9.27	TR	27.00	(0.50)	77	27.78	QHPP	11.20	0.20	4,227	11.09
SITHAI	0.73	0.01	8,070	0.72	TTI	-	-	-	-	SBPF	2.42	(0.24)	298	2.44
SLP	0.47	-	1,870	0.48	TTT	45.75	0.75	40	46.07	SHREIT	4.48	(0.02)	4,140	4.50
SMPC	8.50	(0.05)	16,739	8.59	UPF	42.50	(1.25)	4	42.38	SIRIP	9.80	(0.05)	26	9.80
SPACK	2.26	(0.08)	22,960	2.27	UT	-	-	-	-	SPF	15.80	(0.70)	9,510	16.08
TCOAT	-	-	-	-	WACOAL	46.75	1.00	2	46.75	SPRIME	-	-	-	-
TFI	0.05	-	852	0.04	Transportation & Log	-	-	-	-	SRIPANWA	8.30	(0.05)	56	8.36
THIP	23.60	(0.20)	803	23.82	AAV	2.26	(0.04)	852,100	2.31	SSPF	9.00	-	131	8.99
TMD	21.80	0.10	76	21.55	AOT	65.75	(1.25)	344,287	66.46	SSTRT	5.40	(0.05)	570	5.36
TOPP	187.50	(24.50)	4	188.25	ASIMAR	1.35	(0.06)	10,693	1.38	TIF1	8.60	0.10	126	8.46
TPBI	3.54	0.04	2,811	3.54	B	0.28	(0.01)	8,936	0.28	TLGF	19.90	(0.60)	5,572	20.03
TPP	15.10	-	15	14.97	BA	7.05	(0.05)	65,238	7.15	TLHPF	9.10	-	5	9.10
Personal Products &	-	-	-	-	BEM	10.00	(0.30)	552,009	10.05	TNPF	2.20	0.08	1	2.20
APCO	3.82	0.04	3,768	3.81	BTS	11.90	(0.10)	409,843	11.96	TPRIME	-	-	-	-
DDD	19.30	0.10	17,250	19.44	BTSGIF	7.40	(0.10)	55,869	7.48	TTLPF	21.60	-	9	21.59
JCT	80.00	(2.00)	3	80.17	III	4.50	(0.08)	19,397	4.56	TU-PF	-	-	-	-
OCC	9.25	(0.05)	19	9.14	JUTHA	0.44	-	9	0.45	URBNPF	-	-	-	-
S & J	-	-	-	-	JWD	6.95	(0.35)	53,215	7.08	WHABT	8.75			

Main Board Quotation

Issue Date :

Tuesday June 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.73	(0.02)	29,399	-	ADVA01P2007B	0.23	0.05	2,706	-
ABICO	4.60	(0.06)	2,967	4.00	AIE	0.45	(0.01)	152,823	-	ADVA06C2009A	0.26	(0.05)	86,259	-
AU	10.30	0.30	320,347	10.00	PSTC	2.04	(0.06)	345,140	2.00	ADVA06C2010A	0.85	(0.09)	9,007	-
JCKH	0.29	0.01	9	-	QTC	4.10	0.10	5,777	4.00	ADVA06P2011A	0.89	0.09	117,471	-
KASET	1.66	(0.06)	3,110	1.00	SAAM	0.97	(0.08)	7,377	1.00	ADVA08C2009A	0.50	(0.07)	42,124	-
MM	1.70	(0.01)	397	1.00	SEAOIL	2.74	(0.18)	72,623	2.00	ADVA08P2009A	0.56	0.05	54,457	-
SUN	2.20	(0.06)	7,095	2.00	SR	0.83	0.03	18	-	ADVA11C2006A	-	-	-	-
TACC	4.34	(0.10)	54,342	4.00	TAKUNI	0.46	0.04	254,510	-	ADVA11C2011A	0.84	(0.06)	40,840	-
TMILL	3.00	(0.04)	5,480	3.00	TPCH	12.10	(0.30)	31,762	12.00	ADVA11P2011A	0.76	0.03	33,147	-
XO	6.15	(0.05)	4,240	6.00	TRT	1.65	(0.02)	3,834	1.00	ADVA13C2006A	-	-	-	-
Consumer Products	-	-	-	-	UMS	0.33	0.02	526	-	ADVA13C2007A	-	-	-	-
BGT	1.06	0.01	685	1.00	UWC	0.04	-	752,568	-	ADVA13C2008A	0.23	(0.03)	81,674	-
BIZ	3.58	(0.12)	22,327	3.00	Services (MAI)	-	-	-	-	ADVA13C2010A	0.92	(0.10)	158,023	-
DOD	7.00	(0.20)	36,022	7.00	A5	-	-	-	-	ADVA13P2009A	1.00	0.05	108,452	-
ECF	1.19	(0.01)	166,251	1.00	AKP	0.99	(0.02)	3,378	1.00	ADVA16C2007A	-	-	-	-
HPT	0.67	-	1,110	-	AMA	4.80	(0.08)	5,575	4.00	ADVA16C2009A	0.20	0.02	1	-
IP	7.25	0.25	20,555	7.00	ARIP	0.35	(0.03)	5,068	-	ADVA19C2007A	0.37	(0.08)	178	-
JUBILE	16.70	(0.50)	4,606	16.00	ATP30	0.86	(0.05)	137,049	-	ADVA19C2007B	0.08	(0.04)	1,000	-
MOONG	3.50	(0.06)	5,606	3.00	AUCT	6.95	(0.30)	37,967	7.00	ADVA19C2008A	0.78	(0.11)	17,256	-
NPK	9.90	(0.60)	105	9.00	BOL	3.70	(0.08)	2,489	3.00	ADVA19C2009A	0.46	(0.07)	179,596	-
OCEAN	0.89	(0.03)	15,903	-	CHUO	-	-	-	-	ADVA19C2010A	0.22	(0.02)	240,767	-
TM	2.32	(0.08)	4,908	2.00	CMO	0.97	(0.03)	2,832	-	ADVA19P2006A	-	-	-	-
Financials (MAI)	-	-	-	-	D	3.48	(0.02)	659	3.00	ADVA19P2009A	0.20	0.02	67,190	-
ACAP	0.92	0.12	226,190	-	DCORP	0.35	-	48,968	-	ADVA19P2010A	0.71	0.04	18,388	-
AF	0.61	(0.01)	940	-	EFORL	0.03	-	280,559	-	ADVA24C2006A	-	-	-	-
AIRA	0.99	-	43	-	ETE	0.76	(0.03)	8,136	-	ADVA24C2009A	0.41	(0.06)	29,276	-
ASN	3.80	(0.14)	709	3.00	FSMART	5.95	(0.10)	15,518	6.00	ADVA28C2007A	0.03	-	18	-
BROOK	0.39	-	21,902	-	FVC	0.37	0.02	32,563	-	ADVA28C2008A	0.44	(0.10)	28,682	-
CHAYO	6.15	(0.20)	201,968	6.00	GSC	0.78	(0.01)	58,078	-	ADVA28C2008B	0.86	(0.14)	31	-
GCAP	1.76	(0.05)	639,216	1.00	HARN	2.08	(0.04)	7,606	2.00	ADVA28C2012A	0.16	(0.02)	38,771	-
LIT	3.40	(0.12)	24,091	3.00	IMH	2.40	-	1,098	2.00	ADVA28P2012A	0.35	0.02	22,342	-
MITSI	1.09	0.01	28,227	1.00	JKN	5.55	0.10	287,487	5.00	ADVA41C2006A	-	-	-	-
SGF	0.58	(0.03)	77,051	-	KIAT	0.49	0.01	164,982	-	ADVA41C2007A	-	-	-	-
Industrials (MAI)	-	-	-	-	KOOL	0.79	(0.03)	6,556	-	ADVA41C2007B	0.38	(0.13)	1,568	-
ZS	2.48	(0.06)	4,697	2.00	LDC	0.80	(0.01)	1,397	-	ADVA41P2009A	0.94	0.05	4,920	-
ACG	0.95	-	12,966	-	MORE	0.31	0.04	1,305,885	-	ADVA42P2007A	0.80	0.06	7,292	-
ADB	0.70	(0.04)	3,362	-	MPG	0.19	-	2,673	-	AEON13C2007A	0.08	(0.02)	2,021	-
BM	2.26	(0.04)	1,132	2.00	MVP	1.27	-	5,728	1.00	AEON13C2010A	0.66	(0.10)	19,335	-
CHO	0.48	(0.02)	155,387	-	NBC	0.61	(0.01)	1,349	-	AEON19C2006A	-	-	-	-
CHOW	2.28	(0.10)	11,178	2.00	NCL	0.90	0.11	50,113	-	AEON19C2010A	0.93	(0.10)	144,986	-
CIG	0.22	(0.01)	18,890	-	NEWS	0.01	-	3,094,952	-	AMAT01C2007B	0.06	-	1	-
COLOR	1.23	0.02	8,687	1.00	NINE	1.76	(0.02)	138	1.00	AMAT01C2008A	0.36	(0.04)	341	-
CPR	3.26	-	2,119	3.00	OTO	2.88	0.06	57,591	3.00	AMAT01P2008A	0.39	0.03	356	-
FPI	2.12	-	1,565	2.00	PHOL	2.62	0.06	24,332	2.00	AMAT06C2010A	0.82	(0.14)	53,293	-
GTB	0.57	(0.02)	14,913	-	PICO	3.24	(0.02)	1	3.00	AMAT08C2010A	0.62	(0.07)	38,863	-
KCM	0.49	-	12,322	-	QLT	4.14	(0.02)	611	4.00	AMAT11C2008A	0.08	(0.02)	835	-
KUMWEL	0.91	(0.03)	11,497	-	RP	1.56	(0.05)	22,308	1.00	AMAT13C2006A	-	-	-	-
KWM	0.73	-	5,390	-	SE	1.35	(0.02)	3,018	1.00	AMAT13C2010A	0.55	(0.09)	751,818	-
MBAX	4.24	(0.02)	844	4.00	SONIC	1.02	(0.03)	7,300	1.00	AMAT16C2006A	-	-	-	-
MGT	1.85	0.03	4,462	1.00	SPA	7.55	(0.35)	52,372	7.00	AMAT16C2008A	0.11	0.01	200	-
NDR	1.14	(0.07)	2,426	1.00	THMUI	0.57	-	3,034	-	AMAT19C2006A	-	-	-	-
PDG	3.34	(0.02)	1,166	3.00	TNDT	3.00	0.12	25,642	3.00	AMAT19C2008A	0.30	(0.05)	1,256	-
PIMO	1.37	(0.03)	65,171	1.00	TNH	30.00	-	864	30.00	AMAT19C2009A	0.67	(0.10)	21,306	-
PJW	1.24	(0.05)	8,883	1.00	TNP	2.56	(0.04)	40,147	2.00	AMAT19C2011A	0.54	(0.08)	51,292	-
PPM	0.94	(0.04)	5,462	-	TSF	-	-	-	-	AMAT24C2006A	-	-	-	-
RWI	1.27	0.05	11,966	1.00	TVD	0.85	0.04	90,614	-	AMAT24C2010A	0.52	(0.08)	24,278	-
SALEE	0.71	(0.01)	6,073	-	TVT	0.66	0.02	10,291	-	AMAT41C2006A	-	-	-	-
SANKO	0.92	(0.01)	957	-	VL	1.13	0.01	48,064	1.00	AMAT42C2007A	0.92	(0.14)	4,712	-
SELIC	2.10	(0.08)	12,725	2.00	WINNER	2.74	0.04	2,494	2.00	ANAN13C2007A	0.01	-	120	-
SWC	4.08	(0.08)	9,626	4.00	YGG	5.05	(0.15)	12,458	5.00	ANAN19C2007A	-	-	-	-
TMC	0.47	(0.01)	1,663	-	Technology (MAI)	-	-	-	-	AOT01C2006B	0.02	-	670	-
TMI	0.63	(0.01)	7,480	-	APP	1.59	(0.01)	30,703	1.00	AOT01C2007A	0.32	(0.04)	13,753	-
TMW	36.75	(1.25)	1,163	37.00	COMAN	2.16	(0.18)	9,318	2.00	AOT01P2006B	0.15	0.02	11,756	-
TPAC	10.10	0.15	936	9.00	ICN	1.75	-	14,483	1.00	AOT01P2007A	0.65	0.03	15,951	-
TPLAS	1.17	-	4,709	1.00	INSET	2.62	(0.06)	65,179	2.00	AOT06C2007A	0.05	0.01	21	-
UBIS	4.78	0.04	247	4.00	IRCP	0.48	-	8,422	-	AOT06C2008A	1.32	(0.15)	2,653	1.00
UEC	0.84	-	4,567	-	ITEL	2.38	-	12,450	2.00	AOT06C2009A	0.67	(0.06)	167,513	-
UKEM	0.67	-	35,501	-	NETBAY	35.25	(0.25)	4,660	34.00	AOT06P2009A	0.26	0.01	70,534	-
UREKA	0.90	(0.04)	61,263	-	PLANET	0.84	-	7,323	-	AOT08C2006A	-	-	-	-
YUASA	12.10	(0.60)	1,226	12.00	SIMAT	3.14	0.14	96,519	3.00	AOT08C2007A	-	-	-	-
ZIGA	1.42	(0.02)	1,533	1.00	SKY	15.80	(0.30)	23,119	15.00	AOT08C2009A	0.99	(0.05)	118,213	1.00
Property & Construc	-	-	-	-	SPV	2.34	(0.18)	133,469	2.00	AOT08P2009A	0.57	0.02	36,602	-
ALL	3.44	0.08	628,717	3.00	TPS	1.91	(0.02)	21,036	1.00	AOT11C2011A	0.88	(0.06)	81,208	-
ARIN	0.88	(0.01)	8,962	-	UPA	0.25	-	45,210	-	AOT11P2007A	0.57	0.05	608	-
ARROW	7.80	(0.25)	1,034	7.00	VCOM	3.96	-	44,808	3.00	AOT13C2006A	0.01	-	2,145	-
BC	1.02	(0.09)	3,700	1.00	Unit Trust	-	-	-	-	AOT13C2007A	0.16	-	458	-
BSM	0.27	(0.02)	8,995	-	MGE	-	-	-	-	AOT13C2008A	0.82	(0.05)	10,612	-
BTW	0.79	(0.05)	4,641	-	SCBSET	-	-	-	-	AOT13C2010A	0.65	(0.06)	214,766	-
CAZ	1.86	0.12	27,206	1.00	ETF	-	-	-	-	AOT13P2006A	0.10	0.02	2,610	-
CHEWA	0.42	0.02	181,607	-	IDIV	8.81	(0.16)	447	8.00	AOT13P2009A	0.24	0.01	140,281	-
CMC	0.77	(0.02)	1,680	-	ABFTH	-	-	-	-	AOT16C2007A	-			

Main Board Quotation

Issue Date :

Tuesday June 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT41C2007B	0.42	(0.06)	31,030	-	BCH41C2006A	-	-	-	-	BJC41C2008A	0.57	(0.16)	1,964	-
AOT41C2010A	0.70	(0.06)	252,794	-	BCP13C2007A	0.03	(0.03)	1,730	-	BPP13C2007A	0.52	(0.05)	20	-
AOT41P2006A	-	-	-	-	BCPG01C2008B	-	-	-	-	BPP19C2007A	0.49	(0.03)	1,001	-
AOT41P2009A	0.19	(0.01)	339	-	BCPG01C2009A	-	-	-	-	BPP19C2010A	0.59	(0.04)	44,012	-
AOT41P2009B	0.38	0.01	9,046	-	BCPG01P2009A	0.15	0.03	301	-	BTS11C2011A	0.43	(0.01)	15,086	-
AOT41P2010A	0.57	0.02	109,388	-	BCPG13C2007A	-	-	-	-	BTS13C2006A	-	-	-	-
AOT42C2006A	-	-	-	-	BCPG13C2010A	0.42	(0.02)	551,642	-	BTS13C2008A	-	-	-	-
AOT42P2009A	-	-	-	-	BCPG16C2009A	-	-	-	-	BTS13C2009A	0.30	(0.01)	213,349	-
AP19C2007A	-	-	-	-	BCPG19C2010A	0.41	(0.02)	330,611	-	BTS16C2008A	-	-	-	-
AP19C2010A	1.12	(0.14)	14,440	1.00	BCPG28C2008A	0.47	(0.01)	70,112	-	BTS19C2008A	0.31	(0.01)	24,829	-
AP19C2011A	0.31	(0.69)	37,173	-	BCPG28C2012A	0.36	(0.02)	77,559	-	BTS19C2010A	0.27	(0.01)	103,148	-
AP28C2006A	-	-	-	-	BCPG42C2007A	0.60	0.49	18,486	-	BTS24C2007A	0.07	-	610	-
AP28C2012A	1.00	(0.06)	31,022	1.00	BDMS01C2007B	0.05	-	4,104	-	BTS41C2006A	-	-	-	-
AWC01C2009A	0.22	(0.03)	5,733	-	BDMS01P2008A	0.30	0.01	178	-	BTS41C2010A	0.19	(0.81)	10,050	-
AWC01P2007A	0.31	0.01	2,990	-	BDMS06C2008A	0.20	(0.13)	5,490	-	BTS42C2008A	-	-	-	-
AWC06C2009A	0.92	(0.15)	22,200	1.00	BDMS06C2010A	0.78	(0.05)	55,964	-	CBG01C2007B	0.62	(0.16)	5,358	-
AWC13C2006A	-	-	-	-	BDMS06P2009A	0.28	0.02	49,351	-	CBG01P2007B	0.11	0.02	50,340	-
AWC13C2009A	0.72	(0.12)	146,488	-	BDMS08C2006A	-	-	-	CBG08C2007A	1.20	(0.26)	12,419	1.00	
AWC13C2010A	0.16	(0.04)	333,506	-	BDMS08C2011A	0.53	(0.04)	54,087	-	CBG11C2008A	-	-	-	-
AWC13C2010B	0.64	(0.13)	796,659	-	BDMS11C2007A	-	-	-	CBG13C2008A	1.48	(0.05)	822	1.00	
AWC13P2006A	0.18	(0.05)	2,009	-	BDMS11C2008A	-	-	-	CBG13C2010A	0.90	(0.14)	200,820	-	
AWC16C2007A	0.01	(0.01)	1,311	-	BDMS11C2011A	1.03	(0.04)	45,240	1.00	CBG13P2006A	0.02	-	2,019	-
AWC19C2006A	-	-	-	-	BDMS13C2008A	0.39	(0.04)	64,740	-	CBG16C2008A	0.61	(0.17)	100	-
AWC19C2010A	0.70	(0.12)	357,638	-	BDMS13C2009A	0.52	(0.03)	209,343	-	CBG19C2008A	1.33	(0.21)	4,370	1.00
AWC19C2010B	0.17	(0.04)	155,840	-	BDMS16C2006A	-	-	-	CBG19C2010A	1.11	(0.17)	286,881	1.00	
AWC24C2007A	0.05	0.04	1	-	BDMS19C2010A	0.50	(0.03)	148,340	-	CBG19C2011A	0.46	(0.07)	101,278	-
AWC24C2010A	0.28	(0.04)	37,930	-	BDMS19P2010A	0.32	0.01	18,238	-	CBG19P2006A	0.03	-	59	-
AWC28C2006A	-	-	-	-	BDMS24C2006A	-	-	-	CBG19P2010A	1.08	0.10	261,547	1.00	
AWC28C2008A	0.27	-	187	-	BDMS28C2011A	0.51	(0.03)	79,971	-	CBG24C2008A	1.60	(0.20)	15,061	1.00
AWC28C2010A	0.69	(0.12)	150,425	-	BDMS28C2012A	0.34	(0.02)	60,965	-	CBG41C2006A	-	-	-	-
AWC28C2010B	0.18	(0.03)	113,681	-	BDMS41C2006A	-	-	-	CBG41C2009A	1.40	(0.04)	49	1.00	
AWC28C2012A	0.14	(0.02)	103,764	-	BDMS41C2009A	0.42	(0.04)	15,318	-	CBG41C2010A	0.43	(0.07)	57,115	-
AWC41C2006A	-	-	-	-	BDMS41P2006A	-	-	-	CBG41P2006A	0.03	(0.03)	13,664	-	
AWC41C2007A	-	-	-	-	BEC01C2006A	0.06	0.01	15,097	-	CBG41P2010A	1.06	0.06	1,532	1.00
AWC41C2007B	0.30	(0.10)	3,000	-	BEC01C2006B	0.01	(0.01)	1,511	-	CBG42C2006A	0.02	(0.03)	99	-
AWC42C2008A	0.05	0.01	1,731	-	BEC01P2006A	-	-	-	CBG42C2008A	2.98	(0.06)	680	3.00	
BANP06C2010A	0.42	(0.06)	47,866	-	BEM06P2009A	0.24	0.02	32,601	-	CENT01C2006A	-	-	-	-
BANP08C2007A	0.02	-	1,200	-	BEM08C2009A	-	-	-	CENT01C2006B	-	-	-	-	
BANP08C2009A	0.48	(0.05)	35,400	-	BEM11C2011A	0.56	(0.04)	18,670	-	CENT01C2009A	1.27	0.25	18	1.00
BANP08P2009A	0.62	0.02	31,186	-	BEM13C2007A	-	-	-	CENT01P2009A	0.11	-	14,808	-	
BANP11C2008A	0.04	0.01	96	-	BEM13C2009A	0.57	(0.07)	98,489	-	CENT06C2006A	0.70	0.21	200	-
BANP13C2006A	-	-	-	-	BEM16C2006A	0.06	(0.02)	993	-	CENT06P2007A	0.01	-	1,000	-
BANP13C2008A	0.38	(0.06)	91,738	-	BEM19C2010A	0.68	(0.06)	14,108	-	CENT11C2007A	0.03	-	1,567	-
BANP13C2010A	0.24	(0.04)	295,931	-	BEM19P2010A	0.37	0.03	69,157	-	CENT13C2006A	-	-	-	-
BANP19C2007A	0.01	-	11	-	BEM24C2008A	0.81	(0.05)	3,060	-	CENT19C2008A	-	-	-	-
BANP19C2007B	-	-	-	-	BEM28C2006A	-	-	-	CENT19C2010A	0.72	-	126,051	-	
BANP19C2009A	0.47	(0.06)	44,143	-	BEM28C2007A	-	-	-	CENT24C2008A	0.36	(0.02)	37,305	-	
BANP19C2010A	0.36	(0.05)	55,924	-	BEM28C2008A	0.39	(0.02)	1	CENT27C2008A	0.54	-	11,634	-	
BANP19P2010A	0.32	0.03	56,580	-	BEM28C2010A	0.69	(0.08)	6,178	-	CENT28C2006A	-	-	-	-
BANP19P2010B	0.78	0.04	92,255	-	BEM41C2006A	-	-	-	CENT28C2008A	1.07	0.14	51	1.00	
BANP27C2007A	-	-	-	-	BGR101C2006A	0.17	(0.06)	13,861	-	CENT28C2010A	1.03	0.02	94,343	1.00
BANP28C2008A	-	-	-	-	BGR101C2006B	0.02	-	9,312	-	CENT28C2012A	0.48	0.01	104,856	-
BANP28C2010A	0.33	(0.04)	28,092	-	BGR101C2008B	0.48	0.05	370	-	CENT41C2006A	-	-	-	-
BANP28C2012A	0.32	(0.03)	44,735	-	BGR101C2009A	0.89	(0.13)	1,782	1.00	CENT42C2006A	-	-	-	-
BANP41C2006A	-	-	-	-	BGR101P2006A	0.15	0.08	574	-	CHG01C2006A	-	-	-	-
BANP41C2007A	0.23	(0.03)	1	-	BGR106C2010A	0.83	(0.19)	250,319	1.00	CHG01C2006B	-	-	-	-
BANP41C2010A	-	-	-	-	BGR108C2009A	0.73	(0.12)	240,555	-	CHG01P2006A	0.16	(0.04)	1	-
BANP41P2007A	1.01	0.12	1	1.00	BGR11C2006A	0.62	(0.09)	12,257	-	CHG13C2006A	-	-	-	-
BANP42C2006A	-	-	-	-	BGR11C2008A	0.19	0.01	850	-	CHG13C2010A	0.29	(0.01)	8,132	-
BBL06C2007A	0.08	-	2,515	-	BGR11C2009A	0.12	-	-	CHG16C2009A	0.28	(0.02)	7,565	-	
BBL06C2009A	1.26	0.05	70,733	1.00	BGR113C2007A	0.31	0.10	610	-	CHG19C2011A	0.34	(0.01)	6,916	-
BBL08C2007A	0.05	0.01	849	-	BGR113C2008A	0.57	0.06	500	-	CHG27C2009A	0.12	(0.01)	696	-
BBL08C2009A	0.78	0.02	114,643	-	BGR113C2009A	0.80	(0.13)	678,507	-	CHG42C2006A	-	-	-	-
BBL08P2007A	0.44	0.02	405	-	BGR119C2006A	-	-	-	CK06C2009A	0.69	(0.04)	70,080	-	
BBL08P2009A	0.45	(0.02)	83,842	-	BGR19C2008A	0.62	(0.12)	235	-	CK11C2007A	0.09	0.05	605	-
BBL11C2007A	-	-	-	-	BGR19C2008B	1.20	(0.05)	5	1.00	CK13C2006A	0.01	(0.02)	2,551	-
BBL11C2011A	1.22	0.01	62,866	1.00	BGR19C2009A	0.81	(0.15)	127,588	-	CK13C2010A	0.76	(0.04)	208,723	-
BBL11P2008A	0.55	(0.04)	3,882	-	BGR19C2011A	0.60	(0.10)	574,612	-	CK16C2006A	-	-	-	-
BBL13C2006A	0.01	-	1,197	-	BGR19P2007A	0.24	(0.01)	105	-	CK19C2007A	-	-	-	-
BBL13C2008A	0.43	0.01	825,434	-	BGR124C2009A	0.77	(0.08)	25,609	-	CK19C2010A	0.58	(0.06)	78,053	-
BBL13C2010A	2.26	(0.02)	6,267	2.00	BGR127P2006A	0.10	0.05	2,001	-	CK19C2008A	-	-	-	-
BBL13C2010B	0.82	0.04	38,028	-	BGR141C2006A	-	-	-	CK41C2009A	0.62	(0.04)	51,324	-	
BBL13P2008A	0.19	(0.01)	3	-	BGR141C2007A	0.75	(0.04)	4,685	-	CK42C2006A	-	-	-	-
BBL13P2010A	0.51	(0.03)	460,297	-	BGR141C2010A	0.56	(0.08)	62,233	-	CKP01C2008B	-	-	-	-
BBL16C2006A	-	-	-	-	BGR141P2006A	-	-	-	CKP01C2009A	-	-	-	-	
BBL19C2007A	0.09	-	3	-	BGR142C2006A	-	-	-	CKP01P2009A	0.14	0.02	153	-	
BBL19C2009A	-	-	-	-	BH08C2007A	0.09	(0.01)	7	-	CKP08C2010A	0.74	(0.08)	154,597	-
BBL19C2010A	0.80	0.02	192,509	-	BH11C2008A	-	-	-	CKP11C2006A	-	-	-	-	
BBL19P2007A	-	-	-	-	BH13C2006A	-	-	-	CKP13C2007A	0.44	0.07	8,819	-	
BBL19P2010A	0.48	(0.02)	69,981	-	BH13C2010A	0.48	(0.05)	314,546	-	CKP13C2010A	0.63	(0.08)	626,461	-
BBL24C2009A	0.81	0.01	37,728	-	BH19C2006A	-	-	-	CKP16C2007A	0.06	0.02	3,000	-	
BBL28C2007A	-	-	-	-	BH19C2009A	0.46	(0.05)	176,597	-	CKP19C2006A	-	-	-	-
BBL28C2010A	0.54	0.02	179,546	-	BH24C2008A	0.34	(0.04)	14,114	-	CKP19C2010A	0.82	(0.09)	122,886	-
BBL28C2011A	1.90	0.05	24	1.00	BH27C2007A	-	-	-	CKP24C2006A	0.10	-	4,986	-	
BBL41C2006A	-	-	-	-	BH41C2006A	-	-	-	CKP28C2006A	-	-	-	-	
BBL41C2007A	-	-	-	-	BH41C2009A	0.40	(0.06)	45,306	-	CKP28C2011A	0.60	(0.06)	242,951	-
BBL41C2007B	0.16	-	31,044	-	BH41P2006A	-	-	-	CKP28C2012A	0.63	(0.04)	115,057	-	
BBL41C2009A	0.80	(0.01)	200	-	BH42C2008A	0.79	(0.08)	15,816	-	CKP41C2006A	-	-	-	-
BBL41P2006A	-	-	-	-	BJC01C2008B	-	-	-	CKP41C2007A	0.38	(0.10)	93,102	-	
BBL41P2010A	0.42	(0.01)	13,209	-	BJC									

Main Board Quotation

Issue Date :

Tuesday June 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL01C2006A	0.29	(0.01)	256	-	DTAC41C2007B	0.50	(0.06)	1,408	-	GPSC41C2009A	0.83	(0.06)	74,808	-
CPAL01C2006B	0.02	(0.01)	2,195	-	DTAC41C2010A	0.40	(0.05)	7,858	-	GPSC41P2006A	-	-	-	-
CPAL01C2008B	0.32	(0.03)	75,504	-	DTAC41P2006A	-	-	-	-	GPSC41P2010A	0.86	0.04	62,391	-
CPAL01P2008B	0.15	-	757	-	DTAC42C2006A	-	-	-	-	GPSC42C2006A	-	-	-	-
CPAL06C2006A	-	-	-	-	EA06C2010A	0.56	(0.09)	33,592	-	GPSC42P2006A	-	-	-	-
CPAL06C2011A	0.62	(0.05)	137,725	-	EA08C2006A	-	-	-	-	GULF01C2007A	0.27	(0.01)	20,504	-
CPAL08C2006A	-	-	-	-	EA08C2009A	0.53	(0.08)	21,769	-	GULF06C2009A	0.50	(0.04)	107,645	-
CPAL08C2008A	0.64	(0.05)	12,591	-	EA13C2006A	-	-	-	-	GULF08C2008A	-	-	-	-
CPAL08C2011A	0.57	(0.05)	136,367	-	EA13C2008A	-	-	-	-	GULF08C2009A	0.34	(0.03)	107,431	-
CPAL08P2006A	-	-	-	-	EA13C2009A	0.41	(0.08)	72,425	-	GULF11C2006A	0.47	(0.11)	211	-
CPAL08P2009A	0.24	0.02	61,990	-	EA13P2006A	0.19	0.04	44,917	-	GULF11C2011A	0.47	(0.03)	60,605	-
CPAL11C2006A	-	-	-	-	EA16C2006A	-	-	-	-	GULF13C2006A	0.01	-	501	-
CPAL11C2007A	-	-	-	-	EA16C2008A	-	-	-	-	GULF13C2006B	0.02	0.01	1,227	-
CPAL13C2007A	0.22	0.02	160	-	EA19C2008A	0.38	(0.07)	249	-	GULF13C2008A	0.72	(0.06)	51	-
CPAL13C2009A	0.86	(0.04)	857,821	-	EA19C2010A	0.44	(0.06)	46,250	-	GULF13C2009A	1.16	(0.06)	2,092	1.00
CPAL16C2006A	-	-	-	-	EA19P2007A	-	-	-	-	GULF13C2009B	0.32	(0.03)	471,007	-
CPAL16C2007A	-	-	-	-	EA24C2008A	0.39	(0.07)	7,570	-	GULF13P2009A	0.29	0.02	413,081	-
CPAL19C2008A	0.42	(0.04)	202,017	-	EA27C2006A	-	-	-	-	GULF16C2007A	-	-	-	-
CPAL19C2010A	0.48	(0.03)	308,384	-	EA28C2006A	-	-	-	-	GULF19C2006A	0.01	(0.01)	4,249	-
CPAL19P2010A	0.18	-	126,101	-	EA28C2011A	0.41	(0.07)	52,941	-	GULF19C2008A	1.20	(0.09)	1,175	1.00
CPAL19P2010B	0.80	0.02	70,305	-	EA28C2012A	0.31	(0.03)	22,358	-	GULF19C2010A	0.34	(0.04)	405,034	-
CPAL24C2009A	1.02	(0.08)	48,730	1.00	EA41C2006A	-	-	-	-	GULF19P2006A	0.02	-	1,551	-
CPAL28C2007A	0.04	(0.01)	138	-	EA41C2009A	0.40	(0.02)	7,898	-	GULF19P2009A	0.26	0.02	13,565	-
CPAL28C2008A	0.65	(0.03)	8,535	-	EGC001C2007B	0.12	(0.01)	2,900	-	GULF19P2010A	0.30	0.02	19,486	-
CPAL28C2008B	1.00	0.22	4	1.00	EGC006C2007A	0.08	-	5	-	GULF19P2010B	0.53	0.02	82,101	-
CPAL28C2010A	0.33	(0.03)	148,409	-	EGC006C2010A	0.80	(0.09)	46,043	-	GULF24C2009A	0.30	(0.01)	36,531	-
CPAL28C2012A	0.31	(0.02)	46,075	-	EGC006P2009A	0.32	0.03	31,130	-	GULF28C2006A	-	-	-	-
CPAL41C2006A	-	-	-	-	EGC013C2009A	0.54	(0.07)	112,486	-	GULF28C2008A	0.25	(0.03)	50	-
CPAL41C2007A	0.30	(0.08)	5,500	-	EGC019C2007A	0.07	(0.02)	700	-	GULF28C2008B	-	-	-	-
CPAL41C2010A	0.63	(0.04)	26,840	-	EGC019C2010A	0.72	(0.07)	174,113	-	GULF28C2008C	1.13	(0.08)	4	1.00
CPAL41P2006A	-	-	-	-	EGC024C2009A	0.68	(0.06)	18,744	-	GULF28C2010A	0.24	(0.02)	69,123	-
CPAL42C2007A	-	-	-	-	EGC041C2006A	-	-	-	-	GULF28C2012A	0.21	(0.01)	13,170	-
CPF06C2010A	0.34	(0.03)	110,723	-	EGC041P2006A	-	-	-	-	GULF41C2006A	-	-	-	-
CPF08C2006A	-	-	-	-	EGC042C2007A	0.01	(0.01)	768	-	GULF41C2009A	0.31	(0.03)	208,955	-
CPF08C2010A	0.38	(0.03)	68,958	-	EPG13C2006A	-	-	-	-	GULF41P2006A	-	-	-	-
CPF11C2007A	0.30	(0.05)	90	-	EPG13C2010A	0.21	(0.08)	953,864	-	GULF41P2007A	-	-	-	-
CPF13C2006A	0.11	-	6	-	EPG19C2007A	-	-	-	-	GULF41P2009A	0.51	0.02	85,939	-
CPF13C2008A	0.41	(0.04)	11	-	EPG19C2008A	0.85	(0.10)	502	-	GULF42C2010M	0.38	(0.03)	11,664	-
CPF13C2009A	0.28	(0.04)	268,660	-	EPG19C2010A	1.00	(0.10)	1,140	1.00	GUNK11C2007A	-	-	-	-
CPF16C2007A	-	-	-	-	EPG19C2011A	0.25	(0.07)	353,869	-	GUNK13C2006A	-	-	-	-
CPF19C2006A	-	-	-	-	EPG24C2008A	0.16	(0.07)	59,031	-	GUNK19C2006A	-	-	-	-
CPF19C2009A	-	-	-	-	ERW06C2006A	0.02	-	18,558	-	GUNK19C2010A	0.35	0.01	391,393	-
CPF19C2010A	0.30	(0.03)	181,858	-	ERW06C2007A	-	-	-	-	GUNK24C2006A	0.17	(0.01)	19,393	-
CPF24C2007A	0.44	(0.06)	17,971	-	ERW06C2010A	1.47	0.07	1,755	1.00	GUNK28C2012A	0.35	0.01	50,325	-
CPF28C2007A	-	-	-	-	ERW06P2006A	-	-	-	-	HANA01C2006A	-	-	-	-
CPF28C2010A	0.97	(0.11)	10	-	ERW13C2006A	0.02	(0.03)	2,250	-	HANA01C2006B	-	-	-	-
CPF28C2011A	0.32	(0.04)	45,489	-	ERW13C2007A	0.05	0.01	169	-	HANA01P2006A	0.11	0.03	10	-
CPF28C2012A	0.21	(0.01)	66,396	-	ERW13C2010A	0.70	0.02	167,058	-	HANA11C2008A	0.09	-	54	-
CPF41C2008A	0.31	(0.05)	14,677	-	ERW19C2006A	0.03	-	100	-	HANA13C2006A	-	-	-	-
CPF41C2010A	0.27	(0.73)	24,947	-	ERW19C2007A	0.43	0.01	241,257	-	HANA13C2008A	0.18	-	2,266	-
CPN06C2006A	-	-	-	-	ERW19C2010A	1.14	0.02	251,905	1.00	HANA19C2008A	-	-	-	-
CPN06C2010A	0.88	(0.03)	67,510	-	ERW24C2006A	0.18	0.07	9,319	-	HANA19C2006A	0.05	(0.01)	1,540	-
CPN11C2006A	-	-	-	-	ESS001C2008B	0.40	(0.12)	1,106	-	HANA19C2010A	0.31	(0.02)	60,697	-
CPN11C2008A	-	-	-	-	ESS001C2009A	0.60	(0.14)	10	-	HANA27C2007A	0.15	(0.01)	8,350	-
CPN13C2007A	-	-	-	-	ESS001P2009A	0.28	0.10	45,642	-	HANA27P2007A	-	-	-	-
CPN13C2009A	0.55	(0.02)	126,983	-	ESS008C2008A	-	-	-	-	HANA41C2006A	-	-	-	-
CPN19C2007A	-	-	-	-	ESS008C2011A	0.60	(0.12)	118,777	-	HMPR01C2006A	0.27	0.04	480	-
CPN19C2010A	0.55	(0.01)	101,993	-	ESS013C2006A	0.02	(0.05)	3,313	-	HMPR01C2006B	0.05	(0.03)	3	-
CPN19P2010A	0.56	-	36,458	-	ESS013C2010A	0.54	(0.12)	137,446	-	HMPR01P2006A	0.24	0.02	5,615	-
CPN24C2007A	0.26	(0.01)	51,290	-	ESS019C2007A	0.28	(0.20)	440	-	HMPR06C2006A	-	-	-	-
CPN41C2006A	-	-	-	-	ESS019C2009A	-	-	-	-	HMPR06C2010A	0.58	-	71,992	-
CPN41C2009A	0.48	-	81,787	-	ESS019C2010A	0.56	(0.12)	108,869	-	HMPR06P2007A	-	-	-	-
CPN41P2006A	-	-	-	-	ESS024C2007A	0.46	(0.11)	42,707	-	HMPR06P2011A	0.51	(0.03)	73,865	-
CPN42C2006A	-	-	-	-	ESS041C2006A	-	-	-	-	HMPR11C2011A	0.69	0.02	47,846	-
CRC01C2007A	-	-	-	-	ESS041C2010A	0.59	(0.13)	11,210	-	HMPR13C2006A	0.02	-	2,000	-
CRC08C2007A	0.36	(0.01)	105	-	ESS042C2007A	0.48	0.35	2,805	-	HMPR13C2007A	-	-	-	-
CRC08C2009A	0.45	(0.04)	15,187	-	GFPT19C2006A	0.13	0.01	222,800	-	HMPR13C2009A	0.47	0.02	36,616	-
CRC13C2008A	0.18	(0.08)	807	-	GFPT19C2010A	0.43	0.03	78,367	-	HMPR19C2007A	-	-	-	-
CRC13C2009A	0.49	(0.06)	59,640	-	GFPT24C2007A	0.21	0.03	19,478	-	HMPR19C2010A	0.54	-	71,719	-
CRC19C2008A	0.26	(0.12)	816	-	GFPT42C2008A	0.55	0.03	18,859	-	HMPR24C2008A	0.68	0.02	17,952	-
CRC19C2008B	0.49	(0.05)	7,859	-	GLOB01C2007B	0.38	(0.05)	10	-	HMPR41C2006A	-	-	-	-
CRC19C2010A	0.35	(0.05)	32,832	-	GLOB01C2008A	-	-	-	-	HMPR41C2007A	0.39	(0.01)	24,362	-
CRC24C2008A	0.56	(0.05)	12,688	-	GLOB06C2006A	-	-	-	-	HMPR41C2007B	0.49	(0.01)	12,179	-
CRC28C2007A	-	-	-	-	GLOB13C2007A	-	-	-	-	HMPR41C2010A	0.42	(0.58)	68,928	-
CRC28C2007B	-	-	-	-	GLOB19C2007A	-	-	-	-	HSI28C2006A	1.60	0.01	533,516	1.00
CRC28C2011A	0.42	(0.04)	39,739	-	GLOB19C2010A	0.53	(0.05)	64,835	-	HSI28C2006B	0.92	0.02	730,522	1.00
CRC28C2012A	0.30	(0.02)	10,354	-	GLOB24C2010A	0.47	(0.05)	26,226	-	HSI28C2006C	0.40	0.01	168,964	-
CRC41C2007A	0.38	(0.02)	1,000	-	GLOB42C2009A	-	-	-	-	HSI28C2007A	1.23	(0.02)	688,940	1.00
CRC41C2009A	0.41	(0.04)	20	-	GPSC01C2007B	-	-	-	-	HSI28C2007B	0.75	(0.01)	152,394	-
CRC41C2010A	0.30	(0.04)	13,397	-	GPSC01C2008A	0.70	(0.05)	6,798	-	HSI28C2007C	0.38	(0.01)	428,924	-
DTAC01C2007B	0.11	(0.03)	300	-	GPSC01P2007B	0.12	0.01	254	-	HSI28C2008A	2.34	0.16	105,060	2.00
DTAC01C2008A	0.45	(0.10)	2,820	-	GPSC01P2008A	0.63	0.01	1,604	-	HSI28C2008B	1.55	0.02	667,351	1.00
DTAC01P2007B	-	-	-	-	GPSC06C2006A	0.01	-	2	-	HSI28C2008C	1.01	0.03	201,828	1.00
DTAC01P2008A	0.28	0.03	43	-	GPSC06C2008A	0.87	(0.13)	345,494	1.00	HSI28C2010L	0.58	0.02	37,049	-
DTAC06C2006A	0.01	(0.01)	6,246	-	GPSC08C2007A	-	-	-	-	HSI28C2011L	1.05	-	55,752	1.00
DTAC08C2007A	-	-	-	-	GPSC08C2009A	0.93	(0.08)	117,423	1.00	HSI28P2006A	0.16	(0.02)	103,215	-
DTAC08C2008A	0.37	(0.09)	51,793	-	GPSC08P2006A	-	-	-	-	HSI28P2006B	0.09	0.01	92,400	-
DTAC13C2006A	-	-	-	-	GPSC11C2006A	0.31	-	159	-	HSI28P2006C	0.07	-	81,109	-

Main Board Quotation

Issue Date :

Tuesday June 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI41P2006A	0.25	(0.02)	4,200	-	KBAN08C2007A	-	-	-	-	MINT11C2011A	1.17	0.13	88,697	1.00
HSI41P2006B	0.18	(0.04)	2,176	-	KBAN08C2011A	1.55	(0.12)	1,317	1.00	MINT11P2011A	0.57	(0.02)	138,395	-
HSI41P2007A	0.70	(0.09)	3,202	-	KBAN13C2006A	-	-	-	-	MINT13C2006A	0.01	-	100	-
HSI41P2007B	0.48	(0.03)	1,075,012	-	KBAN13C2008A	0.19	-	1,121	-	MINT13C2008A	0.04	0.01	41,160	-
HSI41P2007C	0.38	(0.04)	18,730	-	KBAN13C2008B	1.61	(0.03)	9,035	1.00	MINT13C2009A	0.77	0.11	971,634	-
HSI41P2008A	0.81	(0.07)	1,003	-	KBAN13C2010A	1.76	(0.07)	76,113	1.00	MINT13C2010A	1.19	0.09	713,779	1.00
HSI41P2008B	0.53	(0.47)	462	-	KBAN13C2010B	0.62	(0.03)	797,632	-	MINT19C2006A	0.04	0.02	600	-
INTU01C2006A	0.19	(0.05)	101	-	KBAN13P2006A	-	-	-	-	MINT19C2010A	0.75	0.06	1,363,206	-
INTU01C2006B	0.02	(0.01)	200	-	KBAN13P2008A	0.33	(0.11)	312	-	MINT19C2011A	1.25	0.08	335,163	1.00
INTU01P2006A	0.41	(0.27)	1	-	KBAN13P2010A	0.37	-	435,023	-	MINT24C2006A	-	-	-	-
INTU01P2006B	-	-	-	-	KBAN16C2008A	0.03	(0.01)	325	-	MINT28C2006A	-	-	-	-
INTU06C2009A	0.80	(0.06)	30,794	-	KBAN19C2007A	0.06	-	1,350	-	MINT28C2008A	0.03	-	7,966	-
INTU13C2006A	-	-	-	-	KBAN19C2009A	2.04	(0.04)	1,422	2.00	MINT28C2012A	0.53	0.05	379,529	-
INTU13C2008A	0.58	(0.02)	119,873	-	KBAN19C2010A	0.56	(0.02)	522,633	-	MINT41C2007A	0.10	0.07	1	-
INTU16C2007A	0.11	0.10	1	-	KBAN19C2010B	1.50	(0.08)	62,734	1.00	MINT41C2010A	0.84	0.09	69,752	-
INTU16C2009A	0.47	(0.04)	65,621	-	KBAN19C2011A	0.48	(0.03)	447,063	-	MTC01C2007B	0.02	-	1,049	-
INTU19C2009A	0.48	(0.03)	67,106	-	KBAN19P2007A	0.69	0.03	114	-	MTC01C2008A	0.30	(0.05)	4,504	-
INTU19P2007A	0.12	0.08	1	-	KBAN19P2010A	0.68	0.01	835,891	-	MTC06C2007A	-	-	-	-
INTU19P2010A	0.49	0.01	9,970	-	KBAN19P2010P	0.26	0.01	263,535	-	MTC06C2009A	-	-	-	-
INTU23C2111A	0.83	(0.03)	10	-	KBAN24C2009A	1.90	(0.09)	23,447	2.00	MTC06C2010A	0.69	(0.06)	191,494	-
INTU24C2008A	0.43	(0.02)	39,076	-	KBAN28C2008A	-	-	-	-	MTC08C2009A	1.47	(0.02)	30	1.00
INTU28C2008A	0.25	(0.04)	59,443	-	KBAN28C2008B	1.18	(0.14)	300	1.00	MTC08C2011A	0.88	(0.06)	65,602	-
INTU28C2010A	0.37	(0.04)	33,908	-	KBAN28C2008C	-	-	-	-	MTC11C2008A	0.15	(0.01)	1,470	-
INTU41C2006A	-	-	-	-	KBAN28C2010A	0.34	(0.01)	172,701	-	MTC13C2007A	0.05	0.01	1,740	-
INTU41C2007A	0.14	0.01	1	-	KBAN28P2012A	0.35	0.01	75,464	-	MTC13C2009A	0.76	(0.07)	246,032	-
INTU41P2006A	-	-	-	-	KBAN41C2007A	0.21	(0.03)	150,216	-	MTC13C2010A	0.68	(0.05)	406,938	-
IRPC01C2007B	0.28	(0.01)	11	-	KBAN41C2008A	0.69	(0.01)	15,048	-	MTC16C2007A	-	-	-	-
IRPC01P2007B	0.17	0.02	1,121	-	KBAN41C2009A	1.80	(0.17)	600	1.00	MTC19C2006A	-	-	-	-
IRPC06C2007A	0.02	(0.03)	310	-	KBAN41P2006A	-	-	-	-	MTC19C2009A	1.17	(0.09)	18,609	1.00
IRPC06C2010A	0.44	(0.11)	87,950	-	KBAN41P2010A	0.40	0.03	51,882	-	MTC19C2010A	0.79	(0.05)	75,756	-
IRPC06P2010A	0.41	0.04	111,271	-	KBAN41P2011A	0.91	(0.37)	54,252	-	MTC24C2009A	0.72	(0.07)	49,553	-
IRPC11C2008A	-	-	-	-	KBAN42C2007A	0.01	-	3	-	MTC27C2007A	0.04	(0.01)	50	-
IRPC13C2006A	-	-	-	-	KBAN42P2008A	1.65	0.03	3,900	1.00	MTC28C2006A	-	-	-	-
IRPC13C2007A	-	-	-	-	KCE01C2007B	0.02	-	1,006	-	MTC28C2008A	0.12	(0.07)	1,000	-
IRPC13C2008A	-	-	-	-	KCE01C2008A	0.17	0.01	18,449	-	MTC28C2011A	0.73	(0.07)	196,344	-
IRPC13C2009A	0.46	(0.09)	342,924	-	KCE06C2009A	1.17	0.01	175,174	1.00	MTC28C2012A	0.48	(0.03)	53,439	-
IRPC16C2008A	0.39	(0.08)	57,576	-	KCE08C2009A	0.96	-	199,968	1.00	MTC41C2007A	0.43	(0.03)	30	-
IRPC19C2007A	-	-	-	-	KCE13C2006A	0.14	0.01	1	-	MTC41C2010A	0.63	(0.08)	46,772	-
IRPC19C2008A	-	-	-	-	KCE13C2009A	0.60	(0.01)	816,628	-	ORI19C2010A	0.82	(0.16)	22,627	-
IRPC19C2010A	0.37	(0.06)	101,003	-	KCE16C2007A	-	-	-	-	ORI19C2011A	0.29	(0.71)	19,581	-
IRPC24C2007A	0.35	(0.08)	22,082	-	KCE19C2007A	0.13	(0.06)	3,890	-	ORI28C2007A	-	-	-	-
IRPC27C2007A	-	-	-	-	KCE19C2008A	0.82	(0.01)	6,944	-	ORI28C2011A	0.82	(0.17)	57,718	-
IRPC28C2006A	-	-	-	-	KCE19C2009A	0.77	-	601,659	-	ORI28C2012A	0.65	(0.05)	5,615	-
IRPC28C2008A	0.39	(0.10)	69,548	-	KCE19C2010A	0.72	(0.02)	851,990	-	OSP01C2006A	0.25	-	1	-
IRPC28C2012A	0.25	(0.03)	12,597	-	KCE24C2010A	0.28	(0.01)	49,062	-	OSP01C2006B	0.01	(0.02)	100	-
IRPC41C2006A	-	-	-	-	KCE27C2007A	0.07	(0.01)	6,494	-	OSP01P2006A	0.15	0.01	184	-
IRPC41C2007A	-	-	-	-	KCE41C2006A	-	-	-	-	OSP06C2008A	0.67	(0.01)	53,710	-
IRPC41C2010A	0.35	(0.08)	6,055	-	KKP01C2006A	0.03	-	5,120	-	OSP06P2009A	0.45	0.03	233,629	-
IRPC41P2006A	-	-	-	-	KKP01C2006B	-	-	-	-	OSP08C2009A	0.45	(0.02)	59,952	-
IRPC41P2007A	-	-	-	-	KKP01P2006A	-	-	-	-	OSP13C2006A	0.01	(0.01)	1,000	-
IRPC42C2006A	-	-	-	-	KKP11C2007A	0.03	0.02	1	-	OSP13C2010A	0.38	(0.01)	107,624	-
IVL01C2006B	-	-	-	-	KKP13C2007A	0.03	0.01	67	-	OSP16C2008A	-	-	-	-
IVL01P2006B	0.05	0.01	4,337	-	KKP13C2010A	0.66	0.02	383,915	-	OSP19C2009A	0.37	(0.02)	140,774	-
IVL06C2008A	0.36	(0.11)	270,081	-	KKP19C2010A	0.77	0.02	111,052	-	OSP19C2010A	0.27	(0.01)	141,099	-
IVL06C2010A	0.40	(0.09)	136,349	-	KKP19C2011A	0.52	(0.48)	167,512	-	OSP24C2008A	0.25	(0.04)	61,104	-
IVL06P2009A	0.11	0.02	259,252	-	KKP41C2006A	-	-	-	-	OSP41C2010A	0.32	(0.03)	23,868	-
IVL08C2009A	0.42	(0.08)	57,131	-	KTB01C2008B	0.05	(0.05)	6,600	-	PLAN13C2007A	0.10	-	2,201	-
IVL11C2006A	0.15	(0.09)	372	-	KTB01C2009A	0.19	-	5,423	-	PLAN13C2010A	0.36	(0.08)	452,487	-
IVL13C2006A	-	-	-	-	KTB01P2009A	0.42	(0.04)	930	-	PLAN19C2007A	0.15	(0.01)	7,331	-
IVL13C2008A	-	-	-	-	KTB11C2006A	-	-	-	-	PLAN19C2010A	1.48	(0.20)	1,675	1.00
IVL13C2009A	0.38	(0.07)	357,301	-	KTB13C2006A	-	-	-	-	PLAN19C2010B	0.37	(0.07)	154,012	-
IVL13P2010A	0.32	0.05	329,519	-	KTB19C2010A	0.33	(0.01)	137,018	-	PLAN24C2006A	-	-	-	-
IVL16C2006A	-	-	-	-	KTB24C2009A	0.35	0.01	33,326	-	PLAN24C2009A	0.36	(0.08)	50,388	-
IVL16C2009A	0.48	(0.06)	43,470	-	KTB28C2011A	-	-	-	-	PLAN27C2008A	-	-	-	-
IVL19C2006A	-	-	-	-	KTB28C2012A	0.18	-	43,833	-	PLAN28C2010A	0.34	(0.07)	139,407	-
IVL19C2008A	1.33	(0.16)	88	1.00	KTB41C2006A	-	-	-	-	PLAN28C2012A	-	-	-	-
IVL19C2009A	-	-	-	-	KTC01C2007A	-	-	-	-	PLAN41C2006A	-	-	-	-
IVL19C2010A	0.40	(0.07)	101,019	-	KTC01C2007B	0.18	(0.02)	7,497	-	PLAN42C2007A	0.06	0.02	647	-
IVL19P2006A	0.04	(0.12)	207	-	KT01P2007A	0.06	0.01	2,519	-	PRM13C2006A	0.15	(0.05)	80,677	-
IVL19P2010A	0.29	0.04	126,688	-	KT06C2006A	0.10	(0.06)	600	-	PRM19C2006A	-	-	-	-
IVL24C2008A	1.49	(0.12)	7,544	1.00	KT08C2006A	0.23	(0.09)	103	-	PRM19C2010A	0.61	(0.03)	40,078	-
IVL27P2007A	-	-	-	-	KTC13C2006A	-	-	-	-	PRM42C2006A	-	-	-	-
IVL28C2007A	0.07	(0.05)	1,400	-	KTC13C2008A	0.72	(0.04)	88,431	-	PSL06C2006A	0.01	(0.01)	5,370	-
IVL28C2011A	0.37	(0.06)	87,117	-	KTC13C2010A	0.33	(0.03)	606,132	-	PSL19C2006A	-	-	-	-
IVL28C2012A	0.24	(0.03)	41,884	-	KTC13P2006A	-	-	-	-	PSL19C2007A	0.52	(0.15)	7,662	-
IVL41C2006A	-	-	-	-	KTC13P2007A	0.18	0.05	1,466	-	PTG01C2007B	-	-	-	-
IVL41C2007A	-	-	-	-	KTC19C2006A	0.12	(0.09)	40	-	PTG06C2006A	-	-	-	-
IVL41C2007B	-	-	-	-	KTC19C2008A	0.70	(0.12)	532	-	PTG06C2010A	0.51	(0.08)	94,402	-
IVL41C2009A	0.39	(0.03)	1,000	-	KTC19C2010A	0.37	(0.02)	99,500	-	PTG08C2007A	-	-	-	-
IVL41C2010A	0.31	(0.04)	116,562	-	KTC19P2010A	0.37	0.02	42,280	-	PTG13C2006A	-	-	-	-
IVL41P2006A	-	-	-	-	KTC27C2007A	-	-	-	-	PTG13C2010A	0.39	(0.06)	830,034	-
IVL41P2007A	-	-	-	-	KTC28C2006A	-	-	-	-	PTG13P2006A	-	-	-	-
IVL41P2010A	0.43	(0.57)	9,747	-	KTC28C2011A	0.37	(0.02)	68,243	-	PTG16C2009A	0.49	(0.07)	72,895	-
IVL42C2008A	2.88	(0.36)	92	2.00	KTC28C2012A	0.33	(0.03)	38,970	-	PTG19C2006A	-	-	-	-
JAS13C2006A	0.09	(0.05)	2,267	-	KT041C2006A	-	-	-	-	PTG19C2008A	0.70	(0.18)	300	-
JAS13C2009A	0.24	(0.05)	397,514	-	KT041C2009A	0.46	(0.04)	49,486	-	PTG19C2010A	0.44	(0.06)	386,894	-
JAS19C2009A	0.86	(0.12)	20,893	-	KT042C2006A	-	-	-	-	PTG19P2006A	-	-	-	-
JAS19C2010A	0.38	(0.08)	128,633	-	LH11C2007A	0.03								

Main Board Quotation

Issue Date :

Tuesday June 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT13C2010A	0.37	(0.07)	606,631	-	PTT642C2007A	0.14	0.05	2,000	-	S5016P2006C	-	-	-	-
PTT13P2006A	-	-	-	-	QH01C2006A	-	-	-	-	S5016P2006D	0.01	-	300	-
PTT13P2008A	0.04	-	28,712	-	QH01C2006B	-	-	-	-	S5016P2006E	0.01	-	35	-
PTT13P2009A	0.19	0.03	110,063	-	QH01P2006A	-	-	-	-	S5016P2103Z	3.40	0.12	12	3.00
PTT13P2010A	0.41	0.06	609,907	-	QH11C2006A	-	-	-	-	S5019C2006A	0.05	(0.01)	34,581	-
PTT16C2008A	-	-	-	-	QH19C2006A	-	-	-	-	S5019C2006B	-	-	-	-
PTT19C2008A	-	-	-	-	QH27C2007A	-	-	-	-	S5019C2006C	-	-	-	-
PTT19C2009A	0.50	(0.07)	40,883	-	RAT001C2006A	-	-	-	-	S5019C2006D	0.49	(0.17)	2,497,643	-
PTT19C2011A	0.38	(0.06)	209,302	-	RAT001C2006B	0.12	0.01	3,410	-	S5019C2006E	-	-	-	-
PTT19P2006A	-	-	-	-	RAT001P2006A	0.31	(0.02)	30	-	S5019C2006F	1.89	(0.41)	187,098	2.00
PTT19P2009A	0.13	0.02	49,438	-	RAT006C2006A	-	-	-	-	S5019C2006G	-	-	-	-
PTT19P2010A	0.37	0.03	20,154	-	RAT006C2009A	0.76	(0.14)	81,949	-	S5019C2007B	0.54	(0.22)	437,829	-
PTT24C2008A	0.41	(0.07)	28,656	-	RAT006P2006A	-	-	-	-	S5019C2009A	3.78	(0.32)	64,303	3.00
PTT28C2007A	-	-	-	-	RAT006P2010A	0.81	0.07	159,181	-	S5019C2009B	1.62	(0.26)	369,737	1.00
PTT28C2008A	0.15	(0.06)	98,501	-	RAT013C2007A	0.34	(0.10)	217,374	-	S5019C2009C	0.70	(0.19)	2,020,715	-
PTT28C2008B	0.58	(0.10)	2,000	-	RAT013C2010A	0.59	(0.09)	217,953	-	S5019P2006A	0.80	(0.10)	1	-
PTT28C2008C	-	-	-	-	RAT016C2008A	-	-	-	-	S5019P2006B	0.31	(0.20)	9	-
PTT28C2011A	0.43	(0.05)	10,300	-	RAT019C2007A	0.61	(0.12)	29,812	-	S5019P2006C	0.25	0.19	41	-
PTT41C2006A	-	-	-	-	RAT019C2011A	0.67	(0.09)	156,647	-	S5019P2006D	0.01	(0.01)	50	-
PTT41C2007A	0.71	0.06	352	-	RAT019P2011A	0.74	0.04	96,474	-	S5019P2006E	0.01	(0.01)	570	-
PTT41C2009A	0.38	(0.07)	26,966	-	RAT024C2006A	-	-	-	-	S5019P2006F	0.01	-	1	-
PTT41P2006A	-	-	-	-	RAT027C2007A	-	-	-	-	S5019P2006G	-	-	-	-
PTT41P2010A	0.26	0.03	7,268	-	RAT041C2006A	-	-	-	-	S5019P2007B	0.07	0.02	66,897	-
PTT42C2007A	0.01	-	11	-	RAT041C2010A	0.67	(0.08)	18,705	-	S5019P2009A	0.37	0.05	210,603	-
PTT42C2010A	0.48	(0.09)	22,814	-	RAT041P2006A	-	-	-	-	S5019P2009B	0.15	0.02	180,413	-
PTTE01C2007A	0.07	(0.02)	133,538	-	RAT042C2006A	-	-	-	-	S5019P2009C	0.69	0.09	1,765,841	-
PTTE01C2007B	0.02	-	28,898	-	RS06C2010A	0.43	0.02	49,216	-	S5019P2009D	1.12	0.15	2,504,040	1.00
PTTE01P2007A	1.49	0.24	1,226	1.00	RS08P2006A	0.14	0.02	3,803	-	S5024C2006A	-	-	-	-
PTTE01P2007B	0.43	0.10	475	-	RS13C2006A	0.23	0.02	120,679	-	S5024C2006B	-	-	-	-
PTTE06C2006A	-	-	-	-	RS13C2010A	0.37	0.02	226,850	-	S5024C2006C	-	-	-	-
PTTE06C2008A	3.14	(0.36)	791	3.00	RS19C2007A	0.24	0.02	340,959	-	S5024C2006D	-	-	-	-
PTTE06P2006A	1.30	(1.38)	50	1.00	RS19C2010A	0.98	(0.01)	2,981	1.00	S5024C2006E	-	-	-	-
PTTE06P2009A	0.27	0.06	78,712	-	RS19C2011A	0.41	0.02	128,355	-	S5024C2009A	0.09	(0.02)	11,922	-
PTTE08C2008A	2.28	(0.20)	9,636	2.00	RS24C2008A	0.14	-	13,698	-	S5024C2009B	2.06	(0.38)	24,798	2.00
PTTE08C2011A	1.25	(0.21)	5,247	1.00	RS42C2008A	0.49	0.04	15,148	-	S5024C2009C	1.07	(0.30)	125,285	1.00
PTTE08P2006A	-	-	-	-	S10001C2011A	0.12	(0.01)	6,399	-	S5024C2009D	0.69	(0.13)	39,772	-
PTTE11C2006A	0.01	-	50	-	S5001C2006F	0.01	(0.01)	96,733	-	S5024C2012A	0.21	(0.02)	4,211	-
PTTE11C2011A	1.07	(0.15)	123,256	1.00	S5001C2006G	0.14	(0.12)	17,405	-	S5024P2006A	-	-	-	-
PTTE13C2006A	-	-	-	-	S5001C2006H	0.70	(0.37)	2,964	-	S5024P2006B	3.04	0.34	16,969	2.00
PTTE13C2008A	0.10	(0.02)	26,651	-	S5001C2007A	0.86	(0.11)	45,387	-	S5024P2006C	-	-	-	-
PTTE13C2008B	0.92	(0.33)	1,254	1.00	S5001P2006F	1.15	0.36	972	-	S5024P2006D	0.01	(0.01)	290	-
PTTE13C2009A	1.61	(0.30)	13,881	1.00	S5001P2006G	0.35	(0.23)	355	-	S5024P2006E	-	-	-	-
PTTE13C2010A	1.08	(0.25)	424,513	1.00	S5001P2006H	0.16	0.01	2,923	-	S5024P2006F	0.07	0.01	7,800	-
PTTE13C2010B	0.44	(0.56)	146,290	-	S5001P2007A	0.92	0.05	44,066	-	S5024P2009A	0.74	0.12	23,476	-
PTTE13P2006A	0.72	0.13	1,975	-	S5006C2006A	0.01	(0.01)	2,923	-	S5024P2009B	1.22	0.20	180,349	1.00
PTTE13P2008A	0.13	0.09	28,663	-	S5006C2006B	0.07	(0.05)	990	-	S5028C2006A	0.01	-	1	-
PTTE13P2009A	0.26	0.04	226,794	-	S5006C2006C	1.20	(0.15)	284,049	1.00	S5028C2006B	0.17	(0.07)	1	-
PTTE16C2009A	0.07	(0.03)	203	-	S5006C2006D	1.39	(0.22)	386,700	1.00	S5028C2006C	2.10	(0.48)	3,901	2.00
PTTE19C2006A	-	-	-	-	S5006C2006E	0.63	(0.32)	660,387	-	S5028C2006D	-	-	-	-
PTTE19C2008A	0.15	(0.09)	23,907	-	S5006C2006F	2.44	(0.38)	310,447	2.00	S5028C2007A	0.94	(0.26)	2,523,287	1.00
PTTE19C2008B	1.50	(0.37)	124	1.00	S5006C2009A	1.66	(0.42)	622,207	1.00	S5028C2009A	1.47	(0.20)	974,718	1.00
PTTE19C2009A	-	-	-	-	S5006C2009B	-	-	-	-	S5028C2009B	0.89	(0.15)	2,015,164	1.00
PTTE19C2009B	1.66	(0.26)	603	1.00	S5006P2006A	0.63	0.33	8	-	S5028P2006A	0.77	0.14	32,081	-
PTTE19C2010A	0.81	(0.18)	188,345	-	S5006P2006B	0.10	0.05	28	-	S5028P2006B	0.17	0.02	5,741	-
PTTE19C2010B	1.26	(0.23)	88,369	1.00	S5006P2006C	-	-	-	-	S5028P2006C	0.07	0.02	51,953	-
PTTE19P2006A	-	-	-	-	S5006P2006D	-	-	-	-	S5028P2007A	0.27	0.04	116,829	-
PTTE19P2009A	0.16	0.02	191,430	-	S5006P2006E	0.01	(0.01)	6,971	-	S5028P2009A	0.99	0.05	445,834	-
PTTE19P2009B	0.40	0.05	283,134	-	S5006P2006F	0.17	0.02	102,958	-	S5028P2009B	0.62	0.06	229,800	-
PTTE19P2010A	0.88	0.12	169,091	-	S5006P2009A	1.07	0.14	444,927	-	S5041C2006A	0.32	(0.17)	47,721	-
PTTE24C2008A	0.09	(0.06)	10,938	-	S5006P2009B	0.31	0.06	96,593	-	S5041C2006B	0.37	(0.29)	296,784	-
PTTE28C2008A	0.21	(0.08)	76,752	-	S5008C2006A	0.04	(0.06)	59,639	-	S5041C2006C	2.52	(0.56)	42,180	2.00
PTTE28C2011A	1.26	(0.34)	16,524	1.00	S5008C2006B	-	-	-	-	S5041C2006D	-	-	-	-
PTTE28C2012A	0.84	(0.16)	122,855	-	S5008C2006C	0.62	(0.21)	240,428	-	S5041C2006E	1.97	(0.01)	3,900	1.00
PTTE41C2006A	-	-	-	-	S5008C2006D	0.65	(0.23)	570,453	-	S5041C2006F	1.25	(0.28)	1,964	1.00
PTTE41C2007A	-	-	-	-	S5008P2006A	0.01	-	1,101	-	S5041C2006G	0.62	(0.20)	18,791	-
PTTE41C2008A	0.91	(0.27)	61,706	-	S5008P2006B	-	-	-	-	S5041C2009A	1.73	(0.33)	161,538	1.00
PTTE41C2009A	1.38	(0.38)	27,284	1.00	S5008P2006C	0.01	-	1,000	-	S5041C2009B	1.08	(0.26)	434,049	1.00
PTTE41P2009A	0.74	0.06	3,057	-	S5008P2009A	0.51	0.06	29,377	-	S5041C2009C	0.83	(0.25)	3,862,573	1.00
PTTE41P2010A	0.66	0.10	81,528	-	S5013C2006A	0.01	-	117,617	-	S5041P2006A	2.06	0.20	121,250	1.00
PTTE42P2008A	0.33	(0.09)	338	-	S5013C2006B	0.03	(0.02)	60,108	-	S5041P2006B	0.66	0.17	173,463	-
PTTG01C2007B	0.05	(0.02)	5,019	-	S5013C2006C	0.06	(0.12)	3,434	-	S5041P2006C	0.47	0.07	6,470	-
PTTG01C2008A	0.31	(0.12)	5,950	-	S5013C2006D	0.22	(0.12)	2,036	-	S5041P2006D	0.19	(0.22)	202	-
PTTG01P2007B	0.10	-	1,500	-	S5013C2006E	1.00	(0.47)	5,828	1.00	S5041P2006E	0.07	(0.01)	186	-
PTTG01P2008A	0.40	0.05	1,079	-	S5013C2006F	0.88	(0.22)	298,950	-	S5041P2006F	0.01	-	3,000	-
PTTG06C2006A	-	-	-	-	S5013C2006G	0.44	(0.15)	293,756	-	S5041P2006G	0.10	0.01	302	-
PTTG08C2008A	0.82	(0.11)	83,346	-	S5013C2006H	0.39	(0.16)	352,908	-	S5041P2009A	0.70	0.07	318,907	-
PTTG08P2010A	0.39	0.05	55,494	-	S5013C2006I	0.29	(0.14)	414,381	-	S5041P2009B	0.71	0.09	266,432	-
PTTG11C2007A	0.22	(0.04)	1,000	-	S5013C2009A	1.48	(0.24)	854,163	1.00	S5041P2009C	0.95	0.12	3,081,192	-
PTTG13C2007A	-	-	-	-	S5013C2009B	1.11	(0.28)	3,271,900	1.00	SAWA01C2006A	0.14	(0.03)	4,322	-
PTTG13C2008A	-	-	-	-	S5013C2009C	0.63	(0.17)	6,541,009	-	SAWA01C2006B	-	-	-	-
PTTG13C2009A	0.93	(0.12)	5,086	1.00	S5013P2006A	0.73	0.21	100	-	SAWA01P2006A	0.41	0.03	5,590	-
PTTG13C2010A	0.56	(0.10)	257,748	-	S5013P2006B	0.48	0.28	9	-	SAWA06C2007A	0.74	0.68	112	-
PTTG13P2008A	-	-	-	-	S5013P2006C	0.37	0.27	42	-	SAWA06C2010A	0.93	(0.09)	119,096	1.00
PTTG16C2006A	-	-	-	-	S5013P2006D	0.08	0.05	93,307	-	SAWA08C2006A	-	-	-	-
PTTG19C2006A	-	-	-	-	S5013P2006E	0.05	0.01	442,6						

Main Board Quotation

Issue Date :

Tuesday June 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB01P2007B	0.24	0.02	7,329	-	STA28C2011A	1.02	(0.08)	11	1.00	TOP13C2006A	-	-	-	-
SCB06C2007A	-	-	-	-	STA28C2011B	0.26	(0.03)	131,956	-	TOP13C2008A	-	-	-	-
SCB06C2010A	1.75	(0.04)	126,531	1.00	STA28C2012A	1.14	(0.09)	908	1.00	TOP13C2008B	0.80	(0.26)	24	-
SCB08C2007A	-	-	-	-	STA41C2010A	-	-	-	-	TOP13C2010A	0.60	(0.11)	325,721	-
SCB08C2009A	1.30	(0.04)	205,234	1.00	STA42C2007A	-	-	-	-	TOP13P2006A	-	-	-	-
SCB11C2006A	0.01	-	30	-	STEC01C2006A	0.34	(0.09)	5,434	-	TOP16C2008A	-	-	-	-
SCB11C2008A	0.15	0.03	3	-	STEC01C2006B	-	-	-	-	TOP19C2006A	-	-	-	-
SCB13C2006A	-	-	-	-	STEC01P2006A	-	-	-	-	TOP19C2007A	-	-	-	-
SCB13C2006B	-	-	-	-	STEC06C2010A	0.61	(0.10)	33,929	-	TOP19C2008A	0.46	(0.09)	97,213	-
SCB13C2007A	0.10	(0.01)	411	-	STEC11C2007A	0.01	(0.01)	121	-	TOP19C2010A	0.62	(0.09)	93,790	-
SCB13C2008A	0.97	(0.13)	60	-	STEC13C2010A	0.44	(0.06)	184,145	-	TOP19P2006A	1.14	(0.36)	4	1.00
SCB13C2009A	1.31	0.01	1,027,668	1.00	STEC16C2006A	-	-	-	-	TOP19P2010A	0.52	0.06	256,676	-
SCB13P2006A	-	-	-	-	STEC16C2009A	-	-	-	-	TOP24C2007A	0.01	(0.01)	2	-
SCB13P2008A	0.13	(0.02)	20,709	-	STEC19C2009A	0.56	(0.10)	27,661	-	TOP24C2008A	0.67	(0.10)	35,897	-
SCB13P2010A	0.97	(0.02)	368,390	-	STEC19C2011A	0.40	(0.60)	39,439	-	TOP41C2006A	-	-	-	-
SCB16C2008A	-	-	-	-	STEC24C2006A	-	-	-	-	TOP41C2007A	0.09	(0.04)	17,716	-
SCB19C2006A	-	-	-	-	STEC28C2011A	0.45	(0.06)	55,316	-	TOP41C2008A	0.41	(0.06)	3,478	-
SCB19C2007A	0.16	(0.05)	4,178	-	STEC28C2012A	0.42	(0.03)	48,742	-	TOP41P2006A	-	-	-	-
SCB19C2008A	1.80	0.08	1	1.00	STEC41C2006A	-	-	-	-	TOP41P2010A	0.37	0.05	8,995	-
SCB19C2010A	0.88	-	828,637	-	STEC41C2009A	0.37	(0.05)	37,146	-	TOP42C2007A	-	-	-	-
SCB19C2010B	1.43	(0.05)	34,119	1.00	SUPE19C2007A	0.54	(0.07)	4,632	-	TQM19C2010A	1.65	(0.10)	39,453	1.00
SCB19P2010A	0.35	-	108,541	-	SUPE19C2010A	0.37	(0.05)	102,476	-	TRUE01C2007A	0.42	(0.04)	171	-
SCB24C2008A	0.88	(0.05)	40,493	-	SUPE19C2011A	0.22	(0.03)	568,974	-	TRUE01C2007B	0.11	(0.03)	7,471	-
SCB27C2007A	-	-	-	-	TASC01C2007B	-	-	-	-	TRUE01P2007B	0.07	(0.01)	627	-
SCB27P2006A	0.68	0.02	22	-	TASC01C2008A	0.87	0.01	10,002	-	TRUE06C2007A	-	-	-	-
SCB28C2006A	-	-	-	-	TASC01P2008A	0.21	0.01	2,250	-	TRUE06C2009A	0.62	(0.10)	62,912	-
SCB28C2006B	-	-	-	-	TASC06C2009A	1.03	(0.01)	180,891	1.00	TRUE06P2011A	0.64	0.08	129,701	-
SCB28C2008A	0.33	(0.14)	870	-	TASC08C2006A	0.48	(0.01)	6,421	-	TRUE08C2007A	-	-	-	-
SCB28C2010A	0.99	(0.03)	200,433	1.00	TASC31C2006A	0.39	(0.13)	110	-	TRUE08P2010A	0.38	0.03	39,472	-
SCB41C2006A	-	-	-	-	TASC31C2009A	0.72	(0.01)	779,602	-	TRUE13C2006A	-	-	-	-
SCB41C2006B	-	-	-	-	TASC16C2008A	0.58	0.19	1	-	TRUE13C2007A	-	-	-	-
SCB41C2008A	1.12	(0.07)	36,212	1.00	TASC19C2006A	-	-	-	-	TRUE13C2009A	0.46	(0.07)	251,241	-
SCB42C2006A	0.01	-	2,000	-	TASC19C2007A	-	-	-	-	TRUE19C2006A	-	-	-	-
SCB42C2007A	0.08	0.05	1	-	TASC19C2009A	0.94	(0.01)	97,288	1.00	TRUE19C2007A	0.34	(0.03)	1	-
SCC06C2007A	0.21	0.02	1,000	-	TASC19C2011A	0.76	0.01	412,059	-	TRUE19C2009A	0.56	(0.08)	35,300	-
SCC08P2006A	-	-	-	-	TASC19P2010A	0.70	-	347,640	-	TRUE19C2011A	0.44	(0.56)	35,961	-
SCC11C2006A	-	-	-	-	TASC24C2006A	-	-	-	-	TRUE19P2011A	0.44	0.03	167,215	-
SCC11C2007A	0.29	0.05	300	-	TASC28C2006A	-	-	-	-	TRUE28C2006A	-	-	-	-
SCC11C2011A	0.91	0.02	143,898	-	TASC28C2010A	0.82	(0.01)	11,844	-	TRUE28C2011A	0.42	(0.06)	53,382	-
SCC13C2008A	0.83	0.13	41	-	TASC28C2012A	0.53	-	186,905	-	TRUE28C2012A	0.32	(0.04)	89,800	-
SCC13C2009A	0.90	0.03	325,115	-	TASC41C2009A	0.92	(0.01)	4,640	1.00	TRUE41C2006A	-	-	-	-
SCC13P2006A	-	-	-	-	TCAP01C2007B	0.02	(0.01)	500	-	TRUE41C2007A	0.24	(0.06)	12,858	-
SCC13P2009A	-	-	-	-	TCAP01C2008A	0.16	(0.01)	7,260	-	TRUE41C2010A	0.63	(0.06)	4,732	-
SCC19C2006A	-	-	-	-	TCAP01P2008A	0.91	0.03	2	-	TRUE42C2007A	1.19	(0.14)	5,340	1.00
SCC19C2008A	-	-	-	-	TCAP13C2007A	-	-	-	-	TTW27C2009A	0.22	(0.01)	2,004	-
SCC19C2010A	0.82	0.02	286,306	-	TCAP13C2010A	0.57	(0.05)	236,351	-	TU06C2009A	0.25	(0.09)	272,077	-
SCC19P2010A	0.31	(0.01)	80,520	-	TCAP19C2010A	0.59	(0.03)	34,791	-	TU06P2007A	0.20	0.05	1	-
SCC24C2006A	-	-	-	-	THAI27C2008A	0.38	(0.03)	1,895	-	TU06P2010A	0.40	0.07	109,787	-
SCC27P2008A	0.10	-	10	-	THAN01C2006A	0.02	0.01	1	-	TU06C2008A	0.12	(0.04)	66,839	-
SCC28C2008A	-	-	-	-	THAN01C2006B	-	-	-	-	TU08C2011A	0.29	(0.08)	87,769	-
SCC28C2010A	0.76	0.03	213,164	-	THAN01P2006A	-	-	-	-	TU11C2008A	0.15	(0.04)	6,148	-
SCC41C2006A	0.30	(0.07)	982	-	THAN06C2010A	0.73	(0.08)	219,719	-	TU13C2010A	0.28	(0.07)	169,250	-
SCC41C2006B	0.71	0.04	8,881	-	THAN13C2007A	0.01	-	3	-	TU19C2007A	-	-	-	-
SCC41C2010A	0.86	0.03	96,349	-	THAN19C2007A	0.02	-	500	-	TU19C2009A	0.09	(0.03)	291,443	-
SCC41P2006A	-	-	-	-	THAN19C2010A	0.61	(0.04)	193,466	-	TU19C2010A	0.25	(0.06)	313,923	-
SCC42C2008A	-	-	-	-	TISCO1C2006A	0.12	(0.03)	2,147	-	TU24C2006A	0.08	(0.07)	15,238	-
SGP13C2006A	-	-	-	-	TISCO1C2006B	-	-	-	-	TU27C2006A	-	-	-	-
SGP13C2007A	0.30	(0.05)	4,334	-	TISCO1P2006A	-	-	-	-	TU28C2011A	0.25	(0.07)	136,773	-
SGP19C2006A	-	-	-	-	TISCI1C2007A	0.09	(0.01)	1,000	-	TU28C2012A	0.15	(0.03)	61,330	-
SGP19C2006B	0.22	(0.05)	149,925	-	TISCI3C2006A	-	-	-	-	TU41C2009A	0.15	(0.04)	7,000	-
SGP19C2011A	0.51	(0.03)	98,949	-	TISCI3C2010A	0.94	(0.06)	164,962	-	TU41C2010A	0.24	(0.09)	42,345	-
SGP42C2007A	3.44	(0.22)	1,446	3.00	TISCI9C2006A	-	-	-	-	TU42C2007A	-	-	-	-
SIRI13C2007A	0.08	0.04	1	-	TISCI9C2010A	0.78	(0.04)	97,867	-	TVO13C2007A	-	-	-	-
SIRI19C2007A	0.04	(0.01)	6,740	-	TISC41C2006A	-	-	-	-	TVO19C2007A	-	-	-	-
SPAL06C2010A	0.54	(0.07)	159,419	-	TISC41C2010A	0.75	(0.25)	65,059	-	VGI06C2007A	-	-	-	-
SPAL06P2009A	0.31	0.02	82,450	-	TISC41P2006A	-	-	-	-	VGI06C2010A	0.36	(0.06)	50,667	-
SPAL11C2006A	-	-	-	-	TKN01C2007B	-	-	-	-	VGI08C2006A	-	-	-	-
SPAL13C2006A	-	-	-	-	TKN01C2008A	-	-	-	-	VGI11C2008A	-	-	-	-
SPAL13C2010A	0.35	(0.05)	199,426	-	TKN08C2007A	0.48	0.18	14,947	-	VGN13C2006A	-	-	-	-
SPAL19C2011A	0.49	(0.04)	110,021	-	TKN13C2006A	-	-	-	-	VGN13C2010A	0.27	(0.04)	206,180	-
SPAL27C2008A	-	-	-	-	TKN13C2010A	0.95	0.22	456,676	-	VGI19C2006A	-	-	-	-
SPRC01C2007A	0.06	(0.02)	1,000	-	TKN16C2008A	-	-	-	-	VGI19C2010A	0.41	(0.06)	140,655	-
SPRC06C2007A	0.02	(0.01)	5,441	-	TKN19C2007A	-	-	-	-	VGI41C2006A	-	-	-	-
SPRC06C2010A	0.52	(0.14)	97,076	-	TKN19C2010A	1.14	0.22	95,033	1.00	VGI41C2007A	0.11	(0.05)	13,118	-
SPRC06P2007A	-	-	-	-	TKN19C2011A	0.81	(0.19)	600,025	-	WHA01C2008B	-	-	-	-
SPRC06P2011A	0.60	0.10	98,191	-	TKN28C2007A	-	-	-	-	WHA01C2009A	0.70	-	519	-
SPRC08C2006A	-	-	-	-	TKN28C2012A	0.80	0.14	173,781	-	WHA01P2009A	0.17	0.02	2,551	-
SPRC11C2008A	-	-	-	-	TKN41C2006A	-	-	-	-	WHA06C2007A	0.08	(0.06)	120	-
SPRC13C2006A	-	-	-	-	TKN42C2006A	0.45	0.15	28,533	-	WHA06C2010A	0.50	(0.06)	47,666	-
SPRC13C2008A	-	-	-	-	TMB19C2007A	0.08	(0.01)	15,638	-	WHA08C2006A	-	-	-	-
SPRC13C2010A	0.34	(0.08)	346,917	-	TMB19C2011A	0.55	(0.04)	91,769	-	WHA08C2011A	0.55	(0.05)	43,000	-
SPRC19C2007A	-	-	-	-	TMB19C2011B	0.36	(0.64)	79,222	-	WHA08P2006A	0.11	0.01	100	-
SPRC19C2010A	0.42	(0.09)	20,543	-	TMB41C2010A	0.32	(0.68)	7,858	-	WHA11C2008A	0.07	(0.01)	11,493	-
SPRC28C2008A	0.07	(0.05)	20	-	TMB41P2006A	-	-	-	-	WHA13C2006A	-	-	-	-
SPRC28C2011A	0.34	(0.09)	67,705	-	TOA01C2006A	-	-	-	-	WHA13C2009A	0.53	(0.05)	285,275	-
SPRC41C2006A	-	-	-	-	TOA01C2006B	-	-	-	-	WHA16C2006A	-	-	-	-
SPRC42C2006A	-	-	-	-	TOA13C2007A	0.24	(0.02)	115,550	-	WHA16C2008A	-	-	-	-
STA01C2008B	2.40	(0.22)	2,421	2.00	TOA19C2007A	0.28	(0.03)	51,076	-	WHA19C2006A	-	-	-	-
STA01C2009A	2.24	(0.14)	689	2.00	TOA19C2010A	0.36	(0.03)	212,957	-	WHA19C2010A	0.61	(0.05)	15,838	-
STA01P2009A	0.42	(0.09)	19,516	-	TOP01C2006A	0.02	(0.02)	32,039	-	WHA19C2011A				

Main Board Quotation

Issue Date :

Tuesday June 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB-Q	-	-	-	-	TVD-W2	0.30	0.01	292,563	-	-	-	-	-	-
TCAP-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.12	(0.01)	178,180	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.06	-	135,951	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	0.48	(0.04)	92,458	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	0.02	-	50	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.25	(0.01)	68,831	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.03	(0.01)	835	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.05	-	46,511	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.11	-	14,466	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	1.18	(0.07)	375,011	1.00	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.07	0.01	670,267	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.03	0.01	1,037,545	-	-	-	-	-	-	-	-	-	-	-
CRANE-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.52	(0.04)	150,699	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.17	(0.01)	186,011	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.05	0.01	215,633	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.37	-	163,873	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.19	(0.02)	250,389	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.81	(0.10)	475,246	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.37	(0.03)	5,586	-	-	-	-	-	-	-	-	-	-	-
JAS-W3	0.46	(0.26)	639,721	-	-	-	-	-	-	-	-	-	-	-
JCK-W5	0.01	-	1	-	-	-	-	-	-	-	-	-	-	-
JMT-W2	3.88	(0.16)	7,653	3.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.12	(0.02)	2,236,978	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.05	(0.01)	382,186	-	-	-	-	-	-	-	-	-	-	-
MILL-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	1.70	(0.16)	669,417	1.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.69	(0.04)	1,337	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.13	(0.01)	12,602	-	-	-	-	-	-	-	-	-	-	-
ORI-W1	0.33	(0.06)	207,847	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	0.01	-	7,091	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.55	(0.10)	39,003	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.30	(0.01)	3,998	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.17	(0.01)	23,963	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.70	(0.05)	65,562	-	-	-	-	-	-	-	-	-	-	-
PPPM-W4	0.13	-	29,002	-	-	-	-	-	-	-	-	-	-	-
PRIME-W1	0.02	-	5,502	-	-	-	-	-	-	-	-	-	-	-
PRIME-W2	0.02	-	4	-	-	-	-	-	-	-	-	-	-	-
RICHY-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAMART-W2	0.44	(0.04)	30,763	-	-	-	-	-	-	-	-	-	-	-
SDC-W1	0.09	(0.01)	541	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	3.70	0.34	46,364	3.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	2.70	0.06	44,960	2.00	-	-	-	-	-	-	-	-	-	-
SST-W2	0.95	(0.14)	4,584	1.00	-	-	-	-	-	-	-	-	-	-
SUPER-W4	0.01	-	51,799	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.05	(0.02)	10,457	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	0.05	-	24,835	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	0.15	-	786	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	0.02	0.01	240,978	-	-	-	-	-	-	-	-	-	-	-
TH-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TNITY-W1	0.26	(0.02)	23,489	-	-	-	-	-	-	-	-	-	-	-
TRITN-W3	0.08	-	21,342	-	-	-	-	-	-	-	-	-	-	-
TTCL-W1	0.52	(0.13)	434,859	-	-	-	-	-	-	-	-	-	-	-
U-W4	0.01	-	33,396	-	-	-	-	-	-	-	-	-	-	-
UAC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VGI-W2	0.84	(0.08)	558,020	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.16	(0.01)	130,508	-	-	-	-	-	-	-	-	-	-	-
W-W2	0.01	-	100	-	-	-	-	-	-	-	-	-	-	-
W-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WIIT-W2	0.23	(0.02)	196,148	-	-	-	-	-	-	-	-	-	-	-
ZMICO-W4	0.09	(0.01)	210,689	-	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUTHA-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KTB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-P	87.50	1.75	1	87.00	-	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	1.79	(0.02)	42,905	1.00	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.05	-	9,277	-	-	-	-	-	-	-	-	-	-	-
BROOK-W5	0.11	(0.01)	77,430	-	-	-	-	-	-	-	-	-	-	-
CHAYO-W1	2.14	2.14	794,687	2.00	-	-	-	-	-	-	-	-	-	-
CHO-W2	0.06	(0.01)	316,670	-	-	-	-	-	-	-	-	-	-	-
D-W1	0.99	(0.03)	129	-	-	-	-	-	-	-	-	-	-	-
DIMET-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DOD-W1	0.56	(0.02)	284,622	-	-	-	-	-	-	-	-	-	-	-
ECF-W3	0.38	(0.01)	67,421	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HPT-W1	0.23	(0.02)	7,039	-	-	-	-	-	-	-	-	-	-	-
HYDRO-W1	0.02	(0.01)	5,205	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.37	-	52,595	-	-	-	-	-	-	-	-	-	-	-
LIT-W1	0.72	(0.03)	27,131	-	-	-	-	-	-	-	-	-	-	-
META-W4	0.15	0.06	462,977	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OCEAN-W3	0.34	(0.02)	23,912	-	-	-	-	-	-	-	-	-	-	-
RWI-W2	0.14	-	302,723	-	-	-	-	-	-	-	-	-	-	-
SANKO-W1	0.10	-	3,182	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.53	0.03	95,265	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	1.89	0.04	2,495	1.00	-	-	-	-	-	-	-	-	-	-
SMART-W2	0.22	-	8,755	-	-	-	-	-	-	-	-	-	-	-
SWC-W1	3.14	0.08	600	3.00	-	-	-	-	-	-	-	-	-	-
TAKUNI-W	0.06	0.01	564,550	-	-	-	-	-	-	-	-	-	-	-
TAPAC-W4	0.48	(0.05)	235,849	-	-	-	-	-	-	-	-	-	-	-