

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday June 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	2.92	0.02	95,718	2.95	MCOT	5.30	(0.25)	13,658	5.40
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	2.88	(0.06)	116,969	2.88
SAFARI	-	-	-	-	DIF	15.80	(0.10)	148,339	15.79	MPIC	1.47	-	12	1.45
VI	-	-	-	-	DTAC	41.00	(1.00)	58,786	41.64	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.45	-	51	5.45	PLANB	5.55	(0.50)	425,602	5.74
WR	-	-	-	-	HUMAN	7.90	-	9,881	8.03	POST	1.38	0.02	61	1.35
Agribusiness					ILINK	3.66	(0.02)	6,549	3.64	PRAKIT	7.75	(0.20)	198	7.77
CHOTI	73.00	1.75	3	72.33	INET	2.26	0.04	44,046	2.25	SE-ED	1.42	0.01	131	1.48
EE	0.46	(0.03)	51,551	0.47	INTUCH	55.50	0.25	394,993	56.13	TBSP	-	-	-	-
GFPT	12.60	(0.30)	72,232	12.72	JAS	3.70	(0.08)	661,073	3.74	TH	0.51	0.02	546	0.51
LEE	2.20	-	1,673	2.22	JASIF	9.35	(0.05)	149,127	9.40	TKS	5.00	-	2,724	4.96
NER	2.78	0.12	3,914,413	2.85	JMART	9.10	(0.30)	103,167	9.18	VGI	7.25	(0.20)	247,611	7.25
PPPM	0.41	0.01	6,020	0.40	JTS	1.52	0.19	37,675	1.49	WAVE	1.04	0.02	63	1.06
STA	27.00	(1.00)	506,894	27.80	MFEF	4.54	0.10	10,904	4.53	WORK	11.00	(0.40)	55,347	11.14
TRUBB	1.80	(0.04)	103,538	1.85	MSC	4.72	(0.06)	2,139	4.74	Finance & Securities	-	-	-	-
TWPC	3.80	(0.18)	10,578	3.86	PT	4.38	(0.06)	2,186	4.40	AEC	0.30	(0.03)	50,476	0.31
UPOIC	3.22	(0.08)	194	3.27	SAMART	5.00	(0.20)	24,297	5.09	AEONTS	134.00	(4.50)	9,989	136.93
UVAN	4.24	(0.02)	2,602	4.26	SAMTEL	5.15	(0.20)	3,958	5.21	AMANAHA	2.72	(0.16)	253,166	2.78
VPO	0.42	(0.03)	8,275	0.45	SDC	0.16	-	18,501	0.17	ASAP	1.55	(0.09)	236,088	1.67
Banking					SIS	8.15	-	4,240	8.15	ASK	18.60	(0.50)	8,848	18.73
BAY	24.20	(1.55)	8,034	24.53	SVOA	1.08	0.04	230,622	1.09	ASP	1.74	(0.10)	45,520	1.78
BBL	113.00	(8.00)	186,022	115.23	SYMC	3.00	-	61	3.03	BAM	24.20	(0.80)	1,563,753	24.54
CIMBT	0.64	(0.01)	22,044	0.65	SYNEX	7.55	-	15,360	7.55	BFIT	29.75	(1.75)	37,337	30.42
KBANK	98.00	(9.50)	350,633	100.48	THCOM	4.52	0.58	508,430	4.37	CGH	0.73	(0.02)	32,442	0.74
KKP	45.00	(2.75)	69,858	45.79	TRUE	3.54	(0.16)	1,757,717	3.60	ECL	0.95	(0.02)	33,707	0.96
KTB	10.60	(0.60)	469,746	10.77	TRWZ	0.07	-	171,267	0.07	FNS	2.16	(0.06)	1,041	2.19
LHFG	1.07	(0.03)	31,682	1.08	Electronic Componer	-	-	-	-	FSS	1.37	(0.04)	3,714	1.40
SCB	78.50	(5.75)	265,723	79.99	CCET	1.54	(0.03)	18,360	1.55	GBX	0.48	-	7,072	0.48
TCAP	38.50	(1.25)	91,563	38.85	DELTA	55.25	(2.25)	8,500	54.99	GL	3.70	(0.24)	45,652	3.87
TISCO	76.00	(2.00)	80,173	76.52	HANA	28.75	(0.75)	33,501	28.56	IFS	2.44	(0.06)	13,945	2.46
TMB	1.08	(0.07)	6,474,448	1.11	KCE	17.90	(0.70)	133,410	18.17	JMT	19.90	(1.20)	80,222	20.34
Construction Materia					METCO	132.00	(2.50)	100	132.76	KCAR	7.50	(0.10)	2,182	7.52
CCP	0.29	(0.01)	62,534	0.29	NEX	3.98	0.10	72,656	3.95	KGI	3.52	(0.08)	65,311	3.54
COTTO	1.16	(0.06)	8,340	1.19	SMT	1.06	(0.02)	4,231	1.06	KTC	33.50	(2.75)	502,288	34.09
DCC	1.90	(0.03)	46,603	1.91	SVI	2.84	(0.12)	15,187	2.89	MBKET	8.30	(0.15)	2,051	8.33
DCON	0.30	-	35,481	0.30	TEAM	0.80	0.03	6,047	0.79	MFC	13.20	(0.10)	99	13.26
DRT	5.35	(0.15)	8,195	5.41	W	0.13	(0.01)	282,152	0.13	ML	0.79	(0.01)	2,577	0.79
EPG	4.66	(0.14)	98,764	4.71	Energy & Utilities	-	-	-	-	MTC	54.50	(3.25)	171,669	56.05
GEL	0.19	(0.01)	54,956	0.20	7UP	0.42	-	103,935	0.43	PE	-	-	-	-
PPP	1.99	0.01	2,187	1.98	ABPIF	3.50	(0.04)	356	3.50	PL	2.04	(0.04)	3,289	2.05
Q-CON	4.86	(0.14)	321	4.88	ACE	3.88	(0.18)	234,178	3.97	S11	5.30	(0.05)	6,914	5.29
RCI	2.70	(0.08)	106	2.70	AI	1.26	(0.03)	53,795	1.27	SAWAD	61.00	(4.50)	193,451	62.66
SCC	355.00	(3.00)	28,014	354.47	AKR	0.50	(0.02)	10,146	0.51	THANI	3.80	(0.08)	284,536	3.86
SCCC	132.50	(4.00)	724	133.53	BAFS	24.20	(0.70)	10,232	24.43	TK	7.85	(0.10)	1,390	7.88
SCP	5.30	(0.05)	2,234	5.24	BANPU	6.20	(0.15)	736,988	6.11	TNITY	3.76	(0.08)	1,186	3.72
SKN	2.00	(0.06)	2,446	2.02	BCP	21.00	(0.40)	26,721	21.03	UOBKH	-	-	-	-
TASCO	23.30	(0.50)	209,414	23.47	BCPG	15.80	(0.40)	48,683	15.92	ZMICO	0.72	0.01	56,699	0.73
TCMC	1.39	0.13	658,199	1.35	BGRIM	51.25	(2.50)	153,819	52.02	Food & Beverage	-	-	-	-
TOA	34.50	(1.00)	31,865	34.53	BPP	16.50	(0.60)	29,320	16.63	APURE	1.98	(0.14)	44,588	2.05
TPIPL	1.17	(0.07)	188,560	1.20	BRRGIF	7.15	-	96	7.12	ASIAN	6.80	(0.20)	225,900	7.14
UMI	0.61	(0.06)	22,834	0.63	CKP	4.16	(0.18)	259,242	4.26	BR	2.04	-	3,891	2.05
VNG	3.20	-	3,611	3.22	DEMCO	3.24	(0.06)	10,759	3.27	BRR	3.08	(0.02)	1,465	3.05
WIJK	1.47	0.01	60,708	1.50	EA	38.50	(1.00)	89,786	38.81	CBG	94.25	(1.25)	58,357	95.17
Petrochemicals & Ch					EASTW	10.10	-	11,932	10.15	CFRESH	2.24	0.06	24,207	2.29
BCT	37.50	(1.50)	300	37.59	EGATIF	11.90	(0.10)	13,117	11.92	CM	2.72	(0.06)	437	2.74
CMAN	1.25	(0.02)	6,200	1.23	EGCO	260.00	(5.00)	18,196	260.18	CPF	29.75	(0.75)	422,872	29.97
GC	5.15	-	2,399	5.15	ESSO	6.45	(0.50)	345,667	6.64	CPI	1.26	(0.01)	204	1.25
GGC	8.75	(0.25)	30,597	8.91	GPSC	75.00	(2.75)	119,970	76.08	F&D	-	-	-	-
GIFT	2.18	(0.06)	3,277	2.20	GULF	35.75	(1.50)	404,959	36.50	HTC	17.70	(0.30)	3,440	17.86
IVL	28.00	(0.75)	362,371	27.95	GUNKUL	2.68	(0.08)	299,813	2.70	ICHI	7.45	0.35	331,481	7.34
NFC	1.74	(0.13)	46	1.85	IFEC	-	-	-	-	KBS	2.96	(0.04)	451	2.97
PATO	9.00	(0.10)	48	9.07	IRPC	2.62	(0.14)	1,124,853	2.68	KSL	2.06	(0.14)	55,837	2.10
PMTA	8.20	0.10	196	8.13	LANNA	7.15	(0.15)	2,277	7.28	KTIS	2.82	(0.08)	1,453	2.83
PTTGC	43.00	(2.50)	404,467	43.38	MDX	2.02	(0.06)	209	2.03	LST	4.58	-	7,664	4.60
SUTHA	3.38	(0.02)	1,799	3.30	PRIME	0.44	0.05	774,592	0.44	M	58.75	1.25	20,871	58.77
TCCC	20.00	(0.20)	27	19.99	PTG	14.40	(1.40)	361,109	14.87	MALEE	6.50	(0.20)	9,366	6.70
TPA	5.35	0.05	11	5.30	PTT	36.50	(0.75)	740,517	36.57	MINT	21.60	(1.20)	1,307,733	22.29
UAC	3.60	(0.06)	2,618	3.59	PTTEP	87.00	(4.00)	214,989	87.39	OISHI	40.50	(0.50)	197	40.84
UP	-	-	-	-	RATCH	64.75	(1.75)	43,964	65.15	OSP	40.25	(0.25)	89,281	40.25
VNT	22.20	(0.80)	15,583	22.52	RPC	0.53	-	3,584	0.52	PB	68.50	(0.50)	75	68.84
WG	-	-	-	-	SCG	3.98	-	89	4.00	PM	6.85	0.05	3,651	6.84
YCI	-	-	-	-	SCI	1.30	-	2,633	1.29	PRG	11.50	(0.20)	10	11.50
Commerce					SCN	2.06	(0.06)	115,989	2.12	RBF	7.10	(0.35)	418,280	7.42
BEAUTY	1.52	(0.11)	303,239	1.57	SGP	8.30	(0.10)	25,947	8.39	SAPPE	18.70	0.20	43,571	19.22
BIG	0.53	-	82,476	0.54	SKE	0.83	0.01	2,824	0.84	SAUCE	24.00	0.10	74	23.97
BIC	40.25	(1.50)	72,607	40.42	SOLAR	1.12	(0.07)	17,798	1.16	SFP	-	-	-	-
COL	14.60	(0.20)	936	14.59	SPCG	17.30	(0.10)	17,745	17.18	SNP	10.80	(0.20)	93	10.76
COM7	27.00	(1.75)	186,469	28.26	SPRC	6.30	(0.40)	560,886	6.44	SORKON	51.00	(2.00)	15	50.55
CPALL	69.50	(1.00)	296,675	69.65	SSP	7.25	(0.20)	12,129	7.27	SSC	35.25	(2.75)	18	34.99
CPW	1.54	(0.07)	25,888	1.59	SUPER	1.03	(0.02)	30,040,415	1.06	SSF	6.95	0.40	44	6.61
CRC	33.25	(1.75)	185,											

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday June 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	2.70	(0.06)	20,757	2.70	CGD	0.60	(0.01)	21,937	0.61	IHL	2.34	(0.04)	41,783	2.40
RAM	142.50	(4.50)	167	142.74	CI	0.77	(0.01)	674	0.76	INGRS	0.39	0.01	2,408	0.38
RJH	21.60	(0.70)	2,338	21.73	CPN	50.50	(1.50)	101,114	50.52	IRC	13.30	-	80	13.30
RPH	5.30	(0.15)	8,638	5.29	ESTAR	0.36	-	7,412	0.37	PCSGH	-	-	-	-
SKR	5.00	-	3,339	5.00	EVER	0.26	(0.01)	221,186	0.26	SAT	10.40	(0.30)	6,490	10.51
SVH	418.00	(4.00)	27	421.11	FPT	11.80	(0.10)	572	11.80	SPG	-	-	-	-
THG	19.30	(0.60)	4,046	19.48	GLAND	2.30	-	601	2.25	STANLY	167.00	(3.00)	729	167.30
VIBHA	1.57	(0.02)	23,175	1.59	GOLD	8.40	-	1,021	8.40	TKT	0.77	0.02	551	0.77
VIH	6.45	(0.40)	21,355	6.61	GREEN	0.76	0.01	1,072	0.76	TNPC	0.72	(0.05)	2,791	0.73
WPH	1.61	(0.02)	2,568	1.60	J	0.71	(0.01)	8,633	0.71	TRU	3.48	-	408	3.47
Tourism & Leisure	-	-	-	-	JCK	0.76	0.04	104,906	0.77	TSC	9.90	-	32	9.90
ASIA	4.30	0.08	87	4.27	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	24.40	(0.60)	100,130	24.97	KWG	0.82	(0.02)	794	0.83	ALLA	1.29	(0.02)	13,651	1.30
CSR	-	-	-	-	LALIN	4.50	(0.08)	7,622	4.50	ASEFA	3.18	(0.02)	1,307	3.15
DTC	7.15	(0.30)	6,684	7.26	LH	7.45	(0.35)	585,293	7.55	CPT	0.87	(0.01)	5,283	0.88
ERW	3.86	(0.14)	687,059	3.98	LPN	4.60	(0.30)	332,684	4.72	CRANE	2.60	0.16	709,277	2.60
GRAND	0.58	(0.03)	7,470	0.59	MBK	14.20	(0.90)	49,644	14.48	CTW	4.88	(0.06)	256	4.90
LRH	36.00	(0.25)	2	35.50	MJD	1.76	(0.06)	17,098	1.77	FMT	21.20	(1.10)	111	21.34
MANRIN	25.00	(1.50)	1	25.00	MC	2.64	(0.04)	3,445	2.66	HTECH	2.46	(0.04)	5,314	2.50
OHTL	424.00	44.00	1	424.00	NCH	0.60	-	3,580	0.59	KKC	0.70	0.06	14,485	0.71
ROH	33.50	0.50	1	33.50	NNCL	1.88	(0.02)	2,085	1.88	PK	1.58	0.01	139	1.58
SHANG	60.75	(0.75)	38	60.08	NOBLE	11.40	(0.40)	16,161	11.47	SNC	8.65	(0.20)	2,034	8.75
SHR	2.18	(0.08)	179,571	2.23	NUSA	0.34	(0.01)	167,310	0.35	STARK	2.16	0.14	1,080,317	2.12
VRANDA	6.05	-	479	6.11	NVD	1.15	-	8,910	1.16	TCJ	2.66	(0.02)	807	2.64
Home & Office Produ	-	-	-	-	ORI	5.00	(0.25)	133,597	5.07	VARO	3.98	-	6	3.98
ACC	0.60	0.01	994	0.59	PACE	0.03	(0.01)	1,911,577	0.03	Property Fund & REIT	-	-	-	-
AJA	0.15	-	167,803	0.15	PF	0.44	(0.03)	1,449,105	0.45	AIMCG	7.55	(0.15)	608	7.57
DTCI	-	-	-	-	PLAT	3.10	(0.02)	32,125	3.10	AIMIRT	13.40	-	1,311	13.26
FANCY	0.53	(0.02)	208	0.53	POLAR	-	-	-	-	AMATAR	10.30	-	117	10.29
KYE	317.00	(1.00)	24	318.46	PRECHA	0.89	0.01	56	0.89	B-WORK	11.90	(0.10)	29	11.94
L&E	1.60	-	317	1.60	PRIN	1.49	(0.02)	417	1.47	BKER	7.10	-	1,646	7.09
MODERN	2.44	-	305	2.44	PSH	12.00	(0.60)	20,731	12.11	BKKCP	11.70	(0.10)	111	11.70
OGC	25.50	-	5	25.50	QH	2.20	(0.02)	573,747	2.20	BOFFICE	-	-	-	-
ROCK	-	-	-	-	RICHY	0.66	(0.03)	18,400	0.67	CPNCG	10.80	(0.20)	1,707	10.90
SIAM	1.43	(0.02)	11,776	1.40	RML	0.64	(0.02)	56,521	0.64	CPNREIT	27.50	(0.50)	21,858	27.75
TSR	2.04	-	2,059	2.01	ROJNA	4.04	(0.10)	18,394	4.10	CPTGF	12.50	0.10	384	12.30
Insurance	-	-	-	-	S	1.64	(0.08)	66,318	1.67	CTARAF	5.05	-	151	5.05
AYUD	35.25	(0.75)	10	35.25	SAMCO	1.20	(0.01)	4,300	1.22	DREIT	4.40	(0.18)	1,674	4.40
BKI	275.00	(5.00)	606	275.34	SC	2.18	-	137,432	2.23	ERWPF	-	-	-	-
BLA	15.70	(0.60)	13,460	15.92	SENA	2.50	(0.06)	11,644	2.49	FTREIT	15.80	(0.60)	17,951	15.87
BUI	8.45	0.60	1	8.45	SF	4.72	(0.16)	32,938	4.75	FUTUREPF	19.20	0.10	289	19.18
CHARAN	21.30	(0.20)	1	21.30	SIRI	0.85	(0.03)	2,549,053	0.87	GAHREIT	7.35	(0.05)	227	7.36
INSURE	-	-	-	-	SPALI	15.40	(0.40)	54,040	15.52	GOLDPF	5.65	(0.15)	20	5.65
MTI	84.50	(3.50)	4	85.56	U	1.51	(0.06)	551,932	1.56	GVREIT	15.00	-	27	15.02
NKI	-	-	-	-	UV	3.24	(0.14)	29,324	3.28	HPF	4.64	(0.06)	322	4.66
NSI	55.00	-	17	55.00	WHA	3.24	(0.10)	1,628,313	3.29	HREIT	8.60	(0.10)	1,820	8.61
SEG	25.00	-	47	25.23	WIN	0.40	-	773	0.40	IMPACT	19.40	(0.40)	26,452	19.50
SMK	33.25	(0.50)	13	33.06	Paper & Printing Mat	-	-	-	-	KNPFF	6.85	0.05	4	6.85
THRE	0.51	0.02	320,795	0.51	UTP	11.50	(0.30)	50,965	11.69	LHHOTEL	12.60	(0.40)	294	12.76
THREL	2.58	(0.02)	13,266	2.56	Fashion	-	-	-	-	LHPF	6.20	(0.05)	143	6.21
TIP	22.30	(0.20)	1,907	22.32	AFC	6.00	(0.35)	2	6.00	LHSC	13.50	(0.20)	417	13.52
TQM	102.00	(3.00)	15,863	106.14	B52	0.14	(0.01)	1,965	0.15	LUXF	6.50	0.05	4	6.49
TSI	0.39	0.02	26,530	0.38	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.08	(0.02)	1,004	3.08	CPH	-	-	-	-	M-PAT	-	-	-	-
Mining	-	-	-	-	CPL	0.84	(0.06)	483	0.89	M-STOR	5.70	(0.30)	128	5.72
PDI	5.90	0.05	4,507	5.88	ICC	33.00	0.75	21	32.79	MIPF	-	-	-	-
THL	-	-	-	-	NC	9.05	0.45	132	9.32	MIT	-	-	-	-
Packaging	-	-	-	-	PAF	0.56	(0.02)	1,231	0.55	MJLF	7.55	(0.05)	786	7.63
AJ	12.80	(0.40)	12,941	13.18	PDJ	1.20	(0.03)	4,341	1.23	MNIT	1.38	(0.12)	14	1.38
ALUCON	141.00	(0.50)	27	140.52	PG	4.66	(0.14)	35	4.68	MNIT2	-	-	-	-
BGC	10.40	(0.70)	18,941	10.63	SABINA	17.70	(0.40)	11,852	17.85	MNRF	2.66	(0.28)	2	2.64
CSC	47.75	(0.50)	45	47.53	SAWANG	-	-	-	-	POPF	11.10	(0.10)	595	11.05
GLOCON	0.65	-	41,524	0.65	SUC	37.00	-	15	37.00	PPF	11.30	-	399	11.30
NEP	0.15	(0.01)	2,834	0.15	TNL	18.50	-	3	18.50	QHHR	7.25	-	137	7.28
PTL	14.80	(0.70)	24,517	15.10	TPCORP	9.60	(0.05)	6	9.64	QHOP	2.54	0.02	25	2.51
SFLEX	9.30	-	1,997	9.26	TR	26.50	0.25	49	26.05	QHPF	10.90	(0.20)	5,029	11.01
SITHAI	0.71	(0.01)	5,413	0.72	TTI	-	-	-	-	SBPF	2.58	(0.02)	13	2.57
SLP	0.45	0.01	1,173	0.46	TTT	51.00	1.00	104	52.27	SHREIT	4.48	0.06	3,179	4.47
SMPC	8.35	(0.15)	13,223	8.55	UPF	-	-	-	-	SIRIP	-	-	-	-
SPACK	2.10	(0.06)	6,944	2.11	UT	15.00	0.80	106	14.69	SPF	14.50	(0.60)	10,992	14.69
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPRIME	-	-	-	-
TFI	0.05	0.01	31,780	0.05	Transportation & Log	-	-	-	-	SRIPANWA	8.40	0.05	11	8.40
THIP	22.80	(0.20)	282	22.88	AAV	2.24	-	1,201,201	2.30	SSPF	8.85	(0.25)	18	8.91
TMD	21.60	(0.20)	107	21.51	AOT	62.50	(2.50)	329,779	63.04	SSTRT	5.40	-	100	5.40
TOPP	190.00	(9.00)	1	190.00	ASIMAR	1.35	0.01	10,174	1.39	TIF1	8.45	(0.05)	228	8.45
TPBI	3.34	(0.10)	1,113	3.39	B	0.27	(0.01)	28,804	0.27	TLGF	19.90	(0.40)	21,559	19.89
TPP	15.20	-	2	15.20	BA	6.90	-	45,965	6.85	TLHPF	8.90	-	21	8.90
Personal Products &	-	-	-	-	BEM	9.70	(0.30)	536,848	9.79	TNPF	2.20	0.06	200	2.20
APCO	3.68	0.06	1,891	3.66	BTS	11.30	(0.40)	660,188	11.49	TPRIME	15.00	-	100	15.00
DDD	17.20	(0.70)	1,593	17.56	BTSgif	7.40	(0.05)	35,868	7.40	TTLPF	21.50	(0.20)	2	21.50
JCT	79.00	-	33	80.17	III	4.52	(0.04)	10,311	4.56	TU-PF	-	-	-	-
OCC	8.50	(0.70)	29	8.42	JUTHA	0.43	0.03	1	0.43	URBNPF	2.98	(0.04)	80	3.00
S & J	28.25	(0.25)	1	28.25	JWD	6.45	(0.25)	13,439	6.57	WHABT	8.80	(0.05)	2	8.80
STHAI	-	-	-	-	KWC	292.00	(2.00)	4	289.75	WHART	16.70	(0.60)	9,812	16.85
TNR	9.25	0.05	3,633	9.01	NOK	1.17	(0.03)	4,246	1.16	Steel	-	-	-	-
TOG	3.46	(0.06)	1,199	3.46	NYT	3.00	(0.04)	11,528	2.98	AMC	1.42	0.02	146	1.41
Professional Service	-	-	-	-	PORT	1.85	(0.07)	67,816	1.91	BSBM	0.87	(0.01)	3,208	0.87
BWG	0.48	(0.02)	519,229	0.50	PRM	7.75	(0.25)	276,340	7.95	CEN	0.56	0.01	2,201	0.54
GENCO	0.47	(0.02)	13,773	0.48	PSL	5.75	0.15	650,685	5.90	CITY	1.82	(0.04)	774	1.83
PRO	-	-	-	-	RCL	3.28	-	20,715	3.36	CSP	0.62	-	220	0.62
SISB	9.65	(0.35)	81,668	9.90	RFFIF	11.30	(0.20)	122,718	11.38	GJS	0.11	(0.01)	200,267	0.11
TEAMG	1.99	(0.03)	19,448	2.00	THAI	4.14	(0.14)	42,009	4.18	GSTEEL	-	-	-	-
Property Developmet	-	-	-	-	TSTE	7.00	-	1	7.00	INOX	0.47	(0.01)	1,042	0.47
A	4.94	(0.02)	94	4.94	TTA	3.26	(0.10)	389,021	3.40	LHK	2.54	-	3,959	2.56
AMATA	14.80	(1.20)	413,823	15.47	WICE	3.14	0.24	411,643	3.11	MAX				

Main Board Quotation

Issue Date :

Monday June 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.71	(0.03)	19,089	-	ADVA01P2007B	0.25	0.04	8,097	-
ABICO	4.66	0.02	1,070	4.00	AIE	0.43	(0.01)	78,618	-	ADVA06C2009A	0.22	(0.01)	48,540	-
AU	10.60	(0.70)	99,173	11.00	PSTC	1.98	(0.02)	108,096	1.00	ADVA06C2010A	0.70	(0.04)	176,558	-
JCKH	0.26	(0.02)	1,411	-	QTC	4.36	0.04	7,209	4.00	ADVA06P2011A	0.92	0.02	135,905	-
KASET	1.50	-	413	1.00	SAAM	1.01	(0.10)	79,073	1.00	ADVA08C2009A	0.43	(0.01)	74,981	-
MM	1.64	0.01	215	1.00	SEOIL	2.62	(0.06)	10,340	2.00	ADVA08P2009A	0.55	(0.02)	72,310	-
SUN	2.06	(0.02)	3,318	2.00	SR	0.71	(0.06)	574	-	ADVA11C2006A	0.01	-	19	-
TACC	4.58	(0.06)	236,778	4.00	TAKUNI	0.42	(0.01)	16,664	-	ADVA11C2011A	0.78	(0.01)	39,118	-
TMILL	3.18	0.02	23,502	3.00	TPCH	12.10	(0.20)	14,987	12.00	ADVA11P2011A	0.77	-	24,085	-
XO	5.95	(0.05)	1,757	5.00	TRT	1.65	-	781	1.00	ADVA13C2006A	-	-	-	-
Consumer Products														
BGT	1.16	(0.02)	5,798	1.00	UMS	0.35	-	626	-	ADVA13C2007A	-	-	-	-
BIZ	3.56	(0.02)	1,461	3.00	UWC	0.04	0.01	41,209	-	ADVA13C2008A	0.19	(0.02)	157,577	-
DOD	6.75	(0.20)	14,413	6.00	Services (MAI)	-	-	-	-	ADVA13C2010A	0.82	(0.04)	488,605	-
ECF	1.34	0.06	384,063	1.00	A5	-	-	-	-	ADVA13P2009A	1.04	0.01	130,087	1.00
HPT	0.66	-	201	-	AKP	0.95	(0.03)	465	-	ADVA16C2007A	0.03	0.01	1	-
IP	8.35	(0.25)	32,325	8.00	AMA	5.10	0.05	92,245	5.00	ADVA16C2009A	-	-	-	-
JUBILE	16.10	(0.40)	1,590	16.00	ARIP	0.33	(0.02)	1,103	-	ADVA19C2007A	-	-	-	-
MOONG	3.44	(0.04)	900	3.00	ATP30	0.83	(0.04)	26,109	-	ADVA19C2007B	-	-	-	-
NPK	11.90	1.00	91	11.00	AUCT	7.20	(0.15)	21,170	7.00	ADVA19C2008A	0.66	(0.03)	44,330	-
OCEAN	0.92	-	30,408	-	BOL	3.68	-	1,908	3.00	ADVA19C2009A	0.39	(0.03)	158,275	-
TM	2.44	0.04	9,492	2.00	CHUO	-	-	-	-	ADVA19C2010A	0.18	(0.02)	257,393	-
Financials (MAI)														
ACAP	0.83	(0.09)	68,110	-	CMO	0.95	(0.01)	1,316	-	ADVA19P2006A	-	-	-	-
AF	0.59	(0.01)	152	-	D	3.40	-	941	3.00	ADVA19P2009A	0.22	0.02	26,611	-
AIRA	0.93	(0.02)	512	-	DCORP	0.35	(0.02)	4,379	-	ADVA19P2010A	0.74	0.01	84,826	-
ASN	3.80	-	22	3.00	EFORL	0.03	-	17,102	-	ADVA24C2006A	-	-	-	-
BROOK	0.43	0.02	331,086	-	ETE	0.76	0.02	3,781	-	ADVA24C2009A	0.34	(0.01)	19,938	-
CHAYO	5.80	(0.30)	87,648	5.00	FSMART	6.10	(0.05)	11,000	6.00	ADVA28C2007A	-	-	-	-
GCAP	1.52	(0.09)	28,200	1.00	FVC	0.39	0.03	59,734	-	ADVA28C2008A	0.34	(0.04)	149,127	-
LIT	3.30	(0.08)	4,651	3.00	GSC	0.74	0.02	7,899	-	ADVA28C2008B	-	-	-	-
MITSI	1.08	(0.01)	12,141	1.00	HARN	2.08	(0.04)	8,591	2.00	ADVA28C2011A	0.19	(0.81)	49,173	-
SGF	0.62	(0.03)	70,958	-	IMH	2.20	(0.10)	2,758	2.00	ADVA28C2012A	0.14	(0.01)	23,853	-
Industrials (MAI)														
ZS	2.38	(0.06)	1,141	2.00	JKN	5.20	(0.20)	63,175	5.00	ADVA28P2012A	0.36	(0.01)	12,168	-
ACG	0.94	-	1,825	-	KIAT	0.51	-	119,849	-	ADVA41C2007A	0.07	-	1	-
ADB	0.69	(0.01)	100	-	KOOL	0.75	-	2,412	-	ADVA41C2007B	0.27	(0.01)	9,000	-
BM	2.12	0.02	913	2.00	LDC	0.75	(0.03)	3,655	-	ADVA41P2009A	0.97	0.01	3,943	-
CHO	0.66	0.08	357,058	-	MORE	0.36	(0.03)	486,594	-	ADVA42P2007A	0.74	(0.06)	15,525	-
CHOW	2.20	0.04	17,449	2.00	MPG	0.19	0.01	2,999	-	AEON13C2007A	0.02	(0.02)	1,964	-
CIG	0.22	-	9,130	-	MVP	1.20	(0.02)	790	1.00	AEON13C2010A	0.48	(0.07)	103,879	-
COLOR	1.16	(0.04)	2,818	1.00	NBC	0.60	(0.01)	621	-	AEON19C2006A	-	-	-	-
CPR	3.02	(0.06)	573	3.00	NCL	0.76	(0.04)	2,001	-	AEON19C2010A	0.70	(0.08)	326,061	-
FPI	2.00	(0.04)	2,453	2.00	NEWS	0.01	-	25,944	-	AMAT01C2007B	-	-	-	-
GTB	0.56	0.01	2,733	-	NINE	1.76	-	24	1.00	AMAT01C2008A	0.27	(0.05)	12	-
KCM	0.48	(0.01)	1,690	-	OTO	3.00	0.06	9,387	2.00	AMAT01P2008A	0.50	0.16	1,239	-
KUMWEL	0.93	-	3,619	-	PHOL	2.96	0.06	25,074	2.00	AMAT06C2010A	0.62	(0.21)	52,318	-
KWM	0.77	0.04	177,849	-	PICO	-	-	-	-	AMAT08C2010A	0.52	(0.10)	55,503	-
MBAX	4.28	-	1,013	4.00	QLT	4.00	(0.04)	190	4.00	AMAT11C2008A	0.04	(0.03)	450	-
MGT	1.83	0.10	4,504	1.00	RP	1.31	(0.01)	1,098	1.00	AMAT13C2010A	0.44	(0.12)	402,164	-
NDR	1.09	(0.01)	150	1.00	SE	1.32	(0.01)	680	1.00	AMAT16C2006A	-	-	-	-
PDG	3.28	(0.08)	2,345	3.00	SONIC	1.03	(0.01)	1,259	1.00	AMAT16C2008A	-	-	-	-
PIMO	1.29	(0.04)	9,510	1.00	SPA	7.20	(0.25)	27,595	7.00	AMAT19C2006A	-	-	-	-
PJW	1.17	(0.01)	3,987	1.00	THMUI	0.59	-	3,988	-	AMAT19C2008A	0.24	(0.02)	2,016	-
PPM	0.87	(0.01)	153	-	TNDT	2.94	(0.20)	1,859	2.00	AMAT19C2009A	0.54	(0.14)	54,392	-
RWI	1.40	0.02	6,683	1.00	TNH	30.00	(0.50)	167	30.00	AMAT19C2011A	0.45	(0.10)	160,019	-
SALEE	0.68	-	1,457	-	TNP	2.68	(0.04)	38,096	2.00	AMAT24C2006A	-	-	-	-
SANKO	0.91	(0.01)	540	-	TSF	-	-	-	-	AMAT24C2010A	0.41	(0.12)	26,518	-
SELIC	2.00	-	7,374	2.00	TVD	0.81	(0.01)	17,966	-	AMAT42C2007A	0.69	(0.19)	3,922	-
SWC	3.92	(0.06)	1,493	3.00	TVT	0.59	-	1,201	-	ANAN13C2007A	-	-	-	-
TMC	0.56	0.07	28,425	-	VL	1.19	0.01	185,891	1.00	ANAN19C2007A	-	-	-	-
TMI	0.62	(0.01)	1,292	-	WINNER	2.66	(0.04)	1,669	2.00	AOT01C2006B	0.01	(0.01)	8,722	-
TMW	35.75	(0.25)	468	35.00	YGG	5.10	(0.10)	2,417	5.00	AOT01C2007A	0.24	(0.06)	5,434	-
TPAC	10.10	-	286	10.00	Technology (MAI)	-	-	-	-	AOT01P2006B	0.18	0.04	8,265	-
TPLAS	1.15	(0.03)	3,310	1.00	APP	1.52	-	3,909	1.00	AOT01P2007A	0.82	0.11	11,191	-
UBIS	4.70	(0.04)	418	4.00	COMAN	2.10	(0.04)	290	2.00	AOT06C2007A	-	-	-	-
UEC	0.88	0.03	18,216	-	ICN	1.83	(0.04)	10,561	1.00	AOT06C2008A	1.05	(0.07)	200	1.00
UKEM	0.64	(0.01)	50,672	-	INSET	2.50	(0.04)	29,543	2.00	AOT06C2009A	0.53	(0.09)	138,777	-
UREKA	0.94	(0.11)	170,749	1.00	IRCP	0.47	0.01	3,189	-	AOT06P2009A	0.29	0.04	54,948	-
YUASA	11.90	(0.20)	214	12.00	ITEL	2.58	(0.04)	61,807	2.00	AOT06P2011A	1.06	0.09	82,991	1.00
ZIGA	1.35	(0.05)	576	1.00	NETBAY	33.50	(0.75)	6,117	33.00	AOT08C2006A	-	-	-	-
Property & Construc														
ALL	3.38	-	334,868	3.00	PLANET	0.81	(0.02)	938	-	AOT08C2007A	-	-	-	-
ARIN	0.80	(0.03)	26,057	-	SPVI	2.32	(0.06)	64,227	2.00	AOT11C2011A	0.77	(0.08)	62,962	-
ARROW	7.50	(0.15)	480	7.00	TPS	1.88	(0.01)	2,316	1.00	AOT11P2007A	0.74	0.16	1,090	-
BC	1.03	0.01	1,708	1.00	UPA	0.28	-	84,246	-	AOT13C2006A	-	-	-	-
BSM	0.27	(0.01)	4,513	-	VCOM	3.62	(0.10)	27,404	3.00	AOT13C2007A	-	-	-	-
BTW	0.77	(0.04)	2,847	-	Unit Trust	-	-	-	-	AOT13C2008A	0.67	(0.10)	23,337	-
CAZ	1.59	(0.10)	18,374	1.00	MGE	-	-	-	-	AOT13C2010A	0.49	(0.11)	642,409	-
CHEWA	0.43	-	34,875	-	SCBSET	-	-	-	-	AOT13P2006A	0.15	0.04	2,039	-
CMC	0.73	(0.02)	3,566	-	ETF	-	-	-	-	AOT13P2009A	0.26	0.02	165,142	-
CRD	0.50	-	558	-	IDIV	8.25	(0.15)	270	8.00	AOT16C2007A	-	-	-	-
DIMET	-	-	-	-	ABFTH	1,369.00	12.00	1	1,369.00	AOT16C2009A	0.47	(0.06)	5,238	-
FLOYD	1.02	(0.02)	1,683	1.00	BMSCG	6.90	(0.21)	266	7.00	AOT19C2007A	0.14	(0.05)	172	-
HYDRO	0.14	-	23,772	-	BMSCITH	9.88	(0.34)	5,372	9.00	AOT19C2008A	0.59	(0.05)	70	-

Main Board Quotation

Issue Date :

Monday June 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT41P2009B	0.42	0.04	2,975	-	BCPG01C2008B	-	-	-	-	BJC41C2008A	0.44	(0.09)	375	-
AOT41P2010A	0.63	0.07	163,431	-	BCPG01C2009A	-	-	-	-	BPP13C2007A	0.29	(0.12)	7,758	-
AOT42C2006A	-	-	-	-	BCPG01P2009A	0.19	0.02	120	-	BPP19C2007A	-	-	-	-
AOT42C2101T	0.33	(0.67)	56,986	-	BCPG13C2007A	-	-	-	-	BPP19C2010A	0.46	(0.05)	12,687	-
AOT42P2009A	-	-	-	-	BCPG13C2010A	0.31	(0.03)	72,355	-	BTS11C2011A	0.37	(0.03)	26,536	-
AP19C2007A	-	-	-	-	BCPG16C2009A	0.35	(0.03)	1,176	-	BTS13C2006A	-	-	-	-
AP19C2010A	1.04	(0.11)	18,196	1.00	BCPG19C2010A	0.30	(0.03)	18,841	-	BTS13C2008A	-	-	-	-
AP19C2011A	0.29	(0.02)	11,378	-	BCPG28C2008A	0.29	(0.01)	8,619	-	BTS13C2009A	0.24	(0.03)	93,247	-
AP28C2012A	0.92	(0.07)	35,629	-	BCPG28C2012A	0.29	(0.02)	33,054	-	BTS16C2008A	0.01	(0.01)	5,574	-
AWC01C2009A	0.16	(0.06)	1,947	-	BCPG28C2012B	0.30	(0.70)	58,314	-	BTS19C2008A	0.24	(0.05)	12,907	-
AWC01P2007A	0.40	0.10	13,799	-	BCPG42C2007A	0.34	(0.05)	9,388	-	BTS19C2010A	0.22	(0.03)	7,950	-
AWC06C2009A	0.72	(0.18)	95,835	-	BDM501C2007B	0.04	-	41	-	BTS24C2007A	-	-	-	-
AWC13C2006A	-	-	-	-	BDM501P2008A	0.31	0.01	2,124	-	BTS41C2006A	-	-	-	-
AWC13C2009A	0.57	(0.13)	92,204	-	BDM506C2008A	0.19	-	40	-	BTS41C2010A	0.15	(0.03)	10,917	-
AWC13C2010A	0.12	(0.04)	167,405	-	BDM506C2010A	0.60	(0.10)	60,533	-	BTS42C2008A	0.04	0.01	352	-
AWC13C2010B	0.50	(0.13)	268,791	-	BDM506P2009A	0.33	0.05	31,511	-	CBG01C2007B	0.07	(0.07)	5,608	-
AWC13P2006A	0.26	0.14	2	-	BDM508C2006A	-	-	-	CBG01P2007B	0.08	0.02	20,449	-	
AWC16C2007A	-	-	-	-	BDM508C2011A	0.41	(0.06)	42,551	-	CBG08C2007A	1.21	(0.09)	7	1.00
AWC19C2006A	-	-	-	-	BDM511C2007A	-	-	-	CBG11C2008A	-	-	-	-	
AWC19C2010A	0.56	(0.12)	88,496	-	BDM511C2008A	0.03	-	1	-	CBG13C2008A	1.37	(0.03)	1,000	1.00
AWC19C2010B	0.14	(0.03)	30,999	-	BDM511C2011A	0.89	(0.07)	28,566	-	CBG13C2010A	0.91	(0.06)	113,170	-
AWC24C2007A	-	-	-	-	BDM513C2008A	0.29	(0.04)	40,270	-	CBG13P2006A	0.01	-	1	-
AWC24C2010A	0.22	(0.05)	25,072	-	BDM513C2009A	0.41	(0.05)	59,650	-	CBG16C2008A	-	-	-	-
AWC28C2008A	0.14	(0.13)	78	-	BDM516C2006A	-	-	-	CBG19C2008A	1.40	(0.06)	191	1.00	
AWC28C2010A	0.55	(0.13)	112,756	-	BDM519C2010A	0.39	(0.05)	89,516	-	CBG19C2010A	1.15	(0.06)	110,270	1.00
AWC28C2010B	0.15	(0.02)	21,408	-	BDM519P2010A	0.36	0.03	1,166	-	CBG19C2011A	0.47	(0.03)	110,221	-
AWC28C2012A	0.12	(0.01)	203,982	-	BDM524C2006A	-	-	-	CBG19P2006A	0.04	0.01	287	-	
AWC41C2007A	0.01	(0.04)	99	-	BDM528C2011A	0.41	(0.04)	37,373	-	CBG19P2010A	0.98	0.02	159,682	-
AWC41C2007B	-	-	-	-	BDM528C2012A	0.28	(0.03)	23,201	-	CBG24C2008A	1.58	(0.09)	8,340	1.00
AWC42C2008A	0.02	-	200	-	BDM528C2012B	-	-	-	CBG41C2006A	-	-	-	-	
BANP06C2010A	0.29	(0.04)	26,042	-	BDM541C2006A	-	-	-	CBG41C2009A	1.39	0.06	1	1.00	
BANP08C2007A	-	-	-	-	BDM541C2009A	0.33	(0.05)	63,482	-	CBG41C2010A	0.44	(0.01)	63,901	-
BANP08C2009A	0.36	(0.03)	34,840	-	BDM541P2006A	-	-	-	CBG41P2006A	-	-	-	-	
BANP08P2009A	0.70	0.03	52,501	-	BEC01C2006A	0.02	-	1,160	-	CBG41P2010A	1.00	0.02	4,178	-
BANP11C2008A	-	-	-	-	BEC01C2006B	0.01	-	2,840	-	CBG42C2006A	-	-	-	-
BANP13C2006A	0.01	-	1,300	-	BEC01P2006A	-	-	-	CBG42C2008A	2.78	0.10	1	2.00	
BANP13C2008A	0.26	(0.03)	68,661	-	BEM06P2009A	0.25	0.02	24,115	-	CENT01C2006A	-	-	-	-
BANP13C2010A	0.17	(0.02)	174,286	-	BEM08C2009A	0.77	(0.07)	6,478	-	CENT01C2006B	-	-	-	-
BANP19C2007A	0.01	-	152	-	BEM11C2011A	0.51	(0.04)	63,984	-	CENT01C2009A	0.91	(0.03)	50	-
BANP19C2007B	-	-	-	-	BEM13C2007A	0.01	(0.01)	11,353	-	CENT01P2009A	0.16	0.01	12,235	-
BANP19C2009A	0.36	(0.03)	39,804	-	BEM13C2009A	0.51	(0.05)	125,334	-	CENT06C2006A	0.29	(0.41)	1,500	-
BANP19C2010A	0.27	(0.02)	107,660	-	BEM13C2010A	0.19	(0.03)	63,306	-	CENT06P2007A	-	-	-	-
BANP19P2010A	0.35	0.02	56,767	-	BEM16C2006A	-	-	-	CENT11C2007A	0.02	(0.01)	159	-	
BANP19P2010B	0.89	0.06	45,230	-	BEM19C2010A	0.60	(0.07)	46,494	-	CENT13C2006A	0.05	(0.01)	1,202	-
BANP24C2011A	0.27	(0.73)	9,691	-	BEM19C2011A	0.22	(0.03)	6,966	-	CENT19C2008A	-	-	-	-
BANP27C2007A	-	-	-	-	BEM19P2010A	0.39	0.03	32,915	-	CENT19C2010A	0.65	(0.05)	104,592	-
BANP28C2008A	-	-	-	-	BEM24C2008A	0.76	(0.04)	11,792	-	CENT19C2011A	0.26	(0.03)	84,132	-
BANP28C2010A	0.23	(0.04)	23,814	-	BEM28C2007A	-	-	-	CENT24C2008A	0.31	(0.04)	13,718	-	
BANP28C2012A	0.25	(0.03)	32,660	-	BEM28C2008A	-	-	-	CENT27C2008A	0.52	0.01	820	-	
BANP41C2006A	-	-	-	-	BEM28C2010A	0.62	(0.05)	8,620	-	CENT28C2008A	-	-	-	-
BANP41C2007A	0.07	(0.03)	2,005	-	BEM28C2012A	0.20	(0.80)	27,378	-	CENT28C2010A	0.93	(0.05)	4,600	-
BANP41C2010A	0.32	(0.17)	100	-	BEM41C2006A	-	-	-	CENT28C2012A	0.43	(0.02)	64,292	-	
BANP41P2007A	1.17	0.06	3	1.00	BGR101C2006A	0.09	(0.05)	704	-	CENT41C2006A	-	-	-	-
BANP42C2006A	-	-	-	-	BGR101C2006B	0.01	-	80,089	-	CENT42C2006A	-	-	-	-
BBL06C2007A	0.03	(0.02)	645	-	BGR101C2008B	-	-	-	CHG01C2006A	0.14	0.03	20	-	
BBL06C2009A	0.92	(0.25)	59,834	-	BGR101C2009A	0.75	(0.06)	624	-	CHG01C2006B	-	-	-	-
BBL08C2007A	0.03	(0.01)	792	-	BGR101P2006A	0.18	0.08	8	-	CHG01P2006A	-	-	-	-
BBL08C2009A	0.56	(0.16)	85,673	-	BGR106C2010A	0.67	(0.14)	74,272	-	CHG13C2010A	0.27	(0.03)	5	-
BBL08P2007A	0.66	0.25	1,806	-	BGR108C2009A	0.62	(0.10)	51,995	-	CHG16C2009A	0.25	(0.05)	13,559	-
BBL08P2009A	0.55	0.10	92,333	-	BGR111C2006A	-	-	-	CHG19C2011A	0.30	(0.05)	21,284	-	
BBL11C2007A	0.01	(0.01)	269	-	BGR111C2008A	-	-	-	CHG27C2009A	0.12	(0.01)	2	-	
BBL11C2011A	0.97	(0.20)	59,823	1.00	BGR113C2007A	-	-	-	CHG42C2006A	-	-	-	-	
BBL11P2008A	0.84	0.26	8,106	-	BGR113C2008A	-	-	-	CK06C2009A	0.60	(0.04)	85,621	-	
BBL13C2006A	-	-	-	-	BGR113C2009A	0.68	(0.10)	196,747	-	CK11C2007A	-	-	-	-
BBL13C2008A	0.24	(0.11)	939,860	-	BGR19C2006A	-	-	-	CK13C2006A	0.01	-	1	-	
BBL13C2010A	1.64	(0.76)	6,008	1.00	BGR19C2008A	-	-	-	CK13C2010A	0.69	(0.02)	312,536	-	
BBL13C2010B	0.58	(0.19)	874,302	-	BGR19C2008B	-	-	-	CK16C2006A	-	-	-	-	
BBL13P2008A	0.85	(0.61)	2	-	BGR19C2009A	0.68	(0.12)	11,451	-	CK19C2007A	-	-	-	-
BBL13P2010A	0.63	0.11	423,858	-	BGR19C2011A	0.50	(0.09)	78,424	-	CK19C2010A	0.55	(0.03)	74,869	-
BBL16C2006A	-	-	-	-	BGR19P2007A	0.38	0.03	50	-	CK27C2008A	-	-	-	-
BBL19C2007A	0.03	(0.03)	1,220	-	BGR124C2009A	0.61	(0.10)	20,473	-	CK41C2009A	0.53	(0.02)	43,984	-
BBL19C2009A	-	-	-	-	BGR127P2006A	0.06	-	3,430	-	CK42C2006A	-	-	-	-
BBL19C2010A	0.61	(0.14)	137,233	-	BGR141C2007A	0.50	(0.09)	9,416	-	CKP01C2008B	-	-	-	-
BBL19C2011A	0.47	(0.13)	91,191	-	BGR141C2010A	0.44	(0.08)	15,889	-	CKP01C2009A	-	-	-	-
BBL19P2007A	0.66	0.26	1	-	BGR141P2006A	-	-	-	CKP01P2009A	0.20	0.05	80	-	
BBL19P2010A	0.56	0.08	49,419	-	BGR142C2006A	-	-	-	CKP08C2010A	0.59	(0.06)	78,793	-	
BBL19P2011A	0.90	0.13	265,305	-	BH08C2007A	0.07	(0.02)	552	-	CKP11C2006A	-	-	-	-
BBL24C2009A	0.56	(0.20)	38,531	-	BH11C2008A	-	-	-	CKP13C2007A	-	-	-	-	
BBL28C2007A	0.01	(0.03)	4,400	-	BH13C2006A	-	-	-	CKP13C2010A	0.47	(0.08)	468,320	-	
BBL28C2010A	0.39	(0.11)	83,903	-	BH13C2010A	0.41	(0.03)	130,342	-	CKP16C2007A	-	-	-	-
BBL28C2011A	-	-	-	-	BH19C2006A	-	-	-	CKP19C2006A	-	-	-	-	
BBL41C2007A	-	-	-	-	BH19C2009A	0.39	(0.02)	215,041	-	CKP19C2010A	0.66	(0.07)	210,519	-
BBL41C2007B	0.06	(0.10)	540	-	BH24C2008A	0.28	(0.01)	25,560	-	CKP19C2011A	0.44	(0.06)	242,332	-
BBL41C2009A	0.65	(0.12)	12	-	BH27C2007A	-	-	-	CKP24C2006A	-	-	-	-	
BBL41C2011A	0.31	(0.11)	143,579	-	BH41C2006A	-	-	-	CKP28C2011A	0.46	(0.07)	313,034	-	
BBL41P2006A	-	-	-	-	BH41C2009A	0.35	(0.01)	20,851	-	CKP28C2012A	0.51	(0.05)	179,244	-
BBL41P2010A	0.54	0.12	101,544	-	BH41P2006A	-	-	-	CKP41C2006A	-	-	-	-	
BBL42C2007A	-	-	-	-	BH42C2008A	0.65	(0.06)	10,140	-	CKP41C2007A	0.21	(0.06)	19,792	-
BBL42C2101T	0.32	(0.68)	36,049	-	BJC01C2008B	-	-	-	CKP42C2006A	-	-	-	-	
BCH01C2006A	0.02	(0.04)	1,000	-	BJC01C2009A	-	-	-	COM708C2007A	0.16	(0.04)	5,913	-	
BCH01C2006B	-	-	-	-	BJC01P2009A									

Main Board Quotation

Issue Date :

Monday June 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL01C2006B	-	-	-	-	DTAC42C2006A	-	-	-	-	GPSC41P2006A	-	-	-	-
CPAL01C2008B	0.23	(0.05)	18,461	-	EA06C2010A	0.38	(0.06)	52,083	-	GPSC41P2010A	0.91	0.06	35,224	-
CPAL01P2008B	0.18	-	64	-	EA08C2006A	0.02	(0.11)	24	-	GPSC42C2006A	-	-	-	-
CPAL06C2006A	-	-	-	-	EA08C2009A	0.40	(0.04)	36,063	-	GPSC42P2006A	-	-	-	-
CPAL06C2011A	0.52	(0.13)	107,659	-	EA13C2006A	-	-	-	-	GULF01C2007A	0.18	(0.02)	15,749	-
CPAL08C2006A	0.01	(0.02)	6,515	-	EA13C2008A	-	-	-	-	GULF06C2009A	0.40	(0.08)	26,116	-
CPAL08C2008A	0.53	(0.06)	1,563	-	EA13C2009A	0.29	(0.05)	80,337	-	GULF08C2008A	-	-	-	-
CPAL08C2011A	0.50	(0.05)	52,792	-	EA13P2006A	0.23	(0.01)	33,472	-	GULF08C2009A	0.29	(0.04)	32,856	-
CPAL08P2006A	-	-	-	-	EA16C2006A	-	-	-	-	GULF11C2006A	0.29	(0.04)	1,320	-
CPAL08P2009A	0.25	0.02	49,860	-	EA16C2008A	-	-	-	-	GULF11C2011A	0.42	(0.04)	24,768	-
CPAL11C2006A	0.02	0.01	901	-	EA19C2008A	0.31	(0.04)	41	-	GULF13C2006B	0.01	-	1	-
CPAL11C2007A	-	-	-	-	EA19C2010A	0.32	(0.05)	13,172	-	GULF13C2008A	0.59	(0.13)	228	-
CPAL13C2007A	-	-	-	-	EA19P2007A	0.45	0.03	6	-	GULF13C2009A	0.97	(0.13)	5,528	1.00
CPAL13C2009A	0.76	(0.05)	318,812	-	EA19P2011A	0.75	0.05	22,718	-	GULF13C2009B	0.27	(0.04)	225,063	-
CPAL16C2006A	-	-	-	-	EA24C2008A	0.26	(0.05)	10,220	-	GULF13P2009A	0.30	0.03	177,925	-
CPAL16C2007A	-	-	-	-	EA27C2006A	-	-	-	-	GULF16C2007A	-	-	-	-
CPAL19C2008A	0.32	(0.06)	130,926	-	EA28C2011A	0.29	(0.06)	26,255	-	GULF19C2006A	-	-	-	-
CPAL19C2010A	0.41	(0.03)	159,813	-	EA28C2012A	0.23	(0.03)	18,061	-	GULF19C2008A	1.01	(0.19)	360	1.00
CPAL19P2010A	0.19	-	1,562	-	EA41C2009A	0.23	(0.05)	8,001	-	GULF19C2010A	0.29	(0.04)	136,302	-
CPAL19P2010B	0.83	0.03	41,512	-	EGC001C2007B	0.07	(0.02)	3,488	-	GULF19P2006A	0.01	-	5,295	-
CPAL24C2009A	0.92	(0.08)	20,772	-	EGC006C2007A	0.03	0.02	890	-	GULF19P2009A	0.26	0.02	33,021	-
CPAL28C2007A	-	-	-	-	EGC006C2010A	0.61	(0.07)	59,077	-	GULF19P2010A	0.31	0.03	27,160	-
CPAL28C2008A	0.52	(0.03)	8,563	-	EGC006P2009A	0.36	0.02	163,309	-	GULF19P2010B	0.56	0.05	152,949	-
CPAL28C2008B	-	-	-	-	EGC013C2009A	0.43	(0.04)	119,690	-	GULF24C2009A	0.25	(0.03)	9,320	-
CPAL28C2010A	0.25	(0.05)	55,441	-	EGC019C2007A	0.05	(0.01)	2,671	-	GULF28C2008A	0.16	(0.07)	596	-
CPAL28C2012A	0.27	(0.02)	19,607	-	EGC019C2010A	0.60	(0.04)	69,760	-	GULF28C2008B	-	-	-	-
CPAL41C2006A	-	-	-	-	EGC024C2009A	0.53	(0.05)	9,994	-	GULF28C2008C	-	-	-	-
CPAL41C2007A	0.22	(0.05)	5,937	-	EGC041C2006A	-	-	-	-	GULF28C2010A	0.20	(0.03)	13,028	-
CPAL41C2010A	0.54	(0.04)	52,411	-	EGC041P2006A	-	-	-	-	GULF28C2012A	0.18	(0.02)	2,737	-
CPAL42C2007A	-	-	-	-	EGC042C2007A	-	-	-	-	GULF41C2006A	-	-	-	-
CPAL42C2101T	0.29	(0.71)	22,547	-	EPG13C2006A	-	-	-	-	GULF41C2009A	0.25	(0.04)	19,451	-
CPF06C2010A	0.23	(0.03)	91,558	-	EPG13C2010A	0.16	(0.03)	129,853	-	GULF41P2006A	-	-	-	-
CPF08C2006A	-	-	-	-	EPG19C2007A	-	-	-	-	GULF41P2007A	-	-	-	-
CPF08C2010A	0.27	(0.03)	48,161	-	EPG19C2008A	0.45	(0.07)	758	-	GULF41P2009A	0.55	0.05	151,623	-
CPF11C2007A	-	-	-	-	EPG19C2010A	0.68	(0.04)	9,016	-	GULF42C2010M	0.30	(0.06)	9,695	-
CPF13C2006A	-	-	-	-	EPG19C2011A	0.19	(0.03)	21,167	-	GUNK11C2007A	-	-	-	-
CPF13C2008A	-	-	-	-	EPG24C2008A	0.11	(0.02)	15,327	-	GUNK13C2006A	-	-	-	-
CPF13C2009A	0.19	(0.03)	227,636	-	ERW06C2006A	-	-	-	-	GUNK19C2006A	-	-	-	-
CPF16C2007A	0.06	(0.02)	5	-	ERW06C2007A	-	-	-	-	GUNK19C2010A	0.26	(0.04)	34,719	-
CPF19C2006A	-	-	-	-	ERW06C2010A	1.32	0.03	1	1.00	GUNK24C2006A	-	-	-	-
CPF19C2009A	-	-	-	-	ERW06P2006A	-	-	-	-	GUNK28C2012A	0.29	(0.02)	24,070	-
CPF19C2010A	0.21	(0.03)	148,213	-	ERW13C2006A	-	-	-	-	HANA01C2006A	0.09	0.02	20	-
CPF24C2007A	0.29	(0.05)	9,524	-	ERW13C2007A	0.05	(0.01)	500	-	HANA01C2006B	-	-	-	-
CPF28C2007A	-	-	-	-	ERW13C2010A	0.56	(0.06)	50,333	-	HANA01P2006A	-	-	-	-
CPF28C2010A	-	-	-	-	ERW19C2006A	-	-	-	-	HANA11C2008A	0.06	(0.01)	22	-
CPF28C2011A	0.22	(0.03)	25,363	-	ERW19C2007A	0.29	(0.06)	93,512	-	HANA13C2008A	0.12	(0.03)	19,243	-
CPF28C2012A	0.15	(0.01)	16,434	-	ERW19C2010A	0.95	(0.10)	79,537	1.00	HANA16C2008A	0.18	(0.03)	720	-
CPF28C2012B	0.14	(0.86)	12,511	-	ERW24C2006A	0.04	(0.07)	770	-	HANA19C2006A	-	-	-	-
CPF41C2008A	0.23	(0.01)	3,976	-	ESS001C2008B	0.21	(0.09)	295	-	HANA19C2010A	0.25	(0.03)	37,330	-
CPF41C2010A	0.21	-	2,102	-	ESS001C2009A	0.46	0.01	2	-	HANA27C2007A	0.11	(0.01)	2,164	-
CPN06C2006A	-	-	-	-	ESS001P2009A	0.25	0.02	17,269	-	HANA27P2007A	0.42	0.03	226	-
CPN06C2010A	0.65	(0.10)	28,605	-	ESS006C2011A	0.39	(0.09)	72,111	-	HANA41C2006A	-	-	-	-
CPN11C2006A	0.01	-	1	-	ESS008C2008A	-	-	-	-	HMPR01C2006A	-	-	-	-
CPN11C2008A	0.03	(0.02)	1	-	ESS008C2011A	0.45	(0.09)	86,074	-	HMPR01C2006B	0.01	(0.01)	1	-
CPN13C2007A	-	-	-	-	ESS013C2006A	0.01	-	1	-	HMPR01P2006A	0.19	0.05	8,318	-
CPN13C2009A	0.42	(0.07)	100,939	-	ESS013C2010A	0.37	(0.11)	341,605	-	HMPR06C2010A	0.55	(0.09)	31,377	-
CPN19C2007A	-	-	-	-	ESS019C2007A	0.19	(0.04)	100	-	HMPR06P2007A	-	-	-	-
CPN19C2010A	0.44	(0.05)	42,592	-	ESS019C2009A	-	-	-	-	HMPR06P2011A	0.52	0.05	30,875	-
CPN19P2010A	0.60	0.02	10,350	-	ESS019C2010A	0.42	(0.09)	113,559	-	HMPR11C2011A	0.65	(0.08)	10,112	-
CPN24C2007A	0.14	(0.05)	73,101	-	ESS019C2011A	0.28	(0.07)	18,831	-	HMPR13C2006A	-	-	-	-
CPN41C2006A	-	-	-	-	ESS024C2007A	0.27	(0.10)	51,210	-	HMPR13C2007A	-	-	-	-
CPN41C2009A	0.34	(0.06)	25,879	-	ESS041C2006A	-	-	-	-	HMPR13C2009A	0.42	(0.06)	25,861	-
CPN41P2006A	0.60	0.03	50	-	ESS041C2010A	-	-	-	-	HMPR19C2007A	-	-	-	-
CPN42C2006A	-	-	-	-	ESS042C2007A	0.27	(0.11)	9,958	-	HMPR19C2010A	0.51	(0.06)	26,698	-
CRC01C2007A	0.10	(0.02)	30	-	GFPT19C2006A	0.08	(0.02)	36,970	-	HMPR24C2008A	0.63	(0.12)	2,650	-
CRC08C2007A	0.17	(0.08)	200	-	GFPT19C2010A	0.36	-	64,649	-	HMPR41C2006A	-	-	-	-
CRC08C2009A	0.34	(0.05)	23,810	-	GFPT24C2007A	0.14	(0.02)	18,401	-	HMPR41C2007A	-	-	-	-
CRC13C2008A	0.07	(0.01)	118	-	GFPT42C2008A	0.43	(0.03)	7,197	-	HMPR41C2007B	-	-	-	-
CRC13C2009A	0.37	(0.07)	53,351	-	GLOB01C2007B	-	-	-	-	HMPR41C2010A	0.39	(0.07)	20,168	-
CRC19C2008A	-	-	-	-	GLOB01C2008A	-	-	-	-	HSI28C2006A	0.75	(0.31)	333,642	-
CRC19C2008B	0.36	(0.07)	13,824	-	GLOB06C2006A	-	-	-	-	HSI28C2006B	0.29	(0.28)	141,993	-
CRC19C2010A	0.28	(0.04)	26,475	-	GLOB08C2007A	-	-	-	-	HSI28C2006C	0.07	(0.12)	538,753	-
CRC24C2008A	0.43	(0.07)	13,500	-	GLOB19C2007A	-	-	-	-	HSI28C2007A	0.57	(0.31)	125,832	-
CRC28C2007A	-	-	-	-	GLOB19C2010A	0.54	(0.01)	29,461	-	HSI28C2007B	0.29	(0.20)	589,941	-
CRC28C2007B	-	-	-	-	GLOB24C2010A	0.48	(0.02)	22,868	-	HSI28C2007C	0.11	(0.11)	625,400	-
CRC28C2011A	0.31	(0.06)	59,943	-	GLOB42C2009A	1.60	0.90	1	1.00	HSI28C2008A	1.36	(0.45)	20,776	1.00
CRC28C2012A	0.23	(0.03)	37,363	-	GPSC01C2007B	-	-	-	-	HSI28C2008B	0.87	(0.25)	44,287	-
CRC41C2007A	0.20	(0.06)	5	-	GPSC01C2008A	0.51	(0.11)	1,180	-	HSI28C2008C	0.50	(0.23)	467,467	-
CRC41C2009A	-	-	-	-	GPSC01P2007B	-	-	-	-	HSI28C2010L	0.31	(0.12)	50,724	-
CRC41C2010A	0.20	(0.05)	53,924	-	GPSC01P2008A	0.72	0.05	420	-	HSI28C2011L	0.66	(0.18)	40,943	-
DTAC01C2007B	-	-	-	-	GPSC06C2006A	0.02	-	163	-	HSI28P2006A	0.29	0.09	491,805	-
DTAC01C2008A	0.38	-	147	-	GPSC06C2008A	0.60	(0.20)	4,323	-	HSI28P2006B	0.11	0.02	16,248	-
DTAC01P2007B	-	-	-	-	GPSC06C2011A	0.71	(0.11)	102,231	-	HSI28P2006C	0.04	-	158,658	-
DTAC01P2008A	0.37	0.03	43	-	GPSC08C2007A	0.20	(0.13)	100	-	HSI28P2007A	1.07	0.23	699,329	1.00
DTAC06C2006A	-	-	-	-	GPSC08C2009A	0.80	(0.09)	68,050	-	HSI28P2007B	0.69	0.15	696,396	-
DTAC08C2007A	-	-	-	-	GPSC08P2006A	-	-	-	-	HSI28P2007C	0.46	0.09	352,764	-
DTAC08C2008A	0.29	(0.04)	35,700	-	GPSC11C2006A	-	-	-	-	HSI28P2008A	1.37	0.28	339,819	1.00
DTAC13C2007A	-	-	-	-	GPSC13C2007A	-	-	-	-	HSI28P2008B	0.95	0.12	26,388	-
DTAC13C2009A	0.24	(0.05)	91,635	-	GPSC13C2008A	0.57	(0.39)	12	-	HSI28P2008C	0.67	0.11	51,279	-

Main Board Quotation

Issue Date :

Monday June 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI41P2008A	1.10	0.13	3	1.00	KBAN19C2007A	0.03	(0.01)	600	-	MINT41C2007A	0.05	0.01	200	-
HSI41P2008B	0.86	0.33	12,600	-	KBAN19C2009A	1.29	(0.85)	472	1.00	MINT41C2010A	0.60	(0.12)	55,956	-
INTU01C2006A	-	-	-	-	KBAN19C2010A	0.31	(0.15)	181,345	-	MTC01C2007B	0.02	-	15	-
INTU01C2006B	-	-	-	-	KBAN19C2010B	0.86	(0.40)	48,456	-	MTC01C2008A	0.27	(0.03)	192	-
INTU01P2006A	0.45	0.04	50	-	KBAN19C2011A	0.26	(0.14)	300,192	-	MTC06C2007A	-	-	-	-
INTU01P2006B	-	-	-	-	KBAN19P2007A	-	-	-	-	MTC06C2009A	-	-	-	-
INTU06C2009A	0.73	0.03	133,456	-	KBAN19P2010A	0.99	0.23	362,854	-	MTC06C2010A	0.59	(0.15)	131,814	-
INTU13C2006A	-	-	-	-	KBAN19P2010P	0.40	0.11	349,123	-	MTC08C2009A	-	-	-	-
INTU13C2008A	0.55	0.01	603,513	-	KBAN24C2009A	1.09	(0.50)	23,453	1.00	MTC08C2011A	0.81	(0.13)	85,301	-
INTU16C2007A	-	-	-	-	KBAN28C2008A	-	-	-	-	MTC11C2008A	-	-	-	-
INTU16C2009A	0.42	-	239,444	-	KBAN28C2008B	0.50	(0.42)	3,401	-	MTC13C2007A	0.02	(0.01)	293	-
INTU19C2009A	0.44	0.01	527,836	-	KBAN28C2008C	0.91	(1.01)	4,056	-	MTC13C2009A	0.69	(0.12)	125,409	-
INTU19P2007A	0.03	(0.08)	1	-	KBAN28C2010A	0.17	(0.09)	110,118	-	MTC13C2010A	0.59	(0.14)	396,613	-
INTU19P2010A	0.47	(0.02)	66,667	-	KBAN28P2012A	0.49	0.10	88,836	-	MTC16C2007A	0.01	(0.03)	1,142	-
INTU23C2111A	0.81	0.10	23	-	KBAN41C2007A	0.07	(0.07)	7,920	-	MTC19C2006A	-	-	-	-
INTU24C2008A	0.39	0.01	80,667	-	KBAN41C2008A	0.34	(0.33)	665	-	MTC19C2009A	1.11	(0.13)	46,415	1.00
INTU28C2008A	0.23	0.01	233,653	-	KBAN41C2009A	1.08	(0.72)	50	1.00	MTC19C2010A	0.71	(0.12)	86,086	-
INTU28C2010A	0.35	0.01	217,339	-	KBAN41C2011A	0.25	(0.12)	101,913	-	MTC24C2009A	0.66	(0.12)	16,283	-
INTU41C2007A	0.09	0.01	9,445	-	KBAN41P2006A	-	-	-	-	MTC27C2007A	-	-	-	-
INTU41P2006A	-	-	-	-	KBAN41P2010A	0.59	0.15	126,128	-	MTC28C2008A	-	-	-	-
IRPC01C2007B	-	-	-	-	KBAN41P2011A	1.23	0.24	114,682	1.00	MTC28C2011A	0.67	(0.11)	180,025	-
IRPC01P2007B	0.30	0.10	1,625	-	KBAN42C2007A	0.01	-	1	-	MTC28C2012A	0.44	(0.06)	54,179	-
IRPC06C2007A	0.01	-	10	-	KBAN42P2008A	2.50	0.89	231	2.00	MTC41C2007A	-	-	-	-
IRPC06C2010A	0.30	(0.08)	72,117	-	KCE01C2007B	0.02	-	9,501	-	MTC41C2010A	0.60	(0.07)	58,974	-
IRPC06P2010A	0.52	0.08	136,683	-	KCE01C2008A	0.08	(0.05)	8,296	-	ORI19C2010A	0.69	(0.07)	765	-
IRPC11C2008A	-	-	-	-	KCE06C2009A	0.90	(0.10)	35,500	-	ORI19C2011A	0.25	(0.04)	28,666	-
IRPC13C2007A	-	-	-	-	KCE08C2009A	0.76	(0.08)	55,164	-	ORI28C2007A	0.01	-	670	-
IRPC13C2008A	-	-	-	-	KCE13C2006A	-	-	-	-	ORI28C2011A	0.66	(0.10)	14,718	-
IRPC13C2009A	0.33	(0.08)	112,769	-	KCE13C2009A	0.44	(0.07)	94,842	-	ORI28C2012A	0.54	(0.03)	9,420	-
IRPC16C2008A	0.29	(0.04)	6,684	-	KCE16C2007A	-	-	-	-	ORI28C2012B	0.22	(0.78)	27,787	-
IRPC19C2007A	0.10	(0.18)	1,000	-	KCE19C2007A	-	-	-	-	OSP01C2006A	0.18	(0.04)	49	-
IRPC19C2008A	-	-	-	-	KCE19C2008A	0.60	(0.09)	1,719	-	OSP01C2006B	-	-	-	-
IRPC19C2010A	0.27	(0.06)	54,255	-	KCE19C2009A	0.60	(0.08)	90,437	-	OSP01P2006A	0.11	-	16	-
IRPC24C2007A	0.22	(0.07)	13,408	-	KCE19C2010A	0.58	(0.06)	138,555	-	OSP06C2008A	0.66	(0.04)	20,463	-
IRPC27C2007A	-	-	-	-	KCE24C2010A	0.21	(0.04)	13,700	-	OSP06P2009A	0.42	0.01	49,347	-
IRPC28C2008A	0.26	(0.08)	34,828	-	KCE27C2007A	0.01	-	500	-	OSP08C2009A	0.43	(0.02)	25,426	-
IRPC28C2012A	0.19	(0.03)	14,921	-	KCE41C2006A	-	-	-	-	OSP13C2006A	0.02	0.01	1	-
IRPC41C2006A	-	-	-	-	KKP01C2006A	-	-	-	-	OSP13C2010A	0.37	(0.02)	53,842	-
IRPC41C2007A	-	-	-	-	KKP01C2006B	-	-	-	-	OSP16C2008A	-	-	-	-
IRPC41C2010A	0.27	(0.02)	62	-	KKP01P2006A	-	-	-	-	OSP19C2009A	0.36	(0.02)	36,464	-
IRPC41P2006A	-	-	-	-	KKP11C2007A	-	-	-	-	OSP19C2010A	0.26	(0.01)	9,512	-
IRPC41P2007A	-	-	-	-	KKP13C2007A	-	-	-	-	OSP24C2008A	0.25	(0.01)	10,320	-
IRPC42C2006A	-	-	-	-	KKP13C2010A	0.48	(0.12)	164,856	-	OSP41C2010A	0.33	(0.01)	7,724	-
IVL01C2006B	-	-	-	-	KKP19C2010A	0.58	(0.11)	10,142	-	PLAN13C2007A	0.04	(0.01)	2	-
IVL01P2006B	0.12	0.03	2,902	-	KKP19C2011A	0.38	(0.09)	4,732	-	PLAN13C2010A	0.27	(0.09)	323,146	-
IVL06C2008A	0.22	(0.04)	146,482	-	KKP41C2006A	-	-	-	-	PLAN19C2007A	-	-	-	-
IVL06C2010A	0.27	(0.03)	565,416	-	KTB01C2008B	0.04	(0.01)	5	-	PLAN19C2010A	1.24	(0.18)	943	1.00
IVL06P2009A	0.18	0.03	488,566	-	KTB01C2009A	0.13	(0.03)	4,689	-	PLAN19C2010B	0.29	(0.08)	104,569	-
IVL06P2011A	0.70	0.03	44,197	-	KTB01P2009A	0.67	0.08	41	-	PLAN24C2006A	-	-	-	-
IVL08C2009A	0.32	(0.03)	29,519	-	KTB11C2006A	-	-	-	-	PLAN24C2009A	0.28	(0.08)	53,654	-
IVL11C2006A	-	-	-	-	KTB13C2006A	-	-	-	-	PLAN27C2008A	-	-	-	-
IVL13C2006A	-	-	-	-	KTB19C2010A	0.22	(0.05)	45,187	-	PLAN28C2010A	0.25	(0.09)	90,203	-
IVL13C2008A	0.74	(0.22)	60	-	KTB24C2009A	0.22	(0.05)	10,813	-	PLAN28C2012A	-	-	-	-
IVL13C2009A	0.25	(0.02)	558,837	-	KTB28C2011A	-	-	-	-	PLAN41C2006A	-	-	-	-
IVL13P2010A	0.40	0.02	200,402	-	KTB28C2012A	0.13	(0.03)	12,995	-	PLAN42C2007A	-	-	-	-
IVL16C2006A	-	-	-	-	KTB28C2012B	0.17	(0.83)	10,390	-	PRM13C2006A	0.13	(0.08)	136,295	-
IVL16C2009A	0.33	(0.03)	22,127	-	KTB41C2006A	-	-	-	-	PRM19C2006A	0.47	0.10	3	-
IVL19C2006A	-	-	-	-	KTC01C2007A	0.28	(0.28)	3,775	-	PRM19C2010A	0.62	(0.07)	76,487	-
IVL19C2008A	0.70	(0.10)	301	-	KTC01C2007B	-	-	-	-	PRM42C2006A	0.49	(0.06)	1,270	-
IVL19C2009A	1.41	(0.04)	306	1.00	KTC01P2007A	0.14	0.08	31,324	-	PSL06C2006A	0.02	0.01	37	-
IVL19C2010A	0.30	(0.03)	193,966	-	KTC06C2006A	0.01	(0.10)	1,500	-	PSL19C2006A	-	-	-	-
IVL19P2006A	-	-	-	-	KTC08C2006A	0.05	(0.08)	29,760	-	PSL19C2007A	0.96	0.10	66,088	1.00
IVL19P2010A	0.35	0.03	314,724	-	KTC13C2008A	0.48	(0.13)	23,049	-	PTG01C2007B	0.27	0.04	100	-
IVL24C2008A	0.90	(0.09)	5,000	-	KTC13C2010A	0.17	(0.09)	1,300,651	-	PTG06C2010A	0.36	(0.14)	108,967	-
IVL27P2007A	0.19	(0.01)	5,324	-	KTC13P2007A	0.39	0.17	3,920	-	PTG08C2007A	0.17	(0.24)	68,686	-
IVL28C2007A	-	-	-	-	KTC19C2006A	0.02	(0.11)	1,050	-	PTG13C2010A	0.27	(0.12)	380,832	-
IVL28C2011A	0.28	(0.02)	37,500	-	KTC19C2008A	0.49	(0.11)	1,205	-	PTG16C2009A	0.37	(0.10)	94,511	-
IVL28C2012A	0.19	(0.01)	21,955	-	KTC19C2010A	0.21	(0.08)	459,044	-	PTG19C2006A	-	-	-	-
IVL41C2007A	-	-	-	-	KTC19P2010A	0.46	0.06	238,639	-	PTG19C2008A	-	-	-	-
IVL41C2007B	-	-	-	-	KTC27C2007A	-	-	-	-	PTG19C2010A	0.32	(0.13)	360,062	-
IVL41C2009A	-	-	-	-	KTC28C2011A	0.21	(0.08)	129,675	-	PTG19P2006A	-	-	-	-
IVL41C2010A	0.20	(0.03)	137,899	-	KTC28C2012A	0.22	(0.07)	95,315	-	PTG19P2010A	0.49	0.08	213,241	-
IVL41P2007A	-	-	-	-	KTC41C2009A	0.27	(0.09)	39,199	-	PTG27C2007A	0.20	(0.10)	7,573	-
IVL41P2010A	0.50	0.02	99,401	-	KT42C2006A	-	-	-	-	PTG42C2006A	-	-	-	-
IVL42C2008A	-	-	-	-	LH11C2007A	-	-	-	-	PTT01C2007A	0.08	(0.03)	10,501	-
JAS13C2006A	0.05	(0.02)	81	-	LH13C2010A	0.38	(0.06)	43,481	-	PTT01C2007B	0.01	-	10,854	-
JAS13C2009A	0.20	(0.02)	132,931	-	LH19C2007A	0.05	(0.04)	101	-	PTT01P2007A	1.06	0.13	1,974	1.00
JAS19C2009A	0.74	(0.06)	17,437	-	LH19C2010A	0.43	(0.07)	7,198	-	PTT01P2007B	0.30	0.06	10,946	-
JAS19C2010A	0.34	(0.01)	17,785	-	LH19C2011A	0.28	(0.06)	35,549	-	PTT06C2008A	0.79	(0.07)	21,265	-
JAS19P2010A	0.50	0.03	10,733	-	LH41C2006A	-	-	-	-	PTT08C2008A	0.40	(0.02)	33,396	-
JAS28C2011A	0.35	(0.04)	37,832	-	MAJ013C2007A	0.06	(0.02)	52,503	-	PTT08P2009A	0.51	0.02	47,367	-
JAS28C2012A	0.22	(0.01)	5,984	-	MAJ019C2006A	-	-	-	-	PTT11C2008A	0.04	-	2,001	-
JAS41C2009A	0.35	(0.05)	8,066	-	MAJ019C2011A	0.61	(0.04)	158,109	-	PTT13C2006A	-	-	-	-
JMT19C2006A	0.11	0.01	607	-	MEGA16C2009A	-	-	-	-	PTT13C2008A	0.09	-	1,362	-
JMT19C2010A	0.60	(0.11)	168,831	-	MINT01C2007B	0.01	(0.01)	8,964	-	PTT13C2008B	-	-	-	-
JMT42C2006A	-	-	-	-	MINT01C2008A	0.07	(0.01)	35,128	-	PTT13C2009A	0.35	(0.05)	229,986	-
KBAN01C2007A	0.11	(0.04)	22,109	-	MINT01P2008A	0.96	-	4,840	-	PTT13C2010A	0.26	(0.04)	344,994	-
KBAN01C2007B	0.03	0.01	14,081	-	MINT06C2006A	0.01	(0.01)	21	-	PTT13P2008A	0.04	0.01	7,232	-

Main Board Quotation

Issue Date :

Monday June 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT28C2011A	0.30	(0.04)	33,919	-	RATC13C2010A	0.50	(0.06)	183,230	-	S5019C2007B	0.15	(0.13)	220,940	-
PTT28C2012A	0.21	(0.79)	12,272	-	RATC16C2008A	-	-	-	-	S5019C2009A	3.22	(0.28)	15,535	3.00
PTT41C2006A	-	-	-	-	RATC19C2007A	0.50	(0.05)	43,384	-	S5019C2009B	1.12	(0.25)	322,392	1.00
PTT41C2007A	-	-	-	-	RATC19C2011A	0.59	(0.04)	57,598	-	S5019C2009C	0.37	(0.15)	1,536,108	-
PTT41C2009A	0.28	(0.03)	53,751	-	RATC19P2011A	0.78	0.02	113,178	-	S5019P2006A	1.98	0.45	15	2.00
PTT41P2006A	-	-	-	-	RATC24C2006A	-	-	-	-	S5019P2006B	0.93	0.36	9	-
PTT41P2010A	0.32	0.02	1,520	-	RATC27C2007A	-	-	-	-	S5019P2006C	0.55	0.25	3,377	-
PTT42C2007A	-	-	-	-	RATC41C2006A	-	-	-	-	S5019P2006D	0.01	-	5,647	-
PTT42C2010M	0.33	(0.06)	9,279	-	RATC41C2010A	0.57	(0.05)	15,966	-	S5019P2006E	0.02	-	1,001	-
PTTE01C2007A	0.06	-	24,231	-	RATC41P2006A	-	-	-	-	S5019P2006F	0.01	-	13	-
PTTE01C2007B	0.02	0.01	70,279	-	RATC42C2006A	-	-	-	-	S5019P2006G	-	-	-	-
PTTE01P2007A	2.00	0.21	1,008	1.00	RS06C2010A	0.42	(0.02)	39,123	-	S5019P2007B	0.07	0.02	27,376	-
PTTE01P2007B	1.08	0.30	290	1.00	RS08P2006A	0.05	(0.06)	2,800	-	S5019P2009A	0.47	0.08	153,468	-
PTTE06C2006A	-	-	-	-	RS13C2006A	0.19	(0.02)	66,594	-	S5019P2009B	0.21	0.04	82,007	-
PTTE06C2008A	2.12	(0.34)	29,074	2.00	RS13C2010A	0.35	(0.01)	108,030	-	S5019P2009C	0.89	0.14	1,703,301	-
PTTE06C2011A	0.62	(0.15)	127,754	-	RS19C2007A	0.23	-	193,318	-	S5019P2009D	1.42	0.21	1,542,905	1.00
PTTE06P2006A	-	-	-	-	RS19C2010A	-	-	-	-	S5024C2006A	-	-	-	-
PTTE06P2009A	0.38	0.07	89,288	-	RS19C2011A	0.40	(0.01)	114,456	-	S5024C2006B	-	-	-	-
PTTE08C2008A	1.78	(0.28)	44,960	1.00	RS24C2008A	0.14	(0.01)	15,646	-	S5024C2006C	-	-	-	-
PTTE08C2011A	0.89	(0.14)	94,112	-	RS42C2008A	0.45	(0.03)	17,670	-	S5024C2006D	-	-	-	-
PTTE08P2006A	-	-	-	-	S10001C2011A	0.09	(0.02)	2,414	-	S5024C2006E	0.07	(0.28)	100	-
PTTE11C2006A	0.01	(0.01)	5	-	S5001C2006F	0.02	-	235,744	-	S5024C2009A	0.06	(0.01)	45,538	-
PTTE11C2011A	0.84	(0.09)	51,134	-	S5001C2006G	0.06	(0.07)	26,123	-	S5024C2009B	1.31	(0.39)	171,781	1.00
PTTE13C2008A	0.06	-	8,870	-	S5001C2006H	0.13	(0.17)	50,655	-	S5024C2009C	0.56	(0.25)	60,622	-
PTTE13C2008B	0.56	(0.10)	6,000	-	S5001C2007A	0.64	(0.07)	18,504	-	S5024C2009D	0.42	(0.13)	5,483	-
PTTE13C2009A	1.22	(0.21)	14,702	1.00	S5001P2006F	2.90	1.23	892	2.00	S5024C2012A	0.14	(0.04)	17,265	-
PTTE13C2010A	0.73	(0.15)	580,684	-	S5001P2006G	1.13	0.44	777	1.00	S5024P2006A	-	-	-	-
PTTE13C2010B	0.30	(0.06)	259,329	-	S5001P2006H	0.16	-	10,890	-	S5024P2006B	-	-	-	-
PTTE13P2008A	0.10	-	5,010	-	S5001P2007A	0.82	0.01	39,130	-	S5024P2006C	-	-	-	-
PTTE13P2009A	0.30	0.02	214,013	-	S5006C2006A	0.02	-	22,211	-	S5024P2006D	-	-	-	-
PTTE13P2010A	1.53	0.12	432,510	1.00	S5006C2006B	0.02	(0.04)	1,634	-	S5024P2006E	-	-	-	-
PTTE16C2009A	0.05	(0.01)	432	-	S5006C2006C	0.87	(0.18)	280,059	-	S5024P2006F	0.06	(0.01)	3,300	-
PTTE19C2006A	-	-	-	-	S5006C2006D	0.93	(0.25)	375,078	-	S5024P2009A	0.93	0.13	54,508	-
PTTE19C2008A	0.06	(0.03)	13,363	-	S5006C2006E	0.14	(0.16)	306,106	-	S5024P2009B	1.65	0.28	257,947	1.00
PTTE19C2008B	1.01	(0.08)	2,025	1.00	S5006C2006F	1.70	(0.42)	623,323	1.00	S5024P2012A	0.24	(0.76)	2,167	-
PTTE19C2009A	-	-	-	-	S5006C2009A	0.98	(0.31)	314,849	1.00	S5028C2006A	0.01	-	60	-
PTTE19C2009B	1.19	(0.17)	743	1.00	S5006C2009B	1.40	(0.36)	325,153	1.00	S5028C2006B	-	-	-	-
PTTE19C2010A	0.56	(0.11)	147,977	-	S5006P2006A	2.26	(6.74)	5	1.00	S5028C2006C	1.11	(0.49)	203	1.00
PTTE19C2010B	0.94	(0.14)	187,373	-	S5006P2006B	0.13	0.08	596	-	S5028C2006D	-	-	-	-
PTTE19C2011A	0.37	(0.06)	36,975	-	S5006P2006C	0.02	-	300	-	S5028C2007A	0.45	(0.24)	1,267,832	-
PTTE19P2006A	1.37	0.15	1	1.00	S5006P2006D	0.03	0.01	5	-	S5028C2009A	1.06	(0.23)	850,118	1.00
PTTE19P2009A	0.20	0.03	13,100	-	S5006P2006E	0.02	-	5,002	-	S5028C2009B	0.60	(0.15)	869,230	-
PTTE19P2009B	0.48	0.05	135,977	-	S5006P2006F	0.21	0.05	34,976	-	S5028C2012A	0.42	(0.58)	74,885	-
PTTE19P2010A	1.04	0.09	267,595	1.00	S5006P2009A	1.39	0.22	460,273	1.00	S5028P2006A	1.07	0.20	19,587	1.00
PTTE24C2008A	0.04	(0.02)	1,460	-	S5006P2009B	0.46	0.10	284,469	-	S5028P2006B	0.36	0.13	28,849	-
PTTE24C2011A	0.53	(0.47)	34,540	-	S5008C2006A	0.01	-	2	-	S5028P2006C	0.08	0.02	20,316	-
PTTE28C2008A	0.10	(0.05)	19,393	-	S5008C2006B	-	-	-	-	S5028P2007A	0.31	0.03	32,935	-
PTTE28C2011A	0.88	(0.15)	40,648	-	S5008C2006C	0.23	(0.14)	25,026	-	S5028P2009A	1.09	0.06	295,717	1.00
PTTE28C2011B	0.29	(0.71)	12,168	-	S5008C2006D	0.23	(0.14)	107,704	-	S5028P2009B	0.73	0.07	299,353	-
PTTE28C2012A	0.64	(0.09)	45,315	-	S5008C2009A	0.54	(0.19)	453,914	-	S5028P2012A	1.22	0.22	1,479,240	1.00
PTTE41C2006A	-	-	-	-	S5008P2006A	0.01	-	2,793	-	S5041C2006A	0.03	(0.05)	3,910	-
PTTE41C2007A	-	-	-	-	S5008P2006B	-	-	-	-	S5041C2006B	0.07	(0.11)	2,412	-
PTTE41C2008A	0.59	(0.12)	145,188	-	S5008P2006C	-	-	-	-	S5041C2006C	1.43	(0.48)	17,678	1.00
PTTE41C2009A	-	-	-	-	S5008P2009A	0.62	0.14	293,608	-	S5041C2006D	-	-	-	-
PTTE41P2009A	0.87	0.03	4,168	-	S5008P2009B	1.19	0.20	654,429	1.00	S5041C2006E	-	-	-	-
PTTE41P2010A	0.84	0.11	22,302	-	S5013C2006A	0.01	-	52,829	-	S5041C2006F	0.83	(0.29)	5,490	-
PTTE42P2008A	-	-	-	-	S5013C2006B	0.01	-	41,721	-	S5041C2006G	0.27	(0.16)	262	-
PTTG01C2007B	-	-	-	-	S5013C2006C	0.03	(0.04)	4,469	-	S5041C2009A	1.14	(0.31)	61,344	1.00
PTTG01C2008A	0.18	(0.07)	12,539	-	S5013C2006D	0.03	(0.08)	106,600	-	S5041C2009B	0.67	(0.24)	3,960,810	-
PTTG01P2007B	0.24	0.02	400	-	S5013C2006E	0.17	(0.25)	6,872	-	S5041C2009C	0.46	(0.21)	402,894	-
PTTG01P2008A	0.75	0.14	1,361	-	S5013C2006F	0.38	(0.21)	818,814	-	S5041C2009D	0.30	(0.15)	130,666	-
PTTG06C2006A	0.02	0.01	1	-	S5013C2006G	0.13	(0.13)	320,696	-	S5041P2006A	2.46	0.42	10,430	2.00
PTTG08C2008A	0.60	(0.10)	40,462	-	S5013C2006H	0.12	(0.11)	159,805	-	S5041P2006B	1.03	0.33	88,535	-
PTTG08P2010A	0.49	0.06	43,026	-	S5013C2006I	0.06	(0.10)	226,763	-	S5041P2006C	0.51	0.09	23,041	-
PTTG11C2007A	0.07	-	100	-	S5013C2009A	1.00	(0.25)	2,924,314	1.00	S5041P2006D	0.15	(0.01)	2	-
PTTG13C2007A	-	-	-	-	S5013C2009B	0.63	(0.24)	2,706,486	-	S5041P2006E	0.06	-	40	-
PTTG13C2008A	-	-	-	-	S5013C2009C	0.34	(0.16)	6,167,667	-	S5041P2006F	-	-	-	-
PTTG13C2009A	0.64	(0.13)	3,885	-	S5013P2006A	2.00	0.54	150	1.00	S5041P2006G	-	-	-	-
PTTG13C2010A	0.35	(0.10)	252,496	-	S5013P2006B	1.11	(0.34)	414	1.00	S5041P2009A	0.88	0.13	200,357	-
PTTG13P2008A	0.20	-	92	-	S5013P2006C	0.60	0.44	210	-	S5041P2009B	0.95	0.16	250,548	-
PTTG16C2006A	-	-	-	-	S5013P2006D	0.08	0.01	39,066	-	S5041P2009C	1.25	0.20	2,445,904	1.00
PTTG19C2006A	-	-	-	-	S5013P2006E	0.04	0.01	300,685	-	S5041P2009D	1.11	0.16	149,392	1.00
PTTG19C2006B	-	-	-	-	S5013P2006F	0.01	-	3,907	-	SAWA01C2006A	0.17	(0.07)	5,513	-
PTTG19C2008A	-	-	-	-	S5013P2006G	0.01	-	38	-	SAWA01C2006B	0.01	-	217	-
PTTG19C2008B	0.85	(0.20)	4	-	S5013P2006H	0.02	0.01	1,007	-	SAWA01P2006A	0.27	0.15	4,404	-
PTTG19C2009A	0.47	(0.10)	69,675	-	S5013P2006I	0.02	-	3,351	-	SAWA06C2007A	0.05	(0.05)	119	-
PTTG19C2011A	0.41	(0.08)	25,520	-	S5013P2006J	-	-	-	-	SAWA06C2010A	0.95	(0.25)	146,377	1.00
PTTG19P2006A	-	-	-	-	S5013P2006K	0.35	0.05	32,138	-	SAWA08C2006A	-	-	-	-
PTTG19P2009A	0.26	0.04	84,466	-	S5013P2009A	0.61	0.08	1,064,883	-	SAWA08C2011A	0.90	(0.13)	140,294	-
PTTG19P2011A	0.67	0.08	478,952	-	S5013P2009B	0.56	0.08	1,035,470	-	SAWA13C2007A	0.02	(0.01)	600	-
PTTG24C2008A	0.41	(0.11)	28,890	-	S5013P2009C	0.73	0.11	1,199,650	-	SAWA13C2009A	0.78	(0.17)	20,330	-
PTTG27P2006A	-	-	-	-	S5013P2009D	0.79	0.14	8,515,221	-	SAWA13C2010A	0.74	(0.18)	373,547	-
PTTG28C2008A	0.21	(0.22)	500	-	S5013P2009E	1.73	0.24	2,371,356	1.00	SAWA16C2008A	0.07	(0.01)	600	-
PTTG28C2011A	0.27	(0.73)	35,782	-	S5016C2006A	0.01	-	1	-	SAWA19C2009A	0.93	(0.24)	1,929	1.00</

Main Board Quotation

Issue Date :

Monday June 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB11C2006A	-	-	-	-	STEC01C2006B	-	-	-	-	TOP19C2006A	-	-	-	-
SCB11C2008A	-	-	-	-	STEC01P2006A	0.07	0.05	1	-	TOP19C2007A	-	-	-	-
SCB13C2006A	-	-	-	-	STEC06C2010A	0.48	(0.12)	37,528	-	TOP19C2008A	0.27	(0.09)	289,397	-
SCB13C2006B	-	-	-	-	STEC11C2007A	0.01	-	4	-	TOP19C2010A	0.46	(0.08)	86,957	-
SCB13C2007A	-	-	-	-	STEC13C2010A	0.35	(0.08)	109,718	-	TOP19P2006A	1.77	0.46	2	1.00
SCB13C2008A	0.48	(0.35)	40	-	STEC16C2006A	-	-	-	-	TOP19P2010A	0.63	0.07	411,215	-
SCB13C2009A	0.87	(0.28)	66,290	-	STEC16C2009A	-	-	-	-	TOP24C2007A	-	-	-	-
SCB13C2010A	0.54	(0.17)	362,289	-	STEC19C2009A	0.47	(0.10)	34,074	-	TOP24C2008A	0.28	(0.10)	28,518	-
SCB13P2006A	1.28	(0.50)	60	1.00	STEC19C2011A	0.32	(0.08)	35,597	-	TOP41C2007A	-	-	-	-
SCB13P2008A	0.17	0.04	35,208	-	STEC24C2006A	-	-	-	-	TOP41C2008A	-	-	-	-
SCB13P2010A	1.24	0.19	375,205	1.00	STEC28C2011A	0.37	(0.08)	43,746	-	TOP41P2006A	-	-	-	-
SCB16C2008A	-	-	-	-	STEC28C2012A	0.35	(0.07)	21,132	-	TOP41P2010A	0.48	0.05	20,844	-
SCB19C2006A	-	-	-	-	STEC41C2009A	0.28	(0.07)	27,648	-	TOP42C2007A	-	-	-	-
SCB19C2007A	0.09	(0.09)	1,000	-	SUPE19C2007A	0.96	(0.02)	2,364	-	TOP42C2011T	0.28	(0.72)	48,019	-
SCB19C2008A	1.22	(0.10)	400	1.00	SUPE19C2010A	0.59	(0.03)	137,904	-	TQM19C2010A	1.80	(0.15)	72,179	2.00
SCB19C2010A	0.58	(0.17)	158,637	-	SUPE19C2011A	0.36	(0.02)	1,551,419	-	TRUE01C2007A	0.26	(0.03)	151	-
SCB19C2010B	1.02	(0.26)	72,336	1.00	TASC01C2007B	-	-	-	-	TRUE01C2007B	-	-	-	-
SCB19P2010A	0.44	0.07	49,807	-	TASC01C2008A	0.81	(0.05)	10,034	-	TRUE01P2007B	0.10	0.04	740	-
SCB19P2011A	1.43	0.20	405,262	1.00	TASC01P2008A	0.19	0.02	1,365	-	TRUE06C2007A	-	-	-	-
SCB24C2008A	0.56	(0.21)	14,030	-	TASC06C2009A	0.96	(0.09)	98,415	-	TRUE06C2009A	0.42	(0.09)	77,474	-
SCB27C2007A	-	-	-	-	TASC08C2006A	0.38	(0.06)	1,681	-	TRUE06P2011A	0.77	0.10	99,442	-
SCB27P2006A	0.95	0.27	5	-	TASC13C2006A	0.26	(0.13)	25	-	TRUE08C2007A	0.10	(0.15)	10,210	-
SCB28C2008A	0.15	(0.18)	61	-	TASC13C2009A	0.67	(0.06)	483,182	-	TRUE08P2010A	0.45	0.05	53,109	-
SCB28C2010A	0.68	(0.20)	128,118	-	TASC16C2008A	-	-	-	-	TRUE13C2006A	-	-	-	-
SCB41C2006A	-	-	-	-	TASC19C2006A	0.76	(0.04)	679	-	TRUE13C2007A	-	-	-	-
SCB41C2006B	-	-	-	-	TASC19C2007A	-	-	-	-	TRUE13C2009A	0.32	(0.07)	194,923	-
SCB41C2008A	-	-	-	-	TASC19C2009A	0.89	(0.06)	3,758	-	TRUE19C2006A	-	-	-	-
SCB41C2011A	0.44	(0.14)	157,495	-	TASC19C2011A	0.71	(0.06)	225,945	-	TRUE19C2007A	0.19	(0.13)	1	-
SCB42C2006A	-	-	-	-	TASC19P2010A	0.70	0.04	109,410	-	TRUE19C2009A	0.39	(0.08)	16,748	-
SCB42C2007A	0.04	(0.01)	200	-	TASC24C2006A	-	-	-	-	TRUE19C2011A	0.31	(0.05)	7,785	-
SCC06C2007A	-	-	-	-	TASC24C2011A	0.59	(0.41)	55,556	-	TRUE19P2011A	0.52	0.05	57,373	-
SCC08P2006A	0.03	(0.04)	831	-	TASC28C2010A	0.76	(0.03)	4,152	-	TRUE28C2011A	0.28	(0.07)	34,711	-
SCC11C2006A	-	-	-	-	TASC28C2012A	0.50	(0.04)	124,535	-	TRUE28C2012A	0.24	(0.04)	72,002	-
SCC11C2007A	-	-	-	-	TASC28C2012B	0.18	(0.82)	48,677	-	TRUE41C2007A	0.11	(0.05)	64,154	-
SCC11C2011A	0.81	(0.04)	18,217	-	TASC41C2009A	0.90	0.03	710	-	TRUE41C2010A	0.53	(0.01)	415	-
SCC13C2008A	-	-	-	-	TCAP01C2007B	-	-	-	-	TRUE42C2007A	0.84	(0.18)	8,551	-
SCC13C2009A	0.77	(0.05)	56,016	-	TCAP01C2008A	0.07	(0.03)	13,443	-	TTW27C2009A	0.19	(0.02)	3,242	-
SCC13P2009A	0.85	-	120	-	TCAP01P2008A	-	-	-	-	TU06C2009A	0.16	(0.03)	160,696	-
SCC19C2006A	-	-	-	-	TCAP13C2007A	-	-	-	-	TU06P2007A	0.45	0.25	45	-
SCC19C2008A	-	-	-	-	TCAP13C2010A	0.44	(0.06)	204,528	-	TU06P2010A	0.48	0.03	121,006	-
SCC19C2010A	0.70	(0.03)	95,413	-	TCAP19C2010A	0.46	(0.06)	31,290	-	TU08C2008A	0.07	(0.02)	37,503	-
SCC19P2010A	0.32	-	26,488	-	THAI27C2008A	0.36	0.01	769	-	TU08C2011A	0.22	(0.02)	54,678	-
SCC24C2006A	-	-	-	-	THAN01C2006A	0.01	-	13,759	-	TU11C2008A	0.08	(0.01)	4,217	-
SCC27P2008A	0.11	0.01	148	-	THAN01C2006B	-	-	-	-	TU13C2010A	0.22	(0.02)	28,996	-
SCC28C2008A	-	-	-	-	THAN01P2006A	-	-	-	-	TU19C2007A	-	-	-	-
SCC28C2010A	0.64	(0.03)	26,490	-	THAN06C2010A	0.58	(0.04)	144,249	-	TU19C2009A	0.05	(0.02)	102,942	-
SCC41C2006A	-	-	-	-	THAN13C2007A	-	-	-	-	TU19C2010A	0.17	(0.03)	41,112	-
SCC41C2006B	0.42	(0.06)	42	-	THAN19C2007A	0.01	(0.01)	500	-	TU24C2006A	0.03	(0.02)	7,382	-
SCC41C2010A	0.72	(0.05)	63,418	-	THAN19C2010A	0.49	(0.04)	189,603	-	TU27C2006A	-	-	-	-
SCC42C2008A	-	-	-	-	TISCO1C2006A	0.02	(0.03)	500	-	TU28C2011A	0.17	(0.03)	24,161	-
SGP13C2007A	-	-	-	-	TISCO1C2006B	-	-	-	-	TU28C2012A	0.10	(0.02)	40,541	-
SGP19C2006A	-	-	-	-	TISCO1P2006A	0.84	0.09	31	-	TU41C2009A	-	-	-	-
SGP19C2006B	0.08	(0.03)	31,235	-	TISCI1C2007A	-	-	-	-	TU41C2010A	0.17	(0.03)	1,251	-
SGP19C2011A	0.38	(0.02)	25,679	-	TISCI3C2010A	0.77	(0.10)	59,180	-	TU42C2007A	-	-	-	-
SGP42C2007A	-	-	-	-	TISCI9C2006A	-	-	-	-	TV013C2007A	-	-	-	-
SIRI13C2007A	0.03	(0.01)	1,196	-	TISCI9C2010A	0.62	(0.09)	45,802	-	TV019C2007A	-	-	-	-
SIRI19C2007A	0.03	(0.02)	600	-	TISC41C2006A	-	-	-	-	VGI06C2007A	-	-	-	-
SPAL06C2010A	0.51	(0.04)	32,440	-	TISC41C2010A	0.59	(0.09)	19,802	-	VGI06C2010A	0.29	(0.05)	42,832	-
SPAL06P2009A	0.32	0.03	33,959	-	TISC41P2006A	0.73	0.12	9	-	VGI08C2006A	-	-	-	-
SPAL11C2006A	0.01	(0.01)	838	-	TKN01C2007B	0.14	0.05	100	-	VGI11C2008A	-	-	-	-
SPAL13C2006A	-	-	-	-	TKN01C2008A	-	-	-	-	VGI13C2006A	-	-	-	-
SPAL13C2010A	0.32	(0.05)	32,255	-	TKN08C2007A	0.45	(0.20)	101	-	VGI13C2010A	0.23	(0.04)	144,228	-
SPAL19C2011A	0.45	(0.04)	20,324	-	TKN13C2006A	-	-	-	-	VGI19C2006A	-	-	-	-
SPAL27C2008A	-	-	-	-	TKN13C2010A	0.91	(0.21)	17,203	-	VGI19C2010A	0.37	(0.04)	30,401	-
SPRC01C2007A	0.04	(0.01)	250	-	TKN13C2010B	0.30	(0.06)	341,889	-	VGI41C2006A	-	-	-	-
SPRC06C2007A	-	-	-	-	TKN16C2008A	-	-	-	-	VGI41C2007A	-	-	-	-
SPRC06C2010A	0.38	(0.10)	74,174	-	TKN19C2007A	-	-	-	-	WHA01C2008B	-	-	-	-
SPRC06P2007A	-	-	-	-	TKN19C2010A	1.15	(0.15)	43,115	1.00	WHA01C2009A	-	-	-	-
SPRC06P2011A	0.72	0.10	85,381	-	TKN19C2011A	0.78	(0.17)	100,339	-	WHA01P2009A	0.16	0.02	1,509	-
SPRC08C2006A	-	-	-	-	TKN19C2011B	0.33	(0.06)	260,782	-	WHA06C2007A	-	-	-	-
SPRC11C2008A	-	-	-	-	TKN28C2007A	0.07	(0.04)	1,600	-	WHA06C2010A	0.49	(0.07)	63,252	-
SPRC13C2008A	-	-	-	-	TKN28C2012A	0.79	(0.06)	7,813	-	WHA08C2006A	-	-	-	-
SPRC13C2010A	0.26	(0.06)	262,267	-	TKN28C2012B	0.30	(0.70)	104,512	-	WHA08C2011A	0.54	(0.05)	59,988	-
SPRC19C2007A	-	-	-	-	TKN41C2006A	-	-	-	-	WHA08P2006A	-	-	-	-
SPRC19C2010A	0.34	(0.06)	21,292	-	TKN42C2006A	0.31	(0.20)	22,079	-	WHA11C2008A	-	-	-	-
SPRC19P2011A	0.63	0.06	185,624	-	TMB19C2007A	0.06	(0.01)	15,301	-	WHA13C2006A	0.02	(0.03)	3	-
SPRC28C2008A	0.03	(0.03)	200	-	TMB19C2011A	0.42	(0.06)	22,441	-	WHA13C2009A	0.51	(0.06)	335,691	-
SPRC28C2011A	0.28	(0.04)	69,768	-	TMB19C2011B	0.24	(0.06)	23,687	-	WHA16C2006A	-	-	-	-
SPRC41C2006A	-	-	-	-	TMB41C2010A	0.20	(0.05)	10,726	-	WHA16C2008A	-	-	-	-
SPRC42C2006A	-	-	-	-	TMB41P2006A	-	-	-	-	WHA19C2006A	-	-	-	-
STA01C2008B	2.94	(0.38)	3,008	3.00	TOA01C2006A	-	-	-	-	WHA19C2010A	0.59	(0.06)	33,265	-
STA01C2009A	2.56	(0.22)	607	2.00	TOA01C2006B	-	-	-	-	WHA19C2011A	0.43	(0.04)	73,112	-
STA01P2009A	0.38	0.03	17,948	-	TOA13C2007A	0.16	(0.03)	15,330	-	WHA24C2007A	0.24	(0.08)	32,047	-
STA08C2010A	-	-	-	-	TOA19C2007A	0.20	(0.05)	37,675	-	WHA27C2008A	0.29	(0.05)	3,024	-
STA08C2011A	0.30	(0.03)	90,144	-	TOA19C2010A	0.30	(0.03)	60,818	-	WHA28C2011A	0.43	(0.05)	64,325	-
STA13C2006A	2.98	0.12	1	2.00	TOP01C2006A	0.02	-	8,857	-	WHA28C2012A	0.51	(0.05)	4,000	-
STA13C2009A	-	-	-	-	TOP01C2006B	0.01	-	502	-	WHA41C2006A	-	-	-	-
STA13C2010A	1.54	(0.05)	17,200	1.00	TOP01C2008B	0.13	(0.05)	1,940	-	WHA41C2007A	0.19	(0.04)	23,513	-
STA13C2010B	0.32	(0.05)	948,052	-	TOP01C2009A	0.38	(0.10)	6,635	-	WHA42C2006A	-	-	-	-
STA13C2010C	0.30	(0.04)	1,119,136	-	TOP01P2006A	-	-	-	-	Preferred/Foreign	-	-	-	

