

## Main Board Quotation

Issue Date :

Friday June 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	3.54	0.16	221,420	3.50	MCOT	5.45	(0.05)	6,452	5.41
POMPUJ	-	-	-	-	BLISS	-	-	-	-	MONO	2.78	(0.06)	141,621	2.75
SAFARI	-	-	-	-	DIF	15.30	-	379,112	15.32	MPIC	1.51	0.01	3	1.46
VI	-	-	-	-	DTAC	41.50	0.50	43,619	41.49	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.60	0.05	377	5.55	PLANB	6.25	(0.05)	222,334	6.23
WR	-	-	-	-	HUMAN	8.15	0.20	25,940	8.09	POST	1.51	0.01	7	1.51
Agribusiness	-	-	-	-	ILINK	3.60	-	846	3.61	PRAKIT	7.75	(0.05)	66	7.74
CHOTI	-	-	-	-	INET	2.32	0.06	32,813	2.31	SE-ED	1.50	-	2	1.51
EE	0.48	(0.01)	40,584	0.49	INTUCH	56.50	-	187,717	56.55	TBSP	-	-	-	-
GFPT	13.20	(0.20)	36,731	13.32	JAS	3.78	0.02	572,136	3.78	TH	0.52	-	490	0.52
LEE	2.24	0.04	1,263	2.24	JASIF	9.40	0.05	150,813	9.41	TKS	5.05	-	7,674	4.96
NER	2.72	(0.06)	455,824	2.74	JMART	10.00	0.65	274,113	9.73	VGI	7.80	0.10	213,930	7.79
PPPM	0.44	-	34,135	0.45	JTS	1.98	0.07	55,518	1.98	WAVE	1.04	0.01	1	1.04
STA	28.25	(0.25)	339,137	28.58	MFEK	4.56	-	1,636	4.56	WORK	11.40	(0.20)	28,171	11.51
TRUBB	1.87	(0.01)	166,991	1.91	MSC	4.98	0.02	563	4.96	Finance & Securities	-	-	-	-
TWPC	4.00	(0.04)	4,041	4.00	PT	4.42	-	912	4.44	AEC	0.31	-	15,427	0.30
UPOIC	3.40	0.20	444	3.40	SAMART	5.45	0.10	44,769	5.41	AEONTS	123.50	0.50	12,876	123.14
UVAN	4.38	0.10	2,024	4.32	SAMTEL	5.40	0.05	2,825	5.42	AMANAH	2.78	0.02	126,490	2.79
VPO	0.47	-	667	0.46	SDC	0.17	-	34,373	0.16	ASAP	1.66	(0.03)	39,011	1.66
Banking	-	-	-	-	SIS	8.45	-	2,350	8.46	ASK	18.80	(0.10)	1,447	18.83
BAY	24.70	0.30	2,711	24.48	SVOA	1.08	0.02	84,874	1.09	ASP	1.72	(0.04)	57,375	1.73
BBL	115.50	(1.00)	108,843	114.99	SYMC	2.90	(0.04)	444	2.86	BAM	25.50	0.25	1,465,627	25.49
CIMBT	0.63	(0.04)	124,321	0.65	SYNEX	7.75	(0.05)	9,466	7.65	BFIT	30.25	1.25	25,347	29.94
KBANK	95.75	(2.00)	198,969	96.08	THCOM	5.30	(0.35)	476,074	5.43	CGH	0.74	-	9,237	0.74
KKP	44.00	(1.00)	127,965	44.04	TRUE	3.68	(0.06)	937,946	3.70	ECL	0.99	(0.02)	90,062	1.01
KTB	10.80	(0.10)	270,548	10.84	TWZ	0.07	-	95,131	0.07	FNS	2.54	0.24	59,555	2.48
LHFG	1.06	(0.01)	28,466	1.07	Electronic Componen	-	-	-	-	FSS	1.60	0.19	61,853	1.58
SCB	77.25	(1.25)	155,976	77.50	CCET	1.56	(0.01)	6,798	1.56	GBX	0.49	0.01	77,451	0.50
TCAP	38.00	-	70,359	38.31	DELTA	52.25	(1.75)	11,036	52.87	GL	3.70	(0.06)	36,628	3.75
TISCO	73.50	(1.25)	139,194	73.63	HAMA	27.25	(0.75)	47,096	27.40	IFS	2.52	0.02	2,545	2.52
TMB	1.10	0.01	2,929,655	1.09	KCE	19.20	(0.30)	187,007	19.42	JMT	20.60	0.30	97,377	20.51
Construction Materia	-	-	-	-	METCO	134.00	(1.00)	4	134.00	KCAR	7.75	0.10	123	7.72
CCP	0.30	-	8,628	0.30	NEX	3.74	(0.16)	87,724	3.70	KGI	3.58	-	49,558	3.61
COTTO	1.22	-	5,997	1.23	SMT	1.18	(0.05)	28,812	1.22	KTC	31.75	1.25	437,610	31.52
DCC	1.98	0.01	38,522	1.98	SVI	2.90	-	5,583	2.90	MBKET	8.50	(0.05)	1,834	8.46
DCON	0.30	-	4,023	0.30	TEAM	0.95	0.02	2,044	0.94	MFC	13.60	0.10	177	13.57
DRT	5.45	-	5,168	5.43	W	0.13	-	439,313	0.13	ML	0.85	(0.04)	7,007	0.87
EPG	4.86	0.06	85,646	4.85	Energy & Utilities	-	-	-	-	MTC	55.00	(0.50)	116,968	55.46
GEL	0.20	-	15,816	0.20	7UP	0.43	-	15,099	0.42	PE	-	-	-	-
PPP	2.14	0.15	46,621	2.15	ABPIF	3.52	-	1,838	3.49	PL	2.08	(0.04)	1,821	2.11
Q-CON	5.05	-	13	5.14	ACE	4.10	0.02	105,980	4.12	S11	5.40	(0.10)	3,485	5.45
RCI	2.78	0.06	445	2.76	AI	1.39	-	282,529	1.43	SAWAD	57.25	(0.25)	121,526	57.66
SCC	358.00	(3.00)	24,309	358.21	AKR	0.53	0.01	4,317	0.53	THANI	3.90	-	220,515	3.93
SCCC	136.00	(2.00)	1,023	136.73	BAFS	24.90	(0.10)	4,565	24.92	TK	7.95	0.05	1,961	7.88
SCP	5.40	-	630	5.39	BANPU	6.60	0.20	592,181	6.48	TNITY	3.80	0.02	685	3.81
SKN	2.12	(0.02)	1,203	2.13	BCP	21.90	(0.30)	14,659	22.01	UOBKH	3.56	0.06	47	3.51
TASCO	23.30	-	68,403	23.45	BCPG	16.30	-	28,470	16.23	ZMICO	0.74	0.01	81,641	0.75
TCMC	1.35	(0.02)	86,784	1.35	BGRIM	53.25	(1.25)	95,864	53.77	Food & Beverage	-	-	-	-
TOA	35.75	0.25	6,827	35.82	BPP	17.40	0.10	55,674	17.53	APURE	2.00	0.01	11,391	1.98
TPPL	1.20	-	117,842	1.20	BRRGIF	7.20	(0.05)	265	7.16	ASIAN	6.90	(0.05)	29,558	7.00
UMI	0.66	0.02	55,536	0.69	CKP	4.34	-	83,270	4.35	BR	2.12	(0.02)	22,896	2.15
VNG	3.28	0.02	2,834	3.29	DEMCO	3.34	0.04	3,484	3.33	BRR	3.04	0.02	1,365	3.03
WIHK	1.68	0.14	80,312	1.64	EA	40.75	1.25	73,312	40.36	CBG	98.25	2.50	103,970	97.70
Petrochemicals & Che	-	-	-	-	EASTW	10.20	(0.10)	33,447	10.14	CFRESH	2.28	0.22	19,099	2.18
BCT	39.00	0.75	242	38.95	EGATIF	12.10	0.20	16,191	12.07	CM	2.80	(0.02)	699	2.81
CMAN	1.27	(0.02)	21,039	1.30	EGCO	258.00	(3.00)	11,790	258.92	CPF	32.25	0.25	704,546	32.26
GC	5.25	0.05	1,660	5.16	ESSO	7.40	(0.10)	481,203	7.58	CPI	1.30	0.01	171	1.30
GGC	9.20	-	6,883	9.25	GPSC	77.25	(2.75)	144,088	78.36	F&D	17.80	0.90	4	17.75
GIFT	2.32	(0.02)	2,342	2.34	GULF	36.25	(0.75)	134,933	36.44	HTC	18.20	0.20	3,950	17.96
IVL	29.00	(0.25)	213,996	28.90	GUNKUL	2.76	(0.02)	219,457	2.79	ICHI	8.05	-	74,945	8.01
NFC	1.78	-	34	1.80	IFEC	-	-	-	-	KBS	3.50	0.38	13,766	3.34
PATO	9.10	0.10	112	9.09	IRPC	2.78	0.02	729,642	2.79	KSL	2.18	0.04	47,899	2.19
PMTA	8.40	0.10	47	8.20	LANNA	7.30	(0.10)	652	7.33	KTIS	2.82	-	1,349	2.84
PTTGC	46.75	(0.25)	212,441	47.05	MDX	2.28	0.02	2,408	2.28	LST	4.64	0.04	23,338	4.71
SUTHA	3.40	0.06	110	3.36	PRIME	0.42	(0.01)	53,123	0.42	M	59.25	(0.50)	4,812	59.67
TCCC	20.10	(0.10)	197	20.12	PTG	15.70	(0.20)	101,795	15.85	MALEE	7.10	0.40	25,955	7.07
TPA	-	-	-	-	PTT	38.25	0.50	483,419	38.09	MINT	22.10	(0.70)	763,746	22.26
UAC	3.74	0.02	5,912	3.77	PTTEP	95.50	1.50	251,451	95.62	OISHI	40.75	(0.25)	106	40.50
UP	-	-	-	-	RATCH	64.50	(1.00)	43,872	64.81	OSP	41.50	0.75	101,004	41.20
VNT	22.20	(0.40)	18,375	22.16	RPC	0.54	-	2,909	0.54	PB	68.25	(0.50)	102	68.07
WG	-	-	-	-	SCG	4.02	0.02	372	4.01	PM	6.80	-	12,692	6.70
YCI	-	-	-	-	SCI	1.37	-	3,968	1.38	PRG	-	-	-	-
Commerce	-	-	-	-	SCN	2.18	-	100,315	2.23	RBF	7.70	(0.20)	184,814	7.83
BEAUTY	1.57	(0.03)	142,882	1.59	SGP	8.85	(0.05)	47,940	9.01	SAPPE	19.90	0.60	25,058	19.77
BIG	0.53	-	48,257	0.54	SKE	0.84	0.01	5,813	0.84	SAUCE	24.90	0.20	225	24.89
BJC	39.50	(0.25)	60,273	39.68	SOLAR	1.18	0.01	6,228	1.18	SFP	-	-	-	-
COL	14.60	(0.10)	757	14.63	SPCG	16.90	(0.20)	18,228	16.99	SNP	10.60	(0.30)	1,405	10.61
COM7	28.75	1.00	95,253	28.55	SPRC	7.05	0.10	674,305	7.05	SORKON	51.75	0.75	6	51.67
CPALL	69.00	(0.50)	228,134	69.13	SSP	7.45	0.05	8,731	7.44	SSC	35.00	-	43	35.00
CPW	1.71	0.06	83,263	1.72	SUPER	0.97	(0.03)	10,013,215	0.99	SSF	-	-	-	-
CRC	34.25	0.25	123,007	34.47	SUPEREIF	11.40	(0.10)	7,908	11.53	SST	2.80	(0.06)	458	2.83
CSS	1.37	-	50,601	1.38	SUSCO	2.50	(0.02)	7,447	2.52	TC	3.20	0.04	395	3.17
DOHOME	10.10	0.10	83,503	10.11	TAE	2.62	0.02	8,179	2.64	TFG	5.10	0.52	669,014	4.89
FN	1.16	0.01	83,574	1.17	TCC	0.23	-	22,489	0.23	TFMAMA	199.50	(0.50)	61	198.83
FTE	1.65	0.01	539	1.64	TOP	46.25	0.50	203,956	46.24	TIPCO	7.00	0.10	72,097	7.17
GLOBAL	16.70	0.10	45,690	16.78	TPIPP	3.96	(0.06)	70,068	4.00	TKN	10.50	(0.20)	310,406	10.75
HMPRO	16.00	(0.20)	176,388	16.04	TSE	3.06	(0.04)	113,951	3.08	TU	12.60	0.30	127,353	12.49
ILM	13.20	0.10	25,369	13.46	TTW	13.70	-	55,879	13.74	TVO	26.75	(0.75)	22,170	27.05
IT	2.54	0.10	491	2.52	WHAUP	4.60	(0.08)	46,518	4.64	ZEN	9.55	(0.15)	1,463	9.64
KAMART	3.00	0.04	12,060	2.95	WP	5.10	0.18	9,423	5.11	Health Care Services	-	-	-	-
LOXLEY	1.48	(0.01)	21,437	1.49	Media & Publishing	-	-	-	-	AHC	13.10	0.30	95	12.91
MAKRO	36.50	0.50	11,668	36.16	AMARIN									

## Main Board Quotation

Issue Date :

Friday June 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	3.04	0.04	158,881	3.09	CGD	0.63	0.01	8,592	0.62	IHL	2.82	0.22	177,166	2.75
RAM	142.50	(0.50)	13	142.73	CI	0.77	(0.01)	893	0.79	INGRS	0.40	0.01	6,779	0.40
RJH	21.90	-	274	22.00	CPN	51.00	(1.00)	73,596	51.24	IRC	13.50	0.20	17	13.50
RPH	5.30	0.05	1,824	5.30	ESTAR	0.38	(0.01)	15,365	0.38	PCSGH	4.54	0.10	8	4.52
SKR	5.05	0.05	6,132	4.99	EVER	0.24	(0.01)	53,967	0.24	SAT	10.50	(0.30)	15,959	10.61
SVH	416.00	(2.00)	23	417.74	FPT	12.20	0.30	3,502	11.84	SPG	13.00	0.10	1	13.00
THG	19.70	0.10	2,151	19.66	GLAND	2.34	0.02	355	2.30	STANLY	170.00	2.00	510	169.63
VIBHA	1.58	-	9,104	1.58	GOLD	8.40	-	25,753	8.40	TKT	0.91	0.02	30,207	0.98
VIH	6.90	(0.05)	5,779	6.87	GREEN	0.85	0.01	2,104	0.83	TNPC	0.79	-	130	0.78
WPH	1.60	(0.01)	1,655	1.61	J	0.88	0.08	227,151	0.87	TRU	3.68	0.08	4,007	3.64
Tourism & Leisure					JCK	0.75	(0.04)	12,551	0.77	TSC	9.80	(0.10)	32	9.80
ASIA	4.42	0.12	95	4.35	KC	-	-	-	-	Industrial Materials				
CENDEL	24.80	(0.70)	43,130	24.99	KWG	0.90	-	9,072	0.89	ALLA	1.34	(0.01)	6,155	1.36
CSR	-	-	-	-	LALIN	4.56	0.02	2,981	4.51	ASEFA	3.28	0.04	8,867	3.33
DTC	7.65	-	3,302	7.71	LH	7.75	(0.05)	315,565	7.75	CPT	0.88	0.01	2,996	0.88
ERW	3.96	(0.18)	401,741	4.01	LPN	4.72	(0.06)	137,434	4.79	CRANE	2.90	0.20	276,593	2.80
GRAND	0.59	(0.02)	2,221	0.60	MBK	14.20	(0.10)	79,474	14.22	CTW	5.05	-	455	5.11
LRH	-	-	-	-	MJD	1.73	(0.01)	32,548	1.74	FMT	22.10	0.40	7	22.10
MANRIN	23.80	(0.20)	27	23.80	MK	2.80	0.10	17,025	2.80	HTECH	2.52	0.02	381	2.52
OHTL	464.00	24.00	2	482.00	NCH	0.61	(0.01)	7,459	0.62	KKC	0.63	(0.05)	3,834	0.61
ROH	-	-	-	-	NNCL	1.84	0.01	6,534	1.84	PK	1.60	(0.02)	181	1.59
SHANG	60.75	(0.75)	13	60.87	NOBLE	11.50	0.10	4,622	11.51	SNC	8.85	-	788	8.89
SHR	2.30	0.02	127,463	2.30	NUSA	0.34	-	123,245	0.33	STARK	2.16	(0.02)	199,062	2.17
VRANDA	6.40	(0.05)	3,306	6.47	NVD	1.28	0.02	10,080	1.29	TCJ	2.90	(0.18)	50,339	3.11
Home & Office Produ					ORI	5.55	0.20	279,888	5.54	VARO	3.88	(0.10)	168	3.82
ACC	0.61	0.01	2,043	0.60	PACE	0.03	-	259,789	0.03	Property Fund & REIT				
AJA	0.15	(0.01)	96,231	0.15	PF	0.44	(0.01)	1,011,305	0.45	AIMCG	7.50	(0.15)	1,119	7.55
DTCI	-	-	-	-	PLAT	3.32	-	12,866	3.31	AIMIRT	13.50	0.10	3,893	13.44
FANCY	0.58	(0.01)	2,560	0.58	POLAR	-	-	-	-	AMATAR	10.40	0.10	10	10.39
KYE	322.00	2.00	13	320.85	PRECHA	0.92	(0.02)	1,298	0.90	B-WORK	-	-	-	-
L&E	1.61	(0.01)	1,472	1.60	PRIN	1.51	0.01	171	1.51	BKER	7.10	0.10	8,553	7.00
MODERN	2.54	0.06	1,582	2.51	PSH	12.40	0.30	24,710	12.30	BKKCP	11.90	0.10	45	11.73
OGC	26.50	(0.50)	1	26.50	OH	2.36	0.08	1,539,899	2.35	BOFFICE	13.90	0.10	1,057	13.90
ROCK	-	-	-	-	RICHY	0.70	-	6,466	0.69	CPNCG	10.80	-	11,130	10.77
SIAM	1.46	0.01	2,736	1.45	RML	0.70	(0.03)	100,787	0.71	CPNREIT	28.50	0.50	19,407	28.34
TSR	2.28	(0.06)	15,547	2.28	ROJNA	4.40	0.22	186,321	4.46	CPTGF	12.60	0.20	4,483	12.45
Insurance					S	1.68	-	30,067	1.68	CTARAF	5.10	0.05	581	5.06
AYUD	-	-	-	-	SAMCO	1.22	(0.01)	1,365	1.23	DREIT	4.22	(0.04)	462	4.21
BKI	277.00	-	47	277.70	SC	2.24	-	56,733	2.27	ERWPF	4.68	(0.02)	121	4.61
BLA	16.30	(0.10)	13,451	16.45	SENA	2.60	(0.02)	3,906	2.59	FTREIT	16.30	0.30	5,937	16.20
BUI	9.40	-	4	9.40	SF	4.76	(0.06)	25,821	4.77	FUTUREPF	19.10	(0.20)	3,930	19.19
CHARAN	-	-	-	-	SIRI	0.86	(0.06)	6,218,991	0.88	GAHREIT	7.50	-	153	7.50
INSURE	-	-	-	-	SPALI	16.30	0.40	76,641	16.36	GOLDPF	5.90	(0.20)	30	5.87
MTI	88.00	0.25	1	88.00	U	1.77	0.11	823,426	1.71	GVREIT	14.70	0.20	785	14.57
NKI	-	-	-	-	UV	3.34	0.02	79,190	3.40	HPF	4.66	(0.02)	116	4.66
NSI	54.00	(1.00)	1	54.00	WHA	3.64	0.02	1,934,322	3.65	HREIT	8.55	0.05	7,038	8.43
SEG	24.80	(0.70)	141	25.00	WIN	0.41	-	241	0.41	IMPACT	19.20	(0.10)	6,133	18.91
SMK	34.00	0.25	91	33.87	Paper & Printing Mat					KPNPF	-	-	-	-
THRE	0.70	0.01	227,784	0.70	UTP	11.20	(0.30)	23,485	11.40	LHHOTEL	12.80	(0.10)	847	12.87
THREL	2.66	0.04	42,235	2.65	Fashion					LHPF	6.20	(0.05)	74	6.19
TIP	22.70	0.10	2,823	22.66	AFC	6.10	(0.35)	1	6.10	LHSC	13.10	(0.50)	5,085	12.94
TQM	123.00	7.50	53,766	122.90	B52	0.15	(0.01)	1,342	0.15	LUXF	6.25	(0.05)	245	6.21
TSI	0.40	(0.01)	10,925	0.40	BTNC	11.90	-	1	11.90	M-II	-	-	-	-
TVI	3.18	0.02	880	3.14	CPH	3.26	0.02	1	3.26	M-PAT	-	-	-	-
Mining					CPL	0.85	0.01	171	0.84	M-STOR	-	-	-	-
PDI	6.10	(0.10)	5,494	6.27	ICC	30.75	(0.25)	47	30.39	MIPF	-	-	-	-
THL	-	-	-	-	NC	9.80	0.35	21	9.85	MIT	2.62	-	8	2.62
Packaging					PAF	0.58	0.01	118	0.57	MJLF	7.50	(0.20)	5,276	7.39
AJ	13.10	-	10,216	13.24	PDJ	1.20	-	2,772	1.19	MNIT	1.42	0.01	1	1.42
ALUCON	142.50	(2.50)	6	142.58	PG	4.70	-	1	4.70	MNIT2	-	-	-	-
BGC	10.80	(0.20)	4,802	10.89	SABINA	18.70	(0.10)	2,716	18.64	MNRF	2.70	-	11	2.70
CSC	47.75	0.25	191	47.39	SAWANG	12.50	1.20	45	11.78	POPF	11.00	-	2,076	10.90
GLOCON	0.70	0.01	53,857	0.69	SUC	37.50	0.25	71	37.74	PPF	11.30	-	11	11.30
NEP	0.15	(0.01)	415	0.15	TNL	18.50	-	3	18.50	QHHR	7.25	(0.05)	36	7.30
PTL	15.70	0.30	7,861	15.64	TPCORP	9.75	(0.45)	17	9.68	QHOP	2.58	0.02	573	2.55
SFLEX	10.70	(0.20)	12,255	10.87	TR	-	-	-	-	QHPF	11.00	(0.10)	5,592	11.03
SITHAI	0.73	-	7,883	0.74	TTI	20.50	0.10	1	20.50	SBPF	2.58	-	61	2.43
SLP	0.46	-	1,652	0.46	TTT	54.50	(0.50)	165	54.73	SHREIT	4.84	0.04	549	4.80
SMPC	8.40	(0.05)	4,574	8.45	UPF	-	-	-	-	SIRIP	9.75	(0.05)	12	9.67
SPACK	2.18	0.06	1,355	2.15	UT	-	-	-	-	SPF	14.70	(0.20)	5,598	14.68
TCOAT	-	-	-	-	WACOAL	46.25	(0.25)	3	46.08	SPRIME	11.40	0.10	405	11.32
TFI	0.05	(0.01)	159	0.06	Transportation & Log					SRIPANWA	8.05	(0.20)	31	8.05
THIP	23.30	(0.20)	238	23.06	AAV	2.28	(0.04)	249,897	2.30	SSPF	-	-	-	-
TMD	21.20	0.10	415	21.03	AOT	61.50	(0.25)	198,949	61.78	SSTRT	5.35	(0.05)	11	5.35
TOPP	-	-	-	-	ASIMAR	1.42	0.04	123,407	1.49	TIF1	8.50	-	51	8.45
TPBI	3.46	(0.02)	393	3.50	B	0.27	-	19,165	0.28	TLGF	20.30	(0.10)	14,527	20.27
TPP	14.90	0.10	8	15.01	BA	7.30	(0.30)	59,164	7.44	TLHPF	8.90	(0.20)	5	8.96
Personal Products &					BEM	9.90	0.05	331,456	9.88	TNPF	2.10	-	544	2.10
APCO	3.68	(0.02)	647	3.69	BTS	11.60	(0.10)	271,365	11.63	TPRIME	-	-	-	-
DDD	18.10	-	590	18.18	BTSGIF	7.30	(0.10)	77,342	7.33	TTLPF	21.80	-	51	21.51
JCT	-	-	-	-	III	4.44	(0.16)	24,928	4.50	TU-PF	-	-	-	-
OCC	8.25	(0.20)	67	8.19	JUTHA	0.48	0.06	2,843	0.45	URBNPF	-	-	-	-
S & J	27.75	(0.50)	20	26.83	JWD	6.80	0.05	10,367	6.81	WHABT	8.95	0.10	86	8.97
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	16.90	0.50	10,092	16.82
TNR														

## Main Board Quotation

Issue Date :

Friday June 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Industr	-	-	-	-	AGE	0.76	0.02	117,665	-	ADVA06C2009A	0.21	0.01	538	-
ABICO	4.86	0.14	2,260	4.00	AIE	0.58	0.03	668,570	-	ADVA06C2010A	0.64	(0.02)	52,087	-
AU	11.20	(0.10)	40,253	11.00	PSTC	2.02	0.02	151,577	2.00	ADVA06P2011A	0.89	0.01	34,207	-
JCHK	0.29	0.02	3,373	-	QTC	4.54	0.18	5,495	4.00	ADVA08C2009A	0.37	(0.03)	53,233	-
KASET	1.55	(0.02)	1,729	1.00	SAAM	1.11	(0.04)	37,102	1.00	ADVA08P2009A	0.53	(0.01)	15,000	-
MM	1.56	(0.05)	1,183	1.00	SEAOIL	2.68	0.02	10,810	2.00	ADVA11C2006A	-	-	-	-
SUN	2.18	0.02	2,082	2.00	SR	0.77	0.01	317	-	ADVA11C2011A	0.74	(0.02)	2,183	-
TACC	4.96	0.28	229,457	4.00	TAKUNI	0.42	-	4,097	-	ADVA11P2011A	0.76	-	6,006	-
TMILL	3.24	-	2,397	3.00	TPCH	12.30	-	2,343	12.00	ADVA13C2006A	-	-	-	-
XO	6.45	0.30	35,238	6.00	TRT	1.66	(0.01)	1,167	1.00	ADVA13C2007A	-	-	-	-
<b>Consumer Products</b>														
BGT	1.15	(0.01)	16	1.00	UMS	0.38	0.03	101	-	ADVA13C2008A	0.17	(0.02)	360,298	-
BIZ	3.60	0.02	773	3.00	UWC	0.04	-	61,852	-	ADVA13C2010A	0.77	(0.03)	51,979	-
DOD	7.20	(0.10)	48,894	7.00	Services (MAI)	-	-	-	-	ADVA13P2009A	1.02	0.01	76,323	1.00
ECF	1.67	0.15	355,469	1.00	A5	-	-	-	-	ADVA16C2007A	0.01	(0.02)	1,320	-
HPT	0.83	0.10	169,200	-	AKP	0.97	0.03	6,304	-	ADVA16C2009A	0.14	(0.06)	9	-
IP	9.60	0.75	185,509	9.00	AMA	5.65	(0.10)	10,506	5.00	ADVA19C2007A	-	-	-	-
JUBILE	16.70	0.20	924	16.00	ARIP	0.38	0.03	43,290	-	ADVA19C2007B	-	-	-	-
MOONG	3.72	0.20	19,584	3.00	ATP30	0.87	0.03	26,008	-	ADVA19C2008A	0.59	(0.03)	19,704	-
NPK	13.90	1.60	6	13.00	AUCT	8.20	0.35	71,560	8.00	ADVA19C2009A	0.35	(0.01)	1,128	-
OCEAN	0.92	-	15,936	-	BOL	3.76	0.04	1,766	3.00	ADVA19C2010A	0.17	(0.01)	31,898	-
TM	2.36	(0.02)	3,342	2.00	CHUO	-	-	-	-	ADVA19P2006A	0.01	-	2,000	-
<b>Financials (MAI)</b>														
ACAP	0.83	(0.03)	11,275	-	CMO	1.03	(0.09)	39,462	1.00	ADVA19P2009A	0.20	-	3,949	-
AF	0.60	-	358	-	D	3.48	-	451	3.00	ADVA19P2010A	0.73	0.01	27,289	-
AIRA	-	-	-	-	DCORP	0.38	(0.01)	51,590	-	ADVA24C2006A	0.02	(0.07)	1,179	-
ASN	4.00	0.12	397	3.00	EFORL	0.04	0.01	8,481	-	ADVA24C2009A	0.31	(0.01)	50	-
BROOK	0.41	(0.01)	6,847	-	ETE	1.02	0.03	43,919	1.00	ADVA28C2007A	0.01	(0.02)	20,238	-
CHAYO	6.25	0.35	187,257	6.00	FSMART	6.15	-	3,769	6.00	ADVA28C2008A	0.29	(0.02)	49,285	-
GCAP	1.62	(0.02)	10,074	1.00	FVC	0.50	0.06	98,795	-	ADVA28C2008B	-	-	-	-
LIT	3.36	-	1,421	3.00	GSC	0.83	-	13,591	-	ADVA28C2011A	0.17	(0.01)	6,695	-
MITSIB	1.07	(0.04)	22,061	1.00	HARN	2.08	(0.02)	1,643	2.00	ADVA28C2012A	0.14	-	42,705	-
SGF	0.60	-	42,529	-	IMH	2.26	0.02	187	2.00	ADVA28P2012A	0.36	-	28,392	-
<b>Industrials (MAI)</b>														
2S	2.58	0.06	2,499	2.00	JKN	5.70	0.10	79,156	5.00	ADVA41C2007A	-	-	-	-
ACG	1.21	-	17,653	1.00	KIAT	0.50	(0.01)	202,355	-	ADVA41C2007B	-	-	-	-
ADB	0.71	(0.01)	1,306	-	KOOL	0.85	0.02	76,078	-	ADVA41C2010A	0.30	(0.70)	50	-
BM	2.10	(0.04)	360	2.00	LDC	0.75	0.02	2,077	-	ADVA41P2009A	0.94	-	113,567	-
CHO	0.67	(0.02)	51,562	-	MORE	0.35	(0.01)	600,832	-	ADVA41P2011A	0.64	(0.36)	2	-
CHOW	2.18	(0.04)	230	2.00	MPG	0.18	(0.01)	1,508	-	ADVA42P2007A	0.68	-	7,210	-
CIG	0.24	0.01	10,966	-	MVP	1.22	-	666	1.00	AEON13C2007A	0.05	-	1,000	-
COLOR	1.17	(0.01)	540	1.00	NBC	0.64	0.01	2,171	-	AEON13C2010A	0.35	0.01	60,477	-
CPR	3.16	0.16	5,353	3.00	NCL	0.80	0.07	31,767	-	AEON19C2006A	-	-	-	-
FPI	2.06	0.07	12,228	2.00	NEWS	0.01	-	20,022	-	AEON19C2010A	0.53	0.01	189,213	-
GTB	0.59	0.01	17,697	-	NINE	1.78	0.02	5	1.00	AMAT01C2007B	-	-	-	-
KCM	0.51	0.01	75,929	-	OTO	2.88	(0.06)	13,989	2.00	AMAT01C2008A	-	-	-	-
KUMWEL	0.96	0.03	3,900	-	PHOL	2.92	0.08	5,671	2.00	AMAT01P2008A	0.30	(0.04)	750	-
KWM	0.77	(0.01)	5,047	-	PICO	-	-	-	-	AMAT06C2010A	0.86	-	37,206	-
MBAX	4.42	0.14	8,976	4.00	QLT	4.08	0.04	107	4.00	AMAT08C2010A	0.65	0.02	43,740	-
MGT	1.83	-	574	1.00	RP	1.56	(0.03)	1,674	1.00	AMAT11C2008A	0.08	0.01	200	-
NDR	1.32	0.17	40,426	1.00	SE	1.32	-	6,283	1.00	AMAT13C2010A	0.59	0.02	189,450	-
PDG	3.34	-	81	3.00	SONIC	1.05	0.01	1,703	1.00	AMAT16C2006A	-	-	-	-
PIMO	1.30	-	6,000	1.00	SPA	7.30	-	5,367	7.00	AMAT16C2008A	-	-	-	-
PJW	1.31	(0.04)	23,418	1.00	THMUI	0.68	-	12,747	-	AMAT19C2006A	-	-	-	-
PPM	0.88	-	521	-	TNDT	3.00	(0.02)	498	2.00	AMAT19C2008A	0.29	-	1,600	-
RWI	1.45	(0.01)	8,094	1.00	TNH	33.50	(0.25)	208	33.00	AMAT19C2009A	0.71	-	13,942	-
SALEE	0.71	0.01	3,542	-	TNP	2.62	(0.04)	5,329	2.00	AMAT19C2011A	0.57	0.01	137,739	-
SANKO	0.93	-	2,003	-	TSF	-	-	-	-	AMAT24C2006A	-	-	-	-
SELIC	2.02	-	2,328	2.00	TVD	0.95	0.12	136,079	-	AMAT24C2010A	0.56	0.01	14,528	-
SWC	4.18	-	822	4.00	TVT	0.62	-	1,911	-	AMAT42C2007A	0.83	0.02	2,904	-
TMC	0.56	-	4,939	-	VL	1.23	0.01	266,561	1.00	ANAN13C2007A	-	-	-	-
TMI	0.63	(0.01)	1,630	-	WINNER	2.84	0.06	2,155	2.00	ANAN19C2007A	-	-	-	-
TMW	38.50	1.25	371	38.00	YGG	5.75	0.50	72,675	5.00	AOT01C2006B	0.01	(0.01)	13,376	-
TPAC	11.20	0.20	1,398	11.00	<b>Technology (MAI)</b>									
TPLAS	1.18	-	35,908	1.00	APP	1.59	-	6,878	1.00	AOT01C2007A	0.20	(0.02)	11,808	-
UBIS	4.74	(0.02)	205	4.00	COMAN	2.24	0.04	9,683	2.00	AOT01P2006B	0.19	(0.01)	122	-
UEC	0.88	0.01	1,455	-	ICN	1.84	(0.04)	1,973	1.00	AOT01P2007A	0.90	-	3,602	-
UKEM	0.73	(0.02)	331,000	-	INSET	2.66	0.06	61,290	2.00	AOT06C2007A	0.02	(0.01)	699	-
UREKA	0.99	0.04	160,223	-	IRCP	0.44	(0.01)	4,846	-	AOT06C2008A	-	-	-	-
YUASA	12.00	0.10	254	11.00	ITEL	2.66	0.06	14,376	2.00	AOT06C2009A	0.46	(0.01)	46,289	-
ZIGA	1.43	0.01	468	1.00	NETBAY	34.00	-	750	33.00	AOT06P2009A	0.28	(0.01)	4,654	-
<b>Property &amp; Construc</b>														
ALL	3.40	-	125,880	3.00	PLANET	0.85	-	408	-	AOT06P2011A	1.09	0.03	23,398	1.00
ARIN	0.86	-	8,035	-	SIMAT	3.30	0.10	36,334	3.00	AOT08C2006A	0.01	-	526	-
ARROW	7.20	(0.05)	2,250	7.00	SKY	15.20	0.10	5,622	15.00	AOT08C2007A	0.79	(0.02)	26,213	-
BC	1.02	(0.02)	3,768	1.00	SPVI	2.60	0.14	223,555	2.00	AOT08P2009A	0.56	(0.02)	21,010	-
BSM	0.28	0.01	5,610	-	TPS	1.92	0.02	4,611	1.00	AOT11C2011A	0.74	-	22,000	-
BTW	0.86	-	3,150	-	UPA	0.27	(0.01)	58,801	-	AOT11P2007A	-	-	-	-
CAZ	1.57	(0.01)	9,521	1.00	VCOM	3.66	(0.12)	41,353	3.00	AOT13C2006A	-	-	-	-
CHEWA	0.48	-	72,295	-	Unit Trust	-	-	-	-	AOT13C2007A	-	-	-	-
CMC	0.76	(0.01)	1,631	-	MGE	-	-	-	-	AOT13C2008A	0.61	(0.01)	61	-
CRD	0.49	(0.01)	3,941	-	SCBSET	-	-	-	-	AOT13C2010A	0.45	-	122,095	-
DIMET	0.42	(0.02)	348,290	-	ETF	-	-	-	-	AOT13P2006A	0.14	-	2,337	-
FLOYD	1.04	(0.01)	905	1.00	1DIV	8.48	(0.02)	9	8.00	AOT13P2009A	0.25	(0.01)	25,260	-
HYDRO	0.14	-	13,500	-	ABFTH	-	-	-	-	AOT13P2010A	0.90	-	38,445	-
JSP	0.27	-	15,142	-	BMSCG	7.20	-	74	7.00	AOT16C2007A	-	-	-	-

## Main Board Quotation

Issue Date :

Friday June 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT41C2010A	0.53	-	59,326	-	BCH19C2011A	0.41	0.01	32,472	-	BPP19C2007A	-	-	-	-
AOT41P2009A	-	-	-	-	BCH41C2006A	-	-	-	-	BPP19C2010A	0.53	0.01	56,151	-
AOT41P2009B	0.41	-	6,965	-	BCP13C2007A	-	-	-	-	BTS11C2011A	0.39	-	8,517	-
AOT41P2010A	0.63	-	31,625	-	BCPG01C2008B	-	-	-	-	BTS13C2006A	-	-	-	-
AOT42C2006A	-	-	-	-	BCPG01C2009A	-	-	-	-	BTS13C2008A	-	-	-	-
AOT42C2101T	0.32	-	510	-	BCPG01P2009A	0.13	-	179	-	BTS13C2009A	0.25	(0.02)	31,020	-
AOT42P2009A	-	-	-	-	BCPG13C2007A	-	-	-	-	BTS16C2008A	0.01	-	5	-
AP19C2007A	-	-	-	-	BCPG13C2010A	0.33	-	38,409	-	BTS19C2008A	0.26	-	9,479	-
AP19C2010A	1.15	(0.06)	10,674	1.00	BCPG16C2009A	0.36	(0.02)	380	-	BTS19C2010A	0.24	-	6,754	-
AP19C2011A	0.31	(0.03)	72,437	-	BCPG19C2010A	0.32	-	42,742	-	BTS24C2007A	-	-	-	-
AP28C2012A	1.06	-	18,635	1.00	BCPG28C2008A	-	-	-	-	BTS41C2006A	-	-	-	-
AWC01C2009A	0.17	(0.01)	1,582	-	BCPG28C2012A	0.30	(0.01)	18,156	-	BTS41C2010A	-	-	-	-
AWC01P2007A	0.37	-	1,118	-	BCPG28C2012B	0.30	(0.02)	16,224	-	BTS42C2008A	0.02	(0.01)	250	-
AWC06C2009A	0.71	(0.04)	21,661	-	BCPG42C2007A	0.34	(0.02)	2,556	-	CBG01C2007B	0.68	0.07	2,929	-
AWC06C2011A	0.24	(0.76)	4,549	-	BDM501C2007B	0.04	-	10	-	CBG01P2007B	0.04	(0.02)	47,762	-
AWC13C2006A	-	-	-	-	BDM501P2008A	0.33	0.02	22	-	CBG08C2007A	1.39	0.11	3,602	1.00
AWC13C2009A	0.56	(0.04)	48,718	-	BDM506C2008A	0.16	(0.02)	43	-	CBG11C2008A	-	-	-	-
AWC13C2010A	0.12	(0.01)	114,331	-	BDM506C2010A	0.61	(0.06)	13,029	-	CBG13C2008A	1.52	0.12	1	1.00
AWC13C2010B	0.50	(0.02)	119,194	-	BDM506P2009A	0.28	0.02	19,590	-	CBG13C2010A	1.00	0.07	198,594	-
AWC13P2006A	-	-	-	-	BDM508C2006A	-	-	-	-	CBG13P2006A	-	-	-	-
AWC16C2007A	-	-	-	-	BDM508C2011A	0.42	(0.04)	15,670	-	CBG16C2008A	-	-	-	-
AWC19C2006A	-	-	-	-	BDM511C2007A	-	-	-	-	CBG19C2008A	1.53	0.16	388	1.00
AWC19C2010A	0.57	(0.02)	23,774	-	BDM511C2008A	-	-	-	-	CBG19C2010A	1.26	0.08	341,568	1.00
AWC19C2010B	0.13	(0.02)	1,828	-	BDM511C2011A	0.91	(0.04)	13,114	-	CBG19C2011A	0.52	0.03	129,958	-
AWC24C2007A	-	-	-	-	BDM513C2008A	0.28	(0.03)	24,102	-	CBG19P2006A	-	-	-	-
AWC24C2010A	-	-	-	-	BDM513C2009A	0.41	(0.03)	46,771	-	CBG19P2010A	0.84	(0.07)	102,508	-
AWC28C2008A	0.10	(0.06)	266	-	BDM516C2006A	-	-	-	-	CBG24C2008A	1.74	0.11	41,755	1.00
AWC28C2010A	0.56	(0.03)	49,628	-	BDM519C2010A	0.40	(0.03)	23,353	-	CBG41C2006A	-	-	-	-
AWC28C2010B	0.13	(0.01)	6,387	-	BDM519P2010A	0.32	0.01	2,075	-	CBG41C2009A	1.43	0.10	28	1.00
AWC28C2012A	0.12	-	3,044	-	BDM524C2006A	-	-	-	-	CBG41C2010A	0.49	0.04	51,837	-
AWC41C2007A	-	-	-	-	BDM528C2011A	0.40	(0.04)	16,166	-	CBG41P2010A	0.90	(0.05)	9,022	-
AWC41C2007B	-	-	-	-	BDM528C2012A	0.29	(0.01)	10,514	-	CBG42C2006A	-	-	-	-
AWC41C2010A	-	-	-	-	BDM528C2012B	-	-	-	-	CBG42C2008A	2.80	0.04	217	2.00
AWC42C2008A	0.02	-	100	-	BDM541C2009A	0.34	(0.03)	34,092	-	CENT01C2006A	-	-	-	-
BANP06C2010A	0.35	0.02	45,607	-	BEC01C2006A	0.09	-	112	-	CENT01C2006B	0.02	-	50,001	-
BANP08C2007A	-	-	-	-	BEC01C2006B	0.02	-	1	-	CENT01C2009A	-	-	-	-
BANP08C2009A	0.42	0.03	25,122	-	BEC01P2006A	0.07	(0.08)	234	-	CENT01P2009A	0.13	(0.02)	7,502	-
BANP08P2009A	0.61	(0.02)	22,824	-	BEM06P2009A	0.21	(0.02)	11,244	-	CENT06C2006A	0.13	(0.10)	1,500	-
BANP11C2008A	-	-	-	-	BEM08C2009A	0.79	-	4,061	-	CENT06P2007A	-	-	-	-
BANP13C2006A	-	-	-	-	BEM11C2011A	0.52	(0.01)	6,026	-	CENT11C2007A	0.03	(0.02)	1	-
BANP13C2008A	0.31	0.03	92,344	-	BEM13C2007A	-	-	-	-	CENT13C2006A	-	-	-	-
BANP13C2010A	0.20	0.02	131,876	-	BEM13C2009A	0.51	(0.01)	16,200	-	CENT13C2010A	0.24	(0.04)	49,271	-
BANP19C2007A	-	-	-	-	BEM13C2010A	0.20	(0.01)	27,010	-	CENT19C2008A	-	-	-	-
BANP19C2007B	-	-	-	-	BEM16C2006A	-	-	-	-	CENT19C2010A	0.67	(0.06)	13,846	-
BANP19C2009A	0.42	0.04	31,153	-	BEM19C2010A	0.63	(0.01)	16,120	-	CENT19C2011A	0.27	(0.02)	72,323	-
BANP19C2010A	0.32	0.02	99,854	-	BEM19C2011A	-	-	-	-	CENT24C2008A	0.31	(0.04)	7,544	-
BANP19P2010A	0.31	(0.01)	14,755	-	BEM19P2010A	-	-	-	-	CENT27C2008A	-	-	-	-
BANP19P2010B	0.77	(0.04)	28,653	-	BEM24C2008A	0.78	-	6,630	-	CENT28C2008A	-	-	-	-
BANP24C2011A	0.32	0.01	10,250	-	BEM28C2007A	-	-	-	-	CENT28C2010A	1.00	(0.06)	10	1.00
BANP27C2007A	-	-	-	-	BEM28C2008A	0.30	0.01	1	-	CENT28C2012A	0.45	(0.02)	32,021	-
BANP28C2008A	-	-	-	-	BEM28C2010A	-	-	-	-	CENT41C2006A	-	-	-	-
BANP28C2010A	0.28	0.02	31,695	-	BEM28C2012A	0.20	(0.01)	200	-	CENT42C2006A	0.12	(0.08)	6,000	-
BANP28C2012A	0.29	0.02	23,189	-	BEM41C2006A	-	-	-	-	CHG01C2006A	-	-	-	-
BANP41C2007A	-	-	-	-	BGR101C2006A	0.09	0.01	2,210	-	CHG01C2006B	-	-	-	-
BANP41C2010A	0.37	0.02	9,322	-	BGR101C2006B	0.02	0.01	125,106	-	CHG01P2006A	-	-	-	-
BANP41P2007A	-	-	-	-	BGR101C2008B	-	-	-	-	CHG13C2010A	-	-	-	-
BANP42C2006A	-	-	-	-	BGR101C2009A	0.80	(0.06)	43	-	CHG16C2009A	0.21	(0.01)	34,086	-
BBL06C2007A	0.02	-	6,631	-	BGR101P2006A	-	-	-	-	CHG19C2011A	0.28	(0.01)	14,848	-
BBL06C2009A	0.96	(0.01)	53,291	-	BGR106C2010A	0.77	(0.07)	50,284	-	CHG27C2009A	-	-	-	-
BBL06P2011A	0.86	(0.14)	53,800	-	BGR108C2009A	0.68	(0.06)	69,111	-	CHG42C2006A	-	-	-	-
BBL08C2007A	-	-	-	-	BGR111C2006A	-	-	-	-	CK06C2009A	0.78	0.01	75,704	-
BBL08C2009A	0.59	(0.02)	52,154	-	BGR111C2008A	-	-	-	-	CK11C2007A	0.10	(0.01)	1,345	-
BBL08P2007A	0.61	0.07	598	-	BGR113C2007A	-	-	-	-	BK13C2006A	-	-	-	-
BBL08P2009A	0.48	-	50,247	-	BGR113C2008A	-	-	-	-	CK13C2010A	0.82	-	441,363	-
BBL11C2007A	0.01	-	1,050	-	BGR113C2009A	0.73	(0.06)	85,652	-	BK16C2006A	0.02	-	2	-
BBL11C2011A	1.01	(0.02)	43,353	1.00	BGR119C2006A	-	-	-	-	CK19C2007A	-	-	-	-
BBL11P2008A	0.77	0.04	3,008	-	BGR119C2008A	-	-	-	-	CK19C2010A	0.66	0.01	219,768	-
BBL13C2006A	-	-	-	-	BGR119C2008B	-	-	-	-	CK27C2008A	0.29	0.14	300	-
BBL13C2008A	0.25	(0.01)	387,658	-	BGR119C2009A	0.76	(0.05)	25,342	-	CK41C2009A	0.70	0.02	9,120	-
BBL13C2010A	1.82	(0.04)	1,610	1.00	BGR119C2011A	0.56	(0.03)	99,378	-	CK42C2006A	0.14	(0.35)	2,000	-
BBL13C2010B	0.63	(0.01)	338,231	-	BGR119P2007A	-	-	-	-	CKP01C2008B	-	-	-	-
BBL13P2008A	-	-	-	-	BGR124C2009A	0.69	(0.04)	12,113	-	CKP01C2009A	-	-	-	-
BBL13P2010A	0.55	0.01	132,593	-	BGR127P2006A	-	-	-	-	CKP01P2009A	-	-	-	-
BBL16C2006A	-	-	-	-	BGR141C2007A	-	-	-	-	CKP08C2010A	0.64	-	23,827	-
BBL19C2007A	-	-	-	-	BGR141C2010A	0.50	(0.04)	5,432	-	CKP11C2006A	-	-	-	-
BBL19C2009A	-	-	-	-	BGR141P2006A	-	-	-	-	CKP13C2007A	-	-	-	-
BBL19C2010A	0.63	(0.01)	66,376	-	BGR142C2006A	-	-	-	-	CKP13C2010A	0.54	0.01	14,180	-
BBL19C2011A	0.49	(0.01)	36,097	-	BH08C2007A	0.06	(0.01)	102	-	CKP16C2007A	-	-	-	-
BBL19P2007A	-	-	-	-	BH11C2008A	-	-	-	-	CKP19C2006A	-	-	-	-
BBL19P2010A	0.50	(0.01)	30,038	-	BH13C2006A	-	-	-	-	CKP19C2010A	0.72	-	32,230	-
BBL19P2011A	0.83	0.01	105,131	-	BH13C2010A	0.40	-	20,220	-	CKP19C2011A	0.49	0.02	35,986	-
BBL24C2009A	0.60	(0.02)	29,772	-	BH19C2006A	-	-	-	-	CKP24C2006A	-	-	-	-
BBL28C2007A	-	-	-	-	BH19C2009A	0.37	-	79,677	-	CKP28C2011A	0.52	0.02	45,809	-
BBL28C2010A	0.41	(0.01)	75,977	-	BH24C2008A	0.25	(0.01)	2,598	-	CKP28C2012A	0.56	0.01	20,452	-
BBL28C2011A	-	-	-	-	BH27C2007A	-	-	-	-	CKP41C2007A	-	-	-	-
BBL41C2007A	-	-	-	-	BH41C2009A	0.36	(0.01)	15,420	-	CKP42C2006A	-	-	-	-
BBL41C2007B	0.05	(0.02)	88	-	BH42C2008A	0.58	(0.02)	2,580	-	COM708C2007A	0.15	(0.02)	1,386	-
BBL41C2009A	-	-	-	-	BJC01C2008B	0.24	(0.04)	1	-	COM708C2010A	1.16	0.07	2,800	1.00
BBL41C2011A	0.32	(0.01)	16,361	-	BJC01C2009A	-	-	-	-	COM713C2007A	-	-	-	-
BBL41P2010A	0.48	(0.01)	145,432	-	BJC01P2009A	-	-	-	-	COM713C2008A	-	-	-	-
BBL42C2007A	-	-	-	-	BJC11C2008A	0.13	(0.02)	120	-	COM713C2010A	1.11	0.10	234	1.00
BBL42C20101T	0.35	-	9,041	-	BJC13C2010A	0.29	-	38,374	-	COM713C2010B	0.37	0.03		

## Main Board Quotation

Issue Date :

Friday June 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL08C2006A	0.02	0.01	24,168	-	EA16C2006A	-	-	-	-	GULF13C2008A	-	-	-	-
CPAL08C2008A	0.48	(0.04)	1,823	-	EA16C2008A	-	-	-	-	GULF13C2009A	1.00	0.01	1,385	1.00
CPAL08C2011A	0.47	(0.01)	35,306	-	EA19C2008A	0.27	0.01	50	-	GULF13C2009B	0.26	(0.03)	23,358	-
CPAL08P2006A	-	-	-	-	EA19C2010A	0.37	0.03	85,319	-	GULF13P2009A	0.27	0.01	156,133	-
CPAL08P2009A	0.24	0.01	10	-	EA19P2007A	-	-	-	-	GULF16C2007A	-	-	-	-
CPAL11C2006A	0.01	-	3,121	-	EA19P2011A	0.67	(0.03)	98,785	-	GULF19C2006A	-	-	-	-
CPAL11C2007A	-	-	-	-	EA24C2008A	0.30	0.01	13,792	-	GULF19C2008A	-	-	-	-
CPAL13C2007A	-	-	-	-	EA27C2006A	-	-	-	-	GULF19C2010A	0.30	(0.01)	16,585	-
CPAL13C2009A	0.72	(0.02)	52,344	-	EA28C2011A	0.35	0.03	70,198	-	GULF19P2006A	0.01	-	20	-
CPAL16C2006A	-	-	-	-	EA28C2012A	0.27	0.02	30,800	-	GULF19P2009A	0.23	0.01	11,950	-
CPAL16C2007A	-	-	-	-	EA41C2009A	0.27	0.01	5,960	-	GULF19P2010A	0.29	0.02	27,038	-
CPAL19C2008A	0.29	(0.02)	33,107	-	EGCO01C2007B	0.03	(0.02)	8,280	-	GULF19P2010B	0.52	0.02	60,135	-
CPAL19C2010A	0.38	(0.01)	6,531	-	EGCO06C2007A	-	-	-	-	GULF24C2009A	0.23	(0.02)	3,162	-
CPAL19P2010A	-	-	-	-	EGCO06C2010A	0.57	(0.04)	91,547	-	GULF28C2008A	-	-	-	-
CPAL19P2010B	0.82	0.01	27,929	-	EGCO06P2009A	0.35	0.01	42,834	-	GULF28C2008B	-	-	-	-
CPAL24C2009A	0.89	(0.01)	14,532	-	EGCO13C2009A	0.40	(0.03)	16,676	-	GULF28C2008C	-	-	-	-
CPAL28C2007A	-	-	-	-	EGCO19C2007A	0.01	(0.01)	500	-	GULF28C2010A	0.20	(0.01)	24,936	-
CPAL28C2008A	-	-	-	-	EGCO19C2010A	0.57	(0.02)	2,160	-	GULF28C2012A	0.18	(0.01)	60	-
CPAL28C2008B	-	-	-	-	EGCO24C2009A	0.51	(0.03)	6,340	-	GULF41C2006A	-	-	-	-
CPAL28C2010A	0.24	(0.01)	45,725	-	EGCO42C2007A	-	-	-	-	GULF41C2009A	0.25	(0.02)	19,170	-
CPAL28C2012A	0.25	(0.01)	2,358	-	EPG13C2006A	-	-	-	-	GULF41P2007A	-	-	-	-
CPAL41C2007A	-	-	-	-	EPG13C2010A	0.18	-	18,683	-	GULF41P2009A	0.51	0.03	51,692	-
CPAL41C2010A	0.51	(0.01)	32,753	-	EPG19C2007A	-	-	-	-	GULF42C2010M	0.31	(0.02)	8,063	-
CPAL42C2007A	-	-	-	-	EPG19C2008A	0.54	0.02	111	-	GUNK11C2007A	-	-	-	-
CPAL42C2101T	0.28	(0.01)	52,543	-	EPG19C2010A	0.73	0.02	116,226	-	GUNK13C2006A	-	-	-	-
CPF06C2010A	0.31	-	115,881	-	EPG19C2011A	0.22	0.01	11,779	-	GUNK19C2006A	-	-	-	-
CPF06P2011A	0.36	(0.64)	67,145	-	EPG24C2008A	-	-	-	-	GUNK19C2010A	0.29	(0.01)	50,489	-
CPF08C2006A	0.02	-	2,500	-	ERW06C2007A	-	-	-	-	GUNK24C2006A	-	-	-	-
CPF08C2010A	0.36	0.01	77,089	-	ERW06C2010A	1.22	(0.18)	14,260	1.00	GUNK28C2012A	0.30	(0.01)	33,389	-
CPF11C2007A	0.30	0.07	10	-	ERW13C2006A	-	-	-	-	HANA01C2006A	-	-	-	-
CPF13C2006A	-	-	-	-	ERW13C2007A	-	-	-	-	HANA01C2006B	0.02	0.01	100	-
CPF13C2008A	0.39	(0.22)	6	-	ERW13C2010A	0.59	(0.08)	60,390	-	HANA01P2006A	-	-	-	-
CPF13C2009A	0.27	0.01	200,748	-	ERW19C2006A	-	-	-	-	HANA11C2008A	0.06	-	78	-
CPF16C2007A	-	-	-	-	ERW19C2007A	0.29	(0.08)	7,450	-	HANA13C2008A	0.10	-	3,999	-
CPF19C2006A	-	-	-	-	ERW19C2010A	0.99	(0.12)	582	1.00	HANA16C2008A	0.14	(0.03)	240	-
CPF19C2009A	1.04	0.14	150	1.00	ERW24C2006A	-	-	-	-	HANA19C2006A	-	-	-	-
CPF19C2010A	0.29	0.01	123,032	-	ESS001C2008B	0.34	0.01	71	-	HANA19C2010A	0.22	(0.01)	52,215	-
CPF24C2007A	0.44	0.02	8,119	-	ESS001C2009A	0.62	(0.03)	89	-	HANA27C2007A	-	-	-	-
CPF28C2007A	-	-	-	-	ESS001P2009A	0.17	-	5,200	-	HANA27P2007A	-	-	-	-
CPF28C2010A	-	-	-	-	ESS006C2011A	0.57	(0.02)	57,316	-	HANA41C2006A	-	-	-	-
CPF28C2011A	0.31	0.01	25,440	-	ESS008C2008A	-	-	-	-	HMPRO1C2006A	0.25	-	1	-
CPF28C2012A	0.20	0.01	21,136	-	ESS008C2011A	0.62	(0.01)	63,640	-	HMPRO1C2006B	-	-	-	-
CPF28C2012B	0.20	0.01	20,345	-	ESS013C2006A	-	-	-	-	HMPRO1P2006A	0.09	-	5,198	-
CPF41C2008A	0.30	-	2,926	-	ESS013C2010A	0.54	(0.03)	211,887	-	HMPRO6C2010A	0.62	(0.02)	16,590	-
CPF41C2010A	0.27	0.01	36,308	-	ESS019C2007A	0.34	-	10	-	HMPRO6P2007A	-	-	-	-
CPN06C2006A	-	-	-	-	ESS019C2009A	-	-	-	-	HMPRO6P2011A	0.45	0.01	26,045	-
CPN06C2010A	0.66	(0.07)	19,121	-	ESS019C2010A	0.58	(0.02)	144,642	-	HMPR11C2011A	0.71	(0.01)	20,780	-
CPN11C2006A	-	-	-	-	ESS019C2011A	0.40	(0.02)	172,132	-	HMPR13C2006A	-	-	-	-
CPN11C2008A	-	-	-	-	ESS024C2007A	0.44	(0.01)	24,647	-	HMPR13C2007A	-	-	-	-
CPN13C2007A	-	-	-	-	ESS041C2006A	-	-	-	-	HMPR13C2009A	0.47	(0.01)	16,340	-
CPN13C2009A	0.45	(0.02)	128,866	-	ESS041C2010A	0.61	0.03	4	-	HMPR19C2007A	-	-	-	-
CPN19C2007A	-	-	-	-	ESS042C2007A	0.44	0.01	5,270	-	HMPR19C2010A	0.56	(0.02)	5,950	-
CPN19C2010A	0.45	(0.02)	25,335	-	GFPT13C2010A	0.36	(0.01)	23,444	-	HMPR24C2008A	0.72	0.01	4,170	-
CPN19P2010A	0.56	0.02	17,896	-	GFPT19C2006A	0.10	(0.02)	75,292	-	HMPR41C2006A	-	-	-	-
CPN24C2007A	0.14	(0.02)	10,132	-	GFPT19C2010A	0.41	(0.02)	29,587	-	HMPR41C2007A	-	-	-	-
CPN41C2009A	0.38	(0.01)	1,700	-	GFPT24C2007A	0.19	(0.03)	4,900	-	HMPR41C2007B	0.48	(0.05)	500	-
CPN41P2006A	-	-	-	-	GFPT42C2008A	0.50	(0.02)	2,841	-	HMPR41C2010A	-	-	-	-
CPN42C2006A	-	-	-	-	GLOB01C2007B	-	-	-	-	HSI28C2006A	1.24	0.13	1,268	1.00
CRC01C2007A	0.09	(0.01)	15	-	GLOB01C2008A	-	-	-	-	HSI28C2006B	0.58	0.08	48,061	-
CRC08C2007A	0.18	-	150	-	GLOB06C2006A	-	-	-	-	HSI28C2006C	0.15	0.02	353,239	-
CRC08C2009A	0.35	-	42,598	-	GLOB13C2007A	-	-	-	-	HSI28C2007A	0.95	0.12	300,677	-
CRC13C2008A	0.05	(0.07)	3,040	-	GLOB19C2007A	-	-	-	-	HSI28C2007B	0.50	0.06	371,876	-
CRC13C2009A	0.39	-	94,089	-	GLOB19C2010A	0.57	0.01	17,727	-	HSI28C2007C	0.20	0.02	905,168	-
CRC19C2008A	-	-	-	-	GLOB24C2010A	0.53	0.02	9,667	-	HSI28C2008A	1.98	0.14	22	1.00
CRC19C2008B	0.37	-	108,489	-	GLOB42C2009A	-	-	-	-	HSI28C2008B	1.28	0.11	115,704	1.00
CRC19C2010A	0.28	-	118,906	-	GPSCO1C2007B	-	-	-	-	HSI28C2008C	0.79	0.08	15,659	-
CRC24C2008A	0.46	0.02	25,782	-	GPSCO1C2008A	0.62	(0.06)	685	-	HSI28C2010L	0.45	0.05	32,774	-
CRC28C2007A	0.01	-	8	-	GPSCO1P2007B	-	-	-	-	HSI28C2011L	0.91	0.07	16,847	-
CRC28C2007B	-	-	-	-	GPSCO1P2008A	-	-	-	-	HSI28P2006A	0.07	(0.04)	228,531	-
CRC28C2011A	0.33	-	53,900	-	GPSCO6C2006A	-	-	-	-	HSI28P2006B	0.03	(0.04)	3,073	-
CRC28C2012A	0.24	-	27,813	-	GPSCO6C2008A	0.83	(0.05)	3,082	-	HSI28P2006C	0.01	(0.01)	8,468	-
CRC41C2007A	0.20	(0.05)	400	-	GPSCO6C2011A	0.78	(0.10)	91,462	-	HSI28P2007A	0.63	(0.12)	288,691	-
CRC41C2009A	-	-	-	-	GPSCO8C2007A	0.19	(0.05)	60	-	HSI28P2007B	0.37	(0.08)	84,959	-
CRC41C2010A	0.22	0.01	6,660	-	GPSCO8C2009A	0.84	(0.09)	61,340	-	HSI28P2007C	0.24	(0.04)	209,781	-
DTAC01C2007B	-	-	-	-	GPSCO8P2006A	-	-	-	-	HSI28P2008A	0.91	(0.10)	147,063	-
DTAC01C2008A	-	-	-	-	GPSC11C2006A	0.18	(0.13)	90	-	HSI28P2008B	0.70	(0.06)	1,724	-
DTAC01P2007B	-	-	-	-	GPSC13C2007A	-	-	-	-	HSI28P2008C	0.47	(0.07)	91,982	-
DTAC01P2008A	0.34	(0.02)	1	-	GPSC13C2008A	0.89	0.05	16	-	HSI28P2010L	0.52	(0.05)	16,934	-
DTAC08C2007A	-	-	-	-	GPSC13C2009A	1.00	(0.12)	281,414	1.00	HSI28P2011L	0.45	(0.03)	339	-
DTAC08C2008A	0.29	0.01	15,002	-	GPSC13P2007A	-	-	-	-	HSI41C2006A	-	-	-	-
DTAC13C2007A	-	-	-	-	GPSC16C2007A	0.03	(0.02)	1,210	-	HSI41C2006B	0.10	(0.29)	1	-
DTAC13C2009A	0.24	0.01	116,545	-	GPSC19C2007A	-	-	-	-	HSI41C2007A	0.52	0.05	476,314	-
DTAC13P2007A	0.04	-	960	-	GPSC19C2008A	-	-	-	-	HSI41C2007B	-	-	-	-
DTAC13P2008A	0.30	(0.02)	36,454	-	GPSC19C2009A	-	-	-	-	HSI41C2007C	1.08	0.09	42,640	1.00
DTAC16C2009A	0.51	-	16,810	-	GPSC19C2010A	0.81	(0.10)	212,695	-	HSI41C2008A	0.88	0.09	85,568	-
DTAC19C2006A	-	-	-	-	GPSC19P2010A	0.37	0.02	28,645	-	HSI41C2008B	0.56	0.09	390,047	-
DTAC19C2007A	-	-	-	-	GPSC19P2011A	1.03	0.07	404,510	-	HSI41P2006A	-	-	-	-
DTAC19C2009A	0.31	0.01	28,579	-	GPSC24C2007A	-	-	-	-	HSI41P2006B	-	-	-	-
DTAC19C2010A	0.26	0.01	20,466	-	GPSC24C2011A	0.73	(0.08)	28,616	-	HSI41P2007A	0.64	(0.11)	370,930	-
DTAC19P2007A	0.30	(0.03)	40,120	-	GPSC28C2008A	0.44	(0.05)	52,804	-	HSI41P2007B	0.43	(0.11)	161,494	-
DTAC24C2007A														

## Main Board Quotation

Issue Date :

Friday June 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
INTU19P2007A	-	-	-	-	KBAN28P2012A	0.51	0.02	18,768	-	MTC16C2007A	-	-	-	-
INTU19P2010A	0.43	(0.01)	4,274	-	KBAN41C2007A	0.02	(0.03)	300	-	MTC19C2006A	-	-	-	-
INTU23C2111A	0.83	(0.01)	10	-	KBAN41C2008A	-	-	-	-	MTC19C2009A	1.08	(0.02)	7,814	1.00
INTU24C2008A	0.40	-	27,086	-	KBAN41C2009A	0.90	(0.05)	287,196	-	MTC19C2010A	0.71	(0.02)	95,548	-
INTU28C2008A	0.23	(0.01)	71,770	-	KBAN41C2011A	0.21	(0.02)	2,630	-	MTC24C2009A	0.65	(0.01)	23,696	-
INTU28C2010A	0.38	-	63,374	-	KBAN41P2010A	0.62	0.02	1,250	-	MTC27C2007A	-	-	-	-
INTU41C2007A	-	-	-	-	KBAN41P2011A	1.26	0.01	180,856	1.00	MTC28C2008A	0.08	(0.01)	4,000	-
IRPC01C2007B	-	-	-	-	KBAN42C2007A	-	-	-	-	MTC28C2011A	0.67	-	64,966	-
IRPC01P2007B	0.21	0.02	102	-	KBAN42P2008A	2.56	0.04	9,835	2.00	MTC28C2012A	0.44	-	48,406	-
IRPC06C2007A	-	-	-	-	KCE01C2007B	0.02	-	3	-	MTC41C2007A	-	-	-	-
IRPC06C2010A	0.37	-	39,176	-	KCE01C2008A	0.11	-	2,458	-	MTC41C2010A	0.57	-	18,320	-
IRPC06P2010A	0.40	(0.01)	29,120	-	KCE06C2009A	1.07	(0.05)	50,352	1.00	ORI19C2010A	0.88	0.10	14,223	-
IRPC11C2008A	-	-	-	-	KCE08C2009A	0.90	(0.02)	43,506	-	ORI19C2011A	0.33	0.03	66,657	-
IRPC13C2007A	-	-	-	-	KCE13C2006A	0.10	0.01	1	-	ORI28C2007A	-	-	-	-
IRPC13C2008A	-	-	-	-	KCE13C2009A	0.52	(0.03)	254,495	-	ORI28C2011A	-	-	-	-
IRPC13C2009A	0.40	-	47,353	-	KCE16C2007A	-	-	-	-	ORI28C2012A	0.64	0.07	78	-
IRPC16C2008A	0.33	-	3,188	-	KCE19C2007A	0.09	0.01	280	-	ORI28C2012B	0.29	0.04	73,958	-
IRPC19C2007A	-	-	-	-	KCE19C2008A	0.78	0.10	200	-	OSP01C2006A	0.21	0.03	452	-
IRPC19C2008A	-	-	-	-	KCE19C2009A	0.71	(0.03)	119,704	-	OSP01C2006B	-	-	-	-
IRPC19C2010A	0.31	(0.01)	70,540	-	KCE19C2010A	0.67	(0.03)	120,825	-	OSP01P2006A	0.09	0.04	380	-
IRPC24C2007A	0.28	0.01	4,500	-	KCE24C2010A	0.26	(0.01)	19,570	-	OSP06C2008A	0.75	0.06	22,270	-
IRPC27C2007A	-	-	-	-	KCE27C2007A	0.01	-	4,694	-	OSP06P2009A	0.34	(0.04)	38,275	-
IRPC28C2008A	0.34	0.01	18,975	-	KCE41C2006A	-	-	-	-	OSP08C2009A	0.44	0.01	46,139	-
IRPC28C2012A	0.22	0.01	10,442	-	KKP01C2006A	-	-	-	-	OSP13C2006A	-	-	-	-
IRPC41C2006A	-	-	-	-	KKP01C2006B	-	-	-	-	OSP13C2010A	0.40	0.03	78,085	-
IRPC41C2007A	-	-	-	-	KKP01P2006A	1.94	0.04	2	1.00	OSP16C2008A	-	-	-	-
IRPC41C2010A	0.30	-	956	-	KKP11C2007A	-	-	-	-	OSP19C2009A	0.39	0.02	113,278	-
IRPC41P2007A	-	-	-	-	KKP13C2007A	-	-	-	-	OSP19C2010A	0.27	0.01	43,943	-
IRPC42C2006A	-	-	-	-	KKP13C2010A	0.44	(0.03)	140,581	-	OSP24C2008A	0.26	0.02	16,988	-
IVL01C2006B	-	-	-	-	KKP19C2010A	0.54	(0.03)	58,771	-	OSP41C2010A	0.34	0.01	3,301	-
IVL01P2006B	0.05	(0.03)	2	-	KKP19C2011A	0.34	(0.03)	81,887	-	PLAN13C2007A	-	-	-	-
IVL06C2008A	0.22	(0.01)	66,114	-	KKP41C2006A	-	-	-	-	PLAN13C2010A	0.38	(0.02)	63,316	-
IVL06C2010A	0.30	(0.01)	256,479	-	KT01C2008B	0.03	(0.02)	250	-	PLAN19C2007A	0.10	(0.01)	200	-
IVL06P2009A	0.13	0.01	212,105	-	KT01C2009A	0.13	-	1	-	PLAN19C2010A	-	-	-	-
IVL06P2011A	0.62	0.01	28,094	-	KT01P2009A	-	-	-	-	PLAN19C2010B	0.39	(0.02)	67,824	-
IVL08C2009A	0.34	(0.01)	13,000	-	KT01C2006A	-	-	-	-	PLAN24C2006A	-	-	-	-
IVL11C2006A	-	-	-	-	KT01C2006A	-	-	-	-	PLAN24C2009A	0.38	(0.01)	19,404	-
IVL13C2006A	-	-	-	-	KT01C2010A	0.22	-	28,477	-	PLAN27C2008A	-	-	-	-
IVL13C2008A	-	-	-	-	KT01C2010A	0.22	(0.01)	19,087	-	PLAN28C2010A	0.36	(0.01)	96,139	-
IVL13C2009A	0.25	(0.01)	234,236	-	KT02C2009A	0.23	(0.01)	2,160	-	PLAN28C2012A	-	-	-	-
IVL13P2010A	0.34	(0.01)	166,519	-	KT02C2011A	-	-	-	-	PLAN42C2007A	-	-	-	-
IVL16C2006A	-	-	-	-	KT02C2012A	0.13	(0.01)	14,339	-	PRM13C2006A	0.15	-	51,307	-
IVL16C2009A	0.35	-	4,096	-	KT02C2012B	-	-	-	-	PRM19C2006A	0.43	0.06	3,171	-
IVL19C2006A	-	-	-	-	KTC01C2007A	0.16	(0.01)	1,179	-	PRM19C2010A	0.66	-	84,300	-
IVL19C2008A	0.91	0.21	3,498	-	KTC01C2007B	0.06	(0.01)	29,796	-	PRM42C2006A	-	-	-	-
IVL19C2009A	-	-	-	-	KTC01P2007A	0.18	(0.06)	12,619	-	PSL06C2006A	-	-	-	-
IVL19C2010A	0.32	(0.02)	57,697	-	KTC06C2006A	0.01	-	880	-	PSL19C2006A	0.01	-	2,000	-
IVL19P2006A	-	-	-	-	KTC08C2006A	0.01	(0.01)	10	-	PSL19C2007A	1.43	(0.09)	11,419	1.00
IVL19P2010A	0.30	-	93,901	-	KTC13C2008A	0.39	0.04	201,409	-	PTG01C2007B	-	-	-	-
IVL24C2008A	0.96	(0.03)	1,981	1.00	KTC13C2010A	0.13	(0.02)	639,358	-	PTG06C2010A	0.48	(0.02)	42,594	-
IVL27P2007A	0.15	-	3,534	-	KTC13C2010B	0.37	0.04	482,462	-	PTG08C2007A	0.25	-	800	-
IVL28C2007A	-	-	-	-	KTC13P2007A	0.48	(0.34)	157	-	PTG13C2010A	0.36	(0.02)	166,610	-
IVL28C2011A	0.29	(0.02)	26,254	-	KTC19C2006A	-	-	-	-	PTG16C2009A	0.44	(0.03)	33,954	-
IVL28C2012A	0.20	-	6,585	-	KTC19C2008A	0.39	0.04	369,023	-	PTG19C2006A	-	-	-	-
IVL41C2007A	-	-	-	-	KTC19C2010A	0.16	0.01	613,416	-	PTG19C2008A	-	-	-	-
IVL41C2007B	-	-	-	-	KTC19P2010A	0.48	(0.04)	167,415	-	PTG19C2010A	0.42	(0.02)	190,670	-
IVL41C2009A	0.27	(0.12)	340	-	KTC27C2007A	-	-	-	-	PTG19P2006A	-	-	-	-
IVL41C2010A	0.23	-	2,303	-	KTC28C2011A	0.17	0.03	94,741	-	PTG19P2010A	0.40	0.01	13,878	-
IVL41P2007A	-	-	-	-	KTC28C2012A	0.19	0.03	72,059	-	PTG27C2007A	0.25	(0.03)	4,696	-
IVL41P2010A	0.45	-	17,024	-	KTC41C2009A	0.21	0.03	68,845	-	PTG42C2006A	-	-	-	-
IVL42C2008A	-	-	-	-	KTC42C2006A	-	-	-	-	PTT01C2007A	0.10	-	16,264	-
JAS13C2006A	0.01	(0.03)	11,316	-	LH11C2007A	-	-	-	-	PTT01C2007B	0.01	(0.01)	10,851	-
JAS13C2009A	0.20	-	62,750	-	LH13C2010A	0.43	(0.01)	25,290	-	PTT01P2007A	0.89	(0.04)	2,825	-
JAS19C2009A	0.75	(0.01)	9,035	-	LH19C2007A	-	-	-	-	PTT01P2007B	0.19	(0.01)	1,327	-
JAS19C2010A	0.35	0.02	17,885	-	LH19C2010A	0.47	(0.02)	46,781	-	PTT06C2008A	0.92	0.05	11,746	-
JAS19P2010A	0.44	(0.02)	36,798	-	LH19C2011A	0.31	(0.02)	25,906	-	PTT08C2008A	0.41	-	30,517	-
JAS28C2011A	0.36	-	51,872	-	LH41C2006A	0.01	(0.10)	100	-	PTT08P2009A	0.43	(0.01)	12,713	-
JAS28C2012A	0.22	-	36,344	-	MAJO13C2007A	0.04	0.01	124,309	-	PTT11C2008A	0.04	-	3,781	-
JAS41C2009A	0.35	(0.01)	7,120	-	MAJO19C2006A	-	-	-	-	PTT13C2006A	-	-	-	-
JAS19C2006A	0.01	-	1,300	-	MAJO19C2011A	0.53	(0.02)	20,146	-	PTT13C2008A	0.08	(0.01)	1,301	-
JMT19C2010A	0.64	0.02	138,800	-	MEGA16C2009A	0.56	0.01	106	-	PTT13C2008B	-	-	-	-
JMT42C2006A	-	-	-	-	MINT01C2007B	0.02	0.01	167	-	PTT13C2009A	0.40	0.01	22,542	-
KBAN01C2007A	0.07	(0.02)	25,160	-	MINT01C2008A	0.04	(0.03)	126,204	-	PTT13C2010A	0.31	0.01	346,216	-
KBAN01C2007B	0.02	-	3,566	-	MINT01P2008A	0.91	0.06	3,225	-	PTT13P2008A	0.03	-	1,391	-
KBAN01P2007A	1.90	-	30	1.00	MINT06C2006A	-	-	-	-	PTT13P2009A	0.16	(0.01)	52,015	-
KBAN01P2007B	1.28	0.12	1,004	1.00	MINT06P2007A	0.96	(0.36)	900	-	PTT13P2010A	0.39	(0.01)	197,532	-
KBAN06C2008A	0.09	(0.01)	302	-	MINT08C2010A	0.73	(0.07)	120,775	-	PTT16C2008A	-	-	-	-
KBAN06C2009A	0.67	(0.08)	134,073	-	MINT11C2006A	-	-	-	-	PTT19C2008A	0.61	0.03	3	-
KBAN06C2011A	0.25	(0.02)	95,904	-	MINT11C2011A	0.92	(0.07)	36,969	-	PTT19C2009A	0.44	0.02	8,432	-
KBAN06P2011A	0.97	(0.03)	154,828	-	MINT11P2011A	0.59	(0.02)	8,870	-	PTT19C2011A	0.34	0.01	27,725	-
KBAN08C2007A	-	-	-	-	MINT13C2006A	-	-	-	-	PTT19P2006A	-	-	-	-
KBAN08C2011A	0.80	(0.06)	74,873	-	MINT13C2008A	-	-	-	-	PTT19P2009A	0.11	(0.01)	7,420	-
KBAN13C2008A	0.10	-	450	-	MINT13C2009A	0.53	(0.06)	364,467	-	PTT19P2010A	0.36	(0.02)	134,671	-
KBAN13C2008B	0.80	(0.04)	242	-	MINT13C2010A	0.94	(0.07)	14,837	-	PTT24C2008A	0.33	-	21,318	-
KBAN13C2010A	0.83	(0.09)	295,226	-	MINT19C2006A	-	-	-	-	PTT28C2007A	-	-	-	-
KBAN13C2010B	0.28	(0.02)	259,880	-	MINT19C2010A	0.57	(0.06)	173,976	-	PTT28C2008A	0.11	0.01	3,428	-
KBAN13P2006A	-	-	-	-	MINT19C2011A	1.03	(0.07)	57,217	1.00	PTT28C2008B	-	-	-	-
KBAN13P2008A	0.53	(0.05)	91	-	MINT24C2006A	-	-	-	-	PTT28C2008C	2.14	(0.46)	9	2.00
KBAN13P2010A	0.57	0.03	279,813	-	MINT28C2008A	-	-	-	-	PTT28C2011A	0.36	0.01	23,772	-
KBAN16C2008A	0.02	(0.01)	10,007	-										

## Main Board Quotation

Issue Date :

Friday June 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE06C2006A	-	-	-	-	RATC42C2006A	-	-	-	-	S5019P2006G	-	-	-	-
PTTE06C2008A	2.86	0.18	36,710	2.00	RS06C2010A	0.59	(0.02)	19,117	-	S5019P2007B	0.02	(0.01)	12,113	-
PTTE06C2011A	0.89	0.04	184,497	-	RS08P2006A	-	-	-	-	S5019P2009A	0.36	(0.01)	95,414	-
PTTE06P2006A	-	-	-	-	RS13C2006A	0.35	(0.05)	221	-	S5019P2009B	0.14	(0.01)	82,397	-
PTTE06P2009A	0.21	(0.04)	61,701	-	RS13C2010A	0.49	(0.01)	137,372	-	S5019P2009C	0.74	-	461,789	-
PTTE06P2011A	1.10	0.10	103,549	1.00	RS19C2007A	0.40	(0.02)	4,943	-	S5019P2009D	1.19	-	571,801	1.00
PTTE08C2008A	2.10	0.10	26,800	2.00	RS19C2010A	1.28	(0.02)	250	1.00	S5024C2006A	-	-	-	-
PTTE08C2011A	1.16	0.05	110,698	1.00	RS19C2011A	0.53	(0.02)	41,656	-	S5024C2006B	-	-	-	-
PTTE08P2006A	-	-	-	-	RS24C2008A	0.27	-	22,742	-	S5024C2006C	-	-	-	-
PTTE11C2006A	-	-	-	-	RS42C2008A	0.63	(0.08)	3,425	-	S5024C2006D	-	-	-	-
PTTE11C2011A	1.02	0.04	50,465	1.00	S10001C2011A	0.11	(0.01)	311	-	S5024C2006E	-	-	-	-
PTTE13C2008A	0.07	-	6,406	-	S5001C2006F	0.01	-	235,983	-	S5024C2009A	0.05	(0.01)	17,773	-
PTTE13C2008B	1.07	0.30	57	1.00	S5001C2006G	0.02	(0.01)	10,226	-	S5024C2009B	1.44	(0.06)	159,965	1.00
PTTE13C2009A	1.56	0.13	3,169	1.00	S5001C2006H	0.12	(0.02)	15,925	-	S5024C2009C	0.61	(0.04)	14,428	-
PTTE13C2010A	1.00	0.05	434,693	1.00	S5001C2007A	0.58	(0.02)	4,350	-	S5024C2009D	0.46	(0.01)	5,195	-
PTTE13C2010B	0.40	0.02	253,273	-	S5001P2006F	2.00	-	360	1.00	S5024C2009E	1.09	(0.05)	21,301	1.00
PTTE13P2008A	0.07	-	615	-	S5001P2006G	0.51	(0.24)	195	-	S5024C2012A	0.16	-	2,768	-
PTTE13P2009A	0.20	(0.02)	79,693	-	S5001P2006H	0.05	(0.04)	2,108	-	S5024P2006A	-	-	-	-
PTTE13P2010A	1.20	(0.06)	166,040	1.00	S5001P2007A	0.62	(0.02)	7,498	-	S5024P2006B	-	-	-	-
PTTE16C2009A	0.04	(0.01)	217	-	S5006C2006A	0.02	-	18,967	-	S5024P2006C	-	-	-	-
PTTE19C2006A	-	-	-	-	S5006C2006B	0.01	(0.01)	1,200	-	S5024P2006D	-	-	-	-
PTTE19C2008A	0.11	0.02	3,120	-	S5006C2006C	0.94	(0.02)	34,916	-	S5024P2006E	-	-	-	-
PTTE19C2008B	1.37	0.13	1	1.00	S5006C2006D	0.97	(0.03)	59,937	-	S5024P2006F	-	-	-	-
PTTE19C2009A	-	-	-	-	S5006C2006E	0.06	(0.04)	6,220	-	S5024P2009A	0.73	(0.01)	5,000	-
PTTE19C2009B	1.59	0.05	1	1.00	S5006C2006F	1.85	(0.05)	87,541	1.00	S5024P2009B	1.29	-	93,910	1.00
PTTE19C2010A	0.75	0.05	202,647	-	S5006C2009A	1.07	(0.06)	252,769	1.00	S5024P2009C	1.12	0.01	35,593	1.00
PTTE19C2010B	1.20	0.06	307,056	1.00	S5006C2009B	1.53	(0.06)	258,711	1.00	S5024P2012A	0.21	-	1,424	-
PTTE19C2011A	0.48	0.02	68,201	-	S5006P2006A	-	-	-	-	S5028C2006A	-	-	-	-
PTTE19P2006A	-	-	-	-	S5006P2006B	-	-	-	-	S5028C2006B	-	-	-	-
PTTE19P2009A	0.13	(0.02)	37,007	-	S5006P2006C	0.01	-	2,673	-	S5028C2006C	1.25	(0.17)	1	1.00
PTTE19P2009B	0.33	(0.04)	73,143	-	S5006P2006D	-	-	-	-	S5028C2006D	2.20	(0.20)	1	2.00
PTTE19P2010A	0.79	(0.04)	194,111	-	S5006P2006E	0.02	0.01	6,135	-	S5028C2007A	0.50	(0.02)	193,147	-
PTTE24C2008A	0.08	-	4	-	S5006P2006F	0.06	(0.02)	8,052	-	S5028C2009A	1.14	(0.03)	347,703	1.00
PTTE24C2011A	0.77	0.06	36,786	-	S5006P2009A	1.12	-	307,339	1.00	S5028C2009B	0.65	(0.02)	373,409	-
PTTE28C2008A	0.17	0.02	11,546	-	S5006P2009B	0.32	(0.01)	49,531	-	S5028C2012A	0.47	(0.01)	211,535	-
PTTE28C2011A	1.16	0.05	30,871	1.00	S5008C2006A	-	-	-	-	S5028P2006A	0.91	(0.02)	7,789	-
PTTE28C2011B	0.40	0.02	40,414	-	S5008C2006B	0.51	(0.06)	20	-	S5028P2006B	0.22	(0.03)	5,634	-
PTTE28C2012A	0.81	0.04	49,664	-	S5008C2006C	-	-	-	-	S5028P2006C	0.05	-	7,634	-
PTTE41C2006A	-	-	-	-	S5008C2006D	0.10	(0.05)	4,330	-	S5028P2007A	0.25	0.03	7,531	-
PTTE41C2007A	1.19	0.09	2,130	1.00	S5008C2009A	0.57	(0.03)	309,081	-	S5028P2009A	1.02	-	86,243	1.00
PTTE41C2008A	0.78	0.06	148,328	-	S5008P2006A	-	-	-	-	S5028P2009B	0.66	-	201,966	-
PTTE41C2009A	-	-	-	-	S5008P2006B	-	-	-	-	S5028P2012A	1.13	0.01	660,344	1.00
PTTE41C2010A	0.40	0.03	347	-	S5008P2006C	-	-	-	-	S5041C2006A	-	-	-	-
PTTE41P2009A	0.69	(0.04)	600	-	S5008P2009A	0.49	-	17,044	-	S5041C2006B	0.05	(0.03)	302	-
PTTE41P2010A	0.77	(0.06)	39,491	-	S5008P2009B	0.96	(0.01)	424,561	-	S5041C2006C	1.37	(0.08)	10	1.00
PTTE42P2008A	0.01	(0.10)	1	-	S5013C2006A	0.01	-	63	-	S5041C2006D	-	-	-	-
PTTG01C2007B	-	-	-	-	S5013C2006B	0.01	-	1,210	-	S5041C2006E	1.63	0.02	20	1.00
PTTG01C2008A	0.23	(0.01)	3,158	-	S5013C2006C	0.03	-	3,177	-	S5041C2006F	0.94	(0.02)	40	-
PTTG01P2007B	-	-	-	-	S5013C2006D	0.01	(0.01)	8,009	-	S5041C2006G	-	-	-	-
PTTG01P2008A	0.47	(0.28)	1	-	S5013C2006E	0.23	(0.03)	5,805	-	S5041C2009A	1.23	(0.08)	149,257	1.00
PTTG06C2006A	-	-	-	-	S5013C2006F	0.28	(0.05)	411,304	-	S5041C2009B	0.72	(0.03)	2,123,548	-
PTTG08C2008A	0.70	(0.01)	26,644	-	S5013C2006G	0.08	(0.02)	806	-	S5041C2009C	0.52	(0.04)	198,925	-
PTTG08P2010A	0.37	(0.01)	24,748	-	S5013C2006H	0.09	(0.01)	303	-	S5041C2009D	0.35	(0.02)	9,250	-
PTTG11C2007A	0.10	-	4,000	-	S5013C2006I	0.05	-	2,234	-	S5041P2006A	-	-	-	-
PTTG13C2007A	-	-	-	-	S5013C2009A	1.08	(0.03)	2,429,006	1.00	S5041P2006B	0.56	(0.04)	21,226	-
PTTG13C2008A	-	-	-	-	S5013C2009B	0.71	(0.03)	3,723,646	-	S5041P2006C	0.24	(0.04)	4,160	-
PTTG13C2009A	0.81	(0.01)	3,810	-	S5013C2009C	0.38	(0.02)	4,081,534	-	S5041P2006D	-	-	-	-
PTTG13C2010A	0.45	(0.03)	188,296	-	S5013P2006A	1.50	-	118	1.00	S5041P2006E	-	-	-	-
PTTG13P2008A	-	-	-	-	S5013P2006B	0.70	(0.02)	42	-	S5041P2006F	-	-	-	-
PTTG13P2010A	0.48	-	83,988	-	S5013P2006C	0.22	0.06	257	-	S5041P2006G	-	-	-	-
PTTG16C2006A	-	-	-	-	S5013P2006D	0.03	(0.02)	10,668	-	S5041P2009A	0.72	-	27,465	-
PTTG19C2006A	-	-	-	-	S5013P2006E	0.01	(0.01)	58,604	-	S5041P2009B	0.82	-	1,221,352	-
PTTG19C2006B	-	-	-	-	S5013P2006F	0.01	-	617	-	S5041P2009C	1.08	-	380,215	1.00
PTTG19C2008A	-	-	-	-	S5013P2006G	-	-	-	-	S5041P2009D	0.91	(0.02)	7,930	-
PTTG19C2008B	-	-	-	-	S5013P2006H	-	-	-	-	SAWA01C2006A	0.07	-	509	-
PTTG19C2009A	0.60	(0.01)	26,431	-	S5013P2006I	0.01	(0.01)	50	-	SAWA01C2006B	0.01	-	51,001	-
PTTG19C2011A	0.51	(0.01)	103,372	-	S5013P2006J	-	-	-	-	SAWA01P2006A	0.45	(0.05)	1,012	-
PTTG19P2006A	-	-	-	-	S5013P2006K	0.27	-	29,633	-	SAWA06C2007A	-	-	-	-
PTTG19P2009A	0.18	(0.01)	11,021	-	S5013P2009A	0.50	(0.01)	398,626	-	SAWA06C2010A	0.75	-	78,362	-
PTTG19P2011A	0.53	(0.01)	98,067	-	S5013P2009B	0.44	-	455,997	-	SAWA08C2006A	-	-	-	-
PTTG24C2008A	0.54	-	17,028	-	S5013P2009C	0.58	(0.01)	1,382,491	-	SAWA08C2011A	0.72	-	66,827	-
PTTG27P2006A	-	-	-	-	S5013P2009D	0.60	(0.01)	6,345,634	-	SAWA13C2007A	0.01	(0.01)	500	-
PTTG28C2008A	-	-	-	-	S5013P2009E	1.46	-	3,771,290	1.00	SAWA13C2009A	0.63	(0.04)	7,819	-
PTTG28C2011A	0.36	-	34,464	-	S5016C2006A	-	-	-	-	SAWA13C2010A	0.59	-	172,743	-
PTTG41C2006A	-	-	-	-	S5016C2006B	-	-	-	-	SAWA16C2008A	0.04	(0.04)	1	-
PTTG41C2007A	-	-	-	-	S5016C2006C	-	-	-	-	SAWA19C2009A	0.83	0.07	3	-
PTTG41C2008A	1.12	0.02	210	1.00	S5016C2006D	-	-	-	-	SAWA19C2009B	0.68	(0.01)	117,182	-
PTTG41C2010A	0.71	(0.02)	2,280	-	S5016C2006E	0.25	(0.07)	18,322	-	SAWA24C2009A	0.66	0.01	15,974	-
PTTG41C2011A	0.44	(0.56)	18,466	-	S5016C2009A	0.54	(0.04)	40,450	-	SAWA27C2007A	-	-	-	-
PTTG41P2010A	-	-	-	-	S5016P2006A	0.31	0.12	2	-	SAWA28C2007A	-	-	-	-
PTTG41P2011A	-	-	-	-	S5016P2006B	0.17	(0.05)	13,413	-	SAWA28C2008A	-	-	-	-
PTTG42C2007A	-	-	-	-	S5016P2006C	-	-	-	-	SAWA28C2011A	0.68	0.01	52,980	-
QH01C2006A	-	-	-	-	S5016P2006D	-	-	-	-	SAWA28C2012A	0.59	-	29,158	-
QH01C2006B	-	-	-	-	S5016P2006E	-	-	-	-	SAWA41C2009A	0.64	(0.16)	400	-
QH01P2006A	-	-	-	-	S5016P2009A	1.25	(0.02)	85,809	1.00	SAWA41C2010A	0.62	(0.01)	25,162	-
QH11C2006A	-	-	-	-	S5016P2103Z	-	-	-	-	SAWA42C2101T	0.36	-	8,263	-
QH19C2006A	-	-	-	-	S5019C2006A	0.01	(0.01)	130	-	SCB01C2007A	0.07	(0.01)	3,949	-
QH27C2007A	-	-	-	-	S5019C2006B	0.02	(0.03)	1,083	-	SCB01C2007B				

## Main Board Quotation

Issue Date :

Friday June 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB13C2010A	0.48	(0.03)	238,545	-	STEC19C2011A	0.37	(0.03)	76,575	-	TOP24C2007A	-	-	-	-
SCB13P2006A	-	-	-	-	STEC24C2006A	-	-	-	-	TOP24C2008A	0.41	0.02	12,151	-
SCB13P2008A	0.17	0.01	2,298	-	STEC28C2011A	0.44	(0.01)	30,328	-	TOP41C2007A	-	-	-	-
SCB13P2010A	1.25	0.03	67,581	1.00	STEC28C2012A	0.40	(0.01)	15,654	-	TOP41C2008A	0.33	0.02	25,455	-
SCB16C2008A	-	-	-	-	STEC41C2009A	0.32	(0.02)	42,716	-	TOP41C2010A	-	-	-	-
SCB19C2006A	-	-	-	-	SUPE19C2007A	0.85	0.03	60	-	TOP41P2006A	-	-	-	-
SCB19C2007A	-	-	-	-	SUPE19C2010A	0.53	(0.04)	7,343	-	TOP41P2010A	0.35	(0.05)	3,017	-
SCB19C2008A	-	-	-	-	SUPE19C2011A	0.30	(0.03)	615,097	-	TOP41P2011A	-	-	-	-
SCB19C2010A	0.52	(0.04)	67,429	-	TASCO01C2007B	-	-	-	-	TOP42C2007A	-	-	-	-
SCB19C2010B	0.96	(0.04)	11,906	-	TASCO01C2008A	0.79	(0.01)	3,482	-	TOP42C2011T	0.36	-	22,682	-
SCB19P2010A	0.44	0.01	41,166	-	TASCO1P2008A	-	-	-	-	TQM19C2010A	2.86	0.40	164,858	2.00
SCB19P2011A	1.44	0.04	173,502	1.00	TASCO6C2009A	0.96	0.01	36,771	-	TQM19C2011A	0.89	(0.11)	317,159	-
SCB24C2008A	0.51	(0.03)	14,209	-	TASCO8C2006A	0.35	0.02	200	-	TRUE01C2007A	-	-	-	-
SCB27C2007A	-	-	-	-	TASCI13C2006A	-	-	-	-	TRUE01C2007B	0.04	(0.01)	10	-
SCB27P2006A	-	-	-	-	TASCI13C2009A	0.65	(0.01)	174,289	-	TRUE01P2007B	-	-	-	-
SCB28C2008A	-	-	-	-	TASCI16C2008A	-	-	-	-	TRUE06C2007A	-	-	-	-
SCB28C2010A	0.63	(0.04)	57,720	-	TASCI19C2006A	-	-	-	-	TRUE06C2009A	0.48	(0.04)	46,908	-
SCB41C2006A	-	-	-	-	TASCI19C2007A	0.30	(0.05)	1,190	-	TRUE06P2011A	0.64	0.02	39,211	-
SCB41C2006B	-	-	-	-	TASCI19C2009A	0.86	(0.01)	1,180	-	TRUE08C2007A	-	-	-	-
SCB41C2008A	-	-	-	-	TASCI19C2011A	0.70	-	49,610	-	TRUE08P2010A	0.39	0.02	32,379	-
SCB41C2011A	0.40	(0.01)	21,267	-	TASCI19P2010A	0.67	(0.01)	79,859	-	TRUE13C2006A	0.01	-	263	-
SCB42C2006A	-	-	-	-	TASCI24C2006A	-	-	-	-	TRUE13C2007A	-	-	-	-
SCB42C2007A	-	-	-	-	TASCI24C2011A	0.58	(0.01)	6,800	-	TRUE13C2009A	0.36	(0.03)	104,916	-
SCC06C2007A	-	-	-	-	TASC28C2010A	0.76	0.04	1,719	-	TRUE19C2006A	-	-	-	-
SCC08P2006A	0.03	-	601	-	TASC28C2012A	0.51	-	24,500	-	TRUE19C2007A	-	-	-	-
SCC11C2006A	-	-	-	-	TASC28C2012B	0.18	0.01	29,123	-	TRUE19C2009A	0.44	(0.03)	17,797	-
SCC11C2007A	-	-	-	-	TASCA41C2009A	0.88	(0.12)	100	-	TRUE19C2011A	0.35	(0.02)	29,756	-
SCC11C2011A	0.83	(0.01)	15,857	-	TASCA41C2010A	0.55	(0.02)	17,916	-	TRUE19P2011A	0.46	0.01	196,741	-
SCC13C2008A	-	-	-	-	TCAP01C2007B	-	-	-	-	TRUE28C2011A	0.33	(0.02)	25,654	-
SCC13C2009A	0.77	(0.03)	26,434	-	TCAP01C2008A	0.09	0.02	1	-	TRUE28C2012A	0.27	(0.01)	9,056	-
SCC13P2009A	0.75	-	50	-	TCAP01P2008A	-	-	-	-	TRUE41C2007A	0.12	(0.03)	4,372	-
SCC19C2006A	-	-	-	-	TCAP13C2007A	-	-	-	-	TRUE41C2010A	-	-	-	-
SCC19C2008A	-	-	-	-	TCAP13C2010A	0.41	-	282,805	-	TRUE42C2007A	0.86	(0.05)	4,059	-
SCC19C2010A	0.69	(0.03)	10,104	-	TCAP19C2010A	0.43	(0.02)	87,079	-	TTW27C2009A	0.19	-	1,642	-
SCC19P2010A	0.29	-	5,123	-	THAI27C2008A	0.33	0.03	775	-	TU06C2009A	0.21	0.02	47,271	-
SCC24C2006A	-	-	-	-	THAN01C2006A	0.01	(0.01)	2,000	-	TU06P2007A	-	-	-	-
SCC27P2008A	0.05	0.02	256	-	THAN01C2006B	-	-	-	-	TU06P2010A	0.39	(0.03)	14,400	-
SCC28C2008A	-	-	-	-	THAN01P2006A	-	-	-	-	TU08C2008A	0.09	0.01	4,214	-
SCC28C2010A	0.66	(0.02)	35,050	-	THAN06C2010A	0.61	(0.01)	71,390	-	TU08C2011A	0.25	0.01	15,460	-
SCC41C2006A	-	-	-	-	THAN13C2007A	-	-	-	-	TU11C2008A	0.09	-	2,200	-
SCC41C2006B	-	-	-	-	THAN19C2007A	-	-	-	-	TU13C2010A	0.25	0.01	30,171	-
SCC41C2010A	0.75	(0.03)	32,976	-	THAN19C2010A	0.52	-	93,509	-	TU19C2007A	-	-	-	-
SCC42C2008A	-	-	-	-	TISCO01C2006A	0.03	0.02	200	-	TU19C2009A	0.07	-	21,832	-
SGP13C2007A	0.16	0.03	21,437	-	TISCO01C2006B	-	-	-	-	TU19C2010A	0.21	0.02	20,185	-
SGP19C2006A	-	-	-	-	TISCO01P2006A	-	-	-	-	TU24C2006A	-	-	-	-
SGP19C2006B	0.12	-	70,751	-	TISC11C2007A	-	-	-	-	TU27C2006A	0.07	(0.01)	11	-
SGP19C2011A	0.45	(0.01)	291,742	-	TISC13C2010A	0.67	(0.05)	72,662	-	TU28C2011A	0.21	0.02	48,220	-
SGP42C2007A	-	-	-	-	TISC19C2006A	-	-	-	-	TU28C2012A	0.12	-	45,793	-
SIRI13C2007A	0.05	(0.02)	270	-	TISC19C2010A	0.53	(0.04)	67,475	-	TU41C2009A	-	-	-	-
SIRI19C2007A	0.03	(0.01)	550	-	TISC41C2006A	-	-	-	-	TU41C2010A	0.21	0.02	4,140	-
SPAL06C2010A	0.62	0.07	82,702	-	TISC41C2010A	0.50	(0.05)	76,628	-	TU42C2007A	-	-	-	-
SPAL06P2009A	0.22	(0.05)	51,405	-	TISC41P2006A	-	-	-	-	TVO13C2007A	0.10	(0.02)	4,924	-
SPAL11C2006A	0.04	-	3,000	-	TKN01C2007B	-	-	-	-	TVO19C2007A	0.02	-	123,195	-
SPAL13C2010A	0.39	0.03	70,129	-	TKN01C2008A	-	-	-	-	VGI06C2007A	-	-	-	-
SPAL19C2011A	0.53	0.04	47,527	-	TKN08C2007A	0.44	-	1,440	-	VGI06C2010A	0.39	0.02	53,690	-
SPAL27C2008A	-	-	-	-	TKN13C2006A	-	-	-	-	VGI08C2006A	-	-	-	-
SPRC01C2007A	-	-	-	-	TKN13C2010A	0.86	(0.07)	1,917	-	VGI11C2008A	-	-	-	-
SPRC06C2007A	-	-	-	-	TKN13C2010B	0.28	(0.01)	133,007	-	VGI13C2006A	-	-	-	-
SPRC06C2010A	0.55	0.03	130,330	-	TKN16C2008A	-	-	-	-	VGI13C2010A	0.29	-	61,062	-
SPRC06P2007A	-	-	-	-	TKN19C2007A	-	-	-	-	VGI19C2006A	-	-	-	-
SPRC06P2011A	0.51	(0.02)	97,712	-	TKN19C2010A	1.06	(0.05)	6	1.00	VGI19C2010A	0.45	0.02	55,963	-
SPRC08C2006A	-	-	-	-	TKN19C2011A	0.73	(0.04)	35,816	-	VGI41C2006A	-	-	-	-
SPRC11C2008A	-	-	-	-	TKN19C2011B	0.29	(0.02)	133,188	-	VGI41C2007A	-	-	-	-
SPRC13C2008A	-	-	-	-	TKN28C2007A	-	-	-	-	WHA01C2008B	-	-	-	-
SPRC13C2010A	0.36	0.01	207,593	-	TKN28C2012A	-	-	-	-	WHA01C2009A	-	-	-	-
SPRC19C2007A	-	-	-	-	TKN28C2012B	0.28	(0.01)	76,914	-	WHA01P2009A	0.10	-	8,190	-
SPRC19C2010A	0.44	0.01	169,567	-	TKN41C2006A	-	-	-	-	WHA06C2007A	-	-	-	-
SPRC19P2011A	0.50	(0.01)	109,330	-	TKN42C2006A	0.13	(0.06)	20,483	-	WHA06C2010A	0.69	(0.01)	81,842	-
SPRC28C2008A	0.05	(0.01)	1	-	TMB19C2007A	0.05	-	6,062	-	WHA08C2006A	-	-	-	-
SPRC28C2011A	0.36	0.01	115,857	-	TMB19C2011A	0.42	0.01	18,709	-	WHA08C2011A	0.73	-	80,839	-
SPRC42C2006A	-	-	-	-	TMB19C2011B	0.24	(0.01)	3,414	-	WHA08P2006A	0.03	(0.08)	150	-
STA01C2008B	3.30	-	543	3.00	TMB41C2010A	-	-	-	-	WHA11C2008A	0.11	(0.05)	88,553	-
STA01C2009A	2.78	(0.18)	290	2.00	TOA01C2006A	-	-	-	-	WHA13C2006A	0.12	(0.03)	50	-
STA01P2009A	0.28	(0.04)	5,833	-	TOA01C2006B	-	-	-	-	WHA13C2009A	0.72	-	260,484	-
STA08C2010A	-	-	-	-	TOA13C2007A	0.16	-	10,430	-	WHA16C2006A	-	-	-	-
STA08C2011A	0.33	(0.01)	71,409	-	TOA19C2007A	0.23	0.01	3,509	-	WHA16C2008A	-	-	-	-
STA13C2006A	3.02	0.06	32	3.00	TOA19C2010A	0.33	0.01	6,953	-	WHA19C2006A	0.14	-	1,000	-
STA13C2009A	-	-	-	-	TOP01C2006A	0.02	-	25,672	-	WHA19C2010A	0.79	(0.02)	13,584	-
STA13C2010A	1.65	0.02	1,591	1.00	TOP01C2006B	-	-	-	-	WHA19C2011A	0.59	0.01	281,986	-
STA13C2010B	0.36	(0.01)	883,086	-	TOP01C2008B	0.19	-	450	-	WHA24C2007A	0.40	(0.01)	63,457	-
STA13C2010C	0.32	(0.02)	730,363	-	TOP01C2009A	0.52	0.02	657	-	WHA27C2008A	0.42	-	7,347	-
STA13P2010A	0.40	(0.03)	70,107	-	TOP01P2006A	1.05	(0.27)	45	1.00	WHA28C2011A	0.57	(0.02)	73,060	-
STA19C2007A	-	-	-	-	TOP01P2009A	0.22	(0.05)	224	-	WHA28C2012A	0.63	0.01	80	-
STA19C2009A	2.82	(0.04)	250	2.00	TOP06C2007A	-	-	-	-	WHA41C2006A	-	-	-	-
STA19C2010A	-	-	-	-	TOP06C2008A	1.31	0.06	53,807	1.00	WHA41C2007A	0.35	-	1,580	-
STA19C2010B	-	-	-	-	TOP06C2011A	0.53	(0.47)	72,344	-	WHA42C2006A	0.02	-	1	-
STA19C2011A	1.15	(0.03)	14,019	1.00	TOP06P2010A	0.34	(0.02)	119,520	-	Preferred/Foreign	-	-	-	-
STA19C2011B	0.36	(0.02)	374,872	-	TOP08C2007A	-	-	-	-	BH-Q	-	-	-	-
STA28C2011A	1.39	0.16	9	1.00	TOP08C2010A	0.62	0.02	47,549	-	CSC-Q	-	-	-	-
STA28C2011B	0.34	(0.01)	64,354	-	TOP08P2007A	-	-	-	-	JUTHA-Q	-	-	-	-
STA28C2012A	-	-	-	-	TOP11C2007A	-	-	-	-	KTB-Q	-	-	-	-
STA41C2010A	0.32	(0.01)	62,631	-	TOP11C2011A	0.73	0.02	53,298	-	SCB-Q	-	-	-	-
STA42C2007A	-	-	-											



