

## Main Board Quotation

Issue Date :

Monday June 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	3.50	(0.04)	151,501	3.49	MCOT	5.25	(0.20)	2,822	5.31
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	2.64	(0.14)	129,169	2.63
SAFARI	-	-	-	-	DIF	15.30	-	299,630	15.29	MPIC	1.52	0.01	2	1.46
VI	-	-	-	-	DTAC	41.00	(0.50)	20,828	41.27	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.60	-	275	5.57	PLANB	6.15	(0.10)	161,184	6.10
WR	-	-	-	-	HUMAN	8.00	(0.15)	25,194	8.02	POST	1.38	(0.13)	103	1.39
Agribusiness	-	-	-	-	ILINK	3.58	(0.02)	3,138	3.58	PRAKIT	7.70	(0.05)	36	7.73
CHOTI	-	-	-	-	INET	2.28	(0.04)	27,331	2.33	SE-ED	1.40	(0.10)	456	1.40
EE	0.48	-	21,143	0.48	INTUCH	56.50	-	142,116	56.59	TBSP	-	-	-	-
GFPT	13.70	0.50	178,981	13.50	JAS	3.76	(0.02)	211,799	3.76	TH	0.51	(0.01)	503	0.51
LEE	2.20	(0.04)	1,586	2.23	JASIF	9.40	-	153,626	9.44	TKS	5.00	(0.05)	2,738	4.99
NER	2.64	(0.08)	313,551	2.66	JMART	11.20	1.20	586,226	10.91	VGI	7.60	(0.20)	94,629	7.69
PPPM	0.42	(0.02)	10,604	0.43	JTS	1.91	(0.07)	89,127	2.05	WAVE	1.02	(0.02)	257	1.02
STA	29.00	0.75	567,851	29.09	MFEF	4.50	(0.06)	5,452	4.51	WORK	11.10	(0.30)	23,585	11.21
TRUBB	1.87	-	132,189	1.90	MSC	4.94	(0.04)	402	4.91	Finance & Securities	-	-	-	-
TWPC	3.96	(0.04)	2,565	3.99	PT	4.40	(0.02)	3,288	4.42	AEC	0.29	(0.02)	7,583	0.30
UPOIC	3.30	(0.10)	209	3.28	SAMART	5.75	0.30	97,700	5.62	AEONTS	112.50	(11.00)	25,425	114.35
UVAN	4.26	(0.12)	4,304	4.32	SAMTEL	5.60	0.20	6,658	5.55	AMANAH	2.72	(0.06)	95,142	2.73
VPO	0.46	(0.01)	1,577	0.45	SDC	0.17	-	5,586	0.16	ASAP	1.67	0.01	18,911	1.64
Banking	-	-	-	-	SIS	8.30	(0.15)	4,120	8.33	ASK	18.60	(0.20)	6,993	18.69
BAY	23.30	(1.40)	32,686	23.00	SVOA	1.05	(0.03)	43,816	1.06	ASP	1.72	-	13,982	1.72
BBL	105.00	(10.50)	375,660	107.18	SYM	2.86	(0.04)	238	2.87	BAM	24.80	(0.70)	803,304	24.86
CIMBT	0.61	(0.02)	106,304	0.60	SYNEX	7.60	(0.15)	6,812	7.61	BFIT	29.00	(1.25)	25,588	29.22
KBANK	89.25	(6.50)	652,446	90.28	THCOM	5.75	0.45	413,826	5.58	CGH	0.78	0.04	305,940	0.78
KKP	41.50	(2.50)	134,385	41.89	TRUE	3.60	(0.08)	673,361	3.62	ECL	0.99	-	199,610	1.01
KTB	10.40	(0.40)	564,575	10.29	TWZ	0.07	-	23,385	0.07	FNS	2.48	(0.06)	11,075	2.51
LHFG	1.01	(0.05)	81,199	1.01	Electronic Componer	-	-	-	-	FSS	1.50	(0.10)	11,087	1.54
SCB	71.50	(5.75)	464,415	72.53	CCET	1.54	(0.02)	15,082	1.54	GBX	0.52	0.03	132,139	0.52
TCAP	36.25	(1.75)	99,915	36.59	DELTA	53.50	1.25	12,428	52.66	GL	3.64	(0.06)	13,046	3.67
TISCO	69.25	(4.25)	214,244	70.65	HANA	26.50	(0.75)	27,222	26.79	IFS	2.52	-	8,151	2.50
TMB	1.05	(0.05)	5,585,535	1.05	KCE	19.30	0.10	265,283	19.41	JMT	21.90	1.30	260,136	21.24
Construction Materia	-	-	-	-	METCO	133.50	(0.50)	2	133.50	KCAR	7.75	-	371	7.73
CCP	0.30	-	64,390	0.29	NEX	3.66	(0.08)	31,196	3.70	KGI	3.52	(0.06)	49,957	3.52
COTTO	1.21	(0.01)	1,124	1.21	SMT	1.14	(0.04)	12,434	1.15	KTC	31.50	(0.25)	443,591	31.02
DCC	2.00	0.02	105,691	2.01	SVI	2.88	(0.02)	11,684	2.86	MBKET	8.75	0.25	4,568	8.64
DCON	0.30	-	20,596	0.30	TEAM	0.95	-	4,008	0.95	MFC	13.50	(0.10)	51	13.47
DRT	5.45	-	5,201	5.42	W	0.14	0.01	108,946	0.13	ML	0.86	0.01	4,330	0.86
EPG	4.92	0.06	241,317	4.94	Energy & Utilities	-	-	-	-	MTC	53.75	(1.25)	130,459	54.20
GEL	0.19	(0.01)	22,771	0.20	7UP	0.41	(0.02)	45,021	0.42	PE	-	-	-	-
PPP	2.08	(0.06)	34,964	2.17	ABPIF	3.52	-	174	3.52	PL	2.08	-	2,452	2.07
Q-CON	4.98	(0.07)	562	4.98	ACE	3.96	(0.14)	124,839	4.02	S11	5.30	(0.10)	5,472	5.33
RCI	-	-	-	-	AI	1.40	0.01	72,546	1.41	SAWAD	53.75	(3.50)	232,294	54.59
SCC	356.00	(2.00)	12,345	355.55	AKR	0.51	(0.02)	10,459	0.52	THANI	3.72	(0.18)	318,670	3.76
SCCC	133.50	(2.50)	1,752	133.93	BAFS	24.30	(0.60)	4,686	24.53	TK	7.85	(0.10)	1,040	7.83
SCP	5.40	-	2,014	5.39	BANPU	6.45	(0.15)	404,098	6.42	TNITY	3.80	-	1,742	3.80
SKN	2.02	(0.10)	4,101	2.03	BCP	21.50	(0.40)	8,940	21.68	UOBKH	3.48	(0.08)	142	3.39
TASCO	22.60	(0.70)	223,613	22.64	BCPG	16.00	(0.30)	19,212	16.20	ZMICO	0.75	0.01	44,754	0.75
TCMC	1.30	(0.05)	43,212	1.32	BGRIM	53.50	0.25	85,414	53.14	Food & Beverage	-	-	-	-
TOA	36.25	0.50	9,872	35.95	BPP	17.40	-	14,727	17.34	APURE	1.94	(0.06)	21,314	1.95
TPIPL	1.19	(0.01)	60,483	1.20	BRRGIF	7.15	(0.05)	227	7.15	ASIAN	6.70	(0.20)	22,182	6.85
UMI	0.66	-	6,989	0.66	CKP	4.26	(0.08)	232,072	4.30	BR	2.14	0.02	15,053	2.14
VNG	3.26	(0.02)	1,176	3.28	DEMCO	3.24	(0.10)	9,613	3.30	BRR	3.04	-	792	3.09
WIJK	1.74	0.06	68,713	1.78	EA	39.75	(1.00)	36,907	39.90	CBG	96.50	(1.75)	38,991	97.23
Petrochemicals & Ch	-	-	-	-	EASTW	10.10	(0.10)	6,363	10.18	CFRESH	2.30	0.02	36,539	2.36
BCT	39.00	-	572	38.75	EGATIF	12.00	(0.10)	6,041	12.06	CM	2.74	(0.06)	743	2.73
CMAN	1.25	(0.02)	7,087	1.25	EGCO	258.00	-	5,989	258.79	CPF	32.00	(0.25)	601,642	31.93
GC	5.20	(0.05)	1,310	5.20	ESSO	7.30	(0.10)	364,739	7.40	CPI	1.29	(0.01)	232	1.29
GGC	9.05	(0.15)	7,815	9.10	GPSC	77.00	(0.25)	63,033	77.12	F&D	-	-	-	-
GIFT	2.28	(0.04)	2,509	2.29	GULF	36.00	(0.25)	112,216	36.07	HTC	18.00	(0.20)	1,203	18.05
IVL	28.50	(0.50)	129,462	28.56	GUNKUL	2.72	(0.04)	159,799	2.73	ICHI	8.15	0.10	124,498	8.11
NFC	1.78	-	33	1.81	IFEC	-	-	-	-	KBS	3.64	0.14	7,229	3.66
PATO	9.00	(0.10)	345	9.12	IRPC	2.74	(0.04)	570,477	2.75	KSL	2.20	0.02	26,528	2.20
PMTA	8.40	-	14	8.40	LANNA	7.30	-	224	7.32	KTIS	2.80	(0.02)	1,323	2.83
PTTGC	47.25	0.50	104,859	47.13	MDX	2.20	(0.08)	1,336	2.27	LST	4.64	-	3,136	4.67
SUTHA	3.42	0.02	231	3.37	PRIME	0.40	(0.02)	90,213	0.40	M	58.75	(0.50)	3,334	59.14
TCCC	20.00	(0.10)	35	20.02	PTG	16.30	0.60	267,841	16.09	MALEE	6.85	(0.25)	15,592	7.08
TPA	5.35	(0.10)	19	5.35	PTT	38.50	0.25	436,980	38.31	MINT	20.70	(1.40)	767,374	21.06
UAC	3.76	0.02	1,101	3.71	PTTEP	95.75	0.25	257,866	96.29	OISHI	40.00	(0.75)	240	40.20
UP	14.40	(1.90)	22	14.54	RATCH	64.75	0.25	28,772	64.94	OSP	40.00	(1.50)	133,821	40.85
VNT	22.00	(0.20)	7,009	22.14	RPC	0.53	(0.01)	1,685	0.54	PB	68.50	0.25	54	68.83
WG	181.00	36.00	215	180.46	SCG	4.00	(0.02)	59	4.00	PM	6.85	0.05	4,830	6.79
YCI	-	-	-	-	SCI	1.37	-	1,611	1.36	PRG	11.40	-	32	11.40
Commerce	-	-	-	-	SCN	2.16	(0.02)	22,673	2.16	RBF	7.85	0.15	252,497	7.84
BEAUTY	1.51	(0.06)	329,162	1.51	SGP	8.80	(0.05)	50,531	8.89	SAPPE	20.00	0.10	13,876	20.22
BIG	0.57	0.04	470,504	0.57	SKE	0.83	(0.01)	4,425	0.83	SAUCE	25.00	0.10	137	24.90
BIC	38.50	(1.00)	51,312	38.91	SOLAR	1.16	(0.02)	154,635	1.21	SFP	-	-	-	-
COL	14.50	(0.10)	714	14.52	SPG	16.80	(0.10)	12,048	16.88	SNP	10.60	-	1,106	10.60
COM7	29.25	0.50	93,822	29.03	SPRC	6.85	(0.20)	221,391	6.93	SORKON	51.75	-	6	51.54
CPALL	68.50	(0.50)	260,600	68.58	SSP	7.40	(0.05)	6,082	7.41	SSC	34.75	(0.25)	2	34.75
CPW	1.86	0.15	129,234	1.86	SUPER	0.97	-	8,868,645	0.98	SSF	-	-	-	-
CRC	34.00	(0.25)	79,033	34.00	SUPEREIF	11.50	0.10	1,627	11.50	SST	2.74	(0.06)	984	2.77
CSS	1.39	0.02	139,112	1.41	SUSCO	2.48	(0.02)	8,948	2.49	TC	3.18	(0.02)	1,203	3.18
DOHOME	10.20	0.10	142,034	10.10	TAE	2.62	-	10,379	2.64	TFG	5.25	0.15	768,917	5.35
FN	1.05	(0.11)	81,540	1.11	TCC	0.22	(0.01)	7,404	0.22	TFMAMA	199.50	-	38	199.54
FTE	1.62	(0.03)	1,869	1.60	TOP	45.75	(0.50)	130,348	45.77	TIPCO	6.80	(0.20)	16,915	6.86
GLOBAL	16.40	(0.30)	34,518	16.41	TPIPP	4.00	0.04	25,955	4.00	TKN	10.40	(0.10)	160,123	10.28
HMPRO	15.70	(0.30)	145,733	15.75	TSE	3.06	-	340,995	3.01	TU	12.40	(0.20)	74,314	12.45
ILM	13.70	0.50	14,722	13.46	TTW	13.60	(0.10)	33,699	13.68	TVO	26.50	(0.25)	6,872	26.78
IT	2.56	0.02	1,602	2.55	WHAUP	4.62	0.02	25,374	4.60	ZEN	9.40	(0.15)	1,791	9.49
KAMART	2.92	(0.08)	11,973	2.93	WP	5.00	(0.10)	1,754	5.02	Health Care Services	-	-	-	-
LOXLEY	1.48	-	32,382	1.46	Media & Publishing	-	-	-	-	AHC	12.80	(0.30)	151	

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Monday June 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	3.48	0.44	462,026	3.27	CGD	0.61	(0.02)	19,287	0.62	IHL	2.68	(0.14)	109,390	2.79
RAM	142.00	(0.50)	15	142.10	CI	0.78	0.01	623	0.76	INGRS	0.40	-	3,982	0.39
RJH	21.70	(0.20)	417	21.83	CPN	50.75	(0.25)	36,304	51.00	IRC	13.30	(0.20)	245	13.06
RPH	9.525	(0.05)	9,833	5.24	ESTAR	0.37	(0.01)	33,592	0.37	PCSGH	4.50	(0.04)	86	4.48
SKR	5.10	0.05	2,494	5.04	EVER	0.24	-	79,328	0.23	SAT	10.50	-	5,984	10.52
SVH	420.00	4.00	11	415.45	FPT	12.00	(0.20)	880	11.97	SPG	13.00	-	10	13.46
THG	19.90	0.20	6,291	19.86	GLAND	2.30	(0.04)	304	2.23	STANLY	170.50	0.50	477	169.95
VIBHA	1.57	(0.01)	10,785	1.57	GOLD	8.40	-	3,917	8.41	TKT	0.92	0.01	2,992	0.94
VIH	6.85	(0.05)	7,878	6.89	GREEN	0.87	0.02	26,572	0.91	TNPC	0.78	(0.01)	659	0.79
WPH	1.61	0.01	428	1.60	J	0.90	0.02	101,531	0.93	TRU	3.70	0.02	2,599	3.70
Tourism & Leisure	-	-	-	-	JCK	0.72	(0.03)	4,649	0.75	TSC	9.80	-	49	9.81
ASIA	4.54	0.12	86	4.51	KC	-	-	-	-	Industrial Materials	-	-	-	-
CENTEL	23.70	(1.10)	69,135	23.89	KWG	0.86	(0.04)	1,423	0.86	ALLA	1.34	-	3,756	1.33
CSR	73.00	(5.50)	9	72.42	LALIN	4.52	(0.04)	4,308	4.50	ASEFA	3.20	(0.08)	922	3.22
DTC	7.60	(0.05)	2,859	7.61	LH	7.55	(0.20)	427,858	7.59	CPT	0.88	-	9,680	0.89
ERW	3.88	(0.08)	356,118	3.87	LPN	4.66	(0.06)	85,166	4.68	CRANE	2.94	0.04	408,372	2.88
GRAND	0.59	-	1,593	0.60	MBK	14.20	-	27,582	14.10	CTW	4.90	(0.15)	150	5.05
LRH	36.25	(0.25)	16	36.00	MJD	1.69	(0.04)	29,210	1.70	FMT	22.20	0.10	7	22.11
MANRIN	-	-	-	-	MK	2.78	(0.02)	2,479	2.76	HTECH	2.50	(0.02)	1,628	2.49
OHTL	395.00	(69.00)	21	398.57	NCH	0.62	0.01	1,495	0.60	KKC	0.61	(0.02)	1,522	0.59
ROH	-	-	-	-	NNCL	1.85	0.01	3,314	1.84	PK	1.60	-	471	1.65
SHANG	60.75	-	9	60.75	NOBLE	11.30	(0.20)	5,228	11.39	SNC	8.85	-	1,220	8.85
SHR	2.22	(0.08)	46,434	2.25	NUSA	0.32	(0.02)	134,967	0.33	STARK	2.12	(0.04)	202,285	2.12
VRANDA	6.20	(0.20)	3,859	6.23	NVD	1.23	(0.05)	19,363	1.23	TCJ	2.90	-	1,674	2.90
Home & Office Produ	-	-	-	-	ORI	5.30	(0.25)	159,853	5.40	VARO	3.84	(0.04)	3	3.84
ACC	0.60	(0.01)	1,013	0.60	PACE	0.03	-	122,822	0.03	Property Fund & REIT	-	-	-	-
AJA	0.14	(0.01)	32,512	0.15	PF	0.42	(0.02)	860,417	0.43	AIMCG	7.25	(0.25)	2,203	7.30
DTCI	-	-	-	-	PLAT	3.24	(0.08)	8,994	3.23	AIMIRT	13.30	(0.20)	2,288	13.37
FANCY	0.59	0.01	3,006	0.59	POLAR	-	-	-	-	AMATAR	10.30	(0.10)	17	10.34
KYE	317.00	(5.00)	37	314.73	PRECHA	0.92	-	24	0.91	B-WORK	11.90	(0.10)	115	11.86
L&E	1.60	(0.01)	1,940	1.60	PRIN	1.52	0.01	15,351	1.51	BKER	6.80	(0.30)	2,304	6.84
MODERN	2.58	0.04	2,435	2.56	PSH	12.20	(0.20)	11,934	12.21	BKCP	11.80	(0.10)	251	11.80
OGC	-	-	-	-	QH	2.28	(0.08)	358,537	2.30	BOFFICE	13.70	(0.20)	378	13.77
ROCK	-	-	-	-	RICHY	0.70	-	18,802	0.69	CPNCG	10.70	(0.10)	2,329	10.74
SIAM	1.46	-	19,037	1.46	RML	0.69	(0.01)	69,468	0.70	CPNREIT	28.00	(0.50)	8,058	28.02
TSR	2.26	(0.02)	9,396	2.21	ROJNA	4.56	0.16	120,690	4.56	CPTGF	12.30	(0.30)	22	12.29
Insurance	-	-	-	-	S	1.65	(0.03)	20,596	1.65	CTARAF	5.10	-	553	5.05
AYUD	35.00	(0.25)	37	34.70	SAMCO	1.22	-	10,913	1.25	DREIT	4.16	(0.06)	816	4.17
BKI	280.00	3.00	280	279.89	SC	2.20	(0.04)	74,448	2.21	ERWPF	4.50	(0.18)	923	4.50
BLA	15.90	(0.40)	10,049	16.01	SENA	2.54	(0.06)	7,313	2.56	FTREIT	16.30	-	1,530	16.14
BUI	8.45	(0.95)	7	8.46	SF	4.74	(0.02)	7,613	4.77	FUTUREPF	19.00	(0.10)	533	19.06
CHARAN	-	-	-	-	SIRI	0.83	(0.03)	853,909	0.84	GAHREIT	7.50	-	24	7.50
INSURE	-	-	-	-	SPALI	16.00	(0.30)	32,094	16.05	GOLDPF	5.85	(0.05)	14	5.83
MTI	83.25	(4.75)	7	85.18	UV	1.68	(0.09)	561,953	1.71	GVREIT	14.60	(0.10)	28	14.64
NKI	-	-	-	-	UV	3.08	(0.26)	107,702	3.15	HPF	4.66	-	72	4.66
NSI	54.00	-	65	53.98	WHA	3.50	(0.14)	1,351,724	3.55	HREIT	8.50	(0.05)	1,153	8.51
SEG	24.90	0.10	100	24.57	WIN	0.40	(0.01)	371	0.40	IMPACT	18.90	(0.30)	1,962	18.86
SMK	33.50	(0.50)	191	33.98	Paper & Printing Mat	-	-	-	-	KPNPF	-	-	-	-
THRE	0.70	-	179,472	0.70	UTP	11.40	0.20	40,602	11.32	LHHOTEL	12.70	(0.10)	286	12.73
THREL	2.60	(0.06)	35,727	2.61	Fashion	-	-	-	-	LHPF	6.15	(0.05)	27	6.19
TIP	22.80	0.10	2,802	22.72	AFC	-	-	-	-	LHSC	13.00	(0.10)	2,095	13.03
TQM	125.00	2.00	23,992	126.04	B52	0.15	-	1,479	0.15	LUXF	6.30	0.05	12	6.27
TSI	0.40	-	15,437	0.39	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.12	(0.06)	1,194	3.12	CPH	-	-	-	-	M-PAT	-	-	-	-
Mining	-	-	-	-	CPL	0.83	(0.02)	160	0.85	M-STOR	6.00	(0.10)	10	6.00
PDI	6.00	(0.10)	3,178	6.02	ICC	31.25	0.50	17	30.87	MIPF	15.20	0.10	1	15.20
THL	-	-	-	-	NC	9.10	(0.70)	24	9.41	MIT	-	-	-	-
Packaging	-	-	-	-	PAF	0.57	(0.01)	4,866	0.59	MJLF	7.45	(0.05)	119	7.41
AJ	12.70	(0.40)	6,625	12.85	PDJ	1.15	(0.05)	2,822	1.16	MNIT	-	-	-	-
ALUCON	142.50	-	9	142.83	PG	4.80	0.10	23	4.71	MNIT2	-	-	-	-
BGC	10.70	(0.10)	14,955	10.57	SABINA	18.50	(0.20)	7,258	18.47	MNRF	-	-	-	-
CSC	47.50	(0.25)	277	46.95	SAWANG	-	-	-	-	POPF	10.90	(0.10)	1,157	10.92
GLOCON	0.70	-	40,904	0.71	SUC	37.00	(0.50)	8	37.06	PPF	11.30	-	52	11.30
NEP	0.15	-	17	0.15	TNL	-	-	-	-	QHHR	7.20	(0.05)	206	7.20
PTL	15.40	(0.30)	5,254	15.49	TPCORP	9.60	(0.15)	23	9.65	QHOP	2.56	(0.02)	257	2.58
SFLEX	11.00	0.30	8,265	10.88	TR	27.75	1.00	1	27.75	QHPF	11.00	-	1,558	10.96
SITHAI	0.74	0.01	889	0.73	TTI	-	-	-	-	SBPF	-	-	-	-
SLP	0.47	0.01	3,125	0.46	TTT	53.50	(1.00)	65	53.87	SHREIT	4.84	-	5,421	4.86
SMPC	8.45	0.05	3,743	8.48	UPF	-	-	-	-	SIRIP	-	-	-	-
SPACK	2.38	0.20	16,454	2.31	UT	14.50	(0.50)	10	14.50	SPF	14.60	(0.10)	1,750	14.75
TCOAT	-	-	-	-	WACOAL	-	-	-	-	SPRIME	-	-	-	-
TFI	0.05	-	8	0.05	Transportation & Log	-	-	-	-	SRIPANWA	8.30	0.25	35	8.33
THIP	23.00	(0.30)	254	22.95	AAV	2.16	(0.12)	496,505	2.20	SSPF	-	-	-	-
TMD	21.00	(0.20)	46	21.00	AOT	60.00	(1.50)	288,878	60.65	SSTRT	5.35	-	51	5.35
TOPP	-	-	-	-	ASIMAR	1.40	(0.02)	10,139	1.41	TIF1	8.50	-	57	8.46
TPBI	3.46	-	556	3.46	B	0.26	(0.01)	3,549	0.27	TLGF	19.90	(0.40)	5,227	19.89
TPP	14.90	-	7	14.86	BA	7.00	(0.30)	51,583	7.10	TLHPF	8.90	-	10	8.90
Personal Products &	-	-	-	-	BEM	9.75	(0.15)	236,366	9.81	TNPF	2.10	-	910	2.09
APCO	3.68	-	4,570	3.69	BTS	11.50	(0.10)	225,291	11.62	TPRIME	-	-	-	-
DDD	18.00	(0.10)	15,418	18.30	BTSgif	7.30	-	11,648	7.32	TTLPF	22.00	0.20	20	21.53
JCT	-	-	-	-	III	4.40	(0.04)	3,196	4.44	TU-PF	0.99	(0.13)	1	0.99
OCC	8.30	0.05	38	8.16	JUTHA	0.52	0.04	534	0.50	URBNPF	-	-	-	-
S & J	27.75	-	3	27.92	JWD	6.60	(0.20)	8,774	6.68	WHABT	8.85	(0.10)	44	8.85
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	17.00	0.10	788	16.81
TNR	9.80	0.20	6,646	9.65	NOK	1.14	(0.03)	7,276	1.13	Steel	-	-	-	-
TOG	3.58	(0.02)	734	3.56	NYT	2.96	(0.06)	21,247	2.97	AMC	1.42	(0.01)	933	1.43
Professional Service	-	-	-	-	PORT	1.90	(0.06)	41,136	1.92	BSBM	0.89	0.01	326	0.87
BWG	0.51	(0.02)	513,298	0.52	PRM	7.95	(0.05)	121,087	8.02	CEN	0.84	(0.01)	59,525	0.92
GENCO	0.50	(0.02)	16,454	0.51	PSL	5.90	(0.45)	267,809	5.97	CITY	1.88	-	320	1.85
PRO	-	-	-	-	RCL	3.56	(0.12)	27,884	3.60	CSP	0.63	-	23	0.62
SISB	10.00	(0.10)	38,071	10.04	TFFIF	11.10	-	50,502	11.12	GJS	0.11	(0.01)	61,535	0.11
TEAMG	2.08	(0.06)	13,059	2.09	THAI	4.02	-	44,000	4.04	GSTEEL	-	-	-	-
Property Developmet	-	-	-	-	TSTE	7.10	0.05	7	7.10	INOX	0.49	-	2,595	0.49
A	4.98	-	175	4.93	TTA	3.38	(0.20)	194,410	3.45	LHK	2.54	(0.02)	1,066	2.53
AMATA	15.90	(0.50)	136,449	16.03	WICE	3.20	(0.12)	98,950	3.19	MAX	0.01	(0.01)	19,725,803	0.01
AMATAV	5.15	0.05	426	5.08	Automotive	-	-	-	-	MCS	12.30	(0.10)	24,565	12.33
ANAN	1.70	(0.06												

## Main Board Quotation

Issue Date :

Monday June 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AGE	0.75	(0.01)	18,333	-	ADVA06C2009A	0.20	(0.01)	48,881	-
ABICO	4.96	0.10	6,625	4.00	AIE	0.58	-	196,719	-	ADVA06C2010A	0.63	(0.01)	41,134	-
AU	10.80	(0.40)	50,312	10.00	PSTC	1.99	(0.03)	120,626	1.00	ADVA06P2011A	0.87	(0.02)	37,349	-
JCKH	0.29	-	476	-	QTC	4.64	0.10	1,448	4.00	ADVA08C2009A	0.37	-	7,325	-
KASET	1.52	(0.03)	2,359	1.00	SAAM	1.08	(0.03)	7,817	1.00	ADVA08P2009A	0.52	(0.01)	1,000	-
MM	1.55	(0.01)	159	1.00	SEAOIL	2.62	(0.06)	7,268	2.00	ADVA11C2006A	0.01	-	45,046	-
SUN	2.12	(0.06)	1,386	2.00	SR	0.76	(0.01)	831	-	ADVA11C2011A	0.73	(0.01)	4,013	-
TACC	4.88	(0.08)	151,052	4.00	TAKUNI	0.42	-	5,238	-	ADVA11P2011A	-	-	-	-
TMILL	3.26	0.02	1,935	3.00	TPCH	12.10	(0.20)	3,733	12.00	ADVA13C2006A	-	-	-	-
XO	6.30	(0.15)	23,431	6.00	TRT	1.65	(0.01)	2,713	1.00	ADVA13C2007A	-	-	-	-
Consumer Products	-	-	-	-	UMS	0.34	(0.04)	213	-	ADVA13C2008A	0.16	(0.01)	28,221	-
BGT	1.14	(0.01)	571	1.00	UWC	0.04	-	186,517	-	ADVA13C2010A	0.76	(0.01)	51,273	-
BIZ	3.52	(0.08)	736	3.00	Services (MAI)	-	-	-	-	ADVA13P2009A	1.00	(0.02)	37,199	1.00
DOD	7.20	-	25,138	7.00	A5	-	-	-	-	ADVA16C2007A	-	-	-	-
ECF	1.65	(0.02)	219,315	1.00	AKP	0.95	(0.02)	2,160	-	ADVA16C2009A	-	-	-	-
HPT	0.94	0.11	160,720	-	AMA	5.35	(0.30)	9,542	5.00	ADVA19C2007A	0.22	(0.05)	2	-
IP	10.70	1.10	236,116	10.00	ARIP	0.37	(0.01)	9,968	-	ADVA19C2007B	-	-	-	-
JUBILE	16.30	(0.40)	2,641	16.00	ATP30	0.84	(0.03)	16,558	-	ADVA19C2008A	0.60	0.01	31,826	-
MOONG	3.66	(0.06)	23,533	3.00	AUCT	8.10	(0.10)	24,008	8.00	ADVA19C2009A	0.34	(0.01)	7,450	-
NPK	13.50	(0.40)	1	13.00	BOL	3.68	(0.08)	1,459	3.00	ADVA19C2010A	0.17	-	87,659	-
OCEAN	0.92	-	17,765	-	CHUO	-	-	-	-	ADVA19C2010B	0.70	(0.30)	26,486	-
TM	2.36	-	5,119	2.00	CMO	1.02	(0.01)	4,921	1.00	ADVA19P2006A	-	-	-	-
Financials (MAI)	-	-	-	-	D	3.36	(0.12)	4,472	3.00	ADVA19P2009A	0.19	(0.01)	4,384	-
ACAP	0.77	(0.06)	20,120	-	DCORP	0.38	-	3,318	-	ADVA19P2010A	0.71	(0.02)	8,919	-
AF	0.59	(0.01)	748	-	EFORL	0.03	(0.01)	14,396	-	ADVA24C2006A	-	-	-	-
AIRA	-	-	-	-	ETE	0.92	(0.10)	40,012	-	ADVA24C2009A	0.28	(0.03)	17,902	-
ASN	3.90	(0.10)	10	3.00	FSMART	6.20	0.05	13,365	6.00	ADVA28C2007A	-	-	-	-
BROOK	0.40	(0.01)	39,967	-	FVC	0.47	(0.03)	71,276	-	ADVA28C2008A	0.27	(0.02)	27,047	-
CHAYO	6.30	0.05	85,834	6.00	GSC	0.79	(0.04)	4,060	-	ADVA28C2008B	-	-	-	-
GCAP	1.61	(0.01)	12,242	1.00	HARN	2.10	0.02	4,974	2.00	ADVA28C2011A	0.16	(0.01)	33	-
LIT	3.28	(0.08)	2,674	3.00	IMH	2.20	(0.06)	80	2.00	ADVA28C2012A	0.13	(0.01)	3,371	-
MITSI	1.08	0.01	14,610	1.00	JKN	6.10	0.40	215,587	5.00	ADVA28P2012A	0.36	-	23,754	-
SGF	0.58	(0.02)	49,150	-	KIAT	0.50	-	76,046	-	ADVA41C2007A	0.02	(0.05)	21	-
Industrials (MAI)	-	-	-	-	KOOL	0.83	(0.02)	17,978	-	ADVA41C2007B	0.19	(0.03)	8,200	-
ZS	2.56	(0.02)	1,876	2.00	LDC	0.73	(0.02)	1,397	-	ADVA41C2010A	-	-	-	-
ACG	1.18	(0.03)	3,139	1.00	MORE	0.31	(0.04)	974,794	-	ADVA41P2009A	0.94	-	83,731	-
ADB	0.70	(0.01)	1,021	-	MPG	0.18	-	1	-	ADVA41P2011A	-	-	-	-
BM	2.04	(0.06)	1,505	2.00	MVP	1.21	(0.01)	1,056	1.00	ADVA42C2102T	0.58	(0.42)	13,451	-
CHO	0.67	-	49,127	-	NBC	0.64	-	471	-	ADVA42P2007A	0.60	(0.08)	3,215	-
CHOW	2.12	(0.06)	5,562	2.00	NCL	0.75	(0.05)	12,132	-	AEON13C2007A	0.02	(0.03)	734	-
CIG	0.23	(0.01)	18,691	-	NEWS	0.01	-	11,250	-	AEON13C2010A	0.24	(0.11)	65,979	-
COLOR	1.17	-	657	1.00	NINE	1.82	0.04	45	1.00	AEON19C2006A	-	-	-	-
CPR	3.10	(0.06)	1,694	3.00	OTO	2.84	(0.04)	5,083	2.00	AEON19C2010A	0.38	(0.15)	156,026	-
FPI	2.08	0.02	3,822	2.00	PHOL	2.92	-	2,933	2.00	AMAT01C2007B	-	-	-	-
GTB	0.58	(0.01)	8,296	-	PICO	-	-	-	-	AMAT01C2008A	0.27	(0.07)	123	-
KCM	0.52	0.01	37,064	-	QLT	4.06	(0.02)	595	4.00	AMAT01P2008A	0.32	0.02	1,845	-
KUMWEL	0.95	(0.01)	3,157	-	RP	1.52	(0.04)	1,346	1.00	AMAT06C2010A	0.77	(0.09)	32,633	-
KWM	0.75	(0.02)	6,101	-	SE	1.33	0.01	5,684	1.00	AMAT08C2010A	0.59	(0.06)	50,187	-
MBAX	4.38	(0.04)	9,763	4.00	SONIC	1.02	(0.03)	2,810	1.00	AMAT11C2008A	-	-	-	-
MGT	1.83	-	1,117	1.00	SPA	7.15	(0.15)	10,059	7.00	AMAT13C2010A	0.53	(0.06)	213,942	-
NDR	1.20	(0.12)	15,443	1.00	THMUI	0.66	(0.02)	5,534	-	AMAT16C2006A	-	-	-	-
PDG	3.34	-	1,890	3.00	TNDT	2.92	(0.08)	943	2.00	AMAT16C2008A	-	-	-	-
PIMO	1.29	(0.01)	12,411	1.00	TNH	33.50	-	134	33.00	AMAT19C2006A	-	-	-	-
PJW	1.30	(0.01)	11,349	1.00	TNP	2.60	(0.02)	13,821	2.00	AMAT19C2008A	-	-	-	-
PPM	0.89	0.01	40	-	TSF	-	-	-	-	AMAT19C2009A	0.65	(0.06)	39,557	-
RWI	1.40	(0.05)	9,045	1.00	TVD	0.95	-	40,055	-	AMAT19C2011A	0.52	(0.05)	50,689	-
SALEE	0.70	(0.01)	3,119	-	TVT	0.60	(0.02)	573	-	AMAT24C2006A	-	-	-	-
SANKO	0.93	-	423	-	VL	1.21	(0.02)	80,358	1.00	AMAT24C2010A	0.49	(0.07)	12,284	-
SELIC	2.02	-	2,857	2.00	WINNER	2.86	0.02	1,345	2.00	AMAT42C2007A	0.68	(0.15)	6,038	-
SWC	4.12	(0.06)	1,583	4.00	YGG	6.50	0.75	98,531	6.00	ANAN13C2007A	-	-	-	-
TMC	0.55	(0.01)	9,848	-	Technology (MAI)	-	-	-	-	ANAN19C2007A	-	-	-	-
TMI	0.63	-	2,387	-	APP	1.59	-	8,243	1.00	AOT01C2006B	0.01	-	24,824	-
TMW	37.50	(1.00)	213	37.00	COMAN	2.12	(0.12)	3,265	2.00	AOT01C2007A	0.16	(0.04)	11,185	-
TPAC	12.60	1.40	2,658	12.00	ICN	1.84	-	10,076	1.00	AOT01P2006B	0.30	0.11	30,267	-
TPLAS	1.29	0.11	60,102	1.00	INSET	2.64	(0.02)	40,760	2.00	AOT01P2007A	1.01	0.11	7,292	-
UBIS	4.70	(0.04)	142	4.00	IRCP	0.45	0.01	1,700	-	AOT06C2007A	0.01	(0.01)	700	-
UEC	0.82	(0.06)	6,383	-	ITEL	2.70	0.04	23,151	2.00	AOT06C2008A	1.00	(0.03)	100	1.00
UKEM	0.74	0.01	125,661	-	NETBAY	33.25	(0.75)	2,852	33.00	AOT06C2009A	0.40	(0.06)	65,397	-
UREKA	0.98	(0.01)	332,688	1.00	PLANET	0.85	-	1,058	-	AOT06P2009A	0.30	0.02	33,821	-
YUASA	13.80	1.80	12,205	13.00	SIMAT	3.26	(0.04)	23,355	3.00	AOT06P2011A	1.17	0.08	46,095	1.00
ZIGA	1.43	-	886	1.00	SKY	15.20	-	12,807	15.00	AOT08C2006A	-	-	-	-
Property & Construc	-	-	-	-	SPVI	2.82	0.22	403,333	2.00	AOT08C2007A	-	-	-	-
ALL	3.42	0.02	488,320	3.00	TPS	1.90	(0.02)	2,122	1.00	AOT08C2009A	0.72	(0.07)	55,265	-
ARIN	0.84	(0.02)	5,357	-	UPA	0.26	(0.01)	65,772	-	AOT08P2009A	0.60	0.04	50,000	-
ARROW	7.20	-	1,501	7.00	VCOM	3.80	0.14	48,681	3.00	AOT11C2011A	0.68	(0.06)	32,449	-
BC	1.03	0.01	1,615	1.00	Unit Trust	-	-	-	-	AOT11P2007A	0.79	(0.07)	10	-
BSM	0.28	-	4,475	-	MGE	-	-	-	-	AOT13C2006A	-	-	-	-
BTW	0.83	(0.03)	6,095	-	SCBSET	-	-	-	-	AOT13C2007A	-	-	-	-
CAZ	1.54	(0.03)	6,090	1.00	ETF	-	-	-	-	AOT13C2008A	0.55	(0.06)	4,208	-
CHEWA	0.45	(0.03)	16,407	-	IDIV	8.34	(0.14)	171	8.00	AOT13C2010A	0.38	(0.07)	203,045	-
CMC	0.75	(0.01)	2,345	-	ABFTH	-	-	-	-	AOT13P2006A	0.20	0.06	6,486	-
CRD	0.50	0.01	117	-	BMSCG	7.10	(0.10)	2,211	7.00	AOT13P2009A	0.27	0.		

Main Board Quotation

Issue Date :

Monday June 22, 2020

Main Board Quotation					Main Board Quotation					Issue Date :				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT41C2007A	-	-	-	-	BCH13C2010A	0.31	(0.01)	45,127	-	BJC28C2010A	0.14	(0.02)	58,991	-
AOT41C2007B	-	-	-	-	BCH16C2006A	-	-	-	-	BJC28C2012A	0.24	(0.03)	55,733	-
AOT41C2010A	0.46	(0.07)	134,886	-	BCH19C2006A	-	-	-	-	BJC41C2007A	-	-	-	-
AOT41P2009A	-	-	-	-	BCH19C2008A	0.42	(0.01)	4,614	-	BJC41C2008A	-	-	-	-
AOT41P2009B	0.44	0.03	7,416	-	BCH19C2011A	0.40	(0.01)	23,938	-	BPP13C2007A	0.34	(0.08)	2,201	-
AOT41P2010A	0.68	0.05	71,353	-	BCH41C2006A	-	-	-	-	BPP19C2007A	-	-	-	-
AOT42C2006A	-	-	-	-	BCH41C2007A	0.02	-	100	-	BPP19C2010A	0.52	(0.01)	80,056	-
AOT42C2011T	0.28	(0.04)	17,519	-	BCH41C2008A	-	-	-	-	BTS11C2011A	0.37	(0.02)	30,886	-
AOT42P2009A	0.30	(0.22)	99	-	BCH41C2009A	-	-	-	-	BTS13C2006A	-	-	-	-
AP19C2007A	-	-	-	-	BCH41C2010A	-	-	-	-	BTS13C2008A	-	-	-	-
AP19C2010A	1.03	(0.12)	12,270	1.00	BCH41C2011A	-	-	-	-	BTS13C2009A	0.23	(0.02)	118,416	-
AP19C2011A	0.28	(0.03)	8,243	-	BCH41C2012A	-	-	-	-	BTS16C2008A	-	-	-	-
AP28C2012A	0.93	(0.13)	28,250	-	BCH41C2013A	-	-	-	-	BTS19C2008A	0.25	(0.01)	15,909	-
AWC01C2009A	0.14	(0.03)	2,122	-	BCH41C2014A	-	-	-	-	BTS19C2010A	0.23	(0.01)	8,183	-
AWC01P2007A	0.51	0.14	25,519	-	BCH41C2015A	-	-	-	-	BTS24C2007A	-	-	-	-
AWC06C2009A	0.54	(0.17)	68,926	-	BCH41C2016A	-	-	-	-	BTS41C2006A	-	-	-	-
AWC06C2011A	0.18	(0.06)	30,075	-	BCH41C2017A	-	-	-	-	BTS41C2010A	-	-	-	-
AWC13C2006A	-	-	-	-	BCH41C2018A	-	-	-	-	BTS42C2008A	-	-	-	-
AWC13C2009A	0.43	(0.13)	80,117	-	BCH41C2019A	-	-	-	-	CBG01C2007B	0.61	(0.07)	647	-
AWC13C2010A	0.10	(0.02)	41,786	-	BCH41C2020A	-	-	-	-	CBG01P2007B	0.03	(0.01)	28,041	-
AWC13C2010B	0.36	(0.14)	332,506	-	BCH41C2021A	-	-	-	-	CBG08C2007A	1.33	(0.06)	10,520	1.00
AWC13P2006A	-	-	-	-	BCH41C2022A	-	-	-	-	CBG11C2008A	-	-	-	-
AWC16C2007A	-	-	-	-	BCH41C2023A	-	-	-	-	CBG13C2008A	-	-	-	-
AWC19C2006A	-	-	-	-	BCH41C2024A	-	-	-	-	CBG13C2010A	0.92	(0.08)	157,106	-
AWC19C2010A	0.45	(0.12)	57,998	-	BCH41C2025A	-	-	-	-	CBG13P2006A	-	-	-	-
AWC19C2010B	0.10	(0.03)	4,655	-	BCH41C2026A	-	-	-	-	CBG16C2008A	-	-	-	-
AWC24C2007A	-	-	-	-	BCH41C2027A	-	-	-	-	CBG19C2008A	1.45	(0.08)	196	1.00
AWC24C2010A	0.17	(0.06)	1,000	-	BCH41C2028A	0.04	-	50	-	CBG19C2010A	1.20	(0.06)	294,232	1.00
AWC28C2008A	-	-	-	-	BCH41C2029A	0.92	0.01	19,868	-	CBG19C2011A	0.49	(0.03)	101,995	-
AWC28C2010A	0.44	(0.12)	34,305	-	BCH41C2030A	0.27	(0.01)	56,000	-	CBG19P2006A	-	-	-	-
AWC28C2010B	0.09	(0.04)	754	-	BCH41C2031A	0.41	-	52,698	-	CBG19P2010A	0.87	0.03	60,136	-
AWC28C2012A	0.09	(0.03)	70,881	-	BCH41C2032A	0.41	0.01	20,811	-	CBG24C2008A	1.63	(0.11)	17,432	1.00
AWC41C2007A	-	-	-	-	BCH41C2033A	0.32	-	1,985	-	CBG41C2006A	-	-	-	-
AWC41C2007B	-	-	-	-	BCH41C2034A	0.29	-	14,207	-	CBG41C2009A	1.34	(0.09)	2,010	1.00
AWC41C2010A	-	-	-	-	BCH41C2035A	0.41	0.01	31,595	-	CBG41C2010A	0.45	(0.04)	31,391	-
AWC42C2008A	-	-	-	-	BCH41C2036A	0.29	-	14,207	-	CBG41P2010A	0.92	0.02	20,101	-
AWC42C2010T	0.29	(0.71)	18,908	-	BCH41C2037A	-	-	-	-	CBG42C2006A	-	-	-	-
BANP06C2010A	0.31	(0.04)	175,159	-	BCH41C2038A	-	-	-	-	CBG42C2008A	-	-	-	-
BANP08C2007A	-	-	-	-	BCH41C2039A	0.35	0.01	14,600	-	CENT01C2006A	-	-	-	-
BANP08C2009A	0.38	(0.04)	52,260	-	BCH41C2040A	0.01	(0.01)	2,299	-	CENT01C2006B	0.02	-	20,010	-
BANP08P2009A	0.61	-	46,959	-	BCH41C2041A	0.01	(0.01)	2,299	-	CENT01C2009A	0.75	(0.29)	1,102	-
BANP11C2008A	-	-	-	-	BCH41C2042A	0.22	0.01	2,754	-	CENT01P2009A	0.13	-	1,992	-
BANP13C2006A	-	-	-	-	BCH41C2043A	0.76	(0.03)	18,418	-	CENT06C2006A	-	-	-	-
BANP13C2008A	0.28	(0.03)	111,543	-	BCH41C2044A	0.51	(0.01)	10,054	-	CENT06P2007A	-	-	-	-
BANP13C2010A	0.18	(0.02)	61,925	-	BCH41C2045A	-	-	-	-	CENT11C2007A	-	-	-	-
BANP19C2007A	-	-	-	-	BCH41C2046A	0.48	(0.03)	14,936	-	CENT13C2006A	-	-	-	-
BANP19C2007B	0.01	(0.02)	2,500	-	BCH41C2047A	0.19	(0.01)	55,120	-	CENT13C2010A	0.21	(0.03)	19,589	-
BANP19C2009A	0.38	(0.04)	63,407	-	BCH41C2048A	0.02	(0.01)	1,000	-	CENT19C2008A	-	-	-	-
BANP19C2010A	0.29	(0.03)	66,046	-	BCH41C2049A	0.60	(0.03)	9,532	-	CENT19C2010A	0.56	(0.11)	78,306	-
BANP19P2010A	0.30	(0.01)	1,942	-	BCH41C2050A	0.22	(0.01)	14,000	-	CENT19C2011A	0.23	(0.04)	61,825	-
BANP19P2010B	0.80	0.03	46,517	-	BCH41C2051A	-	-	-	-	CENT24C2008A	0.24	(0.07)	13,979	-
BANP24C2011A	0.30	(0.02)	14,095	-	BCH41C2052A	0.75	(0.03)	7,196	-	CENT27C2008A	0.42	(0.09)	3,460	-
BANP27C2007A	-	-	-	-	BCH41C2053A	-	-	-	-	CENT28C2008A	-	-	-	-
BANP28C2008A	-	-	-	-	BCH41C2054A	-	-	-	-	CENT28C2010A	0.85	(0.15)	640	-
BANP28C2010A	0.25	(0.03)	58,654	-	BCH41C2055A	-	-	-	-	CENT28C2012A	0.37	(0.08)	62,237	-
BANP28C2012A	0.27	(0.02)	19,744	-	BCH41C2056A	0.20	-	15,211	-	CENT41C2006A	-	-	-	-
BANP41C2007A	-	-	-	-	BCH41C2057A	-	-	-	-	CENT42C2006A	-	-	-	-
BANP41C2010A	0.38	0.01	2,660	-	BCH41C2058A	0.04	(0.05)	1,759	-	CHG01C2006A	-	-	-	-
BANP41P2007A	1.11	0.04	2	1.00	BCH41C2059A	0.01	(0.01)	19,496	-	CHG01C2006B	-	-	-	-
BANP42C2006A	-	-	-	-	BCH41C2060A	-	-	-	-	CHG01P2006A	-	-	-	-
BANP42C2012T	0.21	(0.79)	1,760	-	BCH41C2061A	-	-	-	-	CHG13C2010A	-	-	-	-
BBL06C2007A	0.02	-	20,274	-	BCH41C2062A	0.79	(0.01)	468	-	CHG16C2009A	0.20	(0.01)	24,161	-
BBL06C2009A	0.63	(0.33)	82,948	-	BCH41C2063A	0.02	(0.06)	10	-	CHG19C2011A	0.27	(0.01)	58,959	-
BBL06P2011A	1.15	0.29	85,957	1.00	BCH41C2064A	0.74	(0.03)	74,665	-	CHG27C2009A	0.10	-	1	-
BBL08C2007A	-	-	-	-	BCH41C2065A	0.67	(0.01)	57,668	-	CHG42C2006A	-	-	-	-
BBL08C2009A	0.41	(0.18)	120,162	-	BCH41C2066A	-	-	-	-	CK06C2009A	0.69	(0.09)	64,907	-
BBL08P2007A	0.98	0.37	600	-	BCH41C2067A	-	-	-	-	CK11C2007A	0.10	-	580	-
BBL08P2009A	0.65	0.17	87,113	-	BCH41C2068A	-	-	-	-	CK13C2006A	-	-	-	-
BBL11C2007A	0.01	-	1,100	-	BCH41C2069A	-	-	-	-	CK13C2010A	0.75	(0.07)	290,048	-
BBL11C2011A	0.78	(0.23)	71,488	-	BCH41C2070A	0.73	-	123,211	-	CK16C2006A	-	-	-	-
BBL11P2008A	1.19	0.42	21,631	1.00	BCH41C2071A	-	-	-	-	CK19C2007A	-	-	-	-
BBL13C2006A	-	-	-	-	BCH41C2072A	0.49	(0.10)	2	-	CK19C2010A	0.60	(0.06)	95,079	-
BBL13C2008A	0.13	(0.12)	672,182	-	BCH41C2073A	-	-	-	-	CK27C2008A	-	-	-	-
BBL13C2010A	1.28	(0.54)	16,645	1.00	BCH41C2074A	0.76	-	16,678	-	CK41C2009A	0.63	(0.07)	5,858	-
BBL13C2010B	0.41	(0.22)	803,859	-	BCH41C2075A	0.55	(0.01)	67,952	-	CK42C2006A	-	-	-	-
BBL13P2008A	0.88	0.01	199	-	BCH41C2076A	0.32	0.01	65	-	CKP01C2008B	-	-	-	-
BBL13P2010A	0.74	0.19	510,713	-	BCH41C2077A	0.66	(0.03)	8,911	-	CKP01C2009A	-	-	-	-
BBL16C2006A	-	-	-	-	BCH41C2078A	-	-	-	-	CKP01P2009A	-	-	-	-
BBL19C2007A	0.01	-	500	-	BCH41C2079A	0.48	(0.13)	2,200	-	CKP08C2010A	0.59	(0.05)	250,422	-
BBL19C2009A	1.02	(0.94)	2	1.00	BCH41C2080A	0.49	(0.01)	23,774	-	CKP11C2006A	0.01	-	100	-
BBL19C2010A	0.43	(0.20)	137,394	-	BCH41C2081A	-	-	-	-	CKP13C2007A	-	-	-	-
BBL19C2011A	0.33	(0.16)	197,109	-	BCH41C2082A	-	-	-	-	CKP13C2010A	0.50	(0.04)	267,199	-
BBL19P2007A	1.05	0.39	428	1.00	BCH41C2083A	0.34	(0.66)	4,666	-	CKP16C2007A	0.11	0.05	1	-
BBL19P2010A	0.62	0.12	290,522	-	BCH41C2084A	-	-	-	-	CKP19C2006A	-	-	-	-
BBL19P2011A	1.03	0.20	184,138	-	BCH41C2085A	-	-	-	-	CKP19C2010A	0.67	(0.05)	343,354	-
BBL24C2009A	0.38	(0.22)	57,840	-	BCH41C2086A	-	-	-	-	CKP19C2011A	0.44	(0.05)	183,108	-
BBL28C2007A	-	-	-	-	BCH41C2087A	0.37	(0.03)	86,394	-	CKP24C2006A	-	-	-	-
BBL28C2010A	0.27	(0.14)	57,517	-	BCH41C2088A	-	-	-	-	CKP28C2011A	0.47	(0.05)	150,914	-
BBL28C2011A	0.95	(0.48)	45	-	BCH41C2089A	0.35	(0.02)	67,920	-	CKP28C2012A	0.52	(0.04)	104,606	-
BBL41C2007A	-	-	-	-	BCH41C2090A	0.23	(0.02)	3,756	-	CKP41C2007A	-	-	-	-
BBL41C2007B	0.01	(0.04)	176	-	BCH41C2091A	-	-	-	-	CKP42C2006A	-	-	-	-
BBL41C2009A	-	-	-	-	BCH41C2092A	-	-	-	-	COM708C2007A	0.19	0.04	181	

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Monday June 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL01C2006A	0.07	(0.07)	1,744	-	EA08C2009A	0.41	(0.06)	8,880	-	GPS42P2006A	-	-	-	-
CPAL01C2006B	0.01	-	3,300	-	EA13C2006A	-	-	-	-	GULF01C2007A	0.13	(0.03)	9,360	-
CPAL01C2008B	0.18	(0.03)	6,805	-	EA13C2008A	-	-	-	-	GULF06C2009A	0.39	(0.03)	17,237	-
CPAL01P2008B	0.15	0.02	250	-	EA13C2009A	0.30	(0.03)	23,448	-	GULF08C2008A	-	-	-	-
CPAL06C2011A	0.45	(0.04)	35,200	-	EA13P2006A	0.05	(0.02)	2,228	-	GULF08C2009A	0.27	(0.02)	11,168	-
CPAL08C2006A	-	-	-	-	EA16C2006A	-	-	-	-	GULF11C2006A	-	-	-	-
CPAL08C2008A	0.46	(0.02)	569	-	EA16C2008A	0.04	(0.01)	2,000	-	GULF11C2011A	0.40	(0.02)	13,300	-
CPAL08C2011A	0.44	(0.03)	35,379	-	EA19C2008A	-	-	-	-	GULF13C2006B	-	-	-	-
CPAL08P2006A	-	-	-	-	EA19C2010A	0.34	(0.03)	11,296	-	GULF13C2008A	0.43	(0.18)	1,455	-
CPAL08P2009A	0.24	-	22,608	-	EA19P2007A	-	-	-	-	GULF13C2009A	0.90	(0.10)	1,193	-
CPAL11C2006A	0.01	-	249	-	EA19P2011A	0.69	0.02	15,140	-	GULF13C2009B	0.25	(0.01)	121,093	-
CPAL11C2007A	0.04	(0.02)	200	-	EA24C2008A	0.27	(0.03)	2,990	-	GULF13P2009A	0.26	(0.01)	40,024	-
CPAL13C2007A	-	-	-	-	EA27C2006A	-	-	-	-	GULF16C2007A	-	-	-	-
CPAL13C2009A	0.69	(0.03)	31,080	-	EA28C2011A	0.31	(0.04)	12,671	-	GULF19C2006A	-	-	-	-
CPAL16C2006A	-	-	-	-	EA28C2012A	0.25	(0.02)	5,268	-	GULF19C2008A	-	-	-	-
CPAL16C2007A	0.04	(0.02)	1	-	EA41C2009A	0.25	(0.02)	2,000	-	GULF19C2010A	0.28	(0.02)	35,917	-
CPAL19C2008A	0.27	(0.02)	37,284	-	EGCO01C2007B	0.02	(0.01)	27,943	-	GULF19P2006A	0.01	-	1,800	-
CPAL19C2010A	0.35	(0.03)	9,290	-	EGCO06C2007A	0.06	(0.01)	1,234	-	GULF19P2009A	0.23	-	911	-
CPAL19P2010A	0.19	-	30,748	-	EGCO06C2010A	0.56	(0.01)	17,544	-	GULF19P2010A	0.29	-	10,301	-
CPAL19P2010B	0.83	0.01	41,088	-	EGCO06P2009A	0.35	-	24,235	-	GULF19P2010B	0.53	0.01	15,403	-
CPAL24C2009A	0.84	(0.05)	8,320	-	EGCO13C2009A	0.38	(0.02)	21,754	-	GULF24C2009A	0.22	(0.01)	7,102	-
CPAL28C2007A	-	-	-	-	EGCO19C2007A	-	-	-	-	GULF28C2008A	-	-	-	-
CPAL28C2008A	-	-	-	-	EGCO19C2010A	0.56	(0.01)	9,630	-	GULF28C2008B	-	-	-	-
CPAL28C2008B	-	-	-	-	EGCO24C2009A	0.49	(0.02)	891	-	GULF28C2008C	0.94	(0.19)	1	-
CPAL28C2010A	0.22	(0.02)	9,446	-	EGCO42C2007A	-	-	-	-	GULF28C2010A	0.17	(0.03)	13,467	-
CPAL28C2012A	0.24	(0.01)	7,071	-	EGCO42C2010T	0.33	(0.67)	9,820	-	GULF28C2012A	0.17	(0.01)	5,110	-
CPAL41C2007A	-	-	-	-	EPG13C2006A	-	-	-	-	GULF41C2006A	-	-	-	-
CPAL41C2010A	0.48	(0.03)	19,264	-	EPG13C2010A	0.19	0.01	186,329	-	GULF41C2009A	0.23	(0.02)	21,270	-
CPAL42C2007A	-	-	-	-	EPG13C2011A	0.74	(0.26)	232,905	-	GULF41P2007A	-	-	-	-
CPAL42C2010T	0.26	(0.02)	19,700	-	EPG19C2007A	-	-	-	-	GULF41P2009A	0.52	0.01	11,937	-
CPF06C2010A	0.30	(0.01)	77,735	-	EPG19C2008A	0.55	0.01	1,110	-	GULF42C2010M	0.28	(0.03)	5,668	-
CPF06P2011A	0.36	-	61,214	-	EPG19C2010A	0.75	0.02	137,472	-	GULF42C2010T	-	-	-	-
CPF08C2006A	-	-	-	-	EPG19C2011A	0.23	0.01	12,414	-	GUNK11C2007A	-	-	-	-
CPF08C2010A	0.35	(0.01)	46,708	-	EPG24C2008A	0.13	0.01	1,250	-	GUNK13C2006A	-	-	-	-
CPF11C2007A	-	-	-	-	ERW06C2007A	-	-	-	-	GUNK19C2006A	-	-	-	-
CPF13C2006A	-	-	-	-	ERW06C2010A	-	-	-	-	GUNK19C2010A	0.27	(0.02)	11,196	-
CPF13C2008A	-	-	-	-	ERW13C2006A	-	-	-	-	GUNK24C2006A	-	-	-	-
CPF13C2009A	0.25	(0.02)	97,277	-	ERW13C2007A	-	-	-	-	GUNK28C2012A	0.28	(0.02)	15,961	-
CPF16C2007A	-	-	-	-	ERW13C2010A	0.55	(0.04)	192,186	-	HANA01C2006A	-	-	-	-
CPF19C2006A	-	-	-	-	ERW19C2006A	-	-	-	-	HANA01C2006B	0.01	(0.01)	1,000	-
CPF19C2009A	1.04	-	80	1.00	ERW19C2007A	0.25	(0.04)	50,728	-	HANA01P2006A	0.12	-	525	-
CPF19C2010A	0.28	(0.01)	68,969	-	ERW19C2010A	0.99	-	498	-	HANA11C2008A	0.06	-	52	-
CPF24C2007A	0.40	(0.04)	7,190	-	ERW24C2006A	0.05	0.01	2	-	HANA13C2008A	0.07	(0.03)	8,215	-
CPF28C2007A	0.03	(0.10)	100	-	ESSO01C2008B	0.32	(0.02)	1	-	HANA16C2008A	0.12	(0.02)	420	-
CPF28C2010A	-	-	-	-	ESSO01C2009A	0.61	(0.01)	56	-	HANA19C2006A	-	-	-	-
CPF28C2011A	0.28	(0.03)	5,542	-	ESSO01P2009A	0.15	(0.02)	4,524	-	HANA19C2010A	0.19	(0.03)	46,850	-
CPF28C2012A	0.19	(0.01)	44,253	-	ESSO06C2011A	0.54	(0.03)	61,532	-	HANA27C2007A	0.05	(0.06)	1	-
CPF28C2012B	0.19	(0.01)	14,206	-	ESSO08C2008A	-	-	-	-	HANA27P2007A	0.46	0.08	99	-
CPF41C2008A	-	-	-	-	ESSO08C2011A	0.59	(0.03)	69,993	-	HANA41C2006A	-	-	-	-
CPF41C2010A	0.26	(0.01)	20,293	-	ESSO13C2006A	-	-	-	-	HMPR01C2006A	-	-	-	-
CPN06C2006A	-	-	-	-	ESSO13C2010A	0.52	(0.02)	177,211	-	HMPR01C2006B	-	-	-	-
CPN06C2010A	0.64	(0.02)	15,321	-	ESSO19C2007A	-	-	-	-	HMPR01P2006A	0.14	0.05	5,013	-
CPN11C2006A	0.04	0.03	56	-	ESSO19C2009A	1.88	(0.14)	1,078	1.00	HMPR06C2010A	0.55	(0.07)	27,370	-
CPN11C2008A	0.06	0.02	11	-	ESSO19C2010A	0.55	(0.03)	145,485	-	HMPR06P2007A	-	-	-	-
CPN13C2007A	-	-	-	-	ESSO19C2011A	0.38	(0.02)	221,807	-	HMPR06P2011A	0.47	0.02	33,948	-
CPN13C2009A	0.41	(0.04)	46,412	-	ESSO24C2007A	0.39	(0.05)	36,504	-	HMPR11C2011A	0.66	(0.05)	15,256	-
CPN19C2007A	-	-	-	-	ESSO41C2006A	-	-	-	-	HMPR13C2006A	-	-	-	-
CPN19C2010A	0.42	(0.03)	8,714	-	ESSO41C2010A	0.55	(0.06)	1,050	-	HMPR13C2007A	-	-	-	-
CPN19P2010A	0.57	0.01	1,150	-	ESSO42C2007A	0.36	(0.08)	7,263	-	HMPR13C2009A	0.42	(0.05)	10,425	-
CPN24C2007A	0.11	(0.03)	25,450	-	GFPT13C2010A	0.39	0.03	163,109	-	HMPR19C2007A	-	-	-	-
CPN41C2009A	0.34	(0.04)	12,075	-	GFPT19C2006A	0.13	0.03	243,933	-	HMPR19C2010A	0.52	(0.04)	6,620	-
CPN41P2006A	-	-	-	-	GFPT19C2010A	0.46	0.05	145,100	-	HMPR24C2008A	0.64	(0.08)	2,652	-
CPN42C2006A	-	-	-	-	GFPT24C2007A	0.24	0.05	27,177	-	HMPR41C2006A	-	-	-	-
CRC01C2007A	0.08	(0.01)	13	-	GFPT42C2008A	0.55	0.05	8,681	-	HMPR41C2007A	-	-	-	-
CRC08C2007A	0.17	(0.01)	200	-	GLOB01C2007B	-	-	-	-	HMPR41C2007B	-	-	-	-
CRC08C2009A	0.34	(0.01)	8,655	-	GLOB01C2008A	-	-	-	-	HMPR41C2010A	0.40	(0.04)	7,912	-
CRC13C2008A	0.05	-	70	-	GLOB01C2009A	-	-	-	-	HSI28C2006A	1.15	(0.09)	106	1.00
CRC13C2009A	0.38	(0.01)	55,915	-	GLOB06C2006A	-	-	-	-	HSI28C2006B	0.45	(0.13)	39,047	-
CRC19C2008A	-	-	-	-	GLOB13C2007A	-	-	-	-	HSI28C2006C	0.08	(0.07)	394,913	-
CRC19C2008B	-	-	-	-	GLOB19C2007A	-	-	-	-	HSI28C2007A	0.83	(0.12)	51,637	-
CRC19C2008B	0.35	(0.02)	193,522	-	GLOB19C2010A	0.53	(0.04)	8,153	-	HSI28C2007B	0.41	(0.09)	57,477	-
CRC19C2010A	0.27	(0.01)	26,441	-	GLOB24C2010A	0.46	(0.07)	5,450	-	HSI28C2007C	0.15	(0.05)	649,453	-
CRC24C2008A	0.42	(0.04)	41,078	-	GLOB42C2009A	-	-	-	-	HSI28C2007D	1.86	(0.12)	1,542	1.00
CRC28C2007A	-	-	-	-	GPS001C2007B	-	-	-	-	HSI28C2008A	1.18	(0.10)	13,315	1.00
CRC28C2007B	-	-	-	-	GPS01C2008A	0.55	(0.07)	711	-	HSI28C2008B	0.71	(0.08)	77,556	-
CRC28C2011A	0.32	(0.01)	17,600	-	GPS01P2007B	0.09	-	2	-	HSI28C2010L	0.41	(0.04)	46,262	-
CRC28C2012A	0.24	-	5,935	-	GPS01P2008A	-	-	-	-	HSI28C2011L	0.86	(0.05)	22,065	-
CRC41C2007A	-	-	-	-	GPS06C2006A	0.02	-	10,381	-	HSI28P2006A	0.05	(0.02)	7,886	-
CRC41C2009A	-	-	-	-	GPS06C2008A	0.68	(0.15)	1,270	-	HSI28P2006B	0.01	(0.02)	7,050	-
CRC41C2010A	0.21	(0.01)	28,000	-	GPS06C2011A	0.75	(0.03)	66,088	-	HSI28P2006C	0.01	-	1,309	-
DTAC01C2007B	-	-	-	-	GPS08C2007A	0.16	(0.03)	10	-	HSI28P2007A	0.62	(0.01)	32,882	-
DTAC01C2008A	0.38	-	251	-	GPS08C2009A	0.81	(0.03)	40,791	-	HSI28P2007B	0.35	(0.02)	50,814	-
DTAC01P2007B	-	-	-	-	GPS08P2006A	-	-	-	-	HSI28P2007C	0.23	(0.01)	67,313	-
DTAC01P2008A	0.30	(0.04)	10	-	GPS01C2006A	-	-	-	-	HSI28P2008A	0.92	0.01	46,577	-
DTAC08C2007A	-	-	-	-	GPS13C2007A	-	-	-	-	HSI28P2008B	0.67	(0.03)	5,647	-
DTAC08C2008A	0.27	(0.02)	9,501	-	GPS13C2008A	0.60	(0.29)	101	-	HSI28P2008C	0.48	0.01	1,472	-
DTAC13C2007A	-	-	-	-	GPS13C2009A	0.97	(0.03)	210,642	-	HSI28P2010L	0.52	-	11,935	-
DTAC13C2009A	0.22	(0.02)	7,640	-	GPS13P2007A	-	-	-	-	HSI28P2011L	0.44	(0.01)	73	-
DTAC13P2007A	0.04	-	980	-	GPS16C2007A	0.02	(0.01)	824	-	HSI41C2006A	0.19	(0.03)	499	-
DTAC13P2008A	0.30	-	19,280	-	GPS19C2007A	-	-	-	-	HSI41C2006B	-	-	-	-

## Main Board Quotation

## Issue Date :

Monday June 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
INTU01C2006B	-	-	-	-	KBAN19C2010B	0.56	(0.21)	526,921	-	MINT41C2007A	-	-	-	-
INTU01P2006A	-	-	-	-	KBAN19C2011A	0.17	(0.06)	463,176	-	MINT41C2010A	0.50	(0.11)	23,727	-
INTU01P2006B	-	-	-	-	KBAN19P2007A	1.83	0.51	50	1.00	MTC01C2007B	-	-	-	-
INTU06C2009A	0.73	(0.03)	20,852	-	KBAN19P2010A	1.22	0.21	412,158	1.00	MTC01C2008A	0.20	(0.02)	520	-
INTU13C2006A	-	-	-	-	KBAN19P2010P	0.51	0.10	240,317	-	MTC06C2007A	-	-	-	-
INTU13C2008A	0.53	(0.01)	102,090	-	KBAN24C2009A	0.67	(0.29)	180,649	-	MTC06C2009A	-	-	-	-
INTU16C2007A	-	-	-	-	KBAN28C2008A	0.04	(0.03)	1	-	MTC06C2010A	0.53	(0.05)	76,231	-
INTU16C2009A	0.42	(0.03)	25,000	-	KBAN28C2008B	0.20	(0.20)	45,004	-	MTC08C2009A	-	-	-	-
INTU19C2009A	0.45	(0.01)	104,929	-	KBAN28C2008C	0.45	(0.33)	55,514	-	MTC08C2011A	0.73	(0.07)	42,251	-
INTU19P2007A	-	-	-	-	KBAN28C2010A	0.09	(0.05)	118,062	-	MTC11C2008A	-	-	-	-
INTU19P2010A	0.43	-	7,497	-	KBAN28P2012A	0.60	0.09	104,508	-	MTC13C2007A	0.01	-	560	-
INTU23C2111A	0.83	-	10	-	KBAN41C2007A	0.03	0.01	1	-	MTC13C2009A	0.61	(0.08)	58,766	-
INTU24C2008A	0.39	(0.01)	17,750	-	KBAN41C2008A	-	-	-	-	MTC13C2010A	0.54	(0.05)	97,127	-
INTU28C2008A	0.22	(0.01)	53,590	-	KBAN41C2009A	0.68	(0.22)	227,770	-	MTC16C2007A	-	-	-	-
INTU28C2010A	0.36	(0.02)	11,290	-	KBAN41C2011A	0.16	(0.05)	6,010	-	MTC19C2006A	-	-	-	-
INTU41C2007A	-	-	-	-	KBAN41P2010A	0.78	0.16	8,062	-	MTC19C2009A	1.03	(0.05)	6,648	1.00
IRPC01C2007B	-	-	-	-	KBAN41P2011A	1.56	0.30	41,420	1.00	MTC19C2010A	0.65	(0.06)	52,591	-
IRPC01P2007B	-	-	-	-	KBAN42C2007A	-	-	-	-	MTC24C2009A	0.58	(0.07)	25,451	-
IRPC06C2007A	-	-	-	-	KBAN42P2008A	3.18	0.62	6,971	3.00	MTC27C2007A	-	-	-	-
IRPC06C2010A	0.34	(0.03)	39,653	-	KCE01C2007B	-	-	-	-	MTC28C2008A	-	-	-	-
IRPC06P2010A	0.41	0.01	59,617	-	KCE01C2008A	0.11	-	352	-	MTC28C2011A	0.60	(0.07)	77,748	-
IRPC11C2008A	-	-	-	-	KCE06C2009A	1.07	-	53,315	1.00	MTC28C2012A	0.40	(0.04)	30,412	-
IRPC13C2007A	0.01	(0.14)	200	-	KCE08C2009A	0.89	(0.01)	51,263	-	MTC41C2007A	-	-	-	-
IRPC13C2008A	-	-	-	-	KCE13C2006A	-	-	-	-	MTC41C2010A	0.50	(0.07)	7,100	-
IRPC13C2009A	0.37	(0.03)	104,910	-	KCE13C2009A	0.52	-	195,481	-	MTC42C2010T	0.37	(0.63)	20,600	-
IRPC16C2008A	0.29	(0.04)	3,835	-	KCE16C2007A	0.04	0.01	200	-	ORI19C2010A	0.81	(0.07)	10	-
IRPC19C2007A	-	-	-	-	KCE19C2007A	-	-	-	-	ORI19C2011A	0.28	(0.05)	27,826	-
IRPC19C2008A	-	-	-	-	KCE19C2008A	0.75	(0.03)	103	-	ORI28C2007A	-	-	-	-
IRPC19C2010A	0.29	(0.02)	84,179	-	KCE19C2009A	0.72	0.01	89,105	-	ORI28C2011A	-	-	-	-
IRPC24C2007A	0.24	(0.04)	10,870	-	KCE19C2010A	0.68	0.01	232,663	-	ORI28C2012A	-	-	-	-
IRPC27C2007A	-	-	-	-	KCE24C2010A	0.26	-	6,526	-	ORI28C2012B	0.25	(0.04)	46,350	-
IRPC28C2008A	0.32	(0.02)	200	-	KCE27C2007A	0.01	-	2,501	-	OSP01C2006A	0.21	-	10	-
IRPC28C2012A	0.21	(0.01)	2,078	-	KCE41C2006A	-	-	-	-	OSP01C2006B	0.01	-	100	-
IRPC41C2006A	-	-	-	-	KCE42C2012T	0.41	(0.59)	13,998	-	OSP01P2006A	0.04	(0.05)	15	-
IRPC41C2007A	-	-	-	-	KKP01C2006A	-	-	-	-	OSP06C2008A	0.62	(0.13)	55,332	-
IRPC41C2010A	0.28	(0.02)	5,060	-	KKP01C2006B	-	-	-	-	OSP06P2009A	0.39	0.05	129,221	-
IRPC41P2007A	-	-	-	-	KKP01P2006A	-	-	-	-	OSP08C2009A	0.40	(0.04)	34,409	-
IRPC42C2006A	-	-	-	-	KKP11C2007A	0.01	(0.02)	1	-	OSP13C2006A	-	-	-	-
IVL01C2006B	-	-	-	-	KKP13C2007A	-	-	-	-	OSP13C2010A	0.34	(0.06)	81,243	-
IVL01P2006B	0.04	(0.01)	1,260	-	KKP13C2010A	0.35	(0.09)	152,152	-	OSP16C2008A	-	-	-	-
IVL06C2008A	0.20	(0.02)	96,909	-	KKP19C2010A	0.43	(0.11)	86,803	-	OSP19C2009A	0.34	(0.05)	156,582	-
IVL06C2010A	0.27	(0.03)	211,703	-	KKP19C2011A	0.27	(0.07)	66,697	-	OSP19C2010A	0.23	(0.04)	41,686	-
IVL06P2009A	0.14	0.01	112,515	-	KKP41C2006A	-	-	-	-	OSP24C2008A	0.22	(0.04)	26,731	-
IVL06P2011A	0.63	0.01	40,330	-	KTBO1C2008B	0.04	0.01	3	-	OSP41C2010A	0.31	(0.03)	4,432	-
IVL08C2009A	0.32	(0.02)	17,540	-	KTBO1C2009A	0.10	(0.03)	1,595	-	PLAN13C2007A	-	-	-	-
IVL11C2006A	0.02	(0.04)	2	-	KTBO1P2009A	0.75	0.13	895	-	PLAN13C2010A	0.35	(0.03)	205,081	-
IVL13C2006A	-	-	-	-	KTBO1P2009A	-	-	-	-	PLAN19C2007A	-	-	-	-
IVL13C2008A	0.76	(0.13)	6	-	KTBO1P2009A	-	-	-	-	PLAN19C2010A	-	-	-	-
IVL13C2009A	0.23	(0.02)	217,177	-	KTBO1P2009A	-	-	-	-	PLAN19C2010B	0.36	(0.03)	47,961	-
IVL13P2010A	0.35	0.01	145,243	-	KTBO1P2009A	-	-	-	-	PLAN24C2006A	-	-	-	-
IVL16C2006A	-	-	-	-	KTBO1P2009A	-	-	-	-	PLAN24C2009A	0.35	(0.03)	18,052	-
IVL16C2009A	0.33	(0.02)	13,416	-	KTBO1P2009A	-	-	-	-	PLAN27C2008A	-	-	-	-
IVL19C2006A	-	-	-	-	KTBO1P2009A	-	-	-	-	PLAN28C2010A	0.33	(0.03)	66,292	-
IVL19C2008A	0.83	(0.08)	1,979	-	KTBO1P2009A	-	-	-	-	PLAN28C2012A	-	-	-	-
IVL19C2009A	-	-	-	-	KTBO1P2009A	-	-	-	-	PLAN42C2007A	-	-	-	-
IVL19C2010A	0.31	(0.01)	186,647	-	KTBO1P2009A	-	-	-	-	PRM13C2006A	0.07	(0.08)	5,844	-
IVL19P2006A	-	-	-	-	KTBO1P2009A	-	-	-	-	PRM13C2010A	0.43	(0.57)	85,834	-
IVL19P2010A	0.31	0.01	35,345	-	KTBO1P2009A	-	-	-	-	PRM19C2006A	-	-	-	-
IVL24C2008A	0.97	0.01	1,080	-	KTBO1P2009A	-	-	-	-	PRM19C2010A	0.65	(0.01)	96,213	-
IVL27P2007A	0.16	0.01	2,260	-	KTBO1P2009A	-	-	-	-	PRM42C2006A	0.29	(0.20)	2	-
IVL28C2007A	-	-	-	-	KTBO1P2009A	-	-	-	-	PSL06C2006A	0.02	-	7,072	-
IVL28C2011A	0.28	(0.01)	24,489	-	KTBO1P2009A	-	-	-	-	PSL19C2006A	-	-	-	-
IVL28C2012A	0.18	(0.02)	10,227	-	KTBO1P2009A	-	-	-	-	PSL19C2007A	1.03	(0.40)	17,852	1.00
IVL41C2007A	0.01	(0.04)	3,001	-	KTBO1P2009A	-	-	-	-	PTG01C2007B	-	-	-	-
IVL41C2007B	-	-	-	-	KTBO1P2009A	-	-	-	-	PTG06C2010A	0.54	0.06	100,310	-
IVL41C2009A	0.26	(0.01)	90	-	KTBO1P2009A	-	-	-	-	PTG08C2007A	0.23	(0.02)	1	-
IVL41C2010A	0.21	(0.02)	10,501	-	KTBO1P2009A	-	-	-	-	PTG13C2010A	0.41	0.05	247,476	-
IVL41P2007A	-	-	-	-	KTBO1P2009A	-	-	-	-	PTG16C2009A	0.49	0.05	45,475	-
IVL41P2010A	0.45	-	13,698	-	KTBO1P2009A	-	-	-	-	PTG19C2006A	-	-	-	-
IVL42C2008A	-	-	-	-	KTBO1P2009A	-	-	-	-	PTG19C2008A	-	-	-	-
IVL42C2101T	0.19	(0.81)	4,080	-	KTBO1P2009A	-	-	-	-	PTG19C2010A	0.47	0.05	350,719	-
JAS13C2006A	0.03	0.02	731	-	KTBO1P2009A	-	-	-	-	PTG19P2006A	-	-	-	-
JAS13C2009A	0.19	(0.01)	48,006	-	KTBO1P2009A	-	-	-	-	PTG19P2010A	0.36	(0.04)	47,012	-
JAS19C2009A	0.74	(0.01)	6,102	-	KTBO1P2009A	-	-	-	-	PTG27C2007A	0.28	0.03	12,256	-
JAS19C2010A	0.33	(0.02)	3,559	-	KTBO1P2009A	-	-	-	-	PTG42C2006A	-	-	-	-
JAS19C2010B	0.48	(0.52)	7,824	-	LH11C2007A	-	-	-	-	PTT01C2007A	0.09	(0.01)	9,995	-
JAS19P2010A	0.45	0.01	70	-	LH13C2010A	0.38	(0.05)	61,041	-	PTT01C2007B	0.02	0.01	17,317	-
JAS28C2011A	0.33	(0.03)	28,597	-	LH19C2007A	-	-	-	-	PTT01P2007A	0.88	(0.01)	1,210	-
JAS28C2012A	0.22	-	2,000	-	LH19C2010A	0.43	(0.04)	36,423	-	PTT01P2007B	0.15	(0.04)	4,384	-
JAS41C2009A	-	-	-	-	LH19C2011A	0.28	(0.03)	4,950	-	PTT06C2008A	0.91	(0.01)	10,742	-
JMT19C2006A	0.10	0.09	1,487	-	LH41C2006A	-	-	-	-	PTT08C2008A	0.42	0.01	25,750	-
JMT19C2010A	0.75	0.11	334,291	-	LH41C2006A	-	-	-	-	PTT08P2009A	0.42	(0.01)	15,789	-
JMT42C2006A	-	-	-	-	MAJ013C2007A	0.03	(0.01)	251	-	PTT11C2008A	0.03	(0.01)	7,458	-
KBAN01C2007A	0.06	(0.01)	46,437	-	MAJ019C2006A	0.49	(0.04)	36,187	-	PTT13C2006A	-	-	-	-
KBAN01C2007B	0.02	-	315	-	MEGA16C2009A	0.58	0.02	90	-	PTT13C2008A	0.09	0.01	356	-
KBAN01P2007A	2.24	0.34	306	2.00	MINT01C2007B	0.05	(0.01)	11,180	-	PTT13C2008B	-	-	-	-
KBAN01P2007B	1.78	0.50	379	1.00	MINT01C2008A	0.01	0.01	71,124	-	PTT13C2009A	-	-	-	-
KBAN06C2008A	0.09	-	276	-	MINT01P2008A	1.07	0.16	10,590	1.00	PTT13C2010A	0.40	-	9,714	-
KBAN06C2009A	0.43	(0.24)	336,414	-	MINT06C2006A	-	-	-	-	PTT13C2010A	0.32	0.01	179,076	-
KBAN06C2011A	0.16	(0.09)	283,731	-	MINT06P2007A	-	-	-	-	PTT13P2008A	0.03	-	88	-
KBAN06P2011A	1.20	0.23	303,842	1.00	MINT08C2010A	0.61	(0.12)	172,411	-	PTT13P2009A	0.15	(0.01)	4,930	-
KBAN08C2007A	0.03													

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Monday June 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT28C2011A	0.35	(0.01)	9,247	-	QH11C2006A	-	-	-	-	S5016P2103Z	3.36	(0.02)	2	3.00
PTT28C2012A	0.24	-	40	-	QH19C2006A	-	-	-	-	S5019C2006A	-	-	-	-
PTT41C2006A	-	-	-	-	QH27C2007A	-	-	-	-	S5019C2006B	0.03	0.01	243	-
PTT41C2007A	0.53	(0.11)	1	-	RATC01C2006A	-	-	-	-	S5019C2006C	-	-	-	-
PTT41C2009A	0.32	0.01	8,938	-	RATC01C2006B	0.01	-	95	-	S5019C2006D	0.05	(0.04)	2,655	-
PTT41C2010A	-	-	-	-	RATC01P2006A	-	-	-	-	S5019C2006E	-	-	-	-
PTT41P2006A	-	-	-	-	RATC06C2009A	0.56	-	61,406	-	S5019C2006F	0.89	(0.26)	6,028	-
PTT41P2010A	-	-	-	-	RATC06P2010A	0.82	(0.01)	31,143	-	S5019C2006G	-	-	-	-
PTT41P2011A	-	-	-	-	RATC13C2007A	0.13	(0.02)	40,895	-	S5019C2007B	0.06	(0.04)	12,444	-
PTT42C2007A	-	-	-	-	RATC13C2010A	0.47	-	93,399	-	S5019C2009A	3.16	(0.18)	15,957	3.00
PTT42C2010M	0.40	-	1,790	-	RATC16C2008A	0.04	(0.07)	532	-	S5019C2009B	1.07	(0.13)	124,233	1.00
PTT42C2012T	-	-	-	-	RATC19C2007A	0.43	(0.01)	17,096	-	S5019C2009C	0.33	(0.07)	315,472	-
PTTE01C2007A	0.06	-	12,128	-	RATC19C2011A	0.56	-	49,471	-	S5019C2009D	0.56	(0.44)	412,967	-
PTTE01C2007B	0.02	-	133,602	-	RATC19P2011A	0.75	(0.02)	35,264	-	S5019P2006A	-	-	-	-
PTTE01P2007A	1.47	(0.07)	88	1.00	RATC24C2006A	-	-	-	-	S5019P2006B	0.67	(0.01)	3	-
PTTE01P2007B	0.33	(0.10)	500	-	RATC27C2007A	-	-	-	-	S5019P2006C	0.16	0.02	244	-
PTTE06C2006A	-	-	-	-	RATC41C2006A	-	-	-	-	S5019P2006D	-	-	-	-
PTTE06C2008A	2.86	-	56,763	2.00	RATC41C2010A	0.54	-	19,254	-	S5019P2006E	0.02	0.01	50	-
PTTE06C2011A	0.89	-	214,811	-	RATC42C2006A	-	-	-	-	S5019P2006F	0.01	-	3,427	-
PTTE06P2006A	-	-	-	-	RS06C2010A	0.61	0.02	29,031	-	S5019P2006G	0.01	(0.01)	1	-
PTTE06P2009A	0.20	(0.01)	74,385	-	RS08P2006A	-	-	-	-	S5019P2007B	0.02	-	22,225	-
PTTE06P2011A	1.08	(0.02)	154,545	1.00	RS13C2006A	0.33	(0.02)	12	-	S5019P2009A	0.39	0.03	71,515	-
PTTE08C2008A	-	-	-	-	RS13C2010A	0.51	0.02	234,938	-	S5019P2009B	0.17	0.03	103,603	-
PTTE08C2011A	1.16	-	92,948	1.00	RS19C2007A	0.41	0.01	7,478	-	S5019P2009C	0.80	0.06	378,266	-
PTTE08P2006A	-	-	-	-	RS19C2010A	-	-	-	-	S5019P2009D	1.27	0.08	459,755	1.00
PTTE11C2006A	-	-	-	-	RS19C2011A	0.55	0.02	52,870	-	S5024C2006A	-	-	-	-
PTTE11C2011A	1.02	-	67,044	1.00	RS24C2008A	0.26	(0.01)	11,432	-	S5024C2006B	-	-	-	-
PTTE13C2008A	0.07	-	18,491	-	RS42C2008A	0.65	0.02	9,922	-	S5024C2006C	-	-	-	-
PTTE13C2008B	-	-	-	-	S10001C2011A	0.10	(0.01)	575	-	S5024C2006D	-	-	-	-
PTTE13C2009A	1.55	(0.01)	59	1.00	S5001C2006F	0.01	-	184,720	-	S5024C2006E	-	-	-	-
PTTE13C2010A	0.99	(0.01)	415,985	1.00	S5001C2006G	0.02	-	5,055	-	S5024C2009A	0.04	(0.01)	41,011	-
PTTE13C2010B	0.39	(0.01)	170,202	-	S5001C2006H	0.05	(0.07)	25,830	-	S5024C2009B	1.24	(0.20)	149,961	1.00
PTTE13P2008A	0.07	-	853	-	S5001C2007A	0.50	(0.08)	13,428	-	S5024C2009C	0.48	(0.13)	11,064	-
PTTE13P2009A	0.18	(0.02)	20,284	-	S5001P2006F	2.58	0.58	984	2.00	S5024C2009D	0.39	(0.07)	1,663	-
PTTE13P2010A	1.17	(0.03)	180,556	1.00	S5001P2006G	0.83	0.32	594	-	S5024C2009E	0.91	(0.18)	23,161	-
PTTE16C2009A	0.04	-	4909	-	S5001P2006H	0.06	0.01	2,927	-	S5024C2012A	0.15	(0.01)	7,574	-
PTTE19C2006A	-	-	-	-	S5001P2007A	0.65	0.03	9,411	-	S5024P2006A	-	-	-	-
PTTE19C2008A	0.12	0.01	1,159	-	S5006C2006A	0.01	(0.01)	100,000	-	S5024P2006B	-	-	-	-
PTTE19C2008B	-	-	-	-	S5006C2006B	0.01	-	700	-	S5024P2006C	-	-	-	-
PTTE19C2009A	-	-	-	-	S5006C2006C	0.84	(0.10)	24,983	-	S5024P2006D	-	-	-	-
PTTE19C2009B	1.63	0.04	106	1.00	S5006C2006D	0.83	(0.14)	31,327	-	S5024P2006E	-	-	-	-
PTTE19C2010A	0.74	(0.01)	344,900	-	S5006C2006E	0.02	(0.04)	1,352	-	S5024P2006F	-	-	-	-
PTTE19C2010B	1.19	(0.01)	284,518	1.00	S5006C2006F	1.61	(0.24)	84,726	1.00	S5024P2009A	0.76	0.03	5,502	-
PTTE19C2011A	0.48	-	45,324	-	S5006C2009A	0.92	(0.15)	306,132	-	S5024P2009B	1.36	0.07	84,688	1.00
PTTE19P2006A	0.92	(0.45)	3	-	S5006C2009B	1.34	(0.19)	226,000	1.00	S5024P2009C	1.19	0.07	44,792	1.00
PTTE19P2009A	0.13	-	41,511	-	S5006P2006A	1.65	-	3	1.00	S5024P2012A	0.22	0.01	11,655	-
PTTE19P2009B	0.32	(0.01)	125,674	-	S5006P2006B	0.03	-	360	-	S5028C2006A	-	-	-	-
PTTE19P2010A	0.77	(0.02)	117,146	-	S5006P2006C	0.01	-	2,192	-	S5028C2006B	-	-	-	-
PTTE24C2008A	-	-	-	-	S5006P2006D	0.06	-	10	-	S5028C2006C	0.96	(0.29)	27	1.00
PTTE24C2011A	0.76	(0.01)	60,970	-	S5006P2006E	0.02	-	10,005	-	S5028C2006D	-	-	-	-
PTTE28C2008A	0.15	(0.02)	102,245	-	S5006P2006F	0.05	(0.01)	263	-	S5028C2007A	0.35	(0.15)	296,950	-
PTTE28C2011A	1.15	(0.01)	53,734	1.00	S5006P2009A	1.21	0.09	365,243	1.00	S5028C2009A	1.02	(0.12)	294,557	1.00
PTTE28C2011B	0.39	(0.01)	58,640	-	S5006P2009B	0.36	0.04	180,387	-	S5028C2009B	0.57	(0.08)	930,144	-
PTTE28C2012A	0.81	-	82,421	-	S5008C2006A	-	-	-	-	S5028C2012A	0.41	(0.06)	299,640	-
PTTE41C2006A	-	-	-	-	S5008C2006B	0.38	(0.13)	30	-	S5028P2006A	1.01	0.10	1,067	-
PTTE41C2007A	1.23	0.04	5,580	1.00	S5008C2006C	-	-	-	-	S5028P2006B	0.32	0.10	5,591	-
PTTE41C2008A	0.77	(0.01)	136,027	-	S5008C2006D	0.05	(0.05)	18	-	S5028P2006C	0.03	(0.02)	9,397	-
PTTE41C2009A	-	-	-	-	S5008C2009A	0.47	(0.10)	254,651	-	S5028P2007A	0.21	(0.04)	6,223	-
PTTE41C2010A	-	-	-	-	S5008P2006A	0.01	-	1	-	S5028P2009A	1.04	0.02	128,056	1.00
PTTE41P2009A	-	-	-	-	S5008P2006B	-	-	-	-	S5028P2009B	0.68	0.02	226,685	-
PTTE41P2010A	0.77	-	80,841	-	S5008P2006C	-	-	-	-	S5028P2012A	1.19	0.06	733,308	1.00
PTTE42C2101T	0.72	(0.28)	12,300	-	S5008P2009A	0.51	0.02	11,936	-	S5041C2006A	0.01	(0.04)	3,962	-
PTTE42P2008A	-	-	-	-	S5008P2009B	1.03	0.07	519,493	1.00	S5041C2006B	0.01	(0.04)	2,010	-
PTTG01C2007B	-	-	-	-	S5013C2006A	-	-	-	-	S5041C2006C	1.03	(0.34)	4,000	1.00
PTTG01C2008A	0.24	0.01	1,058	-	S5013C2006B	-	-	-	-	S5041C2006D	-	-	-	-
PTTG01P2007B	-	-	-	-	S5013C2006C	0.01	(0.02)	9,061	-	S5041C2006E	1.54	(0.09)	1	1.00
PTTG01P2008A	-	-	-	-	S5013C2006D	-	-	-	-	S5041C2006F	-	-	-	-
PTTG06C2006A	-	-	-	-	S5013C2006E	0.23	-	1,652	-	S5041C2006G	-	-	-	-
PTTG08C2008A	0.71	0.01	21,473	-	S5013C2006F	0.14	(0.14)	21,860	-	S5041C2009A	1.06	(0.17)	142,467	1.00
PTTG08P2010A	0.36	(0.01)	27,300	-	S5013C2006G	0.04	(0.04)	253	-	S5041C2009B	0.62	(0.10)	2,528,615	-
PTTG11C2007A	-	-	-	-	S5013C2006H	0.04	(0.05)	3,351	-	S5041C2009C	0.44	(0.08)	546,687	-
PTTG13C2007A	-	-	-	-	S5013C2006I	0.02	(0.03)	1,352	-	S5041C2009D	0.28	(0.07)	24,640	-
PTTG13C2008A	-	-	-	-	S5013C2009A	0.95	(0.13)	2,160,250	-	S5041P2006A	1.88	0.02	1,980	1.00
PTTG13C2009A	-	-	-	-	S5013C2009B	0.58	(0.13)	4,771,446	-	S5041P2006B	0.65	0.09	2,129	-
PTTG13C2010A	0.46	0.01	226,606	-	S5013C2009C	0.31	(0.07)	4,370,051	-	S5041P2006C	0.21	(0.03)	1	-
PTTG13P2008A	-	-	-	-	S5013P2006A	1.80	0.30	205	1.00	S5041P2006D	-	-	-	-
PTTG13P2010A	0.46	(0.02)	101,747	-	S5013P2006B	0.97	0.27	289	-	S5041P2006E	0.01	(0.03)	104,066	-
PTTG16C2006A	-	-	-	-	S5013P2006C	0.17	(0.05)	583	-	S5041P2006F	0.01	(0.01)	5	-
PTTG19C2006A	-	-	-	-	S5013P2006D	0.04	0.01	52,572	-	S5041P2006G	-	-	-	-
PTTG19C2006B	-	-	-	-	S5013P2006E	0.01	-	52,298	-	S5041P2009A	0.77	0.05	78,138	-
PTTG19C2008A	-	-	-	-	S5013P2006F	0.01	-	218	-	S5041P2009B	0.88	0.06	2,136,420	-
PTTG19C2008B	-	-	-	-	S5013P2006G	-	-	-	-	S5041P2009C	1.16	0.08	348,201	1.00
PTTG19C2009A	0.62	0.02	24,269	-	S5013P2006H	-	-	-	-	S5041P2009D	0.98	0.07	28,167	-
PTTG19C2011A	0.52	0.01	170,161	-	S5013P2006I	0.01	-	1	-	SAWA01C2006A	0.02	(0.05)	10	-
PTTG19P2006A	-	-	-	-	S5013P2006J	-	-	-	-	SAWA01C2006B	0.02	0.01	9,431	-
PTTG19P2009A	0.17	(0.01)	10,427	-	S5013P2006K	0.29	0.02	36,450	-	SAWA01P2006A	0.80	0.35	855	-
PTTG19P2011A	0.52	(0.01)	198,572	-	S5013P2009A	0.54	0.04	364,770	-	SAWA06C2007A	0.04	(0.01)	41	-
PTTG24C2008A	0.54	-	24,650	-	S5013P2009B	0.46	0.02	62						

## Main Board Quotation

Issue Date :

Monday June 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAWA41C2010A	0.49	(0.13)	34,689	-	STA19C2007A	-	-	-	-	TOP01C2006A	0.01	(0.01)	25,899	-
SAWA42C2101T	0.30	(0.06)	36,704	-	STA19C2009A	2.96	0.14	250	2.00	TOP01C2006B	0.01	(0.01)	7,523	-
SCB01C2007A	0.05	(0.02)	13,412	-	STA19C2010A	-	-	-	-	TOP01C2008B	0.22	0.03	36	-
SCB01C2007B	-	-	-	-	STA19C2010B	1.71	0.28	8	1.00	TOP01C2009A	0.52	-	38	-
SCB01C2008B	0.07	(0.04)	5,162	-	STA19C2010C	0.36	(0.64)	33,395	-	TOP01P2006A	-	-	-	-
SCB01C2009A	0.33	(0.16)	34,804	-	STA19C2011A	1.25	0.10	33,712	1.00	TOP01P2009A	0.28	0.06	41	-
SCB01P2007A	1.20	0.32	1,546	1.00	STA19C2011B	0.39	0.03	947,140	-	TOP06C2007A	-	-	-	-
SCB01P2007B	0.78	0.31	2,216	-	STA19P2009A	0.39	(0.61)	89,579	-	TOP06C2008A	1.24	(0.07)	81,178	1.00
SCB06C2007A	0.01	(0.01)	1,315	-	STA28C2011A	-	-	-	-	TOP06C2011A	0.49	(0.04)	107,152	-
SCB06C2010A	0.71	(0.30)	97,222	-	STA28C2011B	0.37	0.03	84,052	-	TOP06P2010A	0.36	0.02	81,614	-
SCB08C2007A	-	-	-	-	STA28C2012A	1.53	-	19	1.00	TOP08C2007A	-	-	-	-
SCB08C2009A	0.61	(0.21)	50,109	-	STA41C2010A	0.33	0.01	164,359	-	TOP08C2010A	0.58	(0.04)	64,100	-
SCB11C2006A	0.01	(0.03)	4,001	-	STA42C2007A	-	-	-	-	TOP08P2007A	-	-	-	-
SCB11C2008A	0.02	(0.12)	218	-	STA42C2101T	0.26	(0.74)	24,320	-	TOP11C2007A	-	-	-	-
SCB13C2006A	-	-	-	-	STEC01C2006A	0.25	(0.07)	2,321	-	TOP11C2011A	0.69	(0.04)	78,568	-
SCB13C2006B	-	-	-	-	STEC01C2006B	0.01	-	3,000	-	TOP13C2008A	-	-	-	-
SCB13C2007A	-	-	-	-	STEC01P2006A	-	-	-	-	TOP13C2008B	-	-	-	-
SCB13C2008A	-	-	-	-	STEC06C2010A	0.52	(0.05)	66,541	-	TOP13C2010A	0.52	(0.03)	125,932	-
SCB13C2009A	0.57	(0.22)	976,738	-	STEC11C2007A	-	-	-	-	TOP13P2010A	0.52	0.01	75,191	-
SCB13C2010A	0.34	(0.14)	446,945	-	STEC13C2010A	0.37	(0.04)	233,118	-	TOP16C2008A	-	-	-	-
SCB13P2006A	-	-	-	-	STEC16C2006A	-	-	-	-	TOP19C2006A	-	-	-	-
SCB13P2008A	0.24	0.07	11,292	-	STEC16C2009A	-	-	-	-	TOP19C2007A	0.02	(0.04)	1	-
SCB13P2010A	1.48	0.23	792,580	1.00	STEC19C2009A	0.50	(0.05)	39,732	-	TOP19C2008A	0.37	(0.03)	163,328	-
SCB16C2008A	-	-	-	-	STEC19C2011A	0.35	(0.02)	54,640	-	TOP19C2010A	0.56	(0.02)	104,506	-
SCB19C2006A	-	-	-	-	STEC24C2006A	-	-	-	-	TOP19P2006A	-	-	-	-
SCB19C2007A	-	-	-	-	STEC28C2011A	0.38	(0.06)	55,639	-	TOP19P2010A	0.49	0.01	169,296	-
SCB19C2008A	0.70	(0.52)	164	-	STEC28C2012A	0.37	(0.03)	35,661	-	TOP24C2007A	-	-	-	-
SCB19C2010A	0.38	(0.14)	114,935	-	STEC41C2009A	0.29	(0.03)	6,420	-	TOP24C2008A	0.36	(0.05)	38,676	-
SCB19C2010B	0.71	(0.25)	229,795	-	SUPE19C2007A	0.86	0.01	151	-	TOP41C2007A	-	-	-	-
SCB19P2010A	0.53	0.09	87,941	-	SUPE19C2010A	0.51	(0.02)	5,299	-	TOP41C2008A	0.29	(0.04)	1,000	-
SCB19P2011A	1.68	0.24	152,392	1.00	SUPE19C2011A	0.30	-	494,117	-	TOP41C2010A	-	-	-	-
SCB24C2008A	0.33	(0.18)	34,890	-	SUPE42C2101T	0.20	(0.80)	55,446	-	TOP41P2006A	-	-	-	-
SCB27C2007A	0.01	(0.10)	154	-	TASC01C2007B	-	-	-	-	TOP41P2010A	0.36	0.01	5,967	-
SCB27P2006A	1.50	0.52	1,007	1.00	TASC01C2008A	0.70	(0.09)	12,620	-	TOP41P2011A	-	-	-	-
SCB28C2008A	-	-	-	-	TASC01P2008A	0.19	0.01	3,760	-	TOP42C2007A	-	-	-	-
SCB28C2010A	0.46	(0.17)	89,489	-	TASC06C2009A	0.83	(0.13)	87,152	-	TOP42C2011T	0.34	(0.02)	14,060	-
SCB41C2006A	-	-	-	-	TASC08C2006A	0.21	(0.14)	508	-	TQM13C2011A	0.70	(0.30)	129,506	-
SCB41C2006B	-	-	-	-	TASC13C2006A	-	-	-	-	TQM19C2010A	2.98	0.12	26,238	3.00
SCB41C2008A	0.36	(0.39)	1,830	-	TASC13C2009A	0.57	(0.08)	394,733	-	TQM19C2011A	0.94	0.05	172,216	-
SCB41C2011A	0.28	(0.12)	135,362	-	TASC16C2008A	-	-	-	-	TQM42C2101T	0.60	(0.40)	13,997	-
SCB42C2006A	-	-	-	-	TASC19C2006A	-	-	-	-	TRUE01C2007A	-	-	-	-
SCB42C2007A	-	-	-	-	TASC19C2007A	-	-	-	-	TRUE01C2007B	0.03	(0.01)	891	-
SCB42C2101T	0.32	(0.68)	61,130	-	TASC19C2009A	0.76	(0.10)	1,102	-	TRUE01P2007B	0.07	(0.01)	181	-
SCC06C2007A	-	-	-	-	TASC19C2011A	0.63	(0.07)	134,783	-	TRUE06C2007A	-	-	-	-
SCC08P2006A	-	-	-	-	TASC19P2010A	0.72	0.05	445,962	-	TRUE06C2009A	0.43	(0.05)	17,275	-
SCC11C2006A	-	-	-	-	TASC24C2006A	-	-	-	-	TRUE06P2011A	0.68	0.04	43,347	-
SCC11C2007A	-	-	-	-	TASC24C2011A	0.51	(0.07)	24,465	-	TRUE08C2007A	-	-	-	-
SCC11C2011A	0.80	(0.03)	46,064	-	TASC28C2010A	-	-	-	-	TRUE08P2010A	0.40	0.01	13,016	-
SCC13C2008A	-	-	-	-	TASC28C2012A	0.45	(0.06)	69,587	-	TRUE13C2006A	-	-	-	-
SCC13C2009A	0.74	(0.03)	81,463	-	TASC28C2012B	0.15	(0.03)	35,993	-	TRUE13C2007A	-	-	-	-
SCC13P2009A	0.76	0.01	40	-	TASC41C2009A	-	-	-	-	TRUE13C2009A	0.32	(0.04)	66,022	-
SCC19C2006A	-	-	-	-	TASC41C2010A	0.47	(0.08)	8,132	-	TRUE19C2006A	-	-	-	-
SCC19C2008A	-	-	-	-	TASC42C2101T	0.34	(0.66)	17,540	-	TRUE19C2007A	-	-	-	-
SCC19C2010A	0.67	(0.02)	7,510	-	TCAP01C2007B	-	-	-	-	TRUE19C2009A	0.40	(0.04)	14,868	-
SCC19P2010A	0.29	-	11,952	-	TCAP01C2008A	0.06	(0.03)	939	-	TRUE19C2011A	0.32	(0.03)	8,150	-
SCC24C2006A	-	-	-	-	TCAP01P2008A	1.36	0.44	74	1.00	TRUE19P2011A	0.47	0.01	71,464	-
SCC27P2008A	0.08	0.03	143	-	TCAP13C2007A	-	-	-	-	TRUE28C2011A	0.29	(0.04)	18,372	-
SCC28C2008A	-	-	-	-	TCAP13C2010A	0.34	(0.07)	204,782	-	TRUE28C2012A	0.25	(0.02)	14,318	-
SCC28C2010A	0.62	(0.04)	62,108	-	TCAP19C2010A	0.37	(0.06)	101,049	-	TRUE41C2007A	0.10	(0.02)	56,068	-
SCC41C2006A	-	-	-	-	TCAP42C2101T	0.18	(0.82)	10,196	-	TRUE41C2010A	-	-	-	-
SCC41C2006B	-	-	-	-	THAI27C2008A	0.20	(0.13)	222	-	TRUE42C2007A	0.74	(0.12)	2,653	-
SCC41C2010A	0.71	(0.04)	10,200	-	THAN01C2006A	0.01	-	10	-	TTW27C2009A	0.18	(0.01)	1,149	-
SCC42C2008A	-	-	-	-	THAN01C2006B	-	-	-	-	TU06C2009A	0.19	(0.02)	25,069	-
SGP13C2007A	0.13	(0.03)	194,972	-	THAN01P2006A	-	-	-	-	TU06P2007A	0.31	(0.14)	1	-
SGP19C2006A	-	-	-	-	THAN06C2010A	0.51	(0.10)	61,051	-	TU06P2010A	0.39	-	10,007	-
SGP19C2006B	0.10	(0.02)	34,982	-	THAN13C2007A	-	-	-	-	TU08C2008A	0.08	(0.01)	6,605	-
SGP19C2011A	0.44	(0.01)	279,833	-	THAN19C2007A	-	-	-	-	TU08C2011A	0.24	(0.01)	9,030	-
SGP42C2007A	-	-	-	-	THAN19C2010A	0.44	(0.08)	81,324	-	TU11C2008A	-	-	-	-
SIR113C2007A	0.04	(0.01)	4	-	TISCO1C2006A	0.01	(0.02)	30	-	TU13C2010A	0.24	(0.01)	11,350	-
SIR19C2007A	0.02	(0.01)	3,580	-	TISCO1C2006B	-	-	-	-	TU19C2007A	-	-	-	-
SPAL06C2010A	0.56	(0.06)	18,523	-	TISCO1P2006A	1.12	0.27	481	1.00	TU19C2009A	0.06	(0.01)	16,784	-
SPAL06P2009A	0.24	0.02	163,985	-	TISCI1C2007A	0.04	(0.05)	191	-	TU19C2010A	0.20	(0.01)	15,224	-
SPAL11C2006A	-	-	-	-	TISCI13C2010A	0.52	(0.15)	147,549	-	TU24C2006A	-	-	-	-
SPAL13C2006A	-	-	-	-	TISCI19C2006A	-	-	-	-	TU27C2006A	0.05	(0.02)	11	-
SPAL13C2010A	0.36	(0.03)	16,981	-	TISCI19C2010A	0.40	(0.13)	143,590	-	TU28C2011A	0.19	(0.02)	12,168	-
SPAL19C2011A	0.48	(0.05)	11,927	-	TISCI41C2006A	-	-	-	-	TU28C2012A	0.12	-	13,698	-
SPAL27C2008A	-	-	-	-	TISCI41C2010A	0.38	(0.12)	15,994	-	TU41C2009A	-	-	-	-
SPRC01C2007A	0.04	(0.01)	20	-	TISCI41P2006A	-	-	-	-	TU41C2010A	0.20	(0.01)	280	-
SPRC06C2007A	0.01	-	685	-	TKN01C2007B	-	-	-	-	TU42C2007A	-	-	-	-
SPRC06C2010A	0.49	(0.06)	59,673	-	TKN01C2008A	-	-	-	-	TV013C2007A	-	-	-	-
SPRC06P2007A	-	-	-	-	TKN08C2007A	0.31	(0.13)	32	-	TV019C2007A	0.02	-	20,201	-
SPRC06P2011A	0.55	0.04	84,102	-	TKN13C2006A	-	-	-	-	VGI06C2007A	-	-	-	-
SPRC08C2006A	-	-	-	-	TKN13C2010A	0.81	(0.05)	75	-	VGI06C2010A	0.34	(0.05)	42,438	-
SPRC11C2008A	-	-	-	-	TKN13C2010B	0.25	(0.03)	131,857	-	VGI08C2006A	0.01	(0.01)	500	-
SPRC13C2008A	-	-	-	-	TKN16C2008A	0.16	0.02	10	-	VGI11C2008A	-	-	-	-
SPRC13C2010A	0.32	(0.04)	165,948	-	TKN19C2007A	-	-	-	-	VGI13C2006A	-	-	-	-
SPRC19C2007A	0.07	(0.14)	2	-	TKN19C2010A	0.98	(0.08)	41	-	VGI13C2010A	0.26	(0.03)	88,571	-
SPRC19C2010A	0.40	(0.04)	16,202	-	TKN19C2011A	0.70	(0.03)	41,437	-	VGI19C2006A	-	-	-	-
SPRC19P2011A	0.51	0.01	76,770	-	TKN19C2011B	0.28	(0.01)	21,210	-	VGI19C2010A	0.42	(0.03)	19,549	-
SPRC28C2008A	-	-	-	-	TKN28C2007A	-	-	-	-	VGI41C2006A	-	-	-	-
SPRC28C2011A	0.32	(0.04)	33,582	-	TKN28C2012A	-	-	-	-					



## Main Board Quotation

Issue Date :

Monday June 22, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA16C2008A	0.26	0.14	1	-	FVC-W2	-	-	-	-	-	-	-	-	-
WHA19C2006A	-	-	-	-	HPT-W1	0.38	(0.02)	230,204	-	-	-	-	-	-
WHA19C2010A	0.72	(0.07)	51,672	-	HYDRO-W1	0.02	-	112	-	-	-	-	-	-
WHA19C2011A	0.51	(0.08)	227,627	-	ITEL-W1	0.38	(0.01)	102,812	-	-	-	-	-	-
WHA24C2007A	0.31	(0.09)	75,330	-	LIT-W1	0.64	(0.03)	4,467	-	-	-	-	-	-
WHA27C2008A	0.35	(0.07)	3,024	-	META-W4	0.10	0.01	303,922	-	-	-	-	-	-
WHA28C2011A	0.52	(0.05)	101,207	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA28C2012A	-	-	-	-	OCEAN-W3	0.34	-	23,848	-	-	-	-	-	-
WHA41C2006A	-	-	-	-	PROUD-W2	-	-	-	-	-	-	-	-	-
WHA41C2007A	-	-	-	-	RWI-W2	0.18	(0.01)	178,666	-	-	-	-	-	-
WHA42C2006A	-	-	-	-	SANKO-W1	0.14	-	20	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	SIMAT-W3	0.47	(0.04)	24,383	-	-	-	-	-	-
BH-Q	-	-	-	-	SIMAT-W4	2.00	(0.04)	255	2.00	-	-	-	-	-
CSC-Q	-	-	-	-	SMART-W2	0.22	-	7,151	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	SWC-W1	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	TAKUNI-W	0.05	-	4,840	-	-	-	-	-	-
SCB-Q	-	-	-	-	TAPAC-W4	0.39	(0.06)	192,727	-	-	-	-	-	-
TCAP-Q	-	-	-	-	TVD-W2	0.29	(0.01)	152,861	-	-	-	-	-	-
TISCO-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.12	-	69,076	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.06	(0.01)	116,102	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	0.73	(0.05)	72,740	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	0.01	-	666	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.20	(0.03)	129,391	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.04	-	1,022	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.04	(0.01)	554	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.11	-	2,944	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	1.22	0.02	431,433	1.00	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.06	-	150,856	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.04	0.01	485,757	-	-	-	-	-	-	-	-	-	-	-
CRANE-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.58	0.01	231,870	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.17	-	176,174	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.04	(0.01)	34,919	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.36	(0.02)	19,747	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.24	(0.01)	144,257	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.68	(0.03)	55,890	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.39	(0.07)	65,685	-	-	-	-	-	-	-	-	-	-	-
JAS-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JCK-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JMT-W2	4.06	0.30	70,949	4.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.11	(0.01)	322,754	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.05	-	41	-	-	-	-	-	-	-	-	-	-	-
MILL-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	1.38	(0.08)	26,999	1.00	-	-	-	-	-	-	-	-	-	-
NER-W1	1.18	(0.06)	718,873	1.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	2.34	(0.08)	57,344	2.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.70	(0.03)	234	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.15	-	44,158	-	-	-	-	-	-	-	-	-	-	-
ORI-W1	0.23	(0.03)	173,608	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	0.01	-	9,814	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.55	(0.02)	14,142	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.30	(0.02)	807	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.17	0.01	84,873	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.67	(0.03)	20,064	-	-	-	-	-	-	-	-	-	-	-
PPPM-W4	0.16	-	23,436	-	-	-	-	-	-	-	-	-	-	-
PRIME-W1	0.03	-	4,447	-	-	-	-	-	-	-	-	-	-	-
PRIME-W2	0.03	-	8,107	-	-	-	-	-	-	-	-	-	-	-
RICHY-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAMART-W2	0.46	0.01	96,615	-	-	-	-	-	-	-	-	-	-	-
SDC-W1	0.08	-	400	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	6.05	0.70	26,590	5.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	3.26	0.08	35,297	3.00	-	-	-	-	-	-	-	-	-	-
SST-W2	1.03	(0.02)	28,728	1.00	-	-	-	-	-	-	-	-	-	-
SUPER-W4	0.01	-	2,324	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.07	-	11	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	0.04	(0.01)	1,002	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	0.14	(0.01)	3,404	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	0.01	-	156,745	-	-	-	-	-	-	-	-	-	-	-
TNITY-W1	0.28	(0.01)	24,553	-	-	-	-	-	-	-	-	-	-	-
TRITN-W3	0.11	(0.01)	63,961	-	-	-	-	-	-	-	-	-	-	-
TTCL-W1	0.44	(0.04)	22,221	-	-	-	-	-	-	-	-	-	-	-
U-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UAC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VGI-W2	0.82	(0.04)	196,301	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.15	-	22,367	-	-	-	-	-	-	-	-	-	-	-
W-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W-W3	0.03	0.01	201	-	-	-	-	-	-	-	-	-	-	-
WIIC-W2	0.28	-	191,795	-	-	-	-	-	-	-	-	-	-	-
ZMICO-W4	0.09	(0.01)	310,722	-	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUTHA-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KTB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	1.80	(0.05)	10,396	1.00	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.03	-	16,706	-	-	-	-	-	-	-	-	-	-	-
BROOK-W5	0.14	(0.02)	76,109	-	-	-	-	-	-	-	-	-	-	-
CHAYO-W1	2.18	0.02	155,274	2.00	-	-	-	-	-	-	-	-	-	-
CHO-W2	0.08	-	88,934	-	-	-	-	-	-	-	-	-	-	-
CIG-W8	0.03	-	124,092	-	-	-	-	-	-	-	-	-	-	-
D-W1	0.92	(0.05)	4,161	-	-	-	-	-	-	-	-	-	-	-
DIMET-W3	0.51	0.06	1,344	-	-	-	-	-	-	-	-	-	-	-
DOD-W1	0.54	-	63,339	-	-	-	-	-	-	-	-	-	-	-
ECF-W3	0.37	(0.03)	89,400	-	-	-	-	-	-	-	-	-	-	-