

Main Board Quotation

Issue Date :

Tuesday June 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	3.86	0.36	313,197	3.70	MCOT	5.35	0.10	7,556	5.47
POMPUI	-	-	-	-	BLISS	-	-	-	-	MONO	2.82	0.18	300,162	2.83
SAFARI	-	-	-	-	DIF	15.30	-	179,658	15.30	MPIC	1.53	0.01	50	1.52
VI	-	-	-	-	DTAC	42.00	1.00	48,852	42.13	NMG	-	-	-	-
WORLD	-	-	-	-	FORTH	5.80	0.20	1,129	5.71	PLANB	6.40	0.25	391,331	6.34
WR	-	-	-	-	HUMAN	8.05	0.05	12,230	8.00	POST	1.43	0.05	40	1.39
Agribusiness	-	-	-	-	ILINK	3.60	0.02	5,773	3.64	PRAKIT	7.75	0.05	47	7.66
CHOTI	-	-	-	-	INET	2.24	(0.04)	19,663	2.27	SE-ED	1.42	0.02	4	1.42
EE	0.48	-	13,066	0.49	INTUCH	56.00	(0.50)	101,796	56.13	TBSP	-	-	-	-
GFPT	13.60	(0.10)	56,245	13.72	JAS	3.76	-	269,344	3.78	TH	0.52	0.01	2	0.52
LEE	2.26	0.06	1,442	2.24	JASIF	9.45	0.05	57,378	9.44	TKS	5.00	-	1,071	5.00
NER	2.58	(0.06)	362,398	2.61	JMART	11.10	(0.10)	464,137	11.37	VGI	7.80	0.20	181,955	7.79
PPPM	0.44	0.02	6,026	0.43	JTS	2.16	0.25	69,184	2.11	WAVE	1.04	0.02	161	1.06
STA	27.75	(1.25)	557,013	28.19	MFEF	4.52	0.02	1,955	4.51	WORK	11.40	0.30	43,098	11.29
TRUBB	1.92	0.05	70,016	1.89	MSC	4.88	(0.06)	212	4.90	Finance & Securities	-	-	-	-
TWPC	4.10	0.14	10,798	4.05	PT	4.42	0.02	505	4.40	AEC	0.30	0.01	3,829	0.30
UPOIC	3.36	0.06	47	3.41	SAMART	5.95	0.20	166,320	5.97	AEONTS	112.00	(0.50)	10,319	112.98
UVAN	4.38	0.12	2,427	4.29	SAMTEL	6.15	0.55	45,969	6.06	AMANAHA	2.88	0.16	537,901	2.87
VPO	0.46	-	671	0.45	SDC	0.17	-	10,339	0.16	ASAP	1.84	0.17	158,736	1.78
Banking	-	-	-	-	SIS	8.35	0.05	1,743	8.31	ASK	18.60	-	1,444	18.66
BAY	23.40	0.10	3,632	23.32	SVOA	1.08	0.03	20,157	1.07	ASP	1.72	-	12,045	1.72
BBL	106.00	1.00	126,241	106.89	SYMC	2.92	0.06	6,089	2.99	BAM	24.90	0.10	475,674	24.96
CIMBT	0.63	0.02	36,009	0.63	SYNEX	7.70	0.10	3,618	7.68	BFIT	29.00	-	14,069	29.19
KBANK	89.00	(0.25)	405,628	89.84	THCOM	4.90	(0.85)	990,370	5.05	CGH	0.75	(0.03)	87,562	0.78
KKP	42.00	0.50	73,419	42.02	TRUE	3.68	0.08	733,109	3.67	ECL	0.98	(0.01)	44,343	0.99
KTB	10.50	0.10	199,768	10.48	TWZ	0.06	(0.01)	21,430	0.07	FNS	2.44	(0.04)	3,383	2.45
LHFG	1.02	0.01	21,119	1.02	Electronic Componer	-	-	-	-	FSS	1.52	0.02	1,229	1.51
SCB	72.75	1.25	164,238	72.77	CCET	1.57	0.03	39,569	1.56	GBX	0.56	0.04	95,063	0.54
TCAP	36.75	0.50	70,566	37.19	DELTA	53.00	(0.50)	5,365	53.46	GL	3.82	0.18	110,115	3.84
TISCO	71.75	2.50	109,966	71.76	HANA	27.50	1.00	38,832	27.33	IFS	2.54	0.02	2,128	2.53
TMB	1.08	0.03	4,123,811	1.07	KCE	19.70	0.40	184,725	19.59	JMT	23.70	1.80	386,303	23.50
Construction Materia	-	-	-	-	METCO	134.00	0.50	2	134.00	KCAR	7.80	0.05	4,940	7.71
CCP	0.30	-	3,479	0.29	NEX	3.70	0.04	15,702	3.68	KGI	3.50	(0.02)	16,380	3.52
COTTO	1.19	(0.02)	4,668	1.20	SMT	1.18	0.04	13,971	1.18	KTC	31.00	(0.50)	148,443	31.35
DCC	1.99	(0.01)	79,818	2.01	SVI	2.82	(0.06)	22,044	2.83	MBKET	8.75	-	1,942	8.74
DCON	0.30	-	6,201	0.30	TEAM	1.03	0.08	18,225	1.01	MFC	13.50	-	214	13.31
DRT	5.45	-	3,325	5.43	W	0.14	-	164,604	0.13	ML	0.85	(0.01)	1,582	0.85
EPG	4.96	0.04	291,484	5.00	Energy & Utilities	-	-	-	-	MTC	52.75	(1.00)	124,193	53.87
GEL	0.19	-	11,425	0.19	7UP	0.41	-	97,817	0.41	PE	-	-	-	-
PPP	2.10	0.02	95,951	2.15	ABPIF	3.52	-	243	3.50	PL	2.08	-	4,718	2.06
Q-CON	5.00	0.02	90	4.71	ACE	3.94	(0.02)	115,205	3.98	S11	5.30	-	3,504	5.32
RCI	2.70	(0.08)	249	2.70	AI	1.38	(0.02)	56,577	1.39	SAWAD	52.25	(1.50)	227,328	53.51
SCC	359.00	3.00	8,605	358.04	AKR	0.51	-	4,534	0.52	THANI	3.74	0.02	154,618	3.75
SCCC	133.50	-	1,087	133.43	BAFS	24.30	-	8,249	24.10	TK	7.80	(0.05)	1,700	7.77
SCP	5.45	0.05	2,935	5.43	BANPU	6.35	(0.10)	238,044	6.42	TNITY	3.80	-	344	3.81
SKN	2.02	-	5,038	2.02	BCP	21.70	0.20	7,163	21.63	UOBKH	3.48	-	3	3.48
TASCO	23.10	0.50	118,307	23.05	BCPG	16.00	-	9,748	16.09	ZMICO	0.75	-	8,205	0.74
TCMC	1.30	-	41,707	1.31	BGRIM	53.50	-	79,270	53.76	Food & Beverage	-	-	-	-
TOA	35.75	(0.50)	9,443	35.94	BPP	17.00	(0.40)	25,842	17.29	APURE	1.92	(0.02)	17,527	1.92
TPIPL	1.19	-	22,071	1.19	BRRGIF	7.15	-	286	7.11	ASIAN	6.85	0.15	60,108	6.88
UMI	0.69	0.03	20,466	0.69	CKP	4.28	0.02	100,227	4.30	BR	2.24	0.10	185,465	2.28
VNG	3.24	(0.02)	1,278	3.27	DEMCO	3.24	-	10,364	3.28	BRR	3.06	0.02	1,025	3.02
WIJK	1.78	0.04	32,849	1.77	EA	40.00	0.25	35,452	40.12	CBG	97.75	1.25	30,128	97.91
Petrochemicals & Ch	-	-	-	-	EASTW	10.20	0.10	7,781	10.18	CFRESH	2.36	0.06	9,857	2.35
BCT	39.25	0.25	29	39.34	EGATIF	12.20	0.20	16,273	12.13	CM	2.76	0.02	51	2.76
CMAN	1.43	0.18	52,345	1.35	EGCO	254.00	(4.00)	12,184	255.71	CPF	31.50	(0.50)	812,730	31.34
GC	5.20	-	859	5.20	ESSO	7.30	-	212,033	7.36	CPI	1.28	(0.01)	1,217	1.28
GGC	9.35	0.30	23,825	9.26	GPSC	77.00	-	57,379	77.29	F&D	-	-	-	-
GIFT	2.30	0.02	529	2.28	GULF	36.25	0.25	78,089	36.34	HTC	17.90	(0.10)	1,724	17.90
IVL	28.75	0.25	79,650	28.81	GUNKUL	2.72	-	153,138	2.72	ICHI	8.45	0.30	195,272	8.37
NFC	1.71	(0.07)	613	1.67	IFEC	-	-	-	-	KBS	3.50	(0.14)	1,978	3.51
PATO	9.10	0.10	21	9.09	IRPC	2.74	-	575,478	2.76	KSL	2.14	(0.06)	54,437	2.18
PMTA	8.50	0.10	284	8.50	LANNA	7.55	0.25	537	7.33	KTIS	2.82	0.02	957	2.81
PTTGC	47.50	0.25	137,828	47.71	MDX	2.50	0.30	14,710	2.44	LST	4.64	-	2,150	4.66
SUTHA	3.38	(0.04)	441	3.36	PRIME	0.38	(0.02)	140,234	0.38	M	58.00	(0.75)	7,213	58.16
TCCC	19.90	(0.10)	43	20.00	PTG	16.20	(0.10)	204,298	16.40	MALEE	7.20	0.35	19,568	7.10
TPA	5.30	(0.05)	20	5.30	PTT	38.75	0.25	270,612	38.57	MINT	20.60	(0.10)	634,366	20.72
UAC	3.74	(0.02)	2,865	3.71	PTTEP	96.25	0.50	131,226	96.55	OISHI	40.00	-	151	40.02
UP	14.10	(0.30)	3	14.10	RATCH	64.50	(0.25)	32,904	64.72	OSP	39.75	(0.25)	82,595	39.79
VNT	22.30	0.30	6,359	22.15	RPC	0.54	0.01	13,240	0.55	PB	69.00	0.50	11	69.05
WG	181.00	-	22	181.00	SCG	4.02	0.02	12	4.00	PM	6.80	(0.05)	7,898	6.83
YCI	-	-	-	-	SCI	1.53	0.16	216,714	1.52	PRG	11.40	-	12	11.40
Commerce	-	-	-	-	SCN	2.18	0.02	35,808	2.16	RBF	7.75	(0.10)	159,674	7.84
BEAUTY	1.53	0.02	125,038	1.53	SGP	8.80	-	26,528	8.85	SAPPE	19.40	(0.60)	7,339	19.60
BIG	0.54	(0.03)	145,318	0.55	SKE	0.82	(0.01)	3,902	0.83	SAUCE	24.90	(0.10)	52	24.92
BIC	39.25	0.75	55,893	39.01	SOLAR	1.16	-	15,318	1.16	SFP	-	-	-	-
COL	14.60	0.10	388	14.48	SPG	16.70	(0.10)	13,976	16.69	SNP	10.60	-	557	10.60
COM7	29.25	-	146,046	29.79	SPRC	6.90	0.05	183,665	6.93	SORKON	51.00	(0.75)	2	51.00
CPALL	68.25	(0.25)	181,475	68.48	SSP	7.45	0.05	14,656	7.45	SSC	35.00	0.25	5	34.75
CPW	1.90	0.04	65,720	1.92	SUPER	1.00	0.03	9,012,566	0.99	SSF	-	-	-	-
CRC	34.50	0.50	87,808	34.24	SUPEREIF	11.50	-	484	11.50	SST	2.74	-	1,178	2.71
CSS	1.34	(0.05)	56,898	1.38	SUSCO	2.48	-	9,476	2.49	TC	3.22	0.04	577	3.21
DOHOME	10.10	(0.10)	71,893	10.15	TAE	2.88	0.26	176,768	2.81	TFG	5.10	(0.15)	234,534	5.29
FN	1.08	0.03	19,486	1.08	TCC	0.23	0.01	16,567	0.22	TFMAMA	199.50	-	125	199.39
FTE	1.62	-	387	1.62	TOP	45.75	-	81,051	45.97	TIPCO	6.75	(0.05)	9,893	6.82
GLOBAL	16.50	0.10	33,968	16.49	TPIPP	4.02	0.02	25,330	4.01	TKN	10.40	-	142,872	10.37
HMPRO	15.70	-	185,231	15.65	TSE	3.10	0.04	709,820	3.12	TU	12.50	0.10	56,770	12.50
ILM	14.40	0.70	51,320	14.12	TTW	13.60	-	25,971	13.64	TVO	27.25	0.75	9,474	27.19
IT	2.62	0.06	856	2.61	WHAUP	4.60	(0.02)	43,743	4.57	ZEN	9.50	0.10	1,597	9.51
KAMART	3.12	0.20	103,538	3.11	WP	4.98	(0.02)	1,219	4.99	Health Care Services	-	-	-	-
LOXLEY	1.47	(0.01)	36,804	1.49	Media & Publishing	-	-	-	-	AHC	12.90	0.10	176	12.90
MAKRO	36.75	-	17,540	37.28	AMARIN	2.98								

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday June 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PRINC	3.38	(0.10)	195,889	3.47	CGD	0.61	-	5,977	0.61	IHL	2.72	0.04	41,183	2.73
RAM	143.50	1.50	233	142.60	CI	0.77	(0.01)	19	0.77	INGRS	0.40	-	4,461	0.39
RJH	22.10	0.40	1,242	22.08	CPN	51.75	1.00	30,791	51.48	IRC	13.50	0.20	12	13.25
RPH	5.30	0.05	4,388	5.30	ESTAR	0.37	-	9,048	0.37	PCSGH	4.52	0.02	81	4.50
SKR	5.10	-	1,471	5.05	EVER	0.23	(0.01)	25,765	0.23	SAT	10.60	0.10	5,510	10.68
SVH	420.00	-	1	420.00	FPT	12.10	0.10	812	12.02	SPG	13.00	-	1	13.00
THG	20.10	0.20	4,144	20.01	GLAND	2.34	0.04	196	2.30	STANLY	170.50	-	328	170.17
VIBHA	1.58	0.01	20,854	1.58	GOLD	8.45	0.05	4,118	8.44	TKT	0.92	-	737	0.92
VIH	6.90	0.05	4,361	6.88	GREEN	0.88	0.01	4,649	0.89	TNPC	0.78	-	297	0.78
WPH	1.62	0.01	656	1.61	J	0.87	(0.03)	33,115	0.91	TRU	3.74	0.04	1,193	3.72
Tourism & Leisure					JCK	0.79	0.07	24,436	0.76	TSC	9.90	0.10	4	9.88
ASIA	4.50	(0.04)	2	4.50	KC	-	-	-	-	Industrial Materials				
CENTEL	23.50	(0.20)	31,003	23.58	KWG	0.86	-	141	0.86	ALLA	1.31	(0.03)	4,070	1.31
CSR	70.00	(3.00)	10	69.75	LALIN	4.48	(0.04)	1,774	4.48	ASEFA	3.24	0.04	948	3.25
DTC	7.65	0.05	1,064	7.60	LH	7.65	0.10	289,946	7.61	CPT	0.89	0.01	6,267	0.90
ERW	3.86	(0.02)	171,540	3.90	LPN	4.62	(0.04)	67,399	4.65	CRANE	3.04	0.10	515,388	2.97
GRAND	0.59	-	4,115	0.59	MBK	13.70	(0.50)	32,634	13.89	CTW	5.00	0.10	63	5.00
LRH	-	-	-	-	MJD	1.68	(0.01)	22,784	1.67	FMT	21.80	(0.40)	10	21.80
MANRIN	-	-	-	-	MK	2.76	(0.02)	1,448	2.74	HTECH	2.52	0.02	515	2.51
OHTL	358.00	(37.00)	33	366.67	NCH	0.62	-	974	0.61	KKC	0.61	-	1,030	0.60
ROH	-	-	-	-	NNCL	1.85	-	5,754	1.86	PK	1.60	-	91	1.58
SHANG	60.75	-	9	60.75	NOBLE	11.30	-	3,864	11.35	SNC	8.80	(0.05)	1,246	8.85
SHR	2.20	(0.02)	55,338	2.21	NUSA	0.33	0.01	38,654	0.33	STARK	2.12	-	145,528	2.11
VRANDA	6.25	0.05	953	6.22	NVD	1.23	-	11,600	1.24	TCJ	2.96	0.06	1,215	2.93
Home & Office Produ					ORI	5.30	-	74,951	5.32	VARO	3.92	0.08	3	3.91
ACC	0.60	-	78	0.60	PACE	0.03	-	195,476	0.03	Property Fund & REIT				
AJA	0.14	-	8,744	0.14	PF	0.43	0.01	347,925	0.43	AIMCG	7.20	(0.05)	3,163	7.22
DTCI	-	-	-	-	PLAT	3.24	-	7,270	3.20	AIMIRT	13.40	0.10	2,167	13.31
FANCY	0.62	0.03	12,836	0.63	POLAR	-	-	-	-	AMATAR	10.20	(0.10)	874	10.00
KYE	319.00	2.00	16	321.06	PRECHA	0.92	-	2	0.92	B-WORK	11.90	-	123	11.83
L&E	1.60	-	821	1.59	PRIN	1.52	-	5	1.51	BKER	7.00	0.20	1,619	6.87
MODERN	2.58	-	2,523	2.59	PSH	12.10	(0.10)	7,017	12.19	BKKCP	11.80	-	29	11.73
OGC	-	-	-	-	QH	2.28	-	219,562	2.28	BOFFICE	14.00	0.30	647	13.91
ROCK	-	-	-	-	RICHY	0.69	(0.01)	11,166	0.68	CPNCG	10.70	-	5,974	10.71
SIAM	1.48	0.02	2,002	1.46	RML	0.69	-	34,952	0.68	CPNREIT	27.75	(0.25)	1,418	27.86
TSR	2.14	(0.12)	22,947	2.19	ROJNA	4.64	0.08	111,427	4.67	CPTFG	12.40	0.10	80	12.29
Insurance					S	1.64	(0.01)	15,141	1.65	CTARAF	5.05	(0.05)	1,001	5.01
AYUD	35.00	-	50	35.00	SAMCO	1.23	0.01	1,897	1.23	DREIT	4.20	0.04	689	4.14
BKI	282.00	2.00	250	283.07	SC	2.20	-	22,659	2.21	ERWPF	4.80	0.30	3	4.63
BLA	16.10	0.20	6,371	16.06	SENA	2.56	0.02	5,647	2.53	FTREIT	16.00	(0.30)	6,011	15.92
BUI	8.45	-	42	8.57	SF	4.72	(0.02)	7,139	4.75	FUTUREPF	19.10	0.10	607	19.00
CHARAN	21.00	(0.50)	3	21.27	SIRI	0.81	(0.02)	1,243,685	0.83	GAHREIT	7.50	-	233	7.37
INSURE	-	-	-	-	SPALI	16.20	0.20	18,657	16.15	GOLDPF	-	-	-	-
MTI	84.50	1.25	25	84.58	U	1.65	(0.03)	365,010	1.68	GVREIT	14.60	-	620	14.60
NKI	-	-	-	-	UV	3.16	0.08	28,788	3.13	HPF	4.68	0.02	71	4.66
NSI	53.50	(0.50)	46	53.50	WHA	3.50	-	661,616	3.51	HREIT	8.50	-	1,264	8.54
SEG	25.00	0.10	9	25.03	WIN	0.42	0.02	855	0.41	IMPACT	18.80	(0.10)	1,758	18.69
SMK	33.50	-	28	33.56	Paper & Printing Mat					KNPFP	6.80	(0.05)	79	6.80
THRE	0.72	0.02	134,249	0.72	UTP	11.20	(0.20)	34,575	11.33	LHHOTEL	12.70	-	270	12.64
THREL	2.60	-	29,542	2.59	Fashion	-	-	-	-	LHPF	6.20	0.05	20	6.19
TIP	22.80	-	1,964	22.79	AFC	-	-	-	-	LHSC	13.10	0.10	756	13.00
TQM	126.00	1.00	19,068	125.83	B52	0.15	-	4,049	0.15	LUXF	6.35	0.05	11	6.34
TSI	0.36	(0.04)	43,583	0.37	BTNC	-	-	-	-	M-II	-	-	-	-
TVI	3.12	-	3,076	3.10	CPH	3.36	0.10	20	3.37	M-PAT	-	-	-	-
Mining					CPL	0.83	-	171	0.83	M-STOR	6.25	0.25	150	5.99
PDI	6.00	-	1,900	5.95	ICC	31.25	-	5	31.05	MIPF	-	-	-	-
THL	-	-	-	-	NC	9.10	-	95	8.93	MIT	-	-	-	-
Packaging					PAF	0.60	0.03	2,374	0.60	MJLF	7.60	0.15	217	7.41
AJ	12.50	(0.20)	14,766	12.88	PDJ	1.15	-	4,997	1.15	MNIT	-	-	-	-
ALUCON	142.00	(0.50)	5	142.80	PG	4.74	(0.06)	56	4.69	MNIT2	3.80	-	5	3.80
BGC	11.10	0.40	20,485	10.98	SABINA	18.60	0.10	4,287	18.50	MNRF	2.60	(0.10)	117	2.60
CSC	47.00	(0.50)	450	46.57	SAWANG	11.60	(0.90)	38	12.19	POPF	10.90	-	1,511	10.93
GLOCON	0.68	(0.02)	39,922	0.69	SUC	37.00	-	22	37.00	PPF	-	-	-	-
NEP	0.17	0.02	109,482	0.16	TNL	-	-	-	-	QHHR	7.15	(0.05)	278	7.14
PTL	15.80	0.40	16,678	15.73	TPCORP	9.50	(0.10)	147	9.17	QHOP	2.58	0.02	363	2.59
SFLEX	11.70	0.70	61,834	11.66	TR	26.50	(1.25)	21	26.51	QHPP	11.00	-	1,225	11.00
SITHAI	0.73	(0.01)	3,025	0.73	TTI	-	-	-	-	SBPF	2.54	(0.04)	1	2.54
SLP	0.46	(0.01)	24	0.45	TTT	55.25	1.75	95	54.91	SHREIT	4.84	-	8,064	4.84
SMPC	9.00	0.55	16,838	8.70	UPF	-	-	-	-	SIRIP	-	-	-	-
SPACK	2.36	(0.02)	8,449	2.33	UT	-	-	-	-	SPF	14.60	-	2,116	14.68
TCOAT	-	-	-	-	WACOAL	46.50	0.25	6	46.50	SPRIME	11.30	(0.10)	1,246	11.40
TFI	0.05	-	364	0.04	Transportation & Log					SRIPANWA	8.20	(0.10)	30	8.22
THIP	23.20	0.20	422	23.01	AAV	2.18	0.02	314,465	2.20	SSPF	9.10	-	117	8.87
TMD	21.20	0.20	116	20.82	AOT	60.25	0.25	200,435	60.14	SSTRT	5.40	0.05	62	5.35
TOPP	-	-	-	-	ASIMAR	1.41	0.01	1,995	1.41	TIF1	8.50	-	87	8.46
TPBI	3.48	0.02	8	3.48	B	0.26	-	6,148	0.26	TLGF	19.40	(0.50)	14,121	19.49
TPP	15.00	0.10	4	14.98	BA	6.80	(0.20)	27,482	6.90	TLHPF	-	-	-	-
Personal Products &					BEM	9.80	0.05	117,635	9.80	TNPF	2.10	-	556	2.10
APCO	3.68	-	1,189	3.67	BTS	11.50	-	160,503	11.57	TPRIME	14.70	(0.30)	1,598	14.70
DDD	17.90	(0.10)	15,166	18.31	BTS GIF	7.30	-	27,004	7.30	TTLPF	22.00	-	20	21.43
JCT	81.00	1.50	1	81.00	III	4.26	(0.14)	44,459	4.44	TU-PF	1.13	0.14	4	1.07
OCC	8.25	(0.05)	12	8.25	JUTHA	0.50	(0.02)	372	0.50	URBNPF	-	-	-	-
S & J	-	-	-	-	JWD	6.65	0.05	2,841	6.67	WHABT	-	-	-	-
STHAI	-	-	-	-	KWC	-	-	-	-	WHART	16.40	(0.60)	2,337	16.46
TNR	9.95	0.15	10,054	10.18	NOK	1.13	(0.01)	1,104	1.13	Steel	-	-	-	-
TOG	3.58	-												

Main Board Quotation

Issue Date :

Tuesday June 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	0.75	-	18,131	-	ADVA06C2009A	0.19	(0.01)	14,151	-
ABICO	5.70	0.74	20,951	5.00	AIE	0.58	-	182,333	-	ADVA06C2010A	0.61	(0.02)	32,002	-
AU	10.90	0.10	41,706	10.00	PSTC	1.99	-	67,437	1.00	ADVA06P2011A	0.87	-	36,080	-
JCKH	0.29	-	514	-	QTC	4.60	(0.04)	1,154	4.00	ADVA08C2009A	0.36	(0.01)	9,523	-
KASET	1.45	(0.07)	1,594	1.00	SAAM	1.10	0.02	3,729	1.00	ADVA08P2009A	0.51	(0.01)	8,800	-
MM	1.57	0.02	71	1.00	SEAOIL	2.60	(0.02)	7,340	2.00	ADVA11C2006A	0.01	-	3	-
SUN	2.10	(0.02)	2,760	2.00	SR	0.76	-	598	-	ADVA11C2011A	0.73	-	4,251	-
TACC	4.98	0.10	101,546	4.00	TAKUNI	0.42	-	5,163	-	ADVA11P2011A	0.75	(0.01)	2,002	-
TMILL	3.26	-	1,691	3.00	TPCH	12.10	-	5,029	12.00	ADVA13C2006A	-	-	-	-
XO	6.45	0.15	8,380	6.00	TRT	1.66	0.01	4,864	1.00	ADVA13C2007A	-	-	-	-
Consumer Products														
BGT	1.12	(0.02)	71	1.00	UMS	0.36	0.02	29	-	ADVA13C2008A	0.16	-	19,011	-
BIZ	3.66	0.14	2,129	3.00	UWC	0.05	0.01	155,483	-	ADVA13C2010A	0.75	(0.01)	64,849	-
DOD	7.30	0.10	21,947	7.00	Services (MAI)	-	-	-	-	ADVA13P2009A	1.00	-	27,601	-
ECF	1.62	(0.03)	110,580	1.00	A5	-	-	-	-	ADVA16C2007A	0.02	0.01	17	-
HPT	1.00	0.06	61,266	-	AKP	0.99	0.04	3,631	-	ADVA16C2009A	-	-	-	-
IP	10.50	(0.20)	125,837	10.00	AMA	5.30	(0.05)	6,497	5.00	ADVA19C2007A	-	-	-	-
JUBILE	16.20	(0.10)	3,098	16.00	ARIP	0.37	-	8,038	-	ADVA19C2007B	-	-	-	-
MOONG	3.76	0.10	5,227	3.00	ATP30	0.84	-	31,646	-	ADVA19C2008A	0.58	(0.02)	19,987	-
NPK	-	-	-	-	AUCT	8.85	0.75	135,686	8.00	ADVA19C2009A	0.34	-	41,708	-
OCEAN	0.91	(0.01)	8,521	-	BOL	3.68	-	2,519	3.00	ADVA19C2010A	0.16	(0.01)	17,936	-
TM	2.40	0.04	4,155	2.00	CHUO	-	-	-	-	ADVA19C2010B	0.70	-	7,558	-
Financials (MAI)														
ACAP	0.83	0.06	37,510	-	CMO	1.03	0.01	51,045	1.00	ADVA19P2006A	-	-	-	-
AF	0.59	-	2,272	-	D	3.32	(0.04)	599	3.00	ADVA19P2009A	0.19	-	44,972	-
AIRA	0.93	(0.01)	464	-	DCORP	0.36	(0.02)	3,809	-	ADVA19P2010A	0.70	(0.01)	29,712	-
ASN	4.14	0.24	532	4.00	EFORL	0.03	-	19,542	-	ADVA24C2006A	-	-	-	-
BROOK	0.41	0.01	50,457	-	ETE	0.99	0.07	15,794	-	ADVA24C2009A	0.29	0.01	7,030	-
CHAYO	6.80	0.50	636,078	6.00	FSMART	6.45	0.25	81,518	6.00	ADVA28C2007A	-	-	-	-
GCAP	1.62	0.01	5,023	1.00	FVC	0.46	(0.01)	18,908	-	ADVA28C2008A	0.26	(0.01)	6,702	-
LIT	3.30	0.02	2,832	3.00	GSC	0.78	(0.01)	8,912	-	ADVA28C2008B	-	-	-	-
MITSI	1.08	-	4,995	1.00	HARN	2.10	-	2,377	2.00	ADVA28C2011A	0.17	0.01	36	-
SGF	0.64	0.06	118,339	-	IMH	2.24	0.04	442	2.00	ADVA28C2012A	0.13	-	8,264	-
Industrials (MAI)														
ZS	2.52	(0.04)	1,490	2.00	JKN	6.10	-	101,638	6.00	ADVA28P2012A	0.35	(0.01)	6	-
ACG	1.17	(0.01)	1,188	1.00	KIAT	0.49	(0.01)	7,663	-	ADVA41C2007A	-	-	-	-
ADB	0.70	-	1,511	-	KOOL	0.81	(0.02)	8,272	-	ADVA41C2007B	-	-	-	-
BM	2.14	0.10	205	2.00	LDC	0.72	(0.01)	4,445	-	ADVA41C2010A	-	-	-	-
CHO	0.64	(0.03)	27,662	-	MORE	0.35	0.04	756,011	-	ADVA41C2010B	0.67	(0.33)	7,714	-
CHOW	2.16	0.04	2,997	2.00	MPG	0.19	0.01	165	-	ADVA41P2009A	0.92	(0.02)	25,880	-
CIG	0.25	0.02	221,542	-	MVP	1.28	0.07	121,290	1.00	ADVA41P2011A	-	-	-	-
COLOR	1.18	0.01	326	1.00	NBC	0.68	0.04	3,871	-	ADVA42C102T	0.58	-	7,520	-
CPR	3.18	0.08	1,808	3.00	NCL	0.77	0.02	1,895	-	ADVA42P2007A	0.58	(0.02)	1,912	-
FPI	2.02	(0.06)	1,040	2.00	NEWS	0.01	-	1,176	-	AEON13C2007A	-	-	-	-
GTB	0.59	0.01	2,564	-	NINE	1.81	(0.01)	587	1.00	AEON13C2010A	0.23	(0.01)	39,843	-
KCM	0.53	0.01	48,679	-	OTO	2.84	-	2,844	2.00	AEON19C2006A	0.01	(0.02)	1,006	-
KUMWEL	0.95	-	1,332	-	PHOL	2.92	-	2,859	2.00	AEON19C2010A	0.37	(0.01)	120,334	-
KWM	0.76	0.01	7,833	-	PICO	3.24	(0.02)	3	3.00	AMAT01C2007B	0.04	(0.01)	20	-
MBAX	4.38	-	1,078	4.00	QLT	4.10	0.04	34	4.00	AMAT01C2008A	0.30	0.03	42	-
MGT	1.82	(0.01)	1,534	1.00	RP	1.47	(0.05)	732	1.00	AMAT01P2008A	0.31	(0.01)	1	-
NDR	1.17	(0.03)	3,013	1.00	SE	1.32	(0.01)	9,081	1.00	AMAT06C2010A	0.84	0.07	32,307	-
PDG	3.34	-	1,333	3.00	SONIC	1.02	-	813	1.00	AMAT08C2010A	0.63	0.04	32,905	-
PIMO	1.29	-	3,302	1.00	SPA	7.20	0.05	5,011	7.00	AMAT11C2008A	-	-	-	-
PJW	1.28	(0.02)	5,646	1.00	THMUI	0.65	(0.01)	1,846	-	AMAT13C2010A	0.57	0.04	254,515	-
PPM	0.90	0.01	124	-	TNDT	2.94	0.02	105	2.00	AMAT16C2006A	-	-	-	-
RWI	1.39	(0.01)	5,887	1.00	TNH	33.50	-	427	33.00	AMAT16C2008A	-	-	-	-
SALEE	0.70	-	3,683	-	TNP	2.64	0.04	15,731	2.00	AMAT19C2006A	-	-	-	-
SANKO	0.93	-	2,465	-	TSF	-	-	-	-	AMAT19C2008A	-	-	-	-
SELIC	2.10	0.08	8,599	2.00	TVD	0.90	(0.05)	22,644	-	AMAT19C2009A	0.68	0.03	21,990	-
SWC	4.08	(0.04)	1,626	4.00	TVT	0.60	-	1,569	-	AMAT19C2011A	0.56	0.04	62,201	-
TMC	0.55	-	4,662	-	VL	1.19	(0.02)	32,608	1.00	AMAT24C2006A	-	-	-	-
TMI	0.63	-	14,346	-	WINNER	2.94	0.08	2,714	2.00	AMAT24C2010A	0.52	0.03	14,070	-
TMW	37.75	0.25	286	37.00	YGG	7.20	0.70	118,172	6.00	AMAT42C2007A	0.66	(0.02)	142	-
TPAC	12.20	(0.40)	773	11.00	Technology (MAI)					-	-	-	-	-
TPLAS	1.21	(0.08)	55,786	1.00	APP	1.66	0.07	58,702	1.00	ANAN13C2007A	-	-	-	-
UBIS	4.72	0.02	25	4.00	COMAN	2.16	0.04	651	2.00	AOT01C2006B	0.01	-	2,147	-
UEC	0.83	0.01	1,189	-	ICN	1.86	0.02	82,130	1.00	AOT01C2007A	0.15	(0.01)	8,285	-
UKEM	0.72	(0.02)	77,858	-	INSET	2.80	0.16	323,171	2.00	AOT01P2006B	0.33	0.03	2,804	-
UREKA	0.97	(0.01)	91,535	-	IRCP	0.45	-	919	-	AOT01P2007A	1.07	0.06	313	1.00
YUASA	13.40	(0.40)	15,308	14.00	ITEL	2.86	0.16	85,899	2.00	AOT06C2007A	0.01	-	610	-
ZIGA	1.43	-	4,161	1.00	NETBAY	33.00	(0.25)	492	33.00	AOT06C2008A	-	-	-	-
Property & Construc														
ALL	3.42	-	177,548	3.00	PLANET	0.86	0.01	555	-	AOT06C2009A	0.41	0.01	68,720	-
ARIN	0.84	-	21,065	-	SIMAT	3.30	0.04	16,792	3.00	AOT06P2009A	0.30	-	34,644	-
ARROW	7.30	0.10	1,594	7.00	SKY	15.20	-	10,758	15.00	AOT06P2011A	1.14	(0.03)	36,008	1.00
BC	1.02	(0.01)	1,245	1.00	SPVI	2.82	-	106,861	2.00	AOT08C2006A	-	-	-	-
BSM	0.26	(0.02)	36,576	-	TPS	1.90	-	7,738	1.00	AOT08C2007A	-	-	-	-
BTW	0.82	(0.01)	5,687	-	UPA	0.26	-	4,971	-	AOT08C2009A	0.73	0.01	41,073	-
CAZ	1.60	0.06	9,806	1.00	VCOM	3.82	0.02	425,005	3.00	AOT08P2009A	0.59	(0.01)	40,400	-
CHEWA	0.45	-	19,920	-	Unit Trust	-	-	-	-	AOT11C2011A	0.68	-	36,148	-
CMC	0.76	0.01	626	-	MGE	-	-	-	-	AOT11P2007A	-	-	-	-
CRD	0.50	-	413	-	SCBSET	-	-	-	-	AOT13C2006A	-	-	-	-
DIMET	0.38	-	125,097	-	ETF	-	-	-	-	AOT13C2007A	-	-	-	-
FLOYD	1.05	0.01	1,080	1.00	IDIV	8.40	0.06	43	8.00	AOT13C2008A	0.53	(0.02)	8,122	-
HYDRO	0.13	-	8,270	-	ABFTH	-	-	-	-	AOT13C2010A	0.39	0.01	203,149	-
JSP	0.26	(0.01)	35,165	-	BMSCG	7.10	-	309	7.00	AOT13P2006A	0.15	(0.05)	2,019	-
K	0.83	0.01	371	-	BMSCITH	9.99	0.04							

Asia Plus Securities Company Limited

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price
AOT28P2012A	0.30	-	4,366	-
AOT41C2007A	-	-	-	-
AOT41C2007B	0.17	(0.07)	2,200	-
AOT41C2010A	0.45	(0.01)	47,636	-
AOT41P2009A	-	-	-	-
AOT41P2009B	0.43	(0.01)	8,892	-
AOT41P2010A	0.66	(0.02)	111,111	-
AOT42C2006A	-	-	-	-
AOT42C2101T	0.27	(0.01)	3,005	-
AOT42P2009A	0.30	-	99	-
AP19C2007A	-	-	-	-
AP19C2010A	0.97	(0.06)	4,644	1.00
AP19C2011A	0.27	(0.01)	2,550	-
AP28C2012A	0.88	(0.05)	8,014	-
AWC01C2009A	0.15	0.01	4,293	-
AWC01P2007A	0.51	-	7,866	-
AWC06C2009A	0.55	0.01	58,885	-
AWC06C2011A	0.19	0.01	18,544	-
AWC13C2009A	0.43	-	62,878	-
AWC13C2010A	0.10	-	56,904	-
AWC13C2010B	0.37	0.01	142,764	-
AWC16C2007A	-	-	-	-
AWC19C2006A	-	-	-	-
AWC19C2010A	0.45	-	63,076	-
AWC19C2010B	0.11	0.01	22,659	-
AWC24C2007A	-	-	-	-
AWC24C2010A	0.18	0.01	9,001	-
AWC28C2008A	0.07	(0.03)	12	-
AWC28C2010A	0.43	(0.01)	35,554	-
AWC28C2010B	0.10	0.01	4,260	-
AWC28C2012A	0.10	0.01	14,898	-
AWC41C2007A	-	-	-	-
AWC41C2007B	-	-	-	-
AWC41C2010A	-	-	-	-
AWC42C2008A	-	-	-	-
AWC42C2101T	0.29	-	3,790	-
BANP06C2010A	0.31	-	26,396	-
BANP08C2007A	-	-	-	-
BANP08C2009A	0.37	(0.01)	6,000	-
BANP08P2009A	0.61	-	19,121	-
BANP11C2008A	-	-	-	-
BANP13C2008A	0.25	(0.03)	54,861	-
BANP13C2010A	0.17	(0.01)	60,403	-
BANP19C2007A	-	-	-	-
BANP19C2007B	-	-	-	-
BANP19C2009A	0.37	(0.01)	15,854	-
BANP19C2010A	0.29	-	13,250	-
BANP19P2010A	0.31	0.01	260	-
BANP19P2010B	0.78	(0.02)	65,220	-
BANP24C2011A	0.30	-	6,975	-
BANP27C2007A	-	-	-	-
BANP28C2008A	-	-	-	-
BANP28C2010A	0.26	0.01	21,294	-
BANP28C2012A	0.27	-	8,442	-
BANP41C2007A	-	-	-	-
BANP41C2010A	-	-	-	-
BANP41P2007A	-	-	-	-
BANP42C2006A	-	-	-	-
BANP42C2012T	0.21	-	450	-
BBL06C2007A	0.02	-	21	-
BBL06C2009A	0.65	0.02	47,205	-
BBL06P2011A	1.10	(0.05)	61,227	1.00
BBL08C2007A	0.02	(0.01)	100	-
BBL08C2009A	0.42	0.01	49,163	-
BBL08P2007A	0.93	(0.05)	1,900	-
BBL08P2009A	0.62	(0.03)	59,504	-
BBL11C2007A	-	-	-	-
BBL11C2011A	0.78	-	35,153	-
BBL11P2008A	1.07	(0.12)	1,270	1.00
BBL13C2006A	-	-	-	-
BBL13C2008A	0.13	-	378,800	-
BBL13C2010A	1.30	0.02	3,071	1.00
BBL13C2010B	0.44	0.03	304,206	-
BBL13P2008A	0.37	(0.51)	1	-
BBL13P2010A	0.69	(0.05)	282,239	-
BBL16C2006A	-	-	-	-
BBL19C2007A	-	-	-	-
BBL19C2009A	-	-	-	-
BBL19C2010A	0.45	0.02	202,772	-
BBL19C2011A	0.35	0.02	177,060	-
BBL19P2007A	0.99	(0.06)	100	-
BBL19P2010A	0.61	(0.01)	97,440	-
BBL19P2011A	1.00	(0.03)	140,077	-
BBL24C2009A	0.38	-	56,202	-
BBL28C2007A	-	-	-	-
BBL28C2010A	0.28	0.01	50,938	-
BBL28C2011A	-	-	-	-
BBL41C2007A	-	-	-	-
BBL41C2007B	-	-	-	-
BBL41C2009A	0.42	(0.19)	171,624	-
BBL41C2011A	0.22	-	64	-
BBL41P2010A	0.66	(0.03)	30,302	-
BBL42C2007A	-	-	-	-
BBL42C2101T	0.26	0.02	5,643	-
BCH01C2006A	-	-	-	-
BCH01C2006B	0.01	-	1,000	-
BCH01P2006A	-	-	-	-
BCH06C2006A	-	-	-	-
BCH06C2011A	0.42	0.01	61,360	-
BCH11C2008A	-	-	-	-
BCH13C2007A	-	-	-	-
BCH13C2010A	0.33	0.02	64,965	-
BCH16C2006A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
BCH19C2006A	-	-	-	-
BCH19C2008A	0.44	0.02	6,869	-
BCH19C2011A	0.42	0.02	9,761	-
BCH41C2006A	-	-	-	-
BCP13C2007A	0.01	(0.01)	300	-
BCPG01C2008B	-	-	-	-
BCPG01C2009A	-	-	-	-
BCPG01P2009A	-	-	-	-
BCPG13C2007A	-	-	-	-
BCPG13C2010A	0.30	-	3,060	-
BCPG16C2007A	0.34	-	556	-
BCPG19C2010A	0.29	(0.01)	7,020	-
BCPG28C2008A	-	-	-	-
BCPG28C2012A	0.29	(0.01)	1,371	-
BCPG28C2012B	0.30	-	7,446	-
BCPG42C2007A	0.28	(0.02)	1,656	-
BDM501C2007B	0.04	-	117	-
BDM501P2008A	0.35	0.03	311	-
BDM506C2008A	0.15	(0.01)	40	-
BDM506C2010A	0.65	0.02	14,095	-
BDM506P2009A	0.25	(0.01)	2,426	-
BDM508C2006A	-	-	-	-
BDM508C2011A	0.44	0.01	10,270	-
BDM511C2007A	-	-	-	-
BDM511C2008A	-	-	-	-
BDM511C2011A	0.93	0.01	8,186	-
BDM513C2008A	0.28	0.01	12,696	-
BDM513C2009A	0.41	-	45,477	-
BDM516C2006A	-	-	-	-
BDM519C2010A	0.41	-	17,569	-
BDM519P2010A	0.30	(0.02)	1,005	-
BDM524C2006A	-	-	-	-
BDM528C2011A	0.43	0.02	5,581	-
BDM528C2012A	0.30	0.01	12,094	-
BDM528C2012B	0.12	-	238	-
BDM541C2009A	0.35	-	22,524	-
BEC01C2006A	0.09	-	302	-
BEC01C2006B	0.02	0.01	26,651	-
BEC01P2006A	-	-	-	-
BEM06P2009A	-	-	-	-
BEM08C2009A	0.77	0.01	11,960	-
BEM11C2011A	0.52	0.01	10,145	-
BEM13C2007A	-	-	-	-
BEM13C2009A	0.49	0.01	10,171	-
BEM13C2010A	0.19	-	226	-
BEM16C2006A	0.02	-	2,000	-
BEM19C2010A	0.60	-	5,151	-
BEM19C2011A	-	-	-	-
BEM19P2010A	0.34	(0.01)	5,902	-
BEM24C2008A	0.76	0.01	2,410	-
BEM28C2007A	-	-	-	-
BEM28C2008A	-	-	-	-
BEM28C2010A	-	-	-	-
BEM28C2012A	-	-	-	-
BEM41C2006A	-	-	-	-
BGR101C2006A	0.04	-	303	-
BGR101C2006B	0.02	0.01	50,501	-
BGR101C2008B	-	-	-	-
BGR101C2009A	-	-	-	-
BGR101P2006A	-	-	-	-
BGR106C2010A	0.77	0.03	57,513	-
BGR108C2009A	0.68	0.01	36,070	-
BGR111C2006A	-	-	-	-
BGR111C2008A	-	-	-	-
BGR113C2007A	-	-	-	-
BGR113C2008A	-	-	-	-
BGR113C2009A	0.72	(0.01)	136,152	-
BGR119C2006A	-	-	-	-
BGR119C2008A	-	-	-	-
BGR119C2008B	-	-	-	-
BGR119C2009A	0.75	(0.01)	8,080	-
BGR119C2011A	0.56	0.01	56,649	-
BGR119P2007A	-	-	-	-
BGR124C2009A	0.68	0.02	18,372	-
BGR127P2006A	-	-	-	-
BGR141C2007A	-	-	-	-
BGR141C2010A	0.49	-	22,176	-
BGR141P2006A	-	-	-	-
BGR142C2006A	-	-	-	-
BGR142C2101T	0.34	-	4,060	-
BH08C2007A	0.06	-	200	-
BH11C2008A	-	-	-	-
BH13C2006A	-	-	-	-
BH13C2010A	0.37	-	21,916	-
BH19C2006A	-	-	-	-
BH19C2009A	0.35	-	27,081	-
BH24C2008A	0.23	-	1,800	-
BH27C2007A	-	-	-	-
BH41C2009A	0.35	-	10,920	-
BH42C2008A	0.53	(0.01)	1,974	-
BJC01C2008B	-	-	-	-
BJC01C2009A	0.48	(0.10)	200	-
BJC01P2009A	0.18	(0.01)	300	-
BJC11C2008A	0.08	-	510	-
BJC13C2010A	0.26	0.01	89,740	-
BJC16C2006A	-	-	-	-
BJC19C2007A	-	-	-	-
BJC19C2010A	0.23	0.02	54,061	-
BJC24C2006A	-	-	-	-
BJC27C2009A	-	-	-	-
BJC28C2007A	0.03	-	8,705	-
BJC28C2010A	0.14	-	17,687	-
BJC28C2012A	0.25	0.01	33,978	-

Issue Date :

Tuesday June 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price
BJC41C2007A	-	-	-	-
BJC41C2008A	0.34	(0.10)	9,640	-
BPP13C2007A	0.27	(0.07)	2,246	-
BPP19C2007A	-	-	-	-
BPP19C2010A	0.48	(0.04)	11,209	-
BTS11C2011A	0.38	0.01	7,135	-
BTS13C2008A	-	-	-	-
BTS13C2009A	0.24	0.01	38,139	-
BTS16C2008A	-	-	-	-
BTS19C2008A	0.24	(0.01)	2,287	-
BTS19C2010A	0.23	-	1,335	-
BTS24C2007A	-	-	-	-
BTS41C2006A	-	-	-	-
BTS41C2010A	-	-	-	-
BTS42C2008A	-	-	-	-
CBG01C2007B	0.71	0.10	3,191	-
CBG01P2007B	0.02	(0.01)	21,048	-
CBG08C2007A	-	-	-	-
CBG11C2008A	-	-	-	-
CBG13C2008A	-	-	-	-
CBG13C2010A	0.96	0.04	98,508	-
CBG16C2008A	-	-	-	-
CBG19C2008A	1.48	0.03	718	1.00
CBG19C2010A	1.23	0.03	84,269	1.00
CBG19C2011A	0.51	0.02	49,527	-
CBG19P2006A	-	-	-	-
CBG19P2010A	0.83	(0.04)	30,532	-
CBG24C2008A	1.65	0.02	16,774	1.00
CBG41C2006A	-	-	-	-
CBG41C2009A	1.40	0.06	30	1.00
CBG41C2010A	0.47	0.02	39,828	-
CBG41P2010A	0.90	(0.02)	1	-
CBG42C2006A	-	-	-	-
CBG42C2008A	-	-	-	-
CENT01C2006A	-	-	-	-
CENT01C2006B	0.02	-	20,811	-
CENT01C2009A	0.83	0.08	2	-
CENT01P2009A	0.12	(0.01)	3,957	-
CENT06C2006A	-	-	-	-
CENT06P2007A	-	-	-	-
CENT11C2007A	-	-	-	-
CENT13C2010A	0.20	(0.01)	50,583	-
CENT19C2008A	-	-	-	-
CENT19C2010A	0.54	(0.02)	74,293	-
CENT19C2011A	0.22	(0.01)	34,884	-
CENT24C2008A	0.23	(0.01)	6,600	-
CENT27C2008A	0.41	(0.01)	3,888	-
CENT28C2008A	-	-	-	-
CENT28C2010A	-	-	-	-
CENT28C2012A				

Main Board Quotation

Issue Date :

Tuesday June 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL08C2008A	0.42	(0.04)	6,109	-	EA16C2008A	0.02	(0.02)	2,800	-	GULF11C2011A	0.40	-	5,100	-
CPAL08C2011A	0.44	-	35,135	-	EA19C2008A	-	-	-	-	GULF13C2006B	-	-	-	-
CPAL08P2006A	-	-	-	-	EA19C2010A	0.35	0.01	43,567	-	GULF13C2008A	0.53	0.10	10	-
CPAL08P2009A	0.24	-	2,018	-	EA19P2007A	-	-	-	-	GULF13C2009A	0.92	0.02	570	-
CPAL11C2006A	-	-	-	-	EA19P2011A	0.67	(0.02)	8,125	-	GULF13C2009B	0.25	-	285,159	-
CPAL11C2007A	0.03	(0.01)	100	-	EA24C2008A	0.28	0.01	2,480	-	GULF13P2009A	0.25	(0.01)	21,851	-
CPAL13C2007A	-	-	-	-	EA27C2006A	-	-	-	-	GULF16C2007A	-	-	-	-
CPAL13C2009A	0.69	-	14,107	-	EA28C2011A	0.33	0.02	16,718	-	GULF19C2006A	0.01	(0.04)	2	-
CPAL16C2006A	-	-	-	-	EA28C2012A	0.26	0.01	6,224	-	GULF19C2008A	-	-	-	-
CPAL16C2007A	-	-	-	-	EA41C2009A	0.27	0.02	10,112	-	GULF19C2010A	0.28	-	36,282	-
CPAL19C2008A	0.25	(0.02)	203,535	-	EGC001C2007B	0.02	-	2,620	-	GULF19P2006A	-	-	-	-
CPAL19C2010A	0.35	-	30,675	-	EGC006C2007A	-	-	-	-	GULF19P2009A	0.22	(0.01)	519	-
CPAL19P2010A	0.19	-	1,238	-	EGC006C2010A	0.53	(0.03)	36,133	-	GULF19P2010A	0.28	(0.01)	44,845	-
CPAL19P2010B	0.83	-	26,037	-	EGC006P2009A	0.36	0.01	74,464	-	GULF19P2010B	0.51	(0.02)	318	-
CPAL24C2009A	0.82	(0.02)	14,011	-	EGC013C2009A	0.37	(0.01)	24,837	-	GULF24C2009A	0.23	0.01	2,447	-
CPAL28C2007A	-	-	-	-	EGC019C2007A	0.02	0.01	1,709	-	GULF28C2008A	-	-	-	-
CPAL28C2008A	-	-	-	-	EGC019C2010A	0.52	(0.04)	71,923	-	GULF28C2008B	-	-	-	-
CPAL28C2008B	0.68	(0.11)	80	-	EGC024C2009A	0.46	(0.03)	4,048	-	GULF28C2008C	-	-	-	-
CPAL28C2010A	0.21	(0.01)	33,962	-	EGC042C2007A	-	-	-	-	GULF28C2010A	0.18	0.01	18,252	-
CPAL28C2012A	0.24	-	8,044	-	EGC042C2010T	0.31	(0.02)	6,770	-	GULF28C2012A	0.17	-	3,010	-
CPAL41C2007A	0.14	(0.06)	2,200	-	EPG13C2006A	-	-	-	-	GULF41C2006A	-	-	-	-
CPAL41C2010A	0.47	(0.01)	69,540	-	EPG13C2010A	0.19	-	111,214	-	GULF41C2009A	0.24	0.01	9,000	-
CPAL42C2007A	-	-	-	-	EPG13C2011A	0.76	0.02	198,671	-	GULF41P2007A	-	-	-	-
CPAL42C2101T	0.26	-	456	-	EPG19C2007A	-	-	-	-	GULF41P2009A	0.50	(0.02)	79,832	-
CPF06C2010A	0.28	(0.02)	52,891	-	EPG19C2008A	-	-	-	-	GULF42C2010M	0.30	0.02	2,565	-
CPF06P2011A	0.38	0.02	94,774	-	EPG19C2010A	0.77	0.02	110,951	-	GULF42C2101T	0.22	(0.78)	602	-
CPF08C2006A	-	-	-	-	EPG19C2011A	0.23	-	147,468	-	GUNK11C2007A	-	-	-	-
CPF08C2010A	0.32	(0.03)	27,225	-	EPG24C2008A	0.13	-	6,679	-	GUNK13C2006A	-	-	-	-
CPF11C2007A	-	-	-	-	ERW06C2007A	-	-	-	-	GUNK19C2006A	-	-	-	-
CPF13C2006A	-	-	-	-	ERW06C2010A	-	-	-	-	GUNK19C2010A	0.26	(0.01)	6,656	-
CPF13C2008A	-	-	-	-	ERW13C2006A	-	-	-	-	GUNK24C2006A	-	-	-	-
CPF13C2009A	0.23	(0.02)	125,624	-	ERW13C2007A	-	-	-	-	GUNK28C2012A	0.28	-	45,005	-
CPF16C2007A	-	-	-	-	ERW13C2010A	0.53	(0.02)	241,860	-	HANA01C2006A	-	-	-	-
CPF19C2006A	-	-	-	-	ERW19C2006A	-	-	-	-	HANA01C2006B	0.02	0.01	4,549	-
CPF19C2009A	-	-	-	-	ERW19C2007A	0.23	(0.02)	64,297	-	HANA01P2006A	-	-	-	-
CPF19C2010A	0.25	(0.03)	141,408	-	ERW19C2010A	0.92	(0.07)	61	-	HANA11C2008A	-	-	-	-
CPF24C2007A	0.36	(0.04)	4,070	-	ERW24C2006A	0.01	(0.04)	2	-	HANA13C2008A	0.08	0.01	12,514	-
CPF28C2007A	-	-	-	-	ESSO01C2008B	0.29	(0.03)	1,840	-	HANA16C2008A	0.13	0.01	360	-
CPF28C2010A	-	-	-	-	ESSO01C2009A	0.60	(0.01)	12	-	HANA19C2006A	-	-	-	-
CPF28C2011A	0.26	(0.02)	14,640	-	ESSO01P2009A	0.19	0.04	3,883	-	HANA19C2010A	0.21	0.02	69,098	-
CPF28C2012A	0.17	(0.02)	21,077	-	ESSO06C2011A	0.54	-	32,252	-	HANA27C2007A	-	-	-	-
CPF28C2012B	0.16	(0.03)	4,997	-	ESSO08C2008A	-	-	-	-	HANA27P2007A	0.40	(0.06)	600	-
CPF41C2008A	0.25	(0.05)	2,900	-	ESSO08C2011A	0.59	-	33,488	-	HANA41C2006A	-	-	-	-
CPF41C2010A	0.24	(0.02)	2,603	-	ESSO13C2010A	0.52	-	75,235	-	HMPR01C2006A	-	-	-	-
CPN06C2006A	-	-	-	-	ESSO19C2007A	-	-	-	-	HMPR01C2006B	-	-	-	-
CPN06C2010A	0.69	0.05	21,606	-	ESSO19C2009A	-	-	-	-	HMPR01P2006A	0.14	-	1,501	-
CPN11C2006A	-	-	-	-	ESSO19C2010A	0.55	-	19,385	-	HMPR06C2010A	0.55	-	9,341	-
CPN11C2008A	0.04	(0.02)	51	-	ESSO19C2011A	0.38	-	43,262	-	HMPR06P2007A	-	-	-	-
CPN13C2007A	-	-	-	-	ESSO24C2007A	0.38	(0.01)	15,399	-	HMPR06P2011A	0.47	-	27,571	-
CPN13C2009A	0.43	0.02	22,753	-	ESSO41C2006A	-	-	-	-	HMPR11C2011A	0.66	-	14,374	-
CPN19C2007A	-	-	-	-	ESSO41C2010A	-	-	-	-	HMPR13C2006A	-	-	-	-
CPN19C2010A	0.45	0.03	9,024	-	ESSO41C2011A	-	-	-	-	HMPR13C2007A	-	-	-	-
CPN19P2010A	0.54	(0.03)	2,000	-	ESSO42C2007A	-	-	-	-	HMPR13C2009A	0.42	-	20,426	-
CPN24C2007A	0.12	0.01	8,463	-	GFPT13C2010A	0.38	(0.01)	51,491	-	HMPR19C2007A	-	-	-	-
CPN41C2009A	0.34	-	2,200	-	GFPT19C2006A	0.11	(0.02)	86,653	-	HMPR19C2010A	0.52	-	9,754	-
CPN41P2006A	-	-	-	-	GFPT19C2010A	0.44	(0.02)	75,190	-	HMPR24C2008A	0.64	-	5,457	-
CPN42C2006A	-	-	-	-	GFPT24C2007A	0.23	(0.01)	17,314	-	HMPR41C2006A	-	-	-	-
CRC01C2007A	0.07	(0.01)	15	-	GFPT42C2008A	0.56	0.01	2,450	-	HMPR41C2007A	-	-	-	-
CRC08C2007A	0.18	0.01	100	-	GLOB01C2007B	-	-	-	-	HMPR41C2007B	0.43	(0.05)	1,300	-
CRC08C2009A	0.35	0.01	9,350	-	GLOB01C2008A	-	-	-	-	HMPR41C2010A	0.39	(0.01)	20,792	-
CRC13C2008A	0.05	-	320	-	GLOB06C2006A	-	-	-	-	HSI28C2006A	1.33	0.18	155	1.00
CRC13C2009A	0.39	0.01	81,239	-	GLOB13C2007A	-	-	-	-	HSI28C2006B	0.66	0.21	68,637	-
CRC19C2008A	-	-	-	-	GLOB19C2007A	-	-	-	-	HSI28C2006C	0.15	0.07	392,988	-
CRC19C2008B	0.37	0.02	97,483	-	GLOB19C2010A	0.54	0.01	3,242	-	HSI28C2007A	1.05	0.22	48,492	-
CRC19C2010A	0.28	0.01	14,648	-	GLOB24C2010A	0.47	0.01	9,115	-	HSI28C2007B	0.56	0.15	139,160	-
CRC24C2008A	0.44	0.02	78,125	-	GLOB24C2009A	-	-	-	-	HSI28C2007C	0.22	0.07	819,792	-
CRC28C2007A	-	-	-	-	GPS01C2007B	-	-	-	-	HSI28C2008A	2.22	0.36	671	2.00
CRC28C2007B	-	-	-	-	GPS01C2008A	0.62	0.07	108	-	HSI28C2008B	1.46	0.28	1,944	1.00
CRC28C2011A	0.32	-	27,587	-	GPS01P2007B	-	-	-	-	HSI28C2008C	0.87	0.16	8,601	-
CRC28C2012A	0.24	-	11,920	-	GPS01P2008A	0.58	(0.01)	205	-	HSI28C2010L	0.49	0.08	34,865	-
CRC41C2007A	-	-	-	-	GPS06C2006A	0.01	(0.01)	66,376	-	HSI28C2011L	1.00	0.14	13,343	-
CRC41C2009A	-	-	-	-	GPS06C2008A	0.74	0.06	3,069	-	HSI28P2006A	0.01	(0.04)	13,656	-
CRC41C2010A	0.21	-	2,928	-	GPS06C2011A	0.74	(0.01)	60,565	-	HSI28P2006B	0.01	-	4	-
DTAC01C2007B	-	-	-	-	GPS08C2007A	0.15	(0.01)	10	-	HSI28P2006C	0.01	-	15,000	-
DTAC01C2008A	0.39	0.01	76	-	GPS08C2009A	0.81	-	26,354	-	HSI28P2007A	0.46	(0.16)	215,285	-
DTAC01P2007B	-	-	-	-	GPS08P2006A	-	-	-	-	HSI28P2007B	0.26	(0.09)	68,939	-
DTAC01P2008A	0.25	(0.05)	14	-	GPS11C2006A	0.08	(0.10)	1,750	-	HSI28P2007C	0.16	(0.07)	379,788	-
DTAC08C2007A	-	-	-	-	GPS13C2007A	-	-	-	-	HSI28P2008A	0.76	(0.16)	122,227	-
DTAC08C2008A	0.29	0.02	30,073	-	GPS13C2008A	0.61	0.01	4	-	HSI28P2008B	0.56	(0.11)	15,558	-
DTAC13C2007A	-	-	-	-	GPS13C2009A	0.96	(0.01)	272,204	-	HSI28P2008C	0.39	(0.09)	34,730	-
DTAC13C2009A	0.24	0.02	106,474	-	GPS13P2007A	-	-	-	-	HSI28P2010L	0.46	(0.06)	5,100	-
DTAC13P2007A	-	-	-	-	GPS16C2007A	-	-	-	-	HSI28P2011L	0.42	(0.02)	4,299	-
DTAC13P2008A	0.25	(0.05)	101,235	-	GPS19C2007A	-	-	-	-	HSI41C2006A	-	-	-	-
DTAC16C2009A	0.52	0.04	29,080	-	GPS19C2008A	0.96	0.06	1	-	HSI41C2006B	-	-	-	-
DTAC19C2006A	-	-	-	-	GPS19C2009A	-	-	-	-	HSI41C2007A	0.60	0.14	933,102	-
DTAC19C2007A	-	-	-	-	GPS19C2010A	0.79	-	135,163	-	HSI41C2007B	0.34	0.10	96,844	-
DTAC19C2009A	0.32	0.04	128,128	-	GPS19P2010A	0.37	-	4,808	-	HSI41C2007C	1.24	0.25	108,992	1.00
DTAC19C2010A	0.26	0.02	21,583	-	GPS19P2011A	1.02	(0.01)	74,303	1.00	HSI41C2008A	1.03	0.18	1,264,344	-
DTAC19P2007A	0.26	(0.04)	94,442	-	GPS24C2007A	0.01	(0.01)	600	-	HSI41C2008B	0.62	0.12	394,584	-
DTAC24C2007A	0.23	0.03	18,682	-	GPS24C2011A	0.68	(0.02)	12,662	-	HSI41P2006A	-	-	-	-
DTAC27C2008A	0.16	-	13,086	-	GPS28C2008A	0.40	-	35,358	-	HSI41P2006B	-	-		

Main Board Quotation

Issue Date :

Tuesday June 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
INTU16C2007A	-	-	-	-	KBAN24C2009A	0.66	(0.01)	167,731	-	MTC08C2009A	1.18	(0.10)	36,000	1.00
INTU16C2009A	0.40	(0.02)	16,326	-	KBAN28C2008A	0.01	(0.03)	1	-	MTC08C2011A	0.71	(0.02)	65,129	-
INTU19C2009A	0.43	(0.02)	26,815	-	KBAN28C2008B	0.21	0.01	4,652	-	MTC11C2008A	-	-	-	-
INTU19P2007A	-	-	-	-	KBAN28C2008C	0.44	(0.01)	99,803	-	MTC13C2007A	0.01	-	1,455	-
INTU19P2010A	0.42	(0.01)	55	-	KBAN28C2010A	0.09	-	66,298	-	MTC13C2009A	0.58	(0.03)	78,540	-
INTU23C2111A	0.82	(0.01)	30	-	KBAN28P2012A	0.60	-	65,896	-	MTC13C2010A	0.50	(0.04)	190,645	-
INTU24C2008A	0.37	(0.02)	18,900	-	KBAN41C2007A	0.01	(0.02)	1	-	MTC16C2007A	-	-	-	-
INTU28C2008A	0.20	(0.02)	10,777	-	KBAN41C2008A	-	-	-	-	MTC19C2006A	-	-	-	-
INTU28C2010A	0.36	-	14,256	-	KBAN41C2009A	0.68	-	172,826	-	MTC19C2009A	0.98	(0.05)	11,983	1.00
INTU41C2007A	-	-	-	-	KBAN41C2011A	0.16	-	2,500	-	MTC19C2010A	0.64	(0.01)	87,894	-
INTU41C2010A	0.36	(0.64)	20,760	-	KBAN41P2010A	0.78	-	38,977	-	MTC24C2009A	0.56	(0.02)	28,402	-
IRPC01C2007B	-	-	-	-	KBAN41P2011A	1.56	-	17,293	1.00	MTC27C2007A	0.01	(0.03)	600	-
IRPC01P2007B	-	-	-	-	KBAN42C2007A	-	-	-	-	MTC28C2008A	-	-	-	-
IRPC06C2007A	-	-	-	-	KBAN42P2008A	-	-	-	-	MTC28C2011A	0.58	(0.02)	144,886	-
IRPC06C2010A	0.33	(0.01)	31,406	-	KCE01C2007B	-	-	-	-	MTC28C2012A	0.38	(0.02)	65,585	-
IRPC06P2010A	0.40	(0.01)	40,717	-	KCE01C2008A	0.11	-	251	-	MTC41C2007A	0.14	(0.05)	50	-
IRPC11C2008A	-	-	-	-	KCE06C2009A	1.13	0.06	56,624	1.00	MTC41C2010A	0.50	-	26,458	-
IRPC13C2007A	0.01	-	7	-	KCE08C2009A	0.92	0.03	42,536	-	MTC42C2010T	0.36	(0.01)	9,976	-
IRPC13C2008A	-	-	-	-	KCE13C2006A	-	-	-	-	ORI19C2010A	0.76	(0.05)	1,723	-
IRPC13C2009A	0.37	-	67,989	-	KCE13C2009A	0.54	0.02	151,411	-	ORI19C2011A	0.28	-	65,090	-
IRPC16C2008A	0.29	-	13,023	-	KCE16C2007A	-	-	-	-	ORI28C2007A	-	-	-	-
IRPC19C2007A	0.11	0.01	70	-	KCE19C2007A	-	-	-	-	ORI28C2011A	-	-	-	-
IRPC19C2008A	-	-	-	-	KCE19C2008A	-	-	-	-	ORI28C2012A	-	-	-	-
IRPC19C2010A	0.29	-	25,638	-	KCE19C2009A	0.75	0.03	64,715	-	ORI28C2012B	0.25	-	42,304	-
IRPC24C2007A	0.24	-	7,470	-	KCE19C2010A	0.71	0.03	245,882	-	OSP01C2006A	0.14	(0.07)	6	-
IRPC27C2007A	-	-	-	-	KCE24C2010A	0.27	0.01	11,389	-	OSP01C2006B	0.01	-	2,810	-
IRPC28C2008A	0.30	(0.02)	754	-	KCE27C2007A	-	-	-	-	OSP01P2006A	0.04	-	9	-
IRPC28C2012A	0.21	-	12,838	-	KCE41C2006A	-	-	-	-	OSP06C2008A	0.60	(0.02)	18,450	-
IRPC41C2006A	-	-	-	-	KCE42C2012T	0.41	-	4,800	-	OSP06P2009A	0.39	-	227,132	-
IRPC41C2007A	-	-	-	-	KKP01C2006A	-	-	-	-	OSP08C2009A	0.38	(0.02)	14,610	-
IRPC41C2010A	0.29	0.01	1,100	-	KKP01C2006B	0.01	-	701	-	OSP13C2006A	-	-	-	-
IRPC41P2007A	-	-	-	-	KKP01P2006A	-	-	-	-	OSP13C2010A	0.34	-	71,235	-
IRPC42C2006A	-	-	-	-	KKP11C2007A	-	-	-	-	OSP16C2008A	-	-	-	-
IVL01C2006B	-	-	-	-	KKP13C2007A	-	-	-	-	OSP19C2009A	0.32	(0.02)	81,925	-
IVL01P2006B	0.02	(0.02)	4,107	-	KKP13C2010A	0.36	0.01	57,862	-	OSP19C2010A	0.22	(0.01)	12,083	-
IVL06C2008A	0.21	0.01	92,081	-	KKP19C2010A	0.45	0.02	43,464	-	OSP24C2008A	0.20	(0.02)	15,325	-
IVL06C2010A	0.28	0.01	124,499	-	KKP19C2011A	0.28	0.01	4,235	-	OSP41C2010A	0.29	(0.02)	2,605	-
IVL06P2009A	0.13	(0.01)	124,000	-	KKP41C2006A	-	-	-	-	PLAN13C2007A	0.09	0.02	2,784	-
IVL06P2011A	0.61	(0.02)	16,068	-	KTBO1C2008B	0.03	(0.01)	50	-	PLAN13C2010A	0.40	0.05	298,094	-
IVL08C2009A	0.32	-	2,000	-	KTBO1C2009A	0.11	0.01	301	-	PLAN19C2007A	0.14	0.04	1,340	-
IVL11C2006A	-	-	-	-	KTBO1P2009A	0.69	(0.06)	400	-	PLAN19C2010A	1.68	0.08	376	1.00
IVL13C2006A	-	-	-	-	KTB11C2006A	-	-	-	-	PLAN19C2010B	0.42	0.06	158,725	-
IVL13C2008A	0.78	0.02	17	-	KTB13C2010A	0.18	-	43,405	-	PLAN24C2006A	-	-	-	-
IVL13C2009A	0.24	0.01	177,854	-	KTB19C2010A	0.20	0.01	17,975	-	PLAN24C2009A	0.40	0.05	42,523	-
IVL13P2010A	0.34	(0.01)	87,797	-	KTB24C2009A	0.20	0.02	11,700	-	PLAN27C2008A	0.03	-	1,000	-
IVL16C2006A	-	-	-	-	KTB28C2011A	-	-	-	-	PLAN28C2010A	0.38	0.05	129,548	-
IVL16C2009A	0.33	-	8,256	-	KTB28C2012A	0.11	-	5,386	-	PLAN28C2012A	-	-	-	-
IVL19C2006A	-	-	-	-	KTB28C2012B	0.14	0.01	4,056	-	PLAN42C2007A	-	-	-	-
IVL19C2008A	-	-	-	-	KT01C2007A	0.15	-	510	-	PRM13C2006A	0.05	(0.02)	156	-
IVL19C2009A	1.55	(0.01)	122	1.00	KT01C2007B	0.07	0.01	512	-	PRM13C2010A	0.43	-	72,649	-
IVL19C2010A	0.31	-	114,029	-	KT01P2007A	0.18	(0.01)	4,151	-	PRM19C2006A	-	-	-	-
IVL19P2006A	-	-	-	-	KT06C2006A	-	-	-	-	PRM19C2010A	0.65	-	63,134	-
IVL19P2010A	0.29	(0.02)	128,933	-	KT08C2006A	0.01	(0.01)	750	-	PRM42C2006A	-	-	-	-
IVL24C2008A	0.94	(0.03)	2,160	-	KT13C2008A	0.35	(0.02)	83,334	-	PSL06C2006A	0.01	(0.01)	1,484	-
IVL27P2007A	0.14	(0.02)	8,196	-	KTC13C2010A	0.11	(0.02)	496,357	-	PSL19C2006A	-	-	-	-
IVL28C2007A	-	-	-	-	KTC13C2010B	0.34	(0.02)	643,408	-	PSL19C2007A	0.93	(0.10)	9,185	-
IVL28C2011A	0.29	0.01	4,142	-	KTC13P2007A	-	-	-	-	PTG01C2007B	0.35	0.06	228	-
IVL28C2012A	0.19	0.01	20,627	-	KTC19C2006A	-	-	-	-	PTG06C2010A	0.53	(0.01)	82,090	-
IVL41C2007A	-	-	-	-	KTC19C2008A	0.36	(0.03)	48,796	-	PTG08C2007A	0.29	0.06	701	-
IVL41C2007B	-	-	-	-	KTC19C2010A	0.14	(0.02)	176,480	-	PTG13C2010A	0.39	(0.02)	142,842	-
IVL41C2009A	0.26	-	5	-	KTC19C2010B	0.34	(0.02)	74,032	-	PTG16C2009A	0.48	(0.01)	19,387	-
IVL41C2010A	0.22	0.01	9,100	-	KTC19P2010A	0.50	0.02	212,234	-	PTG19C2006A	-	-	-	-
IVL41P2007A	-	-	-	-	KTC27C2007A	-	-	-	-	PTG19C2008A	0.75	0.18	1	-
IVL41P2010A	0.44	(0.01)	4,414	-	KTC28C2011A	0.15	(0.01)	43,901	-	PTG19C2010A	0.46	(0.01)	206,135	-
IVL42C2008A	-	-	-	-	KTC28C2012A	0.16	(0.01)	18,830	-	PTG19P2006A	-	-	-	-
IVL42C2101T	0.19	-	160	-	KTC41C2009A	0.19	(0.01)	23,480	-	PTG19P2010A	0.36	-	11,956	-
JAS13C2006A	0.02	(0.01)	50	-	KTC42C2006A	-	-	-	-	PTG27C2007A	0.29	0.01	13,148	-
JAS13C2009A	0.19	-	17,504	-	KTC42C2012T	0.19	(0.01)	2,501	-	PTG42C2006A	-	-	-	-
JAS19C2009A	0.73	(0.01)	11,340	-	LH11C2007A	-	-	-	-	PTT01C2007A	0.09	-	6,744	-
JAS19C2010A	0.32	(0.01)	35,963	-	LH13C2010A	0.40	0.02	24,654	-	PTT01C2007B	0.01	(0.01)	3,328	-
JAS19C2010B	0.49	0.01	11,413	-	LH19C2007A	-	-	-	-	PTT01P2007A	0.82	(0.06)	2,224	-
JAS19P2010A	0.44	(0.01)	33,588	-	LH19C2010A	0.44	0.01	1,132	-	PTT01P2007B	0.12	(0.03)	340	-
JAS28C2011A	0.34	0.01	3,883	-	LH19C2011A	0.30	0.02	8,169	-	PTT06C2008A	0.96	0.05	5,070	-
JAS28C2012A	0.22	-	2,511	-	LH41C2006A	-	-	-	-	PTT08C2008A	0.42	-	26,007	-
JAS41C2009A	-	-	-	-	MAJ013C2007A	0.02	(0.01)	16,547	-	PTT08P2009A	0.40	(0.02)	647	-
JMT19C2006A	0.17	0.07	6,486	-	MAJ019C2006A	-	-	-	-	PTT11C2008A	-	-	-	-
JMT19C2010A	0.91	0.16	861,325	-	MAJ019C2011A	0.50	0.01	31,222	-	PTT13C2006A	-	-	-	-
JMT42C2006A	-	-	-	-	MEGA16C2009A	0.58	-	10	-	PTT13C2008A	0.09	-	3,022	-
KBAN01C2007A	0.07	0.01	6,806	-	MINT01C2007B	0.02	0.01	1	-	PTT13C2008B	-	-	-	-
KBAN01C2007B	0.02	-	203	-	MINT01C2008A	0.05	-	6,501	-	PTT13C2009A	0.41	0.01	69,745	-
KBAN01P2007A	2.18	(0.06)	40	2.00	MINT01P2008A	1.11	0.04	4,455	1.00	PTT13C2010A	0.32	-	119,323	-
KBAN01P2007B	1.80	0.02	79	1.00	MINT06C2006A	1.11	-	-	-	PTT13P2008A	0.03	-	5,686	-
KBAN06C2008A	0.06	(0.03)	716	-	MINT06P2007A	-	-	-	-	PTT13P2009A	0.14	(0.01)	115,229	-
KBAN06C2009A	0.42	(0.01)	309,393	-	MINT08C2010A	0.59	(0.02)	85,631	-	PTT13P2010A	0.37	-	172,735	-
KBAN06C2011A	0.16	-	112,316	-	MINT11C2006A	0.01	(0.03)	400	-	PTT16C2008A	-	-	-	-
KBAN06P2011A	1.18	(0.02)	225,216	1.00	MINT11C2011A	0.79	(0.01)	80,750	-	PTT19C2008A	0.58	0.01	1,331	-
KBAN08C2007A	0.01	(0.02)	1	-	MINT11P2011A	0.64	(0.01)	10,656	-	PTT19C2009A	0.45	0.01	7,673	-
KBAN08C2011A	0.58	-	114,970	-	MINT13C2008A	0.04	0.01	22	-	PTT19C2011A	0.35	0.01	30,900	-
KBAN13C2008A	0.06	0.01	101	-	MINT13C2009A	0.39	(0.02)	313,213	-	PTT19P2006A	-	-	-	-
KBAN13C2008B	-	-	-	-	MINT13C2010A	0.75	(0.05)	155,150						

Main Board Quotation

Issue Date :

Tuesday June 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT41P2010A	0.25	(0.01)	30	-	RATC06P2010A	0.82	-	25,572	-	S5019C2006G	-	-	-	-
PTT41P2011A	0.79	(0.02)	4	-	RATC13C2007A	0.12	(0.01)	100,064	-	S5019C2007B	0.05	(0.01)	9,887	-
PTT42C2007A	-	-	-	-	RATC13C2010A	0.46	(0.01)	146,584	-	S5019C2009A	3.18	0.02	11,276	3.00
PTT42C2010M	0.41	0.01	1,498	-	RATC16C2008A	0.04	-	500	-	S5019C2009B	1.09	0.02	148,067	1.00
PTT42C2012T	0.20	(0.80)	10,400	-	RATC19C2007A	0.41	(0.02)	10,869	-	S5019C2009C	0.33	-	100,627	-
PTTE01C2007A	0.05	(0.01)	21,782	-	RATC19C2011A	0.54	(0.02)	8,609	-	S5019C2009D	0.58	0.02	345,151	-
PTTE01C2007B	0.01	(0.01)	10,601	-	RATC19P2011A	0.75	-	12,212	-	S5019P2006A	-	-	-	-
PTTE01P2007A	1.45	(0.02)	905	1.00	RATC24C2006A	-	-	-	-	S5019P2006B	0.77	0.10	25	-
PTTE01P2007B	0.30	(0.03)	136	-	RATC27C2007A	0.11	(0.02)	280	-	S5019P2006C	0.15	(0.01)	5	-
PTTE06C2006A	-	-	-	-	RATC41C2006A	-	-	-	-	S5019P2006D	-	-	-	-
PTTE06C2008A	2.92	0.06	29,933	2.00	RATC41C2010A	0.53	(0.01)	22,663	-	S5019P2006E	0.02	-	1	-
PTTE06C2011A	0.90	0.01	97,632	-	RATC42C2006A	-	-	-	-	S5019P2006F	0.01	-	1	-
PTTE06P2006A	-	-	-	-	RS06C2010A	0.68	0.07	54,473	-	S5019P2006G	-	-	-	-
PTTE06P2009A	0.19	(0.01)	51,098	-	RS08P2006A	-	-	-	-	S5019P2007B	0.02	-	628	-
PTTE06P2011A	1.04	(0.04)	85,767	1.00	RS13C2006A	0.47	0.14	2,250	-	S5019P2009A	0.37	(0.02)	36,471	-
PTTE08C2008A	-	-	-	-	RS13C2010A	0.56	0.05	310,224	-	S5019P2009B	0.15	(0.02)	67,903	-
PTTE08C2011A	1.17	0.01	75,362	1.00	RS19C2007A	0.48	0.07	9,978	-	S5019P2009C	0.76	(0.04)	367,207	-
PTTE08P2006A	-	-	-	-	RS19C2010A	-	-	-	-	S5019P2009D	1.22	(0.05)	524,345	1.00
PTTE11C2006A	0.01	-	556	-	RS19C2011A	0.61	0.06	69,777	-	S5024C2006A	-	-	-	-
PTTE11C2011A	1.04	0.02	36,255	1.00	RS24C2008A	0.32	0.06	77,410	-	S5024C2006B	-	-	-	-
PTTE13C2008A	0.07	-	310	-	RS42C2008A	0.75	0.10	5,672	-	S5024C2006C	-	-	-	-
PTTE13C2008B	0.84	(0.23)	75	-	S10001C2011A	0.11	0.01	797	-	S5024C2006D	-	-	-	-
PTTE13C2009A	1.55	-	200	1.00	S5001C2006F	0.01	-	44,106	-	S5024C2006E	-	-	-	-
PTTE13C2010A	1.00	0.01	190,996	1.00	S5001C2006G	0.01	(0.01)	6,145	-	S5024C2009A	0.04	-	2,762	-
PTTE13C2010B	0.40	0.01	113,482	-	S5001C2006H	0.02	(0.03)	15,627	-	S5024C2009B	1.26	0.02	100,364	1.00
PTTE13P2008A	0.06	(0.01)	283	-	S5001C2007A	0.42	(0.08)	6,756	-	S5024C2009C	0.49	0.01	11,788	-
PTTE13P2009A	0.17	(0.01)	3,090	-	S5001P2006F	2.44	(0.14)	325	2.00	S5024C2009D	0.39	-	2,501	-
PTTE13P2010A	1.14	(0.03)	107,637	1.00	S5001P2006G	0.80	(0.03)	288	-	S5024C2009E	0.92	0.01	14,785	-
PTTE16C2009A	0.04	-	140	-	S5001P2006H	0.03	(0.03)	2,303	-	S5024C2012A	0.14	(0.01)	1,410	-
PTTE19C2006A	0.01	-	21	-	S5001P2007A	0.62	(0.03)	11,964	-	S5024P2006A	-	-	-	-
PTTE19C2008A	0.09	(0.03)	65	-	S5006C2006A	0.02	0.01	19,489	-	S5024P2006B	-	-	-	-
PTTE19C2008B	1.43	0.06	1	1.00	S5006C2006B	0.01	-	3,701	-	S5024P2006C	-	-	-	-
PTTE19C2009A	-	-	-	-	S5006C2006C	0.83	(0.01)	30,074	-	S5024P2006D	-	-	-	-
PTTE19C2009B	1.56	(0.07)	51	1.00	S5006C2006D	0.82	(0.01)	75,952	-	S5024P2006E	-	-	-	-
PTTE19C2010A	0.74	-	114,704	-	S5006C2006E	-	-	-	-	S5024P2006F	-	-	-	-
PTTE19C2010B	1.21	0.02	142,130	1.00	S5006C2006F	1.62	0.01	56,297	1.00	S5024P2009A	0.72	(0.04)	13,603	-
PTTE19C2011A	0.48	-	35,751	-	S5006C2009A	0.93	0.01	207,130	-	S5024P2009B	1.29	(0.07)	105,550	1.00
PTTE19P2006A	0.88	(0.04)	2	-	S5006C2009B	1.36	0.02	234,699	1.00	S5024P2009C	1.13	(0.06)	74,257	1.00
PTTE19P2009A	0.12	(0.01)	1,005	-	S5006P2006A	-	-	-	-	S5024P2012A	0.22	-	11,743	-
PTTE19P2009B	0.31	(0.01)	119,461	-	S5006P2006B	-	-	-	-	S5028C2006A	-	-	-	-
PTTE19P2010A	0.75	(0.02)	55,246	-	S5006P2006C	0.01	-	10	-	S5028C2006B	-	-	-	-
PTTE24C2008A	0.06	(0.02)	813	-	S5006P2006D	0.06	-	1	-	S5028C2006C	0.93	(0.03)	59	-
PTTE24C2011A	0.77	0.01	38,244	-	S5006P2006E	0.01	(0.01)	640	-	S5028C2006D	-	-	-	-
PTTE28C2008A	0.15	-	100	-	S5006P2006F	-	-	-	-	S5028C2007A	0.37	0.02	178,993	-
PTTE28C2011A	1.17	0.02	29,406	1.00	S5006P2009A	1.14	(0.07)	311,153	1.00	S5028C2009A	1.04	0.02	234,529	1.00
PTTE28C2011B	0.39	-	26,364	-	S5006P2009B	0.35	(0.01)	138,844	-	S5028C2009B	0.58	0.01	657,332	-
PTTE28C2012A	0.81	-	40,705	-	S5008C2006A	-	-	-	-	S5028C2012A	0.42	0.01	504,868	-
PTTE41C2006A	-	-	-	-	S5008C2006B	0.24	(0.14)	50	-	S5028P2006A	0.97	(0.04)	1,490	-
PTTE41C2007A	-	-	-	-	S5008C2006C	-	-	-	-	S5028P2006B	0.30	(0.02)	381	-
PTTE41C2008A	0.78	0.01	127,458	-	S5008C2006D	0.03	(0.02)	11	-	S5028P2006C	0.02	(0.01)	13,334	-
PTTE41C2009A	-	-	-	-	S5008C2009A	0.47	-	230,255	-	S5028P2007A	0.22	0.01	2	-
PTTE41C2010A	-	-	-	-	S5008P2006A	0.01	-	1	-	S5028P2009A	1.02	(0.02)	164,878	1.00
PTTE41P2009A	-	-	-	-	S5008P2006B	-	-	-	-	S5028P2009B	0.66	(0.02)	355,223	-
PTTE41P2010A	0.75	(0.02)	44,139	-	S5008P2006C	-	-	-	-	S5028P2012A	1.17	(0.02)	550,114	1.00
PTTE42C2010T	0.72	-	1,700	-	S5008P2009A	0.48	(0.03)	5,511	-	S5041C2006A	0.01	-	320	-
PTTE42P2008A	-	-	-	-	S5008P2009B	0.99	(0.04)	414,095	-	S5041C2006B	-	-	-	-
PTTG01C2007B	-	-	-	-	S5013C2006A	0.01	-	16	-	S5041C2006C	-	-	-	-
PTTG01C2008A	0.25	0.01	964	-	S5013C2006B	-	-	-	-	S5041C2006D	-	-	-	-
PTTG01P2007B	-	-	-	-	S5013C2006C	0.01	-	630	-	S5041C2006E	-	-	-	-
PTTG01P2008A	-	-	-	-	S5013C2006D	-	-	-	-	S5041C2006F	-	-	-	-
PTTG06C2006A	-	-	-	-	S5013C2006E	0.18	(0.05)	8,766	-	S5041C2006G	-	-	-	-
PTTG08C2008A	0.70	(0.01)	26,183	-	S5013C2006F	0.12	(0.02)	31,782	-	S5041C2009A	1.10	0.04	41,133	1.00
PTTG08P2010A	0.35	(0.01)	30,700	-	S5013C2006G	0.02	(0.02)	468	-	S5041C2009B	0.63	0.01	3,226,646	-
PTTG11C2007A	-	-	-	-	S5013C2006H	0.02	(0.02)	263	-	S5041C2009C	0.45	0.01	305,998	-
PTTG13C2007A	-	-	-	-	S5013C2006I	0.02	-	1,821	-	S5041C2009D	0.29	0.01	2,341	-
PTTG13C2008A	-	-	-	-	S5013C2009A	0.96	0.01	2,391,896	-	S5041P2006A	-	-	-	-
PTTG13C2009A	0.84	0.03	100	-	S5013C2009B	0.59	0.01	2,415,597	-	S5041P2006B	0.53	(0.12)	3,576	-
PTTG13C2010A	0.47	0.01	185,284	-	S5013C2009C	0.32	0.01	2,092,639	-	S5041P2006C	-	-	-	-
PTTG13P2008A	-	-	-	-	S5013P2006A	1.50	(0.30)	40	1.00	S5041P2006D	-	-	-	-
PTTG13P2010A	0.45	(0.01)	90,808	-	S5013P2006B	0.82	(0.15)	35	-	S5041P2006E	-	-	-	-
PTTG16C2006A	-	-	-	-	S5013P2006C	0.10	(0.07)	200	-	S5041P2006F	-	-	-	-
PTTG19C2006A	-	-	-	-	S5013P2006D	0.01	(0.03)	14,870	-	S5041P2006G	-	-	-	-
PTTG19C2006B	-	-	-	-	S5013P2006E	0.01	-	1,124	-	S5041P2009A	0.73	(0.04)	13,603	-
PTTG19C2008A	-	-	-	-	S5013P2006F	0.01	-	10	-	S5041P2009B	0.85	(0.03)	1,960,958	-
PTTG19C2008B	1.13	0.01	1	1.00	S5013P2006G	-	-	-	-	S5041P2009C	1.15	(0.01)	232,251	1.00
PTTG19C2009A	0.62	-	147,725	-	S5013P2006H	-	-	-	-	S5041P2009D	0.95	(0.03)	44,289	-
PTTG19C2011A	0.53	0.01	65,875	-	S5013P2006I	-	-	-	-	SAWA01C2006A	0.01	(0.01)	1,520	-
PTTG19P2006A	-	-	-	-	S5013P2006J	-	-	-	-	SAWA01C2006B	0.02	-	51,752	-
PTTG19P2009A	0.17	-	1,701	-	S5013P2006K	0.27	(0.02)	37,021	-	SAWA01P2006A	0.99	0.19	384	-
PTTG19P2011A	0.51	(0.01)	55,076	-	S5013P2009A	0.50	(0.04)	405,389	-	SAWA06C2007A	0.04	-	39	-
PTTG24C2008A	0.54	-	25,080	-	S5013P2009B	0.43	(0.03)	359,247	-	SAWA06C2010A	0.54	(0.05)	244,434	-
PTTG27P2006A	-	-	-	-	S5013P2009C	0.59	(0.03)	1,637,913	-	SAWA08C2006A	0.01	-	904	-
PTTG28C2008A	0.35	-	3,579	-	S5013P2009D	0.61	(0.03)	2,230,911	-	SAWA08C2011A	0.55	(0.03)	127,212	-
PTTG28C2011A	0.36	0.01	41,289	-	S5013P2009E	1.49	(0.06)	2,223,611	1.00	SAWA13C2007A	-	-	-	-
PTTG41C2006A	-	-	-	-	S5016C2006A	-	-	-	-	SAWA13C2009A	0.47	(0.05)	11,018	-
PTTG41C2007A	-	-	-	-	S5016C2006B	-	-	-	-	SAWA13C2010A	0.42	(0.04)	362,017	-
PTTG41C2008A	-	-	-	-	S5016C2006C	-	-	-	-	SAWA16C2008A	0.08	0.04	16	-
PTTG41C2010A	0.73	0.02	545	-	S5016C2006D	-	-	-	-	SAWA19C2009A	0.57	-	18,784	-
PTTG41C2011A	0.43	-	7,100											

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday June 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB01P2007B	0.76	(0.02)	839	-	STA19P2009A	0.42	0.03	315,855	-	TOP06C2011A	0.50	0.01	60,030	-
SCB06C2007A	-	-	-	-	STA28C2011A	1.26	(0.13)	6	1.00	TOP06P2010A	0.35	(0.01)	36,559	-
SCB06C2010A	0.75	0.04	43,279	-	STA28C2011B	0.33	(0.04)	63,379	-	TOP08C2007A	-	-	-	-
SCB08C2007A	-	-	-	-	STA28C2012A	1.49	(0.04)	1	1.00	TOP08C2010A	0.57	(0.01)	32,200	-
SCB08C2009A	0.62	0.01	65,565	-	STA41C2010A	0.29	(0.04)	100,589	-	TOP08P2007A	-	-	-	-
SCB11C2006A	-	-	-	-	STA42C2007A	-	-	-	-	TOP11C2007A	-	-	-	-
SCB11C2008A	0.03	0.01	218	-	STA42C2010T	0.25	(0.01)	15,399	-	TOP11C2011A	0.69	-	40,401	-
SCB13C2006A	-	-	-	-	STEC01C2006A	0.24	(0.01)	2,286	-	TOP13C2008A	-	-	-	-
SCB13C2006B	-	-	-	-	STEC01C2006B	-	-	-	-	TOP13C2008B	-	-	-	-
SCB13C2007A	-	-	-	-	STEC01P2006A	0.01	-	300	-	TOP13C2010A	0.52	-	90,293	-
SCB13C2008A	-	-	-	-	STEC06C2010A	0.50	(0.02)	41,326	-	TOP13P2010A	0.51	(0.01)	48,341	-
SCB13C2009A	0.61	0.04	607,401	-	STEC11C2007A	0.01	-	2,000	-	TOP16C2008A	-	-	-	-
SCB13C2010A	0.36	0.02	160,118	-	STEC13C2010A	0.36	(0.01)	140,701	-	TOP19C2006A	-	-	-	-
SCB13P2006A	-	-	-	-	STEC16C2006A	-	-	-	-	TOP19C2007A	-	-	-	-
SCB13P2008A	0.24	-	3,822	-	STEC16C2009A	-	-	-	-	TOP19C2008A	0.37	-	37,341	-
SCB13P2010A	1.41	(0.07)	270,421	1.00	STEC19C2009A	0.49	(0.01)	47,122	-	TOP19C2010A	0.56	-	73,680	-
SCB16C2008A	-	-	-	-	STEC19C2011A	0.33	(0.02)	21,728	-	TOP19P2006A	1.28	(0.49)	47	1.00
SCB19C2006A	-	-	-	-	STEC24C2006A	-	-	-	-	TOP19P2010A	0.48	(0.01)	23,618	-
SCB19C2007A	-	-	-	-	STEC28C2011A	0.39	0.01	36,294	-	TOP24C2007A	-	-	-	-
SCB19C2008A	0.70	-	10	-	STEC28C2012A	0.36	(0.01)	19,292	-	TOP24C2008A	0.36	-	18,937	-
SCB19C2010A	0.40	0.02	90,413	-	STEC41C2009A	0.29	-	4,200	-	TOP41C2007A	-	-	-	-
SCB19C2010B	0.75	0.04	208,072	-	SUPE19C2007A	0.82	(0.04)	28	-	TOP41C2008A	0.29	-	1,000	-
SCB19P2010A	0.50	(0.03)	50,032	-	SUPE19C2010A	0.54	0.03	9,288	-	TOP41C2010A	-	-	-	-
SCB19P2011A	1.61	(0.07)	49,441	1.00	SUPE19C2011A	0.32	0.02	442,008	-	TOP41P2006A	-	-	-	-
SCB24C2008A	0.35	0.02	21,868	-	SUPE42C2010T	0.22	0.02	53,102	-	TOP41P2010A	-	-	-	-
SCB27C2007A	-	-	-	-	TASC01C2007B	-	-	-	-	TOP41P2011A	-	-	-	-
SCB27P2006A	-	-	-	-	TASC01C2008A	0.77	0.07	8,468	-	TOP42C2007A	-	-	-	-
SCB28C2008A	-	-	-	-	TASC01P2008A	0.17	(0.02)	170	-	TOP42C2011T	0.36	0.02	1,730	-
SCB28C2010A	0.48	0.02	40,696	-	TASC06C2009A	0.90	0.07	59,506	-	TQM13C2011A	0.71	0.01	147,376	-
SCB41C2006A	-	-	-	-	TASC08C2006A	0.26	0.05	1,300	-	TQM19C2010A	2.98	-	10,110	3.00
SCB41C2006B	-	-	-	-	TASC13C2009A	0.62	0.05	319,904	-	TQM19C2011A	0.94	-	104,020	-
SCB41C2008A	0.38	0.02	144,414	-	TASC16C2008A	-	-	-	-	TQM42C2010T	0.61	0.01	14,036	-
SCB41C2011A	0.28	-	2,198	-	TASC19C2006A	-	-	-	-	TRUE01C2007A	-	-	-	-
SCB42C2006A	-	-	-	-	TASC19C2007A	0.25	(0.05)	208	-	TRUE01C2007B	0.03	-	1,082	-
SCB42C2007A	-	-	-	-	TASC19C2009A	0.84	0.08	850	-	TRUE01P2007B	0.10	0.03	10	-
SCB42C2010T	0.34	0.02	11,016	-	TASC19C2011A	0.67	0.04	95,253	-	TRUE06C2007A	-	-	-	-
SCC06C2007A	-	-	-	-	TASC19P2010A	0.67	(0.05)	324,548	-	TRUE06C2009A	0.48	0.05	55,412	-
SCC08P2006A	0.01	(0.02)	499	-	TASC24C2006A	-	-	-	-	TRUE06P2011A	0.62	(0.06)	49,750	-
SCC11C2006A	0.01	-	1,498	-	TASC24C2011A	0.55	0.04	14,981	-	TRUE08C2007A	-	-	-	-
SCC11C2007A	-	-	-	-	TASC28C2010A	0.69	(0.07)	97	-	TRUE08P2010A	0.38	(0.02)	22,720	-
SCC11C2011A	0.81	0.01	12,810	-	TASC28C2012A	0.49	0.04	109,079	-	TRUE13C2006A	-	-	-	-
SCC13C2008A	-	-	-	-	TASC28C2012B	0.16	0.01	9,127	-	TRUE13C2007A	-	-	-	-
SCC13C2009A	0.74	-	21,680	-	TASC41C2009A	-	-	-	-	TRUE13C2009A	0.35	0.03	120,485	-
SCC13P2009A	-	-	-	-	TASC41C2010A	0.51	0.04	23,166	-	TRUE19C2006A	-	-	-	-
SCC19C2006A	-	-	-	-	TASC42C2010T	0.37	0.03	13,438	-	TRUE19C2007A	-	-	-	-
SCC19C2008A	-	-	-	-	TCAP01C2007B	-	-	-	-	TRUE19C2009A	0.44	0.04	42,918	-
SCC19C2010A	0.68	0.01	2,100	-	TCAP01C2008A	0.08	0.02	1,064	-	TRUE19C2011A	0.34	0.02	7,322	-
SCC19P2010A	0.28	(0.01)	2,287	-	TCAP01P2008A	1.25	(0.11)	53	1.00	TRUE19P2011A	0.45	(0.02)	16,180	-
SCC24C2006A	-	-	-	-	TCAP13C2007A	-	-	-	-	TRUE28C2011A	0.32	0.03	43,861	-
SCC27P2008A	0.08	-	280	-	TCAP13C2010A	0.36	0.02	255,884	-	TRUE28C2012A	0.27	0.02	50,478	-
SCC28C2008A	-	-	-	-	TCAP19C2010A	0.39	0.02	36,520	-	TRUE41C2007A	0.11	0.01	31,968	-
SCC28C2010A	0.63	0.01	18,652	-	TCAP42C2010T	0.20	0.02	7,310	-	TRUE41C2010A	0.51	(0.03)	395	-
SCC41C2006A	-	-	-	-	THAI27C2008A	0.15	(0.05)	762	-	TRUE42C2007A	0.77	0.03	3,710	-
SCC41C2006B	-	-	-	-	THAN01C2006A	0.01	-	451	-	TTW27C2009A	0.17	(0.01)	5,502	-
SCC41C2010A	0.73	0.02	6,544	-	THAN01C2006B	-	-	-	-	TU06C2009A	0.19	-	70,632	-
SCC42C2008A	-	-	-	-	THAN01P2006A	-	-	-	-	TU06P2007A	-	-	-	-
SGP13C2007A	0.11	(0.02)	4,025	-	THAN06C2010A	0.52	0.01	96,833	-	TU06P2010A	0.39	-	6,769	-
SGP19C2006A	-	-	-	-	THAN13C2007A	-	-	-	-	TU08C2008A	0.07	(0.01)	10,959	-
SGP19C2006B	0.08	(0.02)	24,461	-	THAN19C2007A	-	-	-	-	TU08C2011A	0.25	0.01	21,006	-
SGP19C2011A	0.43	(0.01)	168,940	-	THAN19C2010A	0.44	-	47,328	-	TU11C2008A	0.09	-	37	-
SGP42C2007A	-	-	-	-	TISCO1C2006A	-	-	-	-	TU13C2010A	0.24	-	23,101	-
SIRI13C2007A	-	-	-	-	TISCO1C2006B	0.02	0.01	1,504	-	TU19C2007A	-	-	-	-
SIRI19C2007A	0.02	-	700	-	TISCO1P2006A	-	-	-	-	TU19C2009A	0.07	0.01	302	-
SPAL06C2010A	0.58	0.02	9,620	-	TISCI1C2007A	-	-	-	-	TU19C2010A	0.20	-	22,997	-
SPAL06P2009A	0.22	(0.02)	11,525	-	TISCI3C2010A	0.59	0.07	214,369	-	TU24C2006A	-	-	-	-
SPAL11C2006A	-	-	-	-	TISCI9C2006A	-	-	-	-	TU27C2006A	0.01	(0.04)	20	-
SPAL13C2006A	-	-	-	-	TISCI9C2010A	0.47	0.07	238,505	-	TU28C2011A	0.20	0.01	24,441	-
SPAL13C2010A	0.37	0.01	13,634	-	TISCI9C2011A	-	-	-	-	TU28C2012A	0.12	-	16,813	-
SPAL19C2011A	0.51	0.03	11,694	-	TISC41C2010A	0.44	0.06	56,100	-	TU41C2009A	-	-	-	-
SPAL27C2008A	-	-	-	-	TISC41P2006A	-	-	-	-	TU41C2010A	0.20	-	115	-
SPRC01C2007A	-	-	-	-	TKN01C2007B	-	-	-	-	TU42C2007A	-	-	-	-
SPRC06C2007A	0.01	-	1,001	-	TKN01C2008A	-	-	-	-	TVO13C2007A	0.09	(0.01)	974	-
SPRC06C2010A	0.50	0.01	45,800	-	TKN08C2007A	0.30	(0.01)	100	-	TVO19C2007A	0.02	-	18,035	-
SPRC06P2007A	-	-	-	-	TKN13C2006A	-	-	-	-	VGI06C2007A	-	-	-	-
SPRC06P2011A	0.53	(0.02)	29,810	-	TKN13C2010A	0.85	0.04	348	-	VGI06C2010A	0.39	0.05	83,509	-
SPRC08C2006A	-	-	-	-	TKN13C2010B	0.26	0.01	342,705	-	VGI08C2006A	-	-	-	-
SPRC11C2008A	0.11	(0.02)	16	-	TKN16C2008A	-	-	-	-	VGI11C2008A	-	-	-	-
SPRC13C2008A	-	-	-	-	TKN19C2007A	-	-	-	-	VGI13C2010A	0.28	0.02	112,946	-
SPRC13C2010A	0.33	0.01	25,977	-	TKN19C2010A	-	-	-	-	VGI19C2006A	-	-	-	-
SPRC19C2007A	-	-	-	-	TKN19C2011A	0.70	-	91,718	-	VGI19C2010A	0.44	0.02	54,351	-
SPRC19C2010A	0.41	0.01	9,181	-	TKN19C2011B	0.28	-	90,626	-	VGI41C2006A	-	-	-	-
SPRC19P2011A	0.52	0.01	18,393	-	TKN28C2007A	-	-	-	-	VGI41C2007A	-	-	-	-
SPRC28C2008A	-	-	-	-	TKN28C2012A	-	-	-	-	WHA01C2008B	-	-	-	-
SPRC28C2011A	0.33	0.01	40,636	-	TKN28C2012B	0.26	-	48,006	-	WHA01C2009A	-	-	-	-
SPRC42C2006A	-	-	-	-	TKN41C2006A	-	-	-	-	WHA01P2009A	0.10	-	2,892	-
STA01C2008B	3.06	(0.52)	2,399	3.00	TKN42C2006A	0.01	(0.03)	81,266	-	WHA06C2007A	-	-	-	-
STA01C2009A	2.86	(0.12)	19	2.00	TMB19C2007A	0.05	0.01	1,469	-	WHA06C2010A	0.61	-	47,253	-
STA01P2009A	0.27	(0.01)	21,191	-	TMB19C2011A	0.40	0.03	72,776	-	WHA08C2006A	-	-	-	-
STA08C2010A	-	-	-	-	TMB19C2011B	0.23	0.02	25,648	-	WHA08C2011A	0.64	(0.01)	39,543	-
STA08C2011A	0.31	(0.04)	83,009	-	TMB41C2010A	0.18	-	1	-	WHA08P2006A	-	-	-	-
STA13C2006A	2.86	(0.16)	1	2.00	TOA01C2006A	-	-	-	-	WHA11C2008A	-	-	-	-
STA13C2009A	-	-	-	-	TOA01C2006B	-	-	-	-	WHA13C2006A	-	-	-	-
STA13C2010A	1.60	(0.09)	4,761	1.00										

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday June 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA41C2007A	0.24	(0.11)	2,410	-	RWI-W2	0.18	-	43,765	-	-	-	-	-	-
WHA42C2006A	-	-	-	-	SANKO-W1	0.14	-	750	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	SIMAT-W3	0.47	-	10,020	-	-	-	-	-	-
BH-Q	-	-	-	-	SIMAT-W4	2.00	-	28	1.00	-	-	-	-	-
CSC-Q	-	-	-	-	SMART-W2	0.22	-	91,620	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	SWC-W1	3.08	0.08	172	3.00	-	-	-	-	-
KTB-Q	-	-	-	-	TAKUNI-W	0.05	-	5,185	-	-	-	-	-	-
SCB-Q	-	-	-	-	TAPAC-W4	0.39	-	95,664	-	-	-	-	-	-
TCAP-Q	-	-	-	-	TVD-W2	0.27	(0.02)	45,451	-	-	-	-	-	-
TISCO-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.12	-	26,927	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.06	-	19,121	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	1.02	0.29	625,106	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.20	-	44,981	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.03	(0.01)	3,144	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.04	-	646	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.10	(0.01)	43,707	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	1.22	-	405,724	1.00	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.05	(0.01)	35,061	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.02	(0.02)	96,432	-	-	-	-	-	-	-	-	-	-	-
CRANE-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.59	0.01	154,561	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.17	-	23,068	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.05	0.01	57,815	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.38	0.02	31,315	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.24	-	92,190	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.67	(0.01)	237,117	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.39	-	11,762	-	-	-	-	-	-	-	-	-	-	-
JAS-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JCK-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JMT-W2	4.90	0.84	223,520	4.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.12	0.01	426,870	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.05	-	4,562	-	-	-	-	-	-	-	-	-	-	-
MILL-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	1.31	(0.07)	38,137	1.00	-	-	-	-	-	-	-	-	-	-
NER-W1	1.14	(0.04)	367,300	1.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	2.40	0.06	11,816	2.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.71	0.01	33	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.15	-	10,781	-	-	-	-	-	-	-	-	-	-	-
ORI-W1	0.23	-	68,848	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	0.01	-	500	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.54	(0.01)	7,940	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.30	-	5,137	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.17	-	10,546	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.69	0.02	26,492	-	-	-	-	-	-	-	-	-	-	-
PPM-W4	0.16	-	12,592	-	-	-	-	-	-	-	-	-	-	-
PRIME-W1	0.03	-	2,461	-	-	-	-	-	-	-	-	-	-	-
PRIME-W2	0.03	-	3,823	-	-	-	-	-	-	-	-	-	-	-
RICHY-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAMART-W2	0.45	(0.01)	166,451	-	-	-	-	-	-	-	-	-	-	-
SDC-W1	0.08	-	1,000	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	5.75	(0.30)	14,569	6.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	3.14	(0.12)	17,554	3.00	-	-	-	-	-	-	-	-	-	-
SST-W2	1.02	(0.01)	2,438	1.00	-	-	-	-	-	-	-	-	-	-
SUPER-W4	0.01	-	24	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.06	(0.01)	5,802	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	0.04	-	12,983	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	0.14	-	731	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	0.01	-	45,314	-	-	-	-	-	-	-	-	-	-	-
TNITY-W1	0.28	-	64,701	-	-	-	-	-	-	-	-	-	-	-
TRITN-W3	0.12	0.01	25,426	-	-	-	-	-	-	-	-	-	-	-
TTCL-W1	0.44	-	8,574	-	-	-	-	-	-	-	-	-	-	-
U-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UAC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VGL-W2	0.85	0.03	363,951	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.16	0.01	23,653	-	-	-	-	-	-	-	-	-	-	-
W-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W-W3	0.02	(0.01)	14	-	-	-	-	-	-	-	-	-	-	-
WIHK-W2	0.27	(0.01)	80,010	-	-	-	-	-	-	-	-	-	-	-
ZMICO-W4	0.10	0.01	38,034	-	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUTHA-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KTB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	1.80	-	9,213	1.00	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BM-W1	0.02	(0.01)	74,933	-	-	-	-	-	-	-	-	-	-	-
BROOK-W5	0.15	0.01	88,469	-	-	-	-	-	-	-	-	-	-	-
CHAYO-W1	2.36	0.18	685,740	2.00	-	-	-	-	-	-	-	-	-	-
CHO-W2	0.06	(0.02)	370,288	-	-	-	-	-	-	-	-	-	-	-
CIG-W8	0.03	-	1,216,448	-	-	-	-	-	-	-	-	-	-	-
D-W1	0.92	-	20	-	-	-	-	-	-	-	-	-	-	-
DIMET-W3	0.56	0.05	254	-	-	-	-	-	-	-	-	-	-	-
DOD-W1	0.53	(0.01)	26,470	-	-	-	-	-	-	-	-	-	-	-
ECF-W3	0.35	(0.02)	30,363	-	-	-	-	-	-	-	-	-	-	-
FVC-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HPT-W1	0.37	(0.01)	105,466	-	-	-	-	-	-	-	-	-	-	-
HYDRO-W1	0.02	-	4,518	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.40	0.02	301,012	-	-	-	-	-	-	-	-	-	-	-
LIT-W1	0.66	0.02	18,199	-	-	-	-	-	-	-	-	-	-	-
META-W4	0.09	(0.01)	31,920	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OCEAN-W3	0.34	-	6,383	-	-	-	-	-	-	-	-	-	-	-
PROUD-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-