

## Main Board Quotation

Issue Date :

Thursday July 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTECH	-	-	-	-	ALT	3.96	-	38,670	3.96	MATCH	-	-	-	-
POMPUI	-	-	-	-	BLISS	-	-	-	-	MATI	-	-	-	-
SAFARI	-	-	-	-	DIF	15.20	0.10	87,124	15.14	MCOT	5.20	-	8,969	5.24
VI	-	-	-	-	DTAC	39.50	1.50	87,190	39.16	MONO	2.68	(0.04)	54,360	2.70
WORLD	-	-	-	-	FORTH	6.00	(0.10)	399	6.03	MPIC	1.40	0.04	9	1.40
WR	-	-	-	-	HUMAN	8.25	(0.15)	40,073	8.38	NMG	-	-	-	-
Agribusiness					ILINK	3.66	0.06	3,866	3.65	PLANB	6.35	0.15	377,849	6.34
EE	0.47	(0.01)	15,720	0.48	INET	2.86	(0.02)	34,862	2.89	POST	1.32	-	27	1.33
GPPT	13.00	0.10	18,605	13.01	INTUCH	57.00	0.75	128,577	56.73	PRAKIT	7.75	-	279	7.70
LEE	2.24	0.04	2,580	2.23	JAS	3.60	0.04	413,574	3.60	SE-ED	1.44	0.06	1,721	1.43
MAX	0.01	-	405,427	0.01	JASIF	9.40	0.05	93,469	9.37	TBSP	-	-	-	-
NER	2.68	(0.06)	368,988	2.70	JMART	11.20	0.50	269,125	11.09	TH	0.50	(0.03)	1,331	0.52
PPPM	0.39	0.01	8,495	0.39	JTS	2.18	(0.04)	11,913	2.20	TKS	4.98	0.02	1,430	4.96
STA	28.00	(1.25)	1,537,901	29.27	MFEF	4.44	-	2,530	4.41	VGI	7.75	0.05	201,997	7.83
TRUBB	1.86	0.02	90,162	1.85	MSC	4.76	(0.04)	1,137	4.77	WAVE	1.07	0.04	369	1.04
TWPC	4.08	0.02	8,504	4.05	PT	4.42	0.06	13,059	4.43	WORK	11.10	0.10	18,006	11.10
UPOIC	3.14	0.02	14	3.15	SAMART	5.80	0.10	25,636	5.81	Finance & Securities				
UVAN	4.30	0.04	1,765	4.27	SAMTEL	6.30	0.05	8,494	6.27	AEC	0.26	-	3,668	0.26
VPO	0.40	-	2,272	0.41	SDC	0.16	0.01	15,179	0.15	AEONTS	116.50	5.50	20,737	115.68
Banking					SIS	8.95	(0.05)	18,634	8.98	AMANAH	2.70	0.02	139,187	2.69
BAY	23.20	0.10	5,125	23.10	SVOA	1.12	0.09	215,511	1.09	ASAP	2.14	0.04	65,408	2.20
BBL	109.50	1.50	111,666	109.68	SYMC	3.26	-	1,416	3.27	ASK	17.40	0.40	5,215	17.24
CIMBT	0.61	0.01	43,896	0.60	SYNEX	7.60	0.05	5,348	7.56	ASP	1.68	0.01	10,951	1.68
KBANK	95.25	1.00	170,888	95.10	THCOM	4.76	-	70,611	4.75	BAM	25.00	(0.25)	604,470	25.01
KKP	42.00	1.00	45,177	41.63	TRUE	3.58	0.16	946,387	3.51	BFIT	29.00	1.25	14,230	28.37
KTB	10.40	-	291,885	10.39	TWZ	0.07	-	27,552	0.07	CGH	0.73	-	11,726	0.73
LHFG	1.04	0.02	18,349	1.03	Electronic Componer					ECL	0.92	0.01	18,994	0.92
SCB	75.50	2.50	136,986	74.62	CCET	1.52	0.04	21,275	1.51	FNS	2.40	-	3,133	2.41
TCAP	36.50	0.50	48,424	36.65	DELTA	58.00	-	6,289	58.01	FSS	1.50	0.01	2,151	1.49
TISCO	72.00	1.50	63,794	71.47	HANA	29.50	1.00	54,319	29.03	GBX	0.51	(0.01)	19,313	0.51
TMB	1.08	0.02	2,907,632	1.07	KCE	23.70	-	499,109	23.79	GL	3.80	0.04	43,065	3.80
Construction Materia					METCO	133.00	1.00	9	133.00	IFS	2.46	0.04	5,606	2.44
CCP	0.29	(0.01)	12,125	0.29	NEX	4.02	0.14	55,595	3.98	JMT	23.30	0.30	147,812	23.36
COTTO	1.15	0.01	1,572	1.15	SMT	1.19	0.01	21,292	1.20	KCAR	7.75	0.05	510	7.71
DCC	2.18	0.14	249,087	2.15	SVI	2.82	0.06	17,014	2.81	KGI	3.54	0.08	41,769	3.52
DCON	0.29	(0.01)	62,961	0.29	TEAM	0.85	0.02	1,720	0.85	KTC	31.25	0.75	222,724	30.83
DRT	5.45	0.05	2,838	5.43	W	0.13	-	10,888	0.13	MBKET	8.65	-	1,657	8.62
EPG	4.92	0.10	130,259	4.88	Energy & Utilities					MFC	13.40	0.10	91	13.32
GEL	0.20	-	16,824	0.20	7UP	0.42	0.02	130,583	0.41	ML	0.85	0.02	504	0.85
PPP	2.08	(0.02)	511	2.07	ABPIF	3.50	-	136	3.49	MTC	55.00	2.25	106,714	54.28
Q-CON	4.84	(0.04)	81	4.77	ACE	4.00	0.02	117,833	4.01	PE	-	-	-	-
RCI	2.72	(0.02)	11	2.72	AI	1.33	0.01	30,703	1.33	PL	2.04	-	2,535	2.02
SCC	390.00	18.00	79,636	383.71	AKR	0.54	(0.01)	54,190	0.54	S11	5.35	0.15	5,629	5.33
SCCC	130.00	1.50	3,740	130.00	BAFS	23.50	0.10	4,026	23.61	SAWAD	54.50	1.75	128,252	53.67
SCP	5.45	-	4,285	5.45	BANPU	6.25	0.15	322,616	6.19	THANI	3.66	0.08	171,042	3.63
SKN	2.06	0.02	6,201	2.09	BCP	21.10	(0.10)	14,799	21.08	TK	7.55	-	1,764	7.50
TASCO	25.75	0.50	127,605	25.66	BCPG	15.70	0.20	33,560	15.64	TNITY	3.78	0.02	265	3.78
TCMC	1.19	-	85,732	1.21	BGRIM	54.75	1.00	108,703	54.50	UOBKH	3.44	(0.02)	102	3.43
TOA	38.50	1.00	43,055	38.59	BPP	16.80	0.10	81,956	16.96	ZMICO	0.67	-	17,996	0.67
TPIPL	1.19	-	49,862	1.19	BRRGIF	7.20	-	253	7.15	Food & Beverage				
UMI	0.64	-	9,989	0.64	KCP	4.22	0.12	212,092	4.19	APURE	1.97	0.03	35,610	1.98
VNG	3.28	0.08	1,631	3.26	DEMCO	3.32	0.06	4,539	3.31	ASIAN	7.60	0.10	124,586	7.70
WIJK	1.69	(0.02)	28,465	1.73	EA	41.25	1.75	142,881	40.81	BR	1.89	(0.02)	28,399	1.91
Petrochemicals & Ch					EASTW	10.20	-	4,339	10.22	BRR	2.98	0.02	1,013	2.99
BCT	39.75	-	178	39.36	EGATIF	12.10	(0.10)	8,549	12.11	CBG	105.00	-	55,305	104.15
CMAN	1.36	0.03	8,342	1.39	EGCO	255.00	7.00	13,028	253.82	CFRESH	2.58	-	13,472	2.61
GC	5.25	-	856	5.25	EP	3.78	0.14	37,495	3.75	CHOTI	76.00	(2.75)	6	73.71
GGC	9.30	0.15	20,267	9.27	ESSO	7.50	(0.10)	737,093	7.55	CM	2.64	(0.02)	1,603	2.66
GIFT	2.20	-	3,283	2.19	GPSC	76.00	2.25	125,516	75.55	CPF	32.00	0.50	478,325	31.74
IVL	28.50	0.50	231,557	28.43	GREEN	0.89	0.01	1,729	0.89	CPI	1.25	-	152	1.24
NFC	1.66	0.02	59	1.69	GULF	37.75	-	221,269	37.83	F&D	-	-	-	-
PATO	9.15	-	41	9.15	GUNKUL	2.68	0.04	210,924	2.66	HTC	17.90	(0.10)	1,262	17.95
PMTA	8.75	0.40	43	8.31	IFEC	-	-	-	-	IGHI	8.30	0.15	93,339	8.27
PTTGC	48.50	1.00	270,945	48.16	IRPC	2.74	-	629,757	2.75	KBS	3.36	0.06	828	3.34
SUTHA	3.38	-	65	3.40	LANNA	7.25	-	1,041	7.21	KSL	2.08	-	18,657	2.07
TCCC	20.00	0.10	82	20.00	MDX	2.52	0.12	95,424	2.55	KTIS	2.80	(0.02)	1,146	2.82
TPA	5.45	0.05	35	5.48	PDI	6.00	0.15	7,701	5.94	LST	4.50	0.02	1,625	4.51
UAC	3.72	0.02	3,278	3.72	PRIME	0.40	(0.01)	50,727	0.40	M	58.75	(0.25)	2,944	58.53
UP	-	-	-	-	PTG	16.90	0.40	251,612	16.74	MALEE	7.00	0.20	5,862	7.04
VNT	22.30	-	4,740	22.40	PTT	39.00	0.50	858,924	39.16	MINT	21.30	1.20	1,051,886	20.92
WG	181.50	-	102	182.77	PTTEP	95.75	0.25	190,057	95.51	OISHI	39.75	0.25	83	39.63
YCI	-	-	-	-	RATCH	64.25	1.75	49,029	64.32	OSP	39.25	1.25	258,594	38.79
Commerce					RPC	0.53	0.01	7,577	0.52	PB	68.75	(0.25)	35	68.29
BEAUTY	1.63	0.02	265,721	1.63	SCG	4.00	0.06	113	4.03	PM	6.85	-	2,082	6.85
BIG	0.59	(0.03)	665,508	0.60	SCI	1.60	0.15	76,349	1.52	PRG	11.20	-	62	11.20
BIC	40.00	0.50	39,964	39.94	SCN	2.12	0.04	40,108	2.09	RBF	8.50	0.05	261,207	8.49
COL	14.40	0.30	1,994	14.18	SGP	8.85	-	40,472	8.88	SAPPE	19.30	0.30	6,082	19.10
COM7	30.00	0.25	114,387	29.97	SKE	0.79	0.02	3,656	0.78	SAUCE	24.70	(0.30)	51	24.76
CPALL	67.75	0.25	220,007	67.76	SOLAR	1.14	-	3,832	1.15	SFP	-	-	-	-
CPW	1.77	(0.04)	46,331	1.84	SPCG	16.60	0.30	5,889	16.58	SNP	10.60	-	41	10.50
CRC	34.25	1.50	206,543	33.95	SPRC	7.05	(0.10)	483,820	7.09	SORKON	51.00	(0.25)	49	51.07
CSS	1.49	0.02	615,091	1.53	SSP	7.50	0.15	6,226	7.46	SSC	34.75	1.50	15	34.47
DOHOME	12.00	0.60	300,577	11.74	SUPER	0.96	0.01	4,043,257	0.96	SSF	6.40	0.10	1	6.40
FN	1.09	0.01	21,342	1.09	SUPEREIF	11.60	0.10	7,324	11.53	SST	2.68	(0.08)	450	2.66
FTE	1.63	-	1,488	1.62	SUSCO	2.48	0.04	3,537	2.48	TC	3.24	0.06	5,285	3.18
GLOBAL	17.20	0.30	223,364	17.20	TAE	2.76	0.02	14,493	2.75	TFG	4.86	(0.10)	194,620	4.89
HMPRO	16.30	0.80	289,186	16.07	TCC	0.24	0.01	10,023	0.24	TFMAMA	198.00	(0.50)	91	197.85
ILM	14.60	0.30	49,581	14.39	TOP	46.75	1.00	173,849	46.16	TIPCO	7.15	0.05	13,111	7.13
IT	2.54	0.04	25	2.53	TIPIP	4.06	-	53,402	4.08	TKN	10.80	0.40	557,899	10.77
KAMART	3.00	0.08	52,208	3.01	TSE	3.02	0.08	96,819	2.98	TU	13.20	0.20	338,366	13.11
LOXLEY	1.48	0.03	50,435	1.48	TTW	13.30	0.30	128,014	13.19	TVO	27.25	-	12,601	27.32
MAKRO	40.50	-	17,818	40.46	WHAUP									

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Thursday July 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NEW	-	-	-	-	BLAND	1.05	0.03	179,836	1.04	HFT	3.34	(0.04)	9,867	3.36
NTV	43.00	-	72	42.99	BROCK	1.39	(0.10)	170	1.40	IHL	2.82	0.12	100,667	2.81
PR9	6.90	-	828	6.94	CGD	0.59	-	9,552	0.59	INGRS	0.39	0.01	7,813	0.39
PRINC	3.50	0.06	151,824	3.57	CI	0.81	0.01	121	0.81	IRC	13.60	-	42	13.31
RAM	140.50	(1.50)	145	140.17	CPN	53.00	2.75	113,782	52.57	PCSGH	4.50	(0.04)	968	4.50
RJH	21.10	-	2,769	21.10	ESTAR	0.35	-	5,982	0.35	SAT	11.00	(0.20)	12,056	11.14
RPH	5.25	0.05	6,869	5.25	EVER	0.24	0.02	126,759	0.23	SPG	13.00	0.10	50	13.00
SKR	5.00	-	797	4.99	FPT	11.30	-	845	11.24	STANLY	170.00	-	337	169.67
SVH	416.00	(4.00)	5	416.40	GLAND	2.14	(0.06)	4034	2.11	TKT	0.96	(0.01)	922	0.98
THG	19.80	(0.10)	1,959	19.88	GOLD	8.45	-	1,261	8.45	TNCP	0.78	0.04	168	0.78
VIBHA	1.61	0.03	26,626	1.60	J	0.93	0.08	47,037	0.91	TRU	4.12	0.14	1,962	4.08
VIH	6.40	0.05	5,544	6.40	JCK	0.78	0.01	3,982	0.77	TSC	-	-	-	-
WPH	1.65	0.02	1,029	1.63	KC	-	-	-	-	Industrial Materials	-	-	-	-
Tourism & Leisure	-	-	-	-	KWG	0.82	-	742	0.83	ALLA	1.25	-	2,065	1.25
ASIA	5.50	0.50	288	5.09	LALIN	4.46	0.06	8,165	4.39	ASEFA	3.50	-	1,514	3.50
CENTEL	24.40	1.40	68,817	23.90	LH	8.10	0.30	608,014	7.96	CPT	0.87	0.01	7,392	0.88
CSR	-	-	-	-	LPN	4.54	0.04	92,471	4.52	CRANE	2.70	(0.06)	33,121	2.71
DTC	7.50	-	2,266	7.49	MBK	14.00	0.10	22,947	13.97	CTW	4.96	(0.04)	27	5.03
ERW	3.90	0.18	438,950	3.87	MJD	1.64	0.01	25,128	1.63	FMT	21.40	-	5	21.40
GRAND	0.64	0.01	5,957	0.63	MK	2.90	0.08	6,591	2.90	HTECH	2.32	0.02	1,426	2.32
LRH	36.25	0.25	50	36.25	NCH	0.63	0.01	7,430	0.62	KKC	0.54	0.06	2,676	0.52
MANRIN	23.10	(0.70)	6	22.13	NNCL	1.87	(0.01)	2,396	1.88	PK	1.44	(0.06)	1,757	1.41
OHTL	-	-	-	-	NOBLE	11.20	0.10	6,335	11.06	SNC	8.70	-	1,680	8.72
ROH	-	-	-	-	NUSA	0.35	-	76,927	0.35	STARK	2.06	0.02	172,599	2.05
SHANG	60.75	0.25	3	60.33	NVD	1.36	-	21,634	1.38	TCJ	2.90	0.02	2,429	2.89
SHR	2.26	0.10	97,393	2.24	ORI	5.75	0.30	360,416	5.75	VARO	3.84	0.04	2	3.82
VRANDA	6.25	0.25	3,101	6.14	PACE	0.03	-	688,228	0.03	Property Fund & RET	-	-	-	-
Home & Office Produ	-	-	-	-	PF	0.43	0.02	367,814	0.42	AIMCG	7.05	-	1,358	7.00
ACC	0.58	-	254	0.58	PLAT	3.12	0.02	11,162	3.10	AIMIRT	13.40	0.40	3,413	13.37
AJA	0.14	-	17,704	0.14	POLAR	-	-	-	-	AMATAR	10.50	0.30	235	10.37
DTCI	-	-	-	-	PRECHA	0.94	0.04	187	0.91	B-WORK	-	-	-	-
FANCY	0.61	0.01	5,633	0.60	PRIN	1.54	-	751	1.51	BKER	6.60	-	51	6.60
KYE	314.00	-	10	313.70	PSH	12.00	0.30	15,342	11.83	BKKCP	11.80	-	50	11.80
L&E	1.62	(0.01)	1,900	1.62	QH	2.24	-	343,120	2.23	BOFFICE	13.10	(0.30)	1,832	13.28
MODERN	2.54	-	972	2.54	RICHY	0.68	-	37,660	0.67	CPNCG	10.70	0.10	1,362	10.69
OGC	-	-	-	-	RML	0.66	0.01	30,008	0.67	CPNREIT	27.00	1.00	7,627	26.98
ROCK	-	-	-	-	ROJNA	4.56	0.14	28,422	4.53	CPTGF	12.10	(0.10)	6	12.17
SIAM	1.46	-	1,750	1.46	S	1.60	0.03	10,774	1.59	CTARAF	5.10	-	223	5.05
TSR	2.14	0.06	6,583	2.13	SAMCO	1.20	0.01	729	1.20	DREIT	4.00	-	1,380	4.00
Insurance	-	-	-	-	SC	2.26	0.08	97,276	2.22	ERWPF	4.70	0.08	2	4.70
AYUD	35.00	-	4	35.13	SENA	2.64	0.08	19,676	2.61	FTREIT	15.10	0.30	3,261	15.09
BKI	280.00	1.00	20	280.35	SF	4.54	0.04	50,398	4.50	FUTUREPF	19.30	0.20	2,777	19.16
BLA	15.60	0.20	14,058	15.55	SIRI	0.77	0.01	561,496	0.77	GAHREIT	7.50	0.05	55	7.36
BUI	9.35	(0.25)	11	9.35	SPALI	17.30	0.50	91,633	17.25	GOLDPF	5.95	(0.05)	23	5.95
CHARAN	21.00	-	2	21.00	U	1.53	0.07	270,805	1.50	GVREIT	13.90	-	1,419	13.93
INSURE	-	-	-	-	UV	3.10	0.04	18,344	3.10	HPF	4.64	(0.02)	276	4.65
MTI	87.00	1.75	8	87.13	WHA	3.36	0.06	998,647	3.34	HREIT	8.15	-	2,295	8.13
NKI	49.00	(3.75)	14	48.48	WIN	0.40	-	60	0.40	IMPACT	17.70	0.50	6,225	17.43
NSI	53.50	(1.25)	1	53.50	Paper & Printing Mat	-	-	-	-	KPNPF	6.85	-	30	6.82
SEG	25.75	(0.25)	76	25.81	UTP	11.30	0.20	33,057	11.34	LHHOTEL	11.40	(0.10)	1,153	11.37
SMK	34.00	0.50	98	33.99	Fashion	-	-	-	-	LHPF	6.10	(0.05)	825	6.12
THRE	0.91	0.01	340,080	0.91	AFC	6.30	(0.05)	35	6.28	LHSC	12.80	-	897	12.78
THREL	2.58	0.04	39,853	2.55	B52	0.16	0.01	17,238	0.15	LUXF	6.45	-	132	6.45
TIP	22.50	0.10	2,469	22.40	BTNC	-	-	-	-	M-II	-	-	-	-
TQM	132.50	(1.50)	12,483	133.74	CPH	3.08	(0.22)	34	3.08	M-PAT	-	-	-	-
TSI	0.38	0.01	836	0.38	CPL	0.83	-	95	0.83	M-STOR	5.85	-	20	5.85
TVI	3.08	0.04	1,640	3.05	ICC	-	-	-	-	MIPF	15.80	0.10	1	15.80
Mining	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
THL	-	-	-	-	PAF	0.67	0.02	5,469	0.66	MLF	7.50	(0.05)	13	7.50
Packaging	-	-	-	-	PDJ	1.11	-	2,102	1.11	MNIT	-	-	-	-
AJ	15.40	1.30	95,314	14.92	PG	4.82	0.04	1	4.82	MNIT2	-	-	-	-
ALUCON	-	-	-	-	SABINA	19.20	0.30	9,365	19.15	MNRF	-	-	-	-
BGC	10.80	0.30	12,450	10.76	SAWANG	-	-	-	-	POPF	10.80	-	2,674	10.73
CSC	45.75	0.75	136	45.35	SUC	36.50	0.50	16	36.02	PPF	11.30	-	82	11.30
GLOCON	0.74	-	21,689	0.75	TNL	-	-	-	-	QHHR	6.70	(0.20)	3,661	6.77
NEP	0.16	-	964	0.15	TPCORP	9.25	(0.05)	16	9.34	QHOP	2.44	(0.02)	52	2.46
PTL	17.20	0.30	113,381	17.05	TR	26.50	0.25	40	27.13	QHFP	11.10	(0.10)	1,695	11.16
SFLEX	13.20	-	28,724	13.27	TTI	-	-	-	-	SBPF	-	-	-	-
SITHAI	0.73	0.01	1,251	0.72	TTT	53.25	-	14	53.34	SHREIT	3.56	(0.04)	2,837	3.59
SLP	0.47	0.01	421	0.45	UPF	-	-	-	-	SIRIP	9.55	(0.05)	57	9.55
SMPC	8.60	0.10	4,409	8.63	UT	-	-	-	-	SPF	14.80	0.70	3,502	14.53
SPACK	2.36	0.02	37,540	2.42	WACOAL	-	-	-	-	SPRIME	-	-	-	-
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SRIPANWA	8.10	(0.20)	99	8.11
TFI	0.05	0.01	3,661	0.05	AAV	2.04	(0.04)	518,307	2.05	SSPF	9.05	(0.05)	159	8.63
THIP	22.90	0.20	28	22.90	AOT	61.75	1.75	244,485	61.32	SSTRT	5.45	0.05	6	5.44
TMD	21.60	0.20	1	21.60	ASIMAR	1.34	0.01	3,175	1.34	TIF1	8.50	0.05	162	8.45
TOPP	-	-	-	-	B	0.32	0.03	158,013	0.32	TLGF	19.10	0.10	1,959	19.23
TPBI	3.58	0.08	722	3.55	BA	6.60	0.20	21,440	6.50	TLHPF	9.10	0.20	1	9.10
TPP	15.00	-	60	14.84	BEM	9.55	0.10	566,630	9.56	TNPF	2.08	-	250	2.08
Personal Products &	-	-	-	-	BTS	11.60	0.40	431,678	11.54	TPRIME	14.50	-	150	14.50
APCO	3.72	0.02	1,518	3.69	BTSGIF	7.30	0.10	30,703	7.26	TLPF	22.00	0.10	54	21.71
DDD	17.00	0.10	25,744	17.97	III	4.40	0.04	5,954	4.35	TU-PF	-	-	-	-
JCT	-	-	-	-	JUTHA	-	-	-	-	URBNPF	-	-	-	-
OCC	8.00	(0.60)	388	8.00	JWD	6.40	0.20	16,035	6.37	WHABT	8.75	0.05	51	8.75
S & J	27.50	-	2	27.50	KWC	280.00	-	1	280.00	WHART	15.70	(0.10)	7,568	15.78
STGT	60.50	26.50	2,974,683	57.66	NOK	0.97	0.02	5,990	0.96	Steel	-	-	-	-
STHAI	-	-	-	-	NYT	2.98	0.06	10,409	2.97	AMC	1.41	-	813	1.40
TNR	10.50	0.50	4,509	10.50	PORT	2.26	0.02	164,871	2.29	BSBM	0.86	-	540	0.86
TOG	3.46	0.02	248	3.47	PRM	7.80	0.10	83,673	7.80	CEN	0.73	0.01	1,605	0.73
Professional Service	-	-	-	-	PSL	5.70	0.30	151,463	5.60	CITY	1.79	-	168	1.79
BWG	0.58	0.07	2,390,002	0.56	RCL	3.26	0.10	7,582	3.23	CSP	0.63	-	469	0.62
GENCO	0.52	0.03	115,107	0.52	TFFIF	11.10	0.20	32,794	11.02	GJS	0.11	-	24,975	0.11
PRO	-	-	-	-	THAI	4.04	0.22	48,903	3.91	GSTEEL	-	-	-	-
SISB	9.75	-	40,306	9.90	TSTE	-	-	-	-	INOX	0.49	0.01	3,444	0.48
Property Developer	-	-	-	-	TTA	3.34	0.18	115,410	3.28	LHK	2.46	(0.02)	2,275	2.47
A	5.00	0.04	151	4.98	WICE	3.44	0.36	296,288	3.31	MCS	12.00	0.20	7,005	12.03
AMATA	16.20	0.50	112,687	15.99	Automotive	-	-	-	-	MILL	0.72</			

## Main Board Quotation

Issue Date :

Thursday July 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AIE	0.59	0.01	101,691	-	ADVA06C2010A	0.54	0.06	53,231	-
ABICO	5.45	0.10	5,938	5.00	PSTC	1.88	0.02	81,628	1.00	ADVA06P2011A	0.81	(0.08)	36,465	-
AU	10.10	0.10	45,321	10.00	QTC	4.36	(0.02)	745	4.00	ADVA08C2009A	0.30	0.03	10,468	-
JCKH	0.27	0.01	4,604	-	SAAM	1.10	(0.01)	2,873	1.00	ADVA08P2009A	0.47	(0.05)	18,650	-
KASET	1.43	0.01	1,153	1.00	SEAOL	2.50	0.06	10,630	2.00	ADVA11C2006A	-	-	-	-
MM	1.57	(0.06)	90	1.00	SR	0.73	-	526	-	ADVA11C2011A	0.68	0.04	42,824	-
SUN	2.30	0.26	75,536	2.00	TAKUNI	0.40	0.01	7,289	-	ADVA11P2011A	0.74	(0.02)	2,002	-
TACC	4.78	0.02	43,467	4.00	TPCH	11.70	0.20	3,932	11.00	ADVA13C2007A	-	-	-	-
TMILL	3.06	0.04	5,008	3.00	TRT	1.68	-	4,355	1.00	ADVA13C2008A	0.13	0.01	168,433	-
XO	6.85	0.05	9,885	6.00	UMS	-	-	-	-	ADVA13C2010A	0.68	0.06	156,386	-
<b>Consumer Products</b>														
BGT	1.09	-	500	1.00	UPA	0.26	(0.01)	20,375	-	ADVA13P2009A	0.94	(0.08)	35,820	-
BIZ	3.62	0.10	2,925	3.00	UWC	0.03	(0.01)	46,019	-	ADVA16C2007A	-	-	-	-
DOD	8.00	(0.10)	29,506	8.00	Services (MAI)	-	-	-	-	ADVA16C2009A	-	-	-	-
ECF	1.59	(0.02)	206,503	1.00	A5	-	-	-	-	ADVA19C2007A	-	-	-	-
HPT	0.80	(0.02)	1,249	-	AKP	0.97	0.01	7,962	-	ADVA19C2007B	-	-	-	-
IP	11.00	(0.10)	38,389	11.00	AMA	5.30	0.10	11,447	5.00	ADVA19C2008A	0.51	0.07	44,827	-
JUBILE	15.60	-	1,671	15.00	ARIP	0.35	0.01	4,285	-	ADVA19C2009A	0.27	0.02	21,001	-
MOONG	3.56	-	1,132	3.00	ATP30	0.81	0.01	29,250	-	ADVA19C2010A	0.14	0.01	23,506	-
NPK	11.90	0.30	5	11.00	AUCT	7.75	(0.05)	35,696	7.00	ADVA19C2010B	0.64	0.06	40,931	-
OCEAN	0.90	-	5,622	-	BOL	3.62	0.06	1,510	3.00	ADVA19P2006A	-	-	-	-
TM	2.40	(0.02)	3,291	2.00	CHUO	-	-	-	-	ADVA19P2009A	0.17	(0.03)	31,062	-
<b>Financials (MAI)</b>														
ACAP	0.69	0.09	83,598	-	CMO	1.03	(0.02)	2,160	1.00	ADVA19P2010A	0.66	(0.06)	19,771	-
AF	0.59	0.03	1,287	-	D	3.76	0.28	18,035	3.00	ADVA24C2006A	-	-	-	-
AIRA	0.99	0.05	75	-	DCORP	0.38	-	12,500	-	ADVA24C2009A	0.23	0.03	20,820	-
ASN	4.80	0.14	277	4.00	EFORL	0.04	0.01	3,053	-	ADVA28C2007A	-	-	-	-
BROOK	0.40	-	21,154	-	ETE	1.05	(0.06)	39,307	1.00	ADVA28C2008A	0.19	0.03	40,204	-
CHAYO	6.10	-	61,913	6.00	FSMART	6.30	-	24,056	6.00	ADVA28C2008B	-	-	-	-
GCAP	1.61	0.02	3,035	1.00	FVC	0.41	0.02	10,901	-	ADVA28C2011A	0.13	0.01	2,128	-
LIT	3.28	0.14	4,565	3.00	GSC	0.79	-	10,226	-	ADVA28C2012A	0.12	0.01	16,254	-
MITSI	1.05	(0.06)	13,764	1.00	HARN	2.24	0.06	50,018	2.00	ADVA28C2102L	0.44	0.03	34,672	-
SGF	0.61	-	23,030	-	IMH	2.26	0.14	6,199	2.00	ADVA28P2012A	0.35	(0.02)	14,254	-
<b>Industrials (MAI)</b>														
ZS	2.50	0.08	5,919	2.00	JKN	5.55	0.05	37,066	5.00	ADVA41C2007A	0.01	-	1,260	-
ADB	0.76	0.06	6,051	-	KIAT	0.47	-	61,723	-	ADVA41C2007B	-	-	-	-
BM	2.12	-	761	2.00	KOOL	0.84	0.03	8,147	-	ADVA41C2010A	-	-	-	-
CHO	0.56	(0.02)	89,862	-	LDC	0.72	-	760	-	ADVA41C2010B	0.54	0.04	72,500	-
CHOW	2.26	-	1,900	2.00	MORE	0.36	0.02	143,704	-	ADVA41P2009A	0.85	(0.09)	48,266	-
CIG	0.23	-	10,095	-	MPG	0.24	(0.01)	7,347	-	ADVA41P2011A	0.60	(0.05)	6,602	-
COLOR	1.12	0.01	421	1.00	MVP	1.28	0.02	1,259	1.00	ADVA42C2102T	0.54	0.03	4,209	-
CPR	3.08	0.02	353	3.00	NBC	0.72	-	826	-	ADVA42P2007A	0.40	(0.08)	4,481	-
FPI	1.84	0.02	2,489	1.00	NCL	0.74	0.01	671	-	AEON13C2007A	0.05	0.02	502	-
GTB	0.58	0.01	570	-	NEWS	0.01	-	50,414	-	AEON13C2010A	0.24	0.04	121,700	-
KCM	0.46	-	3,597	-	NINE	1.77	(0.06)	110	1.00	AEON19C2006A	-	-	-	-
KUMWEL	0.95	0.02	1,752	-	OTO	2.72	(0.06)	2,988	2.00	AEON19C2010A	0.39	0.05	86,457	-
KWM	0.75	(0.02)	3,201	-	PHOL	2.94	0.34	46,129	2.00	AEON19C2010B	0.65	0.10	187,126	-
MBAX	4.42	-	4,415	4.00	PICO	3.22	-	1	3.00	AMAT01C2007B	0.03	-	200	-
MGT	1.79	0.02	587	1.00	QLT	4.08	-	12	4.00	AMAT01C2008A	-	-	-	-
NDR	1.14	(0.01)	571	1.00	RE	1.80	(0.02)	19,195	1.00	AMAT01P2008A	0.30	-	60	-
PDG	3.28	-	2,135	3.00	SE	1.29	0.01	171	1.00	AMAT06C2010A	0.79	0.10	25,812	-
PIMO	1.25	0.04	28,019	1.00	SONIC	1.05	0.01	3,236	1.00	AMAT08C2010A	0.57	0.02	39,610	-
PJW	1.31	0.01	2,940	1.00	SPA	7.40	0.25	24,652	7.00	AMAT11C2008A	0.04	-	200	-
PPM	0.83	0.02	121	-	THMUI	0.60	(0.02)	1,761	-	AMAT13C2010A	0.54	0.04	116,423	-
RWI	1.42	-	5,745	1.00	TNDT	2.90	0.02	64	2.00	AMAT16C2006A	-	-	-	-
SALEE	0.67	(0.01)	430	-	TNH	33.25	(0.25)	212	33.00	AMAT16C2008A	0.06	(0.05)	1,700	-
SANKO	0.96	-	601	-	TNP	2.58	(0.04)	8,672	2.00	AMAT19C2006A	-	-	-	-
SELIC	2.26	0.04	5,046	2.00	TSF	-	-	-	-	AMAT19C2008A	0.21	0.03	500	-
SWC	4.00	0.10	593	3.00	TVD	0.91	0.02	65,905	-	AMAT19C2009A	0.64	0.04	6,698	-
TMC	0.52	-	6,422	-	TVT	0.60	-	1,689	-	AMAT19C2011A	0.53	0.04	58,862	-
TMI	0.65	0.02	26,573	-	VL	1.18	0.01	14,292	1.00	AMAT24C2006A	-	-	-	-
TMW	38.00	0.50	231	37.00	WINNER	3.04	0.04	11,705	3.00	AMAT24C2010A	0.49	0.03	7,210	-
TPAC	12.30	-	180	12.00	YGG	12.60	1.40	178,983	11.00	AMAT28C2012A	0.45	0.03	31,344	-
TPLAS	1.21	0.02	2,843	1.00	<b>Technology (MAI)</b>					AMAT28C2102L	0.31	0.02	2,028	-
UBIS	4.72	0.04	80	4.00	APP	1.78	0.15	72,015	1.00	AMAT42C2007A	-	-	-	-
UEC	0.86	-	3,022	-	COMAN	2.14	0.02	3,293	2.00	AMAT42C2101T	0.37	0.09	4	-
UKEM	0.63	0.02	29,845	-	ICN	1.87	0.03	12,794	1.00	ANAN13C2007A	-	-	-	-
UREKA	0.98	-	22,037	-	INSET	3.30	0.02	116,217	3.00	ANAN19C2007A	-	-	-	-
YUASA	13.00	(0.40)	1,255	13.00	IRCP	0.44	(0.01)	1,292	-	AOT01C2006B	-	-	-	-
ZIGA	1.50	(0.02)	1,950	1.00	ITEL	3.12	0.02	27,266	3.00	AOT01C2007A	0.14	0.01	4,892	-
<b>Property &amp; Construc</b>														
ALL	4.20	0.22	823,348	4.00	NETBAY	35.25	(0.25)	1,589	35.00	AOT01P2006B	-	-	-	-
ARIN	1.03	(0.03)	21,861	1.00	PLANET	0.91	(0.01)	4,741	-	AOT01P2007A	0.93	(0.09)	551	-
ARROW	7.25	0.05	487	7.00	SIMAT	3.20	-	64,897	3.00	AOT06C2007A	0.01	(0.01)	1,630	-
BC	1.01	(0.05)	10,347	1.00	SKY	14.60	(0.20)	42,408	14.00	AOT06C2008A	-	-	-	-
BSM	0.26	-	1,407	-	SPVI	2.64	(0.04)	198,767	2.00	AOT06C2009A	0.41	0.05	62,202	-
BTW	0.88	(0.04)	52,069	-	TPS	2.18	0.22	441,894	2.00	AOT06P2009A	0.22	(0.04)	15,644	-
CAZ	1.54	0.01	2,318	1.00	VCOM	3.42	-	157,181	3.00	AOT06P2011A	1.01	(0.11)	44,648	1.00
CHEWA	0.43	0.01	8,952	-	<b>Unit Trust</b>					AOT08C2006A	-	-	-	-
CMC	0.76	0.03	3,371	-	MGE	-	-	-	-	AOT08C2007A	0.12	(0.06)	150	-
CRD	0.50	-	11	-	SCBSET	-	-	-	-	AOT08C2009A	0.73	0.07	53,749	-
DIMET	0.38	0.01	21,719	-	ETF	-	-	-	-	AOT08P2009A	0.50	(0.04)	23,207	-
FLOYD	1.04	0.01	214	1.00	IDIV	8.39	0.13	58	8.00	AOT11C2011A	0.69	0.05	15,625	-
HYDRO	0.11	(0.01)	42,413	-	ABFTH	-	-	-	-	AOT11P2007A	-	-	-	-
JSP	0.25	0.01	87,294	-	BMSCG	7.16	0.15	368	7.00	AOT13C2007A	-	-	-	-
K	0.78	-	1,750	-	BMSCITH	10.15	0.22	7,334	10.00	AOT13C2008A				

## Main Board Quotation

Issue Date :

Thursday July 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT28C2012A	0.26	0.03	17,146	-	BCH11C2008A	-	-	-	-	BJC28C2007A	0.01	-	10,000	-
AOT28P2012A	0.26	(0.03)	18,604	-	BCH13C2007A	-	-	-	-	BJC28C2010A	0.14	-	1,014	-
AOT41C2007A	-	-	-	-	BCH13C2010A	0.31	0.01	19,091	-	BJC28C2012A	0.25	0.01	12,168	-
AOT41C2007B	0.14	0.03	550	-	BCH16C2006A	-	-	-	-	BJC28C2012L	0.25	0.01	16,224	-
AOT41C2010A	0.46	0.05	129,740	-	BCH19C2006A	-	-	-	-	BJC41C2007A	-	-	-	-
AOT41P2009A	-	-	-	-	BCH19C2008A	0.42	0.02	23,633	-	BJC41C2008A	0.35	-	10,631	-
AOT41P2009B	0.36	(0.05)	1,482	-	BCH19C2011A	0.41	0.01	13,800	-	BPP13C2007A	0.14	0.01	18,006	-
AOT41P2010A	0.59	(0.06)	64,850	-	BCP13C2007A	-	-	-	-	BPP19C2007A	-	-	-	-
AOT42C2101T	0.26	0.01	13,958	-	BCPG01C2008B	-	-	-	-	BPP19C2010A	0.46	0.03	62,353	-
AOT42P2009A	-	-	-	-	BCPG01C2009A	-	-	-	-	BTS11C2011A	0.35	0.02	11,331	-
AP19C2007A	-	-	-	-	BCPG01P2009A	0.14	-	88	-	BTS13C2008A	0.04	0.01	110	-
AP19C2010A	1.26	0.17	550	1.00	BCPG13C2007A	-	-	-	-	BTS13C2009A	0.22	0.03	118,972	-
AP19C2011A	0.36	0.06	45,528	-	BCPG13C2010A	0.26	0.01	103,688	-	BTS16C2008A	0.01	-	1	-
AP28C2012A	1.12	0.11	36,457	1.00	BCPG16C2009A	0.25	-	1,946	-	BTS19C2008A	0.22	0.03	22,235	-
AP28C2012B	0.31	0.03	82,258	-	BCPG19C2010A	0.25	(0.01)	82,374	-	BTS19C2010A	0.21	0.03	19,422	-
AWC01C2009A	0.14	0.02	1,025	-	BCPG28C2008A	-	-	-	-	BTS24C2007A	-	-	-	-
AWC01P2007A	0.53	(0.12)	2,310	-	BCPG28C2012A	0.27	0.01	18,252	-	BTS41C2010A	0.15	0.02	10,612	-
AWC06C2009A	0.50	0.13	145,237	-	BCPG28C2012B	0.26	0.01	22,280	-	BTS42C2008A	-	-	-	-
AWC06C2011A	0.17	0.04	25,820	-	BCPG42C2007A	0.15	-	4,680	-	CBG01C2007B	0.83	(0.08)	967	-
AWC13C2009A	0.38	0.09	178,540	-	BDM501C2007B	0.03	-	10,653	-	CBG01P2007B	0.02	-	1,049	-
AWC13C2010A	0.08	0.03	77,175	-	BDM501P2008A	0.30	(0.02)	19	-	CBG08C2007A	-	-	-	-
AWC13C2010B	0.33	0.08	183,297	-	BDM506C2008A	0.11	-	20	-	CBG11C2008A	1.05	(0.08)	100	1.00
AWC13C2011A	0.64	0.12	1,008,214	-	BDM506C2010A	0.63	0.02	60,389	-	CBG13C2008A	-	-	-	-
AWC16C2007A	-	-	-	-	BDM506P2009A	0.19	(0.02)	15,715	-	CBG13C2010A	1.11	(0.01)	46,115	1.00
AWC19C2006A	-	-	-	-	BDM508C2006A	-	-	-	-	CBG13C2011A	0.53	(0.47)	171,465	-
AWC19C2010A	0.42	0.09	47,815	-	BDM508C2011A	0.43	-	18,240	-	CBG16C2008A	-	-	-	-
AWC19C2010B	0.09	0.02	43,001	-	BDMS11C2007A	-	-	-	-	CBG19C2008A	-	-	-	-
AWC19C2010C	0.66	0.14	33,362	-	BDMS11C2008A	-	-	-	-	CBG19C2010A	1.44	(0.01)	30,631	1.00
AWC24C2007A	-	-	-	-	BDMS11C2011A	0.93	0.02	33,723	-	CBG19C2011A	0.60	0.01	307,969	-
AWC24C2010A	0.16	0.04	10,056	-	BDMS13C2008A	0.25	(0.01)	57,376	-	CBG19P2006A	-	-	-	-
AWC28C2008A	-	-	-	-	BDMS13C2009A	0.40	0.01	99,670	-	CBG19P2010A	0.62	(0.01)	236,566	-
AWC28C2010A	0.40	0.10	87,509	-	BDMS16C2006A	-	-	-	-	CBG24C2008A	1.86	(0.14)	2,740	1.00
AWC28C2010B	-	-	-	-	BDMS19C2010A	0.41	0.01	36,394	-	CBG41C2009A	1.63	(0.11)	8,440	1.00
AWC28C2012A	0.08	0.01	12,478	-	BDMS19P2010A	0.27	(0.01)	4,301	-	CBG41C2010A	0.57	(0.02)	162,865	-
AWC41C2007A	0.01	-	99	-	BDMS24C2006A	-	-	-	-	CBG41C2011A	1.33	0.12	1,942	1.00
AWC41C2007B	-	-	-	-	BDMS28C2011A	0.42	0.01	48,656	-	CBG41P2010A	0.73	0.02	60,438	-
AWC41C2010A	-	-	-	-	BDMS28C2012A	0.30	0.02	21,188	-	CBG42C2008A	3.08	0.28	4,300	2.00
AWC41C2011A	0.51	0.12	71,483	-	BDMS28C2012B	0.11	-	46	-	CBG42C2101T	0.80	(0.02)	6,770	-
AWC42C2008A	-	-	-	-	BDM541C2009A	0.36	0.02	41,464	-	CENT01C2006A	-	-	-	-
AWC42C2101T	0.28	0.07	27,754	-	BDM542C2101T	0.30	0.01	13,156	-	CENT01C2006B	-	-	-	-
BANP06C2010A	0.26	0.03	24,029	-	BEC01C2006A	-	-	-	-	CENT01C2009A	0.80	0.10	165	-
BANP06P2011A	0.61	(0.05)	8,036	-	BEC01C2006B	-	-	-	-	CENT01P2009A	0.12	(0.04)	8,318	-
BANP08C2007A	0.01	(0.01)	600	-	BEC01P2006A	-	-	-	-	CENT06P2007A	0.01	-	200	-
BANP08C2009A	0.33	0.03	21,358	-	BEM06P2009A	0.20	(0.02)	8,709	-	CENT11C2007A	0.02	(0.01)	112	-
BANP08P2009A	0.58	(0.04)	11,655	-	BEM08C2009A	0.67	0.02	41,400	-	CENT11C2012A	0.28	0.03	20	-
BANP11C2008A	-	-	-	-	BEM11C2011A	0.46	0.01	20,360	-	CENT13C2010A	0.21	0.04	85,863	-
BANP13C2008A	0.20	0.03	35,668	-	BEM13C2007A	-	-	-	-	CENT19C2008A	-	-	-	-
BANP13C2010A	0.14	0.01	101,436	-	BEM13C2009A	0.40	0.01	64,286	-	CENT19C2010A	0.58	0.11	127,307	-
BANP13C2011A	0.32	(0.68)	94,533	-	BEM13C2010A	0.16	-	74,383	-	CENT19C2011A	0.24	0.04	53,154	-
BANP19C2007A	-	-	-	-	BEM16C2006A	-	-	-	-	CENT24C2008A	0.22	0.05	11,160	-
BANP19C2007B	0.01	(0.01)	189	-	BEM19C2010A	0.53	0.02	47,340	-	CENT27C2008A	-	-	-	-
BANP19C2009A	0.33	0.02	12,704	-	BEM19C2011A	0.19	(0.01)	6,800	-	CENT28C2008A	-	-	-	-
BANP19C2010A	0.25	0.02	82,671	-	BEM19P2010A	0.33	(0.02)	2,000	-	CENT28C2010A	0.89	0.15	64,011	-
BANP19P2010A	0.30	(0.03)	49,159	-	BEM24C2008A	0.69	0.02	16,450	-	CENT28C2012A	0.39	0.06	110,514	-
BANP19P2010B	0.77	(0.04)	31,404	-	BEM28C2007A	-	-	-	-	CHG01C2006A	-	-	-	-
BANP24C2011A	0.26	0.02	6,000	-	BEM28C2008A	-	-	-	-	CHG01C2006B	-	-	-	-
BANP27C2007A	-	-	-	-	BEM28C2010A	0.58	(0.02)	2	-	CHG01P2006A	-	-	-	-
BANP28C2008A	-	-	-	-	BEM28C2012A	0.17	0.01	6,084	-	CHG13C2010A	0.20	-	19,341	-
BANP28C2010A	0.21	0.02	22,652	-	BGR101C2006A	-	-	-	-	CHG16C2009A	0.17	-	3,364	-
BANP28C2012A	0.24	0.02	16,916	-	BGR101C2006B	-	-	-	-	CHG19C2011A	0.26	0.01	22,416	-
BANP41C2007A	0.04	-	100	-	BGR101C2008B	-	-	-	-	CHG27C2009A	-	-	-	-
BANP41C2010A	0.31	0.04	20,784	-	BGR101C2009A	0.82	0.04	100	-	CK06C2009A	0.61	0.04	110,047	-
BANP41P2007A	-	-	-	-	BGR101P2006A	-	-	-	-	CK11C2007A	0.04	(0.06)	550	-
BANP42C2012T	0.18	0.01	72	-	BGR106C2010A	0.79	0.05	59,352	-	CK11C2012A	0.64	0.03	30,960	-
BBL06C2007A	0.01	(0.01)	155	-	BGR108C2009A	0.68	0.03	46,018	-	CK13C2010A	0.69	0.03	291,257	-
BBL06C2009A	0.72	0.06	49,315	-	BGR111C2006A	-	-	-	-	CK16C2006A	-	-	-	-
BBL06P2011A	0.92	(0.06)	34,645	-	BGR111C2008A	-	-	-	-	CK19C2007A	-	-	-	-
BBL08C2007A	0.01	(0.01)	117	-	BGR113C2007A	0.06	(0.25)	100	-	CK19C2010A	0.56	0.03	159,823	-
BBL08C2009A	0.44	0.03	43,087	-	BGR113C2008A	-	-	-	-	CK27C2008A	-	-	-	-
BBL08P2007A	0.66	(0.14)	3,100	-	BGR113C2009A	0.72	0.03	42,922	-	CK41C2009A	0.55	0.02	1,978	-
BBL08P2009A	0.50	(0.04)	32,339	-	BGR113C2011A	0.54	0.03	185,693	-	CKP01C2008B	-	-	-	-
BBL11C2007A	0.01	-	17,302	-	BGR113P2011A	0.61	(0.03)	10,849	-	CKP01C2009A	-	-	-	-
BBL11C2011A	0.85	0.05	35,670	-	BGR119C2006A	-	-	-	-	CKP01P2009A	0.22	-	30	-
BBL11P2008A	0.91	(0.14)	40	-	BGR119C2008A	0.55	0.15	1	-	CKP08C2010A	0.55	0.06	60,178	-
BBL13C2008A	0.13	0.02	298,926	-	BGR119C2008B	-	-	-	-	CKP11C2006A	-	-	-	-
BBL13C2010A	1.40	0.11	6,339	1.00	BGR119C2009A	0.76	0.04	13,014	-	CKP13C2007A	-	-	-	-
BBL13C2010B	0.47	0.04	184,357	-	BGR119C2011A	0.56	0.03	74,759	-	CKP13C2010A	0.45	0.05	97,102	-
BBL13P2008A	0.27	(0.06)	10	-	BGR119P2007A	0.16	-	20	-	CKP16C2007A	-	-	-	-
BBL13P2010A	0.56	(0.03)	128,401	-	BGR119P2010A	0.47	(0.04)	57,332	-	CKP19C2006A	-	-	-	-
BBL16C2006A	-	-	-	-	BGR124C2009A	0.68	0.05	14,239	-	CKP19C2010A	0.61	0.05	50,624	-
BBL19C2007A	-	-	-	-	BGR141C2007A	-	-	-	-	CKP19C2011A	0.40	0.04	76,468	-
BBL19C2009A	-	-	-	-	BGR141C2010A	0.50	0.01	9,162	-	CKP24C2006A	-	-	-	-
BBL19C2010A	0.47	0.02	123,862	-	BGR142C2101T	0.34	0.01	620	-	CKP28C2011A	0.43	0.05	80,236	-
BBL19C2011A	0.37	0.02	45,869	-	BH08C2007A	-	-	-	-	CKP28C2012A	0.50	0.04	15,722	-
BBL19P2007A	-	-	-	-	BH11C2008A	-	-	-	-	CKP41C2007A	-	-	-	-
BBL19P2010A	0.52	(0.02)	56,641	-	BH13C2010A	0.40	0.01	48,072	-	COM708C2007A	0.18	(0.01)	56	-
BBL19P2011A	0.89	(0.02)	52,230	-	BH19C2006A	-	-	-	-	COM708C2010A	1.27	0.22	9	1.00
BBL24C2009A	0.43	0.03	36,484	-	BH19C2009A	0.38	0.02	48,811	-	COM708C2011A	0.36	-	37,210	-
BBL28C2007A	-	-	-	-	BH24C2008A	0.23	0.02	4,820	-	COM713C2007A	-	-	-	-

## Main Board Quotation

Issue Date :

Thursday July 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL06C2011A	0.37	-	58,442	-	EA08C2009A	0.44	0.07	38,226	-	GULF01C2007A	0.10	-	32,675	-
CPAL08C2006A	-	-	-	-	EA13C2008A	-	-	-	-	GULF06C2009A	0.43	-	18,941	-
CPAL08C2008A	0.36	(0.02)	1,270	-	EA13C2009A	0.31	0.05	70,504	-	GULF08C2008A	-	-	-	-
CPAL08C2011A	0.37	(0.01)	33,204	-	EA16C2006A	-	-	-	-	GULF08C2009A	0.28	(0.01)	31,210	-
CPAL08P2006A	-	-	-	-	EA16C2008A	0.02	-	4	-	GULF11C2006A	-	-	-	-
CPAL08P2009A	0.21	(0.02)	32,129	-	EA19C2008A	0.27	0.03	200	-	GULF11C2011A	0.43	-	22,720	-
CPAL11C2006A	-	-	-	-	EA19C2010A	0.36	0.05	52,411	-	GULF13C2008A	0.58	0.01	11	-
CPAL11C2007A	-	-	-	-	EA19P2007A	-	-	-	-	GULF13C2009A	1.01	0.04	401	-
CPAL11C2012A	0.59	0.02	25,055	-	EA19P2011A	0.60	(0.07)	27,179	-	GULF13C2009B	0.26	-	132,330	-
CPAL13C2007A	-	-	-	-	EA24C2008A	0.27	0.04	8,150	-	GULF13C2011A	0.42	(0.01)	218,232	-
CPAL13C2009A	0.62	0.01	54,695	-	EA27C2006A	-	-	-	-	GULF13P2009A	0.18	(0.01)	77,697	-
CPAL13C2011A	0.42	0.01	258,411	-	EA28C2011A	0.34	0.05	82,681	-	GULF16C2007A	-	-	-	-
CPAL16C2006A	-	-	-	-	EA28C2012A	0.27	0.04	50,737	-	GULF19C2006A	-	-	-	-
CPAL16C2007A	-	-	-	-	EA41C2009A	0.27	0.05	39,905	-	GULF19C2008A	-	-	-	-
CPAL19C2008A	0.20	-	131,656	-	EA42C2101T	0.28	0.04	15,674	-	GULF19C2010A	0.31	-	34,160	-
CPAL19C2010A	0.30	-	60,280	-	EGC001C2007B	0.02	0.01	11	-	GULF19C2010B	0.40	(0.60)	500	-
CPAL19C2011A	0.50	0.02	39,681	-	EGC006C2007A	-	-	-	-	GULF19P2006A	-	-	-	-
CPAL19P2010A	0.17	-	43,470	-	EGC006C2010A	0.48	0.06	114,093	-	GULF19P2009A	0.16	(0.01)	3,430	-
CPAL19P2010B	0.79	(0.03)	71,857	-	EGC006P2009A	0.30	(0.06)	53,296	-	GULF19P2010A	0.24	-	35,971	-
CPAL24C2009A	0.75	0.03	11,921	-	EGC013C2009A	0.32	0.03	63,135	-	GULF19P2010B	0.43	(0.01)	3,400	-
CPAL28C2007A	-	-	-	-	EGC019C2007A	0.01	-	2	-	GULF24C2009A	0.25	-	6,001	-
CPAL28C2008A	-	-	-	-	EGC019C2010A	0.49	0.04	58,664	-	GULF28C2008A	-	-	-	-
CPAL28C2008B	-	-	-	-	EGC024C2009A	0.42	0.05	9,321	-	GULF28C2008B	-	-	-	-
CPAL28C2010A	0.18	0.01	24,866	-	EGC042C2007A	-	-	-	-	GULF28C2008C	-	-	-	-
CPAL28C2012A	0.21	-	13,105	-	EGC042C2010T	0.36	0.05	7,554	-	GULF28C2010A	0.20	-	3,052	-
CPAL28C2012B	0.35	0.02	22,762	-	EPG13C2010A	0.17	0.01	235,012	-	GULF28C2012A	0.19	-	5,678	-
CPAL41C2007A	-	-	-	-	EPG13C2011A	0.70	0.05	96,156	-	GULF41C2009A	0.26	-	40,971	-
CPAL41C2010A	0.41	0.01	64,433	-	EPG19C2007A	-	-	-	-	GULF41C2011A	0.42	-	8,058	-
CPAL42C2007A	-	-	-	-	EPG19C2008A	-	-	-	-	GULF41P2007A	-	-	-	-
CPAL42C2101T	0.24	0.01	3,289	-	EPG19C2010A	0.71	0.06	81,361	-	GULF41P2009A	0.42	0.01	57,567	-
CPF06C2010A	0.27	-	88,710	-	EPG19C2011A	0.21	0.01	12,291	-	GULF41P2011A	0.36	(0.02)	52	-
CPF06P2011A	0.34	(0.01)	40,731	-	EPG24C2008A	0.11	0.01	2,175	-	GULF42C2010M	0.32	-	5,502	-
CPF08C2006A	-	-	-	-	EPG42C2101T	0.39	0.03	4,128	-	GULF42C2101T	0.29	0.05	1,845	-
CPF08C2010A	0.32	0.02	36,716	-	ERW06C2007A	-	-	-	-	GUNK11C2007A	-	-	-	-
CPF11C2007A	-	-	-	-	ERW06C2010A	-	-	-	-	GUNK19C2006A	-	-	-	-
CPF11C2010A	0.29	0.02	17,218	-	ERW13C2007A	-	-	-	-	GUNK19C2010A	0.24	0.02	13,873	-
CPF13C2008A	-	-	-	-	ERW13C2010A	0.52	0.07	126,628	-	GUNK24C2006A	-	-	-	-
CPF13C2009A	0.23	0.02	103,068	-	ERW19C2006A	-	-	-	-	GUNK28C2012A	0.27	0.02	19,272	-
CPF16C2007A	-	-	-	-	ERW19C2007A	0.18	0.04	33,423	-	HANA01C2006A	-	-	-	-
CPF19C2006A	-	-	-	-	ERW19C2010A	0.91	0.09	21	-	HANA01C2006B	-	-	-	-
CPF19C2009A	-	-	-	-	ERW19C2010B	0.45	0.07	154,311	-	HANA01P2006A	-	-	-	-
CPF19C2010A	0.26	0.02	49,218	-	ERW24C2006A	-	-	-	-	HANA11C2008A	-	-	-	-
CPF19P2010A	0.28	(0.02)	774	-	ESSO01C2008B	0.27	(0.05)	307	-	HANA13C2008A	0.10	0.02	1,704	-
CPF24C2007A	0.38	0.03	10,490	-	ESSO01C2009A	0.69	0.10	2	-	HANA16C2008A	0.15	0.03	760	-
CPF28C2007A	-	-	-	-	ESSO01P2009A	0.15	0.01	7,656	-	HANA19C2006A	-	-	-	-
CPF28C2010A	-	-	-	-	ESSO06C2011A	0.55	(0.03)	168,326	-	HANA19C2010A	0.25	0.04	48,804	-
CPF28C2011A	0.28	0.01	37,168	-	ESSO08C2008A	-	-	-	-	HANA27C2007A	-	-	-	-
CPF28C2012A	0.18	-	7,133	-	ESSO08C2011A	0.60	(0.02)	110,634	-	HANA27P2007A	0.26	(0.22)	2,391	-
CPF28C2012B	0.17	0.01	9,112	-	ESSO13C2010A	0.53	(0.04)	261,079	-	HMPR01C2006A	-	-	-	-
CPF41C2008A	0.27	0.04	400	-	ESSO19C2007A	0.33	(0.01)	100	-	HMPR01C2006B	-	-	-	-
CPF41C2010A	0.24	0.01	5,162	-	ESSO19C2009A	-	-	-	-	HMPR01P2006A	-	-	-	-
CPF42C2101T	0.18	0.02	4,006	-	ESSO19C2010A	0.57	(0.03)	143,589	-	HMPR06C2010A	0.58	0.09	21,077	-
CPN06C2010A	0.71	0.16	60,590	-	ESSO19C2011A	0.39	(0.02)	331,212	-	HMPR06P2007A	0.01	(0.01)	2,000	-
CPN11C2006A	-	-	-	-	ESSO24C2007A	0.36	(0.04)	33,187	-	HMPR06P2011A	0.38	(0.08)	8,833	-
CPN11C2008A	-	-	-	-	ESSO41C2010A	-	-	-	-	HMPR11C2011A	0.68	0.06	9,928	-
CPN13C2007A	-	-	-	-	ESSO41C2011A	0.45	(0.01)	88,943	-	HMPR13C2007A	-	-	-	-
CPN13C2009A	0.43	0.08	158,387	-	ESSO42C2007A	-	-	-	-	HMPR13C2009A	0.44	0.08	15,534	-
CPN19C2007A	-	-	-	-	ESSO42C2101T	0.34	-	2,159	-	HMPR19C2007A	-	-	-	-
CPN19C2010A	0.47	0.09	52,726	-	GFPT08C2011A	0.35	0.01	5,000	-	HMPR19C2010A	0.55	0.07	9,948	-
CPN19P2010A	0.47	(0.06)	45,337	-	GFPT13C2010A	0.32	0.02	14,689	-	HMPR24C2008A	0.70	0.11	2,206	-
CPN24C2007A	0.08	0.02	26,282	-	GFPT19C2006A	-	-	-	-	HMPR41C2007A	-	-	-	-
CPN41C2009A	0.38	0.10	32,665	-	GFPT19C2010A	0.36	-	20,676	-	HMPR41C2007B	-	-	-	-
CRC01C2007A	0.04	0.01	1	-	GFPT19C2010B	0.24	0.01	3,738	-	HMPR41C2010A	0.41	0.06	20,509	-
CRC08C2007A	-	-	-	-	GFPT24C2007A	0.14	0.01	20,841	-	HSI28C2006A	-	-	-	-
CRC08C2009A	0.31	0.04	37,672	-	GFPT42C2008A	0.39	0.01	1,115	-	HSI28C2006B	-	-	-	-
CRC13C2008A	0.03	0.01	1	-	GFPT42C2101T	0.24	0.05	448	-	HSI28C2006C	-	-	-	-
CRC13C2009A	0.36	0.05	56,920	-	GLOB01C2007B	0.44	0.06	19	-	HSI28C2007A	1.10	0.49	59,951	-
CRC19C2008A	0.16	0.01	200	-	GLOB01C2008A	-	-	-	-	HSI28C2007B	0.53	0.25	55,292	-
CRC19C2008B	0.31	0.06	16,762	-	GLOB13C2007A	-	-	-	-	HSI28C2007C	0.17	0.09	1,652,082	-
CRC19C2010A	0.25	0.04	20,992	-	GLOB19C2007A	-	-	-	-	HSI28C2008A	2.10	0.46	8,401	2.00
CRC24C2008A	0.40	0.07	42,941	-	GLOB19C2010A	0.57	0.01	106,779	-	HSI28C2008B	1.57	0.51	4,452	1.00
CRC28C2007A	-	-	-	-	GLOB24C2010A	0.52	0.02	16,061	-	HSI28C2008C	0.92	0.32	31,192	-
CRC28C2007B	-	-	-	-	GLOB42C2009A	0.20	0.07	201	-	HSI28C2008D	0.58	(0.42)	75	-
CRC28C2011A	0.30	0.04	17,368	-	GPSC01C2007B	-	-	-	-	HSI28C2009A	1.44	0.44	1,351	1.00
CRC28C2012A	0.23	0.03	24,620	-	GPSC01C2008A	0.46	(0.01)	161	-	HSI28C2009B	0.96	(0.04)	152	-
CRC41C2007A	-	-	-	-	GPSC01P2007B	-	-	-	-	HSI28C2009C	0.60	(0.40)	269	-
CRC41C2009A	0.27	(0.14)	11,854	-	GPSC01P2008A	0.54	(0.15)	1	-	HSI28C2010L	0.52	0.18	62,005	-
CRC41C2010A	-	-	-	-	GPSC06C2008A	0.48	0.10	82,081	-	HSI28C2011L	1.07	0.31	2,566	-
DELT13C2011A	0.68	-	61,016	-	GPSC06C2011A	0.66	0.07	85,658	-	HSI28C2012L	0.64	(0.36)	96	-
DTAC01C2007B	-	-	-	-	GPSC08C2007A	-	-	-	-	HSI28P2006A	-	-	-	-
DTAC01C2008A	0.33	(0.02)	94	-	GPSC08C2009A	0.71	0.06	44,164	-	HSI28P2006B	-	-	-	-
DTAC01P2007B	-	-	-	-	GPSC08P2006A	-	-	-	-	HSI28P2006C	-	-	-	-
DTAC01P2008A	0.40	(0.02)	51	-	GPSC11C2006A	-	-	-	-	HSI28P2007A	0.26	(0.20)	77,406	-
DTAC08C2007A	-	-	-	-	GPSC13C2007A	-	-	-	-	HSI28P2007B	0.13	(0.27)	102,356	-
DTAC08C2008A	0.17	0.01	21,082	-	GPSC13C2008A	-	-	-	-	HSI28P2007C	0.09	(0.07)	130,665	-
DTAC13C2007A	-	-	-	-	GPSC13C2009A	0.85	0.08	149,058	-	HSI28P2008A	0.57	(0.31)	325,330	-
DTAC13C2009A	0.16	0.03	138,461	-	GPSC13C2011A	0.70	0.07	290,000	-	HSI28P2008B	0.40	(0.24)	89,267	-
DTAC13P2007A	-	-	-	-	GPSC13P2007A	0.21	0.07	20	-	HSI28P2008C	0.27	(0.17)	29,374	-
DTAC13P2008A	0.26	(0.08)	121,342	-	GPSC13P2011A	0.90	(0.09)	119,325	-	HSI28P2009A	-	-	-	-
DTAC16C2009A	0.37	0.05	51,252	-	GPSC16C2007A	-	-	-	-	HSI28P2009B	1.07	0.07	117	1.00

## Main Board Quotation

Issue Date :

Thursday July 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI41P2006A	-	-	-	-	KBAN06C2008A	0.04	-	482	-	MINT01C2008A	0.05	0.01	4,616	-
HSI41P2006B	-	-	-	-	KBAN06C2009A	0.52	0.03	84,912	-	MINT01P2008A	1.04	(0.12)	1,552	1.00
HSI41P2007A	0.31	(0.29)	24,796	-	KBAN06C2011A	0.20	-	55,980	-	MINT06P2007A	-	-	-	-
HSI41P2007B	0.18	(0.23)	4,020	-	KBAN06P2011A	0.88	(0.05)	77,133	-	MINT08C2010A	0.63	0.09	131,076	-
HSI41P2007C	0.12	(0.19)	1,342	-	KBAN08C2007A	0.02	0.01	301	-	MINT08P2011A	0.86	(0.12)	116,407	-
HSI41P2008A	0.47	(0.27)	19,528	-	KBAN08C2011A	0.71	0.05	55,180	-	MINT11C2006A	-	-	-	-
HSI41P2008B	-	-	-	-	KBAN13C2008A	0.06	-	250	-	MINT11C2011A	0.81	0.08	82,715	-
HSI41P2008C	-	-	-	-	KBAN13C2008B	0.66	-	57	-	MINT11P2011A	0.59	(0.04)	38,058	-
HSI41P2009A	1.01	(0.42)	7,037	1.00	KBAN13C2010A	0.72	0.03	535,303	-	MINT13C2008A	0.03	0.01	11	-
INTU01C2006A	-	-	-	-	KBAN13C2010B	0.24	0.02	258,801	-	MINT13C2009A	0.40	0.07	601,072	-
INTU01C2006B	-	-	-	-	KBAN13P2008A	0.88	(0.01)	1	-	MINT13C2010A	0.80	0.12	605,835	-
INTU01P2006A	-	-	-	-	KBAN13P2010A	0.49	(0.02)	201,234	-	MINT19C2006A	-	-	-	-
INTU01P2006B	-	-	-	-	KBAN16C2008A	0.02	-	1,350	-	MINT19C2010A	0.48	0.07	545,272	-
INTU06C2009A	0.69	0.04	31,283	-	KBAN19C2007A	-	-	-	-	MINT19C2011A	0.93	0.12	321,494	-
INTU06P2011A	0.74	(0.03)	23,089	-	KBAN19C2009A	0.98	0.01	1,483	-	MINT19P2010A	0.61	(0.07)	114,539	-
INTU13C2008A	0.50	0.02	92,086	-	KBAN19C2010A	0.24	0.01	8,384	-	MINT24C2006A	-	-	-	-
INTU13C2011A	0.45	0.02	263,831	-	KBAN19C2010B	0.68	0.03	150,510	-	MINT28C2008A	0.03	0.02	4,713	-
INTU16C2007A	-	-	-	-	KBAN19C2011A	0.20	0.01	83,342	-	MINT28C2012A	0.35	0.06	92,334	-
INTU16C2009A	0.36	-	15,566	-	KBAN19P2007A	-	-	-	-	MINT41C2007A	-	-	-	-
INTU19C2009A	0.43	0.02	82,852	-	KBAN19P2010A	0.91	(0.05)	38,954	-	MINT41C2010A	0.53	0.10	29,619	-
INTU19P2007A	-	-	-	-	KBAN19P2010P	0.36	(0.02)	21,121	-	MINT42C2010T	0.44	0.05	18,619	-
INTU19P2010A	0.39	(0.01)	10,470	-	KBAN24C2009A	0.86	0.06	28,675	-	MTC01C2007B	0.01	-	3,425	-
INTU23C2111A	-	-	-	-	KBAN28C2008A	-	-	-	-	MTC01C2008A	0.21	0.08	2,031	-
INTU24C2008A	0.37	0.02	16,986	-	KBAN28C2008B	0.29	0.03	2	-	MTC06C2007A	-	-	-	-
INTU28C2008A	0.18	0.02	9,626	-	KBAN28C2008C	0.58	0.04	29,764	-	MTC06C2009A	1.32	0.20	3	1.00
INTU28C2010A	0.35	0.02	24,703	-	KBAN28C2010A	0.11	(0.01)	32,549	-	MTC06C2010A	0.53	0.08	95,398	-
INTU41C2007A	0.01	-	150	-	KBAN28C2012A	0.29	0.02	9,633	-	MTC08C2009A	-	-	-	-
INTU41C2010A	0.36	0.02	13,711	-	KBAN28P2012A	0.47	(0.03)	11,923	-	MTC08C2011A	0.76	0.08	58,886	-
INTU42C2101T	0.24	0.01	400	-	KBAN41C2007A	-	-	-	-	MTC11C2008A	-	-	-	-
IRPC01C2007B	-	-	-	-	KBAN41C2008A	-	-	-	-	MTC13C2007A	0.01	-	200	-
IRPC01P2007B	0.20	(0.03)	3	-	KBAN41C2009A	0.82	0.04	99,324	-	MTC13C2009A	0.60	0.07	50,580	-
IRPC06C2007A	0.01	-	2,000	-	KBAN41C2011A	0.19	0.01	200	-	MTC13C2010A	0.54	0.07	223,125	-
IRPC06C2010A	0.30	(0.01)	42,859	-	KBAN41P2010A	0.58	(0.04)	8,984	-	MTC16C2007A	0.01	-	800	-
IRPC06P2010A	0.37	(0.01)	30,174	-	KBAN41P2011A	1.29	(0.01)	6,500	1.00	MTC19C2006A	-	-	-	-
IRPC11C2008A	0.01	(0.02)	1,426	-	KBAN42C2007A	-	-	-	-	MTC19C2009A	1.02	0.10	22,627	-
IRPC13C2007A	-	-	-	-	KBAN42C2010T	0.67	0.04	2,048	-	MTC19C2010A	0.67	0.07	106,991	-
IRPC13C2008A	-	-	-	-	KBAN42P2008A	2.30	(0.62)	100	2.00	MTC24C2009A	0.58	0.06	13,295	-
IRPC13C2009A	0.34	-	82,151	-	KCE01C2007B	0.02	-	1,644	-	MTC27C2007A	-	-	-	-
IRPC16C2008A	0.27	0.01	5,530	-	KCE01C2008A	0.25	-	28,310	-	MTC28C2008A	-	-	-	-
IRPC19C2007A	0.08	0.03	70	-	KCE06C2009A	1.82	(0.01)	129,426	1.00	MTC28C2011A	0.61	0.08	75,744	-
IRPC19C2008A	-	-	-	-	KCE08C2009A	1.37	0.01	109,844	1.00	MTC28C2012A	0.41	0.05	32,566	-
IRPC19C2010A	0.27	-	52,790	-	KCE13C2009A	0.86	-	741,743	-	MTC28C2102L	0.40	0.04	26,365	-
IRPC19C2011A	0.41	-	42,728	-	KCE16C2007A	0.04	(0.01)	1,782	-	MTC41C2007A	0.01	-	2,000	-
IRPC24C2007A	0.20	-	10,000	-	KCE19C2007A	-	-	-	-	MTC41C2010A	0.51	0.07	36,618	-
IRPC27C2007A	0.01	-	4,600	-	KCE19C2008A	1.41	0.06	110	1.00	MTC42C2101T	0.35	0.02	13,393	-
IRPC28C2008A	-	-	-	-	KCE19C2009A	1.16	-	81,225	1.00	OR19C2010A	0.99	0.20	2	-
IRPC28C2012A	0.20	0.01	6,684	-	KCE19C2010A	1.07	-	227,625	1.00	OR19C2011A	0.34	0.05	179,436	-
IRPC41C2007A	-	-	-	-	KCE19C2010B	0.71	(0.29)	285,229	-	OR128C2007A	-	-	-	-
IRPC41C2010A	0.26	0.01	23,775	-	KCE24C2010A	0.42	0.01	20,049	-	OR128C2011A	-	-	-	-
IRPC41P2007A	-	-	-	-	KCE27C2007A	-	-	-	-	OR128C2012A	0.69	0.05	300	-
IVL01C2006B	-	-	-	-	KCE42C2012T	0.62	(0.01)	25,852	-	OR128C2012B	0.30	0.04	99,293	-
IVL01P2006B	-	-	-	-	KKP01C2006A	-	-	-	-	OSP01C2006A	-	-	-	-
IVL06C2008A	0.17	0.02	155,003	-	KKP01C2006B	-	-	-	-	OSP01C2006B	-	-	-	-
IVL06C2010A	0.25	0.02	265,752	-	KKP01P2006A	-	-	-	-	OSP01P2006A	-	-	-	-
IVL06P2009A	0.11	(0.01)	103,915	-	KKP11C2007A	0.01	-	37	-	OSP06C2008A	0.56	0.11	39,766	-
IVL06P2011A	0.58	(0.04)	37,371	-	KKP13C2007A	-	-	-	-	OSP06C2011A	0.33	0.05	71,623	-
IVL08C2009A	0.29	0.01	27,239	-	KKP13C2010A	0.34	0.03	135,544	-	OSP06P2009A	0.37	(0.05)	53,656	-
IVL08P2011A	0.33	(0.03)	28,083	-	KKP19C2010A	0.42	0.03	63,842	-	OSP08C2009A	0.33	0.02	51,817	-
IVL11C2006A	-	-	-	-	KKP19C2011A	0.26	0.02	12,676	-	OSP13C2010A	0.30	0.03	229,491	-
IVL11C2012A	0.42	0.03	22,430	-	KTB01C2008B	-	-	-	-	OSP16C2008A	-	-	-	-
IVL13C2008A	0.66	(0.12)	13	-	KTB01C2009A	-	-	-	-	OSP19C2009A	0.29	0.05	58,340	-
IVL13C2009A	0.22	0.03	229,541	-	KTB01P2009A	-	-	-	-	OSP19C2010A	0.20	0.02	35,145	-
IVL13P2010A	0.31	(0.02)	129,486	-	KTB11C2006A	-	-	-	-	OSP24C2008A	0.15	0.03	23,611	-
IVL16C2006A	-	-	-	-	KTB13C2010A	0.17	0.01	3,283	-	OSP41C2010A	0.26	0.03	21,825	-
IVL16C2009A	0.29	0.01	13,432	-	KTB19C2010A	0.18	-	2,400	-	OSP42C2101T	0.27	0.02	13,832	-
IVL19C2006A	-	-	-	-	KTB24C2009A	0.17	-	5,250	-	PLAN13C2007A	0.04	0.01	300	-
IVL19C2008A	-	-	-	-	KTB28C2011A	-	-	-	-	PLAN13C2010A	0.37	0.01	196,331	-
IVL19C2009A	1.39	0.16	21	1.00	KTB28C2012A	0.11	0.01	10,155	-	PLAN19C2007A	0.09	(0.05)	6	-
IVL19C2010A	0.29	0.02	142,499	-	KTB28C2012B	0.13	-	4,056	-	PLAN19C2010A	1.57	0.09	3,072	1.00
IVL19C2010B	0.36	0.01	82,242	-	KTC01C2007A	0.14	(0.01)	145	-	PLAN19C2010B	0.39	0.03	146,559	-
IVL19P2006A	-	-	-	-	KTC01C2007B	0.07	0.02	4,626	-	PLAN24C2006A	-	-	-	-
IVL19P2010A	0.26	(0.03)	77,834	-	KTC01P2007A	0.16	0.04	6,509	-	PLAN24C2009A	0.37	0.03	22,830	-
IVL19P2010B	0.29	(0.03)	23,668	-	KTC08C2006A	-	-	-	-	PLAN27C2008A	-	-	-	-
IVL24C2008A	0.88	0.10	2,700	-	KTC08C2011A	0.33	0.04	14,422	-	PLAN27C2101A	0.46	0.03	4,372	-
IVL27P2007A	0.12	(0.03)	10,618	-	KTC13C2008A	0.33	0.02	158,748	-	PLAN28C2010A	0.35	0.03	106,060	-
IVL28C2007A	-	-	-	-	KTC13C2010A	0.10	0.01	255,653	-	PLAN28C2012A	1.33	0.11	100	1.00
IVL28C2011A	0.26	0.02	25,536	-	KTC13C2010B	0.32	0.01	678,951	-	PLAN42C2007A	-	-	-	-
IVL28C2012A	0.18	0.01	15,428	-	KTC13P2007A	-	-	-	-	PLAN42C2101T	0.32	0.06	46	-
IVL41C2007A	0.01	-	3,001	-	KTC19C2006A	-	-	-	-	PRM13C2010A	0.37	0.02	62,107	-
IVL41C2007B	-	-	-	-	KTC19C2008A	0.34	0.03	147,743	-	PRM19C2006A	-	-	-	-
IVL41C2009A	0.23	0.01	90,772	-	KTC19C2010A	0.14	0.02	188,198	-	PRM19C2010A	0.59	0.01	14,177	-
IVL41C2010A	0.19	0.01	3,329	-	KTC19C2010B	0.33	0.02	167,395	-	PSL19C2006A	-	-	-	-
IVL41P2007A	-	-	-	-	KTC19P2010A	0.46	(0.02)	97,520	-	PSL19C2007A	0.83	0.20	4,834	-
IVL41P2010A	0.44	(0.03)	7,000	-	KTC27C2007A	-	-	-	-	PTG01C2007B	0.33	0.03	380	-
IVL42C2008A	-	-	-	-	KTC28C2011A	0.14	0.02	31,821	-	PTG06C2010A	0.57	0.03	120,301	-
IVL42C2101T	0.18	0.02	1,534	-	KTC28C2012A	0.16	-	29,417	-	PTG08C2007A	0.32	0.03	347	-
JAS08C2011A	0.42	0.01	40,827	-	KTC28C2012B	0.33	0.03	81,241	-	PTG08C2011A	0.52	0.04	82,220	-
JAS13C2009A	0.14	-	18,512	-	KTC41C2009A	0.17	0.02	14,252	-	PTG13C2010A	0.43	0.04	357,353	

## Main Board Quotation

Issue Date :

Thursday July 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT11C2008A	0.05	0.02	4,803	-	PTTG19P2006A	-	-	-	-	S5013P2006D	-	-	-	-
PTT13C2008A	0.08	-	2,201	-	PTTG19P2009A	0.13	(0.03)	69,412	-	S5013P2006E	-	-	-	-
PTT13C2008B	-	-	-	-	PTTG19P2010A	0.50	(0.04)	31,164	-	S5013P2006F	-	-	-	-
PTT13C2009A	0.38	0.01	300,174	-	PTTG19P2011A	0.46	(0.03)	46,712	-	S5013P2006G	-	-	-	-
PTT13C2010A	0.32	0.03	402,059	-	PTTG24C2008A	0.55	0.04	23,853	-	S5013P2006H	-	-	-	-
PTT13P2008A	0.02	0.01	4,035	-	PTTG28C2008A	0.33	0.02	81,093	-	S5013P2006I	-	-	-	-
PTT13P2009A	0.12	(0.01)	662	-	PTTG28C2011A	0.36	0.02	38,196	-	S5013P2006J	-	-	-	-
PTT13P2010A	0.32	(0.02)	54,084	-	PTTG28C2012A	0.67	0.05	68,236	-	S5013P2006K	-	-	-	-
PTT16C2008A	-	-	-	-	PTTG41C2007A	-	-	-	-	S5013P2009A	0.38	(0.07)	986,751	-
PTT19C2008A	0.61	0.03	109	-	PTTG41C2008A	1.08	(0.04)	150	1.00	S5013P2009B	0.29	(0.08)	772,511	-
PTT19C2009A	0.43	0.01	65,407	-	PTTG41C2010A	0.72	0.05	1	-	S5013P2009C	0.41	(0.10)	2,718,457	-
PTT19C2011A	0.34	0.02	176,501	-	PTTG41C2011A	0.42	0.04	125,392	-	S5013P2009D	0.39	(0.11)	4,787,247	-
PTT19P2006A	-	-	-	-	PTTG41P2010A	-	-	-	-	S5013P2009E	1.17	(0.20)	4,201,653	1.00
PTT19P2009A	0.08	(0.01)	18,224	-	PTTG41P2011A	0.76	(0.06)	22,893	-	S5016C2006A	-	-	-	-
PTT19P2010A	0.30	(0.03)	47,894	-	PTTG42C2007A	-	-	-	-	S5016C2006B	-	-	-	-
PTT19P2010B	0.37	(0.02)	74,756	-	PTTG42C2012T	0.30	0.01	11,462	-	S5016C2006C	-	-	-	-
PTT24C2008A	0.32	0.01	23,439	-	QH01C2006A	-	-	-	-	S5016C2006D	-	-	-	-
PTT28C2007A	-	-	-	-	QH01C2006B	-	-	-	-	S5016C2006E	-	-	-	-
PTT28C2008A	0.08	-	200	-	QH01P2006A	-	-	-	-	S5016C2009A	0.43	0.10	22,579	-
PTT28C2008B	-	-	-	-	QH11C2006A	-	-	-	-	S5016P2006A	-	-	-	-
PTT28C2008C	-	-	-	-	QH19C2006A	-	-	-	-	S5016P2006B	-	-	-	-
PTT28C2011A	0.36	0.03	36,252	-	QH27C2007A	-	-	-	-	S5016P2006C	-	-	-	-
PTT28C2012A	0.25	0.01	25,376	-	RAT001C2006A	-	-	-	-	S5016P2006D	-	-	-	-
PTT41C2007A	-	-	-	-	RAT001C2006B	-	-	-	-	S5016P2006E	-	-	-	-
PTT41C2009A	0.32	0.03	1,596	-	RAT001P2006A	-	-	-	-	S5016P2009A	0.98	(0.22)	87,944	1.00
PTT41C2010A	0.34	0.02	62,612	-	RAT006C2009A	0.47	0.06	83,109	-	S5016P2103Z	-	-	-	-
PTT41P2010A	-	-	-	-	RAT006P2010A	0.77	(0.08)	41,863	-	S5019C2006A	-	-	-	-
PTT41P2011A	-	-	-	-	RAT13C2007A	-	-	-	-	S5019C2006B	-	-	-	-
PTT42C2007A	-	-	-	-	RAT13C2010A	0.43	0.04	82,235	-	S5019C2006C	-	-	-	-
PTT42C2010M	0.41	0.03	2,680	-	RAT16C2008A	0.02	(0.02)	7,021	-	S5019C2006D	-	-	-	-
PTT42C2012T	0.24	0.01	9,174	-	RAT19C2007A	0.32	0.05	15,010	-	S5019C2006E	-	-	-	-
PTTE01C2007A	0.04	-	8,527	-	RAT19C2011A	0.51	0.05	34,198	-	S5019C2006F	-	-	-	-
PTTE01C2007B	0.02	0.01	5,035	-	RAT19P2011A	0.71	(0.07)	28,460	-	S5019C2006G	-	-	-	-
PTTE01P2007A	1.43	(0.06)	261	1.00	RAT24C2006A	-	-	-	-	S5019C2007B	0.01	-	100	-
PTTE01P2007B	0.26	(0.06)	190	-	RAT27C2007A	-	-	-	-	S5019C2009A	3.20	0.18	16,098	3.00
PTTE06C2008A	2.86	0.04	79,588	2.00	RAT41C2010A	0.48	0.05	39,969	-	S5019C2009B	1.10	0.15	1,050,111	1.00
PTTE06C2011A	0.82	-	171,216	-	RAT42C2012T	0.36	0.04	3,560	-	S5019C2009C	0.30	0.06	110,364	-
PTTE06P2009A	0.16	(0.01)	93,041	-	RS06C2010A	0.79	-	58,026	-	S5019C2009D	0.58	0.12	1,164,124	-
PTTE06P2011A	0.97	(0.01)	141,296	-	RS08C2011A	0.52	(0.01)	58,907	-	S5019P2006A	-	-	-	-
PTTE08C2008A	2.00	0.02	61,111	1.00	RS08P2006A	-	-	-	-	S5019P2006B	-	-	-	-
PTTE08C2011A	1.09	0.01	127,080	1.00	RS13C2010A	0.67	0.01	7,692	-	S5019P2006C	-	-	-	-
PTTE08P2006A	-	-	-	-	RS13C2011A	0.34	(0.01)	501,402	-	S5019P2006D	-	-	-	-
PTTE11C2006A	-	-	-	-	RS19C2007A	0.60	(0.07)	1,001	-	S5019P2006E	-	-	-	-
PTTE11C2011A	0.98	-	75,011	-	RS19C2010A	-	-	-	-	S5019P2006F	-	-	-	-
PTTE13C2008A	0.04	(0.01)	7,402	-	RS19C2010B	0.42	-	56,998	-	S5019P2006G	-	-	-	-
PTTE13C2008B	0.71	(0.26)	1,010	-	RS19C2011A	0.70	-	61,068	-	S5019P2007B	-	-	-	-
PTTE13C2009A	1.45	0.09	230	1.00	RS24C2008A	0.43	-	2,122	-	S5019P2009A	0.25	(0.06)	178,125	-
PTTE13C2010A	0.91	(0.02)	395,545	-	RS28C2012A	0.53	-	59,260	-	S5019P2009B	0.08	(0.04)	257,839	-
PTTE13C2010B	0.36	-	102,917	-	RS28C2101L	0.34	-	31,079	-	S5019P2009C	0.58	(0.11)	458,431	-
PTTE13P2008A	0.03	-	1,384	-	RS42C2008A	0.91	0.04	5,594	-	S5019P2009D	0.96	(0.17)	693,893	1.00
PTTE13P2009A	0.13	(0.02)	4,230	-	RS42C2101T	0.24	-	10,569	-	S5024C2006A	-	-	-	-
PTTE13P2010A	1.07	(0.02)	197,759	1.00	S10001C2011A	0.10	-	1,499	-	S5024C2006B	-	-	-	-
PTTE16C2009A	-	-	-	-	S5001C2006F	-	-	-	-	S5024C2006C	-	-	-	-
PTTE19C2006A	-	-	-	-	S5001C2006G	-	-	-	-	S5024C2006D	-	-	-	-
PTTE19C2008A	0.11	0.03	10	-	S5001C2006H	-	-	-	-	S5024C2006E	-	-	-	-
PTTE19C2008B	-	-	-	-	S5001C2007A	0.24	(0.04)	5,534	-	S5024C2009A	0.04	0.01	40,887	-
PTTE19C2009A	-	-	-	-	S5001P2006F	-	-	-	-	S5024C2009B	1.28	0.20	43,362	1.00
PTTE19C2009B	1.50	0.26	3	1.00	S5001P2006G	-	-	-	-	S5024C2009C	0.44	0.08	1,179	-
PTTE19C2010A	0.67	(0.02)	311,218	-	S5001P2006H	-	-	-	-	S5024C2009D	0.39	0.07	20,530	-
PTTE19C2010B	1.12	(0.01)	225,014	1.00	S5001P2007A	0.57	(0.09)	25,127	-	S5024C2009E	0.89	0.16	18,474	-
PTTE19C2011A	0.45	0.01	112,042	-	S5006C2006A	-	-	-	-	S5024C2009F	1.74	0.24	75,711	1.00
PTTE19P2006A	-	-	-	-	S5006C2006B	-	-	-	-	S5024C2012A	0.16	0.03	15,949	-
PTTE19P2009A	0.11	(0.01)	10,030	-	S5006C2006C	-	-	-	-	S5024P2006A	-	-	-	-
PTTE19P2009B	0.26	(0.02)	42,406	-	S5006C2006D	-	-	-	-	S5024P2006B	-	-	-	-
PTTE19P2010A	0.69	(0.02)	99,171	-	S5006C2006E	-	-	-	-	S5024P2006C	-	-	-	-
PTTE19P2010B	1.00	(0.03)	105,012	1.00	S5006C2006F	-	-	-	-	S5024P2006D	-	-	-	-
PTTE24C2008A	0.05	-	1,500	-	S5006C2009A	0.91	0.16	443,424	-	S5024P2006E	-	-	-	-
PTTE24C2011A	0.70	(0.01)	38,580	-	S5006C2009B	1.38	0.22	476,145	1.00	S5024P2006F	-	-	-	-
PTTE28C2008A	0.11	0.01	116,634	-	S5006C2009C	0.70	0.13	225,152	-	S5024P2009A	0.49	(0.11)	9,273	-
PTTE28C2011A	1.07	(0.01)	48,669	1.00	S5006P2006A	-	-	-	-	S5024P2009B	0.87	(0.24)	214,031	-
PTTE28C2011B	0.35	(0.01)	28,592	-	S5006P2006B	-	-	-	-	S5024P2009C	0.81	(0.19)	84,505	-
PTTE28C2012A	0.77	-	66,216	-	S5006P2006C	-	-	-	-	S5024P2012A	0.19	(0.03)	85,928	-
PTTE28C2102L	0.56	(0.01)	47,777	-	S5006P2006D	-	-	-	-	S5028C2006A	-	-	-	-
PTTE41C2007A	1.13	0.14	790	1.00	S5006P2006E	-	-	-	-	S5028C2006B	-	-	-	-
PTTE41C2008A	0.68	0.02	426,992	-	S5006P2006F	-	-	-	-	S5028C2006C	-	-	-	-
PTTE41C2009A	-	-	-	-	S5006P2009A	0.85	(0.17)	530,919	-	S5028C2006D	-	-	-	-
PTTE41C2010A	-	-	-	-	S5006P2009B	0.21	(0.07)	288,281	-	S5028C2007A	0.27	0.08	76,738	-
PTTE41P2009A	-	-	-	-	S5006P2009C	0.98	(0.26)	301,717	1.00	S5028C2008A	0.34	0.09	1,253,261	-
PTTE41P2010A	0.70	(0.04)	131,496	-	S5008C2006A	-	-	-	-	S5028C2009A	1.05	0.13	353,870	1.00
PTTE41P2011A	1.24	(0.05)	26,094	1.00	S5008C2006B	-	-	-	-	S5028C2009B	0.58	0.08	492,110	-
PTTE42C2101T	0.70	0.02	21,212	-	S5008C2006C	-	-	-	-	S5028C2012A	0.45	0.05	447,498	-
PTTE42P2008A	-	-	-	-	S5008C2006D	-	-	-	-	S5028P2006A	-	-	-	-
PTTG01C2007B	0.03	-	1	-	S5008C2009A	0.42	0.06	264,666	-	S5028P2006B	-	-	-	-
PTTG01C2008A	0.25	0.03	5,343	-	S5008P2006A	-	-	-	-	S5028P2006C	-	-	-	-
PTTG01P2007B	-	-	-	-	S5008P2006B	-	-	-	-	S5028P2007A	0.08	(0.04)	36,055	-
PTTG01P2008A	0.29	(0.06)	55	-	S5008P2006C	-	-	-	-	S5028P2009A	0.91	(0.06)	171,421	-
PTTG08C2008A	0.68	0.02	64,446	-	S5008P2009A	0.33	(0.09)	34,069	-	S5028P2009B	0.55	(0.07)	410,704	-
PTTG08P2010A	0.30	(0.03)	17,619	-	S5008P2009B	0.72	(0.17)	512,588	-	S5028P2012A	1.05	(0.10)	769,707	1.00
PTTG11C2007A	-	-	-	-	S5013C2006A	-	-	-	-	S5041C2006A	-	-	-	-
PTTG11C2010A	0.56	0.03	64,880	-	S5013C2006B	-	-	-	-	S5041C2006B	-	-	-	-
PTTG13C2007A	-	-	-	-	S5013C2006C	-	-	-	-	S5041C2006C	-	-	-	

## Main Board Quotation

Issue Date :

Thursday July 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5041P2006D	-	-	-	-	SPRC01C2007A	0.04	-	5,001	-	TISC19C2006A	-	-	-	-
S5041P2006E	-	-	-	-	SPRC06C2007A	0.01	-	33,994	-	TISC19C2010A	0.43	0.03	33,362	-
S5041P2006F	-	-	-	-	SPRC06C2010A	0.50	(0.03)	97,338	-	TISC19C2010B	0.66	0.03	29,612	-
S5041P2006G	-	-	-	-	SPRC06P2007A	-	-	-	-	TISC41C2010A	0.42	0.03	30,355	-
S5041P2009A	0.55	(0.10)	51,836	-	SPRC06P2011A	0.46	0.01	135,106	-	TKN01C2007B	-	-	-	-
S5041P2009B	0.69	(0.11)	2,376,513	-	SPRC08C2006A	-	-	-	-	TKN01C2008A	-	-	-	-
S5041P2009C	0.96	(0.15)	423,989	1.00	SPRC08C2011A	0.44	(0.02)	67,480	-	TKN06C2011A	0.38	0.05	160,882	-
S5041P2009D	0.77	(0.14)	18,216	-	SPRC11C2008A	-	-	-	-	TKN08C2007A	-	-	-	-
S5041P2009E	0.90	(0.13)	293,213	-	SPRC13C2008A	-	-	-	-	TKN08C2011A	0.29	0.04	94,977	-
SAWA01C2006A	-	-	-	-	SPRC13C2010A	0.33	(0.02)	311,861	-	TKN13C2010A	0.85	0.08	11,264	-
SAWA01C2006B	-	-	-	-	SPRC19C2007A	-	-	-	-	TKN13C2010B	0.27	0.03	441,290	-
SAWA01P2006A	-	-	-	-	SPRC19C2010A	0.41	(0.02)	59,394	-	TKN16C2008A	-	-	-	-
SAWA06C2007A	0.01	-	30	-	SPRC19P2011A	0.45	-	53,855	-	TKN19C2007A	-	-	-	-
SAWA06C2010A	0.57	0.06	130,755	-	SPRC28C2008A	-	-	-	-	TKN19C2010A	1.12	0.09	995	1.00
SAWA08C2006A	-	-	-	-	SPRC28C2011A	0.34	(0.02)	130,487	-	TKN19C2011A	0.75	0.07	73,259	-
SAWA08C2011A	0.57	0.05	42,309	-	SPRC42C2101T	0.29	-	10,542	-	TKN19C2011B	0.30	0.03	145,807	-
SAWA13C2007A	-	-	-	-	STA01C2008B	3.18	(0.22)	5,234	3.00	TKN28C2007A	-	-	-	-
SAWA13C2009A	0.48	0.06	5,682	-	STA01C2009A	2.88	(0.12)	49	2.00	TKN28C2012A	-	-	-	-
SAWA13C2010A	0.45	0.05	233,388	-	STA01P2009A	0.27	0.03	47,431	-	TKN28C2012B	0.28	0.03	79,345	-
SAWA16C2008A	0.01	(0.02)	2,012	-	STA08C2010A	-	-	-	-	TMB19C2007A	0.04	0.02	2,374	-
SAWA19C2009A	0.56	0.06	4,812	-	STA08C2011A	0.30	(0.04)	341,339	-	TMB19C2011A	0.38	0.02	48,523	-
SAWA19C2009B	0.53	0.03	127,351	-	STA13C2009A	-	-	-	-	TMB19C2011B	0.21	-	18,632	-
SAWA24C2009A	0.49	0.05	14,752	-	STA13C2010A	1.54	(0.15)	9,168	1.00	TMB41C2010A	0.16	0.01	10	-
SAWA27C2007A	-	-	-	-	STA13C2010B	0.33	(0.05)	3,473,929	-	TOA01C2006A	-	-	-	-
SAWA28C2007A	-	-	-	-	STA13C2010C	0.29	(0.04)	1,586,233	-	TOA01C2006B	-	-	-	-
SAWA28C2008A	-	-	-	-	STA13P2010A	0.34	0.02	814,630	-	TOA13C2007A	0.17	0.03	5,060	-
SAWA28C2011A	0.54	0.05	42,470	-	STA19C2007A	-	-	-	-	TOA19C2007A	0.28	0.04	81,244	-
SAWA28C2012A	0.50	0.05	98,433	-	STA19C2009A	2.70	(0.26)	17,990	2.00	TOA19C2010A	0.39	0.02	61,288	-
SAWA28C2102L	0.29	0.02	13,668	-	STA19C2010A	2.16	(0.02)	2	2.00	TOA42C2101T	0.28	0.03	9,454	-
SAWA41C2009A	0.48	0.05	26,896	-	STA19C2010B	1.97	0.32	1	1.00	TOP01C2006A	-	-	-	-
SAWA41C2010A	0.46	0.03	2,980	-	STA19C2010C	0.30	(0.05)	247,968	-	TOP01C2006B	-	-	-	-
SAWA42C2101T	0.29	0.03	3,032	-	STA19C2011A	1.09	(0.13)	44,819	1.00	TOP01C2008B	0.14	0.01	109	-
SCB01C2007A	0.02	-	5,207	-	STA19C2011B	0.34	(0.04)	1,518,105	-	TOP01C2009A	0.54	0.07	40	-
SCB01C2007B	0.03	0.01	404	-	STA19P2009A	0.35	0.03	1,150,777	-	TOP01P2006A	-	-	-	-
SCB01C2008B	0.08	0.04	2,209	-	STA28C2011A	1.23	(0.15)	55	1.00	TOP01P2009A	0.20	(0.01)	642	-
SCB01C2009A	0.39	0.07	40,834	-	STA28C2011B	0.32	(0.03)	95,940	-	TOP06C2007A	-	-	-	-
SCB01P2007A	1.08	(0.03)	300	1.00	STA28C2012A	1.46	(0.04)	103	1.00	TOP06C2008A	1.32	0.07	74,372	1.00
SCB01P2007B	0.49	(0.18)	33	-	STA28C2102L	0.22	(0.02)	70,429	-	TOP06C2011A	0.51	0.03	105,906	-
SCB06C2007A	0.01	-	1,400	-	STA41C2010A	0.28	(0.06)	104,624	-	TOP06P2010A	0.27	(0.04)	78,397	-
SCB06C2010A	0.82	0.11	72,336	-	STA42C2007A	-	-	-	-	TOP08C2007A	-	-	-	-
SCB08C2007A	-	-	-	-	STA42C2101T	0.24	(0.02)	19,623	-	TOP08C2010A	0.57	0.02	19,132	-
SCB08C2009A	0.65	0.06	46,125	-	STEC01C2006A	-	-	-	-	TOP08P2007A	-	-	-	-
SCB11C2006A	-	-	-	-	STEC01C2006B	-	-	-	-	TOP11C2007A	0.01	-	6,000	-
SCB11C2008A	-	-	-	-	STEC01P2006A	-	-	-	-	TOP11C2011A	0.69	0.02	42,893	-
SCB11P2012A	0.81	(0.07)	29,284	-	STEC06C2010A	0.49	0.02	43,323	-	TOP13C2008A	-	-	-	-
SCB13C2007A	0.01	(0.01)	60	-	STEC11C2007A	0.01	-	4,114	-	TOP13C2008B	-	-	-	-
SCB13C2008A	0.28	(0.04)	10	-	STEC13C2010A	0.35	0.01	125,211	-	TOP13C2010A	0.51	0.03	83,023	-
SCB13C2009A	0.64	0.08	535,797	-	STEC16C2006A	-	-	-	-	TOP13C2011A	0.55	0.02	116,053	-
SCB13C2010A	0.38	0.05	150,049	-	STEC16C2009A	-	-	-	-	TOP13P2010A	0.44	(0.03)	60,071	-
SCB13P2008A	0.14	(0.06)	428	-	STEC19C2009A	0.48	0.02	119,400	-	TOP16C2008A	-	-	-	-
SCB13P2010A	1.20	(0.13)	146,861	1.00	STEC19C2011A	0.34	0.03	35,812	-	TOP19C2006A	-	-	-	-
SCB16C2008A	-	-	-	-	STEC24C2006A	-	-	-	-	TOP19C2007A	0.01	(0.01)	1,000	-
SCB19C2006A	-	-	-	-	STEC28C2011A	0.38	0.02	34,476	-	TOP19C2008A	0.36	0.03	167,792	-
SCB19C2007A	-	-	-	-	STEC28C2012A	0.36	0.01	13,182	-	TOP19C2010A	0.56	0.03	247,651	-
SCB19C2008A	0.77	0.01	8	-	STEC41C2009A	0.27	0.02	17,884	-	TOP19C2010B	0.60	(0.40)	14,022	-
SCB19C2010A	0.43	0.05	34,889	-	SUPE19C2007A	0.76	-	320	-	TOP19P2006A	-	-	-	-
SCB19C2010B	0.81	0.09	155,585	-	SUPE19C2010A	0.47	(0.03)	2,428	-	TOP19P2010A	0.42	(0.03)	83,313	-
SCB19P2010A	0.42	(0.05)	34,164	-	SUPE19C2011A	0.28	0.01	172,555	-	TOP24C2007A	-	-	-	-
SCB19P2011A	1.43	(0.11)	5,670	1.00	SUPE42C2101T	0.19	-	2,766	-	TOP24C2008A	0.33	0.02	13,045	-
SCB24C2008A	0.35	0.05	24,498	-	TASC01C2007B	-	-	-	-	TOP41C2007A	0.01	-	5,000	-
SCB27C2007A	-	-	-	-	TASC01C2008A	1.13	0.11	4,694	1.00	TOP41C2008A	0.27	0.07	23,988	-
SCB28C2008A	-	-	-	-	TASC01P2008A	0.11	(0.01)	1	-	TOP41C2010A	-	-	-	-
SCB28C2010A	0.53	0.07	57,225	-	TASC06C2009A	1.31	0.08	3,966	1.00	TOP41P2010A	0.31	(0.05)	12,868	-
SCB41C2008A	0.37	0.04	3,682	-	TASC08C2006A	-	-	-	-	TOP41P2011A	-	-	-	-
SCB41C2011A	0.31	0.04	8,305	-	TASC08C2011A	0.79	0.02	55	-	TOP42C2007A	-	-	-	-
SCB41C2011B	0.68	0.07	237,100	-	TASC13C2009A	0.87	0.05	30,510	-	TOP42C2011T	0.33	-	20,930	-
SCB41P2011A	0.71	(0.07)	181,500	-	TASC13C2011A	0.26	0.01	220,344	-	TQM13C2011A	0.80	(0.02)	213,469	-
SCB42C2007A	-	-	-	-	TASC16C2008A	-	-	-	-	TQM19C2010A	3.30	(0.18)	1,028	3.00
SCB42C2101T	0.36	0.03	9,703	-	TASC19C2006A	-	-	-	-	TQM19C2010B	0.69	(0.31)	206,641	-
SCC06C2007A	-	-	-	-	TASC19C2007A	0.46	0.05	136	-	TQM19C2011A	1.04	(0.04)	218,344	1.00
SCC08C2011A	0.93	0.18	109,445	-	TASC19C2009A	1.16	0.02	9,701	1.00	TQM42C2101T	0.66	(0.02)	40,475	-
SCC08P2006A	-	-	-	-	TASC19C2010A	0.24	(0.76)	35,895	-	TRUE01C2007A	0.18	-	99	-
SCC11C2006A	-	-	-	-	TASC19C2011A	0.91	0.05	45,734	-	TRUE01C2007B	0.01	-	443	-
SCC11C2007A	-	-	-	-	TASC19P2010A	0.45	(0.04)	56,906	-	TRUE01P2007B	-	-	-	-
SCC11C2011A	1.00	0.13	59,713	-	TASC24C2006A	-	-	-	-	TRUE06C2007A	-	-	-	-
SCC13C2008A	-	-	-	-	TASC24C2011A	0.77	0.04	12,478	-	TRUE06C2009A	0.38	0.08	77,805	-
SCC13C2009A	0.99	0.17	323,888	-	TASC28C2010A	1.07	0.11	1,160	-	TRUE06P2011A	0.64	(0.10)	40,067	-
SCC13P2009A	-	-	-	-	TASC28C2012A	0.63	0.02	14,982	-	TRUE08C2007A	-	-	-	-
SCC19C2006A	-	-	-	-	TASC28C2012B	0.23	0.02	41,975	-	TRUE08P2010A	0.37	(0.06)	30,702	-
SCC19C2008A	-	-	-	-	TASC41C2009A	1.14	0.07	2,130	1.00	TRUE13C2007A	-	-	-	-
SCC19C2010A	0.89	0.14	458,025	-	TASC41C2010A	-	-	-	-	TRUE13C2009A	0.27	0.04	126,215	-
SCC19P2010A	0.18	(0.04)	67,688	-	TASC42C2101T	0.49	0.04	66,696	-	TRUE19C2006A	-	-	-	-
SCC24C2006A	-	-	-	-	TCAP01C2007B	-	-	-	-	TRUE19C2007A	0.10	(0.01)	8	-
SCC27P2008A	0.08	0.04	318	-	TCAP01C2008A	0.07	0.01	1,000	-	TRUE19C2009A	0.34	0.05	31,085	-
SCC28C2008A	1.01	0.30	2	1.00	TCAP01P2008A	-	-	-	-	TRUE19C2011A	0.28	0.04	25,985	-
SCC28C2010A	0.89	0.16	229,653	-	TCAP13C2007A	-	-	-	-	TRUE19P2011A	0.45	(0.06)	124,916	-
SCC41C2010A	0.98	0.16	118,268	-	TCAP13C2010A	0.32	0.01	93,552	-	TRUE28C2011A	0.24	0.04	21,225	-
SCC42C2008A	-	-	-	-	TCAP19C2010A	0.36	0.02	27,152	-	TRUE28C2012A	0.22	0.02	15,584	-
SGP13C2007A	0.03	(0.01)	200	-										



## Main Board Quotation

Issue Date :

Thursday July 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU24C2006A	-	-	-	-	TRITN-W3	0.11	-	6,177	-	-	-	-	-	-
TU27C2006A	-	-	-	-	TTCL-W1	0.46	0.03	51,044	-	-	-	-	-	-
TU28C2011A	0.23	0.01	65,646	-	U-W4	0.01	-	2,000	-	-	-	-	-	-
TU28C2012A	0.14	0.01	27,268	-	VGI-W2	0.82	0.04	443,842	-	-	-	-	-	-
TU41C2009A	-	-	-	-	VIBHA-W3	0.15	-	10,951	-	-	-	-	-	-
TU41C2010A	0.23	0.01	48,239	-	W-W2	-	-	-	-	-	-	-	-	-
TU42C2007A	-	-	-	-	W-W3	-	-	-	-	-	-	-	-	-
TU42C2101T	0.18	-	8,235	-	WIIC-W2	0.24	(0.01)	15,971	-	-	-	-	-	-
TVO13C2007A	-	-	-	-	ZMICO-W4	0.09	-	120,519	-	-	-	-	-	-
TVO19C2007A	0.01	-	100	-	Preferred Shares	-	-	-	-	-	-	-	-	-
VGI06C2007A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
VGI06C2010A	0.35	0.02	45,025	-	CSC-P	-	-	-	-	-	-	-	-	-
VGI08C2006A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
VGI11C2008A	-	-	-	-	KTB-P	-	-	-	-	-	-	-	-	-
VGI13C2010A	0.26	0.01	72,220	-	SCB-P	-	-	-	-	-	-	-	-	-
VGI19C2006A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
VGI19C2010A	0.42	0.01	42,811	-	TISCO-P	-	-	-	-	-	-	-	-	-
VGI41C2007A	-	-	-	-	U-P	1.74	0.02	152	1.00	-	-	-	-	-
VGI42C2101T	0.24	(0.02)	16,542	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
WHA01C2008B	-	-	-	-	BM-W1	0.01	-	18,290	-	-	-	-	-	-
WHA01C2009A	-	-	-	-	BROOK-W5	0.15	0.01	39,939	-	-	-	-	-	-
WHA01P2009A	0.08	(0.01)	4,141	-	CHAYO-W1	2.12	0.02	73,058	2.00	-	-	-	-	-
WHA06C2007A	0.01	-	378	-	CHO-W2	0.06	0.01	173,456	-	-	-	-	-	-
WHA06C2010A	0.49	0.03	105,772	-	CIG-W8	0.03	0.01	36,463	-	-	-	-	-	-
WHA08C2006A	-	-	-	-	D-W1	1.12	0.22	82,078	1.00	-	-	-	-	-
WHA08C2011A	0.54	0.01	56,460	-	DIMET-W3	0.91	0.05	17	-	-	-	-	-	-
WHA08P2006A	-	-	-	-	DOD-W1	0.60	(0.02)	81,941	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	ECF-W3	0.30	(0.01)	15,747	-	-	-	-	-	-
WHA13C2009A	0.52	0.02	400,359	-	HPT-W1	0.31	-	1,144	-	-	-	-	-	-
WHA16C2006A	-	-	-	-	HYDRO-W1	0.02	-	9,285	-	-	-	-	-	-
WHA16C2008A	-	-	-	-	ITEL-W1	0.39	-	34,702	-	-	-	-	-	-
WHA19C2006A	-	-	-	-	LIT-W1	0.60	0.02	15,700	-	-	-	-	-	-
WHA19C2010A	0.61	0.03	65,505	-	META-W4	0.08	0.01	9,596	-	-	-	-	-	-
WHA19C2011A	0.44	0.03	122,954	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA24C2007A	0.16	0.01	13,912	-	OCEAN-W3	0.32	(0.01)	16,006	-	-	-	-	-	-
WHA27C2008A	0.24	0.01	11,250	-	PROUD-W2	-	-	-	-	-	-	-	-	-
WHA28C2011A	0.44	0.03	68,720	-	RWI-W2	0.18	-	40,922	-	-	-	-	-	-
WHA28C2012A	0.53	(0.02)	260	-	SANKO-W1	0.13	0.02	62	-	-	-	-	-	-
WHA41C2007A	-	-	-	-	SIMAT-W3	0.49	-	20,892	-	-	-	-	-	-
WHA42C2101T	0.32	0.01	15,260	-	SIMAT-W4	2.00	-	1,770	2.00	-	-	-	-	-
Preferred/Foreign	-	-	-	-	SMART-W2	0.20	-	820	-	-	-	-	-	-
BH-Q	-	-	-	-	SWC-W1	-	-	-	-	-	-	-	-	-
CSC-Q	-	-	-	-	TAKUNI-W	0.05	0.01	14,960	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	TAPAC-W4	0.39	-	10,494	-	-	-	-	-	-
KTB-Q	-	-	-	-	TVD-W2	0.26	0.01	57,725	-	-	-	-	-	-
SCB-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
TCAP-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.12	-	28,508	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.06	-	288,326	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	1.23	(0.07)	85,649	1.00	-	-	-	-	-	-	-	-	-	-
APEX-W1	0.01	-	1,060	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.22	0.02	80,723	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.06	(0.01)	127,936	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.08	0.01	318,777	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.10	0.01	41,643	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	1.17	0.05	323,132	1.00	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.06	0.01	8,748	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.03	0.01	1,153	-	-	-	-	-	-	-	-	-	-	-
CRANE-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.81	0.07	507,969	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.14	0.01	23,146	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.05	-	54,507	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.34	0.03	69,977	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.26	0.01	29,422	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.64	0.02	23,797	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.41	0.03	15,799	-	-	-	-	-	-	-	-	-	-	-
JAS-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JCK-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JMT-W2	4.84	(0.02)	87,479	4.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.10	-	144,225	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.05	0.01	8,817	-	-	-	-	-	-	-	-	-	-	-
MILL-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	1.19	0.01	48,623	1.00	-	-	-	-	-	-	-	-	-	-
NER-W1	1.22	(0.05)	321,561	1.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	2.90	0.14	80,658	2.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.71	(0.02)	218	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.14	-	16,350	-	-	-	-	-	-	-	-	-	-	-
ORI-W1	0.26	0.04	481,869	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	0.01	-	114	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	0.02	0.01	7,999	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.56	0.02	42,989	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.26	-	4,150	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.16	-	2,007	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.73	0.01	94,219	-	-	-	-	-	-	-	-	-	-	-
PPPM-W4	0.15	-	718	-	-	-	-	-	-	-	-	-	-	-
PRIME-W1	0.04	0.01	12,991	-	-	-	-	-	-	-	-	-	-	-
PRIME-W2	0.04	-	5,072	-	-	-	-	-	-	-	-	-	-	-
RICHY-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAMART-W2	0.40	-	15,455	-	-	-	-	-	-	-	-	-	-	-
SDC-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	5.70	0.10	4,450	5.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	2.88	0.16	4,940	2.00	-	-	-	-	-	-	-	-	-	-
SST-W2	1.14	(0.09)	39,252	1.00	-	-	-	-	-	-	-	-	-	-
SUPER-W4	0.01	-	1	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.06	-	6	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	0.05	0.01	1	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	0.14	-	1,016	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	0.01	-	15,162	-	-	-	-	-	-	-	-	-	-	-
TNITY-W1	0.26	0.01	5,891	-	-	-	-	-	-	-	-	-	-	-