

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday August 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	BLISS	-	-	-	-	MATI	3.88	(0.12)	1	3.88
SAFARI	-	-	-	-	DIF	15.00	0.20	93,188	14.90	MCOT	4.64	0.02	142	4.63
VI	-	-	-	-	DTAC	36.75	-	58,690	36.97	MONO	2.44	(0.04)	13,973	2.46
WORLD	-	-	-	-	FORTH	5.90	0.05	150	5.92	MPIC	1.38	(0.07)	2	1.38
WR	-	-	-	-	HUMAN	8.05	(0.05)	32,972	8.02	NMG	-	-	-	-
Agribusiness					ILINK	5.05	0.23	73,699	4.98	PLANB	5.45	(0.15)	68,528	5.50
EE	0.62	(0.01)	73,829	0.64	INET	2.68	(0.14)	36,035	2.73	POST	1.29	(0.21)	21	1.29
GFPT	13.40	-	21,340	13.50	INTUCH	57.50	-	91,789	57.25	PRAKIT	7.60	0.20	24	7.60
LEE	2.34	0.02	1,431	2.30	JAS	3.20	(0.06)	248,069	3.22	SE-ED	1.32	(0.09)	11	1.34
MAX	0.01	(0.01)	87,579	0.01	JASIF	10.00	(0.10)	43,880	10.04	TBSP	12.90	0.10	10	12.90
NER	3.32	(0.20)	2,945,133	3.40	JMART	13.30	(0.10)	103,946	13.33	TH	0.50	-	4	0.50
PPPM	0.36	-	306	0.36	JTS	2.70	(0.02)	722	2.72	TKS	5.10	-	6,011	5.07
STA	26.75	0.75	324,607	26.29	MFC	4.72	(0.02)	768	4.73	VGI	6.45	(0.15)	71,835	6.51
TRUBB	1.03	(0.06)	124,336	1.01	MISC	5.15	0.05	2,351	5.11	WAVE	-	-	-	-
TPWC	3.50	-	1,247	3.49	PT	4.88	-	2,278	4.86	WORK	10.00	(0.20)	10,480	10.11
UPOIC	3.20	(0.08)	10	3.20	SAMART	5.00	-	9,239	4.98	Finance & Securities				
UVAN	4.52	(0.02)	566	4.52	SAMTEL	5.00	(0.05)	2,849	4.99	AEC	0.11	-	82,958	0.11
VPO	0.36	-	2,284	0.35	SDC	0.14	-	1,187	0.14	AEONTS	99.75	3.50	10,727	98.91
Banking					SIS	12.20	0.10	8,276	12.28	AMANAHA	2.54	-	36,067	2.55
BAY	21.30	(0.30)	2,429	21.37	SVOA	1.15	0.02	237,528	1.16	ASAP	1.93	(0.11)	36,251	1.92
BBL	105.00	(1.50)	48,687	105.66	SYMC	3.24	(0.02)	309	3.20	ASK	18.30	0.20	3,009	18.20
CIMBT	0.58	(0.02)	7,560	0.59	SYNEX	10.90	(0.40)	20,524	10.93	ASP	1.84	0.04	118,675	1.84
KBANK	87.75	(1.25)	182,870	88.22	THCOM	6.05	(0.10)	105,939	6.12	BAM	24.40	(0.10)	243,991	24.33
KKP	39.75	(0.25)	19,207	39.74	TRUE	3.52	0.20	2,503,379	3.47	BFIT	28.25	(0.75)	12,480	28.31
KTB	9.80	(0.10)	175,325	9.84	TWZ	0.06	-	49,432	0.06	CGH	0.70	(0.02)	20,066	0.70
LHFG	0.97	(0.02)	10,375	0.98	Electronic Componer	-	-	-	-	ECL	0.79	-	11,131	0.78
SCB	72.25	-	52,315	71.95	CCET	1.66	(0.10)	42,172	1.68	FNS	3.26	(0.04)	850	3.23
TCAP	32.50	(0.75)	46,998	32.75	DELTA	105.00	2.00	32,758	105.74	FSS	1.46	(0.02)	815	1.48
TISCO	66.75	(1.00)	45,104	66.97	HANA	37.75	(1.00)	111,192	37.88	GBX	0.46	0.01	7,276	0.45
TMB	0.97	(0.03)	2,995,360	0.97	KCE	28.00	(1.50)	233,424	28.58	GL	3.44	(0.02)	17,589	3.47
Construction Materia					METCO	134.50	3.50	1	134.50	IFS	2.36	(0.02)	1,441	2.36
CCP	0.49	(0.03)	204,282	0.50	NEX	4.80	(0.70)	303,739	4.90	JMT	28.25	0.50	117,204	28.20
COTTO	1.17	-	7,752	1.17	SMT	2.10	(0.08)	77,475	2.15	KCAR	7.65	(0.05)	1,046	7.69
DCC	2.32	(0.06)	106,275	2.35	SVI	3.26	(0.18)	45,167	3.32	KGI	3.44	(0.02)	27,943	3.47
DCON	0.32	-	47,453	0.33	TEAM	0.84	-	1,449	0.83	KTC	30.25	0.50	46,806	30.01
DRT	6.30	-	6,622	6.34	W	0.18	-	547,743	0.18	MBKET	8.25	(0.30)	3,220	8.20
EPG	4.58	(0.10)	41,888	4.63	Energy & Utilities	-	-	-	-	MFC	13.50	(0.10)	461	13.53
GEL	0.18	(0.01)	16,467	0.17	ZUP	0.34	(0.01)	300,126	0.35	ML	0.89	(0.06)	1,073	0.93
PPP	1.96	(0.01)	1,237	1.95	ABPIF	3.46	-	1,198	3.46	MTC	49.75	(0.75)	106,706	50.51
Q-CON	4.86	0.02	201	4.84	ACE	3.44	(0.20)	249,683	3.49	PE	-	-	-	-
RCI	3.40	-	1,750	3.40	AI	1.59	0.11	1,149,276	1.55	PL	1.99	(0.03)	1,290	2.00
SCC	368.00	4.00	11,617	366.21	AKR	0.52	-	20,260	0.51	S11	6.35	0.15	57,952	6.64
SCCC	146.50	(0.50)	512	145.99	BAFS	21.80	0.10	2,155	21.62	SAWAD	46.00	(0.50)	111,781	46.67
SCP	6.30	(0.20)	9,957	6.35	BANPU	5.35	(0.15)	179,401	5.41	THANI	4.02	(0.08)	220,494	4.07
SKN	2.62	0.08	23,874	2.66	BCP	19.10	-	8,145	19.09	TK	7.30	(0.20)	2,644	7.29
TASCO	23.50	(1.50)	343,600	24.01	BCPG	15.20	(0.30)	36,306	15.20	TNITY	3.74	(0.04)	1,622	3.74
TCMC	1.07	0.01	169,354	1.11	BGRIM	47.25	(1.00)	96,540	47.50	UOBKH	3.26	(0.24)	205	3.31
TOA	39.25	0.25	9,892	39.06	BPP	14.50	(0.30)	14,509	14.65	ZMICO	0.68	(0.02)	9,945	0.67
TPIPL	1.28	0.02	71,151	1.27	BRRGIF	7.05	0.05	274	6.97	Food & Beverage				
UMI	0.65	(0.02)	7,452	0.65	CKP	5.35	0.05	181,393	5.30	APURE	1.98	(0.06)	52,070	1.99
VNG	3.46	(0.04)	971	3.48	DEMCO	2.92	(0.20)	12,332	2.97	ASIAN	9.30	(0.60)	237,974	9.54
WIJK	2.08	(0.06)	16,313	2.10	EA	45.00	(1.00)	124,294	45.30	BR	1.72	0.02	6,946	1.72
Petrochemicals & Ch					EASTW	9.85	(0.05)	9,039	9.85	BRR	3.00	0.02	95	2.98
BCT	39.00	(1.00)	7,376	38.86	EGATIF	12.40	0.10	9,406	12.31	CBG	122.00	(5.00)	65,309	123.82
CMAN	1.20	(0.01)	3,305	1.20	EGCO	234.00	1.00	10,825	234.81	CFRESH	3.06	(0.52)	67,199	3.17
GC	5.25	-	2,289	5.27	EP	3.76	(0.28)	69,545	3.86	CHOTI	69.00	(3.00)	4	70.38
GGC	8.45	(0.35)	14,618	8.51	ESSO	6.70	(0.10)	256,682	6.75	CM	2.82	(0.08)	3,173	2.82
GIFT	1.99	-	1,761	1.99	GPSC	68.25	-	47,878	68.20	CPF	33.25	0.25	311,538	33.14
IVL	24.70	(0.55)	227,256	24.80	GREEN	0.91	0.01	1,583	0.91	CPI	1.24	0.02	106	1.22
NFC	1.58	-	16	1.60	GULF	32.00	(0.50)	248,008	31.83	F&D	-	-	-	-
PATO	9.60	0.40	313	9.42	GUNKUL	2.58	(0.02)	148,920	2.59	HTC	23.00	3.00	57,616	22.49
PMTA	8.85	0.05	10	8.81	IFEC	-	-	-	-	ICHI	8.80	0.05	46,106	8.82
PTTGC	50.00	0.75	111,724	49.47	IRPC	2.52	-	353,061	2.51	KBS	3.38	0.04	672	3.40
SUTHA	3.24	(0.10)	8	3.26	LANNA	6.85	(0.25)	2,466	6.87	KSL	2.08	-	7,931	2.08
TCCC	22.90	2.00	1,095	22.61	MDX	2.58	0.06	13,753	2.63	KTIS	2.60	(0.06)	767	2.63
TPA	5.20	-	314	5.19	PDI	7.25	(0.30)	15,886	7.33	LST	4.40	0.02	194	4.39
UAC	3.74	0.10	14,342	3.71	PRIME	0.53	(0.05)	152,137	0.55	M	51.25	(0.50)	6,479	51.58
UP	-	-	-	-	PTG	17.50	(0.50)	251,464	17.57	MALEE	6.40	(0.60)	31,453	6.54
VNT	23.20	(0.60)	5,540	23.36	PIT	38.00	0.25	201,523	37.95	MINT	20.70	0.60	753,399	20.57
WG	185.00	0.50	2	185.00	PTTEP	92.00	-	33,163	92.14	OISHI	40.50	(0.50)	231	40.89
YCI	-	-	-	-	RATCH	56.50	(1.75)	97,360	56.53	OSP	40.00	(0.75)	147,824	39.85
Commerce					RPC	0.49	0.01	949	0.49	PB	69.00	-	14	68.86
BEAUTY	1.42	(0.03)	185,945	1.42	SCG	3.88	0.08	78	3.84	PM	6.85	(0.10)	14,042	6.86
BIG	0.54	(0.02)	42,874	0.54	SCI	1.50	(0.09)	81,221	1.58	PRG	11.00	-	1	11.00
BJC	37.50	0.50	50,589	37.34	SCN	1.79	(0.05)	16,810	1.81	RBF	9.05	(0.50)	204,984	8.98
COL	14.00	-	2,914	13.92	SGP	8.65	(0.15)	29,679	8.73	SAPPE	16.80	0.20	6,665	16.79
COM7	37.00	1.00	109,598	37.18	SKE	0.76	0.02	123	0.75	SAUCE	24.90	0.10	22	24.91
CPALL	65.25	(0.50)	298,236	65.71	SOLAR	1.01	(0.02)	4,731	1.02	SFP	134.50	-	1	134.50
CPW	1.70	(0.03)	19,475	1.72	SPCG	19.00	(0.10)	7,982	19.10	SNP	10.10	0.10	1	10.10
CRC	29.25	(0.50)	123,580	29.25	SPRC	6.50	(0.20)	194,695	6.56	SORKON	5.10	0.05	103	5.14
CSS	1.50	(0.10)	135,344	1.54	SSP	7.50	(0.10)	16,140	7.48	SSC	-	-	-	-
DOHOME	12.00	(0.30)	81,757	12.03	SUPER	0.89	-	1,673,065	0.90	SSF	6.20	0.05	11	6.20
FN	1.16	(0.02)	27,371	1.16	SUPEREIF	11.80	-	580	11.76	SST	2.56	(0.04)	199	2.57
FTE	1.59	-	540	1.57	SUSCO	2.38	-	3,565	2.38	TC	3.64	(0.04)	7,379	3.62
GLOBAL	19.40	0.20	69,273	19.24	TAE	2.38	-	7,687	2.39	TFG	4.48	(0.10)	123,711	4.50
HMPRO	15.30	-	120,139	15.18	TCC	0.20	-	8,887	0.20	TFMAMA	199.00	-	193	197.99
ILM	12.40	(0.10)	17,075	12.39	TOP	42.25	-	67,572	42.34	TIPCO	7.25	(0.30)	14,746	7.33
IT	2.68	-	1,433	2.67	TPIPP	4.32	0.04	103,045	4.30	TKN	9.90	(0.10)	110,065	9.96
KAMART	2.88	(0.02)	14,507	2.89	TSE	2.54	(0.10)	201,895	2.61	TU	13.70	(0.30)	667,331	14.05
LOXLEY	1.48	-	14,221	1.48	TTW	13.20	-	16,239	13.20	TVO	27.25	(0.25)	48,611	27.11
MAKRO	42.00	(0.75)	9,863	42.13	WHAUP	4.02	(0.04)	40,098	4.05	ZEN	8.70	(0.05)	1,885	8.63
MC														

Main Board Quotation

Issue Date :

Monday August 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NTV	41.50	-	55	41.52	BROCK	1.60	0.02	64	1.63	IHL	2.44	-	10,393	2.44
PR9	6.50	(0.05)	2,454	6.52	CGD	0.60	0.01	12,194	0.60	INGRS	0.41	(0.02)	8,983	0.41
PRINC	2.88	-	8,713	2.84	CI	0.70	0.02	23	0.70	IRC	12.50	(0.40)	1,013	12.51
RAM	138.50	(0.50)	7	138.50	CPN	46.25	(0.25)	57,257	46.29	PCSGH	4.60	-	5	4.52
RJH	22.80	0.20	357	22.56	ESTAR	0.32	-	17,107	0.32	SAT	11.00	-	8,462	11.09
RPH	5.20	-	2,206	5.19	EVER	0.21	(0.02)	154,937	0.22	SPG	12.90	(1.10)	50	13.01
SKR	5.60	-	1,613	5.56	FPT	11.20	-	123	11.10	STANLY	149.50	(1.00)	116	149.64
SVH	414.00	-	6	414.00	GLAND	2.26	-	501	2.24	TKT	0.94	(0.01)	73	0.94
THG	19.00	0.10	1,351	18.93	J	0.96	-	4,826	0.96	TNPC	0.75	-	407	0.73
VIBHA	1.53	-	20,425	1.53	JCK	0.68	(0.01)	2,446	0.68	TRU	3.52	(0.08)	640	3.50
VIH	6.40	0.15	2,944	6.35	KC	-	-	-	-	TSC	-	-	-	-
WPH	1.56	0.13	2,748	1.52	KTECH	0.02	0.01	769,996	0.01	Industrial Materials	-	-	-	-
Tourism & Leisure	-	-	-	-	KWG	0.70	(0.01)	6,505	0.70	ALLA	1.20	(0.02)	9,342	1.21
ASIA	3.98	0.04	15	3.98	LALIN	5.30	(0.10)	19,192	5.36	ASEFA	3.14	-	563	3.12
CENTEL	25.00	0.60	62,980	25.08	LH	7.75	(0.05)	105,612	7.69	CPT	0.83	(0.02)	3,047	0.84
CSR	-	-	-	-	LPN	5.25	(0.15)	117,451	5.28	CRANE	2.00	-	51,795	2.02
DTC	7.05	0.05	1,396	7.02	MBK	11.90	-	12,082	11.93	CTW	5.40	(0.35)	2,245	5.54
ERW	3.48	0.02	248,682	3.50	MJD	1.47	(0.02)	8,608	1.48	FMT	18.80	(0.40)	3	19.03
GRAND	0.56	0.01	18,333	0.55	MK	2.90	(0.06)	1,530	2.92	HTECH	2.84	0.08	5,528	2.75
LRH	32.00	-	10	32.00	NCH	0.76	-	748	0.76	KKC	0.50	-	758	0.50
MANRIN	-	-	-	-	NNCL	1.98	-	3,767	1.98	PK	1.60	0.01	451	1.61
OHTL	330.00	(44.00)	10	333.60	NOBLE	13.10	0.70	77,011	12.84	SNC	9.55	(0.30)	7,742	9.54
ROH	-	-	-	-	NUSA	0.34	0.03	211,650	0.33	STARK	2.04	(0.04)	165,897	2.05
SHANG	57.50	-	9	57.42	NVD	1.21	(0.02)	366	1.21	TCJ	3.02	(0.12)	4,119	3.06
SHR	1.98	(0.02)	63,264	1.99	ORI	7.25	0.10	72,431	7.23	VARO	-	-	-	-
VRANDA	5.90	(0.10)	213	5.95	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
Home & Office Produ	-	-	-	-	PF	0.38	(0.01)	364,139	0.39	AIMCG	6.45	(0.05)	799	6.44
ACC	0.64	-	31	0.64	PLAT	2.54	-	3,832	2.51	AIMIRT	13.40	-	1,034	13.33
AJA	0.13	(0.01)	350,393	0.13	POLAR	-	-	-	-	AMATAR	10.30	(0.10)	134	10.31
DTCI	-	-	-	-	PRECHA	0.84	(0.01)	6	0.84	B-WORK	11.50	-	2,260	11.50
FANCY	0.62	(0.01)	7,021	0.61	PRIN	1.58	-	261	1.62	BKER	5.65	0.15	448	5.59
KYE	319.00	-	11	318.27	PSH	11.40	(0.10)	17,579	11.47	BKKCP	11.80	(0.10)	150	11.80
L&E	1.68	-	272	1.68	QH	2.26	-	83,209	2.27	BOFFICE	12.30	(0.40)	775	12.40
MODERN	2.36	0.02	6,838	2.35	RICHY	0.70	-	6,872	0.71	CPNCG	10.50	0.10	1,242	10.42
OGC	21.30	(0.20)	1	21.30	RML	0.68	-	4,788	0.67	CPNREIT	23.60	(0.30)	7,015	23.66
ROCK	-	-	-	-	ROJNA	4.28	(0.02)	8,917	4.27	CPTGF	10.90	(0.10)	487	10.97
SIAM	1.42	-	893	1.42	S	1.51	(0.04)	28,100	1.51	CTARAF	4.98	-	155	4.98
TSR	2.84	0.02	20,995	2.87	SAMCO	1.13	(0.04)	2,638	1.13	DREIT	3.90	-	1,905	3.90
Insurance	-	-	-	-	SC	2.32	0.02	19,368	2.30	ERWPF	4.24	0.02	101	4.24
AYUD	33.00	-	200	33.05	SENA	3.00	0.16	85,594	2.92	FTREIT	14.30	(0.10)	3,278	14.38
BKI	281.00	(1.00)	348	280.53	SF	4.48	0.06	10,319	4.41	FUTUREPF	19.00	(0.10)	227	19.00
BLA	15.30	(0.10)	6,363	15.30	SIRI	0.74	-	280,726	0.75	GAHREIT	-	-	-	-
BUI	9.00	(0.35)	13	9.10	SPALI	17.20	-	18,371	17.31	GOLDPF	5.70	-	1	5.70
CHARAN	21.50	-	1	21.50	U	1.45	-	123,803	1.44	GVREIT	13.10	(0.20)	681	13.10
INSURE	-	-	-	-	UV	2.94	(0.04)	8,224	2.96	HPF	4.72	-	151	4.76
MTI	89.75	1.50	75	89.59	WHA	3.40	0.06	799,339	3.37	HREIT	8.15	(0.10)	1,727	8.19
NKI	50.00	-	7	50.00	WIN	0.35	(0.01)	658	0.35	IMPACT	16.50	(0.30)	1,988	16.61
NSI	65.00	3.00	34	64.82	Paper & Printing Mat	-	-	-	-	KNPFP	6.80	0.05	121	6.78
SEG	-	-	-	-	UTP	15.00	(0.10)	83,843	15.08	LHHOTEL	9.95	(0.05)	201	9.90
SMK	36.75	(0.75)	29	37.11	Fashion	-	-	-	-	LHPF	5.45	(0.05)	321	5.39
THRE	0.81	(0.07)	267,226	0.84	AFC	6.10	(0.30)	4	6.18	LHSC	10.80	(0.20)	1,417	10.87
THREL	2.12	0.02	16,574	2.12	B52	0.17	-	3,634	0.17	LUXF	6.35	-	101	6.35
TIP	28.75	0.75	8,746	28.17	BTNC	11.20	(0.20)	26	11.95	M-II	-	-	-	-
TQM	117.50	(2.50)	9,565	120.08	CPH	3.18	(0.02)	1	3.18	M-PAT	3.96	0.46	1	3.96
TSI	0.35	(0.02)	8,245	0.35	CPL	1.05	0.02	496	1.04	M-STOR	5.90	(0.05)	25	5.90
TVI	3.38	0.06	7,382	3.39	ICC	29.00	-	15	29.07	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	-	-	-	-
THL	-	-	-	-	PAF	0.57	(0.01)	381	0.56	MJLF	6.95	-	111	6.96
Packaging	-	-	-	-	PDJ	1.66	(0.04)	2,102	1.65	MNIT	-	-	-	-
AJ	17.40	0.10	14,363	17.54	PG	4.74	0.04	1	4.74	MNIT2	-	-	-	-
ALUCON	149.00	-	23	149.26	SABINA	18.00	0.30	7,210	17.87	MNRF	2.86	0.02	5	2.68
BGC	9.65	(0.25)	9,976	9.72	SAWANG	-	-	-	-	POPF	10.50	(0.10)	1,709	10.60
CSC	47.00	-	85	47.00	SUC	33.75	-	13	33.67	PPF	11.30	-	106	11.30
GLOCON	0.94	(0.02)	104,093	0.94	TNL	-	-	-	-	QHHR	5.85	(0.05)	1,710	5.87
NEP	0.18	-	1,127	0.18	TPCORP	-	-	-	-	QHOP	2.30	0.02	1	2.30
PTL	25.25	0.85	157,158	24.87	TR	24.10	(0.70)	10	24.31	QHPF	9.90	(0.05)	4,170	9.97
SFLEX	12.10	0.10	7,031	12.07	TTI	-	-	-	-	SBPF	-	-	-	-
SITHAI	0.63	(0.02)	5,335	0.63	TTT	55.25	(0.25)	21	54.39	SHREIT	-	-	-	-
SLP	0.40	(0.02)	37	0.40	UPF	52.50	2.25	153	51.22	SIRIP	9.00	0.05	5	9.00
SMPC	12.80	(0.40)	11,900	12.81	UT	15.50	(0.10)	2	15.50	SPF	13.10	0.10	2,564	12.93
SPACK	2.12	(0.16)	13,585	2.18	WACOAL	-	-	-	-	SPRIME	9.35	-	17,294	9.35
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SRIPANWA	8.25	-	2	8.25
TFI	0.13	(0.02)	3,114	0.13	AAV	1.95	(0.01)	140,680	1.95	SSPF	9.45	0.10	50	9.21
THIP	26.25	(0.75)	915	26.13	AOT	54.25	0.25	213,802	53.78	SSTRT	5.50	-	725	5.50
TMD	21.60	(0.20)	54	21.78	ASIMAR	1.44	0.04	15,895	1.43	TIF1	8.40	(0.05)	189	8.43
TOPP	-	-	-	-	B	0.30	-	2,951	0.30	TLGF	16.00	(0.10)	3,751	16.09
TPBI	4.68	(0.08)	2,004	4.69	BA	5.70	0.05	4,712	5.61	TLHPF	9.50	(0.20)	1	9.50
TPP	14.70	(0.20)	20	14.77	BEM	9.05	(0.15)	364,256	9.09	TNPF	2.02	(0.02)	21	2.02
Personal Products &	-	-	-	-	BTS	10.40	(0.20)	238,228	10.40	TPRIME	14.00	-	20	14.00
APCO	3.74	(0.04)	2,462	3.74	BTSIGF	6.30	-	39,312	6.35	TTLPF	22.20	-	2	22.05
DDD	15.80	2.00	11,906	15.56	III	4.76	(0.10)	302,008	5.00	TU-PF	1.00	0.13	1	1.00
JCT	78.50	0.25	1	78.50	JUTHA	0.44	-	30	0.44	URBNPF	-	-	-	-
OCC	-	-	-	-	JWD	6.75	0.40	104,152	6.67	WHABT	8.45	-	105	8.46
S & J	25.00	(0.25)	1	25.00	KWC	-	-	-	-	WHART	14.90	-	6,837	14.99
STGT	65.50	(7.50)	396,162	64.80	NOK	-	-	-	-	Steel	-	-	-	-
STHAI	-	-	-	-	NYT	2.96	(0.04)	3,775	2.98	AMC	1.44	0.03	402	1.45
TNR	9.90	(0.30)	2,852	9.43	PORT	2.16	(0.02)	28,951	2.20	BSBM	0.92	-	2,186	0.91
TOG	3.26	-	1,810	3.26	PRM	8.60	(0.05)	283,905	8.59	CEN	0.72	-	18,569	0.76
Professional Service	-	-	-	-	PSL	5.40	(0.05)	81,258	5.42	CITY	1.67	(0.03)	10	1.67
BWG	0.75	(0.02)	1,956,471	0.76	RCL	3.08	0.40	12,252	3.08	CSP	0.55	(0.01)	1,540	0.56
GENCO	0.50	(0.01)	5,708	0.50	TFFIF	10.10	(0.10)	41,760	10.11	GJS	0.11	0.01	5,636	0.10
PRO	-	-	-	-	THAI	3.40	(0.46)	85,836	3.39	GSTEEL	-	-	-	-
SISB	8.30	(0.40)	114,133	8.06	TSTE	7.00	0.15	9	7.00	INOX	0.46	0.01	4,324	0.45
Property Developer	-	-	-	-	TTA	3.00	-	12,398	3.01	LHK	2.30	-	959	2.30
A	5.00	-	79	5.00	WICE	3.76	-	81,605	3.78	MCS	13.50	(0.20)	23,604	13.58
AMATA	13.50	0.10	90,513	13.51	Automotive	-	-	-	-	MILL	0.70	0.01	2,366	0.68
AMATAV	5.05	(0.05)	498	5.01	ACG	0.98	(0.02)	1,254	0.96					

Main Board Quotation

Issue Date :

Monday August 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AIE	0.59	(0.01)	137,715	-	ADVA08C2012A	0.61	(0.03)	8,805	-
ABICO	5.25	(0.65)	17,109	5.00	PSTC	1.59	(0.02)	44,410	1.00	ADVA08P2009A	0.16	(0.02)	4,500	-
AU	8.60	(0.25)	28,994	8.00	QTC	4.20	(0.06)	627	4.00	ADVA08P2101A	0.88	(0.13)	19,051	-
JCKH	0.19	-	517	-	SAAM	1.07	0.02	5,340	1.00	ADVA11C2011A	0.55	-	10,544	-
KASET	1.53	(0.05)	164	1.00	SEAOIL	2.34	0.02	13,274	2.00	ADVA11P2011A	0.54	(0.01)	18,018	-
MM	1.60	(0.19)	2,829	1.00	SR	0.68	(0.08)	221	-	ADVA13C2008A	-	-	-	-
SUN	2.82	0.06	3,190	2.00	TAKUNI	0.39	0.01	1,923	-	ADVA13C2010A	0.42	(0.01)	100,787	-
TACC	5.75	(0.10)	70,456	5.00	TPCH	12.20	(0.20)	8,743	12.00	ADVA13P2009A	0.50	(0.03)	109,209	-
TMILL	3.04	(0.16)	10,927	3.00	TRT	1.65	(0.03)	143	1.00	ADVA16C2009A	-	-	-	-
XO	8.65	(0.55)	43,186	8.00	UMS	-	-	-	-	ADVA19C2008A	0.20	(0.01)	156,375	-
Consumer Products														
BGT	1.07	0.01	1	1.00	UPA	0.30	(0.02)	216,327	-	ADVA19C2009A	0.10	(0.01)	136,469	-
BIZ	3.58	0.12	9,372	3.00	UWC	0.05	0.01	233,220	-	ADVA19C2010A	0.07	-	1,176	-
DOD	8.05	(0.25)	33,293	8.00	Services (MAI)	-	-	-	-	ADVA19C2010B	0.44	(0.01)	360,676	-
ECF	1.20	(0.03)	12,849	1.00	A5	-	-	-	-	ADVA19P2009A	0.03	(0.01)	400	-
HPT	0.75	(0.02)	1,805	-	AKP	0.97	(0.02)	4,650	-	ADVA19P2010A	0.34	(0.01)	118,974	-
IP	11.00	(0.80)	44,717	10.00	AMA	5.10	(0.30)	12,925	5.00	ADVA24C2009A	0.06	(0.04)	7	-
JUBILE	16.40	(0.20)	2,790	16.00	ARIP	0.39	-	1,174	-	ADVA28C2011A	-	-	-	-
MOONG	3.68	0.02	2,117	3.00	ATP30	0.79	-	14,810	-	ADVA28C2012A	0.08	-	150	-
NPK	10.90	0.40	1	10.00	AUCT	10.20	(0.20)	32,625	10.00	ADVA28C2012B	0.36	-	12,347	-
OCEAN	0.84	(0.02)	7,233	-	BOL	4.16	0.10	10,005	4.00	ADVA28C2101A	0.68	(0.02)	25,396	-
TM	2.28	-	1,329	2.00	CMO	0.94	(0.01)	414	-	ADVA28C2102L	0.39	-	20,773	-
Financials (MAI)														
ACAP	0.69	-	4,301	-	D	3.26	(0.06)	1,211	3.00	ADVA28P2012A	0.23	(0.01)	18,475	-
AF	0.55	0.02	33	-	DCORP	0.33	0.01	318	-	ADVA41C2010A	-	-	-	-
AIRA	0.96	0.03	140	-	EFORL	-	-	-	-	ADVA41C2010B	0.26	-	1,958	-
ASN	4.60	0.04	1	4.00	ETE	1.03	(0.07)	16,100	1.00	ADVA41C2011A	0.64	0.01	110,681	-
BROOK	0.41	0.01	76,055	-	FSMART	6.35	(0.10)	24,154	6.00	ADVA41P2009A	0.32	(0.02)	19,926	-
CHAYO	7.50	(0.25)	74,039	7.00	FVC	0.36	(0.02)	1,160	-	ADVA41P2011A	-	-	-	-
GCAP	1.41	(0.05)	7,234	1.00	GSC	1.16	(0.11)	8,556	1.00	ADVA42C2102T	0.53	-	2,310	-
LIT	3.18	(0.02)	1,384	3.00	HARN	2.14	0.02	3,959	2.00	AEON13C2010A	0.05	-	2,677	-
MITSIB	1.02	0.02	9,091	1.00	IMH	2.14	(0.06)	4,023	2.00	AEON13C2011A	0.20	0.02	316,562	-
SGF	0.61	(0.03)	50,938	-	JKN	6.10	0.15	51,690	6.00	AEON19C2010A	0.11	0.01	39,380	-
Industrials (MAI)														
ZS	3.28	(0.04)	14,198	3.00	KIAT	0.50	0.01	37,735	-	AEON19C2010B	0.22	0.03	15,442	-
ADB	0.72	(0.02)	2,847	-	KOOL	0.80	(0.02)	6,771	-	AEON19C2011A	0.85	0.10	47,474	-
BM	2.20	0.02	135	2.00	LDC	0.72	(0.02)	156	-	AEON28C2012A	0.40	(0.60)	56,174	-
CHO	0.48	(0.03)	34,219	-	MORE	0.78	0.09	1,960,297	-	AEON42C2101T	0.22	0.01	200	-
CHOW	2.02	0.05	591	1.00	MPG	0.19	-	707	-	AMAT01C2008A	-	-	-	-
CIG	0.23	(0.01)	3,448	-	MVP	1.19	-	68	1.00	AMAT01P2008A	0.38	(0.03)	535	-
COLOR	1.11	(0.02)	316	1.00	NBC	0.63	0.01	2,129	-	AMAT06C2010A	0.22	(0.01)	28,920	-
CPR	2.64	(0.10)	626	2.00	NCL	0.79	0.01	136	-	AMAT08C2010A	0.23	(0.01)	16,606	-
FPI	1.45	-	6,612	1.00	NEWS	0.01	-	75	-	AMAT11C2008A	-	-	-	-
GTB	0.66	0.02	10,652	-	NINE	1.76	0.02	1	1.00	AMAT13C2010A	0.18	-	123,080	-
KCM	0.50	-	5,158	-	OTO	3.12	0.04	167	3.00	AMAT16C2008A	-	-	-	-
KUMWEL	1.06	(0.02)	4,976	1.00	PHOL	3.00	0.06	16,282	2.00	AMAT19C2008A	-	-	-	-
KWM	0.88	-	4,900	-	PICO	-	-	-	-	AMAT19C2009A	0.24	0.01	99,992	-
MBAX	6.50	0.10	11,363	6.00	PLT	4.20	(0.04)	319	4.00	AMAT19C2011A	0.22	0.01	92,760	-
MGT	2.10	0.04	19,471	2.00	QP	1.35	(0.05)	130	1.00	AMAT24C2010A	-	-	-	-
NDR	1.20	(0.01)	517	1.00	SE	1.24	-	357	1.00	AMAT28C2012A	0.18	-	26,708	-
PDG	3.50	0.02	1,986	3.00	SLM	-	-	-	-	AMAT28C2101A	0.29	(0.71)	32,568	-
PIMO	1.35	(0.05)	20,950	1.00	SONIC	1.01	(0.02)	4,603	1.00	AMAT28C2102L	0.15	(0.01)	33,155	-
PJW	1.31	(0.02)	2,622	1.00	SPA	5.95	-	24,181	5.00	AMAT42C2101T	0.15	-	150	-
PPM	0.78	(0.01)	91	-	THMUI	0.56	0.01	567	-	AOT01C2012A	0.63	-	67,031	-
RWI	1.35	-	8,316	1.00	TNDT	2.88	(0.12)	483	2.00	AOT06C2008A	0.15	(0.02)	125	-
SALEE	-	-	-	-	TNH	33.25	(0.25)	966	33.00	AOT06C2009A	0.09	(0.01)	8,930	-
SANKO	0.95	-	2,113	-	TNP	2.90	-	6,185	2.00	AOT06C2011A	0.30	0.01	46,691	-
SELIC	1.97	0.02	4,785	1.00	TSF	-	-	-	-	AOT06P2009A	0.14	(0.02)	35,942	-
SWC	4.04	0.06	3,110	4.00	TVD	1.32	0.17	173,654	1.00	AOT06P2011A	1.24	0.04	270	1.00
TMC	0.62	0.01	523	-	VL	0.61	(0.02)	885	-	AOT08C2009A	0.25	(0.03)	9,720	-
TMI	0.63	-	8,448	-	VLT	1.18	(0.01)	10,604	1.00	AOT08C2101A	0.44	(0.56)	57,106	-
TMW	30.00	(2.25)	519	30.00	WINNER	2.68	(0.02)	5,475	2.00	AOT08P2009A	0.35	(0.02)	10,905	-
TPAC	11.90	(0.10)	868	11.00	YGG	9.90	(1.50)	60,324	10.00	AOT11C2011A	0.36	(0.01)	16,016	-
TPLAS	1.31	(0.01)	3,211	1.00	Technology (MAI)	-	-	-	-	AOT11P2011A	0.66	-	38,020	-
UBIS	4.66	0.04	884	4.00	APP	1.85	0.10	68,907	1.00	AOT13C2008A	-	-	-	-
UEC	0.95	-	4,745	-	COMAN	2.00	(0.10)	1,476	2.00	AOT13C2010A	0.09	-	42,574	-
UKEM	0.59	-	18,609	-	ICN	2.00	(0.02)	7,647	2.00	AOT13C2011A	0.24	0.01	260,055	-
UREKA	0.83	(0.01)	7,911	-	IIG	14.90	(2.60)	138,589	15.00	AOT13C2012A	0.50	-	314,677	-
YUASA	14.50	(0.40)	892	14.00	INSET	3.32	(0.14)	84,812	3.00	AOT13P2009A	0.06	(0.02)	7,511	-
ZIGA	1.52	0.02	473	1.00	IRCP	0.49	0.01	10,927	-	AOT13P2010A	0.82	(0.03)	7,987	-
Property & Construc														
ALL	3.34	(0.14)	112,781	3.00	ITEL	2.84	(0.20)	29,882	2.00	AOT13P2011A	0.39	(0.02)	314,184	-
ARIN	1.02	0.01	6,411	1.00	NETBAY	30.25	-	986	30.00	AOT16C2009A	-	-	-	-
ARROW	7.35	-	673	7.00	PLANET	1.07	(0.01)	64,028	1.00	AOT16C2012A	0.58	(0.03)	11,444	-
BC	0.84	(0.05)	2,114	-	SICT	3.80	(0.44)	171,343	3.00	AOT19C2008A	0.04	(0.01)	10	-
BSM	0.24	-	16,681	-	SIMAT	4.32	(0.12)	106,899	4.00	AOT19C2009A	-	-	-	-
BTW	0.85	(0.01)	8,449	-	SKY	15.20	(0.10)	5,405	15.00	AOT19C2011A	0.08	-	10,045	-
CAZ	1.56	(0.04)	4,054	1.00	SPVI	2.60	(0.08)	26,951	2.00	AOT19C2011B	0.24	-	239,502	-
CHEWA	0.41	(0.01)	6,486	-	TPS	2.24	-	18,911	2.00	AOT19C2012A	0.44	0.01	244,038	-
CMC	0.73	(0.02)	2,507	-	VCOM	3.82	0.06	39,209	3.00	AOT19P2009A	0.04	-	16,048	-
CRD	0.50	0.01	40	-	Unit Trust	-	-	-	-	AOT19P2009B	-	-	-	-
DIMET	0.30	(0.01)	11,321	-	MGE	-	-	-	-	AOT19P2010A	0.45	(0.02)	318,701	-
FLOYD	0.97	(0.02)	4	-	SCBSET	-	-	-	-	AOT19P2011A	0.96	0.01	13,485	-
HYDRO	0.12	(0.01)	1,125	-	ETF	-	-	-	-	AOT19P2011B	0.39	(0.02)	143,499	-
JSP	0.23	(0.01)	34,834	-	IDIV	8.30	(0.05)	7	8.00	AOT24C2009A	-	-</		

Main Board Quotation

Issue Date :

Monday August 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	
AP28C2012A	-	-	-	-	BDMS13C2009A	0.06	(0.02)	13,694	-	CBG41C2011B	0.58	(0.06)	131,511	-	
AP28C2012B	0.27	(0.01)	41,504	-	BDMS13C2011A	0.26	(0.04)	134,878	-	CBG41C2012A	0.40	(0.06)	16,034	-	
AWC01C2009A	-	-	-	-	BDMS19C2010A	0.13	(0.02)	59,046	-	CBG41P2010A	0.29	0.03	2,409	-	
AWC06C2009A	0.13	(0.01)	15,283	-	BDMS19C2011A	0.23	(0.03)	111,939	-	CBG41P2012A	1.03	0.08	42,452	-	
AWC06C2011A	-	-	-	-	BDMS19P2010A	0.22	0.03	103,860	-	CBG42C2008A	-	-	-	-	
AWC06P2012A	0.62	(0.01)	40,444	-	BDMS28C2011A	0.12	(0.03)	28,584	-	CBG42C2010T	1.05	(0.12)	31,010	1.00	
AWC08C2012A	0.39	-	13,340	-	BDMS28C2012A	0.13	(0.02)	4,056	-	CENT01C2009A	-	-	-	-	
AWC13C2009A	0.08	(0.02)	4,001	-	BDMS28C2012B	-	-	-	-	CENT01P2009A	0.04	-	-	5,078	-
AWC13C2010A	0.02	-	1,920	-	BDMS28C2012A	0.27	(0.04)	12,368	-	CENT08C2012A	0.66	0.02	10,304	-	
AWC13C2010B	0.10	(0.01)	30,380	-	BDMS41C2009A	0.07	(0.01)	4,000	-	CENT11C2012A	0.27	0.02	11,310	-	
AWC13C2011A	0.35	0.01	154,601	-	BDMS41P2011A	0.67	0.05	11,213	-	CENT13C2010A	0.15	-	23,766	-	
AWC19C2010A	0.18	-	36,935	-	BDMS42C2010T	0.18	(0.01)	25	-	CENT13C2011A	0.65	0.05	76,685	-	
AWC19C2010B	-	-	-	-	BEM06P2009A	0.10	0.01	10,050	-	CENT13P2011A	0.38	(0.62)	25,939	-	
AWC19C2010C	0.34	0.01	40,764	-	BEM08C2009A	0.36	(0.05)	19,415	-	CENT19C2008A	-	-	-	-	
AWC19P2011A	0.39	(0.02)	15,084	-	BEM11C2011A	0.32	(0.01)	19,218	-	CENT19C2010A	0.43	0.04	12,023	-	
AWC24C2010A	-	-	-	-	BEM13C2009A	0.13	(0.02)	35,894	-	CENT19C2011A	0.19	0.01	68,342	-	
AWC28C2010A	0.16	-	13,826	-	BEM13C2010A	0.07	(0.01)	400	-	CENT19C2011B	0.77	0.06	23,522	-	
AWC28C2010B	-	-	-	-	BEM13C2011A	0.31	(0.04)	266,629	-	CENT19P2011A	0.38	(0.04)	17,510	-	
AWC28C2012A	0.04	-	686	-	BEM19C2010A	0.30	(0.03)	106,824	-	CENT24C2008A	-	-	-	-	
AWC28C2012B	0.23	-	25,829	-	BEM19C2011A	0.11	(0.01)	19,565	-	CENT24C2011A	0.75	0.06	12,696	-	
AWC28C2010A	0.44	-	18,140	-	BEM19P2010A	0.23	-	8,289	-	CENT27C2008A	-	-	-	-	
AWC41C2010A	-	-	-	-	BEM24C2008A	0.53	(0.02)	4,700	-	CENT28C2010A	-	-	-	-	
AWC41C2011A	0.27	(0.01)	18,145	-	BEM28C2010A	0.31	(0.04)	40,564	-	CENT28C2012A	0.35	0.03	19,210	-	
AWC42C2008A	-	-	-	-	BEM28C2012A	0.10	(0.01)	5,944	-	CENT28C2012B	0.47	0.05	82,753	-	
AWC42C2010T	-	-	-	-	BGR101C2008B	-	-	-	-	CENT28C2010A	0.67	(0.33)	28,894	-	
BANP06C2010A	0.06	(0.02)	2,653	-	BGR101C2009A	0.34	(0.15)	1	-	CENT28C2103L	0.47	(0.53)	24,338	-	
BANP06C2101A	0.26	(0.03)	5,421	-	BGR106C2010A	0.25	(0.05)	92,008	-	CHG13C2010A	0.16	0.02	131,198	-	
BANP06P2011A	0.70	0.04	16,371	-	BGR106P2011A	0.66	0.03	44,685	-	CHG13C2012A	0.30	0.03	456,886	-	
BANP08C2009A	0.10	(0.03)	1,000	-	BGR108C2009A	0.24	(0.06)	17,970	-	CHG16C2009A	0.09	0.02	4,311	-	
BANP08P2009A	0.46	(0.02)	2,080	-	BGR11C2008A	-	-	-	-	CHG19C2011A	0.24	0.04	43,679	-	
BANP11C2008A	-	-	-	-	BGR11C2101A	0.38	(0.04)	42,102	-	CHG27C2009A	0.03	0.01	318	-	
BANP13C2008A	-	-	-	-	BGR113C2009A	0.19	(0.05)	181,036	-	CK06C2009A	0.16	0.01	76,716	-	
BANP13C2010A	0.02	(0.01)	8,776	-	BGR113C2011A	0.19	(0.04)	151,559	-	CK06P2012A	0.73	(0.03)	25,725	-	
BANP13C2011A	0.14	-	6,124	-	BGR113P2011A	0.61	0.03	94,808	-	CK11C2012A	0.32	-	38,203	-	
BANP13C2012A	0.23	(0.77)	7,128	-	BGR19C2008A	-	-	-	-	CK13C2010A	0.29	-	106,956	-	
BANP19C2009A	0.11	(0.02)	2,700	-	BGR19C2008B	-	-	-	-	CK19C2010A	0.23	(0.01)	62,172	-	
BANP19C2010A	0.08	(0.02)	5,980	-	BGR19C2009A	0.28	(0.05)	24,144	-	CK19C2011A	0.26	-	90,816	-	
BANP19C2012A	0.23	(0.03)	9,500	-	BGR19C2011A	0.23	(0.03)	248,156	-	CK19P2011A	0.57	(0.03)	27,074	-	
BANP19P2010A	0.27	0.02	6,380	-	BGR19P2010A	0.46	0.03	161,383	-	CK27C2008A	-	-	-	-	
BANP19P2010B	0.78	0.04	1,438	-	BGR124C2009A	0.20	(0.06)	6,400	-	CK41C2009A	-	-	-	-	
BANP24C2011A	-	-	-	-	BGR127C2101A	0.28	(0.04)	10,448	-	CK41C2011A	0.24	0.01	19,876	-	
BANP28C2010A	-	-	-	-	BGR127P2012A	0.32	0.01	820	-	CK42C2101T	-	-	-	-	
BANP28C2012A	0.11	(0.03)	3,242	-	BGR141C2010A	0.16	(0.04)	12,438	-	CKP01C2008B	-	-	-	-	
BANP28C2012B	0.12	(0.02)	108	-	BGR141C2012A	0.59	(0.07)	192	-	CKP01C2009A	-	-	-	-	
BANP28C2101A	0.23	(0.03)	2,278	-	BGR142C2101T	-	-	-	-	CKP01P2009A	-	-	-	-	
BANP41C2010A	-	-	-	-	BH11C2008A	-	-	-	-	CKP06C2012A	0.32	-	58,050	-	
BANP42C2012T	0.09	(0.01)	20	-	BH13C2010A	0.16	(0.01)	152,723	-	CKP08C2010A	-	-	-	-	
BBL06C2009A	0.32	(0.04)	37,216	-	BH19C2009A	0.12	(0.01)	45,031	-	CKP08C2012A	0.25	-	21,326	-	
BBL06C2101A	1.40	(0.05)	60	1.00	BH19C2012A	0.46	(0.02)	64,211	-	CKP13C2010A	-	-	-	-	
BBL06P2011A	0.74	0.02	16,571	-	BH19P2012A	0.50	0.01	35,161	-	CKP13C2011A	0.22	0.01	598,932	-	
BBL08C2009A	0.18	(0.03)	8,159	-	BH24C2008A	-	-	-	-	CKP16C2012A	0.21	-	31,426	-	
BBL08C2101A	0.46	(0.54)	32,042	-	BH41C2009A	0.13	-	33,476	-	CKP19C2010A	-	-	-	-	
BBL08P2009A	0.29	(0.02)	10,959	-	BH42C2008A	-	-	-	-	CKP19C2011A	0.76	0.02	500	-	
BBL11C2011A	0.58	(0.03)	15,300	-	BJC01C2008B	-	-	-	-	CKP19C2011B	0.20	-	149,451	-	
BBL11P2008A	0.93	0.13	120	-	BJC01C2009A	-	-	-	-	CKP24C2011A	0.23	(0.01)	20,876	-	
BBL13C2008A	-	-	-	-	BJC01P2009A	0.10	-	1,098	-	CKP28C2011A	-	-	-	-	
BBL13C2010A	0.71	(0.04)	52	-	BJC11C2008A	-	-	-	-	CKP28C2012A	-	-	-	-	
BBL13C2010B	0.23	(0.03)	11,905	-	BJC13C2010A	0.08	(0.01)	12,004	-	CKP28C2012B	0.18	(0.01)	62,636	-	
BBL13C2012A	0.48	(0.04)	207,478	-	BJC13C2011A	0.18	(0.01)	133,801	-	COM706C2012A	0.71	0.05	37,905	-	
BBL13P2008A	-	-	-	-	BJC19C2010A	0.08	-	440	-	COM708C2010A	1.91	(0.01)	2,000	1.00	
BBL13P2010A	0.26	-	64,501	-	BJC19C2010B	0.20	-	64,154	-	COM708C2011A	0.56	0.05	18,668	-	
BBL19C2009A	-	-	-	-	BJC19C2012A	0.32	0.01	76,833	-	COM711C2010A	0.46	0.03	39,401	-	
BBL19C2010A	0.25	(0.03)	136,170	-	BJC19P2012A	0.38	(0.01)	68,091	-	COM713C2008A	-	-	-	-	
BBL19C2011A	0.20	(0.01)	47,773	-	BJC27C2009A	-	-	-	-	COM713C2010A	-	-	-	-	
BBL19C2011B	0.35	(0.03)	116,540	-	BJC28C2010A	0.05	-	200	-	COM713C2010B	-	-	-	-	
BBL19C2012A	1.15	(0.03)	18	1.00	BJC28C2012A	0.12	(0.01)	10,140	-	COM713C2011A	0.37	0.04	439,270	-	
BBL19P2010A	0.37	-	210,860	-	BJC28C2012B	0.20	(0.01)	9,126	-	COM716C2008A	-	-	-	-	
BBL19P2011A	0.71	0.01	91,951	-	BJC28C2101A	0.28	0.01	24,426	-	COM719C2008A	-	-	-	-	
BBL24C2009A	0.18	(0.03)	22,910	-	BJC28C2102L	0.16	-	4,042	-	COM719C2009A	-	-	-	-	
BBL28C2010A	0.14	(0.01)	15	-	BJC41C2011A	0.18	-	15,969	-	COM719C2010A	-	-	-	-	
BBL28C2011A	-	-	-	-	BPP13C2011A	0.20	(0.02)	31,952	-	COM719C2011A	0.68	0.05	4,703	-	
BBL28C2012A	0.25	(0.03)	6,354	-	BPP19C2010A	0.17	(0.02)	6,619	-	COM719C2011B	0.46	0.05	121,104	-	
BBL28C2101A	0.38	(0.62)	12,240	-	BPP19C2012A	0.34	(0.02)	111,154	-	COM719C2012A	0.32	0.03	166,648	-	
BBL41C2009A	0.21	(0.02)	20,601	-	BTS11C2011A	0.20	(0.04)	28,072	-	COM719P2011A	0.18	(0.02)	64,059	-	
BBL41C2011A	-	-	-	-	BTS13C2009A	0.05	(0.01)	866	-	COM719P2012A	0.41	(0.03)	85,090	-	
BBL41C2012A	0.96	(0.05)	20	-	BTS13C2011A	0.15	(0.02)	7,587	-	COM724C2012A	0.34	0.03	31,367	-	
BBL41P2010A	-	-	-	-	BTS16C2008A	-	-	-	-	CPAL01C2008B	0.01	(0.01)	838	-	
BBL41P2011A	0.45	0.01	4,990	-	BTS19C2008A	-	-	-	-	CPAL01P2008B	0.01	-	121	-	
BBL42C2101T	-	-	-	-	BTS19C2010A	0.08	(0.01)	35,531	-	CPAL06C2011A	0.16	(0.01)	75,170	-	
BCH06C2011A	0.30	(0.04)	18,044	-	BTS19C2011A	0.16	(0.01)	36,581	-	CPAL06P2012A	0.69	0.01	69,092	-	
BCH11C2008A	-	-	-	-	BTS19C2012A	0.56	(0.09)	550	-	CPAL08C2008A	0.04	(0.02)	6	-	
BCH13C2010A	0.21	(0.02)	56,194	-	BTS24C2012A	0.12	(0.03)	42,958	-	CPAL08C2011A	0.19	(0.03)	18,945	-	
BCH19C2008A	0.20	(0.05)	4,106	-	BTS41C2010A	0.05	0.01	500	-	CPAL08P2009A	0.09	(0.01)	317	-	
BCH19C2011A	0.32	(0.03)	9,992	-	BTS42C2008A	-	-	-	-	CPAL08P2101A	0.70	(0.30)	49,000	-	
BCP13C2011A	0.26	(0.01)	2,321	-	CBG06C2011A	0.75	(0.13)	78,468	-	CPAL11C2012A	0.38	(0.03)	42,249	-	
BCP19C2011A	0.20	(0.01)	14,921	-	CBG08C2012A	0.77	(0.12)	44,404	-	CPAL13C2009A	0.28	(0.03)	130,231	-	
BCPG01C2008B	-	-	-	-	CBG11C2008A	-	-	-	-	CPAL13C2011A	0.22	(0.02)	374,782	-	
BCPG01C2009A	-	-	-												

Main Board Quotation

Issue Date :

Monday August 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPF06C2010A	0.21	0.01	61,878	-	EGCO19C2011A	0.31	0.01	34,291	-	GUNK24C2012A	0.23	(0.01)	25,326	-
CPF06P2011A	0.17	(0.01)	31,120	-	EGCO19P2011A	0.76	(0.02)	58,635	-	GUNK28C2012A	0.19	(0.01)	5,975	-
CPF08C2010A	0.27	-	3,610	-	EGCO24C2009A	0.10	(0.03)	1,200	-	GUNK28C2012B	0.18	-	11,338	-
CPF11C2010A	0.24	0.01	16,262	-	EGCO42C2010T	0.19	(0.01)	247	-	HANA11C2008A	-	-	-	-
CPF13C2008A	-	-	-	-	EPG13C2010A	0.07	(0.01)	15,270	-	HANA13C2011A	0.43	(0.05)	216,948	-
CPF13C2009A	0.13	-	97,607	-	EPG13C2011A	0.44	(0.04)	83,603	-	HANA16C2008A	0.16	(0.05)	92,382	-
CPF13C2011A	0.17	-	108,016	-	EPG13C2012A	0.16	(0.01)	2,253	-	HANA19C2010A	0.41	(0.04)	309,946	-
CPF16C2012A	0.26	0.01	11,941	-	EPG19C2008A	-	-	-	HANA19P2011A	0.15	0.01	99,193	-	
CPF19C2009A	-	-	-	-	EPG19C2010A	0.43	(0.05)	29,799	-	HANA24C2012A	0.39	(0.05)	36,940	-
CPF19C2010A	0.20	-	100,093	-	EPG19C2011A	0.12	(0.02)	9,466	-	HANA27P2012X	0.24	0.02	27,102	-
CPF19P2010A	0.12	(0.01)	23,172	-	EPG24C2008A	0.01	(0.01)	21,260	-	HANA28C2012A	0.34	(0.66)	119,704	-
CPF24C2012A	0.22	0.01	24,916	-	EPG42C2010T	0.31	(0.02)	200	-	HANA42C2010T	0.28	(0.03)	26,475	-
CPF28C2010A	0.87	(0.04)	175	-	ERW06C2010A	0.57	(0.01)	54,470	-	HMPR06C2010A	0.33	-	18,415	-
CPF28C2011A	0.24	0.01	18,242	-	ERW13C2010A	0.23	(0.01)	119,168	-	HMPR06P2011A	0.30	0.01	6,180	-
CPF28C2012A	0.16	-	92,872	-	ERW19C2010A	0.54	-	148,168	-	HMPR11C2011A	0.50	-	11,874	-
CPF28C2012B	0.15	-	20,194	-	ERW19C2010B	0.17	-	14,359	-	HMPR13C2009A	0.16	(0.02)	58,446	-
CPF41C2008A	-	-	-	-	ESSO01C2008B	0.09	(0.01)	20	-	HMPR19C2010A	0.34	(0.01)	44,452	-
CPF41C2010A	0.19	0.02	59,090	-	ESSO01C2009A	-	-	-	HMPR19P2011A	0.38	0.01	3,962	-	
CPF41P2011A	0.26	(0.01)	200	-	ESSO01P2009A	0.06	(0.02)	15,095	-	HMPR24C2008A	0.36	(0.04)	1,300	-
CPF42C2010T	0.16	0.02	5,191	-	ESSO06C2011A	0.28	(0.01)	23,931	-	HMPR41C2010A	0.24	(0.02)	7,953	-
CPN06C2010A	0.17	(0.01)	61,435	-	ESSO08C2008A	-	-	-	HSI28C2008A	1.84	0.21	4,604	1.00	
CPN11C2008A	-	-	-	-	ESSO08C2011A	0.34	(0.03)	23,705	-	HSI28C2008B	0.89	0.11	14,137	-
CPN11C2011A	0.34	(0.01)	86,961	-	ESSO13C2010A	0.27	(0.01)	91,346	-	HSI28C2008C	0.28	0.02	891,474	-
CPN13C2009A	0.07	(0.02)	14,738	-	ESSO19C2009A	-	-	-	HSI28C2008D	0.10	-	324,222	-	
CPN13C2011A	0.24	-	132,550	-	ESSO19C2010A	0.32	(0.01)	24,422	-	HSI28C2009A	1.08	0.11	921,091	1.00
CPN19C2010A	0.16	(0.01)	25,676	-	ESSO19C2011A	0.19	(0.01)	61,273	-	HSI28C2009B	0.62	0.07	979,531	-
CPN19C2011A	0.23	(0.01)	38,714	-	ESSO24C2012A	0.25	(0.02)	21,285	-	HSI28C2009C	0.34	0.03	108,339	-
CPN19P2010A	0.41	-	38,808	-	ESSO28C2010A	0.23	(0.77)	10,140	-	HSI28C2009D	0.17	0.01	73,235	-
CPN24C2011A	0.26	(0.01)	4,211	-	ESSO41C2010A	0.32	(0.05)	40	-	HSI28C2009E	0.06	(0.01)	498,341	-
CPN41C2009A	0.07	(0.02)	10	-	ESSO41C2011A	0.22	(0.02)	200	-	HSI28C2010L	0.29	0.02	115,164	-
CPN41C2012A	0.32	(0.01)	23,679	-	ESSO42C2010T	0.24	(0.01)	7,541	-	HSI28C2011L	0.86	0.07	893,465	-
CPN41P2011A	0.76	-	36,758	-	GFPT08C2011A	0.29	(0.01)	13,100	-	HSI28C2012L	0.48	0.03	25,040	-
CRC08C2009A	-	-	-	-	GFPT13C2010A	0.25	(0.01)	19,020	-	HSI28P2008A	0.04	(0.05)	514,153	-
CRC13C2009A	0.07	(0.01)	2,193	-	GFPT19C2010A	0.30	(0.01)	33,932	-	HSI28P2008B	0.02	(0.01)	12,356	-
CRC13C2011A	0.19	(0.02)	36,659	-	GFPT19C2010B	0.18	0.01	19,204	-	HSI28P2008C	0.01	(0.01)	927	-
CRC19C2008A	-	-	-	-	GFPT24C2012A	0.27	(0.01)	35,550	-	HSI28P2009A	0.89	(0.16)	1,086,358	-
CRC19C2008B	-	-	-	-	GFPT42C2008A	0.06	(0.02)	4,803	-	HSI28P2009B	0.52	(0.11)	220,933	-
CRC19C2010A	-	-	-	-	GFPT42C2010T	-	-	-	HSI28P2009C	0.29	(0.09)	538,892	-	
CRC19C2011A	0.19	(0.02)	113,170	-	GLOB01C2008A	1.05	0.07	604	1.00	HSI28P2010L	0.15	(0.03)	76,606	-
CRC19P2011A	0.30	0.01	73,266	-	GLOB13C2011A	0.46	0.01	170,203	-	HSI28P2011L	0.16	(0.03)	3,870	-
CRC24C2008A	-	-	-	-	GLOB19C2010A	0.66	0.02	27,924	-	HSI28P2012L	0.50	(0.05)	22,523	-
CRC28C2011A	0.10	-	500	-	GLOB19C2012A	0.45	0.03	108,313	-	HSI41C2008A	0.53	0.05	8,979	-
CRC28C2012A	0.10	(0.01)	251	-	GLOB24C2010A	0.60	0.01	19,493	-	HSI41C2008B	0.16	-	2,802	-
CRC28C2011A	0.28	(0.03)	34,662	-	GLOB42C2009A	1.34	(0.04)	300	1.00	HSI41C2008C	0.05	-	48,200	-
CRC41C2009A	-	-	-	-	GPS01C2008A	0.03	(0.09)	349	-	HSI41C2009A	0.53	0.06	1,928,742	-
CRC41C2010A	-	-	-	-	GPS01P2008A	0.47	0.04	78	-	HSI41C2009B	0.28	0.04	2,646	-
CRC41C2012A	0.27	(0.02)	84,227	-	GPS06C2011A	0.23	(0.03)	20,555	-	HSI41C2009C	-	-	-	-
DELT13C2011A	3.00	(0.04)	9,300	3.00	GPS06C2010A	0.76	(0.02)	35,668	-	HSI41C2009D	0.07	(0.02)	7,228	-
DOHO06C2012A	0.26	(0.03)	40,330	-	GPS06P2011A	0.99	-	37,056	-	HSI41C2010A	1.57	0.23	1	1.00
DOHO08C2012A	0.29	(0.03)	26,823	-	GPS08C2009A	0.22	(0.04)	14,832	-	HSI41C2010B	0.97	0.09	4	1.00
DOHO11C2010A	0.29	(0.02)	21,300	-	GPS08C2010A	0.60	(0.40)	48,934	-	HSI41C2010C	0.60	0.03	892,064	-
DOHO13C2011A	0.20	(0.02)	193,536	-	GPS13C2009A	0.22	(0.02)	38,499	-	HSI41P2008A	-	-	-	-
DOHO19C2011A	0.20	(0.03)	281,483	-	GPS13C2011A	0.28	(0.01)	50,901	-	HSI41P2008B	-	-	-	-
DOHO28C2012A	0.20	(0.02)	36,567	-	GPS13C2012A	0.56	(0.01)	324,160	-	HSI41P2008C	0.10	(0.03)	2,580	-
DOHO28C2012L	0.17	(0.83)	12,468	-	GPS13P2011A	0.82	(0.01)	136,973	-	HSI41P2009A	0.46	(0.10)	4,537	-
DOHO42C2012T	-	-	-	-	GPS19C2008A	0.23	(0.05)	9	-	HSI41P2009B	1.27	(0.27)	300	1.00
DTAC01C2008A	-	-	-	-	GPS19C2009A	-	-	-	HSI41P2009C	0.74	(0.14)	1,158,956	-	
DTAC01P2008A	-	-	-	-	GPS19C2010A	0.29	-	112,695	-	HSI41P2009D	0.27	(0.05)	22,196	-
DTAC06C2012A	0.27	0.01	24,329	-	GPS19C2012A	0.60	(0.02)	176,009	-	HSI41P2010A	1.23	(0.17)	813	1.00
DTAC06P2012A	0.58	-	18,510	-	GPS19P2010A	0.27	0.01	100,514	-	HSI41P2010B	0.84	(0.10)	20,446	-
DTAC08C2008A	-	-	-	-	GPS19P2011A	0.94	-	161,084	-	HSI41P2010C	0.56	(0.06)	2,911	-
DTAC08C2012A	0.18	(0.01)	11,860	-	GPS24C2011A	0.24	(0.03)	3,400	-	INTU06C2009A	0.38	(0.02)	15,408	-
DTAC13C2009A	0.02	-	12,001	-	GPS28C2011A	0.26	(0.03)	24,267	-	INTU06P2011A	0.47	-	14,676	-
DTAC13C2011A	0.24	-	103,305	-	GPS28C2010A	0.60	(0.03)	38,932	-	INTU13C2008A	0.21	(0.02)	31,864	-
DTAC13P2011A	0.43	(0.02)	57,020	-	GPS41C2009A	-	-	-	INTU13C2011A	0.31	(0.01)	28,020	-	
DTAC16C2009A	0.14	-	3,456	-	GPS41C2011A	0.36	(0.02)	51,450	-	INTU16C2009A	0.15	(0.01)	2,592	-
DTAC19C2009A	0.07	-	1	-	GPS41C2012A	0.59	(0.03)	8,141	-	INTU19C2009A	0.25	(0.01)	56,319	-
DTAC19C2010A	-	-	-	-	GPS41P2010A	0.80	0.03	37,990	-	INTU19P2010A	0.20	(0.01)	23,990	-
DTAC19C2011A	0.22	(0.01)	29,266	-	GPS42C2010T	0.22	(0.05)	49	-	INTU19P2012A	0.66	(0.01)	49,968	-
DTAC19P2011A	0.36	(0.01)	63,362	-	GULF06C2009A	0.07	(0.02)	24,054	-	INTU23C2011A	0.78	(0.01)	11	-
DTAC24C2012A	0.22	(0.01)	12,400	-	GULF08C2008A	0.09	(0.07)	1,800	-	INTU24C2008A	0.13	(0.03)	13,090	-
DTAC27C2008A	-	-	-	-	GULF08C2009A	0.06	(0.02)	13,582	-	INTU28C2010A	0.24	(0.01)	6,084	-
DTAC28C2012A	0.22	(0.78)	18,252	-	GULF08C2012A	0.20	(0.02)	11,310	-	INTU28C2012A	0.32	(0.01)	18,352	-
DTAC41C2010A	-	-	-	-	GULF11C2011A	0.19	(0.01)	12,240	-	INTU41C2010A	0.22	-	17,276	-
DTAC41C2011A	0.18	(0.01)	14,418	-	GULF13C2009A	0.13	(0.06)	5,086	-	INTU42C2010T	0.20	(0.01)	500	-
DTAC42C2010T	0.14	-	20,000	-	GULF13C2009B	0.02	(0.01)	58,671	-	IRPC06C2010A	0.09	-	14,900	-
EA06C2010A	0.46	(0.05)	81,340	-	GULF13C2011A	0.14	(0.02)	217,653	-	IRPC06P2010A	0.31	-	6,720	-
EA06P2012A	0.61	0.03	51,705	-	GULF13P2009A	0.09	(0.01)	67,138	-	IRPC11C2008A	-	-	-	-
EA08C2009A	0.39	(0.06)	30,271	-	GULF13P2011A	0.45	0.02	182,892	-	IRPC13C2009A	0.10	-	5,544	-
EA11C2010A	0.28	(0.02)	40,433	-	GULF16C2012A	0.23	(0.02)	13,668	-	IRPC13C2011A	0.19	(0.01)	12,474	-
EA13C2009A	0.20	(0.05)	406,310	-	GULF19C2008A	0.16	(0.05)	500	-	IRPC16C2008A	-	-	-	-
EA13C2011A	0.30	(0.04)	345,816	-	GULF19C2010A	0.09	(0.01)	35,729	-	IRPC19C2008A	-	-	-	-
EA13P2011A	0.69	0.04	232,462	-	GULF19C2010B	0.12	(0.02)	69,019	-	IRPC19C2010A	-	-	-	-
EA16C2008A	0.01	-	5	-	GULF19C2012A	0.25	(0.01)	82,741	-	IRPC19C2011A	0.24	0.01	5,401	-
EA16C2012A	0.40	(0.04)	14,894	-	GULF									

Main Board Quotation

Issue Date :

Monday August 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
IVL13P2010A	0.26	-	76,758	-	KTB01C2009A	0.10	0.03	51	-	OSP19C2012A	0.31	(0.03)	141,139	-
IVL16C2009A	-	-	-	-	KTB01P2009A	-	-	-	-	OSP19P2010A	0.31	0.02	66,064	-
IVL19C2008A	0.13	(0.14)	9	-	KTB13C2010A	-	-	-	-	OSP24C2008A	0.03	-	4,032	-
IVL19C2009A	-	-	-	-	KTB19C2010A	0.09	-	111	-	OSP28C2010A	0.24	(0.76)	28,268	-
IVL19C2010A	0.12	(0.01)	88,439	-	KTB19C2011A	0.13	(0.01)	50,748	-	OSP41C2010A	0.17	(0.02)	14,344	-
IVL19C2010B	0.15	(0.02)	273,554	-	KTB19C2012A	0.39	(0.03)	65,795	-	OSP42C2010T	0.19	(0.01)	7,155	-
IVL19C2011A	0.44	(0.05)	66,192	-	KTB19P2012A	0.57	-	48,212	-	PLAN13C2010A	0.13	(0.03)	72,335	-
IVL19P2010A	0.22	0.02	22,628	-	KTB24C2009A	0.05	(0.02)	5,266	-	PLAN13C2011A	0.24	(0.04)	81,142	-
IVL19P2010B	0.30	0.02	15,100	-	KTB28C2011A	0.27	(0.04)	8,427	-	PLAN19C2010A	0.88	(0.01)	60	-
IVL19P2011A	0.67	0.04	23,479	-	KTB28C2012A	0.05	(0.01)	1,000	-	PLAN19C2010B	0.16	(0.02)	27,766	-
IVL24C2008A	0.24	(0.09)	4,400	-	KTB28C2012B	-	-	-	-	PLAN19C2012A	0.25	(0.02)	24,969	-
IVL28C2011A	0.10	(0.01)	100	-	KTB28C2010C	-	-	-	-	PLAN24C2009A	0.10	(0.02)	2,400	-
IVL28C2012A	0.08	(0.01)	281	-	KTC01C2012A	0.32	0.01	35,961	-	PLAN27C2008A	-	-	-	-
IVL28C2012B	0.13	(0.01)	18,252	-	KTC08C2011A	0.19	(0.03)	21,184	-	PLAN27C2010A	0.23	(0.03)	3,714	-
IVL41C2009A	-	-	-	-	KTC11P2011A	0.35	(0.01)	83	-	PLAN28C2010A	0.10	(0.02)	19,862	-
IVL41C2010A	-	-	-	-	KTC13C2008A	0.09	(0.03)	6,102	-	PLAN28C2012A	-	-	-	-
IVL41C2011A	0.20	(0.03)	59,627	-	KTC13C2010A	0.03	-	9,016	-	PLAN28C2012B	0.24	(0.02)	18,923	-
IVL41C2012A	-	-	-	-	KTC13C2010B	0.18	0.01	75,715	-	PLAN42C2010T	-	-	-	-
IVL41P2010A	0.48	0.04	12,340	-	KTC13C2011A	0.26	0.01	237,543	-	PRM08C2010A	0.43	(0.57)	76,981	-
IVL42C2008A	-	-	-	-	KTC13P2010A	0.27	(0.01)	161,404	-	PRM13C2010A	0.36	(0.01)	194,404	-
IVL42C2101T	0.09	(0.01)	121	-	KTC19C2008A	0.12	0.01	31,566	-	PRM16C2012A	0.37	(0.02)	22,703	-
JAS08C2011A	0.19	(0.02)	2,000	-	KTC19C2010A	0.06	-	24,904	-	PRM19C2010A	0.61	(0.02)	43,243	-
JAS13C2009A	0.02	(0.01)	13,489	-	KTC19C2010B	0.20	0.01	2,151	-	PRM19C2011A	0.38	(0.01)	73,550	-
JAS13C2011A	0.15	(0.02)	35,563	-	KTC19P2010A	-	-	-	-	PRM28C2012A	0.31	(0.69)	71,940	-
JAS19C2009A	0.21	(0.01)	7,825	-	KTC24C2011A	0.22	(0.01)	24,270	-	PRM42C2010T	0.30	-	2,015	-
JAS19C2010A	0.08	(0.01)	109	-	KTC28C2011A	-	-	-	-	PTG06C2010A	0.47	(0.07)	61,886	-
JAS19C2010B	0.14	(0.01)	241	-	KTC28C2012A	0.10	-	22,290	-	PTG08C2011A	0.44	(0.06)	38,406	-
JAS19P2010A	0.37	-	100	-	KTC28C2012B	0.21	-	30,020	-	PTG11C2010A	0.43	(0.05)	50,613	-
JAS28C2011A	-	-	-	-	KTC41C2009A	-	-	-	-	PTG13C2010A	0.31	(0.06)	213,389	-
JAS28C2012A	0.08	-	1,400	-	KTC41C2011A	-	-	-	-	PTG13C2012A	0.24	(0.05)	331,153	-
JAS28C2012B	0.15	(0.01)	20	-	KTC41C2012A	-	-	-	-	PTG16C2009A	0.34	(0.06)	18,118	-
JAS28C2101A	0.31	(0.01)	4	-	KTC42C2012T	-	-	-	-	PTG19C2008A	-	-	-	-
JAS41C2009A	-	-	-	-	LH06C2012A	0.34	(0.01)	18,548	-	PTG19C2010A	0.43	(0.05)	137,694	-
JAS41C2011A	0.26	(0.01)	25	-	LH11C2012A	0.33	-	19,834	-	PTG19C2011A	0.30	(0.05)	109,669	-
JMT06C2012A	0.31	0.01	58,244	-	LH13C2010A	0.23	(0.01)	4,600	-	PTG19P2010A	0.14	0.01	40,059	-
JMT13C2011A	0.91	0.06	6,200	-	LH19C2010A	0.32	(0.03)	24,698	-	PTG19P2011A	0.61	0.04	382,335	-
JMT13C2011B	0.28	0.01	745,503	-	LH19C2011A	0.20	(0.01)	8,802	-	PTG42C2010T	0.26	(0.05)	12,725	-
JMT19C2010A	-	-	-	-	LH19P2010A	0.21	-	2,895	-	PTT01C2012A	0.40	-	35,884	-
JMT19C2011A	0.29	0.02	406,883	-	MAJ013C2011A	0.36	0.04	198,055	-	PTT06C2008A	0.84	-	6,500	-
JMT24C2011A	0.26	-	117,976	-	MAJ019C2011A	0.51	0.08	67,436	-	PTT06C2012A	0.29	(0.01)	10,485	-
JMT42C2101T	0.17	0.01	21,646	-	MEGA13C2011A	0.21	0.05	121,106	-	PTT06C2008A	0.06	(0.03)	1	-
KBAN01C2012A	1.19	(0.04)	61,620	1.00	MEGA16C2009A	-	-	-	-	PTT08C2010A	0.33	(0.67)	15,942	-
KBAN06C2009A	-	-	-	-	MEGA19C2011A	0.27	0.06	198,699	-	PTT08P2009A	-	-	-	-
KBAN06C2011A	0.08	-	887	-	MEGA42C2010T	0.18	-	30	-	PTT08P2010A	0.44	(0.56)	11,054	-
KBAN06C2012A	0.72	(0.07)	122,831	-	MINT01C2008A	0.01	-	29,713	-	PTT11C2008A	0.01	-	2,904	-
KBAN06P2011A	0.78	0.04	104,135	-	MINT01P2008A	1.05	0.03	270	1.00	PTT11C2010A	0.30	-	240	-
KBAN08C2011A	0.29	(0.05)	72,286	-	MINT06C2012A	0.68	0.06	134,927	-	PTT13C2008B	-	-	-	-
KBAN08C2101A	0.71	(0.30)	165,102	-	MINT06P2012A	0.44	(0.06)	183,070	-	PTT13C2009A	0.14	-	51,106	-
KBAN13C2008B	-	-	-	-	MINT08C2010A	0.41	0.02	95,452	-	PTT13C2010A	0.15	-	89,289	-
KBAN13C2010A	0.22	(0.04)	307,188	-	MINT08P2011A	0.64	(0.06)	100,031	-	PTT13C2012A	0.27	0.01	65,274	-
KBAN13C2010B	0.07	-	34,922	-	MINT11C2011A	0.63	0.04	74,274	-	PTT13P2009A	0.07	(0.01)	73	-
KBAN13C2011A	0.57	(0.06)	370,874	-	MINT11P2011A	-	-	-	-	PTT13P2010A	0.19	(0.01)	53,948	-
KBAN13C2012A	0.70	(0.06)	718,315	-	MINT13C2009A	0.12	(0.02)	160,159	-	PTT13P2011A	0.36	(0.01)	62,800	-
KBAN13P2010A	0.27	-	139,064	-	MINT13C2010A	0.49	0.03	232,840	-	PTT16C2008A	-	-	-	-
KBAN13P2011A	0.99	(0.01)	548,085	-	MINT13C2011A	0.46	0.04	541,033	-	PTT16C2012A	-	-	-	-
KBAN16C2008A	0.01	-	5,000	-	MINT13P2011A	0.47	(0.05)	446,437	-	PTT19C2008A	0.41	(0.08)	110	-
KBAN19C2009A	0.40	(0.05)	231,591	-	MINT16C2012A	0.68	0.05	44,848	-	PTT19C2009A	0.24	(0.01)	1,680	-
KBAN19C2010A	0.08	(0.01)	18,996	-	MINT19C2010A	0.29	0.03	207,543	-	PTT19C2011A	0.22	0.01	43,370	-
KBAN19C2010B	0.27	(0.02)	232,988	-	MINT19C2011A	0.74	0.06	253,944	-	PTT19P2009A	0.02	(0.01)	14	-
KBAN19C2011A	0.07	(0.02)	30,261	-	MINT19C2011B	0.42	0.04	836,261	-	PTT19P2010A	0.19	(0.01)	54,544	-
KBAN19C2012A	0.85	(0.04)	186,923	-	MINT19P2010A	0.38	(0.05)	128,271	-	PTT19P2010B	0.26	-	29,971	-
KBAN19P2010A	0.72	0.02	465,279	-	MINT24C2011A	0.50	0.04	38,448	-	PTT24C2008A	-	-	-	-
KBAN19P2010P	0.25	0.01	114,450	-	MINT28C2012A	0.23	0.01	64,261	-	PTT28C2011A	-	-	-	-
KBAN24C2009A	0.30	(0.05)	39,172	-	MINT28C2012B	0.40	0.03	88,078	-	PTT28C2012A	-	-	-	-
KBAN28C2010A	-	-	-	-	MINT28C2012C	0.46	0.05	125,355	-	PTT41C2009A	-	-	-	-
KBAN28C2012A	0.11	(0.02)	22,525	-	MINT41C2010A	0.32	0.04	32,962	-	PTT41C2010A	-	-	-	-
KBAN28C2012B	0.36	(0.04)	52,764	-	MINT42C2010T	0.34	0.02	9,216	-	PTT41P2010A	-	-	-	-
KBAN28C2101A	0.78	(0.06)	104,086	-	MTC01C2008A	-	-	-	-	PTT41P2011A	-	-	-	-
KBAN28P2012A	0.40	0.01	48,622	-	MTC06C2009A	0.60	(0.06)	34,596	-	PTT42C2010M	-	-	-	-
KBAN41C2009A	-	-	-	-	MTC06C2010A	0.18	(0.02)	70,924	-	PTT42C2012T	-	-	-	-
KBAN41C2011A	-	-	-	-	MTC08C2009A	0.77	(0.04)	24,600	-	PTT42P2101T	-	-	-	-
KBAN41C2012A	0.77	(0.05)	257,197	-	MTC08C2011A	0.43	(0.03)	28,145	-	PTTE01C2012A	1.33	(0.02)	14,699	1.00
KBAN41P2010A	0.46	0.02	21,356	-	MTC11C2008A	0.01	-	8,086	-	PTTE06C2008A	2.58	-	7,032	2.00
KBAN41P2011A	1.20	(0.05)	666	1.00	MTC13C2009A	0.18	(0.03)	73,960	-	PTTE06C2011A	0.47	(0.01)	32,110	-
KBAN42C2101T	0.46	(0.01)	2,110	-	MTC13C2010A	0.21	(0.03)	172,280	-	PTTE06P2009A	0.03	-	20,800	-
KBAN42P2008A	1.21	(0.08)	100	1.00	MTC13C2011A	0.42	(0.03)	386,425	-	PTTE06P2011A	0.59	(0.03)	19,557	-
KBAN42P2101T	0.81	0.01	11,593	-	MTC13P2011A	0.61	0.01	150,574	-	PTTE08C2008A	1.49	(0.04)	1,600	1.00
KCE01C2008A	-	-	-	-	MTC19C2009A	0.57	(0.04)	104,330	-	PTTE08C2011A	0.77	(0.03)	25,189	-
KCE01C2012A	0.38	(0.05)	122,662	-	MTC19C2010A	0.34	(0.02)	170,013	-	PTTE08P2010A	0.99	(0.02)	24,022	-
KCE06C2009A	-	-	-	-	MTC19P2010A	0.30	0.01	170,476	-	PTTE11C2011A	0.77	(0.01)	23,122	-
KCE06C2012A	-	-	-	-	MTC24C2009A	0.20	(0.04)	11,560	-	PTTE13C2008B	-	-	-	-
KCE06C2012B	0.48	(0.07)	65,963	-	MTC28C2011A	0.29	(0.03)	81,092	-	PTTE13C2009A	0.85	(0.15)	50	-
KCE08C2009A	-	-	-	-	MTC28C2012A	0.24	(0.02)	47,457	-	PTTE13C2010A	0.46	(0.02)	28,346	-
KCE08C2012A	0.40	(0.06)	58,506	-	MTC28C2012B	0.45	(0.03)	122,566	-	PTTE13C2010B	0.19	(0.01)	43,980	-
KCE11C2101A	0.39	(0.05)	74,295	-	MTC28C2102L	0.26	(0.02)	42,574	-	PTTE13C2011A	0.72	(0.02)	91,034	-
KCE13C2009A	1.04	(0.16)	1,843	1.00	MTC41C2010A	0.22	(0.03)	31,544</						

Main Board Quotation

Issue Date :

Monday August 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE28C2011B	0.22	-	10,290	-	S5016P2009B	0.40	(0.04)	25,621	-	SCB24C2008A	-	-	-	-
PTTE28C2012A	0.59	-	16,224	-	S5016P2103Z	-	-	-	-	SCB28C2010A	0.28	(0.02)	28,792	-
PTTE28C2102L	0.44	(0.01)	4,056	-	S5019C2009A	2.06	(0.04)	19,051	2.00	SCB28C2012A	0.34	(0.01)	53,849	-
PTTE41C2008A	-	-	-	-	S5019C2009B	0.27	(0.02)	367,118	-	SCB28C2012B	0.58	(0.02)	46,961	-
PTTE41C2009A	-	-	-	-	S5019C2009C	0.02	-	3,255	-	SCB41C2011A	-	-	-	-
PTTE41C2010A	0.19	0.01	1	-	S5019C2009D	0.04	(0.01)	40	-	SCB41C2011B	0.40	(0.02)	51,578	-
PTTE41C2011A	0.64	-	62,486	-	S5019C2009E	0.18	(0.01)	1,994,593	-	SCB41C2012A	0.68	(0.02)	3,958	-
PTTE41C2012A	0.81	(0.01)	4,918	-	S5019C2009F	0.33	(0.01)	948,048	-	SCB41P2011A	0.59	0.01	18,556	-
PTTE41P2009A	-	-	-	-	S5019P2009A	0.06	-	6,788	-	SCB42C2101T	-	-	-	-
PTTE41P2010A	-	-	-	-	S5019P2009B	0.02	-	3,084	-	SCC06C2012A	0.60	0.01	59,039	-
PTTE41P2011A	0.83	(0.01)	5,878	-	S5019P2009C	0.29	(0.02)	338,818	-	SCC08C2011A	0.54	-	53,061	-
PTTE42C2101T	-	-	-	-	S5019P2009D	0.55	(0.02)	864,358	-	SCC11C2011A	0.72	-	29,129	-
PTTE42P2008A	-	-	-	-	S5019P2009E	0.10	-	15,257	-	SCC13C2009A	0.47	-	70,556	-
PTTE42P2101T	0.70	(0.02)	200	-	S5019P2009F	0.39	(0.02)	923,100	-	SCC13C2011A	0.57	0.02	53,047	-
PTTG01C2008A	0.15	(0.05)	3,296	-	S5024C2009A	-	-	-	-	SCC13P2009A	0.24	(0.03)	33,760	-
PTTG01C2012A	0.76	-	57,447	-	S5024C2009B	0.24	(0.04)	1,877	-	SCC13P2011A	0.81	(0.05)	79,183	-
PTTG01P2008A	-	-	-	-	S5024C2009C	0.01	(0.03)	160	-	SCC19C2008A	-	-	-	-
PTTG08C2008A	0.30	(0.05)	2,420	-	S5024C2009D	-	-	-	-	SCC19C2010A	0.48	0.01	390,667	-
PTTG08C2101A	0.56	(0.44)	25,960	-	S5024C2009E	0.08	(0.03)	205	-	SCC19P2010A	0.08	(0.01)	1,563	-
PTTG08P2010A	0.13	(0.01)	9,500	-	S5024C2009F	0.42	(0.05)	37,030	-	SCC19P2011A	0.60	(0.03)	198,714	-
PTTG11C2010A	0.44	0.01	38,168	-	S5024C2009G	0.69	(0.05)	561,187	-	SCC27P2008A	-	-	-	-
PTTG13C2008A	-	-	-	-	S5024C2012A	0.07	(0.01)	10,592	-	SCC28C2010A	0.55	0.02	64,588	-
PTTG13C2009A	-	-	-	-	S5024C2012B	0.36	(0.01)	240	-	SCC41C2010A	0.62	-	391	-
PTTG13C2010A	0.32	0.01	75,552	-	S5024P2009A	0.11	(0.03)	3,376	-	SCC41C2011A	0.39	0.01	58,544	-
PTTG13C2011A	0.51	0.02	426,582	-	S5024P2009B	0.28	(0.06)	17,100	-	SCC41P2011A	0.88	(0.01)	22,256	-
PTTG13P2010A	0.17	(0.01)	34,538	-	S5024P2009C	0.31	(0.06)	9,200	-	SCC42C2008A	-	-	-	-
PTTG13P2011A	0.45	(0.03)	236,992	-	S5024P2009D	0.34	(0.06)	134,362	-	SGP13C2011A	0.23	(0.03)	78,048	-
PTTG19C2008A	-	-	-	-	S5024P2009E	0.87	(0.04)	692,825	-	SGP19C2011A	0.28	(0.02)	100,218	-
PTTG19C2008B	-	-	-	-	S5024P2012A	0.16	(0.01)	10,543	-	SGP42C2101T	0.24	(0.01)	40	-
PTTG19C2009A	0.48	0.01	208,086	-	S5024P2012B	0.48	-	1,367	-	SIR19C2011A	0.13	(0.01)	25,154	-
PTTG19C2011A	0.45	0.02	268,828	-	S5028C2008A	0.01	-	2,743	-	SIR42C2101T	-	-	-	-
PTTG19P2009A	0.03	-	100	-	S5028C2009A	0.32	(0.03)	114,124	-	SPAL06C2010A	0.57	(0.04)	119,832	-
PTTG19P2010A	0.25	(0.02)	203,690	-	S5028C2009B	0.13	(0.01)	10,260	-	SPAL06P2009A	-	-	-	-
PTTG19P2011A	0.28	(0.01)	294,248	-	S5028C2009C	0.16	(0.03)	115,973	-	SPAL13C2010A	0.33	(0.01)	92,881	-
PTTG19P2011B	0.57	(0.02)	338,592	-	S5028C2009D	0.38	(0.04)	1,321,386	-	SPAL19C2011A	0.50	(0.02)	46,475	-
PTTG24C2008A	0.36	(0.01)	13,310	-	S5028C2009E	0.36	(0.04)	1,009,116	-	SPAL19C2011B	0.26	(0.02)	224,762	-
PTTG28C2011A	0.27	(0.01)	26,416	-	S5028C2012A	0.20	(0.01)	62,983	-	SPAL27C2008A	-	-	-	-
PTTG28C2012A	0.58	0.02	49,395	-	S5028P2009A	0.69	(0.03)	84,760	-	SPAL27C2101A	0.30	-	2,743	-
PTTG28C2102L	0.31	-	12,168	-	S5028P2009B	0.36	(0.03)	92,634	-	SPRC06C2010A	0.21	(0.06)	41,228	-
PTTG41C2010A	0.70	0.02	10,536	-	S5028P2009C	0.55	(0.05)	638,078	-	SPRC06P2011A	0.39	0.04	63,718	-
PTTG41C2011A	0.34	0.02	24,528	-	S5028P2009D	0.20	(0.05)	816,414	-	SPRC08C2011A	0.25	(0.04)	17,310	-
PTTG41P2010A	-	-	-	-	S5028P2009E	1.07	(0.07)	151,081	1.00	SPRC11C2008A	-	-	-	-
PTTG41P2011A	0.53	(0.01)	12,548	-	S5028P2012A	1.08	-	1,187,551	1.00	SPRC13C2010A	0.14	(0.04)	51,553	-
PTTG42C2012T	0.31	(0.03)	7,235	-	S5041C2009A	0.19	(0.01)	7,637	-	SPRC19C2010A	0.22	(0.03)	42,646	-
QH27C2101A	-	-	-	-	S5041C2009B	0.07	-	4,050	-	SPRC19P2011A	0.39	0.02	114,824	-
RATC06C2009A	0.04	(0.02)	499	-	S5041C2009C	0.03	-	66	-	SPRC28C2011A	0.15	(0.04)	48,768	-
RATC06P2010A	0.80	0.07	54,281	-	S5041C2009D	0.02	(0.01)	94	-	SPRC42C2101T	-	-	-	-
RATC13C2010A	0.11	(0.03)	96,018	-	S5041C2009E	0.26	(0.02)	8,123	-	STA01C2008B	-	-	-	-
RATC13C2012A	0.36	(0.07)	265,109	-	S5041C2009F	0.60	(0.03)	2,050,753	-	STA01C2009A	-	-	-	-
RATC16C2008A	-	-	-	-	S5041C2009G	0.98	(0.04)	63,192	-	STA01P2009A	0.09	(0.02)	5,779	-
RATC19C2011A	0.20	(0.04)	17,304	-	S5041C2012A	0.89	(0.02)	165,333	-	STA06C2012A	0.28	0.02	270,557	-
RATC19C2012A	0.41	(0.07)	116,515	-	S5041P2009A	0.32	(0.01)	650	-	STA08C2010A	1.80	0.09	14	1.00
RATC19P2011A	0.72	0.05	90,356	-	S5041P2009B	0.49	(0.01)	143,512	-	STA08C2011A	0.19	-	40,019	-
RATC41C2010A	0.15	(0.04)	17,057	-	S5041P2009C	0.80	(0.01)	1,486,093	-	STA13C2009A	2.28	(0.44)	3,910	2.00
RATC42C2102T	0.19	(0.06)	3,131	-	S5041P2009D	0.35	(0.19)	20	-	STA13C2010A	1.11	0.06	5,348	1.00
RS06C2010A	-	-	-	-	S5041P2009E	0.82	(0.02)	92,194	-	STA13C2010B	0.19	0.02	934,128	-
RS06C2012A	0.46	(0.04)	30,905	-	S5041P2009F	1.51	-	17,113	1.00	STA13C2010C	0.14	-	121,792	-
RS08C2011A	0.62	(0.06)	39,520	-	S5041P2009G	1.97	(0.03)	2,009	1.00	STA13C2010D	0.10	0.01	178,909	-
RS13C2010A	-	-	-	-	S5041P2012A	1.01	(0.03)	52,905	1.00	STA13C2011A	0.67	0.03	2,376	-
RS13C2011A	0.40	(0.04)	257,803	-	SAWA01C2012A	0.61	(0.02)	61,351	-	STA13C2011B	0.24	0.02	839,448	-
RS19C2010A	2.12	(0.30)	6	2.00	SAWA06C2010A	0.17	(0.02)	58,308	-	STA13P2010A	0.16	(0.03)	109,562	-
RS19C2010B	0.47	(0.05)	12,553	-	SAWA08C2011A	0.24	(0.03)	28,910	-	STA13P2010B	0.19	(0.05)	921,621	-
RS19C2011A	-	-	-	-	SAWA08C2010A	0.48	(0.52)	39,258	-	STA19C2009A	2.22	(0.40)	800	2.00
RS19C2011B	0.33	(0.04)	39,572	-	SAWA13C2009A	0.10	(0.01)	40,666	-	STA19C2010A	-	-	-	-
RS24C2008A	-	-	-	-	SAWA13C2010A	0.13	(0.01)	204,417	-	STA19C2010B	-	-	-	-
RS28C2012A	-	-	-	-	SAWA13C2011A	0.35	(0.02)	336,327	-	STA19C2010C	0.17	0.01	217,341	-
RS28C2101A	0.37	(0.63)	29,913	-	SAWA16C2008A	-	-	-	-	STA19C2011A	0.78	0.06	21,382	-
RS28C2101L	0.41	(0.04)	32,314	-	SAWA19C2009A	0.16	(0.01)	132,230	-	STA19C2011B	0.22	0.02	483,849	-
RS41C2011A	-	-	-	-	SAWA19C2009B	0.15	(0.02)	57,960	-	STA19P2009A	0.10	(0.01)	101,465	-
RS42C2008A	-	-	-	-	SAWA19C2011A	0.25	(0.01)	71,634	-	STA19P2010A	0.23	(0.03)	432,070	-
RS42C2101T	0.28	(0.01)	13,792	-	SAWA19C2012A	0.44	(0.02)	186,314	-	STA19P2011A	0.17	-	30,007	-
S10001C2011A	0.07	0.01	6	-	SAWA19P2011A	0.55	-	99,517	-	STA28C2011A	-	-	-	-
S5006C2009A	0.11	(0.01)	25,761	-	SAWA24C2009A	0.11	(0.02)	10,401	-	STA28C2011B	0.19	-	88,832	-
S5006C2009B	0.29	(0.03)	139,575	-	SAWA28C2011A	0.22	(0.02)	18,225	-	STA28C2012A	1.19	(0.04)	121	1.00
S5006C2009C	0.04	(0.01)	115	-	SAWA28C2012A	0.28	(0.01)	21,425	-	STA28C2102L	0.16	0.01	31,021	-
S5006C2009D	1.48	(0.06)	564,558	1.00	SAWA28C2012B	0.26	(0.02)	22,508	-	STA41C2010A	0.16	-	19,998	-
S5006P2009A	0.40	(0.02)	181,444	-	SAWA28C2101A	0.41	(0.59)	25,350	-	STA42C2101T	0.17	0.01	1,912	-
S5006P2009B	0.05	(0.01)	11,236	-	SAWA28C2102L	0.16	-	10,150	-	STEC06C2010A	0.24	0.01	29,675	-
S5006P2009C	0.56	(0.01)	489,426	-	SAWA41C2009A	-	-	-	-	STEC08C2012A	0.25	(0.03)	18,000	-
S5006P2009D	2.66	(0.02)	459,863	2.00	SAWA41C2010A	-	-	-	-	STEC13C2010A	0.17	(0.01)	59,636	-
S5008C2009A	0.02	(0.01)	20,879	-	SAWA41C2012A	0.37	(0.03)	57,011	-	STEC16C2009A	-	-	-	-
S5008C2009B	0.06	(0.04)	4,060	-	SAWA42C2101T	0.14	(0.02)	2,550	-	STEC19C2009A	0.24	(0.01)	33,199	-
S5008C2012A	0.77	(0.04)	444,797	-	SCB01C2008B	0.01	(0.04)	1,150	-	STEC19C2011A	0.16	(0.02)	50,956	-
S5008P2009A	0.05	(0.04)	3,419	-	SCB01C2009A	0.19	(0.01)	353	-	STEC19P2011A	0.47	0.01	329,477	-
S5008P2009B	0.31	(0.05)												

Main Board Quotation

Issue Date :

Monday August 17, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TASC19C2010A	0.10	(0.04)	159,893	-	TRUE28C2012B	0.25	0.04	54,770	-	SAMART-W2	0.24	(0.04)	36,535	-
TASC19C2011A	0.54	(0.14)	201,422	-	TRUE28C2010A	0.39	0.06	62,382	-	SDC-W1	0.05	(0.02)	10,599	-
TASC19P2010A	0.38	0.08	488,427	-	TRUE41C2010A	0.29	0.05	27,915	-	SINGER-W1	4.92	(0.18)	3,454	5.00
TASC19P2011A	0.32	0.05	80,256	-	TRUE42C2010T	-	-	-	-	SINGER-W2	4.08	(0.14)	566	4.00
TASC24C2011A	0.42	(0.15)	40,478	-	TTW19C2011A	0.16	-	17,686	-	SST-W2	1.00	0.01	120	-
TASC28C2010A	0.54	(0.22)	510	-	TTW24C2012A	0.15	-	3,400	-	SUPER-W4	-	-	-	-
TASC28C2012A	0.45	(0.07)	6,366	-	TTW27C2009A	-	-	-	-	TCC-W3	0.04	(0.01)	404	-
TASC28C2012B	0.12	(0.03)	45,432	-	TU06C2009A	0.13	(0.03)	126,890	-	TCC-W4	-	-	-	-
TASC28C2012C	0.38	(0.14)	153,167	-	TU06P2010A	0.12	(0.01)	44,435	-	TCC-W5	-	-	-	-
TASC41C2009A	0.69	(0.24)	200	-	TU08C2008A	0.02	-	7,077	-	TGPRO-W3	0.01	-	10,860	-
TASC41C2010A	-	-	-	-	TU08C2011A	0.24	(0.03)	89,876	-	TNITY-W1	0.25	(0.02)	11,683	-
TASC41C2011A	0.14	(0.05)	10,218	-	TU11C2008A	0.06	(0.02)	1,082	-	TRITN-W3	0.14	(0.01)	37,725	-
TASC42C2010T	0.29	(0.09)	47,256	-	TU13C2010A	0.22	(0.02)	566,390	-	TTCL-W1	0.39	(0.01)	16,670	-
TCAP01C2008A	0.01	(0.01)	4,187	-	TU19C2009A	0.03	(0.01)	2,000	-	U-W4	-	-	-	-
TCAP01P2008A	-	-	-	-	TU19C2010A	0.17	(0.03)	134,974	-	VGI-W2	0.67	(0.03)	51,735	-
TCAP13C2010A	0.14	(0.01)	1,065	-	TU19P2011A	0.21	0.01	38,967	-	VIBHA-W3	0.14	0.01	11,350	-
TCAP19C2010A	0.17	(0.02)	16,506	-	TU24C2011A	0.27	(0.02)	185,975	-	W-W3	0.03	-	516	-
TCAP42C2010T	0.10	(0.01)	31	-	TU28C2011A	0.17	(0.03)	130,908	-	WIHK-W2	0.26	-	32,602	-
THAI27C2008A	0.02	(0.01)	86,511	-	TU28C2012A	0.12	-	16,162	-	ZMICO-W4	0.09	-	22,876	-
THAN06C2010A	0.46	(0.05)	92,255	-	TU41C2009A	-	-	-	-	Preferred Shares	-	-	-	-
THAN08C2010A	0.50	(0.51)	18,670	-	TU41C2010A	0.21	(0.03)	57,307	-	BH-P	-	-	-	-
THAN19C2010A	0.38	(0.03)	103,445	-	TU42C2010T	0.18	(0.01)	45,291	-	CSC-P	-	-	-	-
THAN19C2011A	0.58	(0.05)	75,974	-	TVO13C2011A	0.09	(0.01)	45,009	-	JUTHA-P	-	-	-	-
TISC11C2012A	0.48	(0.05)	8,571	-	TVO19C2011A	0.11	(0.01)	152,449	-	KTB-P	-	-	-	-
TISC13C2010A	0.21	(0.04)	29,602	-	VGI06C2010A	0.08	(0.01)	28,923	-	SCB-P	70.00	3.00	15	70.00
TISC19C2010A	0.15	(0.02)	7,268	-	VGI06C2010A	0.35	(0.04)	81,857	-	TCAP-P	-	-	-	-
TISC19C2010B	0.31	(0.03)	30,610	-	VGI11C2008A	-	-	-	-	TISCO-P	-	-	-	-
TISC41C2010A	0.17	(0.02)	1,641	-	VGI11C2010A	0.25	(0.03)	46,300	-	U-P	1.70	-	492	1.00
TISC42C2010T	0.22	(0.03)	20	-	VGI13C2010A	0.05	(0.05)	490	-	Warrant (MAI)	-	-	-	-
TKN01C2008A	0.14	(0.11)	52	-	VGI13C2012A	0.25	(0.03)	437,032	-	BROOK-W5	0.16	0.02	47,712	-
TKN06C2011A	0.20	(0.02)	49,631	-	VGI19C2010A	0.13	(0.02)	31,353	-	CHAYO-W1	2.14	(0.08)	13,139	2.00
TKN06C2010A	0.85	(0.09)	25,651	-	VGI19C2012A	0.29	(0.03)	273,934	-	CHO-W2	0.03	(0.01)	243,969	-
TKN08C2011A	0.16	(0.01)	17,002	-	VGI41C2011A	0.16	(0.04)	53,702	-	CIG-W8	0.02	-	18,416	-
TKN13C2010A	0.43	(0.04)	5,136	-	VGI42C2010T	-	-	-	-	D-W1	0.93	(0.06)	557	-
TKN13C2010B	0.12	-	57,467	-	WHA01C2008B	-	-	-	-	DIMET-W3	-	-	-	-
TKN13C2012A	0.20	(0.01)	181,841	-	WHA01C2009A	0.72	-	2	-	DOD-W1	0.58	(0.03)	50,697	-
TKN16C2008A	-	-	-	-	WHA01P2009A	0.04	-	10	-	ECF-W3	0.20	(0.01)	5,889	-
TKN19C2010A	0.72	(0.03)	10,562	-	WHA06C2010A	0.36	0.03	85,424	-	HPT-W1	0.35	0.01	1,941	-
TKN19C2011A	0.45	(0.02)	103,065	-	WHA06P2012A	0.48	(0.03)	61,018	-	HYDRO-W1	0.03	-	191	-
TKN19C2011B	0.17	(0.01)	34,498	-	WHA08C2011A	0.44	0.01	51,109	-	ITEL-W1	0.32	(0.01)	25,537	-
TKN28C2012A	-	-	-	-	WHA11C2008A	-	-	-	-	LIT-W1	0.51	(0.02)	13,193	-
TKN28C2012B	0.16	(0.01)	15,925	-	WHA11C2010A	0.55	0.04	72,046	-	META-W4	0.05	-	53,740	-
TKN28C2010A	0.56	(0.44)	49,686	-	WHA13C2009A	0.37	(0.06)	5,412	-	NEWS-W6	-	-	-	-
TKN42C2012T	0.11	-	65	-	WHA13C2011A	0.35	0.03	257,843	-	OCEAN-W3	0.28	-	8,540	-
TMB13C2011A	0.13	(0.02)	92,092	-	WHA13P2011A	0.28	(0.72)	175,486	-	RWI-W2	0.16	0.01	193,255	-
TMB19C2011A	0.22	(0.03)	16,914	-	WHA16C2008A	-	-	-	-	SANKO-W1	0.05	-	41,075	-
TMB19C2011B	0.10	(0.01)	5,966	-	WHA19C2010A	0.51	0.03	124,486	-	SIMAT-W3	0.62	(0.03)	31,308	-
TMB19P2011A	0.34	0.02	61,613	-	WHA19C2011A	0.34	0.01	98,000	-	SIMAT-W4	2.72	(0.16)	707	2.00
TMB41C2010A	-	-	-	-	WHA19P2011A	0.37	(0.02)	247,401	-	SMART-W2	0.24	(0.01)	9,806	-
TOA13C2011A	0.31	-	28,777	-	WHA27C2008A	-	-	-	-	SWC-W1	2.92	0.16	80	2.00
TOA19C2010A	0.30	-	14,497	-	WHA28C2011A	0.36	0.04	58,812	-	TAKUNI-W	0.03	0.01	4,119	-
TOA42C2010T	0.23	-	3,517	-	WHA28C2012A	0.46	0.02	67,044	-	TAPAC-W4	0.33	(0.01)	8,437	-
TOP01C2008B	-	-	-	-	WHA28C2102L	0.28	0.03	51,762	-	TVD-W2	0.52	0.09	519,803	-
TOP01C2009A	-	-	-	-	WHA42C2010T	0.27	-	7,220	-	UREKA-W2	0.29	-	6,345	-
TOP01P2009A	-	-	-	-	Preferred/Foreign	-	-	-	-	Preferred Shares	-	-	-	-
TOP06C2008A	0.89	-	25,520	-	BH-Q	-	-	-	-	SGF-P1	-	-	-	-
TOP06C2011A	0.20	(0.01)	73,716	-	CSC-Q	-	-	-	-	-	-	-	-	-
TOP06P2010A	0.16	(0.01)	22,122	-	JUTHA-Q	-	-	-	-	-	-	-	-	-
TOP08C2010A	0.27	(0.02)	23,621	-	KTB-Q	-	-	-	-	-	-	-	-	-
TOP11C2011A	0.43	(0.02)	40,310	-	SCB-Q	-	-	-	-	-	-	-	-	-
TOP13C2008B	-	-	-	-	TCAP-Q	-	-	-	-	-	-	-	-	-
TOP13C2010A	0.18	(0.01)	11,238	-	TISCO-Q	-	-	-	-	-	-	-	-	-
TOP13C2011A	0.25	(0.01)	42,990	-	U-Q	-	-	-	-	-	-	-	-	-
TOP13C2012A	0.34	0.01	77,236	-	Warrant	-	-	-	-	-	-	-	-	-
TOP13P2010A	0.33	(0.02)	45,866	-	7UP-W4	0.10	-	60,271	-	-	-	-	-	-
TOP13P2012A	0.64	(0.02)	113,146	-	AKR-W1	0.03	(0.02)	403,158	-	-	-	-	-	-
TOP16C2008A	-	-	-	-	ALT-W1	0.82	(0.16)	48,766	-	-	-	-	-	-
TOP19C2008A	0.04	-	15,155	-	APEX-W1	-	-	-	-	-	-	-	-	-
TOP19C2010A	0.28	(0.01)	110,095	-	APURE-W2	0.30	0.01	91,707	-	-	-	-	-	-
TOP19C2010B	0.31	(0.01)	144,794	-	B-W3	-	-	-	-	-	-	-	-	-
TOP19P2010A	0.34	(0.01)	83,635	-	B-W4	0.06	-	9,136	-	-	-	-	-	-
TOP19P2011A	0.56	(0.01)	177,820	-	B-W5	0.06	(0.01)	30,552	-	-	-	-	-	-
TOP24C2008A	-	-	-	-	BKD-W2	0.08	-	932	-	-	-	-	-	-
TOP24C2010A	0.48	-	60,019	-	BTS-W5	0.90	(0.02)	83,773	-	-	-	-	-	-
TOP41C2010A	-	-	-	-	CGD-W4	0.05	-	3,203	-	-	-	-	-	-
TOP41C2011A	0.27	-	10,838	-	CGH-W3	0.02	-	79,575	-	-	-	-	-	-
TOP41P2010A	0.26	(0.01)	5,835	-	DCC-W1	0.85	(0.02)	36,213	-	-	-	-	-	-
TOP41P2011A	-	-	-	-	ECL-W3	0.10	(0.01)	10,913	-	-	-	-	-	-
TOP42C2011T	-	-	-	-	EMC-W6	0.03	(0.01)	117,960	-	-	-	-	-	-
TPI13C2011A	0.33	0.01	190,760	-	EP-W3	0.41	(0.07)	73,028	-	-	-	-	-	-
TPI19C2012A	0.40	0.01	316,401	-	GLOCON-W4	0.42	(0.03)	145,387	-	-	-	-	-	-
TQM13C2011A	0.38	(0.04)	143,390	-	III-W1	0.67	-	503,558	-	-	-	-	-	-
TQM19C2010A	2.40	0.02	21	2.00	J-W1	0.39	-	1,555	-	-	-	-	-	-
TQM19C2010B	0.28	(0.03)	118,235	-	JMART-W3	4.84	-	14,777	4.00	-	-	-	-	-
TQM19C2011A	0.59	(0.04)	54,613	-	JMART-W4	3.50	(0.06)	1,842	3.00	-	-	-	-	-
TQM24C2011A	0.31	(0.03)	5,240	-	JMT-W2	9.70	-	27,058	9.00	-	-	-	-	-
TQM28C2012A	0.37	(0.63)	34,376	-	MACO-W2	0.09	-	1,964	-	-	-	-	-	-
TQM41C2011A	0.43	(0.04)	22,210	-	MILL-W4	0.04	(0.01)	49,823	-	-	-	-	-	-
TQM42C2010T	0.43	0.03	1,213	-	MINT-W6	0.97	(0.02)	117,529	1.00	-	-	-	-	-
TRUE06C2009A	0.19	0.06	124,378	-	NER-W1	1.56	(0.05)	106,582	1.00	-	-	-	-	-
TRUE06P2011A	0.40	(0.12)	68,951	-	NEX-W2	6.15	(0.70)	62,795	6.00	-	-	-	-	-
TRUE08C2012A	0.37	0.05	116,508	-	NFC-W1	0.64	(0.02)	4	-	-	-	-	-	-
TRUE08P2010A	0.22	(0.07)	29,080	-	NVD-W1	0.10	-	2,735	-	-	-	-	-	-
TRUE11C2010A	0.37	0.05	47,907	-	ORI-W1	0.05	(0.02)	168,540	-	-	-	-	-	-
TRUE11P2010A	0.57	(0.07)	91,453	-	PACE-W2	-	-	-	-	-	-	-	-	-
TRUE13C2009A	0.08	0.01	7,027	-	PACE-W3	-	-	-	-	-	-	-	-	-
TRUE13C2011A	0.29	0.06	330,762	-	PDI-W1	0.59	(0.04)	46,88						