

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday August 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	BLISS	-	-	-	-	MATCH	1.65	0.05	30	1.65
SAFARI	-	-	-	-	DIF	14.80	0.10	53,713	14.79	MATI	4.00	(0.10)	35	4.00
VI	-	-	-	-	DTAC	35.75	(0.25)	101,439	36.11	MCOT	4.60	-	1,503	4.62
WORLD	-	-	-	-	FORTH	5.75	0.05	317	5.77	MONO	2.46	(0.02)	3,967	2.47
WR	-	-	-	-	HUMAN	8.05	(0.10)	1,412	8.10	MPIC	1.35	(0.03)	9	1.35
Agribusiness					ILINK	5.20	0.05	58,089	5.21	NMG	-	-	-	-
EE	0.64	-	109,433	0.65	INET	3.00	0.06	34,762	3.01	PLANB	5.50	(0.05)	112,465	5.52
GFPT	12.90	(0.30)	22,229	13.01	INTUCH	54.50	(0.75)	99,683	54.86	POST	-	-	-	-
LEE	2.28	(0.02)	1,030	2.28	JAS	2.90	(0.06)	474,586	2.93	PRAKIT	7.35	-	4	7.35
MAX	0.01	-	1,706,770	0.01	JASIF	10.10	0.10	61,629	10.09	SE-ED	1.47	-	1,902	1.42
NER	3.32	0.06	788,717	3.32	JMART	15.70	(0.40)	121,621	15.69	TBSP	-	-	-	-
PPPM	0.36	-	418	0.36	JTS	2.92	(0.12)	1,714	2.97	TH	0.50	-	10	0.50
STA	26.00	0.50	127,942	26.11	MFCF	4.74	(0.02)	9,104	4.74	TKS	5.05	0.05	1,992	5.03
TRUBB	1.32	0.14	419,423	1.29	MSC	5.55	-	305	5.48	VGI	7.00	-	464,777	7.05
TWPC	3.54	(0.04)	9,067	3.61	PT	5.35	-	3,347	5.36	WAVE	1.12	0.02	18,709	1.11
UPOIC	3.24	-	82	3.24	SAMART	4.96	-	4,450	4.94	WORK	10.30	-	11,194	10.30
UVAN	4.48	(0.08)	30	4.49	SAMTEL	5.15	(0.05)	4,140	5.18	Finance & Securities				
VPO	0.36	-	999	0.36	SDC	0.16	-	24,992	0.15	AEC	0.10	0.01	158,597	0.09
Banking					SIS	14.40	(0.10)	8,989	14.55	AEONTS	107.00	-	7,972	107.69
BAY	21.30	(0.30)	4,111	21.65	SVOA	1.11	(0.01)	22,152	1.11	AMANAH	2.60	(0.04)	61,939	2.63
BBL	106.50	(0.50)	134,316	107.67	SYMC	4.44	0.04	2,302	4.53	ASAP	2.20	(0.02)	15,239	2.22
CIMBT	0.58	(0.01)	5,533	0.59	SYNEX	12.70	0.10	22,014	12.64	ASK	18.50	(0.10)	2,993	18.73
KBANK	84.25	(2.50)	271,068	85.55	THCOM	6.30	-	118,106	6.33	ASP	1.73	-	7,965	1.73
KKP	39.75	(0.25)	18,273	39.82	TRUE	3.32	(0.08)	898,988	3.37	BAM	23.30	(1.20)	1,102,065	23.30
KTB	9.55	(0.15)	499,086	9.66	TWZ	0.06	-	67,517	0.06	BFIT	28.00	(1.25)	10,290	28.57
LHFG	0.97	-	7,209	0.97	Electronic Componer	-	-	-	-	CGH	0.68	-	6,575	0.68
SCB	72.50	(1.25)	139,807	73.45	CCET	1.76	(0.06)	12,583	1.79	ECL	0.76	(0.03)	13,990	0.77
TCPA	32.25	-	40,734	32.22	DELTA	115.50	(1.50)	16,763	115.11	FNS	2.96	(0.08)	1,157	2.99
TISCO	67.25	(0.75)	31,069	67.68	HANA	39.75	(1.00)	78,679	40.25	FSS	1.38	(0.03)	476	1.39
TMB	0.94	(0.01)	4,171,259	0.95	KCE	29.25	(1.00)	120,204	29.65	GBX	0.42	-	3,021	0.42
Construction Materia					METCO	135.00	0.50	21	135.19	GL	3.50	(0.10)	16,389	3.55
CCP	0.50	0.01	107,936	0.49	NEX	4.78	(0.27)	94,639	4.88	IFS	2.38	-	3,892	2.37
COTTO	1.16	0.01	6,383	1.17	SMT	2.40	(0.14)	94,053	2.46	JMT	32.25	(0.50)	57,026	32.26
DCC	2.58	-	147,383	2.56	SVI	3.38	(0.10)	29,245	3.41	KCAR	7.50	-	696	7.50
DCON	0.36	0.01	488,125	0.37	TEAM	0.80	(0.01)	81	0.80	KGI	3.36	0.02	18,147	3.35
DRT	6.70	0.20	28,641	6.63	W	0.17	0.01	241,820	0.16	KTC	30.75	(0.25)	88,113	30.71
EPG	4.72	0.02	43,951	4.70	Energy & Utilities					MBKET	7.60	0.05	1,241	7.54
GEL	0.18	-	1,854	0.18	7UP	0.32	(0.01)	189,662	0.32	MFC	13.60	-	43	13.55
PPP	1.98	-	316	1.94	ABPIF	3.50	(0.02)	206	3.50	ML	0.83	(0.01)	534	0.83
Q-CON	4.74	(0.02)	190	4.71	ACE	3.16	(0.06)	245,565	3.23	MTC	49.75	(2.00)	104,542	50.59
RCI	3.80	0.06	592	3.77	AI	1.73	0.01	218,777	1.74	PE	-	-	-	-
SCC	354.00	11.00	64,212	355.86	AKR	0.48	(0.01)	5,777	0.48	PL	2.02	-	1,207	2.02
SCCC	142.00	0.50	996	141.40	BAFS	22.00	-	1,618	21.86	S11	6.35	0.05	10,767	6.40
SCP	6.20	-	2,253	6.19	BANPU	5.75	(0.05)	280,972	5.73	SAWAD	45.75	(2.25)	142,280	46.97
SKN	2.42	(0.08)	3,979	2.48	BCP	17.70	(0.20)	15,960	17.92	THANI	3.66	(0.06)	246,290	3.69
TASCO	24.80	(0.20)	75,378	24.78	BCPG	12.80	(0.60)	62,351	12.95	TK	7.00	(0.05)	2,700	7.01
TCMC	1.16	0.08	507,590	1.16	BGRIM	46.25	(1.25)	96,123	47.12	TNITY	3.70	0.02	770	3.70
TOA	39.50	1.25	16,065	39.14	BPP	14.30	(0.10)	34,272	14.53	UOBKH	3.16	(0.02)	4	3.17
TPIPL	1.26	(0.01)	140,045	1.27	BRRGIF	6.75	-	121	6.75	ZMICO	0.65	(0.02)	7,238	0.66
UMI	0.65	-	520	0.65	CKP	6.05	0.20	355,239	5.96	Food & Beverage				
VNG	3.40	(0.02)	220	3.42	DEMCO	2.90	-	1,968	2.90	APURE	1.92	(0.02)	8,777	1.94
WIJK	2.14	-	19,186	2.14	EA	42.00	(1.00)	122,775	42.24	ASIAN	10.20	(0.20)	389,396	10.44
Petrochemicals & Ch					EASTW	9.95	0.05	12,147	9.94	BR	1.88	(0.01)	5,637	1.89
BCT	40.25	0.25	86	39.89	EGATTIF	12.10	(0.10)	5,583	12.10	BRR	2.84	(0.08)	525	2.86
CMAN	1.20	0.03	17,232	1.21	EGCO	222.00	(2.00)	15,400	223.49	CBG	121.00	0.50	22,036	121.43
GC	5.30	(0.05)	919	5.35	EP	3.62	(0.18)	49,656	3.66	CFRESH	3.60	(0.12)	15,912	3.64
GCC	9.20	0.20	34,232	9.30	ESSO	6.60	(0.10)	213,007	6.64	CHOTI	67.25	(2.75)	4	67.31
GIFT	1.93	-	897	1.94	GPSC	64.00	(1.25)	63,968	64.69	CM	2.76	(0.02)	321	2.78
IVL	23.70	(0.50)	216,103	24.04	GREEN	0.96	0.01	1,130	0.96	CPF	32.25	(1.50)	453,747	32.63
NFC	1.57	0.01	13	1.60	GULF	31.50	(1.25)	255,183	31.97	CPI	1.23	0.01	220	1.23
PATO	9.70	-	163	9.69	GUNKUL	2.54	(0.06)	147,538	2.56	F&D	19.50	1.90	3	19.00
PMTA	8.50	(0.25)	20	8.50	IFEC	-	-	-	-	HTC	26.75	(0.50)	8,584	27.15
PTTGC	46.25	(0.75)	110,266	46.71	IRPC	2.34	(0.08)	798,694	2.38	IGHI	8.90	(0.40)	249,834	9.12
SUTHA	3.12	(0.18)	1,182	3.15	KBSPIF	10.00	-	6,697	10.01	KBS	3.16	(0.08)	293	3.15
TCCC	22.90	(0.10)	181	23.02	LANNA	6.35	(0.15)	1,954	6.42	KSL	2.04	(0.02)	22,805	2.08
TPA	5.05	(0.05)	283	5.03	MDX	2.66	0.02	6,078	2.69	KTIS	2.64	-	583	2.61
UAC	3.70	(0.04)	2,666	3.73	PDI	7.05	(0.15)	4,757	7.15	LST	4.38	-	838	4.40
UP	13.90	-	30	13.90	PRIME	0.52	(0.02)	93,846	0.53	M	51.75	(1.25)	12,675	52.60
VNT	23.80	0.20	6,102	23.61	PTG	19.30	0.10	138,142	19.44	MALEE	6.60	(0.20)	3,683	6.75
WG	185.00	-	125	185.00	PTT	36.00	(0.75)	589,452	36.44	MINT	22.40	(0.60)	998,777	22.43
YCI	-	-	-	-	PTTEP	89.00	(0.50)	77,036	89.57	OISHI	39.75	(0.50)	91	39.88
Commerce					RATCH	56.00	-	87,655	56.29	OSP	38.75	(1.00)	145,778	39.02
BEAUTY	1.38	(0.03)	85,002	1.40	RPC	0.48	(0.01)	10,567	0.48	PB	70.00	(0.75)	63	70.38
BIG	0.52	(0.01)	25,652	0.53	SCG	3.42	(0.04)	70	3.43	PM	7.20	0.20	84,623	7.18
BIC	37.00	(0.75)	65,417	37.34	SCI	1.44	(0.03)	11,617	1.46	PRG	11.00	-	3	11.00
COL	15.00	(0.10)	7,437	15.00	SCN	1.79	-	2,668	1.78	RBF	9.90	(0.05)	87,144	9.94
COM7	41.00	(0.25)	35,007	40.95	SGP	8.95	0.20	23,405	8.92	SAPPE	17.10	(0.20)	6,332	17.28
CPALL	63.50	-	240,758	63.97	SKE	0.74	(0.01)	1,622	0.74	SAUCE	24.90	(0.10)	82	24.90
CPW	1.68	(0.05)	14,289	1.69	SOLAR	0.98	(0.01)	6,838	0.99	SFP	-	-	-	-
CRC	29.75	(1.25)	372,011	30.07	SPCG	17.90	(0.20)	8,836	17.97	SNP	10.40	0.10	3	10.57
CSS	1.42	(0.03)	26,811	1.43	SPRC	6.85	-	218,307	6.81	SORKON	5.10	0.05	835	5.08
DOHOME	14.00	0.70	109,412	13.78	SSP	7.35	(0.10)	3,491	7.38	SSC	32.75	-	4	32.75
FN	1.16	(0.07)	38,415	1.18	SUPER	0.82	(0.02)	1,368,564	0.83	SSF	-	-	-	-
FTE	1.55	(0.02)	3,060	1.54	SUPEREIF	11.60	(0.20)	2,796	11.66	SST	2.56	(0.04)	611	2.56
GLOBAL	20.50	0.60	156,828	20.06	SUSCO	2.64	(0.02)	17,688	2.67	TC	3.84	-	3,306	3.86
HMPRO	14.90	(0.20)	239,843	15.05	TAE	2.44	-	9,637	2.43	TFG	4.60	(0.14)	99,864	4.63
ILM	12.50	-	18,814	12.55	TCC	0.20	0.01	1,748	0.19	TFMAMA	198.50	1.50	123	197.07
IT	2.64	(0.08)	1,849	2.70	TOP	41.50	(1.00)	101,190	42.02	TIPCO	7.50	(0.30)	8,761	7.46
KAMART	2.74	(0.06)	16,103	2.79	TPIPP	4.32	(0.06)	145,900	4.36	TKN	10.70	(0.10)	458,615	10.89
LOXLEY	1.47	(0.01)	21,108	1.49	TSE	2.78	0.02	104,289	2.79	TU	14.10	(0.70)	391,455	14.32
MAKRO	44.50	1.50	21,141	43.59	TTW	13.40	0.10	31,964	13.36	TVO	27.00	-	41,578	27.29
MC	9.65	-	14,175	9.74	WHAUP									

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Monday August 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
NEW	-	-	-	-	BLAND	0.99	(0.02)	209,491	1.00	IHL	2.64	(0.08)	36,079	2.69
NVT	42.00	0.25	67	41.55	BROCK	1.51	-	4	1.51	INGRS	0.49	0.05	144,444	0.48
PR9	6.60	-	7,380	6.68	CGD	0.59	-	19,355	0.59	IRC	12.20	(0.20)	562	12.21
PRINC	2.82	(0.12)	26,556	2.89	CI	0.66	(0.03)	177	0.66	PCSGH	4.44	0.02	154	4.45
RAM	139.00	-	21	139.00	CPN	47.00	(0.75)	75,495	46.99	SAT	11.90	(0.30)	15,348	11.97
RJH	21.50	-	2,178	21.62	ESTAR	0.33	-	11,253	0.34	SPG	13.00	(0.40)	12	13.00
RPH	5.20	(0.05)	7,408	5.18	EVER	0.22	-	11,133	0.22	STANLY	148.50	(2.00)	63	148.76
SKR	6.00	-	955	6.00	FPT	10.60	(0.30)	211	10.76	TKT	1.05	0.05	5,027	1.01
SVH	420.00	-	3	420.00	GLAND	2.18	(0.02)	29	2.19	TNPC	-	-	-	-
THG	19.40	0.50	12,516	19.28	J	1.35	0.04	36,632	1.35	TRU	3.36	0.04	181	3.35
VIBHA	1.53	(0.01)	18,318	1.53	JCK	1.57	0.20	258,355	1.52	TSC	9.40	0.10	34	9.36
VIH	6.75	0.45	21,518	6.71	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.59	0.01	494	1.57	KWG	0.79	(0.02)	-	0.80	ALLA	1.19	0.03	24,283	1.17
Tourism & Leisure	-	-	-	-	LALIN	5.55	0.10	5,317	5.53	ASEFA	3.10	(0.02)	1,960	3.11
ASIA	4.38	(0.18)	197	4.45	LH	7.40	(0.05)	371,546	7.44	CPT	0.87	0.01	7,220	0.88
CENTEL	27.25	0.25	48,138	26.80	LPN	4.96	(0.04)	41,706	4.98	CRANE	1.96	(0.03)	9,874	1.97
CSR	73.00	-	3	72.00	MBK	12.50	(0.20)	31,578	12.61	CTW	5.00	(0.15)	677	5.04
DTC	7.00	-	1,551	6.99	MJD	1.46	-	5,247	1.47	FMT	18.80	-	11	18.81
ERW	3.36	(0.04)	169,269	3.42	MK	2.92	(0.06)	1,234	2.93	HTECH	2.76	0.06	5,242	2.70
GRAND	0.52	(0.01)	1,770	0.52	NCH	0.85	0.07	9,441	0.84	KKC	0.54	0.01	1,760	0.54
LRH	31.50	-	7	31.32	NNCL	1.92	(0.02)	3,330	1.91	PK	1.48	(0.05)	99	1.49
MANRIN	21.50	(1.50)	2	21.50	NOBLE	12.00	(0.10)	31,891	12.25	SNC	10.00	(0.10)	3,447	10.01
OHTL	-	-	-	-	NUSA	0.31	(0.01)	13,764	0.31	STARK	2.06	-	40,647	2.06
ROH	-	-	-	-	NVD	1.23	(0.01)	37	1.21	TCJ	3.08	0.06	8,221	3.14
SHANG	56.75	(0.25)	1	56.75	ORI	7.40	(0.05)	88,202	7.41	VARO	-	-	-	-
SHR	2.02	(0.02)	220,373	2.07	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
VRANDA	5.70	(0.15)	741	5.83	PF	0.37	-	80,781	0.37	AIMCG	6.30	-	2,487	6.30
Home & Office Produ	-	-	-	-	PLAT	2.60	(0.10)	9,281	2.65	AIMIRT	13.20	-	223	13.20
ACC	0.61	-	318	0.61	POLAR	-	-	-	-	AMATAR	10.50	0.10	61	10.42
AJA	0.14	0.01	16,929	0.13	PRECHA	0.79	(0.07)	1,562	0.78	B-WORK	11.80	0.20	856	11.74
DTCI	-	-	-	-	PRIN	1.59	0.04	2,002	1.59	BKER	5.75	0.10	2,101	5.75
FANCY	0.57	(0.02)	1,173	0.58	PSH	11.60	-	5,121	11.57	BKKCP	12.00	-	33	12.00
KYE	317.00	-	4	317.00	QH	2.22	0.02	234,844	2.22	BOFFICE	12.20	0.10	604	12.19
L&E	1.72	0.01	316	1.71	RICHY	0.71	(0.01)	2,327	0.71	CPNCG	10.30	(0.10)	5,607	10.37
MODERN	2.32	(0.04)	2,427	2.33	RML	0.63	-	14,833	0.64	CPNREIT	24.10	0.10	24,544	24.09
OGC	20.90	(0.10)	6	20.92	ROJNA	4.30	(0.08)	11,656	4.34	CPTFG	10.40	(0.10)	1,593	10.40
ROCK	-	-	-	-	S	1.44	-	9,507	1.45	CTARAF	5.15	-	813	5.15
SIAM	1.41	-	1,331	1.40	SAMCO	1.18	(0.01)	268	1.18	DREIT	3.82	-	353	3.82
TSR	2.72	(0.12)	3,273	2.80	SC	2.28	(0.02)	17,921	2.30	ERWPF	-	-	-	-
Insurance	-	-	-	-	SENA	2.82	(0.04)	20,205	2.82	FTREIT	14.90	0.10	7,283	14.97
AYUD	33.75	-	2	33.75	SF	4.46	(0.10)	17,371	4.52	FUTUREPF	19.10	-	742	18.98
BKI	282.00	-	70	281.91	SIRI	0.73	-	109,563	0.73	GAHREIT	-	-	-	-
BLA	16.10	(0.30)	57,256	16.48	SPALI	16.80	(0.30)	53,871	16.88	GOLDFP	5.80	-	30	5.80
BUI	-	-	-	-	U	1.38	(0.01)	76,450	1.38	GVREIT	12.90	-	787	12.90
CHARAN	21.20	0.20	20	21.15	UV	2.88	(0.02)	4,342	2.89	HPF	4.72	(0.02)	508	4.74
INSURE	-	-	-	-	WHA	3.20	(0.06)	447,829	3.22	HREIT	8.05	-	1,260	8.03
MTI	86.25	(0.50)	2	86.13	WIN	0.36	(0.01)	187	0.36	IMPACT	18.40	1.00	24,720	18.18
NKI	47.50	(2.00)	77	47.52	Paper & Printing Mat	-	-	-	-	KNPFP	6.75	(0.05)	101	6.80
NSI	76.50	(0.25)	202	76.80	UTP	14.30	(0.40)	29,640	14.48	LHHOTEL	10.20	-	601	10.26
SEG	23.50	(0.70)	3	23.70	Fashion	-	-	-	-	LHPF	5.20	(0.10)	3,263	5.28
SMK	36.00	(0.50)	274	36.17	AFC	-	-	-	-	LHSC	12.30	0.70	4,095	12.31
THRE	0.94	(0.04)	46,586	0.95	B52	0.16	-	1,098	0.16	LUXF	6.90	0.65	68	6.93
THREL	2.26	(0.06)	13,044	2.31	BTNC	-	-	-	-	M-II	-	-	-	-
TIP	28.25	0.25	9,168	28.24	CPH	3.08	-	7	3.07	M-PAT	2.80	(0.04)	1	2.80
TQM	126.00	2.50	13,978	125.70	CPL	1.18	0.13	253	1.18	M-STOR	6.00	-	791	6.02
TSI	0.29	(0.01)	16,846	0.29	ICC	29.25	-	146	29.25	MIPF	17.30	-	12	17.30
TVI	3.36	-	1,567	3.38	NC	8.80	0.30	3	8.83	MIT	3.18	0.40	31	2.83
Mining	-	-	-	-	PAF	0.57	-	566	0.56	MJLF	6.80	(0.10)	607	6.84
THL	-	-	-	-	PDJ	1.54	-	6,788	1.58	MNIT	1.45	0.03	100	1.45
Packaging	-	-	-	-	PG	-	-	-	-	MNIT2	4.02	(0.18)	10	4.02
AJ	16.40	(0.80)	31,072	16.78	SABINA	19.20	-	2,922	19.28	MNRF	-	-	-	-
ALUCON	150.00	0.50	6	151.25	SAWANG	-	-	-	-	POPF	10.50	-	476	10.49
BGC	11.50	0.30	72,221	11.62	SUC	32.75	-	24	32.81	PPF	11.30	-	530	11.24
CSC	51.25	1.50	262	50.80	TNL	-	-	-	-	PROSPECT	9.65	(0.10)	892	9.70
GLOCON	0.97	0.01	196,159	0.98	TPCORP	9.30	0.40	40	8.89	QHHR	5.85	-	436	5.89
NEP	0.26	0.02	2,498	0.26	TR	22.00	(0.30)	97	22.16	QHOP	2.22	0.02	45	2.21
PTL	24.90	(0.35)	32,686	24.94	TTI	-	-	-	-	QHFP	9.85	(0.05)	7,561	9.86
SFLEX	12.40	-	5,080	12.40	TTT	54.50	0.25	32	52.61	SBPF	2.70	0.20	1	2.70
SITHAI	0.59	-	917	0.58	UPF	52.75	0.50	88	52.13	SHREIT	3.54	-	294	3.50
SLP	0.39	-	1,208	0.39	UT	-	-	-	-	SIRIP	8.95	-	10	8.95
SMPC	12.10	(0.20)	5,158	12.23	WACOAL	45.00	-	15	45.00	SPF	13.20	(0.30)	3,909	13.39
SPACK	2.50	(0.02)	10,376	2.51	Transportation & Log	-	-	-	-	SPRIME	9.50	-	8,072	9.50
TCOAT	22.00	-	2	22.00	AAV	2.10	0.08	662,141	2.10	SRIPANWA	8.00	0.05	25	8.00
TFI	0.11	0.01	6,932	0.11	AOT	56.00	(0.75)	165,332	56.60	SSPF	9.75	0.10	263	9.70
THIP	25.00	0.20	587	25.11	ASIMAR	1.37	-	945	1.37	SSTRT	5.35	(0.05)	1	5.35
TMD	22.20	0.10	35	22.23	B	0.28	(0.01)	1,913	0.29	TIF1	8.55	-	109	8.46
TOPP	194.00	-	2	194.00	BA	5.75	0.10	6,724	5.70	TLGF	17.90	0.60	10,479	17.70
TPBI	4.78	0.02	274	4.75	BEM	9.05	(0.25)	410,741	9.15	TLHPF	9.45	(0.05)	10	9.42
TPP	14.50	-	7	14.53	BTS	10.40	(0.20)	517,619	10.46	TNPF	-	-	-	-
Personal Products &	-	-	-	-	BTSGIF	6.20	(0.05)	32,155	6.25	TPRIME	-	-	-	-
APCO	3.64	0.02	1,167	3.60	III	4.26	(0.26)	22,049	4.37	TLPF	-	-	-	-
DDD	17.30	0.80	28,803	17.53	JUTHA	-	-	-	-	TU-PF	-	-	-	-
JCT	80.75	(0.25)	2	80.75	JWD	7.55	(0.05)	48,604	7.58	URBNPF	-	-	-	-
OCC	-	-	-	-	KWC	-	-	-	-	WHABT	8.55	-	1	8.55
S & J	-	-	-	-	NOK	-	-	-	-	WHART	14.90	0.10	6,539	14.87
STGT														

Main Board Quotation

Issue Date :

Monday August 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AIE	0.59	-	110,927	-	ADVA06C2010A	0.16	(0.02)	32,100	-
ABICO	5.75	(0.15)	1,956	5.00	ETC	1.86	(0.14)	871,406	1.00	ADVA06P2011A	0.37	-	33,550	-
AU	9.60	(0.50)	136,730	9.00	PTSC	1.62	(0.02)	19,899	1.00	ADVA08C2009A	0.05	(0.01)	321	-
JCKH	0.24	0.03	5,417	-	QTC	3.98	(0.04)	420	3.00	ADVA08C2012A	0.47	(0.03)	2,200	-
KASET	1.55	(0.02)	257	1.00	SAAM	1.00	(0.01)	572	1.00	ADVA08P2009A	0.10	(0.01)	1,000	-
MM	1.83	(0.07)	114	1.00	SEOIL	2.48	(0.08)	18,171	2.00	ADVA08P2101A	0.90	0.01	29,550	-
SUN	2.92	0.04	1,451	2.00	SR	0.72	(0.02)	22	-	ADVA11C2011A	0.44	(0.01)	9,841	-
TACC	6.30	(0.10)	107,374	6.00	TAKUNI	0.38	(0.01)	6,358	-	ADVA11P2011A	0.52	-	10,255	-
TMILL	3.16	(0.02)	1,246	3.00	TPCH	12.70	(0.20)	8,138	12.00	ADVA13C2008A	-	-	-	-
XO	9.25	-	22,269	9.00	TRT	-	-	-	-	ADVA13C2010A	0.23	(0.03)	99,664	-
Consumer Products					UMS	-	-	-	-	ADVA13P2009A	0.37	(0.02)	112,460	-
BGT	1.00	(0.05)	20	1.00	UPA	0.19	(0.01)	35,450	-	ADVA16C2009A	-	-	-	-
BIZ	3.48	(0.08)	1,544	3.00	UWC	0.06	0.01	158,491	-	ADVA19C2008A	-	-	-	-
DOD	8.75	(0.30)	59,709	8.00	Services (MAI)	-	-	-	-	ADVA19C2009A	-	-	-	-
ECF	1.35	0.01	121,924	1.00	A5	-	-	-	-	ADVA19C2010A	0.04	(0.01)	100	-
HPT	0.98	0.01	14,806	-	AKP	0.96	(0.02)	3,658	-	ADVA19C2010B	0.29	(0.02)	134,502	-
IP	11.90	(0.10)	7,982	11.00	AMA	5.10	(0.10)	1,272	5.00	ADVA19P2009A	-	-	-	-
JUBILE	17.80	0.10	514	17.00	ARIP	0.40	-	5,164	-	ADVA19P2010A	0.31	0.01	185,010	-
MOONG	3.70	-	2,808	3.00	ATP30	0.81	0.01	5,133	-	ADVA19P2012A	0.73	0.01	152,690	-
NPK	16.40	(1.40)	43	16.00	AUCT	10.50	0.20	31,423	10.00	ADVA24C2009A	-	-	-	-
OCEAN	0.82	(0.02)	2,502	-	BOL	4.26	0.04	12,344	4.00	ADVA28C2011A	-	-	-	-
TM	2.30	-	11,024	2.00	CMO	0.91	-	972	-	ADVA28C2012A	0.05	(0.01)	1,029	-
Financials (MAI)					D	3.30	-	1,997	3.00	ADVA28C2012B	0.23	(0.02)	27,764	-
ACAP	0.72	(0.02)	18,047	-	DCORP	0.32	-	1,270	-	ADVA28C2101A	0.53	(0.03)	24,445	-
AF	0.54	(0.01)	387	-	EFORL	-	-	-	-	ADVA28C2102L	0.32	(0.01)	24,336	-
AIRA	0.96	(0.02)	641	-	ETE	0.96	(0.03)	1,069	-	ADVA28P2012A	-	-	-	-
ASN	4.14	(0.02)	142	4.00	FSMART	6.65	0.45	82,926	6.00	ADVA41C2010A	-	-	-	-
BROOK	0.39	(0.01)	5,917	-	FVC	0.35	(0.01)	855	-	ADVA41C2010B	-	-	-	-
CHAYO	8.00	(0.20)	42,651	7.00	GSC	1.38	(0.03)	6,535	1.00	ADVA41C2011A	0.47	(0.02)	75,812	-
GCAP	1.42	-	1,107	1.00	HARN	2.18	-	7,871	2.00	ADVA41P2009A	0.24	0.01	47,000	-
LIT	3.12	-	622	3.00	IMH	2.20	(0.04)	838	2.00	ADVA41P2011A	-	-	-	-
MITSI	1.04	(0.05)	2,816	1.00	JKN	6.25	(0.05)	49,698	6.00	ADVA42C2102T	0.45	(0.02)	8,504	-
SGF	0.56	(0.02)	36,820	-	KIAT	0.47	(0.02)	71,531	-	AEON13C2010A	0.04	(0.01)	110	-
Industrials (MAI)					KOOL	0.80	(0.01)	878	-	AEON13C2011A	0.23	(0.01)	280,817	-
ZS	3.34	(0.02)	1,997	3.00	LDC	0.88	-	7,586	-	AEON19C2010A	0.11	(0.01)	58,733	-
ADB	0.73	(0.01)	869	-	MORE	0.93	0.08	2,590,573	-	AEON19C2010B	0.25	-	36,853	-
BM	2.18	0.02	276	2.00	MPG	0.25	0.03	42,712	-	AEON19C2011A	1.01	-	5,926	1.00
CHO	0.49	(0.01)	38,701	-	MVP	1.17	(0.01)	163	1.00	AEON19C2012A	0.53	-	35,473	-
CHOW	1.93	(0.04)	885	1.00	NBC	0.59	(0.01)	1,146	-	AEON28C2012A	0.49	0.01	44,808	-
CIG	0.22	-	34	-	NCL	0.73	0.02	57	-	AEON42C2101T	-	-	-	-
COLOR	1.20	0.03	280	1.00	NEWS	0.01	-	24	-	AMAT01C2008A	-	-	-	-
CPR	2.64	0.02	445	2.00	NINE	1.71	(0.03)	4	1.00	AMAT01C2101A	0.38	(0.62)	20,512	-
FPI	1.42	-	638	1.00	OTO	3.08	(0.08)	289	3.00	AMAT01P2008A	-	-	-	-
GTB	0.69	-	4,002	-	PHOL	2.66	(0.02)	11,217	2.00	AMAT06C2010A	0.14	(0.04)	16,352	-
KCM	0.49	0.01	4,139	-	PICO	3.70	-	30	3.00	AMAT08C2010A	0.20	(0.02)	4,356	-
KUMWEL	1.04	(0.03)	6,310	1.00	QLT	4.06	(0.24)	21	4.00	AMAT11C2008A	-	-	-	-
KWM	0.88	(0.01)	5,607	-	RP	1.27	0.04	313	1.00	AMAT13C2010A	0.14	(0.02)	34,846	-
MBAX	5.65	(0.15)	9,358	5.00	SE	1.22	0.01	507	1.00	AMAT13C2012A	0.28	(0.04)	110,207	-
MGT	2.34	(0.08)	9,707	2.00	SLM	-	-	-	-	AMAT16C2008A	-	-	-	-
NDR	1.22	0.04	477	1.00	SONIC	1.09	0.02	3,549	1.00	AMAT19C2008A	0.01	(0.03)	53	-
PDG	3.40	0.02	228	3.00	SPA	6.40	(0.20)	12,741	6.00	AMAT19C2009A	0.17	(0.03)	111,658	-
PIMO	1.63	(0.01)	231,808	1.00	THMUI	0.54	(0.02)	606	-	AMAT19C2011A	0.18	(0.02)	51,334	-
PJW	1.33	0.01	324	1.00	TNDT	2.94	(0.06)	4	2.00	AMAT24C2010A	-	-	-	-
PPM	0.74	0.01	251	-	TNH	33.50	(0.25)	1,628	33.00	AMAT28C2012A	0.16	(0.02)	16,224	-
RWI	1.33	(0.02)	325	1.00	TNP	2.82	-	12,576	2.00	AMAT28C2101A	0.26	(0.02)	13,182	-
SALIE	0.61	(0.03)	682	-	TSF	-	-	-	-	AMAT28C2102L	0.13	(0.02)	5,070	-
SANKO	0.95	-	2,337	-	TVD	1.25	(0.03)	29,621	1.00	AMAT42C2101T	0.15	(0.01)	70	-
SELIC	1.95	0.15	151,051	1.00	TVT	0.63	-	1,449	-	AOT01C2012A	0.64	(0.03)	43,894	-
SWC	4.10	0.04	2,233	4.00	VL	1.10	(0.04)	38,375	1.00	AOT01P2012A	0.41	0.02	36,085	-
TMC	-	-	-	-	WINNER	2.60	(0.02)	2,069	2.00	AOT06C2009A	0.07	(0.02)	20	-
TMI	0.63	-	3,054	-	YGG	11.50	(0.50)	11,902	11.00	AOT06C2011A	0.28	(0.04)	30,710	-
TMW	30.50	-	67	30.00	Technology (MAI)	-	-	-	-	AOT06P2009A	0.04	0.01	3,629	-
TPAC	10.90	(0.10)	194	10.00	APP	2.30	0.14	253,910	2.00	AOT06P2011A	0.91	0.02	25,313	-
TPLAS	1.29	0.01	1,943	1.00	COMAN	2.32	(0.08)	3,801	2.00	AOT08C2009A	0.20	(0.04)	3,000	-
UBIS	4.68	0.02	758	4.00	ICN	2.18	-	21,606	2.00	AOT08C2101A	0.49	(0.02)	17,721	-
UEC	0.85	-	1,547	-	IIG	14.00	(0.70)	41,699	14.00	AOT08P2009A	0.18	(0.01)	3,713	-
UKEM	0.58	(0.01)	117,356	-	INSET	3.30	(0.04)	29,145	3.00	AOT11C2011A	0.36	(0.02)	32,480	-
UREKA	0.83	(0.02)	3,478	-	IRCP	0.52	0.01	4,053	-	AOT11P2101A	0.53	0.02	29,052	-
YUASA	14.50	(0.40)	1,017	14.00	ITEL	2.84	(0.10)	21,212	2.00	AOT13C2008A	-	-	-	-
ZIGA	1.50	(0.02)	1,078	1.00	NETBAY	29.75	-	3,082	29.00	AOT13C2010A	0.06	(0.02)	24,986	-
Property & Construc					PLANET	1.09	(0.01)	5,171	1.00	AOT13C2011A	0.23	(0.03)	158,040	-
ALL	3.22	(0.10)	43,036	3.00	SICT	4.28	(0.14)	35,703	4.00	AOT13C2012A	0.53	(0.05)	41,323	-
ARIN	0.98	-	1,223	-	SIMAT	4.30	-	59,137	4.00	AOT13P2009A	0.01	-	651	-
ARROW	7.20	(0.05)	210	7.00	SKY	13.40	(0.20)	6,455	13.00	AOT13P2010A	0.61	0.01	29,140	-
BC	0.86	0.03	227	-	SPVI	2.78	(0.04)	21,027	2.00	AOT13P2011A	0.29	0.01	118,814	-
BSM	0.25	0.01	10,665	-	TPS	2.60	0.10	309,991	2.00	AOT16C2009A	-	-	-	-
BTW	0.80	-	2,549	-	VCOM	4.84	(0.21)	24,263	4.00	AOT16C2012A	0.63	(0.03)	5,112	-
CAZ	1.55	-	802	1.00	Unit Trust	-	-	-	-	AOT19C2008A	0.01	-	10	-
CHEWA	0.49	0.06	149,297	-	MGE	-	-	-	-	AOT19C2009A	0.06	(0.01)	532	-
CMC	0.74	-	2,724	-	SCBSET	-	-	-	-	AOT19C2011A	0.08	(0.01)	4,551	-
CRD	0.49	-	351	-	ETF	-	-	-	-	AOT19C2011B	0.25	(0.02)	56,195	-
DIMET	0.31	0.01	1,130	-	IDIV	8.14	(0.04)	99	8.00	AOT19C2012A	0.46	(0.04)	44,957	

Main Board Quotation

Issue Date :

Monday August 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT42C2101T	0.11	(0.01)	6,400	-	BCPG13C2012B	0.23	(0.04)	43,540	-	BTS16C2008A	-	-	-	-
AOT42P2009A	-	-	-	-	BCPG16C2009A	-	-	-	-	BTS19C2008A	-	-	-	-
AOT42P2012T	0.46	-	3,706	-	BCPG19C2010A	-	-	-	-	BTS19C2010A	0.06	(0.02)	17,540	-
AP01C2012A	0.27	(0.02)	15,464	-	BCPG19C2011A	-	-	-	-	BTS19C2011A	0.13	(0.02)	6,080	-
AP08C2101A	0.31	(0.02)	8,647	-	BCPG19C2012A	0.27	(0.03)	20,266	-	BTS19C2012A	-	-	-	-
AP13C2011A	0.23	(0.01)	53,112	-	BCPG28C2012A	0.11	-	2,948	-	BTS19P2012A	0.12	-	730	-
AP19C2010A	-	-	-	-	BCPG28C2012B	-	-	-	-	BTS24C2012A	0.11	(0.02)	23,871	-
AP19C2011A	0.27	(0.01)	26,752	-	BCPG28C2012C	-	-	-	-	BTS41C2010A	-	-	-	-
AP28C2012A	-	-	-	-	BDMS01C2010A	0.51	(0.49)	12,562	-	BTS41C2012A	0.15	(0.03)	12,133	-
AP28C2012B	0.24	(0.02)	15,260	-	BDMS01P2008A	-	-	-	-	CBG01C2012A	0.59	(0.01)	29,148	-
AWC01C2009A	-	-	-	-	BDMS06C2010A	0.11	0.01	13,310	-	CBG01P2012A	0.77	(0.01)	23,311	-
AWC01C2101A	0.61	(0.39)	1,088	-	BDMS06P2009A	-	-	-	-	CBG06C2011A	0.64	-	30,689	-
AWC06C2009A	-	-	-	-	BDMS08C2011A	0.13	-	15,000	-	CBG08C2012A	0.70	(0.02)	16,181	-
AWC06C2011A	-	-	-	-	BDMS11C2008A	-	-	-	-	CBG11C2008A	-	-	-	-
AWC06P2012A	0.50	(0.01)	17,010	-	BDMS11C2011A	0.51	0.01	35,100	-	CBG11C2101A	0.69	(0.02)	8,236	-
AWC08C2012A	0.34	(0.02)	1,400	-	BDMS13C2009A	-	-	-	-	CBG13C2010A	1.01	(0.03)	1,240	1.00
AWC11C2102A	0.61	(0.02)	8,256	-	BDMS13C2011A	0.23	0.01	55,354	-	CBG13C2011A	0.60	-	136,880	-
AWC13C2009A	-	-	-	-	BDMS13C2012A	0.39	0.03	195,961	-	CBG13P2010A	-	-	-	-
AWC13C2010A	0.01	-	3,493	-	BDMS19C2010A	0.10	-	12,119	-	CBG13P2011A	0.51	(0.03)	59,054	-
AWC13C2010B	0.06	(0.03)	5,040	-	BDMS19C2011A	0.21	0.02	46,169	-	CBG16C2008A	1.50	1.15	8	1.00
AWC13C2011A	0.31	(0.01)	53,645	-	BDMS19P2010A	0.15	(0.02)	109	-	CBG19C2008A	-	-	-	-
AWC13P2011A	0.29	-	67,416	-	BDMS24C2010A	0.49	0.04	15,166	-	CBG19C2010A	1.69	(0.18)	15	1.00
AWC19C2010A	0.15	-	19,534	-	BDMS28C2011A	0.10	0.01	2,028	-	CBG19C2011A	0.71	0.01	39,362	-
AWC19C2010B	-	-	-	-	BDMS28C2012A	0.11	-	4,056	-	CBG19C2011B	0.38	-	72,616	-
AWC19C2010C	0.30	(0.01)	27,060	-	BDMS28C2012B	-	-	-	-	CBG19P2010A	0.09	(0.01)	135	-
AWC19P2011A	0.34	0.02	130,968	-	BDMS28C2010A	0.27	0.02	11,123	-	CBG19P2011A	0.28	(0.01)	24,521	-
AWC24C2010A	-	-	-	-	BDMS28C2102A	0.37	0.02	15,710	-	CBG19P2012A	0.79	(0.02)	35,236	-
AWC28C2010A	0.11	(0.02)	14,206	-	BDMS41C2009A	-	-	-	-	CBG24C2008A	-	-	-	-
AWC28C2010B	-	-	-	-	BDMS41C2012A	0.33	0.03	32,800	-	CBG41C2009A	-	-	-	-
AWC28C2012A	0.04	-	200	-	BDMS41P2011A	0.57	(0.05)	3,074	-	CBG41C2010A	0.67	0.01	1,550	-
AWC28C2012B	0.20	(0.02)	59,717	-	BDMS42C2010T	0.16	-	1	-	CBG41C2011A	-	-	-	-
AWC28C2101A	0.40	(0.03)	10,215	-	BEM01C2101A	-	-	-	-	CBG41C2011B	0.51	(0.01)	20,041	-
AWC41C2010A	-	-	-	-	BEM06P2009A	-	-	-	-	CBG41C2012A	-	-	-	-
AWC41C2011A	0.22	(0.03)	10,880	-	BEM08C2009A	0.29	(0.04)	6,271	-	CBG41P2010A	0.22	(0.01)	2,089	-
AWC42C2010T	-	-	-	-	BEM11C2011A	0.29	(0.02)	18,300	-	CBG41P2012A	0.96	(0.01)	5,935	-
BANP01C2101A	0.35	(0.65)	7,230	-	BEM13C2009A	0.05	0.05	96	-	CBG42C2010T	0.96	(0.03)	8,144	-
BANP06C2010A	-	-	-	-	BEM13C2010A	-	-	-	-	CENT01C2009A	-	-	-	-
BANP06C2101A	0.29	(0.03)	19,460	-	BEM13C2011A	0.26	(0.05)	91,379	-	CENT01P2009A	0.02	-	1,281	-
BANP06P2011A	0.53	0.01	9,142	-	BEM19C2010A	0.26	(0.03)	29,504	-	CENT08C2012A	0.71	(0.15)	2	-
BANP08C2009A	0.10	(0.01)	1,000	-	BEM19C2011A	0.09	(0.02)	15,022	-	CENT11C2012A	0.28	(0.03)	8,194	-
BANP08P2009A	0.31	(0.01)	4,000	-	BEM19P2010A	0.19	0.02	24,330	-	CENT13C2010A	0.18	0.01	30,622	-
BANP11C2008A	-	-	-	-	BEM24C2008A	-	-	-	-	CENT13C2011A	0.81	0.07	3,890	-
BANP13C2010A	0.01	(0.02)	10	-	BEM28C2010A	0.26	(0.05)	16,410	-	CENT13P2011A	0.23	(0.01)	64,547	-
BANP13C2011A	0.13	(0.02)	15,509	-	BEM28C2012A	0.09	-	200	-	CENT19C2008A	-	-	-	-
BANP13C2012A	0.24	(0.01)	84,413	-	BGR101C2008B	-	-	-	-	CENT19C2010A	0.53	0.01	8,091	-
BANP19C2009A	0.12	0.01	12,052	-	BGR101C2009A	0.26	(0.08)	339	-	CENT19C2011A	0.24	0.01	25,805	-
BANP19C2010A	-	-	-	-	BGR101C2012A	0.37	(0.04)	48,919	-	CENT19C2011B	0.96	(0.01)	100	-
BANP19C2012A	0.25	(0.02)	6,038	-	BGR101P2012A	0.53	0.02	34,948	-	CENT19P2011A	0.23	-	48,042	-
BANP19P2010A	-	-	-	-	BGR106C2010A	0.16	(0.03)	44,627	-	CENT24C2008A	-	-	-	-
BANP19P2010B	0.62	-	8,590	-	BGR106P2011A	0.56	0.03	32,795	-	CENT24C2011A	0.91	(0.02)	2,305	-
BANP24C2011A	0.09	(0.02)	800	-	BGR108C2009A	0.16	(0.04)	13,380	-	CENT27C2008A	-	-	-	-
BANP28C2010A	-	-	-	-	BGR11C2008A	-	-	-	-	CENT28C2010A	-	-	-	-
BANP28C2010A	0.12	(0.02)	4,643	-	BGR11C2011A	0.33	(0.03)	29,140	-	CENT28C2012A	0.38	(0.03)	15,420	-
BANP28C2012B	0.14	-	3,042	-	BGR113C2009A	0.06	(0.03)	17,470	-	CENT28C2012B	0.57	0.01	3,201	-
BANP28C2101A	0.25	(0.02)	8,512	-	BGR113C2011A	0.14	(0.02)	82,496	-	CENT28C2101A	-	-	-	-
BANP41C2010A	-	-	-	-	BGR113P2011A	0.54	0.03	46,629	-	CENT28C2101B	0.26	-	36,228	-
BANP42C2012T	-	-	-	-	BGR119C2008A	-	-	-	-	CENT28C2103L	0.56	0.01	11,343	-
BBL06C2009A	0.19	(0.03)	43,454	-	BGR119C2008B	-	-	-	-	CHG13C2010A	0.15	-	27,193	-
BBL06C2101A	-	-	-	-	BGR119C2009A	0.20	(0.03)	43,306	-	CHG13C2012A	0.30	0.02	55,607	-
BBL06P2011A	0.57	(0.01)	43,718	-	BGR119C2011A	0.19	(0.03)	96,703	-	CHG16C2009A	-	-	-	-
BBL08C2009A	0.13	(0.01)	9,200	-	BGR119P2010A	0.40	0.03	161,825	-	CHG19C2011A	0.22	-	650	-
BBL08C2101A	0.48	0.01	23,400	-	BGR124C2009A	0.13	(0.03)	5,200	-	CHG27C2009A	-	-	-	-
BBL08P2009A	0.16	(0.02)	10,000	-	BGR127C2010A	0.25	(0.02)	4,304	-	CK01C2010A	0.54	(0.46)	31,737	-
BBL11C2011A	0.57	-	31,210	-	BGR127P2012A	0.28	(0.01)	337	-	CK06C2009A	0.20	0.01	37,500	-
BBL11P2008A	-	-	-	-	BGR141C2010A	-	-	-	-	CK06P2012A	0.50	(0.03)	31,788	-
BBL13C2010A	0.63	0.04	1,202	-	BGR141C2012A	0.56	(0.03)	17,601	-	CK11C2010A	0.39	0.01	16,880	-
BBL13C2010B	0.19	(0.02)	348,089	-	BGR142C2101T	0.15	-	100	-	CK13C2010A	0.35	-	290,480	-
BBL13C2012A	0.47	(0.01)	370,103	-	BH11C2008A	-	-	-	-	CK19C2010A	0.26	0.01	37,135	-
BBL13P2010A	0.12	(0.01)	97,072	-	BH13C2010A	0.10	-	143,256	-	CK19C2011A	0.33	0.01	99,323	-
BBL19C2009A	-	-	-	-	BH13C2012A	0.35	(0.03)	97,459	-	CK19C2012A	0.54	0.02	60,210	-
BBL19C2010A	0.23	(0.01)	100,487	-	BH19C2009A	0.08	0.01	1,500	-	CK19P2011A	0.39	-	160,824	-
BBL19C2011A	0.17	(0.01)	59,700	-	BH19C2012A	0.38	(0.04)	151,141	-	CK27C2008A	-	-	-	-
BBL19C2011B	0.33	(0.01)	85,505	-	BH19P2012A	0.48	0.02	65,352	-	CK41C2009A	0.21	0.04	3,764	-
BBL19C2012A	-	-	-	-	BH24C2008A	-	-	-	-	CK41C2011A	0.31	0.04	2,500	-
BBL19P2010A	0.27	(0.02)	8,000	-	BH41C2009A	-	-	-	-	CK41C2012A	0.48	0.01	7,880	-
BBL19P2011A	0.61	-	46,746	-	BH41C2012A	0.38	(0.01)	86,132	-	CK42C2101T	0.21	0.05	2,820	-
BBL24C2009A	0.16	-	16,920	-	BJC01C2008B	-	-	-	-	CKP01C2008B	-	-	-	-
BBL28C2010A	-	-	-	-	BJC01C2009A	-	-	-	-	CKP01C2009A	1.87	0.04	2	1.00
BBL28C2011A	-	-	-	-	BJC01P2009A	-	-	-	-	CKP01C2010A	0.31	(0.69)	4,173	-
BBL28C2012A	0.24	(0.01)	32,268	-	BJC11C2008A	-	-	-	-	CKP01P2009A	-	-	-	-
BBL28C2101A	0.38	(0.01)	15,306	-	BJC11C2102A	0.36	(0.64)	12,490	-	CKP06C2012A	0.46	0.05	24,100	-
BBL41C2009A	0.16	-	37,762	-	BJC13C2010A	0.04	(0.02)	1	-	CKP08C2010A	-	-	-	-
BBL41C2011A	-	-	-	-	BJC13C2011A	0.15	(0.01)	27,460	-	CKP08C2012A	0.36	0.04	24,634	-
BBL41C2012A	-	-	-	-	BJC19C2010A	0.06	(0.01)	600	-	CKP11C2102A	0.41	0.01	20,620	-
BBL41P2010A	-	-	-	-	BJC19C2010B	0.16	(0.01)	350	-	CKP13C2010A	1.18	0.17	300	1.00
BBL41P2011A	-	-	-	-	BJC19C2012A	0.30	(0.01)	119,251	-	CKP13C2011A	0.30	0.02	212,382	-
BBL42C2101T	-	-	-	-	BJC19P2012A	0.34	0.01	74,060	-	CKP16C2012A	0.28	-	22,972	-
BBL42P2102T	-	-	-	-	BJC27C2009A	-	-	-	-	CKP19C2010A	-	-	-	-
BCH01C2101A	0.46	(0.54)	26,902	-	BJC28C2010A	-	-	-	-	CKP19C2011A	1.02	0.11	1,002	1.00
BCH06C2011A	0.32	0.0												

Main Board Quotation

Issue Date :

Monday August 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM719C2009A	-	-	-	-	DTAC06P2012A	0.59	0.02	24,610	-	GPSC13C2011A	0.15	(0.02)	39,570	-
COM719C2010A	-	-	-	-	DTAC08C2008A	-	-	-	-	GPSC13C2012A	0.37	(0.04)	35,471	-
COM719C2011A	0.85	(0.05)	20	-	DTAC08C2012A	0.13	(0.01)	18,098	-	GPSC13C2012B	0.53	(0.06)	127,417	-
COM719C2011B	0.57	(0.03)	9,288	-	DTAC13C2009A	-	-	-	-	GPSC13P2011A	0.85	0.04	33	-
COM719C2012A	0.41	(0.02)	69,868	-	DTAC13C2011A	0.17	(0.01)	177,207	-	GPSC13P2011B	0.47	0.03	263,654	-
COM719P2011A	0.10	-	68,591	-	DTAC13P2011A	0.42	0.01	32,141	-	GPSC19C2008A	-	-	-	-
COM719P2012A	0.25	-	221,582	-	DTAC16C2009A	-	-	-	-	GPSC19C2009A	-	-	-	-
COM724C2012A	0.47	-	27,972	-	DTAC19C2009A	0.03	-	1,975	-	GPSC19C2010A	0.16	(0.02)	139,167	-
CPAL01C2008B	-	-	-	-	DTAC19C2010A	0.04	(0.01)	2,005	-	GPSC19C2012A	0.43	(0.03)	192,114	-
CPAL01C2010A	0.47	(0.53)	12,275	-	DTAC19C2011A	0.16	(0.02)	143,823	-	GPSC19P2010A	0.25	0.01	247,373	-
CPAL01P2008B	-	-	-	-	DTAC19C2012A	0.26	(0.01)	120,746	-	GPSC19P2011A	0.99	0.04	36,405	-
CPAL01P2010A	0.62	(0.38)	20,728	-	DTAC19P2011A	0.36	0.02	111,400	-	GPSC19P2012A	0.56	0.04	11,890	-
CPAL06C2011A	0.08	-	8,465	-	DTAC24C2012A	0.16	(0.01)	12,928	-	GPSC24C2011A	0.16	(0.01)	1	-
CPAL06P2012A	0.69	0.01	26,684	-	DTAC27C2008A	-	-	-	-	GPSC28C2011A	0.15	(0.03)	9,126	-
CPAL08C2008A	-	-	-	-	DTAC28C2012A	0.17	-	22,308	-	GPSC28C2010A	0.45	(0.05)	32,373	-
CPAL08C2011A	0.14	-	2,244	-	DTAC41C2010A	-	-	-	-	GPSC41C2009A	0.01	-	700	-
CPAL08P2009A	0.06	(0.01)	1	-	DTAC41C2011A	0.14	-	14,881	-	GPSC41C2011A	-	-	-	-
CPAL08P2010A	0.71	(0.03)	12,650	-	DTAC42C2010T	-	-	-	-	GPSC41C2012A	0.44	(0.02)	18,000	-
CPAL11C2012A	0.29	-	18,115	-	EA06C2010A	0.25	(0.04)	55,748	-	GPSC41P2010A	0.83	0.05	16,742	-
CPAL13C2009A	0.10	(0.02)	2,614	-	EA06P2012A	0.65	0.03	20,747	-	GPSC42C2010T	0.15	(0.02)	50	-
CPAL13C2011A	0.14	-	42,249	-	EA08C2009A	0.23	(0.03)	8,600	-	GULF01C2012A	0.28	(0.05)	71,937	-
CPAL13C2012A	0.36	(0.01)	170,963	-	EA11C2010A	0.19	(0.01)	839	-	GULF01P2012A	0.32	0.03	38,497	-
CPAL13P2011A	0.55	0.01	120,500	-	EA13C2009A	0.03	(0.03)	8,861	-	GULF06C2009A	0.05	-	1,877	-
CPAL19C2008A	-	-	-	-	EA13C2011A	0.18	(0.03)	381,499	-	GULF08C2008A	-	-	-	-
CPAL19C2010A	0.07	-	2,295	-	EA13P2011A	0.75	0.04	77,698	-	GULF08C2009A	-	-	-	-
CPAL19C2011A	0.20	(0.01)	27,276	-	EA16C2008A	-	-	-	-	GULF08C2012A	0.17	(0.03)	8,535	-
CPAL19C2012A	0.41	(0.01)	21,030	-	EA16C2012A	0.25	(0.02)	4,511	-	GULF11C2011A	0.16	(0.03)	170	-
CPAL19P2010A	0.08	-	331	-	EA19C2008A	0.01	(0.09)	19,168	-	GULF13C2009A	-	-	-	-
CPAL19P2010B	0.58	0.01	66,219	-	EA19C2010A	0.21	(0.03)	21,010	-	GULF13C2009B	0.01	-	273	-
CPAL24C2009A	0.25	(0.02)	33,779	-	EA19P2011A	0.37	0.02	45,414	-	GULF13C2011A	0.10	(0.03)	160,731	-
CPAL27C2010A	0.17	-	1,448	-	EA19P2011B	0.55	0.03	67,229	-	GULF13C2012A	0.20	(0.04)	102,127	-
CPAL28C2010A	-	-	-	-	EA24C2008A	-	-	-	-	GULF13P2009A	0.03	0.01	685	-
CPAL28C2012A	0.07	(0.02)	2,947	-	EA28C2011A	0.21	(0.04)	41,530	-	GULF13P2011A	0.39	0.04	223,575	-
CPAL28C2012B	0.13	0.01	6,284	-	EA28C2012A	0.21	(0.02)	2,366	-	GULF16C2012A	0.18	(0.06)	4,579	-
CPAL28C2012C	0.18	-	4,156	-	EA28C2101A	0.24	(0.01)	8,112	-	GULF19C2008A	-	-	-	-
CPAL28C2102A	0.33	(0.02)	13,518	-	EA28C2103L	0.18	-	4,056	-	GULF19C2010A	0.07	(0.01)	47,278	-
CPAL41C2010A	-	-	-	-	EA41C2009A	-	-	-	-	GULF19C2010B	0.10	(0.03)	2,280	-
CPAL41C2011A	0.27	(0.02)	24,492	-	EA41C2011A	-	-	-	-	GULF19C2012A	0.21	(0.04)	91,313	-
CPAL41P2011A	0.62	-	11,710	-	EA42C2010T	0.22	(0.03)	10,060	-	GULF19P2009A	0.05	0.01	3,019	-
CPAL42C2010T	0.11	-	7	-	EGC006C2010A	0.07	0.01	945	-	GULF19P2010A	0.18	0.02	31,338	-
CPF01C2012A	0.20	(0.06)	56,450	-	EGC006P2009A	0.15	(0.01)	21,800	-	GULF19P2010B	0.42	0.06	82,953	-
CPF06C2010A	0.15	(0.04)	12,238	-	EGC013C2009A	0.01	-	2,200	-	GULF19P2012A	0.35	0.03	112,511	-
CPF06P2011A	0.15	0.03	33,560	-	EGC013C2011A	0.18	(0.01)	55,577	-	GULF24C2009A	-	-	-	-
CPF08C2010A	0.21	(0.07)	6,085	-	EGC013P2011A	0.57	(0.01)	60,344	-	GULF28C2010A	0.02	(0.01)	1,000	-
CPF11C2010A	0.18	(0.05)	10,060	-	EGC019C2010A	0.12	-	56,416	-	GULF28C2012A	0.06	(0.02)	14,194	-
CPF13C2009A	0.06	(0.04)	97,858	-	EGC019C2011A	0.19	(0.01)	90,042	-	GULF28C2012B	0.11	(0.02)	10,175	-
CPF13C2011A	0.13	(0.04)	167,546	-	EGC019C2012A	0.34	(0.02)	120,656	-	GULF28C2101A	0.19	(0.04)	27,210	-
CPF16C2012A	0.21	(0.04)	2,691	-	EGC019P2011A	0.78	-	40,427	-	GULF41C2009A	-	-	-	-
CPF19C2009A	-	-	-	-	EGC024C2009A	-	-	-	-	GULF41C2011A	0.16	-	500	-
CPF19C2010A	0.16	(0.04)	45,700	-	EGC042C2010T	0.13	(0.01)	2,900	-	GULF41C2012A	0.21	(0.05)	6,500	-
CPF19P2010A	0.10	0.03	2,300	-	EPG13C2010A	0.05	-	5,840	-	GULF41P2009A	0.40	0.03	2	-
CPF19P2012A	0.34	0.05	30,131	-	EPG13C2011A	0.41	(0.01)	74,338	-	GULF41P2011A	0.40	0.04	34,048	-
CPF24C2012A	0.18	(0.04)	14,240	-	EPG13C2012A	0.16	-	9,808	-	GULF42C2010M	0.04	(0.01)	7,001	-
CPF28C2010A	-	-	-	-	EPG19C2008A	-	-	-	-	GULF42C2010T	0.12	(0.03)	19,450	-
CPF28C2011A	0.19	(0.06)	14,934	-	EPG19C2010A	0.42	(0.01)	78,342	-	GULF42P2010T	0.31	0.03	3,071	-
CPF28C2012A	0.14	(0.03)	23,634	-	EPG19C2011A	0.12	(0.01)	7	-	GUNK01C2012A	0.28	(0.03)	9,591	-
CPF28C2012B	0.11	(0.04)	15,228	-	EPG24C2008A	-	-	-	-	GUNK13C2011A	0.13	-	35,308	-
CPF28C2103L	0.22	(0.03)	9,185	-	EPG42C2010T	0.30	(0.01)	2,300	-	GUNK19C2010A	-	-	-	-
CPF41C2010A	0.15	(0.03)	31,000	-	ERW06C2010A	0.39	(0.05)	52,643	-	GUNK19C2012A	0.19	(0.02)	10,644	-
CPF41P2011A	0.24	0.01	3,000	-	ERW13C2010A	0.15	(0.02)	47,997	-	GUNK24C2012A	0.19	(0.03)	32,366	-
CPF42C2101T	0.14	(0.02)	29,305	-	ERW19C2010A	0.43	(0.02)	53,499	-	GUNK28C2012A	0.16	(0.02)	28,292	-
CPN01C2012A	0.41	(0.04)	35,606	-	ERW19C2010B	0.10	(0.02)	14,695	-	GUNK28C2012B	0.15	-	4,056	-
CPN06C2010A	0.11	(0.03)	16,475	-	ESSO01C2008B	-	-	-	-	GUNK28C2102A	0.22	(0.02)	24,845	-
CPN11C2008A	0.01	-	100	-	ESSO01C2009A	-	-	-	-	HANA01C2012A	0.46	(0.04)	42,862	-
CPN11C2010A	0.32	(0.03)	15,385	-	ESSO01C2012A	0.38	(0.04)	23,079	-	HANA11C2008A	0.01	(0.05)	14,050	-
CPN13C2009A	-	-	-	-	ESSO01P2009A	0.03	0.01	809	-	HANA13C2011A	0.46	(0.05)	153,266	-
CPN13C2011A	0.20	(0.03)	47,551	-	ESSO06C2011A	0.21	(0.02)	28,647	-	HANA13C2012A	0.26	(0.03)	354,655	-
CPN19C2010A	0.12	(0.02)	27,055	-	ESSO08C2008A	-	-	-	-	HANA16C2008A	0.20	0.13	40	-
CPN19C2011A	0.21	(0.02)	49,290	-	ESSO08C2011A	0.30	(0.02)	32,892	-	HANA19C2010A	0.44	(0.05)	47,322	-
CPN19P2010A	0.33	0.03	4,015	-	ESSO13C2010A	0.19	(0.03)	91,347	-	HANA19C2012A	0.29	(0.04)	77,565	-
CPN24C2011A	0.24	(0.02)	5,172	-	ESSO19C2009A	-	-	-	-	HANA19P2011A	0.09	-	2,002	-
CPN41C2009A	-	-	-	-	ESSO19C2010A	0.26	(0.02)	86,615	-	HANA24C2012A	0.43	(0.06)	51,648	-
CPN41C2012A	0.31	(0.04)	23,782	-	ESSO19C2011A	0.15	(0.01)	115,485	-	HANA27P2012X	0.18	0.01	26,014	-
CPN41P2011A	0.67	0.04	6,084	-	ESSO19P2012A	0.39	0.01	29,202	-	HANA28C2012A	0.36	(0.06)	78,054	-
CRC01C2101A	0.36	(0.64)	47,016	-	ESSO24C2012A	0.21	(0.02)	27,597	-	HANA41C2012A	0.37	(0.04)	4,325	-
CRC08C2009A	0.06	(0.02)	100	-	ESSO28C2101A	0.19	(0.02)	5,066	-	HANA42C2101T	0.30	(0.05)	4,127	-
CRC13C2009A	-	-	-	-	ESSO41C2010A	-	-	-	-	HMPR01C2012A	0.30	(0.01)	42,467	-
CRC13C2011A	0.17	(0.05)	209,133	-	ESSO41C2011A	0.17	(0.04)	3,000	-	HMPR06C2010A	0.23	(0.02)	24,868	-
CRC19C2008A	-	-	-	-	ESSO42C2101T	-	-	-	-	HMPR06P2011A	0.27	0.02	14,876	-
CRC19C2008B	-	-	-	-	GFPT08C2011A	0.22	(0.03)	2,050	-	HMPR11C2011A	0.43	-	14,390	-
CRC19C2010A	0.06	(0.02)	1,400	-	GFPT13C2010A	0.19	(0.02)	5,144	-	HMPR13C2009A	0.07	(0.02)	8,020	-
CRC19C2011A	0.17	(0.04)	191,928	-	GFPT19C2010A	0.22	(0.03)	68,837	-	HMPR19C2010A	0.27	(0.01)	2,860	-
CRC19P2011A	0.24	0.03	63,300	-	GFPT19C2010B	0.11	(0.02)	2,706	-	HMPR19P2011A	0.37	0.02	8,949	-
CRC24C2008A	-	-	-	-	GFPT24C2012A	0.21	(0.02)	17,262	-	HMPR24C2008A	-	-	-	-
CRC28C2011A	0.08	(0.02)	2,495	-	GFPT42C2101T	-	-	-	-	HMPR41C2010A	0.19	(0.01)	5,066	-
CRC28C2012A	0.10	(0.02)	14,278	-	GLOB01C2008A	-	-	-	-	HSI28C2				

Main Board Quotation

Issue Date :

Monday August 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28P2008C	-	-	-	-	JAS13C2009A	-	-	-	-	KTB28C2101C	0.12	(0.01)	5,070	-
HSI28P2009A	0.73	0.07	1,304,907	-	JAS13C2011A	0.09	0.01	2,517	-	KTC01C2012A	0.30	(0.01)	51,414	-
HSI28P2009B	0.37	0.04	802,547	-	JAS13C2012A	0.28	(0.02)	4,295	-	KT001P2012A	0.38	0.01	55,463	-
HSI28P2009C	0.18	0.01	514,508	-	JAS19C2009A	0.08	(0.01)	280	-	KTC08C2011A	0.18	(0.02)	10,299	-
HSI28P2010A	0.46	0.07	54,773	-	JAS19C2010A	0.03	(0.01)	500	-	KTC11P2011A	0.29	0.01	16,371	-
HSI28P2010B	0.67	0.07	85,050	-	JAS19C2010B	0.06	(0.02)	500	-	KTC13C2008A	-	-	-	-
HSI28P2010C	1.10	0.15	185,939	-	JAS19C2012A	0.24	(0.02)	19,671	-	KTC13C2010A	0.02	-	65,056	-
HSI28P2010L	0.11	0.01	86,017	-	JAS19P2010A	0.43	0.02	23,759	-	KTC13C2010B	0.15	(0.01)	52,966	-
HSI28P2011L	0.14	0.02	12,844	-	JAS28C2011A	0.03	(0.01)	11,000	-	KTC13C2011A	0.24	(0.02)	254,252	-
HSI28P2012L	0.45	0.03	54,455	-	JAS28C2012A	0.05	0.01	410	-	KTC13P2010A	0.19	-	211,419	-
HSI28P2101L	0.41	(0.59)	356	-	JAS28C2012B	-	-	-	-	KTC19C2008A	0.01	(0.03)	1,300	-
HSI41C2008A	-	-	-	-	JAS28C2101A	0.19	(0.01)	870	-	KTC19C2010A	0.04	(0.01)	56,119	-
HSI41C2008B	-	-	-	-	JAS28C2102A	0.31	(0.02)	12,140	-	KTC19C2010B	0.18	-	49,007	-
HSI41C2008C	-	-	-	-	JAS41C2009A	-	-	-	-	KTC19P2010A	0.28	0.01	58,629	-
HSI41C2009A	0.29	(0.11)	1,675,693	-	JAS41C2011A	-	-	-	-	KTC24C2011A	0.21	(0.03)	14,750	-
HSI41C2009B	0.13	(0.07)	45,886	-	JMT06C2012A	0.48	(0.03)	15,379	-	KTC28C2011A	-	-	-	-
HSI41C2009C	0.06	(0.03)	2,699	-	JMT11C2102A	0.34	(0.66)	1,796	-	KTC28C2012A	0.09	(0.01)	2,000	-
HSI41C2009D	0.05	-	2,162	-	JMT13C2011A	1.30	(0.15)	9	1.00	KTC28C2012B	0.20	(0.01)	43,175	-
HSI41C2010A	1.24	(0.13)	409	1.00	JMT13C2011B	0.44	(0.04)	33,780	-	KT41C2009A	-	-	-	-
HSI41C2010B	0.70	(0.14)	1,130	-	JMT13C2012A	0.28	(0.03)	257,691	-	KT41C2011A	0.20	(0.03)	18,000	-
HSI41C2010C	0.39	(0.09)	1,009,371	-	JMT19C2010A	1.59	(0.10)	212	1.00	KT41C2012A	-	-	-	-
HSI41C2011A	0.41	(0.07)	180,025	-	JMT19C2011A	0.44	(0.03)	6,757	-	KTC42C2012T	0.11	(0.02)	318	-
HSI41P2008A	-	-	-	-	JMT19C2012A	0.30	(0.01)	160,884	-	LH06C2012A	0.27	(0.01)	16,450	-
HSI41P2008B	-	-	-	-	JMT24C2011A	0.42	(0.03)	15,536	-	LH11C2012A	0.29	(0.01)	16,440	-
HSI41P2008C	-	-	-	-	JMT28C2101A	0.32	(0.04)	21,294	-	LH13C2010A	0.17	(0.01)	28,470	-
HSI41P2009A	0.36	0.07	37,442	-	JMT42C2101T	0.25	(0.02)	9,927	-	LH19C2010A	0.27	(0.01)	18,058	-
HSI41P2009B	0.80	(0.49)	420	-	KBAN01C2012A	0.94	(0.10)	74,223	1.00	LH19C2011A	0.17	0.01	8,632	-
HSI41P2009C	0.66	0.13	1,296,961	-	KBAN01P2012A	0.98	0.08	72,160	-	LH19P2010A	0.16	-	23,866	-
HSI41P2009D	0.21	0.05	3,649	-	KBAN06C2009A	-	-	-	-	MAJ013C2011A	0.36	(0.01)	171,247	-
HSI41P2010A	1.18	0.11	1,699	-	KBAN06C2011A	0.04	(0.01)	1,223	-	MAJ019C2011A	0.52	0.01	102,679	-
HSI41P2010B	0.74	0.09	1,476	-	KBAN06C2012A	0.48	(0.10)	187,864	-	MEGA13C2011A	0.17	-	105,310	-
HSI41P2010C	0.48	0.04	2,909	-	KBAN06P2011A	0.78	0.09	77,988	-	MEGA16C2009A	-	-	-	-
HSI41P2011A	0.77	0.07	2,754	-	KBAN08C2011A	0.19	(0.04)	28,473	-	MEGA19C2011A	0.24	0.01	56,391	-
INTU06C2009A	0.16	(0.03)	11,900	-	KBAN08C2101A	0.52	(0.10)	54,607	-	MEGA42C2101T	-	-	-	-
INTU06P2011A	0.44	0.02	13,279	-	KBAN13C2008B	-	-	-	-	MINT01C2008A	-	-	-	-
INTU13C2008A	-	-	-	-	KBAN13C2010A	0.09	(0.04)	142,821	-	MINT01C2012A	0.76	(0.12)	118,361	-
INTU13C2011A	0.21	(0.02)	18,156	-	KBAN13C2010B	0.03	(0.01)	116,676	-	MINT01P2008A	-	-	-	-
INTU16C2009A	-	-	-	-	KBAN13C2011A	0.39	(0.08)	284,395	-	MINT01P2012A	0.45	0.03	144,881	-
INTU19C2009A	0.14	(0.02)	48,988	-	KBAN13C2012A	0.50	(0.10)	991,652	-	MINT06C2012A	0.83	(0.09)	141,903	-
INTU19P2010A	0.17	0.01	80,048	-	KBAN13P2010A	0.19	0.01	78,056	-	MINT06P2012A	0.28	0.03	125,267	-
INTU19P2012A	0.64	0.01	56,444	-	KBAN13P2011A	0.99	0.08	603,174	-	MINT08C2010A	0.49	(0.06)	81,766	-
INTU23C2111A	0.72	(0.02)	60	-	KBAN16C2008A	-	-	-	-	MINT08P2011A	0.44	0.04	60,186	-
INTU24C2008A	-	-	-	-	KBAN19C2009A	0.21	(0.07)	143,359	-	MINT11C2011A	0.72	(0.05)	95,115	-
INTU28C2010A	0.15	(0.03)	11,190	-	KBAN19C2010A	0.04	(0.02)	8,200	-	MINT11P2011A	0.33	0.03	30,415	-
INTU28C2012A	0.22	(0.03)	10,016	-	KBAN19C2010B	0.14	(0.04)	99,193	-	MINT13C2009A	0.09	(0.03)	314,108	-
INTU41C2010A	-	-	-	-	KBAN19C2011A	0.04	(0.02)	20,000	-	MINT13C2010A	0.54	(0.08)	228,844	-
INTU41C2012A	0.33	-	22,000	-	KBAN19C2012A	0.63	(0.10)	240,954	-	MINT13C2011A	0.56	(0.07)	757,529	-
INTU42C2101T	0.16	(0.02)	2,900	-	KBAN19P2010A	0.71	0.08	325,551	-	MINT13P2011A	0.32	0.02	351,432	-
IRPC06C2010A	0.03	(0.01)	270	-	KBAN19P2010P	0.23	0.04	53,700	-	MINT16C2012A	0.81	(0.09)	41,669	-
IRPC06P2010A	0.34	0.06	78,281	-	KBAN24C2009A	0.13	(0.07)	29,201	-	MINT19C2010A	0.31	(0.06)	90,774	-
IRPC11C2008A	-	-	-	-	KBAN28C2010A	0.01	-	6,659	-	MINT19C2011A	0.85	(0.07)	113,511	-
IRPC11C2012A	0.27	(0.05)	5,660	-	KBAN28C2012A	0.07	(0.02)	9,898	-	MINT19C2011B	0.51	(0.06)	471,048	-
IRPC13C2009A	0.02	-	1,900	-	KBAN28C2012B	0.23	(0.06)	18,762	-	MINT19P2010A	0.22	0.01	148,652	-
IRPC13C2011A	0.12	(0.02)	13,146	-	KBAN28C2101A	0.58	(0.11)	77,400	-	MINT19P2011A	0.25	0.02	182,014	-
IRPC13C2012A	0.20	(0.03)	28,574	-	KBAN28P2012A	0.40	0.04	61,909	-	MINT24C2011A	0.58	(0.11)	93,169	-
IRPC13P2011A	0.36	0.05	67,666	-	KBAN41C2009A	0.15	(0.03)	1	-	MINT28C2012A	0.27	(0.04)	112,481	-
IRPC16C2008A	-	-	-	-	KBAN41C2011A	-	-	-	-	MINT28C2012B	0.48	(0.06)	87,480	-
IRPC19C2008A	-	-	-	-	KBAN41C2012A	0.57	(0.10)	415,076	-	MINT28C2101C	0.52	(0.11)	95,071	-
IRPC19C2010A	-	-	-	-	KBAN41P2010A	0.43	0.06	22,730	-	MINT41C2010A	0.35	(0.09)	136,976	-
IRPC19C2011A	0.16	(0.01)	1,000	-	KBAN41P2011A	-	-	-	-	MINT41C2012A	0.82	(0.07)	2,000	-
IRPC19P2011A	0.40	0.04	126,255	-	KBAN42C2101T	-	-	-	-	MINT42C2101T	0.39	(0.06)	22,270	-
IRPC24C2012A	0.16	(0.04)	18,254	-	KBAN42P2101T	0.83	0.04	9,956	-	MINT42P2102T	-	-	-	-
IRPC28C2012A	0.07	(0.02)	552	-	KCE01C2008A	-	-	-	-	MTC01C2008A	-	-	-	-
IRPC28C2101A	0.17	(0.04)	8,112	-	KCE01C2012A	0.38	(0.04)	72,137	-	MTC01C2012A	0.57	(0.43)	42,634	-
IRPC41C2010A	0.06	(0.03)	400	-	KCE01P2011A	0.53	(0.47)	38,251	-	MTC06C2009A	0.38	(0.13)	11,872	-
IVL01C2012A	0.18	(0.01)	83,416	-	KCE06C2009A	-	-	-	-	MTC06C2010A	0.12	(0.04)	83,640	-
IVL01C2012B	0.67	(0.05)	42,342	-	KCE06C2012A	-	-	-	-	MTC08C2009A	0.69	(0.10)	13,200	-
IVL06C2010A	0.02	(0.01)	27,285	-	KCE06C2012B	0.53	(0.05)	49,249	-	MTC08C2011A	0.39	(0.05)	27,006	-
IVL06C2101A	0.50	(0.05)	65,790	-	KCE08C2009A	-	-	-	-	MTC11C2008A	-	-	-	-
IVL06P2009A	0.04	(0.05)	3,700	-	KCE08C2012A	0.43	(0.05)	34,860	-	MTC11C2012A	0.56	(0.07)	23,290	-
IVL06P2011A	0.68	0.05	74,975	-	KCE11C2101A	0.43	(0.04)	30,105	-	MTC13C2009A	0.05	(0.06)	13,381	-
IVL08C2009A	-	-	-	-	KCE13C2009A	-	-	-	-	MTC13C2010A	0.16	(0.04)	171,565	-
IVL08C2101A	0.49	(0.04)	21,141	-	KCE13C2010A	0.31	(0.05)	622,757	-	MTC13C2011A	0.37	(0.08)	278,750	-
IVL08P2011A	0.32	0.01	8,140	-	KCE13P2010A	0.18	-	213,474	-	MTC13P2011A	0.50	0.02	187,050	-
IVL11C2012A	0.18	(0.02)	7,004	-	KCE16C2012A	0.35	(0.05)	16,787	-	MTC19C2009A	0.48	(0.09)	14,034	-
IVL13C2009A	-	-	-	-	KCE19C2008A	-	-	-	-	MTC19C2010A	0.28	(0.06)	438,233	-
IVL13C2011A	0.08	(0.02)	1,600	-	KCE19C2009A	-	-	-	-	MTC19P2010A	0.18	0.02	7,654	-
IVL13C2012A	0.47	(0.06)	114,377	-	KCE19C2010A	-	-	-	-	MTC19P2012A	0.57	0.05	225,053	-
IVL13C2012B	0.14	(0.01)	115,900	-	KCE19C2010B	-	-	-	-	MTC24C2009A	0.14	(0.04)	3,900	-
IVL13P2010A	0.21	(0.01)	67,844	-	KCE19C2011A	0.33	(0.04)	116,209	-	MTC28C2011A	0.24	(0.06)	84,010	-
IVL16C2009A	-	-	-	-	KCE19C2012A	0.26	(0.74)	36,417	-	MTC28C2012A	0.21	(0.04)	23,698	-
IVL19C2008A	-	-	-	-	KCE19P2010A	0.19	0.01	33,812	-	MTC28C2012B	0.42	(0.07)	59,712	-
IVL19C2009A	0.51	(0.26)	122	-	KCE24C2010A	0.54	(0.09)	36,462	-	MTC28C2102L	0.24	(0.04)	58,690	-
IVL19C2010A	0.08	(0.01)	3,493	-	KCE27C2101X	0.73	(0.04)	7,200	-	MTC41C2010A	0.23	0.01	3,502	-
IVL19C2010B	0.11	(0.01)	76,662	-	KCE41C2012A	0.30	(0.03)	114,647	-	MTC41C2012A	0.52	(0.07)	53,840	

Main Board Quotation

Issue Date :

Monday August 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP19C2010A	0.08	-	21,304	-	PTTE19P2009A	-	-	-	-	S5013P2009A	0.05	(0.01)	33,906	-
OSP19C2012A	0.25	(0.04)	92,122	-	PTTE19P2009B	-	-	-	-	S5013P2009B	0.02	(0.01)	12,599	-
OSP19P2010A	0.27	0.02	89,152	-	PTTE19P2010A	0.32	(0.01)	144,316	-	S5013P2009C	0.04	(0.01)	4,864	-
OSP24C2008A	-	-	-	-	PTTE19P2010B	0.53	-	169,181	-	S5013P2009D	0.02	-	45,582	-
OSP24C2010A	0.34	(0.04)	37,051	-	PTTE24C2008A	-	-	-	-	S5013P2009E	0.41	(0.01)	4,545,937	-
OSP28C2010A	0.19	(0.03)	6,104	-	PTTE24C2011A	0.28	(0.02)	8,618	-	S5013P2009F	0.19	(0.01)	585,667	-
OSP41C2010A	-	-	-	-	PTTE28C2011A	0.47	(0.06)	32,420	-	S5013P2009G	0.24	(0.02)	6,814,015	-
OSP41C2012A	0.26	(0.03)	11,165	-	PTTE28C2011B	0.15	(0.02)	8,112	-	S5013P2010A	0.66	0.02	332,210	-
OSP42C2010T	0.15	(0.03)	248	-	PTTE28C2012A	0.48	(0.02)	17,014	-	S5013P2012A	1.06	0.03	10,940,057	1.00
PLAN13C2010A	0.09	(0.03)	25,719	-	PTTE28C2012L	0.38	(0.02)	21,915	-	S5016C2009A	-	-	-	-
PLAN13C2011A	0.22	(0.02)	77,137	-	PTTE41C2009A	-	-	-	-	S5016C2009B	0.21	0.01	70	-
PLAN19C2010A	0.78	(0.06)	5,105	-	PTTE41C2010A	-	-	-	-	S5016C2012A	0.61	(0.07)	13,693	-
PLAN19C2010B	0.13	(0.02)	53,938	-	PTTE41C2011A	0.49	(0.03)	16,762	-	S5016P2009A	-	-	-	-
PLAN19C2012A	0.23	(0.02)	75,156	-	PTTE41C2012A	-	-	-	-	S5016P2009B	-	-	-	-
PLAN24C2009A	0.06	(0.03)	467	-	PTTE41P2009A	-	-	-	-	S5016P2012A	0.95	0.03	24,166	-
PLAN27C2008A	-	-	-	-	PTTE41P2010A	-	-	-	-	S5016P2103Z	-	-	-	-
PLAN27C2010A	0.21	(0.02)	3,810	-	PTTE41P2011A	0.82	-	16,969	-	S5019C2009A	1.66	(0.12)	33,523	1.00
PLAN28C2010A	0.08	(0.01)	2,000	-	PTTE42C2101T	0.45	(0.03)	3,000	-	S5019C2009B	0.11	(0.03)	330	-
PLAN28C2012A	-	-	-	-	PTTE42P2101T	-	-	-	-	S5019C2009C	-	-	-	-
PLAN28C2012B	0.21	(0.02)	34,408	-	PTTG01C2008A	-	-	-	-	S5019C2009D	0.01	(0.01)	749	-
PLAN42C2101T	0.14	(0.03)	1,500	-	PTTG01C2012A	0.57	(0.02)	55,316	-	S5019C2009E	0.06	(0.01)	121	-
PRM08C2101A	0.43	(0.04)	15,035	-	PTTG01P2008A	-	-	-	-	S5019C2009F	0.13	(0.03)	316,188	-
PRM11C2102A	0.54	(0.04)	24,670	-	PTTG01P2012A	0.90	0.01	41,454	-	S5019C2012A	0.45	(0.04)	1,106,046	-
PRM13C2010A	0.34	(0.04)	125,035	-	PTTG08C2008A	-	-	-	-	S5019C2012B	0.56	(0.06)	484,151	-
PRM16C2012A	0.36	(0.04)	23,997	-	PTTG08C2101A	0.42	(0.02)	13,715	-	S5019P2009A	0.01	(0.01)	1,400	-
PRM19C2010A	0.63	(0.04)	24,119	-	PTTG08P2010A	0.11	-	7,000	-	S5019P2009B	0.01	-	77	-
PRM19C2011A	0.38	(0.04)	71,642	-	PTTG11C2010A	0.26	(0.02)	18,332	-	S5019P2009C	0.18	0.01	12,108	-
PRM28C2012A	0.31	(0.05)	42,256	-	PTTG13C2009A	0.43	(0.06)	200	-	S5019P2009D	0.37	0.02	406,430	-
PRM42C2101T	-	-	-	-	PTTG13C2010A	0.16	(0.02)	39,654	-	S5019P2009E	0.02	-	5,686	-
PTG01C2012A	0.54	(0.46)	32,143	-	PTTG13C2011A	0.31	(0.04)	91,773	-	S5019P2009F	0.19	0.01	622,014	-
PTG06C2010A	0.65	(0.01)	28,714	-	PTTG13P2010A	0.15	-	49,959	-	S5019P2012A	0.87	0.04	878,605	-
PTG08C2011A	0.60	(0.02)	20,374	-	PTTG13P2011A	0.49	0.01	149,392	-	S5024C2009A	-	-	-	-
PTG11C2010A	0.57	0.01	37,082	-	PTTG19C2008A	-	-	-	-	S5024C2009B	0.09	(0.01)	35	-
PTG13C2010A	0.42	(0.01)	127,084	-	PTTG19C2008B	-	-	-	-	S5024C2009C	0.01	-	200	-
PTG13C2012A	0.35	-	417,227	-	PTTG19C2009A	0.28	(0.02)	114,898	-	S5024C2009D	-	-	-	-
PTG16C2009A	0.42	-	7,724	-	PTTG19C2011A	0.30	(0.02)	38,237	-	S5024C2009E	-	-	-	-
PTG19C2008A	-	-	-	-	PTTG19P2009A	-	-	-	-	S5024C2009F	0.19	(0.06)	2,350	-
PTG19C2010A	0.59	0.01	23,168	-	PTTG19P2010A	0.26	-	127,480	-	S5024C2009G	0.34	(0.10)	136,658	-
PTG19C2011A	0.40	(0.01)	90,363	-	PTTG19P2011A	0.29	0.01	67,900	-	S5024C2012A	0.06	-	118	-
PTG19P2010A	0.06	(0.01)	26,706	-	PTTG19P2011B	0.63	0.02	199,113	-	S5024C2012B	0.27	(0.04)	11,162	-
PTG19P2011A	0.39	(0.01)	52,064	-	PTTG24C2008A	-	-	-	-	S5024C2012C	0.70	(0.11)	454,723	-
PTG42C2101T	0.36	-	8,446	-	PTTG28C2011A	0.16	(0.02)	13,826	-	S5024P2009A	-	-	-	-
PTT01C2012A	0.29	(0.02)	81,614	-	PTTG28C2012A	0.41	(0.03)	25,235	-	S5024P2009B	0.09	(0.02)	244	-
PTT01P2012A	0.43	-	50,529	-	PTTG28C2102L	0.23	(0.02)	20,257	-	S5024P2009C	0.14	(0.02)	1,000	-
PTT06C2012A	0.18	(0.02)	40,776	-	PTTG41C2010A	-	-	-	-	S5024P2009D	0.10	(0.03)	600	-
PTT08C2008A	-	-	-	-	PTTG41C2011A	0.22	-	23,000	-	S5024P2009E	0.72	0.04	1,164,773	-
PTT08C2101A	0.27	-	22,600	-	PTTG41P2010A	-	-	-	-	S5024P2012A	0.14	-	20,294	-
PTT08P2009A	0.07	(0.03)	100	-	PTTG41P2011A	0.57	0.01	10,510	-	S5024P2012B	0.46	-	240	-
PTT08P2101A	0.44	-	17,237	-	PTTG42C2012T	0.23	(0.01)	2,634	-	S5028C2008A	-	-	-	-
PTT11C2008A	0.01	-	710	-	QH19C2012A	0.18	-	18,010	-	S5028C2009A	0.15	(0.04)	80,498	-
PTT11C2101A	0.23	(0.01)	31,671	-	QH27C2101A	-	-	-	-	S5028C2009B	0.06	(0.02)	409	-
PTT13C2009A	0.02	(0.03)	25	-	RATC06C2009A	-	-	-	-	S5028C2009C	-	-	-	-
PTT13C2010A	0.07	(0.01)	29,505	-	RATC06P2010A	0.69	-	26,743	-	S5028C2009D	0.16	(0.07)	604,659	-
PTT13C2012A	0.18	(0.01)	356,638	-	RATC13C2010A	0.06	(0.01)	9,547	-	S5028C2009E	0.15	(0.05)	209,054	-
PTT13P2009A	-	-	-	-	RATC13C2011A	0.30	-	356,498	-	S5028C2010A	0.40	(0.08)	1,172,786	-
PTT13P2010A	0.17	-	51,562	-	RATC13P2011A	0.47	(0.02)	355,232	-	S5028C2012A	0.14	(0.02)	21,387	-
PTT13P2011A	0.37	0.02	297,635	-	RATC16C2008A	-	-	-	-	S5028P2009A	0.60	-	114,285	-
PTT16C2008A	-	-	-	-	RATC19C2011A	0.15	-	208,926	-	S5028P2009B	0.28	(0.01)	183,777	-
PTT16C2012A	0.21	-	7,584	-	RATC19C2012A	0.35	(0.01)	52,658	-	S5028P2009C	0.35	(0.01)	458,202	-
PTT19C2008A	-	-	-	-	RATC19P2011A	0.64	(0.01)	82,869	-	S5028P2009D	0.10	(0.01)	5,601	-
PTT19C2009A	0.15	(0.01)	45,200	-	RATC24C2012A	0.35	(0.01)	13,894	-	S5028P2009E	0.83	0.02	208,630	-
PTT19C2011A	0.14	(0.02)	38,099	-	RATC41C2010A	0.10	(0.01)	7,880	-	S5028P2010A	0.66	0.02	994,791	-
PTT19C2012A	0.22	(0.78)	1,245	-	RATC41C2012A	0.42	-	58,420	-	S5028P2012A	1.08	0.03	1,116,343	1.00
PTT19P2009A	-	-	-	-	RATC42C2102T	-	-	-	-	S5041C2009A	0.07	(0.01)	230	-
PTT19P2010A	0.18	0.01	10,100	-	RS06C2010A	-	-	-	-	S5041C2009B	-	-	-	-
PTT19P2010B	0.26	0.02	111,972	-	RS06C2012A	0.51	(0.02)	36,164	-	S5041C2009C	-	-	-	-
PTT24C2008A	-	-	-	-	RS08C2011A	-	-	-	-	S5041C2009D	-	-	-	-
PTT28C2011A	0.14	(0.01)	18,362	-	RS13C2010A	-	-	-	-	S5041C2009E	0.16	0.02	7,962	-
PTT28C2012A	0.11	(0.01)	2,045	-	RS13C2011A	0.45	(0.03)	647,308	-	S5041C2009F	0.32	(0.06)	2,221,052	-
PTT28C2103L	0.24	-	3,044	-	RS19C2010A	-	-	-	-	S5041C2009G	0.65	(0.08)	96,281	-
PTT41C2009A	-	-	-	-	RS19C2010B	0.55	(0.04)	32,835	-	S5041C2012A	0.64	(0.08)	151,395	-
PTT41C2010A	-	-	-	-	RS19C2011A	-	-	-	-	S5041P2009A	0.18	(0.04)	200	-
PTT41C2012A	0.22	0.01	8,000	-	RS19C2011B	0.36	(0.04)	393,891	-	S5041P2009B	0.35	0.01	1,645,411	-
PTT41P2010A	-	-	-	-	RS24C2008A	0.83	(0.23)	10,194	-	S5041P2009C	0.66	0.03	1,505,983	-
PTT41P2011A	0.77	0.05	10	-	RS28C2012A	-	-	-	-	S5041P2009D	-	-	-	-
PTT41P2012A	0.46	0.02	28,770	-	RS28C2101A	0.42	(0.03)	118,306	-	S5041P2009E	0.77	0.05	142,368	-
PTT42C2010M	-	-	-	-	RS28C2101L	0.48	(0.02)	33,513	-	S5041P2009F	1.52	0.09	83,409	1.00
PTT42C2012T	0.12	(0.01)	80	-	RS41C2011A	0.56	(0.01)	59,390	-	S5041P2009G	2.08	0.11	43,841	1.00
PTT42P2101T	0.21	-	1	-	RS42C2101T	0.33	(0.03)	2,400	-	S5041P2012A	0.99	0.04	37,152	-
PTTE01C2012A	1.07	(0.02)	23,300	1.00	S10001C2011A	0.05	-	901	-	SAWA01C2012A	0.54	(0.07)	100,600	-
PTTE01P2012A	1.53	(0.02)	17,088	1.00	S5001C2012F	0.93	(0.07)	147,991	-	SAWA01P2012A	0.84	(0.16)	53,066	-
PTTE06C2011A	0.30	(0.02)	49,886	-	S5001P2012F	1.18	0.18	152,107	1.00	SAWA06C2010A	0.12	(0.04)	52,255	-
PTTE06P2009A	-	-	-	-	S5006C2009A	-	-	-	-	SAWA08C2011A	0.21	(0.03)	9,200	-
PTTE06P2011A	0.52	(0.01)	34,202	-	S5006C2009B	0.10	(0.03)	10,219	-	SAWA08C2101A	0.45	(0.06)	11,928	-
PTTE08C2008A	-	-	-	-	S5006C2009C	0.02	-	3	-	SAWA13C2009A	0.02	(0.02)	343	-
PTTE08C2011A	0.61	(0.02)	11,012	-	S5006C2009D	0.82	(0.17)	719,721	-	SAWA13C2010A	0.08	(0.03)	128,181	-
PTTE08P2101A	0.98													

Main Board Quotation

Issue Date :

Monday August 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB01C2008B	-	-	-	-	STA28C2102L	0.15	0.01	10,113	-	TMB19P2011A	0.33	0.01	23,046	-
SCB01C2009A	0.15	(0.03)	1,697	-	STA41C2010A	0.13	-	5,530	-	TMB41C2010A	-	-	-	-
SCB01C2101A	0.71	(0.29)	66,549	-	STA42C2101T	-	-	-	-	TOA13C2011A	0.29	0.03	26,930	-
SCB01P2101A	0.86	(0.14)	66,989	-	STEC01C2101A	0.35	(0.65)	7,323	-	TOA19C2010A	0.28	0.04	16,935	-
SCB06C2010A	0.30	(0.06)	102,685	-	STEC01P2101A	0.47	(0.53)	17,586	-	TOA42C2101T	-	-	-	-
SCB08C2009A	0.19	(0.03)	28,000	-	STEC06C2010A	0.09	(0.01)	14,470	-	TOP01C2008B	-	-	-	-
SCB08C2101A	0.56	(0.05)	15,867	-	STEC08C2012A	0.15	(0.02)	4,999	-	TOP01C2009A	0.17	(0.01)	100	-
SCB08P2012A	0.57	0.01	26,177	-	STEC11C2102A	0.37	(0.03)	12,620	-	TOP01C2012A	0.47	(0.03)	27,064	-
SCB11C2008A	-	-	-	-	STEC13C2010A	0.07	(0.01)	9,534	-	TOP01P2009A	0.09	0.05	1	-
SCB11C2102A	0.64	(0.04)	27,146	-	STEC13C2012A	0.27	(0.01)	168,406	-	TOP01P2012A	0.55	0.01	34,992	-
SCB11P2012A	0.61	0.02	43,508	-	STEC13P2011A	0.25	-	88,785	-	TOP06C2011A	0.14	(0.03)	53,286	-
SCB13C2009A	0.05	(0.03)	35,302	-	STEC16C2009A	-	-	-	-	TOP06P2010A	0.09	-	624	-
SCB13C2101A	0.09	(0.02)	77,522	-	STEC19C2009A	0.09	(0.02)	15	-	TOP08C2010A	0.21	(0.02)	2,500	-
SCB13C2011A	0.43	(0.05)	688,091	-	STEC19C2011A	0.09	-	1,350	-	TOP11C2011A	0.38	(0.01)	14,089	-
SCB13P2010A	0.70	0.02	324,683	-	STEC19C2012A	0.28	(0.01)	133,038	-	TOP13C2010A	0.12	(0.01)	8,626	-
SCB16C2008A	-	-	-	-	STEC19P2011A	0.55	0.03	18,196	-	TOP13C2011A	0.18	(0.03)	34,666	-
SCB19C2008A	0.06	(0.26)	12	-	STEC28C2011A	0.10	(0.01)	14,296	-	TOP13C2012A	0.26	(0.03)	106,834	-
SCB19C2010A	0.14	(0.02)	26,452	-	STEC28C2012A	0.16	(0.01)	16,246	-	TOP13P2010A	0.25	(0.01)	25,635	-
SCB19C2010B	0.41	(0.06)	46,852	-	STEC28C2101T	0.28	(0.03)	27,924	-	TOP13P2012A	0.60	0.01	38,312	-
SCB19P2010A	0.19	0.01	284,314	-	STEC41C2009A	-	-	-	-	TOP16C2008A	-	-	-	-
SCB19P2011A	1.05	0.04	15,467	1.00	STEC41C2012A	0.22	(0.02)	23,880	-	TOP19C2008A	0.01	(0.01)	100	-
SCB19P2011B	0.53	0.02	240,750	-	STEC42P2102T	-	-	-	-	TOP19C2010A	0.22	(0.02)	13,947	-
SCB24C2008A	-	-	-	-	SUPE08C2012A	0.12	(0.01)	5,035	-	TOP19C2010B	0.25	(0.03)	68,680	-
SCB24C2012A	0.52	(0.06)	102,510	-	SUPE19C2010A	-	-	-	-	TOP19C2012A	-	-	-	-
SCB28C2010A	0.24	(0.04)	42,788	-	SUPE19C2011A	0.11	-	38,041	-	TOP19P2010A	0.28	-	25,000	-
SCB28C2012A	0.30	(0.04)	148,269	-	SUPE19C2011B	0.05	-	320	-	TOP19P2011A	0.50	0.01	76,735	-
SCB28C2012B	0.53	(0.06)	109,450	-	SUPE19C2012A	0.24	(0.01)	29,246	-	TOP24C2008A	-	-	-	-
SCB41C2011A	-	-	-	-	SUPE19P2011A	0.34	-	74,340	-	TOP24C2101A	0.43	(0.03)	23,866	-
SCB41C2011B	0.33	(0.04)	3,940	-	SUPE42C2101T	0.10	(0.01)	160	-	TOP41C2010A	-	-	-	-
SCB41C2012A	0.65	(0.04)	148,161	-	STEC42P2102T	-	-	-	-	TOP41C2011A	-	-	-	-
SCB41P2011A	0.50	0.01	8,910	-	TASC01C2008A	-	-	-	-	TOP41P2010A	-	-	-	-
SCB42C2101T	-	-	-	-	TASC01C2012A	0.65	(0.02)	1,956	-	TOP41P2011A	0.73	0.02	10	-
SCC01C2101A	0.80	(0.20)	45,144	-	TASC01P2008A	-	-	-	-	TOP42C2011T	-	-	-	-
SCC06C2012A	0.42	0.07	105,773	-	TASC06C2009A	-	-	-	-	TP13C2011A	0.28	(0.03)	29,323	-
SCC08C2011A	0.37	0.05	45,365	-	TASC06C2012A	0.21	(0.01)	13,565	-	TP19C2012A	0.36	(0.02)	29,736	-
SCC11C2011A	0.58	0.06	71,396	-	TASC08C2011A	-	-	-	-	TQM11C2102A	0.76	0.04	10,546	-
SCC13C2009A	0.17	0.01	57,620	-	TASC08C2012A	0.18	-	18,000	-	TQM13C2011A	0.43	0.02	79,061	-
SCC13C2011A	0.40	0.06	679,822	-	TASC11C2102A	0.24	(0.76)	19,200	-	TQM19C2010A	2.62	0.04	69	2.00
SCC13P2009A	-	-	-	-	TASC13C2009A	0.43	(0.02)	6,064	-	TQM19C2010B	0.31	0.01	50,872	-
SCC13P2011A	0.84	(0.12)	3,865	-	TASC13C2011A	0.15	-	109,538	-	TQM19C2011A	0.69	0.02	72,564	-
SCC19C2008A	-	-	-	-	TASC13C2012A	0.69	(0.01)	43,034	-	TQM24C2011A	0.38	0.01	6,188	-
SCC19C2010A	0.31	0.04	152,277	-	TASC13P2011A	0.30	(0.02)	20,272	-	TQM28C2012A	0.43	0.02	28,238	-
SCC19P2010A	0.06	(0.02)	800	-	TASC16C2008A	-	-	-	-	TQM41C2011A	0.49	-	20,345	-
SCC19P2011A	0.57	(0.09)	219,153	-	TASC19C2009A	0.85	(0.02)	9	-	TQM42C2101T	0.46	-	20	-
SCC24C2012A	0.39	0.07	116,877	-	TASC19C2010A	0.11	-	8,620	-	TRUE01C2101A	0.40	(0.60)	14,646	-
SCC27P2008A	-	-	-	-	TASC19C2011A	0.64	0.01	124,785	-	TRUE06C2009A	0.08	(0.01)	38,631	-
SCC28C2010A	0.36	0.07	66,559	-	TASC19P2010A	0.21	(0.02)	32,364	-	TRUE06P2011A	0.39	0.03	42,498	-
SCC41C2010A	-	-	-	-	TASC19P2011A	0.22	(0.01)	66,149	-	TRUE08C2012A	0.28	(0.02)	19,000	-
SCC41C2011A	0.25	0.04	86,852	-	TASC24C2011A	0.49	(0.02)	8,377	-	TRUE08P2010A	0.21	0.01	19,310	-
SCC41P2011A	0.92	(0.09)	81,643	-	TASC28C2010A	0.70	(0.04)	19	-	TRUE11C2101A	0.28	(0.03)	36,675	-
SGP13C2011A	0.23	0.01	49,975	-	TASC28C2012A	0.50	0.01	3,000	-	TRUE11P2101A	0.58	0.02	34,910	-
SGP19C2011A	0.30	0.03	75,541	-	TASC28C2012B	0.14	-	6,084	-	TRUE13C2009A	-	-	-	-
SGP42C2101T	-	-	-	-	TASC28C2012C	-	-	-	-	TRUE13C2011A	0.19	(0.03)	109,836	-
SIRI19C2011A	0.10	-	1,641	-	TASC41C2009A	0.85	(0.06)	19	-	TRUE19C2009A	0.08	(0.02)	26,898	-
SIRI42C2101T	-	-	-	-	TASC41C2010A	-	-	-	-	TRUE19C2011A	0.11	(0.01)	5,500	-
SPAL06C2010A	0.53	(0.04)	32,349	-	TASC41C2011A	-	-	-	-	TRUE19C2012A	0.28	(0.03)	49,667	-
SPAL06P2009A	-	-	-	-	TASC42C2101T	0.36	0.01	5,123	-	TRUE19P2011A	0.33	0.02	115,088	-
SPAL13C2010A	0.29	(0.04)	88,188	-	TCAP01C2008A	-	-	-	-	TRUE28C2011A	-	-	-	-
SPAL19C2011A	0.47	(0.04)	17,252	-	TCAP01C2010A	0.36	(0.64)	8,834	-	TRUE28C2012A	0.12	(0.01)	18,274	-
SPAL19C2011B	0.24	(0.02)	215,983	-	TCAP01P2008A	-	-	-	-	TRUE28C2012B	0.18	(0.02)	24,336	-
SPAL27C2008A	-	-	-	-	TCAP13C2010A	0.08	(0.01)	33,338	-	TRUE28C2101A	0.30	(0.03)	44,132	-
SPAL27C2101A	-	-	-	-	TCAP13C2012A	0.23	(0.02)	44,560	-	TRUE41C2010A	0.19	(0.02)	11,880	-
SPRC01C2101A	0.45	(0.55)	30,436	-	TCAP19C2010A	0.13	-	24,405	-	TRUE42C2101T	0.15	(0.01)	5,400	-
SPRC06C2010A	0.20	(0.02)	78,187	-	TCAP19C2012A	0.27	-	61,847	-	TTW19C2011A	0.15	-	20,467	-
SPRC06P2011A	0.25	-	57,735	-	TCAP19P2012A	0.30	-	6,001	-	TTW24C2012A	0.14	-	800	-
SPRC08C2011A	0.26	(0.01)	17,326	-	TCAP42C2101T	0.09	-	14,004	-	TTW27C2009A	-	-	-	-
SPRC11C2008A	-	-	-	-	THAI27C2008A	-	-	-	-	TU01C2101A	0.32	(0.68)	36,526	-
SPRC11C2102A	0.47	-	23,986	-	THAN01C2012A	1.05	(0.06)	11,256	1.00	TU06C2009A	0.12	(0.08)	39,940	-
SPRC13C2010A	0.13	(0.01)	37,704	-	THAN06C2010A	0.94	(0.12)	1,062	-	TU06P2010A	0.04	(0.02)	1,084	-
SPRC13C2012A	0.32	(0.01)	385,013	-	THAN08C2011A	0.89	(0.07)	6,504	-	TU08C2008A	-	-	-	-
SPRC19C2010A	0.22	(0.01)	120,760	-	THAN13C2010A	0.64	(0.04)	27,692	-	TU08C2011A	0.27	(0.06)	10,907	-
SPRC19C2012A	0.36	(0.01)	250,998	-	THAN13C2012B	0.33	(0.03)	187,700	-	TU11C2008A	0.01	(0.08)	26,803	-
SPRC19P2011A	0.29	(0.02)	115,571	-	THAN19C2010A	0.73	(0.05)	13,098	-	TU11C2102A	0.30	(0.70)	11,573	-
SPRC28C2011A	0.16	(0.01)	32,875	-	THAN19C2011A	1.04	(0.11)	26,312	1.00	TU13C2010A	0.22	(0.07)	29,936	-
SPRC28C2101A	0.32	-	40,643	-	THAN19C2012A	0.52	(0.04)	93,487	-	TU13C2012A	0.27	(0.06)	132,513	-
SPRC42C2101T	-	-	-	-	THAN42C2102T	0.26	(0.74)	10,000	-	TU19C2009A	0.03	(0.01)	6,181	-
STA01C2008B	-	-	-	-	TISCO1C2101A	0.65	(0.35)	6,024	-	TU19C2010A	0.19	(0.06)	33,671	-
STA01C2009A	2.40	0.06	14	2.00	TISCO1C2012A	0.46	(0.01)	3,477	-	TU19P2011A	0.14	0.03	17,853	-
STA01P2009A	0.03	-	17,283	-	TISCO13C2010A	0.15	(0.02)	6,738	-	TU24C2011A	0.31	(0.08)	54,852	-
STA06C2012A	0.23	0.02	117,772	-	TISCO19C2010A	0.11	(0.01)	2,830	-	TU28C2011A	0.20	(0.06)	14,949	-
STA08C2010A	1.63	-	20	1.00	TISCO19C2010B	0.26	(0.02)	25,796	-	TU28C2012A	0.13	(0.03)	12,890	-
STA08C2011A	0.15	-	6,640	-	TISCO41C2010A	-	-	-	-	TU41C2009A	0.02	(0.02)	3,000	-
STA13C2009A	-	-	-	-	TISCO41C2012A	0.47	(0.04)	16,176	-	TU41C2010A	0.24	(0.08)	60,291	-
STA13C2010A	0.91	-	1,107	-	TISCO42C2101T	-	-	-	-	TU42C2101T	0.22	(0.03)	2,553	-
STA13C2010B	0.14	0.01	427,756	-	TKN01C2008A	-	-	-	-	TV013C2011A	0.10	-	12,378	-
STA13C2010C	0.10	0.01	10,482	-	TKN01C2101A	0.30	(0.70)	80,918	-	TV019C2011A	0.12	-	145,228	-
STA13C2010D														

Main Board Quotation

Issue Date :

Monday August 31, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA06P2012A	0.50	0.02	38,386	-	DIMET-W3	-	-	-	-	-	-	-	-	-
WHA08C2011A	0.32	(0.03)	18,000	-	DOD-W1	0.59	(0.02)	64,938	-	-	-	-	-	-
WHA11C2008A	-	-	-	-	ECF-W3	0.19	(0.01)	10,080	-	-	-	-	-	-
WHA11C2101A	0.41	(0.03)	13,245	-	HPT-W1	0.36	(0.02)	37,486	-	-	-	-	-	-
WHA13C2009A	0.22	(0.05)	200	-	HYDRO-W1	0.03	-	167	-	-	-	-	-	-
WHA13C2011A	0.23	(0.03)	224,819	-	ITEL-W1	0.28	(0.03)	15,120	-	-	-	-	-	-
WHA13P2011A	0.31	0.01	99,154	-	ITEL-W2	0.56	(0.01)	135,655	-	-	-	-	-	-
WHA16C2008A	0.03	(0.23)	6,000	-	LIT-W1	0.45	(0.03)	5,363	-	-	-	-	-	-
WHA19C2010A	0.36	(0.03)	35,952	-	META-W4	0.04	-	3,596	-	-	-	-	-	-
WHA19C2011A	0.24	(0.02)	124,862	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA19P2011A	0.39	0.02	92,989	-	OCEAN-W3	0.28	(0.01)	350	-	-	-	-	-	-
WHA27C2008A	-	-	-	-	RWI-W2	0.15	-	10,992	-	-	-	-	-	-
WHA28C2011A	0.23	(0.03)	20,307	-	SANKO-W1	0.05	0.01	14,500	-	-	-	-	-	-
WHA28C2012A	0.36	(0.03)	27,245	-	SIMAT-W3	0.62	0.02	157,124	-	-	-	-	-	-
WHA28C2102L	0.21	(0.01)	44,095	-	SIMAT-W4	2.66	(0.02)	2,875	2.00	-	-	-	-	-
WHA42C2101T	0.21	(0.02)	280	-	SMART-W2	0.21	(0.01)	24,285	-	-	-	-	-	-
WHAU13C2012A	0.32	(0.02)	76,642	-	SWC-W1	2.84	(0.12)	1	2.00	-	-	-	-	-
WHAU19C2012A	0.43	(0.02)	63,241	-	TAKUNI-W	0.02	(0.01)	5,013	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TAPAC-W4	0.28	(0.01)	13,689	-	-	-	-	-	-
BH-Q	-	-	-	-	TVD-W2	0.42	(0.04)	46,982	-	-	-	-	-	-
CSC-Q	-	-	-	-	UREKA-W2	0.28	-	11,737	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.11	(0.01)	46,075	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.04	0.01	3,265	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	0.85	-	70,809	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.28	(0.01)	6,276	-	-	-	-	-	-	-	-	-	-	-
B-W3	0.01	-	1	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.05	0.01	3	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.06	0.01	291	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.08	-	14,820	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	0.89	(0.04)	238,491	-	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.04	-	15,061	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.02	-	144	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.96	-	83,603	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.10	(0.01)	27,872	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.04	0.01	18,572	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.25	(0.13)	170,970	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.44	0.01	212,489	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.56	(0.03)	16,550	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.71	0.02	19,007	-	-	-	-	-	-	-	-	-	-	-
JMART-W3	5.60	(0.40)	13,806	5.00	-	-	-	-	-	-	-	-	-	-
JMART-W4	3.94	(0.04)	8,379	3.00	-	-	-	-	-	-	-	-	-	-
JMT-W2	13.30	(0.50)	13,742	13.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.08	(0.01)	53,521	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.04	(0.01)	1,230	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	0.72	(0.14)	91,851	-	-	-	-	-	-	-	-	-	-	-
MINT-W7	9.85	(0.15)	207,635	9.00	-	-	-	-	-	-	-	-	-	-
NER-W1	1.61	(0.03)	45,768	1.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	6.10	(0.20)	5,541	6.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.58	(0.01)	15	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.09	0.01	3,597	-	-	-	-	-	-	-	-	-	-	-
ORI-W1	0.01	-	8,546	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.59	(0.03)	43,082	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.67	0.01	59,616	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.12	(0.02)	42,885	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.60	(0.01)	662	-	-	-	-	-	-	-	-	-	-	-
PPPM-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PRIME-W1	0.02	(0.01)	1,000	-	-	-	-	-	-	-	-	-	-	-
PRIME-W2	0.02	(0.01)	1,502	-	-	-	-	-	-	-	-	-	-	-
SAMART-W2	0.17	-	14,309	-	-	-	-	-	-	-	-	-	-	-
SDC-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	6.40	(0.45)	12,364	6.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	4.40	-	1,256	4.00	-	-	-	-	-	-	-	-	-	-
SST-W2	0.99	0.02	1,175	-	-	-	-	-	-	-	-	-	-	-
SUPER-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	0.04	-	251	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	0.12	-	50	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TNITY-W1	0.17	(0.01)	2,521	-	-	-	-	-	-	-	-	-	-	-
TRITN-W3	0.14	-	15,501	-	-	-	-	-	-	-	-	-	-	-
TTCL-W1	0.42	(0.02)	39,012	-	-	-	-	-	-	-	-	-	-	-
U-W4	0.01	-	1	-	-	-	-	-	-	-	-	-	-	-
VGI-W2	0.88	(0.05)	1,255,056	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.12	(0.01)	18,438	-	-	-	-	-	-	-	-	-	-	-
W-W3	0.02	-	117	-	-	-	-	-	-	-	-	-	-	-
WIHK-W2	0.26	-	35,817	-	-	-	-	-	-	-	-	-	-	-
ZMICO-W4	0.09	-	2,684	-	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUTHA-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KTB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-P	73.75	4.25	1	73.00	-	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	1.66	-	757	1.00	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL-W1	0.68	(0.05)	1,043,156	-	-	-	-	-	-	-	-	-	-	-
BROOK-W5	0.15	-	3,029	-	-	-	-	-	-	-	-	-	-	-
CHAYO-W1	2.28	(0.08)	16,039	2.00	-	-	-	-	-	-	-	-	-	-
CHO-W2	0.03	-	23,335	-	-	-	-	-	-	-	-	-	-	-
CIG-W8	0.01	-	15,140	-	-	-	-	-	-	-	-	-	-	-
D-W1	0.86	(0.01)	149	-	-	-	-	-	-	-	-	-	-	-