

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Tuesday September 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.36	(0.14)	51,047	3.39	MAJOR	16.90	(0.70)	59,701	17.18
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	1.60	-	407	1.60
VI	-	-	-	-	DIF	14.80	-	73,818	14.80	MATI	-	-	-	-
WORLD	-	-	-	-	DTAC	34.50	(1.25)	42,241	34.66	MCOT	4.38	(0.20)	4,393	4.52
WR	-	-	-	-	FORTH	5.80	-	153	5.76	MONO	2.46	0.04	6,176	2.44
Agribusiness	-	-	-	-	HUMAN	8.70	(0.10)	27,815	8.90	MPIC	1.32	(0.04)	21	1.32
EE	0.67	0.02	95,955	0.66	ILINK	4.98	(0.07)	26,480	4.95	NMG	-	-	-	-
GPPT	12.80	0.10	30,646	12.59	INET	2.88	(0.10)	14,964	2.91	PLANB	5.80	0.05	502,724	5.91
LEE	2.26	-	817	2.27	INTUCH	54.25	(0.50)	59,200	54.31	POST	1.20	-	6	1.23
MAX	0.01	-	122,486	0.01	JAS	2.74	(0.06)	305,305	2.76	PRAKIT	7.50	0.05	7	7.46
NER	3.34	(0.12)	1,072,195	3.42	JASIF	9.65	(0.05)	81,069	9.68	SE-ED	1.42	-	504	1.41
PPPM	0.36	0.01	830	0.36	JMART	15.50	(0.80)	142,733	15.78	TBSP	13.00	-	1	13.00
STA	26.50	(0.75)	85,550	26.91	JTS	2.60	(0.12)	8,588	2.57	TH	0.48	(0.01)	494	0.48
TRUBB	2.00	0.14	762,382	2.02	MFEI	4.84	0.02	6,224	4.82	TKS	5.35	(0.05)	17,697	5.40
TWPC	3.46	(0.02)	2,555	3.48	MSC	5.50	(0.10)	604	5.51	VGI	6.80	(0.30)	308,761	6.92
UPOIC	-	-	-	-	PT	5.55	0.05	5,857	5.48	WAVE	0.85	(0.02)	17	0.84
UVAN	4.48	(0.02)	154	4.51	SAMART	4.82	(0.04)	4,141	4.79	WORK	10.30	(0.10)	23,136	10.30
VPO	0.36	(0.01)	143	0.36	SAMTEL	4.96	(0.09)	2,869	4.98	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.15	-	9,225	0.15	AEC	0.10	-	18,658	0.09
BAY	21.10	(0.20)	2,738	21.28	SIS	13.90	(0.40)	11,393	13.88	AEONTS	103.50	(2.00)	5,597	103.40
BBL	106.00	1.50	51,584	105.40	SVOA	1.12	(0.02)	42,265	1.12	AMANA	2.60	0.02	31,043	2.57
CIMBT	0.57	(0.01)	6,660	0.57	SYMC	4.62	(0.24)	808	4.73	ASAP	2.38	-	32,810	2.32
KBANK	81.50	(0.75)	112,705	81.84	SYNEX	13.50	(0.10)	45,308	13.56	ASK	18.50	(0.10)	2,235	18.54
KKP	39.00	(0.50)	10,652	39.25	THCOM	6.00	(0.20)	97,176	5.99	ASP	1.70	(0.02)	17,638	1.72
KTB	9.45	(0.10)	107,432	9.51	TRUE	3.28	(0.02)	404,972	3.28	BAM	21.60	(0.50)	384,841	21.98
LHFG	0.90	-	17,892	0.90	TWZ	0.06	-	362,228	0.06	BFIT	27.50	(0.75)	7,901	27.61
SCB	72.25	1.25	61,588	71.17	Electronic Componer	-	-	-	-	CGH	0.68	-	1,653	0.68
TCAP	31.00	(0.75)	44,122	31.18	CCET	1.77	-	19,274	1.78	ECL	0.77	(0.03)	20,358	0.78
TISCO	65.75	(0.75)	29,526	65.68	DELTA	117.00	(2.50)	21,991	117.12	FNS	2.84	(0.06)	496	2.84
TMB	0.92	(0.01)	1,165,116	0.92	HANA	41.00	(0.25)	48,913	40.74	FSS	1.39	(0.01)	2,140	1.38
Construction Materia	-	-	-	-	KCE	28.50	(1.25)	103,173	28.82	GBX	0.43	(0.01)	4,816	0.43
CCP	0.46	(0.02)	58,298	0.47	METCO	136.00	1.00	4	136.25	GL	3.42	(0.06)	5,357	3.44
COTTO	1.14	(0.02)	4,003	1.15	NEX	4.60	(0.20)	56,028	4.65	IFS	2.40	-	2,313	2.39
DCC	2.50	(0.14)	125,885	2.54	SMT	2.50	(0.04)	84,386	2.50	JMT	32.75	(0.75)	112,361	33.29
DCON	0.34	(0.01)	100,000	0.34	SVI	3.46	(0.02)	20,153	3.47	KCAR	7.55	-	1,485	7.55
DRT	6.70	(0.05)	10,694	6.70	TEAM	0.83	-	1,549	0.83	KGI	3.30	(0.02)	13,185	3.31
EPG	4.78	(0.08)	128,186	4.86	W	0.17	0.01	298,076	0.16	KTC	30.25	(0.75)	49,834	30.58
GEL	0.19	-	6,435	0.19	Energy & Utilities	-	-	-	-	MBKET	7.40	(0.05)	927	7.46
PPP	1.99	(0.01)	214	2.00	7UP	0.32	(0.01)	363,178	0.32	MFC	13.50	(0.10)	32	13.51
Q-CON	-	-	-	-	ABPIF	3.60	0.02	5,505	3.63	ML	0.84	0.01	64	0.84
RCI	3.80	-	1,423	3.78	ACE	3.04	(0.12)	128,492	3.07	MTC	48.50	(0.75)	36,146	48.84
SCC	368.00	(1.00)	24,056	367.97	AI	1.75	0.01	322,806	1.74	PE	-	-	-	-
SCCC	136.00	(4.50)	1,370	137.68	AKR	0.48	-	7,813	0.48	PL	2.00	(0.02)	133	2.01
SCP	6.10	(0.05)	708	6.11	BAFS	21.50	(0.20)	1,208	21.35	S11	6.40	(0.25)	8,445	6.49
SKN	2.40	(0.12)	7,118	2.48	BANPU	5.65	(0.10)	187,990	5.68	SAWAD	44.25	(0.75)	58,273	44.57
TASCO	24.80	(0.20)	109,530	25.01	BCP	17.00	(0.30)	8,983	17.09	THANI	3.96	0.08	398,918	3.93
TCMC	1.05	(0.04)	25,067	1.07	BCPG	13.10	0.10	59,627	13.09	TK	6.95	-	867	6.95
TOA	36.75	(1.50)	10,540	37.30	BGRIM	43.00	(2.25)	73,903	43.99	TNITY	3.64	(0.08)	540	3.66
TPIPL	1.31	-	44,777	1.30	BPP	14.50	0.20	13,946	14.37	UOBKH	3.08	0.02	216	3.00
UMI	0.63	(0.02)	975	0.63	BRRGIF	6.45	(0.05)	608	6.43	ZMICO	0.60	(0.02)	9,415	0.61
VNG	3.42	0.06	421	3.36	CKP	5.85	(0.10)	124,792	5.88	Food & Beverage	-	-	-	-
WIJK	2.06	(0.12)	30,393	2.09	DEMCO	2.88	-	2,608	2.90	APURE	1.93	(0.03)	28,367	1.96
Petrochemicals & Ch	-	-	-	-	EA	41.50	(0.25)	34,123	41.45	ASIAN	11.10	0.60	551,510	10.99
BCT	40.50	0.25	122	40.11	EASTW	9.70	(0.05)	13,305	9.75	BR	1.80	(0.05)	3,734	1.83
CMAN	1.17	(0.02)	1,915	1.18	EGATIF	12.20	0.10	3,770	12.13	BRR	2.74	-	64	2.77
GC	5.30	(0.05)	1,558	5.33	EGCO	214.00	(3.00)	11,699	213.80	CBG	122.00	(2.00)	22,599	122.05
GCC	8.95	(0.20)	5,942	9.01	EP	3.66	(0.04)	12,895	3.68	CFRESH	3.50	0.02	8,667	3.45
GIFT	2.02	0.09	31,243	2.06	ESSO	6.40	(0.20)	289,869	6.48	CHOTI	68.00	1.75	4	68.00
IVL	23.10	(0.20)	199,050	23.10	GPSC	62.50	(1.00)	38,223	63.04	CM	2.76	-	869	2.80
NFC	1.60	(0.09)	6	1.60	GREEN	1.00	-	17,692	0.99	CPF	29.75	(2.00)	729,056	30.01
PATO	9.80	0.05	193	9.74	GULF	31.25	(0.50)	105,353	31.57	CPI	1.23	(0.02)	1,494	1.21
PMTA	-	-	-	-	GUNKUL	2.40	(0.12)	293,158	2.44	F&D	-	-	-	-
PTTGC	44.00	(1.25)	117,987	44.29	IFEC	-	-	-	-	HTC	26.50	(0.50)	7,874	26.86
SUTHA	3.20	0.14	6	3.27	IRPC	2.26	-	342,885	2.24	ICHI	11.30	0.20	604,011	11.37
TCCC	22.60	(0.20)	144	22.56	KBSPIF	10.00	-	2,846	9.97	KBS	3.08	(0.06)	495	3.07
TPA	5.15	0.10	9	5.11	LANNA	6.20	(0.05)	1,542	6.21	KSL	2.00	(0.06)	12,663	2.01
UAC	3.66	(0.04)	452	3.67	MDX	2.48	(0.12)	11,842	2.51	KTIS	2.56	(0.02)	206	2.57
UP	-	-	-	-	PDI	6.65	(0.25)	4,606	6.66	LST	4.36	(0.02)	451	4.36
VNT	22.80	(0.60)	11,853	23.03	PRIME	0.55	(0.01)	141,885	0.55	M	51.00	(1.25)	6,161	51.56
WG	185.50	0.50	12	185.17	PTG	18.40	(0.40)	158,949	18.51	MALEE	6.50	(0.30)	8,057	6.55
YCI	-	-	-	-	PTT	35.00	(1.00)	382,580	35.28	MINT	22.50	(0.10)	376,613	22.54
Commerce	-	-	-	-	PTTEP	85.50	(2.50)	90,541	85.64	OISHI	39.75	(0.25)	204	39.52
BEAUTY	1.33	(0.04)	128,079	1.35	RATCH	54.75	(0.75)	37,639	54.95	OSP	39.00	-	44,612	38.86
BIG	0.48	(0.02)	68,523	0.49	RPC	0.48	-	790	0.48	PB	70.50	-	53	70.26
BJC	37.50	(0.50)	34,206	37.29	SCG	3.46	0.04	92	3.45	PM	7.45	0.05	63,102	7.48
COL	14.80	(0.20)	2,792	14.88	SCI	1.43	(0.04)	14,541	1.44	PRG	11.20	0.10	29	11.28
COM7	42.25	0.50	48,532	41.97	SCN	1.76	(0.02)	890	1.77	RBF	10.50	0.40	576,522	10.44
CPALL	62.75	(1.00)	221,428	63.24	SGP	8.75	(0.10)	6,705	8.80	SAPPE	20.70	0.40	43,893	20.72
CPW	1.66	(0.01)	23,019	1.65	SKE	0.70	(0.04)	9,310	0.71	SAUCE	25.25	0.25	64	25.34
CRC	28.00	(0.75)	178,944	28.23	SOLAR	0.94	(0.03)	5,743	0.94	SFP	135.00	5.00	56	134.50
CSS	1.39	(0.03)	20,517	1.40	SPCG	17.80	(0.20)	6,134	17.94	SNP	-	-	-	-
DOHOME	13.40	(0.30)	43,198	13.52	SPRC	6.30	(0.20)	141,686	6.37	SORKON	5.35	0.20	3,216	5.26
FN	1.12	(0.03)	10,547	1.13	SSP	7.30	(0.05)	2,111	7.26	SSC	33.50	(0.25)	759	33.50
FTE	1.52	(0.04)	2,831	1.52	SUPER	0.79	(0.03)	1,808,648	0.80	SSF	6.80	0.35	4	6.84
GLOBAL	19.80	(0.30)	39,843	19.94	SUPEREIF	11.60	(0.10)	788	11.61	SST	2.64	-	57	2.64
HMPRO	14.90	-	117,599	14.78	SUSCO	2.84	-	19,418	2.81	TC	3.76	(0.06)	2,877	3.78
ILM	11.50	(0.60)	57,887	11.71	TAE	2.34	(0.02)	5,279	2.35	TFG	4.38	(0.18)	122,335	4.43
IT	2.70	0.02	30	2.70	TCC	0.20	0.01	40	0.19	TFMAMA	197.00	(1.00)	625	196.6

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Tuesday September 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
M-CHAI	-	-	-	-	AWC	4.00	0.02	223,373	3.98	HFT	3.58	(0.08)	17,862	3.60
NEW	-	-	-	-	BLAND	0.99	(0.02)	101,531	0.99	IHL	2.56	(0.12)	36,580	2.60
NTV	41.75	(0.25)	18	41.86	BROCK	-	-	-	-	INGRS	0.44	(0.03)	42,006	0.45
PR9	6.60	(0.10)	1,863	6.64	CGD	0.62	(0.02)	21,147	0.62	IRC	12.30	0.10	300	12.36
PRINC	2.80	(0.04)	6,706	2.80	CI	0.68	(0.01)	80	0.68	PCSGH	4.40	(0.06)	445	4.40
RAM	138.50	(0.50)	21	138.76	CPN	46.00	(0.50)	90,609	45.34	SAT	12.90	(0.50)	24,462	13.07
RJH	21.80	(0.20)	669	21.78	ESTAR	0.34	(0.01)	2,471	0.34	SPG	12.90	0.30	14	12.90
RPH	5.20	-	3,760	5.20	EVER	0.22	(0.01)	133,866	0.22	STANLY	148.00	(2.00)	792	148.52
SKR	5.85	(0.15)	2,191	5.91	FPT	10.50	(0.20)	510	10.50	TKT	0.99	-	1,624	0.96
SVH	-	-	-	-	GLAND	-	-	-	-	TNPC	-	-	-	-
THG	19.10	(0.20)	2,346	19.20	J	1.19	(0.02)	23,803	1.20	TRU	3.36	(0.02)	14	3.35
VIBHA	1.51	-	9,669	1.51	JCK	1.50	(0.26)	404,274	1.53	TSC	9.35	-	8	9.35
VIH	6.65	(0.25)	10,424	6.66	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.55	(0.03)	5,359	1.56	KWG	0.71	(0.01)	806	0.72	ALLA	1.18	(0.02)	34,738	1.18
Tourism & Leisure	-	-	-	-	LALIN	5.25	(0.05)	8,444	5.22	ASEFA	3.14	0.02	656	3.11
ASIA	4.66	0.06	774	4.68	LH	7.25	(0.15)	225,315	7.30	CPT	0.86	0.01	3,586	0.85
CENTEL	24.30	(0.95)	66,532	24.41	LPN	4.84	(0.04)	28,722	4.84	CRANE	1.77	(0.09)	29,628	1.80
CSR	69.50	-	1	69.50	MBK	12.70	(0.60)	38,134	12.74	CTW	5.00	(0.05)	562	5.09
DTC	6.95	(0.05)	1,905	6.96	MJD	1.47	(0.03)	5,057	1.48	FMT	18.80	0.10	4	18.80
ERW	3.30	(0.06)	75,461	3.34	MK	2.88	(0.04)	1,374	2.92	HTECH	2.90	(0.02)	1,200	2.91
GRAND	0.52	-	1,929	0.52	NCH	0.87	(0.01)	3,103	0.86	KKC	0.52	(0.01)	1,749	0.50
LRH	31.75	-	1	31.75	NNCL	1.86	(0.02)	2,825	1.86	PK	1.40	(0.06)	1,494	1.43
MANRIN	-	-	-	-	NOBLE	13.80	-	51,278	13.65	SNC	9.95	(0.05)	2,269	9.97
OHTL	-	-	-	-	NUSA	0.30	(0.01)	48,209	0.30	STARK	2.04	(0.04)	48,164	2.06
ROH	-	-	-	-	NVD	1.21	(0.01)	48	1.22	TCJ	3.32	0.04	6,705	3.23
SHANG	56.00	-	4	56.00	ORI	6.60	(0.40)	126,215	6.75	VARO	3.30	(0.20)	8	3.33
SHR	1.97	(0.03)	52,119	1.98	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
VRANDA	5.65	(0.25)	2,848	5.65	PF	0.36	(0.01)	46,381	0.36	AIMCG	6.25	(0.10)	1,037	6.28
Home & Office Produ	-	-	-	-	PLAT	2.50	(0.06)	6,119	2.50	AIMIRT	13.30	(0.10)	418	13.29
ACC	0.61	-	354	0.62	POLAR	-	-	-	-	AMATAR	10.30	-	5	10.30
AJA	0.13	-	73,314	0.12	PRECHA	0.93	0.03	34,748	0.98	B-WORK	12.10	0.20	17,402	12.09
DTCI	-	-	-	-	PRIN	1.60	-	1,562	1.60	BKER	5.70	-	4,541	5.65
FANCY	0.61	0.04	10,541	0.59	PSH	11.30	(0.20)	18,794	11.38	BKKCP	11.90	(0.10)	26	11.92
KYE	308.00	(5.00)	16	308.38	QH	2.20	(0.04)	168,250	2.22	BOFFICE	12.20	-	106	12.19
L&E	1.71	0.01	200	1.72	RICHY	0.69	(0.01)	4,749	0.68	CPNCG	10.30	-	4,399	10.30
MODERN	2.38	(0.02)	291	2.39	RML	0.66	0.01	53,432	0.66	CPNREIT	24.30	(0.60)	15,556	24.21
OGC	21.10	-	4	21.10	ROJNA	4.26	(0.02)	9,517	4.27	CPTGF	10.30	0.10	756	10.28
ROCK	-	-	-	-	S	1.41	(0.01)	6,074	1.42	CTARAF	5.05	-	886	4.99
SIAM	1.39	(0.02)	1,529	1.39	SAMCO	1.21	0.02	521	1.20	DREIT	3.80	-	718	3.80
TSR	2.60	(0.08)	9,317	2.60	SC	2.24	(0.02)	43,017	2.25	ERWPF	4.52	0.32	89	4.30
Insurance	-	-	-	-	SENA	2.76	(0.06)	17,685	2.77	FTREIT	14.80	-	3,845	14.77
AYUD	33.50	(0.25)	27	33.50	SF	4.44	(0.02)	14,216	4.38	FUTUREPF	19.20	0.10	1,141	19.20
BKI	283.00	-	427	281.41	SIRI	0.69	(0.02)	458,581	0.70	GAHREIT	8.05	0.05	314	8.05
BLA	16.30	0.60	31,616	16.10	SPALI	17.00	0.10	28,177	16.88	GOLDDPF	5.80	-	2	5.75
BUI	-	-	-	-	U	1.34	(0.01)	31,015	1.35	GVREIT	12.90	-	1,089	12.90
CHARAN	21.30	(1.40)	12	21.21	UV	2.76	(0.04)	9,287	2.79	HPF	4.74	-	625	4.74
INSURE	31.00	-	1,649	31.00	WHA	3.02	(0.02)	423,879	3.01	HREIT	7.95	(0.10)	4,961	7.98
MTI	85.00	(1.00)	50	85.15	WIN	0.37	-	260	0.36	IMPACT	18.10	(0.10)	3,637	18.06
NKI	52.25	3.75	1	52.25	Paper & Printing Mat	-	-	-	-	KPNPF	6.70	-	300	6.70
NSI	72.00	(6.00)	158	71.24	UTP	14.30	(0.20)	70,582	14.54	LHHOTEL	10.10	-	69	10.01
SEG	23.00	(0.80)	18	23.31	Fashion	-	-	-	-	LHPF	5.25	(0.05)	1,330	5.23
SMK	-	-	-	-	AFC	-	-	-	-	LHSC	12.10	(0.10)	1,964	12.00
THRE	0.89	(0.03)	251,477	0.90	B52	0.16	-	7,270	0.17	LUXF	-	-	-	-
THREL	2.22	(0.04)	17,851	2.22	BTNC	11.40	-	2	11.45	M-II	7.25	0.05	2	7.28
TIP	26.00	(1.00)	10,462	26.34	CPH	-	-	-	-	M-PAT	2.52	(0.20)	1	2.52
TQM	120.00	(4.00)	6,539	121.95	CPL	1.38	(0.13)	1,212	1.44	M-STOR	5.95	(0.05)	302	5.98
TSI	0.28	(0.01)	12,495	0.27	ICC	29.25	(0.75)	1,020	29.00	MIPF	15.30	-	13	14.93
TVI	3.36	(0.06)	1,140	3.36	NC	9.50	0.25	2	9.05	MIT	3.18	-	1	3.18
Mining	-	-	-	-	PAF	0.56	-	1,090	0.57	MJLF	6.90	-	365	6.90
THL	-	-	-	-	PDJ	1.63	0.05	15,490	1.60	MNIT	-	-	-	-
Packaging	-	-	-	-	PG	-	-	-	-	MNIT2	-	-	-	-
AJ	16.10	(0.20)	5,017	16.31	SABINA	18.60	(0.30)	4,415	18.66	MNRF	3.00	0.28	1	3.00
ALUCON	153.00	1.00	6	153.00	SAWANG	-	-	-	-	POPF	10.50	0.10	533	10.40
BGC	11.40	(0.40)	56,810	11.52	SUC	33.75	0.50	89	33.27	PPF	11.20	(0.10)	21	11.21
CSC	51.25	(1.75)	13	51.04	TNL	-	-	-	-	PROSPECT	9.20	(0.15)	5,906	9.23
GLOCON	1.09	0.02	456,567	1.13	TPCORP	-	-	-	-	QHHR	5.80	-	186	5.76
NEP	0.26	0.03	5,724	0.26	TR	21.90	(0.10)	150	21.72	QHOP	2.28	0.06	24	2.27
PTL	24.30	(0.40)	21,757	24.50	TTI	-	-	-	-	QHPP	9.80	-	2,103	9.78
SFLEX	11.20	-	4,879	11.25	TTT	54.75	0.25	1	54.75	SBPF	2.58	0.14	2	2.58
SITHAI	0.58	-	2,305	0.57	UPF	59.75	1.75	3	60.25	SHREIT	3.56	(0.08)	149	3.66
SLP	0.39	(0.01)	350	0.39	UT	-	-	-	-	SIRIP	-	-	-	-
SMPC	11.80	(0.20)	4,808	11.96	WACOAL	-	-	-	-	SPF	13.10	-	4,448	12.99
SPACK	2.40	(0.16)	10,518	2.45	Transportation & Log	-	-	-	-	SPRIME	9.35	(0.05)	4,289	9.40
TCOAT	-	-	-	-	AAV	1.87	(0.15)	868,228	1.92	SRIPANWA	7.90	(0.10)	93	7.96
TFI	0.14	-	15,986	0.14	AOT	58.25	-	465,272	58.36	SSPF	9.10	(0.50)	355	9.22
THIP	24.20	(0.40)	273	24.23	ASIMAR	1.33	(0.04)	1,344	1.33	SSTRT	5.45	0.20	34	5.33
TMD	21.60	(0.40)	36	21.38	B	0.30	-	5,983	0.29	TIF1	8.45	(0.05)	55	8.50
TOPP	190.00	(3.00)	2	191.50	BA	5.40	(0.20)	5,709	5.43	TLGF	17.40	-	2,695	17.34
TPBI	4.64	(0.06)	841	4.67	BEM	9.00	(0.05)	294,147	8.99	TLHPF	8.65	(0.80)	23	9.02
TPP	-	-	-	-	BTS	10.10	(0.30)	257,989	10.20	TNPF	2.04	-	104	2.02
Personal Products &	-	-	-	-	BTSGIF	6.15	(0.05)	5,404	6.15	TPRIME	13.50	-	121	13.53
APCO	3.60	-	609	3.58	III	4.30	(0.18)	5,998	4.36	TTLPF	21.90	(0.30)	18	20.56
DDD	16.30	(1.10)	7,793	16.64	JUTHA	0.54	0.07	2,741	0.47	TU-PF	0.87	0.03	1	0.87
JCT	-	-	-	-	JWD	7.40	(0.20)	27,894	7.46	URBNPF	-	-	-	-
OCC	-	-	-	-	KWC	-	-	-	-	WHABT	8.45	-	41	8.45
S & J	27.00	-	4	27.00	NOK	0.63	(0.08)	21,322	0.64	WHART	14.70	-	1,818	14.71
STGT	70.25	(2.50)	160,589	70.76	NYT	3.02	(0.10)	26,729	3.05	Steel	-	-	-	-
STHAI	-	-	-	-	PORT	2.02	(0.04)	7,030	2.03	AMC	1.57	(0.01)	4,743	1.59
TNR	9.70	(0.30)	362	9.71	PRM	8.85	(0.20)	268,292	8.96	BSBM	0.86	(0.01)	3,734	0.86
TOG	3.42	0.02	35	3.38	PSL	4.50	(0.16)	79,479	4.55	CEN	1.69	-	211	0.69
Professional Service	-	-	-	-	RCL	3.54	0.16	82,973	3.56	CITY	0.80	0.01	889	1.80
BWG	0.51	(0.03)	1,040,919	0.52	TFFIF	10.30	0.10	27,547	10.25	CSP	0.52	(0.04)	940	0.53
GENCO	0.50	(0.01)	1,497	0.50	THAI	3.22	(0.02)	9,176	3.20	GJS	0.09	-	34,551	0.09
PRO	-	-	-	-	TSTE	6.80	(0.10)	8	6.80	GSTEEL	-	-	-	-
SISB	8.25	(0.05)	14,553	8.25	TTA	2.80	(0.04)	12,550	2.81	INOX	0.50	(0.05)	121,897	0.52
Property Developer	-	-	-	-	WICE	4.92	-	147,248	4.95	LHK	2.22	(0.02)	3,474	2.22
A	4.98	(0.02)	70	4.										

## Main Board Quotation

Issue Date :

Tuesday September 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AIE	0.58	(0.01)	28,362	-	ADVA06P2011A	0.34	0.02	22,845	-
ABICO	5.50	(0.10)	2,296	5.00	ETC	1.95	(0.02)	206,454	1.00	ADVA08C2009A	0.02	(0.03)	896	-
AU	9.70	(0.10)	31,801	9.00	PSTC	1.59	-	13,873	1.00	ADVA08C2012A	0.42	(0.05)	3,238	-
JCKH	0.40	0.05	39,097	-	QTC	3.96	(0.02)	594	3.00	ADVA08P2009A	-	-	-	-
KASET	1.65	(0.07)	14,131	1.00	SAAM	1.01	-	2,881	1.00	ADVA08P2010A	0.87	-	20,484	-
MM	1.86	(0.10)	455	1.00	SEAOIL	2.42	(0.04)	7,310	2.00	ADVA11C2011A	0.39	(0.02)	5,440	-
SUN	2.58	(0.20)	17,893	2.00	SR	0.67	0.03	20	-	ADVA11P2011A	0.49	(0.01)	24,260	-
TACC	6.75	-	94,424	6.00	TAKUNI	0.38	(0.01)	2,983	-	ADVA13C2010A	0.16	(0.05)	61,538	-
TMILL	3.10	(0.02)	4,508	3.00	TPCH	12.40	(0.20)	9,971	12.00	ADVA13P2009A	0.19	(0.08)	49,540	-
XO	9.20	(0.10)	21,467	9.00	TRT	1.65	(0.02)	499	1.00	ADVA13P2012A	0.79	(0.21)	127,189	-
Consumer Products					UMS	-	-	-	-	ADVA16C2009A	-	-	-	-
BGT	1.00	(0.07)	350	1.00	UPA	0.18	-	22,173	-	ADVA19C2009A	0.01	(0.02)	6	-
BIZ	3.46	-	306	3.00	UWC	0.05	(0.01)	30,220	-	ADVA19C2010A	0.03	-	1,421	-
DOD	9.20	0.40	246,931	9.00	Services (MAI)	-	-	-	-	ADVA19C2010B	0.23	(0.04)	37,000	-
ECF	1.32	(0.07)	46,863	1.00	A5	-	-	-	-	ADVA19C2012A	0.48	(0.52)	31,925	-
HPT	0.94	0.01	8,068	-	AKP	0.92	(0.05)	3,772	-	ADVA19P2009A	-	-	-	-
IP	12.40	(1.00)	43,769	12.00	AMA	4.76	(0.24)	21,915	4.00	ADVA19P2010A	0.26	(0.03)	28,018	-
JUBILE	17.60	(0.10)	1,399	17.00	ARIP	0.43	0.01	4,263	-	ADVA19P2012A	0.69	(0.01)	14,369	-
MOONG	3.76	-	634	3.00	ATP30	0.78	-	7,171	-	ADVA24C2009A	0.01	(0.01)	161	-
NPK	19.90	0.70	34	19.00	AUCT	12.90	0.80	117,171	13.00	ADVA24C2101A	0.50	(0.05)	26,253	-
OCEAN	0.82	-	2,316	-	BOL	4.40	-	6,580	4.00	ADVA28C2011A	-	-	-	-
TM	2.34	(0.10)	27,360	2.00	CMO	0.92	(0.01)	665	-	ADVA28C2012A	0.04	(0.02)	2,010	-
Financials (MAI)					D	3.28	-	685	3.00	ADVA28C2012B	0.19	(0.03)	17,109	-
ACAP	0.70	(0.01)	1,798	-	DV8	0.31	-	1,936	-	ADVA28C2101A	0.48	(0.05)	26,759	-
AF	0.55	0.01	99	-	EFORL	-	-	-	-	ADVA28C2102L	0.30	(0.01)	10,084	-
AIRA	0.98	(0.02)	188	-	ETE	0.95	(0.01)	1,052	-	ADVA28P2012A	0.21	-	6,524	-
ASN	4.12	(0.06)	1	4.00	FSMART	6.60	(0.30)	54,286	6.00	ADVA41C2010A	-	-	-	-
BROOK	0.40	0.01	46,266	-	FVC	0.39	(0.02)	3,124	-	ADVA41C2010B	-	-	-	-
CHAYO	7.80	(0.85)	346,052	8.00	GSC	1.31	(0.01)	3,792	1.00	ADVA41C2011A	0.42	(0.04)	59,905	-
GCAP	1.37	(0.05)	5,422	1.00	HARN	2.14	(0.02)	7,147	2.00	ADVA41P2009A	-	-	-	-
LIT	3.12	-	1,528	3.00	IMH	2.16	-	1,215	2.00	ADVA41P2011A	0.40	-	1,470	-
MITTSIB	1.08	(0.01)	440	1.00	JKN	7.30	0.95	449,600	6.00	ADVA41P2010A	0.66	(0.34)	38,000	-
SGF	0.55	(0.01)	32,711	-	KIAT	0.46	(0.01)	103,116	-	ADVA42C2102T	0.42	(0.03)	5,619	-
Industrials (MAI)					KOOL	0.93	0.04	177,628	-	AEON13C2010A	0.03	(0.01)	2	-
ZS	3.10	(0.16)	8,444	3.00	LDC	0.96	0.02	10,849	-	AEON13C2011A	0.18	(0.02)	353,431	-
ADB	0.74	(0.01)	3,656	-	MORE	0.88	(0.02)	3,546,808	-	AEON19C2010A	0.07	(0.02)	1,200	-
BM	2.16	(0.02)	268	-	MPG	0.31	(0.05)	66,817	-	AEON19C2010B	0.17	(0.03)	30,201	-
CHO	0.48	(0.02)	17,969	-	MVP	1.16	(0.04)	2,391	1.00	AEON19C2011A	0.76	(0.07)	14,691	-
CHOW	1.76	(0.05)	1,372	1.00	NBC	0.58	-	455	-	AEON19C2012A	0.43	(0.06)	82,970	-
CIG	0.23	(0.01)	35,564	-	NCL	0.73	0.01	39	-	AEON28C2012A	0.37	(0.04)	48,256	-
COLOR	1.24	0.02	556	1.00	NEWS	0.01	-	58,007	-	AEON28C2101A	0.91	(0.14)	89,494	1.00
CPR	2.48	(0.08)	446	2.00	NINE	1.75	(0.02)	27	1.00	AEON42C2101T	0.20	(0.05)	5,005	-
FPI	1.43	-	181	1.00	OTO	3.18	0.04	1,177	3.00	AMAT01C2101A	0.36	-	20,961	-
GTB	0.66	(0.02)	6,431	-	PHOL	2.54	0.02	35,211	2.00	AMAT06C2010A	0.12	(0.01)	19,705	-
KCM	0.43	(0.02)	4,804	-	PICO	3.74	0.04	1	3.00	AMAT08C2010A	0.17	(0.01)	4,201	-
KUMWEL	1.04	-	686	1.00	QLT	4.00	(0.04)	302	4.00	AMAT08C2101A	0.37	(0.02)	18,777	-
KWM	0.88	(0.02)	12,408	-	RP	1.26	(0.10)	2,464	1.00	AMAT13C2010A	0.10	(0.02)	26,018	-
MBAX	6.35	0.10	42,283	6.00	SE	1.21	(0.01)	25	1.00	AMAT13C2012A	0.27	(0.01)	110,104	-
MGT	2.32	-	4,168	2.00	SLM	-	-	-	-	AMAT19C2009A	0.13	(0.03)	40,731	-
NDR	1.29	(0.03)	10,481	1.00	SONIC	1.07	(0.05)	4,503	1.00	AMAT19C2011A	0.16	(0.01)	18,244	-
PDG	3.44	-	1,291	3.00	SPA	6.00	(0.15)	18,942	6.00	AMAT24C2010A	-	-	-	-
PIMO	1.65	0.01	96,609	1.00	THMUI	0.53	(0.03)	3,710	-	AMAT28C2012A	0.14	(0.01)	6,094	-
PJW	1.30	(0.01)	2,888	1.00	TNDT	3.10	(0.02)	3,006	3.00	AMAT28C2101A	0.23	(0.01)	19,239	-
PPM	0.73	-	53	-	TNH	33.25	(0.25)	431	33.00	AMAT28C2102L	0.13	-	4,549	-
RWI	1.36	0.01	925	1.00	TNP	2.88	(0.06)	18,111	2.00	AMAT42C2101T	0.14	-	340	-
SALEE	0.63	(0.02)	1,172	-	TSF	-	-	-	-	AOT01C2012A	0.70	(0.02)	96,141	-
SANKO	0.95	-	481	-	TVD	1.16	(0.04)	13,537	1.00	AOT01P2012A	0.32	(0.01)	86,372	-
SELIC	2.06	(0.02)	20,536	2.00	TVT	0.65	0.02	22	-	AOT06C2009A	0.07	(0.01)	1,026	-
SWC	4.20	(0.02)	1,699	4.00	VL	1.04	(0.02)	19,006	1.00	AOT06C2011A	0.34	-	69,211	-
TMC	0.57	(0.05)	1,665	-	WINNER	2.46	(0.04)	1,393	2.00	AOT06P2009A	-	-	-	-
TMI	0.63	0.01	2,661	-	YGG	11.20	(0.80)	38,686	11.00	AOT06P2011A	0.76	0.02	65,806	-
TMW	29.50	(0.75)	184	29.00	Technology (MAI)	-	-	-	-	AOT08C2009A	0.18	(0.04)	35,428	-
TPAC	11.90	0.90	6,430	11.00	APP	2.32	0.02	124,288	2.00	AOT08C2101A	0.54	(0.02)	63,025	-
TPLAS	1.30	0.02	1,779	1.00	COMAN	2.44	-	8,099	2.00	AOT08P2009A	0.09	(0.03)	1,519	-
UBIS	4.54	(0.16)	1,422	4.00	ICN	2.18	0.02	8,200	2.00	AOT11C2011A	0.37	(0.02)	48,400	-
UEC	0.87	-	3,854	-	IIG	17.90	1.30	154,763	17.00	AOT11P2010A	0.45	(0.01)	59,011	-
UKEM	0.56	(0.02)	46,636	-	INSET	3.20	(0.06)	57,826	3.00	AOT13C2010A	0.06	(0.02)	33,557	-
UREKA	0.82	0.01	5,353	-	IRCP	0.70	(0.02)	72,530	-	AOT13C2011A	0.26	(0.02)	597,201	-
YUASA	15.00	(0.10)	5,143	15.00	ITEL	2.82	(0.06)	10,255	2.00	AOT13C2012A	0.61	(0.03)	47,697	-
ZIGA	1.47	-	552	1.00	NETBAY	25.00	(2.75)	55,199	25.00	AOT13P2009A	0.01	-	4,110	-
Property & Construc					PLANET	1.14	0.02	22,178	1.00	AOT13P2010A	0.47	(0.04)	72,651	-
ALL	3.14	(0.02)	22,753	3.00	SICT	4.48	(0.02)	55,140	4.00	AOT13P2011A	0.22	(0.01)	344,578	-
ARIN	0.95	-	928	-	SIMAT	4.00	(0.16)	27,107	4.00	AOT16C2009A	-	-	-	-
ARROW	7.10	-	230	7.00	SKY	13.90	0.20	1,912	13.00	AOT16C2012A	0.68	(0.01)	13,823	-
BC	0.93	0.10	2,004	-	SPVI	2.80	-	80,297	2.00	AOT19C2009A	-	-	-	-
BSM	0.27	-	11,381	-	TPS	2.60	(0.12)	85,156	2.00	AOT19C2011A	0.09	(0.01)	1,030	-
BTW	0.81	-	1,413	-	VCOM	4.90	(0.30)	38,262	4.00	AOT19C2011B	0.28	(0.02)	364,349	-
CAZ	1.55	(0.01)	1,303	1.00	Unit Trust	-	-	-	-	AOT19C2012A	0.53	(0.02)	153,998	-
CHEWA	0.47	-	17,531	-	MGE	6.10	0.10	12	6.00	AOT19P2009A	-	-	-	-
CMC	0.73	(0.01)	1,340	-	SCBSET	-	-	-	-	AOT19P2009B	-	-	-	-
CRD	0.50	(0.01)	1,001	-	ETF	-	-	-	-	AOT19P2010A	0.24	(0.03)		

## Main Board Quotation

Issue Date :

Tuesday September 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP08C2101A	0.28	(0.02)	8,000	-	BGP28C2101A	0.24	0.01	39,321	-	CBG11C2101A	0.69	(0.04)	8,396	-
AP13C2011A	0.21	(0.01)	31,092	-	BDM501C2101A	0.50	(0.01)	18,437	-	CBG13C2010A	0.91	(0.16)	3,598	-
AP19C2010A	-	-	-	-	BDM506C2010A	-	-	-	-	CBG13C2011A	0.58	(0.06)	100,048	-
AP19C2011A	0.23	(0.02)	40,209	-	BDM506P2009A	-	-	-	-	CBG13C2012A	0.37	(0.63)	125,781	-
AP28C2012A	-	-	-	-	BDM508C2011A	0.11	(0.01)	12,002	-	CBG13P2010A	0.05	0.02	578	-
AP28C2012B	0.21	(0.01)	28,378	-	BDM508C2101A	0.42	(0.02)	13,400	-	CBG13P2011A	0.43	(0.01)	45,989	-
AWC01C2009A	-	-	-	-	BDM511C2011A	0.48	(0.02)	15,210	-	CBG19C2010A	-	-	-	-
AWC01C2101A	0.62	(0.01)	20,440	-	BDM513C2009A	-	-	-	-	CBG19C2011A	0.69	(0.06)	35,868	-
AWC06C2009A	0.04	-	14,000	-	BDM513C2011A	0.21	(0.02)	85,649	-	CBG19C2011B	0.35	(0.05)	157,494	-
AWC06C2011A	-	-	-	-	BDM513C2012A	0.37	(0.01)	106,018	-	CBG19P2010A	0.06	(0.02)	20,101	-
AWC06P2012A	0.45	(0.01)	20,681	-	BDM519C2010A	-	-	-	-	CBG19P2011A	0.22	(0.01)	49,742	-
AWC08C2012A	0.33	(0.02)	2,200	-	BDM519C2011A	0.17	(0.02)	80,354	-	CBG19P2012A	0.73	0.01	65,923	-
AWC11C2102A	0.60	(0.02)	25,440	-	BDM519C2012A	0.34	(0.02)	23,824	-	CBG41C2009A	-	-	-	-
AWC13C2009A	-	-	-	-	BDM519P2010A	0.13	(0.01)	8,301	-	CBG41C2010A	0.64	(0.08)	3,140	-
AWC13C2010A	0.01	-	200	-	BDM524C2101A	0.46	-	9,221	-	CBG41C2011A	-	-	-	-
AWC13C2010B	-	-	-	-	BDM528C2011A	-	-	-	-	CBG41C2011B	0.51	(0.03)	10,063	-
AWC13C2011A	0.29	(0.01)	130,422	-	BDM528C2012A	0.10	(0.01)	4,256	-	CBG41C2012A	-	-	-	-
AWC13P2011A	0.25	(0.01)	153,901	-	BDM528C2012B	-	-	-	-	CBG41P2010A	0.18	-	1,609	-
AWC19C2010A	0.12	(0.02)	4,000	-	BDM528C2010A	0.25	(0.01)	16,224	-	CBG41P2012A	0.90	0.02	11,039	-
AWC19C2010B	-	-	-	-	BDM528C2012A	0.35	(0.01)	15,168	-	CBG42C2101T	0.95	(0.09)	17,970	-
AWC19C2010C	0.28	(0.01)	67,866	-	BDM541C2009A	-	-	-	-	CENT01C2009A	0.73	(0.30)	20	-
AWC19P2011A	0.26	(0.02)	10,150	-	BDM541C2012A	0.30	(0.02)	42,800	-	CENT01P2009A	0.01	(0.01)	81	-
AWC24C2010A	-	-	-	-	BDM541P2011A	0.57	0.01	5,186	-	CENT08C2012A	-	-	-	-
AWC28C2010A	0.09	(0.02)	10,066	-	BDM542C2101T	0.15	(0.01)	20	-	CENT11C2012A	0.20	(0.04)	14,857	-
AWC28C2010B	-	-	-	-	BEM01C2101A	0.17	-	28,565	-	CENT13C2010A	0.09	(0.02)	41,747	-
AWC28C2012A	0.04	-	876	-	BEM06P2009A	-	-	-	-	CENT13C2011A	0.48	(0.10)	94,660	-
AWC28C2012B	0.19	(0.02)	3,042	-	BEM08C2009A	0.20	(0.06)	12,000	-	CENT13P2011A	0.31	0.03	60,656	-
AWC28C2101A	0.40	(0.02)	26,364	-	BEM08C2102A	-	-	-	-	CENT19C2010A	0.26	(0.09)	32,122	-
AWC41C2010A	-	-	-	-	BEM11C2011A	0.26	(0.02)	1,110	-	CENT19C2011A	0.14	(0.03)	7,924	-
AWC41C2011A	0.22	-	16,062	-	BEM13C2009A	-	-	-	-	CENT19C2011B	0.59	(0.12)	1,366	-
AWC42C2010T	-	-	-	-	BEM13C2010A	-	-	-	-	CENT19P2011A	0.30	0.03	26,397	-
BANP01C2101A	0.32	(0.02)	9,982	-	BEM13C2011A	0.22	(0.02)	17,112	-	CENT24C2011A	0.57	(0.13)	57,782	-
BANP06C2010A	0.04	(0.02)	4,000	-	BEM19C2010A	0.22	(0.02)	4,000	-	CENT28C2010A	-	-	-	-
BANP06C2101A	0.28	(0.02)	14,500	-	BEM19C2011A	-	-	-	-	CENT28C2012A	0.25	(0.06)	38,899	-
BANP06P2011A	0.51	0.02	6,940	-	BEM19P2010A	0.16	(0.02)	600	-	CENT28C2012B	0.31	(0.09)	8,620	-
BANP08C2009A	-	-	-	-	BEM28C2010A	0.20	(0.04)	250	-	CENT28C2101A	0.50	(0.28)	31,369	-
BANP08P2009A	0.23	(0.04)	7,358	-	BEM28C2012A	0.07	-	500	-	CENT28C2101B	0.16	(0.03)	11,660	-
BANP13C2010A	0.01	(0.01)	2,146	-	BGR101C2009A	-	-	-	-	CENT28C2103L	0.39	(0.05)	38,878	-
BANP13C2011A	0.11	(0.01)	5,600	-	BGR101C2012A	0.24	(0.06)	37,237	-	CHG13C2010A	0.13	-	21,846	-
BANP13C2012A	0.21	(0.02)	47,851	-	BGR101P2012A	0.62	0.06	38,087	-	CHG13C2012A	0.28	-	136,708	-
BANP19C2009A	-	-	-	-	BGR106C2010A	0.07	(0.03)	22,485	-	CHG16C2009A	-	-	-	-
BANP19C2010A	0.06	(0.01)	1,128	-	BGR106P2011A	0.72	0.11	47,701	-	CHG19C2011A	0.19	(0.02)	8,500	-
BANP19C2012A	0.24	(0.01)	7,500	-	BGR108C2009A	0.07	(0.07)	1,200	-	CHG27C2009A	-	-	-	-
BANP19P2010A	-	-	-	-	BGR108C2101A	0.37	(0.07)	18,406	-	CK01C2101A	0.49	(0.03)	33,391	-
BANP19P2010B	0.58	(0.01)	9,270	-	BGR111C2101A	0.23	(0.06)	25,423	-	CK06C2009A	0.13	(0.07)	54,646	-
BANP19P2012A	0.29	(0.01)	96,000	-	BGR113C2009A	-	-	-	-	CK06P2012A	0.51	0.05	120,815	-
BANP24C2011A	-	-	-	-	BGR113C2011A	0.08	(0.03)	44,490	-	CK11C2012A	0.35	(0.05)	27,370	-
BANP28C2010A	-	-	-	-	BGR113C2012A	0.31	(0.07)	177,823	-	CK13C2010A	0.28	(0.05)	335,631	-
BANP28C2012A	0.12	(0.01)	9,526	-	BGR113P2011A	0.62	0.06	78,517	-	CK19C2010A	0.22	(0.03)	56,312	-
BANP28C2012B	0.11	(0.02)	3,042	-	BGR119C2009A	0.09	(0.05)	29,900	-	CK19C2011A	0.28	(0.03)	171,817	-
BANP28C2101A	0.24	(0.02)	6,184	-	BGR119C2011A	0.11	(0.04)	27,507	-	CK19C2012A	0.47	(0.08)	36,039	-
BANP41C2010A	-	-	-	-	BGR119C2012A	0.21	(0.06)	73,639	-	CK19P2011A	0.38	0.04	243,791	-
BANP42C2012T	-	-	-	-	BGR119P2010A	0.47	0.06	91,486	-	CK41C2009A	0.15	(0.04)	2,000	-
BBL06C2009A	0.03	(0.03)	11,659	-	BGR124C2009A	-	-	-	-	CK41C2011A	0.28	(0.01)	1,962	-
BBL06C2101A	-	-	-	-	BGR127C2101A	0.18	(0.05)	6,770	-	CK41C2012A	0.44	(0.03)	18,146	-
BBL06P2011A	0.54	(0.04)	38,183	-	BGR127P2012A	0.34	0.03	7,102	-	CK42C2101T	0.18	(0.02)	970	-
BBL08C2009A	0.07	(0.03)	575	-	BGR141C2010A	-	-	-	-	CKP01C2009A	-	-	-	-
BBL08C2101A	0.41	-	10,016	-	BGR141C2012A	0.43	(0.07)	24,467	-	CKP01C2101A	0.29	(0.02)	16,615	-
BBL08P2009A	0.12	(0.05)	5,550	-	BGR141C2101A	-	-	-	-	CKP01P2009A	-	-	-	-
BBL11C2011A	0.49	(0.01)	27,175	-	BGR142C2101T	0.10	(0.02)	100	-	CKP06C2012A	0.40	(0.02)	9,522	-
BBL13C2010A	-	-	-	-	BH13C2010A	0.06	(0.01)	2,800	-	CKP08C2010A	1.09	0.06	50	1.00
BBL13C2010B	0.15	-	82,878	-	BH13C2012A	0.31	(0.02)	63,207	-	CKP08C2012A	0.31	(0.02)	12,214	-
BBL13C2012A	0.43	0.01	221,388	-	BH19C2009A	0.03	(0.01)	3,110	-	CKP11C2102A	0.38	(0.03)	7,120	-
BBL13P2010A	0.07	(0.04)	61,428	-	BH19C2012A	0.35	(0.02)	64,051	-	CKP13C2010A	-	-	-	-
BBL19C2009A	-	-	-	-	BH19P2012A	0.45	(0.02)	12,031	-	CKP13C2011A	0.27	(0.02)	73,685	-
BBL19C2010A	0.18	(0.01)	240	-	BH41C2009A	0.01	(0.12)	50	-	CKP16C2012A	0.26	(0.02)	4,376	-
BBL19C2011A	0.16	0.01	5,086	-	BH41C2012A	0.32	-	33,810	-	CKP19C2010A	-	-	-	-
BBL19C2011B	0.27	(0.01)	5,300	-	BJC01C2009A	-	-	-	-	CKP19C2011A	-	-	-	-
BBL19C2012A	0.94	(0.13)	1,500	-	BJC01P2009A	-	-	-	-	CKP19C2011B	0.23	(0.03)	21,876	-
BBL19P2010A	0.25	(0.03)	78,928	-	BJC11C2102A	0.33	(0.04)	1,679	-	CKP24C2011A	0.30	(0.03)	9,776	-
BBL19P2011A	0.57	(0.05)	87,546	-	BJC13C2010A	0.03	(0.01)	4,000	-	CKP28C2011A	-	-	-	-
BBL24C2009A	0.10	-	230	-	BJC13C2011A	0.13	(0.02)	44,252	-	CKP28C2012A	-	-	-	-
BBL28C2010A	0.06	(0.02)	2,050	-	BJC19C2010A	0.04	(0.02)	110	-	CKP28C2012B	0.22	(0.03)	12,449	-
BBL28C2011A	-	-	-	-	BJC19C2010B	-	-	-	-	COM706C2012A	0.99	0.05	16,358	-
BBL28C2012A	0.20	-	16,168	-	BJC19C2012A	0.27	(0.02)	44,470	-	COM708C2010A	-	-	-	-
BBL28C2101A	0.33	0.01	23,762	-	BJC19P2012A	0.31	-	35,120	-	COM708C2011A	0.75	0.02	2,955	-
BBL41C2009A	-	-	-	-	BJC27C2009A	-	-	-	-	COM711C2101A	0.62	0.02	18,826	-
BBL41C2011A	0.07	(0.06)	200	-	BJC28C2010A	-	-	-	-	COM713C2010A	-	-	-	-
BBL41C2012A	-	-	-	-	BJC28C2012A	-	-	-	-	COM713C2010B	0.83	0.11	100	-
BBL41P2010A	-	-	-	-	BJC28C2012B	0.15	(0.02)	1,024	-	COM713C2011A	0.51	0.01	93,029	-
BBL41P2011A	0.35	(0.03)	23,622	-	BJC28C2101A	0.24	(0.02)	6,094	-	COM719C2009A	-	-	-	-
BBL42C2101T	-	-	-	-	BJC28C2102L	0.14	(0.02)	1,064	-	COM719C2010A	-	-	-	-
BBL42P2102T	0.38	(0.62)	12,228	-	BJC41C2011A	-	-	-	-	COM719C2011A	0.93	0.03	1,002	-
BCH01C2101A	0.40	(0.02)	37,772	-	BJC41C2012A	0.29	(0.03)	2,797	-	COM719C2011B	0.58	(0.03)	6,144	-
BCH06C2011A	0.24	(0.02)	68,729	-	BPP13C2011A	0.14	(0.01)	13,858	-	COM719C2012A	0.44	0.01	58,963	-
BCH13C2010A	0.15	(0.01)	14,450	-	BPP19C2010A	0.10	(0.01)	4,000	-	COM719P2011A	0.08	-	16,099	-
BCH19C2011A	0.27	(0.02)	11,500	-	BPP19C2012A	0.29	-	3,607	-	COM719P2012A	0.19	(0.03)	128,240	-
BCP13C2011A	-	-	-	-	BTS01C2101A	-	-	-	-					

## Main Board Quotation

Issue Date :

Tuesday September 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL19P2010A	0.06	(0.01)	183	-	EA19C2012A	0.28	(0.02)	79,188	-	GULF19C2010A	0.05	(0.01)	3,462	-
CPAL19P2010B	0.52	-	10,228	-	EA19P2011A	0.35	-	50,758	-	GULF19C2010B	0.08	(0.01)	17,103	-
CPAL24C2009A	0.18	(0.06)	53,726	-	EA19P2011B	0.51	(0.02)	36,478	-	GULF19C2012A	0.18	(0.02)	23,079	-
CPAL27C2101A	0.14	(0.02)	770	-	EA24C2101A	0.35	(0.65)	23,819	-	GULF19P2009A	-	-	-	-
CPAL28C2010A	-	-	-	-	EA28C2011A	0.17	(0.03)	6,042	-	GULF19P2010A	0.15	(0.01)	11,500	-
CPAL28C2012A	0.06	(0.01)	1,500	-	EA28C2012A	0.19	(0.01)	20,904	-	GULF19P2010B	0.38	-	50,607	-
CPAL28C2012B	-	-	-	-	EA28C2101A	0.20	(0.02)	2,038	-	GULF19P2012A	0.34	0.01	37,500	-
CPAL28C2012C	0.14	(0.02)	2,028	-	EA28C2103L	0.16	(0.01)	2,028	-	GULF24C2009A	0.01	-	2,510	-
CPAL28C2102A	0.29	(0.04)	16,630	-	EA41C2009A	-	-	-	-	GULF24C2101A	0.25	(0.75)	24,170	-
CPAL28C2104L	0.25	(0.02)	3,042	-	EA41C2011A	-	-	-	-	GULF28C2010A	-	-	-	-
CPAL41C2010A	-	-	-	-	EA42C2101T	0.21	-	4,080	-	GULF28C2012A	0.05	(0.01)	7,903	-
CPAL41C2011A	0.23	(0.04)	73,741	-	EGC006C2010A	0.05	0.01	579	-	GULF28C2012B	-	-	-	-
CPAL41P2011A	0.61	0.01	29,273	-	EGC006P2009A	0.14	0.01	13,000	-	GULF28C2101A	0.17	(0.04)	45,838	-
CPAL42C2101T	0.09	(0.01)	1,443	-	EGC013C2009A	0.01	-	200	-	GULF41C2009A	0.01	-	18	-
CPF01C2012A	0.12	(0.05)	60,770	-	EGC013C2011A	0.13	(0.02)	39,304	-	GULF41C2011A	-	-	-	-
CPF06C2010A	0.06	(0.05)	16,682	-	EGC013P2011A	0.59	0.01	67,449	-	GULF41C2012A	0.20	(0.01)	34,100	-
CPF06P2011A	0.20	0.05	62,543	-	EGC019C2010A	0.07	(0.02)	360	-	GULF41P2009A	-	-	-	-
CPF08C2010A	0.11	(0.07)	28,227	-	EGC019C2011A	0.14	(0.02)	50,010	-	GULF41P2011A	0.39	-	843	-
CPF11C2010A	0.09	(0.05)	3,506	-	EGC019C2012A	0.28	(0.04)	24,592	-	GULF41P2012A	0.32	0.01	4,000	-
CPF13C2009A	0.01	(0.02)	2,040	-	EGC019P2011A	0.79	-	21,549	-	GULF42C2101M	0.03	(0.01)	200	-
CPF13C2011A	0.06	(0.05)	119,670	-	EGC024C2009A	-	-	-	-	GULF41C2101T	0.12	-	660	-
CPF13C2012A	0.16	(0.06)	226,015	-	EGC042C2101T	0.10	(0.02)	897	-	GULF42P2101T	0.31	-	16,170	-
CPF13P2012A	0.38	(0.62)	234,045	-	EPG13C2010A	0.05	-	9,000	-	GUNK01C2012A	0.21	(0.06)	12,766	-
CPF16C2012A	0.12	(0.05)	5,746	-	EPG13C2011A	0.40	(0.05)	96,399	-	GUNK13C2011A	0.09	(0.02)	10	-
CPF19C2009A	-	-	-	-	EPG13C2012A	0.15	(0.02)	89,580	-	GUNK19C2010A	-	-	-	-
CPF19C2010A	0.07	(0.05)	19,430	-	EPG19C2010A	0.41	(0.04)	227,280	-	GUNK19C2012A	0.12	(0.05)	36,933	-
CPF19P2010A	0.12	0.03	14,000	-	EPG19C2011A	0.12	(0.01)	8,014	-	GUNK24C2012A	0.14	(0.04)	20,384	-
CPF19P2012A	0.42	0.06	68,434	-	EPG42C2101T	-	-	-	-	GUNK28C2012A	0.12	(0.03)	8,598	-
CPF24C2012A	0.10	(0.04)	19,058	-	ERW06C2010A	0.32	(0.05)	102,991	-	GUNK28C2012B	-	-	-	-
CPF28C2010A	-	-	-	-	ERW13C2010A	0.12	(0.03)	53,450	-	GUNK28C2102A	0.16	(0.05)	21,590	-
CPF28C2011A	0.10	(0.06)	70,369	-	ERW19C2010A	0.38	(0.03)	14,194	-	HANA01C2012A	0.48	(0.02)	47,902	-
CPF28C2012A	0.08	(0.04)	41,243	-	ERW19C2010B	0.07	(0.02)	4,000	-	HANA13C2011A	0.49	(0.02)	165,486	-
CPF28C2012B	0.06	(0.04)	9,393	-	ESSO01C2009A	0.20	(0.09)	50	-	HANA13C2012A	0.27	(0.02)	484,201	-
CPF28C2103L	0.16	(0.04)	8,744	-	ESSO01C2012A	0.34	(0.03)	46,582	-	HANA19C2010A	0.46	(0.03)	36,281	-
CPF41C2010A	0.07	(0.05)	4,000	-	ESSO01P2009A	0.02	(0.02)	615	-	HANA19C2012A	0.31	(0.01)	127,435	-
CPF41P2011A	0.32	0.05	34,092	-	ESSO06C2011A	0.17	(0.02)	43,939	-	HANA19P2011A	0.06	(0.02)	48,155	-
CPF42C2101T	0.08	(0.02)	22,870	-	ESSO08C2011A	0.24	(0.04)	21,090	-	HANA24C2012A	0.46	(0.02)	43,900	-
CPN01C2012A	0.33	(0.04)	46,810	-	ESSO13C2010A	0.14	(0.04)	108,330	-	HANA27P2012X	0.15	-	13,102	-
CPN06C2010A	0.07	(0.01)	4,201	-	ESSO19C2009A	-	-	-	-	HANA28C2012A	0.39	(0.04)	40,154	-
CPN11C2101A	0.26	(0.03)	15,350	-	ESSO19C2010A	0.22	(0.03)	14,920	-	HANA41C2012A	0.38	(0.03)	17,978	-
CPN13C2009A	-	-	-	-	ESSO19C2011A	0.12	(0.02)	358,858	-	HANA42C2101T	0.32	(0.03)	10,945	-
CPN13C2011A	0.15	(0.03)	18,405	-	ESSO19P2010A	0.40	0.02	430,391	-	HMPR01C2012A	0.27	-	317,280	-
CPN19C2010A	-	-	-	-	ESSO24C2012A	0.18	(0.02)	18,413	-	HMPR06C2010A	0.20	-	34,606	-
CPN19C2011A	0.16	(0.03)	15,152	-	ESSO28C2101A	0.16	(0.03)	58,999	-	HMPR06P2011A	0.23	(0.02)	28,068	-
CPN19P2010A	0.31	0.01	108,019	-	ESSO28C2101B	0.23	(0.02)	28,388	-	HMPR11C2011A	0.40	(0.01)	15,650	-
CPN24C2011A	0.18	(0.03)	12,500	-	ESSO41C2010A	-	-	-	-	HMPR13C2009A	0.03	(0.02)	1,800	-
CPN41C2009A	0.01	-	934	-	ESSO41C2011A	0.14	(0.04)	7,848	-	HMPR13C2012A	0.34	(0.66)	202,490	-
CPN41C2012A	0.25	(0.04)	6,940	-	ESSO42C2101T	-	-	-	-	HMPR19C2010A	0.24	(0.01)	28,064	-
CPN41P2011A	0.71	0.02	18,774	-	GFPT08C2011A	0.19	(0.02)	3,396	-	HMPR19P2011A	0.32	(0.02)	24,598	-
CRC01C2101A	0.29	(0.04)	36,605	-	GFPT13C2010A	0.15	(0.02)	25,501	-	HMPR41C2010A	0.16	(0.02)	10,348	-
CRC08C2009A	0.02	(0.02)	60	-	GFPT19C2010A	0.19	-	96,639	-	HSI28C2009A	0.35	(0.28)	1,141,435	-
CRC08C2101A	0.24	(0.02)	12,860	-	GFPT19C2010B	0.09	-	400	-	HSI28C2009B	0.11	(0.15)	1,256,160	-
CRC13C2009A	-	-	-	-	GFPT24C2012A	0.19	-	10,910	-	HSI28C2009C	0.05	(0.05)	623,972	-
CRC13C2011A	0.12	(0.02)	7,868	-	GFPT42C2101T	0.12	(0.01)	1,000	-	HSI28C2009D	0.02	(0.01)	29,708	-
CRC19C2010A	-	-	-	-	GLOB01C2012A	0.39	(0.03)	17,372	-	HSI28C2009E	0.02	(0.01)	6,378	-
CRC19C2011A	0.11	(0.02)	33,700	-	GLOB13C2011A	0.42	(0.04)	44,554	-	HSI28C2010A	0.72	(0.27)	518,529	-
CRC19P2011A	0.26	0.01	44,601	-	GLOB19C2010A	0.63	(0.05)	15,948	-	HSI28C2010B	0.39	(0.17)	588,626	-
CRC24C2101A	0.21	(0.02)	13,687	-	GLOB19C2012A	0.40	(0.04)	68,242	-	HSI28C2010C	0.20	(0.12)	231,420	-
CRC28C2011A	0.05	(0.01)	1	-	GLOB24C2010A	0.54	(0.07)	8,547	-	HSI28C2010L	0.08	(0.06)	459,118	-
CRC28C2012A	0.07	(0.02)	1,262	-	GLOB42C2009A	1.26	(0.47)	540	1.00	HSI28C2011L	0.47	(0.17)	466,917	-
CRC28C2101A	0.21	(0.03)	25,274	-	GPS01C2012A	0.37	(0.03)	49,216	-	HSI28C2012L	0.28	(0.07)	222,696	-
CRC41C2009A	-	-	-	-	GPS01P2012A	0.88	(0.03)	33,088	-	HSI28C2101L	0.32	(0.09)	1,611	-
CRC41C2010A	-	-	-	-	GPS06C2011A	0.09	(0.01)	8,300	-	HSI28P2009A	0.93	0.17	807,169	-
CRC41C2012A	0.19	(0.03)	16,924	-	GPS06C2101A	0.46	(0.03)	24,891	-	HSI28P2009B	0.45	0.08	2,056,033	-
DEL13C2011A	3.72	(0.22)	1,212	3.00	GPS06P2011A	1.01	0.01	23,640	1.00	HSI28P2009C	0.21	0.03	387,913	-
DOHO06C2012A	0.34	(0.03)	21,461	-	GPS08C2009A	0.06	(0.02)	818	-	HSI28P2010A	0.57	0.09	960,153	-
DOHO08C2012A	0.37	(0.05)	14,400	-	GPS08C2101A	0.41	(0.03)	19,347	-	HSI28P2010B	0.90	0.12	696,937	-
DOHO11C2101A	0.37	(0.04)	15,400	-	GPS11C2102A	0.57	(0.03)	9,540	-	HSI28P2010C	1.41	0.25	376,545	1.00
DOHO13C2011A	0.25	(0.03)	185,176	-	GPS13C2009A	-	-	-	-	HSI28P2010L	0.11	0.01	24,313	-
DOHO19C2011A	0.26	(0.04)	96,742	-	GPS13C2011A	0.11	(0.02)	40,426	-	HSI28P2011L	0.17	0.02	2,963	-
DOHO28C2012A	0.26	(0.05)	16,345	-	GPS13C2012A	0.31	(0.04)	29,435	-	HSI28P2012L	0.56	0.07	16,335	-
DOHO28C2102L	0.21	(0.02)	30,351	-	GPS13C2012B	0.47	(0.05)	71,933	-	HSI28P2101L	0.45	0.03	3,409	-
DOHO42C2012T	-	-	-	-	GPS13P2011A	-	-	-	-	HSI41C2009A	0.10	(0.10)	445,879	-
DTAC01C2101A	0.30	(0.04)	37,699	-	GPS13P2011B	0.43	(0.02)	89,841	-	HSI41C2009B	-	-	-	-
DTAC06C2012A	0.14	(0.03)	10,385	-	GPS19C2009A	-	-	-	-	HSI41C2009C	-	-	-	-
DTAC06P2012A	0.62	0.07	15,800	-	GPS19C2010A	0.12	(0.02)	3,727	-	HSI41C2009D	-	-	-	-
DTAC08C2012A	0.10	(0.03)	8,010	-	GPS19C2012A	0.37	(0.03)	25,841	-	HSI41C2010A	0.87	(0.22)	26,662	-
DTAC08C2101A	0.29	(0.04)	29,548	-	GPS19P2010A	0.22	(0.01)	12,233	-	HSI41C2010B	0.41	(0.20)	506,370	-
DTAC13C2009A	-	-	-	-	GPS19P2011A	0.94	(0.01)	64,173	-	HSI41C2010C	0.21	(0.11)	25,136	-
DTAC13C2011A	0.13	(0.03)	20,815	-	GPS19P2012A	0.54	-	26,348	-	HSI41C2011A	0.29	(0.08)	22,848	-
DTAC13P2011A	0.42	0.01	41,074	-	GPS24C2011A	0.12	(0.01)	2,200	-	HSI41C2012A	0.29	(0.04)	204	-
DTAC16C2009A	-	-	-	-	GPS28C2011A	-	-	-	-	HSI41C2101A	-	-	-	-
DTAC19C2009A	-	-	-	-	GPS28C2101A	0.40	(0.04)	23,318	-	HSI41P2009A	0.43	0.08	2,097,914	-
DTAC19C2010A	0.03	(0.01)	5,155	-	GPS28C2104L	0.30	(0.02)	9,126	-	HSI41P2009B	1.47	0.67	116	1.00
DTAC19C2011A	0.12	(0.0												



## Main Board Quotation

Issue Date :

Tuesday September 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
INTU41C2010A	-	-	-	-	KBAN19P2010P	0.22	(0.01)	33,020	-	MINT19C2010A	0.29	(0.02)	111,156	-
INTU41C2012A	-	-	-	-	KBAN24C2009A	0.06	(0.03)	100	-	MINT19C2011A	0.83	(0.02)	83,408	-
INTU42C20101T	-	-	-	-	KBAN24C2012A	0.35	(0.04)	74,815	-	MINT19C2011B	0.47	(0.04)	340,444	-
IRPC06C2010A	0.02	-	621	-	KBAN28C2010A	0.01	-	5,136	-	MINT19P2010A	0.18	(0.01)	22,918	-
IRPC06P2010A	0.36	(0.01)	53,450	-	KBAN28C2012A	0.05	(0.01)	5,226	-	MINT19P2011A	0.21	(0.01)	12,925	-
IRPC11C2102A	0.22	(0.02)	17,580	-	KBAN28C2012B	0.15	(0.03)	8,229	-	MINT19P2012A	0.53	(0.02)	128,096	-
IRPC13C2009A	-	-	-	-	KBAN28C2101A	0.46	(0.05)	46,891	-	MINT24C2011A	0.59	(0.03)	12,951	-
IRPC13C2011A	0.08	(0.02)	49,481	-	KBAN28P2012A	0.40	(0.01)	28,678	-	MINT28C2012A	0.26	(0.02)	20,840	-
IRPC13C2012A	0.15	(0.01)	77,131	-	KBAN41C2009A	-	-	-	-	MINT28C2012B	0.47	(0.01)	56,906	-
IRPC13P2011A	0.37	(0.01)	179,881	-	KBAN41C2011A	-	-	-	-	MINT28C2012C	0.55	(0.01)	34,128	-
IRPC19C2010A	-	-	-	-	KBAN41C2012A	0.46	(0.04)	151,690	-	MINT28C2104L	0.34	(0.01)	12,268	-
IRPC19C2011A	0.10	(0.02)	4,000	-	KBAN41P2010A	0.42	(0.01)	14,950	-	MINT41C2010A	0.37	(0.01)	166,748	-
IRPC19P2011A	0.42	(0.01)	39,298	-	KBAN41P2011A	1.37	-	1,438	1.00	MINT41C2012A	-	-	-	-
IRPC24C2012A	0.12	(0.02)	12,438	-	KBAN42C2101T	-	-	-	-	MINT42C2101T	0.40	(0.01)	10,450	-
IRPC28C2012A	0.05	(0.01)	930	-	KBAN42P2101T	0.86	-	23,355	-	MINT42P2102T	0.51	(0.05)	13,904	-
IRPC28C2101A	0.13	(0.02)	32,610	-	KCE01C2012A	0.33	(0.05)	69,335	-	MTC01C2012A	0.50	(0.03)	31,415	-
IRPC41C2010A	0.03	(0.03)	240	-	KCE01P2011A	0.51	0.03	49,429	-	MTC06C2009A	0.10	(0.10)	5,400	-
IRPC41C2101A	-	-	-	-	KCE06C2009A	-	-	-	-	MTC06C2010A	0.07	(0.02)	19,183	-
IVL01C2012A	0.15	(0.01)	82,380	-	KCE06C2012A	-	-	-	-	MTC08C2009A	0.56	(0.06)	6,400	-
IVL01C2012B	0.58	(0.02)	62,277	-	KCE06C2012B	0.46	(0.07)	31,289	-	MTC08C2011A	0.32	(0.03)	12,299	-
IVL06C2010A	0.01	-	5,952	-	KCE08C2009A	-	-	-	-	MTC11C2102A	0.49	(0.03)	9,010	-
IVL06C2101A	0.41	(0.03)	74,909	-	KCE08C2012A	0.39	(0.05)	16,958	-	MTC13C2009A	-	-	-	-
IVL06P2009A	-	-	-	-	KCE11C2011A	0.38	(0.06)	14,812	-	MTC13C2010A	0.11	(0.02)	46,952	-
IVL06P2011A	0.71	0.01	69,248	-	KCE13C2009A	0.76	(0.44)	80	-	MTC13C2011A	0.30	(0.04)	101,139	-
IVL08C2009A	-	-	-	-	KCE13C2010A	0.26	(0.05)	224,870	-	MTC13P2011A	0.50	-	79,467	-
IVL08C2101A	0.41	(0.03)	18,170	-	KCE13C2012A	0.24	(0.05)	161,962	-	MTC19C2009A	0.37	(0.05)	44,760	-
IVL08P2011A	0.32	(0.02)	20,840	-	KCE13P2010A	0.16	0.01	140,609	-	MTC19C2010A	0.22	(0.04)	42,601	-
IVL11C2012A	0.15	-	15,790	-	KCE16C2012A	0.31	(0.05)	8,093	-	MTC19P2010A	0.14	(0.02)	147,000	-
IVL13C2009A	-	-	-	-	KCE19C2009A	-	-	-	-	MTC19P2012A	0.56	-	89,132	-
IVL13C2011A	0.06	-	19,541	-	KCE19C2010A	1.38	(0.22)	5	1.00	MTC24C2009A	-	-	-	-
IVL13C2012A	0.38	(0.03)	113,672	-	KCE19C2101B	-	-	-	-	MTC28C2011A	0.19	(0.03)	27,378	-
IVL13C2012B	0.11	(0.02)	89,679	-	KCE19C2011A	0.28	(0.06)	81,332	-	MTC28C2012A	0.19	(0.02)	2,118	-
IVL13P2010A	0.20	(0.02)	129,435	-	KCE19C2012A	0.22	(0.05)	151,327	-	MTC28C2012B	0.35	(0.03)	27,061	-
IVL16C2009A	-	-	-	-	KCE19P2010A	0.15	-	17,100	-	MTC28C2102L	0.22	(0.01)	10,070	-
IVL19C2009A	-	-	-	-	KCE24C2010A	0.47	(0.09)	8,448	-	MTC41C2010A	-	-	-	-
IVL19C2010A	-	-	-	-	KCE27C2101X	0.64	(0.08)	3,623	-	MTC41C2012A	0.44	(0.03)	33,678	-
IVL19C2010B	0.08	(0.01)	24,000	-	KCE41C2012A	0.25	(0.03)	52,911	-	MTC42C2101T	0.17	(0.02)	40	-
IVL19C2011A	0.25	(0.02)	58,354	-	KCE42C2012T	0.79	(0.12)	8,708	-	ORI13C2011A	0.25	(0.08)	75,837	-
IVL19P2010A	0.17	(0.01)	12,000	-	KKP13C2010A	0.08	(0.02)	246	-	ORI19C2010A	-	-	-	-
IVL19P2010B	0.28	(0.01)	16,000	-	KKP13C2012A	0.25	(0.03)	180,222	-	ORI19C2011A	0.42	(0.10)	22,045	-
IVL19P2011A	0.67	(0.01)	126,766	-	KKP19C2010A	-	-	-	-	ORI19C2012A	0.25	(0.06)	21,037	-
IVL28C2011A	-	-	-	-	KKP19C2011A	0.09	(0.01)	300	-	ORI28C2011A	-	-	-	-
IVL28C2012A	0.05	(0.01)	2,160	-	KKP19C2012A	-	-	-	-	ORI28C2012A	-	-	-	-
IVL28C2012B	0.08	(0.01)	7,132	-	KTBO1C2009A	-	-	-	-	ORI28C2012B	0.36	(0.10)	53,853	-
IVL28C2101A	0.35	(0.03)	41,559	-	KTBO1P2009A	0.89	0.03	20	-	ORI28C2101A	0.19	(0.07)	30,393	-
IVL41C2009A	-	-	-	-	KTB13C2010A	-	-	-	-	OSP01C2012A	0.32	(0.01)	2,438	-
IVL41C2010A	-	-	-	-	KTB13C2012A	0.29	(0.71)	4,794	-	OSP06C2011A	0.16	-	6,100	-
IVL41C2011A	0.13	(0.03)	1	-	KTB19C2010A	-	-	-	-	OSP06P2009A	0.05	(0.01)	6,101	-
IVL41C2012A	0.42	(0.02)	50,532	-	KTB19C2011A	-	-	-	-	OSP08C2009A	-	-	-	-
IVL41P2010A	-	-	-	-	KTB19C2012A	0.29	(0.01)	248	-	OSP11C2102A	0.36	(0.01)	22,147	-
IVL41P2012A	0.82	(0.01)	38,118	-	KTB19P2010A	0.55	-	24,230	-	OSP13C2010A	0.09	(0.02)	15,125	-
IVL41P2012B	-	-	-	-	KTB24C2009A	-	-	-	-	OSP13C2012A	0.22	(0.01)	33,519	-
IVL42C2101T	0.06	(0.01)	7,753	-	KTB24C2011A	0.39	(0.02)	3,842	-	OSP13P2011A	0.33	-	6,595	-
JAS08C2011A	0.07	(0.01)	4,000	-	KTB28C2011A	0.16	(0.02)	2,028	-	OSP19C2009A	0.07	(0.01)	6,150	-
JAS13C2009A	-	-	-	-	KTB28C2012A	0.03	(0.01)	396	-	OSP19C2010A	-	-	-	-
JAS13C2011A	0.05	-	4,264	-	KTB28C2012B	-	-	-	-	OSP19C2012A	0.24	(0.01)	7,250	-
JAS13C2012A	0.19	(0.03)	95,496	-	KTB28C2101C	-	-	-	-	OSP19P2010A	0.22	(0.02)	1,620	-
JAS19C2009A	-	-	-	-	KTC01C2012A	0.26	(0.03)	31,618	-	OSP24C2010A	0.33	(0.01)	13,160	-
JAS19C2010A	0.01	(0.01)	1,290	-	KTC01P2012A	0.35	0.01	18,518	-	OSP28C2010A	0.18	(0.01)	8,099	-
JAS19C2010B	-	-	-	-	KTC08C2011A	0.16	(0.03)	4,800	-	OSP28C2101B	0.20	(0.01)	6,084	-
JAS19C2012A	0.17	(0.02)	32,090	-	KTC11P2011A	0.26	0.01	25,600	-	OSP41C2010A	-	-	-	-
JAS19P2010A	0.46	(0.01)	40,260	-	KTC13C2010A	0.01	(0.01)	33,744	-	OSP41C2012A	-	-	-	-
JAS28C2011A	0.02	(0.01)	586	-	KTC13C2010B	0.12	(0.02)	41,060	-	OSP42C2101T	-	-	-	-
JAS28C2012A	0.03	(0.01)	4,220	-	KTC13C2011A	0.20	(0.04)	247,199	-	PLAN13C2010A	0.11	-	92,796	-
JAS28C2012B	-	-	-	-	KTC13P2010A	0.15	(0.01)	90,845	-	PLAN13C2011A	0.26	-	344,093	-
JAS28C2101A	0.13	(0.03)	8,232	-	KTC19C2010A	-	-	-	-	PLAN19C2010A	0.91	0.03	40,269	-
JAS28C2102A	0.24	(0.03)	19,282	-	KTC19C2010B	0.15	(0.02)	4,103	-	PLAN19C2010B	0.15	-	88,712	-
JAS41C2009A	-	-	-	-	KTC19C2012A	0.21	(0.02)	40,015	-	PLAN19C2012A	0.27	0.01	344,468	-
JAS41C2011A	-	-	-	-	KTC19P2010A	0.25	-	104,485	-	PLAN24C2009A	0.07	-	220	-
JMT06C2012A	0.49	(0.05)	82,852	-	KTC24C2011A	0.20	(0.03)	20,656	-	PLAN27C2101A	0.24	-	12,920	-
JMT08C2101A	0.34	(0.03)	58,483	-	KTC28C2011A	-	-	-	-	PLAN28C2010A	-	-	-	-
JMT11C2102A	0.37	(0.02)	18,342	-	KTC28C2012A	0.08	(0.01)	2,000	-	PLAN28C2012A	-	-	-	-
JMT13C2011A	-	-	-	-	KTC28C2012B	0.18	(0.03)	19,448	-	PLAN28C2012B	0.27	0.01	118,304	-
JMT13C2011B	0.46	(0.04)	281,584	-	KTC41C2009A	-	-	-	-	PLAN42C2101T	0.15	(0.01)	2	-
JMT13C2012A	0.28	(0.03)	1,552,108	-	KTC41C2011A	0.19	(0.03)	49,000	-	PRM08C2101A	0.42	(0.03)	26,176	-
JMT19C2010A	-	-	-	-	KTC41C2012A	0.23	(0.02)	3,924	-	PRM11C2102A	0.53	(0.02)	34,280	-
JMT19C2011A	0.45	(0.04)	34,944	-	KTC42C2012T	0.11	(0.01)	19	-	PRM13C2010A	0.31	(0.04)	50,925	-
JMT19C2012A	0.29	(0.03)	522,554	-	LH06C2012A	0.22	(0.02)	14,300	-	PRM16C2012A	0.34	(0.03)	45,722	-
JMT24C2011A	0.45	(0.02)	37,188	-	LH11C2012A	0.24	(0.02)	10,170	-	PRM19C2010A	0.59	(0.05)	43,314	-
JMT28C2101A	0.35	(0.03)	106,088	-	LH13C2010A	0.11	(0.03)	43,597	-	PRM19C2011A	0.34	(0.05)	161,435	-
JMT42C2101T	0.27	-	52,120	-	LH19C2010A	0.21	(0.03)	48,415	-	PRM28C2012A	0.28	(0.05)	43,037	-
KBAN01C2012A	0.82	(0.02)	33,462	-	LH19C2011A	0.12	(0.02)	42,030	-	PRM42C2101T	0.28	(0.01)	300	-
KBAN01P2012A	1.00	0.01	39,864	-	LH19P2010A	0.15	-	2,100	-	PTG01C2012A	0.44	(0.03)	61,286	-
KBAN06C2009A	0.02	0.01	6,200	-	MAJ013C2011A	0.29	(0.07)	133,090	-	PTG06C2010A	0.51	(0.05)	26,185	-
KBAN06C2011A	0.04	-	71	-	MAJ019C2011A	0.44	(0.06)	190,639	-	PTG08C2011A	0.48	(0.05)	19,000	-
KBAN06C2012A	0.37	(0.02)	63,496	-	MEGA13C2011A	0.10	(0.03)	405	-	PTG11C2101A	0.46	(0.04)	37,076	-
KBAN06P2011A	0.82	0.02	45,634	-	MEGA16C2009A	-	-	-	-	PTG13C2010A	0.29	(0.06)	129,073	-

## Main Board Quotation

Issue Date :

Tuesday September 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTT13C2012A	0.13	(0.03)	79,203	-	RS06C2012A	0.51	(0.06)	30,420	-	S5028P2009E	0.66	(0.04)	192,230	-
PTT13P2009A	-	-	-	-	RS08C2011A	-	-	-	-	S5028P2010A	0.61	-	1,353,883	-
PTT13P2010A	0.16	-	69,106	-	RS13C2010A	-	-	-	-	S5028P2012A	1.11	0.04	1,250,151	1.00
PTT13P2011A	0.39	0.03	172,238	-	RS13C2011A	0.45	(0.07)	293,239	-	S5028P2012B	0.50	0.02	900,779	-
PTT16C2012A	0.16	(0.03)	2,396	-	RS19C2010A	-	-	-	-	S5041C2009A	0.01	(0.04)	142	-
PTT19C2009A	0.08	(0.06)	6,000	-	RS19C2010B	0.59	(0.06)	99,674	-	S5041C2009B	0.01	(0.01)	60	-
PTT19C2011A	0.11	(0.03)	6,200	-	RS19C2011A	-	-	-	-	S5041C2009C	0.01	-	52	-
PTT19C2012A	0.16	(0.04)	25,037	-	RS19C2011B	0.39	(0.04)	120,148	-	S5041C2009D	-	-	-	-
PTT19P2009A	-	-	-	-	RS28C2012A	-	-	-	-	S5041C2009E	-	-	-	-
PTT19P2010A	0.17	-	7,000	-	RS28C2010A	0.44	(0.07)	54,668	-	S5041C2009F	0.18	(0.09)	711,954	-
PTT19P2010B	0.25	0.01	23,952	-	RS28C2101L	0.50	(0.04)	24,551	-	S5041C2009G	0.45	(0.14)	238,851	-
PTT24C2101A	0.22	(0.03)	10,265	-	RS41C2011A	0.59	(0.04)	37,392	-	S5041C2012A	0.50	(0.10)	60,136	-
PTT28C2011A	0.10	(0.03)	2,108	-	RS42C2011T	0.35	(0.03)	6,838	-	S5041C2012B	0.33	(0.07)	2,400	-
PTT28C2012A	-	-	-	-	S10001C2011A	0.04	(0.01)	464	-	S5041C2012C	0.26	(0.74)	548,576	-
PTT28C2103L	0.21	(0.03)	8,112	-	S5001C2012F	0.82	(0.06)	323,775	-	S5041P2009A	-	-	-	-
PTT41C2009A	-	-	-	-	S5001P2012F	1.18	0.05	245,375	1.00	S5041P2009B	0.27	(0.01)	1,509,547	-
PTT41C2010A	-	-	-	-	S5006C2009A	0.02	0.01	4,888	-	S5041P2009C	0.60	0.02	177,543	-
PTT41C2012A	-	-	-	-	S5006C2009B	-	-	-	-	S5041P2009D	-	-	-	-
PTT41C2101A	-	-	-	-	S5006C2009C	0.01	-	2,800	-	S5041P2009E	0.75	0.05	44,599	-
PTT41P2010A	0.14	-	735	-	S5006C2009D	0.53	(0.16)	643,993	-	S5041P2009F	1.59	0.13	21,808	1.00
PTT41P2011A	-	-	-	-	S5006P2009A	0.13	-	19,901	-	S5041P2009G	2.24	0.20	4,588	2.00
PTT41P2012A	0.48	0.03	12,829	-	S5006P2009B	0.02	(0.01)	8,264	-	S5041P2012A	0.97	0.03	48,960	-
PTT42C2010M	0.07	(0.08)	2	-	S5006P2009C	0.23	0.02	299,214	-	S5041P2012B	0.84	0.02	571,630	-
PTT42C2012T	0.10	(0.01)	100	-	S5006P2009D	-	-	-	-	S5041P2012C	1.03	(0.13)	1,388,150	1.00
PTT42P2101T	0.23	0.01	20,405	-	S5008C2009A	-	-	-	-	SAWA01C2012A	0.46	(0.03)	24,603	-
PTTE01C2012A	0.89	(0.09)	42,523	-	S5008C2009B	-	-	-	-	SAWA01P2012A	0.85	0.01	46,782	-
PTTE01P2012A	1.58	0.07	19,478	1.00	S5008C2012A	0.44	(0.10)	287,130	-	SAWA06C2010A	0.07	(0.02)	2,578	-
PTTE06C2011A	0.20	(0.05)	40,312	-	S5008P2009A	0.01	(0.01)	1,002	-	SAWA08C2011A	0.15	(0.02)	18,210	-
PTTE06P2009A	0.01	(0.01)	12	-	S5008P2009B	0.08	(0.05)	21	-	SAWA08C2101A	0.38	(0.02)	4,600	-
PTTE06P2011A	0.56	0.06	119,593	-	S5008P2012A	1.00	0.01	530,020	-	SAWA13C2009A	-	-	-	-
PTTE08C2011A	0.45	(0.10)	11,095	-	S5013C2009A	0.02	(0.03)	7,757	-	SAWA13C2010A	0.05	(0.01)	117,969	-
PTTE08P2101A	1.06	0.05	28,104	1.00	S5013C2009B	0.01	-	15,200	-	SAWA13C2011A	0.23	(0.03)	239,218	-
PTTE13C2011A	0.53	(0.07)	24,120	-	S5013C2009C	0.01	-	182	-	SAWA19C2009A	0.05	(0.02)	26,785	-
PTTE13C2009A	-	-	-	-	S5013C2009D	0.01	(0.03)	61,559	-	SAWA19C2009B	-	-	-	-
PTTE13C2010A	0.14	(0.07)	10,605	-	S5013C2009E	0.04	(0.04)	57,932	-	SAWA19C2011A	0.15	(0.02)	142,970	-
PTTE13C2101B	0.07	(0.03)	2,250	-	S5013C2009F	0.04	(0.04)	302,153	-	SAWA19C2012A	0.31	(0.04)	188,895	-
PTTE13C2011A	0.37	(0.09)	77,175	-	S5013C2010A	0.45	(0.02)	90,522	-	SAWA19P2011A	0.49	-	60,433	-
PTTE13P2009A	0.01	-	700	-	S5013C2012A	0.47	(0.08)	3,747,582	-	SAWA24C2009A	-	-	-	-
PTTE13P2010A	0.60	0.02	128,955	-	S5013C2012B	0.53	(0.08)	5,166,959	-	SAWA28C2011A	0.12	(0.03)	4,056	-
PTTE16C2009A	-	-	-	-	S5013P2009A	0.04	-	28,923	-	SAWA28C2012A	0.21	(0.02)	22,259	-
PTTE19C2009A	-	-	-	-	S5013P2009B	0.01	(0.01)	16,277	-	SAWA28C2012B	0.16	(0.03)	34,649	-
PTTE19C2009B	-	-	-	-	S5013P2009C	0.01	(0.01)	200	-	SAWA28C2101A	0.30	(0.02)	24,290	-
PTTE19C2010A	0.13	(0.06)	183,984	-	S5013P2009D	0.01	-	15,229	-	SAWA28C2102L	0.12	(0.01)	10,000	-
PTTE19C2010B	0.40	(0.09)	96,043	-	S5013P2009E	0.29	(0.03)	7,024,165	-	SAWA41C2009A	-	-	-	-
PTTE19C2011A	0.17	(0.03)	13,580	-	S5013P2009F	0.11	(0.02)	394,151	-	SAWA41C2010A	-	-	-	-
PTTE19C2011B	0.28	(0.07)	87,296	-	S5013P2009G	0.13	(0.04)	1,433,026	-	SAWA41C2012A	0.26	(0.02)	15,319	-
PTTE19P2009A	-	-	-	-	S5013P2010A	0.68	0.03	197,311	-	SAWA42C2101T	0.11	(0.01)	124	-
PTTE19P2009B	-	-	-	-	S5013P2012A	1.05	0.03	10,437,827	1.00	SCB01C2009A	0.10	-	226	-
PTTE19P2010A	0.32	0.01	86,710	-	S5013P2012B	1.20	0.05	5,806,668	1.00	SCB01C2101A	0.65	-	59,129	-
PTTE19P2010B	0.52	0.02	465,854	-	S5016C2009A	-	-	-	-	SCB01P2101A	0.86	(0.02)	33,333	-
PTTE24C2011A	0.18	(0.06)	9,180	-	S5016C2009B	-	-	-	-	SCB06C2010A	0.26	0.02	43,640	-
PTTE28C2011A	0.32	(0.11)	31,761	-	S5016C2012A	0.51	(0.07)	53,177	-	SCB08C2009A	0.10	(0.03)	12,000	-
PTTE28C2011B	0.10	(0.02)	2,028	-	S5016P2009A	-	-	-	-	SCB08C2101A	0.53	0.03	9,105	-
PTTE28C2012A	0.39	(0.05)	10,145	-	S5016P2009B	-	-	-	-	SCB08P2012A	0.56	(0.03)	15,827	-
PTTE28C2102L	0.31	(0.05)	8,162	-	S5016P2012A	0.87	0.05	69,106	-	SCB11C2102A	0.58	(0.01)	25,440	-
PTTE41C2009A	-	-	-	-	S5016P2103Z	-	-	-	-	SCB11P2012A	0.57	(0.04)	38,310	-
PTTE41C2010A	-	-	-	-	S5019C2009A	1.37	(0.20)	41,900	1.00	SCB13C2009A	0.01	-	93	-
PTTE41C2011A	0.35	(0.09)	1,000	-	S5019C2009B	0.04	(0.03)	56	-	SCB13C2010A	0.06	(0.02)	6,631	-
PTTE41C2012A	0.50	(0.08)	30,457	-	S5019C2009C	-	-	-	-	SCB13C2011A	0.39	0.02	512,816	-
PTTE41P2009A	-	-	-	-	S5019C2009D	-	-	-	-	SCB13P2010A	0.65	(0.07)	162,310	-
PTTE41P2010A	-	-	-	-	S5019C2009E	-	-	-	-	SCB19C2010A	0.10	(0.01)	3,477	-
PTTE41P2011A	0.90	0.06	33,665	-	S5019C2009F	0.04	(0.04)	690	-	SCB19C2010B	0.36	0.01	75,702	-
PTTE42C2101T	0.38	(0.07)	40	-	S5019C2012A	0.37	(0.06)	1,334,481	-	SCB19P2010A	0.16	(0.03)	37,550	-
PTTE42P2101T	0.75	0.03	11,808	-	S5019P2012B	0.43	(0.09)	520,635	-	SCB19P2011A	1.03	(0.05)	31,943	1.00
PTTG01C2012A	0.47	(0.04)	46,166	-	S5019P2009A	-	-	-	-	SCB19P2011B	0.50	(0.04)	84,519	-
PTTG01P2012A	0.95	0.03	86,793	-	S5019P2009B	0.01	-	104	-	SCB24C2012A	0.49	0.03	66,489	-
PTTG08C2101A	0.34	(0.03)	11,072	-	S5019P2009C	0.11	(0.02)	100	-	SCB28C2010A	0.17	(0.03)	25,336	-
PTTG08P2010A	-	-	-	-	S5019P2009D	0.25	(0.03)	280,498	-	SCB28C2012A	0.25	(0.02)	31,436	-
PTTG11C2010A	0.17	(0.05)	34,132	-	S5019P2009E	0.01	-	80	-	SCB28C2012B	0.45	(0.02)	45,770	-
PTTG13C2009A	-	-	-	-	S5019P2009F	0.09	(0.03)	3,252	-	SCB28C2104L	0.33	(0.01)	35,462	-
PTTG13C2010A	-	-	-	-	S5019P2012A	0.87	0.03	2,068,596	-	SCB41C2011A	-	-	-	-
PTTG13C2011A	0.22	(0.05)	96,444	-	S5019P2012B	0.81	0.05	964,027	-	SCB41C2011B	0.27	(0.05)	1,962	-
PTTG13P2010A	0.15	-	68,684	-	S5024C2009A	-	-	-	-	SCB41C2012A	0.57	(0.01)	96,072	-
PTTG13P2011A	0.54	0.03	226,761	-	S5024C2009B	-	-	-	-	SCB41P2011A	0.48	(0.01)	24,238	-
PTTG19C2009A	0.17	(0.05)	10,000	-	S5024C2009C	-	-	-	-	SCB42C2101T	-	-	-	-
PTTG19C2011A	0.22	(0.04)	27,737	-	S5024C2009D	-	-	-	-	SCC01C2101A	0.93	(0.02)	37,226	-
PTTG19P2009A	-	-	-	-	S5024C2009E	-	-	-	-	SCC06C2012A	0.49	(0.02)	50,595	-
PTTG19P2010A	0.28	0.01	52,096	-	S5024C2009F	-	-	-	-	SCC08C2011A	0.42	(0.04)	25,846	-
PTTG19P2011A	0.31	0.01	9,622	-	S5024C2009G	0.17	(0.12)	127,057	-	SCC11C2011A	0.62	(0.03)	53,944	-
PTTG19P2011B	0.68	0.04	238,407	-	S5024C2012A	0.04	(0.01)	19,561	-	SCC13C2009A	0.11	(0.11)	12,289	-
PTTG28C2011A	-	-	-	-	S5024C2012B	0.22	(0.04)	1,106	-	SCC13C2011A	0.45	(0.03)	196,339	-
PTTG28C2012A	0.31	(0.05)	79,483	-	S5024C2012C	0.54	(0.12)	543,680	-	SCC13P2009A	-	-	-	-
PTTG28C2102L	0.19	(0.04)	16,234	-	S5024C2012D	0.70	(0.30)	327,930	-	SCC13P2011A	0.71	0.03	6	-
PTTG41C2010A	0.37	(0.06)	2,080	-	S5024P2009A	-	-	-	-	SCC19C2010A	0.33	(0.03)	119,240	-
PTTG41C2011A	0.13	(0.03)	12,170	-	S5024P2009B	0.03	(0.03)	4,000	-	SCC19C2012A	0.69	(0.05)	38,889	-
PTTG41P2010A	-	-	-	-	S5024									

## Main Board Quotation

Issue Date :

Tuesday September 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC01C2101A	0.34	(0.05)	14,572	-	TCAP19C2010A	0.08	(0.03)	10,100	-	TU06C2009A	0.09	(0.01)	19,400	-
SPRC06C2010A	0.10	(0.03)	16,789	-	TCAP19C2012A	0.22	(0.03)	56,165	-	TU06P2010A	-	-	-	-
SPRC06P2011A	0.32	0.03	54,850	-	TCAP19P2012A	0.30	-	9,920	-	TU08C2011A	0.25	-	20,538	-
SPRC08C2011A	0.18	(0.03)	3,000	-	TCAP42C2010T	0.07	(0.01)	3,761	-	TU11C2102A	0.27	(0.01)	16,920	-
SPRC11C2102A	0.36	(0.05)	6,131	-	THAN01C2012A	1.30	0.07	22,184	1.00	TU13C2010A	0.19	(0.02)	24,413	-
SPRC13C2010A	-	-	-	-	THAN06C2010A	-	-	-	-	TU13C2012A	0.26	-	210,137	-
SPRC13C2012A	0.22	(0.03)	188,726	-	THAN08C2101A	1.10	0.05	50	1.00	TU19C2009A	0.01	(0.01)	1,722	-
SPRC19C2010A	0.15	(0.03)	8,000	-	THAN13C2012A	0.79	0.04	7,347	-	TU19C2010A	0.17	-	41,365	-
SPRC19C2012A	0.23	(0.06)	50,707	-	THAN13C2012B	0.42	0.02	214,156	-	TU19C2012A	0.24	(0.76)	44,920	-
SPRC19P2011A	0.34	0.02	120,034	-	THAN19C2010A	0.92	0.04	31,664	-	TU19P2011A	0.12	(0.01)	4,000	-
SPRC28C2011A	0.10	(0.03)	2,528	-	THAN19C2011A	1.35	0.07	30,869	1.00	TU24C2011A	0.29	-	64,738	-
SPRC28C2101A	0.23	(0.04)	5,056	-	THAN19C2012A	0.66	0.03	91,862	-	TU28C2011A	0.16	(0.02)	18,497	-
SPRC42C2101T	-	-	-	-	THAN19C2012B	0.46	0.03	90,596	-	TU28C2012A	0.11	(0.01)	7,457	-
STA01C2009A	-	-	-	-	THAN24C2102T	0.31	-	10,400	-	TU28C2103L	0.23	(0.01)	6,084	-
STA01P2009A	0.02	-	7,107	-	TISCO1C2101A	0.55	(0.04)	3,020	-	TU41C2009A	-	-	-	-
STA06C2012A	0.22	(0.03)	28,670	-	TISCO11C2012A	0.36	(0.05)	21,831	-	TU41C2010A	-	-	-	-
STA08C2010A	1.76	(0.17)	40	1.00	TISCO13C2010A	0.09	(0.03)	4,490	-	TU41C2011A	0.20	-	13,060	-
STA08C2011A	0.15	(0.03)	9,592	-	TISCO19C2010A	-	-	-	-	TU42C2101T	0.19	(0.01)	6,210	-
STA08C2101A	0.35	(0.03)	7,266	-	TISCO19C2010B	0.18	(0.04)	4,930	-	TVO13C2011A	-	-	-	-
STA13C2009A	2.32	0.06	2	2.00	TISCO19C2012A	0.43	(0.03)	64,398	-	TVO19C2011A	0.08	(0.02)	64,609	-
STA13C2010A	0.98	(0.08)	404	1.00	TISCO41C2010A	0.09	(0.02)	1	-	VGI06C2010A	0.09	(0.04)	30,150	-
STA13C2010B	0.13	(0.03)	376,357	-	TISCO41C2012A	0.40	(0.04)	2,105	-	VGI06C2101A	0.38	(0.08)	67,159	-
STA13C2010C	0.08	(0.02)	88,349	-	TIS24C2101T	0.17	(0.02)	110	-	VGI11C2101A	0.28	(0.04)	12,424	-
STA13C2010D	0.06	-	2,167	-	TKN01C2101A	0.25	(0.05)	43,805	-	VGI13C2010A	0.04	-	2,909	-
STA13C2011A	-	-	-	-	TKN06C2011A	0.16	(0.07)	75,342	-	VGI13C2012A	0.27	(0.06)	445,457	-
STA13C2011B	0.16	(0.04)	198,266	-	TKN06C2101A	-	-	-	-	VGI19C2010A	0.13	(0.02)	18,450	-
STA13C2012A	0.22	(0.05)	116,658	-	TKN08C2011A	0.14	(0.04)	35,500	-	VGI19C2012A	0.31	(0.06)	45,451	-
STA13P2010A	0.07	-	20,536	-	TKN13C2010A	0.38	(0.19)	475	-	VGI19C2012B	0.43	(0.09)	29,853	-
STA13P2010B	0.05	-	94	-	TKN13C2010B	0.07	(0.05)	16,641	-	VGI19C2012C	0.21	(0.79)	59,147	-
STA19C2009A	-	-	-	-	TKN13C2012A	0.17	(0.06)	365,867	-	VGI24C2012A	0.28	(0.07)	37,708	-
STA19C2010A	1.80	(0.09)	15	1.00	TKN19C2010A	-	-	-	-	VGI28C2010A	0.22	(0.05)	27,552	-
STA19C2010B	1.16	(0.11)	49	1.00	TKN19C2011A	0.45	(0.07)	1,487	-	VGI41C2011A	0.17	(0.04)	5,532	-
STA19C2010C	0.12	(0.02)	237	-	TKN19C2011B	0.14	(0.05)	24,697	-	VGI42C2101T	0.11	(0.02)	429	-
STA19C2011A	0.72	(0.08)	440	-	TKN28C2012A	-	-	-	-	WHA01C2009A	0.40	(0.06)	21	-
STA19C2011B	0.17	(0.03)	190,161	-	TKN28C2012B	0.14	(0.05)	47,381	-	WHA01C2101A	0.35	(0.02)	8,808	-
STA19C2012A	0.25	(0.04)	125,143	-	TKN28C2101A	0.59	(0.21)	1,007	-	WHA01P2009A	-	-	-	-
STA19P2009A	-	-	-	-	TKN42C2012T	0.09	(0.04)	190	-	WHA06C2010A	0.13	(0.01)	11,312	-
STA19P2010A	0.12	-	4,771	-	TMB13C2011A	0.08	-	7,150	-	WHA06P2012A	0.57	0.02	21,140	-
STA24C2011A	0.13	(0.04)	6,283	-	TMB19C2011A	0.16	-	20	-	WHA08C2011A	0.23	(0.02)	5,283	-
STA28C2011A	-	-	-	-	TMB19C2011B	-	-	-	-	WHA11C2101A	0.32	(0.02)	19,550	-
STA28C2011B	0.16	(0.04)	4,056	-	TMB19P2011A	-	-	-	-	WHA13C2009A	0.10	(0.01)	3	-
STA28C2012A	1.27	(0.06)	59	1.00	TMB41C2010A	0.03	-	100	-	WHA13C2011A	0.15	(0.02)	40,014	-
STA28C2102L	0.15	(0.01)	5,577	-	TOA13C2011A	0.19	(0.05)	30,344	-	WHA13P2011A	0.37	0.01	68,289	-
STA41C2010A	0.12	(0.02)	5,230	-	TOA19C2010A	0.18	(0.04)	10,380	-	WHA19C2010A	0.25	(0.02)	6,960	-
STA42C2101T	0.15	(0.02)	820	-	TOA42C2101T	0.18	(0.04)	15,004	-	WHA19C2011A	0.16	(0.02)	4,166	-
STEC01C2101A	0.27	(0.02)	12,865	-	TOP01C2009A	-	-	-	-	WHA19P2011A	0.41	(0.02)	111,846	-
STEC01P2101A	0.55	0.03	17,310	-	TOP01C2012A	0.32	(0.04)	75,045	-	WHA28C2011A	0.16	(0.02)	4,056	-
STEC06C2010A	0.04	(0.02)	2,400	-	TOP01P2009A	0.12	(0.03)	578	-	WHA28C2012A	0.28	(0.02)	4,107	-
STEC08C2012A	0.11	(0.02)	7,000	-	TOP01P2012A	0.66	0.05	48,777	-	WHA28C2102L	-	-	-	-
STEC11C2102A	0.30	(0.02)	8,560	-	TOP06C2011A	0.06	(0.03)	37,930	-	WHA42C2101T	-	-	-	-
STEC13C2010A	-	-	-	-	TOP06P2010A	0.14	0.03	25,209	-	WHAU13C2012A	0.26	(0.03)	50,442	-
STEC13C2012A	0.18	(0.03)	32,274	-	TOP08C2010A	0.11	(0.05)	9,050	-	WHAU19C2012A	0.34	(0.04)	9,514	-
STEC13P2011A	0.29	0.01	49,454	-	TOP11C2011A	0.25	(0.04)	34,751	-	Preferred/Foreign	-	-	-	-
STEC16C2009A	-	-	-	-	TOP13C2010A	0.04	(0.02)	2,956	-	BH-Q	-	-	-	-
STEC19C2009A	-	-	-	-	TOP13C2011A	0.09	(0.04)	29,076	-	CSC-Q	-	-	-	-
STEC19C2011A	0.06	-	20	-	TOP13C2012A	0.16	(0.03)	264,177	-	JUTHA-Q	-	-	-	-
STEC19C2012A	0.20	(0.01)	15,000	-	TOP13P2010A	0.33	0.02	156,862	-	KTB-Q	-	-	-	-
STEC19P2011A	0.60	0.01	5,242	-	TOP13P2012A	0.75	0.07	44,302	-	SCB-Q	-	-	-	-
STEC19P2012A	0.36	(0.01)	27,240	-	TOP19C2010A	0.13	(0.03)	30,600	-	TCAP-Q	-	-	-	-
STEC28C2011A	0.06	(0.02)	1,050	-	TOP19C2010B	0.13	(0.04)	34,200	-	TISCO-Q	-	-	-	-
STEC28C2012A	0.11	(0.02)	1,100	-	TOP19C2012A	0.13	(0.04)	50,307	-	U-Q	-	-	-	-
STEC28C2101A	0.22	(0.02)	16,798	-	TOP19P2010A	0.36	0.02	80,333	-	Warrant	-	-	-	-
STEC28C2104L	0.22	(0.78)	15,210	-	TOP19P2011A	0.63	0.04	85,601	-	7UP-W4	0.11	(0.01)	6,313	-
STEC41C2009A	-	-	-	-	TOP24C2101A	0.30	(0.05)	69,056	-	AKR-W1	0.04	-	1,582	-
STEC41C2012A	0.16	(0.06)	15,772	-	TOP41C2010A	-	-	-	-	ALT-W1	0.61	(0.11)	33,160	-
STEC42P2102T	0.27	(0.73)	4,306	-	TOP41C2011A	0.12	(0.03)	1,700	-	APEX-W1	-	-	-	-
SUPE08C2012A	-	-	-	-	TOP41P2010A	0.30	0.04	32,735	-	APURE-W2	0.29	-	86,744	-
SUPE19C2010A	0.17	(0.05)	3,001	-	TOP41P2011A	-	-	-	-	B-W3	-	-	-	-
SUPE19C2011A	0.07	(0.02)	66,701	-	TOP42C2011T	-	-	-	-	B-W4	0.04	(0.01)	21,183	-
SUPE19C2011B	-	-	-	-	TPI13C2011A	0.24	(0.04)	91,345	-	B-W5	0.04	(0.01)	442	-
SUPE19C2012A	0.20	(0.03)	2,375	-	TPI19C2012A	0.32	(0.03)	63,997	-	BKD-W2	0.08	-	2,001	-
SUPE19P2011A	0.31	(0.01)	467,509	-	TQM11C2102A	0.67	(0.01)	3,650	-	BTS-W5	0.82	(0.08)	257,103	-
SUPE42C2101T	0.09	-	1	-	TQM13C2011A	0.32	(0.06)	70,794	-	CGD-W4	0.05	-	1,631	-
SUPE42P2102T	0.23	0.01	50,201	-	TQM19C2010A	2.34	(0.14)	100	2.00	CGH-W3	0.02	-	205	-
TASC01C2012A	0.66	(0.05)	14,530	-	TQM19C2010B	0.21	(0.05)	15,708	-	DCC-W1	0.98	(0.03)	49,791	-
TASC06C2009A	-	-	-	-	TQM19C2011A	0.55	(0.09)	50,704	-	ECL-W3	0.09	(0.02)	3,777	-
TASC06C2012A	0.20	(0.01)	49,011	-	TQM24C2011A	0.28	(0.05)	5,617	-	EMC-W6	0.03	-	28,182	-
TASC08C2011A	-	-	-	-	TQM28C2012A	0.32	(0.05)	23,537	-	EP-W3	0.14	(0.05)	123,366	-
TASC08C2012A	0.17	-	13,000	-	TQM41C2011A	0.41	(0.02)	11,972	-	GLOCON-W4	0.47	(0.05)	1,319,089	-
TASC11C2102A	0.24	-	1,178	-	TQM42C2101T	0.41	(0.04)	3,208	-	III-W1	0.56	(0.02)	12,470	-
TASC13C2009A	-	-	-	-	TRUE01C2101A	0.35	(0.02)	4,000	-	J-W1	0.57	(0.06)	10,148	-
TASC13C2011A	0.13	(0.02)	9,453	-	TRUE06C2009A	0.04	(0.01)	3,300	-	JMART-W3	5.30	(0.45)	28,480	5.00
TASC13C2012A	0.67	(0.02)	21,172	-	TRUE06P2011A	0.37	-	32,380	-	JMART-W4	3.60	(0.32)	14,647	3.00
TASC13P2011A	0.27	-	28,608	-	TRUE08C2012A	0.24	(0.02)	12,917	-	JMT-W2	14.50	(0.60)	25,259	14.00
TASC19C2009A	-	-	-	-	TRUE08P2010A	0.19	(0.01)	3,000	-	MACO-W2	0.08	-	450,827	-
TASC19C2010A	-	-	-	-	TRUE11C2101A	0.25	(0.02)	18,360	-	MILL-W4	0.04	-	17,117	-
TASC19C2011A	0.61	(0.04)	3,240	-	TRUE11P2010A	0.57	-	17,830	-	MINT-W6	0.49	(0.11)	158,834	-
TASC19P2010A	0.17	(0.01)	14,865	-	TRUE13C2009A	-	-	-</						



Main Board Quotation

Issue Date :

Tuesday September 08, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SDC-W1	0.06	(0.01)	10	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	6.90	(0.40)	3,841	7.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	4.28	(0.12)	937	4.00	-	-	-	-	-	-	-	-	-	-
SST-W2	0.96	(0.01)	712	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.04	-	1	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TNITY-W1	0.15	(0.03)	6,285	-	-	-	-	-	-	-	-	-	-	-
TRITN-W3	0.14	(0.01)	38,402	-	-	-	-	-	-	-	-	-	-	-
TTCL-W1	0.49	0.04	429,502	-	-	-	-	-	-	-	-	-	-	-
U-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VGI-W2	0.83	(0.07)	558,069	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.11	(0.01)	10,441	-	-	-	-	-	-	-	-	-	-	-
W-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WIJK-W2	0.26	(0.01)	55,288	-	-	-	-	-	-	-	-	-	-	-
ZMICO-W4	0.08	-	2,216	-	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUTHA-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KTB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	1.62	(0.04)	65	1.00	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL-W1	0.57	(0.04)	101,722	-	-	-	-	-	-	-	-	-	-	-
BROOK-W5	0.14	(0.01)	8,911	-	-	-	-	-	-	-	-	-	-	-
CHAYO-W1	2.26	(0.18)	50,220	2.00	-	-	-	-	-	-	-	-	-	-
CHO-W2	0.02	-	815	-	-	-	-	-	-	-	-	-	-	-
CIG-W8	0.01	-	66,125	-	-	-	-	-	-	-	-	-	-	-
D-W1	0.79	-	116	-	-	-	-	-	-	-	-	-	-	-
DIMET-W3	1.21	(0.04)	1	1.00	-	-	-	-	-	-	-	-	-	-
DOD-W1	0.59	0.02	289,283	-	-	-	-	-	-	-	-	-	-	-
ECF-W3	0.19	-	12,025	-	-	-	-	-	-	-	-	-	-	-
HPT-W1	0.33	-	1,080	-	-	-	-	-	-	-	-	-	-	-
HYDRO-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.23	(0.04)	26,764	-	-	-	-	-	-	-	-	-	-	-
ITEL-W2	0.44	(0.04)	58,591	-	-	-	-	-	-	-	-	-	-	-
LIT-W1	0.43	(0.01)	1,740	-	-	-	-	-	-	-	-	-	-	-
META-W4	0.04	-	6,216	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OCEAN-W3	0.28	(0.01)	3,453	-	-	-	-	-	-	-	-	-	-	-
RWI-W2	0.14	-	3,672	-	-	-	-	-	-	-	-	-	-	-
SANKO-W1	0.02	(0.01)	86,578	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.54	(0.05)	4,654	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W4	2.52	(0.06)	355	2.00	-	-	-	-	-	-	-	-	-	-
SMART-W2	0.19	(0.01)	10,533	-	-	-	-	-	-	-	-	-	-	-
SWC-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TAKUNI-W	0.03	-	41,619	-	-	-	-	-	-	-	-	-	-	-
TAPAC-W4	0.27	(0.01)	3,125	-	-	-	-	-	-	-	-	-	-	-
TVD-W2	0.38	(0.03)	16,492	-	-	-	-	-	-	-	-	-	-	-
UREKA-W2	0.27	-	20,836	-	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SGF-P1	-	-	-	-	-	-	-	-	-	-	-	-	-	-