

Main Board Quotation

Issue Date :

Friday September 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.00	0.06	26,091	2.95	MAJOR	16.30	-	11,886	16.30
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	1.60	0.04	841	1.60
VI	-	-	-	-	DIF	14.70	-	128,134	14.72	MATI	4.04	0.04	10	4.04
WORLD	-	-	-	-	DTAC	32.75	(0.25)	68,994	32.83	MCOT	4.44	0.04	123	4.41
WR	-	-	-	-	FORTH	6.15	0.30	12,241	6.27	MONO	2.60	0.14	53,800	2.61
Agribusiness					HUMAN	8.65	0.25	14,352	8.60	MPIC	-	-	-	-
EE	0.67	(0.01)	54,550	0.68	ILINK	5.15	-	7,022	5.15	NMG	-	-	-	-
GPPT	12.00	(0.10)	38,371	12.04	INET	3.08	(0.04)	142,112	3.18	PLANB	5.50	-	48,214	5.52
LEE	2.24	-	602	2.24	INTUCH	54.25	(0.50)	179,775	54.05	POST	-	-	-	-
MAX	0.01	-	570,554	0.01	JAS	2.88	0.34	2,823,081	2.83	PRAKIT	7.35	(0.15)	47	7.36
NER	3.34	0.06	419,462	3.31	JASIF	9.60	-	113,125	9.59	SE-ED	1.42	(0.02)	15	1.42
PPPM	0.34	0.01	408	0.33	JMART	14.70	0.30	144,091	14.61	TBSP	12.80	0.20	3	12.77
STA	27.00	0.25	76,175	27.04	JTS	2.72	0.34	32,577	2.66	TH	0.47	(0.01)	108	0.47
TRUBB	1.58	0.03	23,017	1.57	MFE	4.82	0.06	13,692	4.80	TKS	5.55	-	4,107	5.59
TPWC	3.46	-	4,515	3.47	MSC	5.95	0.20	3,199	5.88	VGI	6.55	0.05	199,774	6.56
UPOIC	3.46	0.06	39	3.40	PT	5.00	(0.05)	1,085	4.98	WAVE	0.72	(0.03)	3,266	0.72
UVAN	4.48	0.12	2,757	4.41	SAMART	4.78	(0.06)	3,794	4.80	WORK	10.60	(0.10)	43,687	10.62
VPO	0.36	(0.01)	2,102	0.36	SAMTEL	4.90	-	939	4.90	Finance & Securities				
Banking					SDC	0.16	0.01	2,069	0.16	AEC	0.10	0.01	26,587	0.10
BAY	19.70	(0.10)	6,801	19.85	SIS	13.40	(0.20)	2,919	13.57	AEONTS	103.00	(0.50)	8,755	102.37
BBL	101.00	2.00	342,046	100.92	SVOA	1.16	(0.01)	40,152	1.16	AMANA	2.56	-	30,901	2.56
CIMBT	0.56	-	3,191	0.55	SYMC	4.50	-	841	4.38	ASAP	2.24	(0.02)	5,464	2.27
KBANK	80.25	1.75	166,264	79.99	SYNEX	13.40	0.10	7,013	13.35	ASK	18.70	0.10	4,369	18.70
KKP	38.00	0.50	13,503	37.97	THCOM	5.45	(0.10)	106,378	5.43	ASP	1.70	(0.01)	3,054	1.70
KTB	9.50	0.35	234,891	9.40	TRUE	3.22	0.06	602,345	3.22	BAM	21.20	0.10	156,268	21.12
LHFG	0.90	(0.01)	33,411	0.90	TWZ	0.07	0.01	45,597	0.06	BFIT	28.50	(0.25)	1,290	28.54
SCB	67.25	(0.50)	165,396	67.95	Electronic Componer	-	-	-	-	CGH	0.68	0.01	915	0.67
TSCAP	31.25	0.50	35,944	31.07	CCET	1.96	-	176,692	2.00	ECL	0.84	(0.04)	198,449	0.87
TISCO	64.75	1.50	34,032	64.21	DELTA	146.50	6.50	51,927	143.64	FNS	3.08	-	2,534	3.07
TMB	0.91	0.02	1,868,064	0.90	HANA	43.25	1.00	50,355	42.69	FSS	1.33	-	91	1.31
Construction Materia					KCE	31.50	0.25	126,963	31.59	GBX	0.43	0.01	2,532	0.43
CCP	0.44	0.01	39,942	0.44	METCO	145.00	2.00	9	144.89	GL	3.12	(0.02)	28,268	3.16
COTTO	1.12	(0.01)	5,245	1.12	NEX	4.22	(0.06)	54,841	4.26	IFS	2.36	0.04	550	2.33
DCC	2.56	(0.06)	58,010	2.56	SMT	2.68	(0.04)	117,764	2.73	JMT	32.00	0.25	147,148	32.00
DCON	0.35	0.01	30,581	0.34	SVI	3.94	(0.10)	96,343	3.98	KCAR	7.60	-	1,719	7.57
DRT	6.25	-	4,336	6.28	TEAM	0.85	-	1,112	0.85	KGI	2.96	0.02	19,985	2.96
EPG	4.78	0.08	23,349	4.76	W	0.23	0.03	3,450,316	0.22	KTC	33.25	1.00	74,331	32.82
GEL	0.18	-	16,224	0.18	Energy & Utilities	-	-	-	-	MBKET	7.15	0.05	1,699	7.10
PPP	2.08	-	1,682	2.04	7UP	0.32	-	177,040	0.32	MFC	13.50	(0.10)	23	13.53
Q-CON	4.82	0.24	2	4.82	ABPIF	3.00	0.04	570	2.97	ML	0.88	(0.05)	17,801	0.89
RCI	3.70	(0.12)	349	3.70	ACE	3.06	0.10	105,869	3.04	MTC	51.75	1.00	77,015	51.48
SCC	339.00	(1.00)	32,014	339.17	AI	1.81	-	78,911	1.81	PE	-	-	-	-
SCCC	126.00	(0.50)	2,478	125.10	AKR	0.49	0.01	3,051	0.48	PL	2.02	0.02	781	2.02
SCP	6.00	(0.05)	1,820	6.01	BAFS	21.00	(0.10)	311	21.04	S11	6.20	-	3,877	6.20
SKN	2.36	(0.04)	2,878	2.38	BANPU	6.20	0.75	1,477,614	5.90	SAWAD	48.00	0.50	99,712	47.58
TASCO	16.00	(0.50)	1,071,608	16.20	BCP	16.70	-	5,299	16.70	THANI	3.86	-	229,789	3.88
TCMC	1.10	0.02	62,068	1.10	BCPG	12.40	0.20	49,699	12.21	TK	7.05	-	4,061	7.06
TOA	36.00	0.50	5,452	36.11	BGRIM	45.50	0.50	31,785	45.24	TNITY	3.66	(0.02)	1	3.66
TPIPL	1.30	0.04	59,033	1.29	BPP	14.10	0.50	42,881	13.93	UOBKH	3.08	-	4	3.09
UMI	0.60	(0.01)	456	0.60	BRRGIF	6.20	-	65	6.10	ZMICO	0.62	0.01	1,194	0.61
VNG	3.16	(0.04)	3,478	3.15	CKP	5.90	0.30	237,274	5.82	Food & Beverage				
WIJK	2.06	0.02	8,344	2.04	DEMCO	2.88	(0.06)	3,761	2.89	APURE	1.80	(0.02)	21,243	1.80
Petrochemicals & Ch					EA	41.50	0.25	55,832	41.36	ASIAN	11.20	0.10	44,162	11.09
BCT	41.50	0.25	1	41.50	EASTW	9.55	(0.05)	5,912	9.58	BR	1.86	0.04	2,824	1.84
CMAN	1.15	(0.01)	434	1.16	EGATIF	12.10	-	5,460	12.15	BRR	2.64	(0.06)	105	2.62
GC	5.30	-	539	5.25	EGCO	200.00	0.50	13,479	199.76	CBG	114.00	(0.50)	52,564	114.20
GGC	8.80	0.10	3,864	8.71	EP	3.72	0.02	5,600	3.71	CFRESH	4.04	0.40	86,061	3.88
GIFT	2.02	(0.02)	694	2.02	ESSO	6.50	(0.10)	124,800	6.55	CHOTI	-	-	-	-
IVL	23.10	(0.10)	91,913	23.07	GPSC	64.50	1.00	41,927	64.20	CM	2.72	-	2,357	2.74
NFC	-	-	-	-	GREEN	1.08	(0.02)	7,883	1.10	CPF	30.00	(0.25)	279,840	29.88
PATO	9.80	0.10	165	9.79	GULF	31.50	-	134,678	31.51	CPI	1.25	-	300	1.25
PMTA	-	-	-	-	GUNKUL	2.28	0.04	399,636	2.29	F&D	18.00	-	6	18.45
PTTGC	43.00	0.25	95,583	43.07	IFEC	-	-	-	-	HTC	27.00	(0.50)	6,468	27.15
SUTHA	2.98	-	1	2.98	IRPC	2.14	0.02	542,719	2.13	ICHI	11.10	0.10	98,020	11.08
TCCC	22.70	-	96	22.61	KBSPIF	9.95	(0.05)	1,129	9.95	KBS	3.04	0.02	118	3.03
TPA	5.10	(0.05)	90	5.05	LANNA	6.05	0.25	16,091	5.81	KSL	2.02	0.02	9,972	2.03
UAC	3.70	(0.02)	1,125	3.72	MDX	2.36	0.08	6,132	2.33	KTIS	2.56	0.02	995	2.53
UP	17.90	0.10	95	17.90	PDI	7.00	0.20	4,405	6.83	LST	4.28	-	4,462	4.30
VNT	22.80	(0.10)	2,414	22.97	PRIME	0.54	0.01	31,207	0.54	M	49.25	-	3,608	49.27
WG	185.50	-	4	185.50	PTG	17.80	-	48,614	17.79	MALEE	6.45	0.05	1,794	6.47
YCI	-	-	-	-	PTT	35.25	(0.50)	565,311	35.29	MINT	22.70	-	286,480	22.56
Commerce					PTTEP	87.75	0.50	116,538	87.81	OISHI	39.50	-	74	39.56
BEAUTY	1.21	(0.02)	121,037	1.22	RATCH	52.00	-	37,883	51.90	OSP	37.50	(0.50)	64,007	37.51
BIG	0.45	-	31,268	0.45	RPC	0.46	(0.01)	4,027	0.46	PB	70.00	(0.50)	20	70.08
BJC	37.25	0.25	46,731	37.13	SCG	3.66	0.12	149	3.64	PM	7.65	(0.05)	17,605	7.65
COL	18.70	-	13,403	18.70	SCI	1.31	-	5,867	1.30	PRG	-	-	-	-
COM7	41.00	1.75	104,638	40.39	SCN	1.76	(0.01)	1,455	1.76	RBF	9.50	-	91,380	9.48
CPALL	62.50	0.25	149,272	62.37	SGP	8.70	-	4,667	8.71	SAPPE	20.10	-	4,482	20.18
CPW	1.89	0.04	65,738	1.89	SKE	0.59	(0.02)	12,630	0.59	SAUCE	25.25	-	3	25.25
CRC	28.00	(0.50)	1,178,608	28.05	SOLAR	0.94	0.02	1,309	0.94	SFP	-	-	-	-
CSS	1.33	(0.02)	43,903	1.35	SPCG	17.50	(0.10)	2,867	17.62	SNP	10.00	(0.10)	221	10.00
DOHOME	12.90	(0.20)	112,427	12.93	SPRC	6.10	0.05	110,488	6.07	SORKON	5.25	0.05	152	5.18
FN	1.26	(0.02)	73,540	1.26	SSP	7.20	-	4,907	7.15	SSC	32.50	-	72	32.85
FTE	1.51	0.01	766	1.50	SUPER	0.88	(0.01)	3,684,141	0.88	SSF	7.45	0.45	3	7.60
GLOBAL	19.60	0.20	38,121	19.46	SUPEREIF	11.60	-	3,569	11.60	STT	2.42	0.04	813	2.40
HMPRO	14.50	0.30	229,342	14.47	SUSCO	2.72	(0.04)	12,847	2.75	TC	3.66	-	1,059	3.63
ILM	11.60	(0.20)	14,532	11.77	TAE	2.30	0.02	8,403	2.32	TFG	4.30	-	34,172	4.31
IT	2.54	(0.04)	446	2.54	TCC	0.20	0.01	2,506	0.20	TFMAMA	199.00	0.50	99	198.87
KAMART	2.86	(0.06)	20,496	2.87	TOP	38.75	0.50	53,715	38.35	TIPCO	5.90	(0.20)	41,460	5.98
LOXLEY	1.37	(0.01)	12,892	1.37	TPIPP	4.28	0.04	87,487	4.25	TKN	10.40	0.10	113,773	10.44
MAKRO	46.00	1.25	11,513	45.33	TSE	2.76	-	14,198	2.76	TU	13.90	-	215,845	13.83
MC	9.60	-	7,000	9.64	TTW	13.20	0.20	33,308	13.16	TVO	34.00	1.50	152,277	

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday September 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
M-CHAI	180.00	-	1	180.00	AWC	3.94	-	149,958	3.93	HFT	3.52	-	7,759	3.55
NEW	-	-	-	-	BLAND	1.00	0.01	69,046	1.00	IHL	3.12	0.12	265,232	3.13
NTV	41.75	(0.25)	53	41.56	BROCK	1.47	(0.01)	253	1.47	INGRS	0.44	(0.01)	25,548	0.45
PR9	6.60	(0.05)	1,906	6.62	CGD	0.64	(0.01)	65,298	0.65	IRC	12.40	-	45	12.24
PRINC	2.70	(0.02)	15,449	2.70	CI	-	-	-	-	PCSGH	4.42	(0.06)	3	4.42
RAM	138.00	(0.50)	395	138.22	CPN	43.50	(0.50)	60,221	43.53	SAT	13.50	-	22,724	13.63
RJH	21.90	(0.50)	1,097	22.00	ESTAR	0.34	-	765	0.34	SPG	13.00	0.10	1	13.00
RPH	5.50	-	5,715	5.44	EVER	0.22	-	52,737	0.22	STANLY	147.00	1.00	231	145.96
SKR	6.05	0.05	1,814	6.02	FPT	10.50	(0.10)	767	10.51	TKT	0.92	0.01	455	0.91
SVH	410.00	(6.00)	24	411.17	GLAND	2.16	-	677	2.11	TNCP	0.74	-	45	0.74
THG	18.60	(0.10)	8,193	18.67	J	1.24	-	27,783	1.27	TRU	3.40	0.04	47	3.35
VIBHA	1.51	-	12,634	1.51	JCK	1.37	(0.06)	51,859	1.40	TSC	9.35	-	5	9.35
VIH	6.60	(0.05)	4,016	6.58	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.53	0.01	88	1.53	KWG	0.69	0.01	235	0.69	ALLA	1.12	0.01	6,035	1.11
Tourism & Leisure	-	-	-	-	LALIN	5.30	(0.10)	3,282	5.36	ASEFA	3.20	0.02	1,780	3.18
ASIA	4.66	-	679	4.68	LH	7.10	(0.05)	391,398	7.09	CPT	0.80	0.03	2,515	0.80
CENTEL	23.90	(0.30)	53,890	23.97	LPN	4.52	(0.02)	14,796	4.54	CRANE	1.82	(0.11)	323,419	1.93
CSR	70.00	(1.00)	6	69.67	MBK	12.30	(0.20)	6,002	12.36	CTW	5.50	(0.30)	2,327	5.47
DTC	7.15	0.05	355	7.09	MJD	1.47	(0.01)	1,316	1.48	FMT	-	-	-	-
ERW	3.22	-	64,519	3.24	MK	2.88	0.02	1,011	2.89	HTECH	2.84	(0.02)	2,718	2.80
GRAND	0.51	-	1,210	0.51	NCH	0.90	0.04	8,952	0.90	KKC	0.51	(0.01)	710	0.51
LRH	31.25	0.50	10	30.50	NNCL	1.88	-	794	1.89	PK	1.23	(0.04)	393	1.24
MANRIN	-	-	-	-	NOBLE	13.80	0.10	77,424	14.14	SNC	10.00	0.05	1,767	10.03
OHTL	318.00	(5.00)	12	316.58	NUSA	0.29	(0.01)	17,654	0.30	STARK	2.04	0.04	41,591	2.02
ROH	38.00	-	33	38.00	NVD	1.06	(0.04)	3,382	1.08	TCJ	3.34	(0.06)	243	3.31
SHANG	56.00	-	10	56.00	ORI	6.70	(0.30)	106,137	6.77	VARO	-	-	-	-
SHR	2.02	-	338,135	2.06	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
VRANDA	5.55	-	883	5.59	PF	0.35	(0.01)	205,590	0.35	AIMCG	6.05	-	479	6.05
Home & Office Produ	-	-	-	-	PLAT	2.40	(0.02)	5,650	2.40	AIMIRT	13.50	(0.30)	2,073	13.52
ACC	-	-	-	-	POLAR	-	-	-	-	AMATAR	10.10	-	108	10.05
AJA	0.13	0.01	122,112	0.12	PRECHA	0.90	-	496	0.87	B-WORK	11.70	-	10	11.70
DTCI	-	-	-	-	PRIN	1.61	0.01	3,346	1.62	BKER	5.60	(0.10)	5,627	5.65
FANCY	0.46	-	357	0.46	PSH	11.30	(0.10)	8,985	11.31	BKCP	11.80	-	63	11.80
KYE	-	-	-	-	QH	2.20	-	443,208	2.18	BOFFICE	11.80	(0.10)	1,468	11.85
L&E	1.73	0.13	31	1.63	RICHY	0.70	-	2	0.70	CPNCG	10.20	-	4,253	10.20
MODERN	2.44	0.06	4,364	2.43	RML	0.63	-	5,486	0.63	CPNREIT	25.00	0.40	7,998	24.90
OGC	-	-	-	-	ROJNA	4.22	0.04	5,054	4.19	CPTGF	10.20	0.10	100	10.20
ROCK	-	-	-	-	S	1.32	(0.01)	6,187	1.33	CTARAF	5.05	-	935	4.99
SIAM	1.38	-	73	1.37	SAMCO	1.17	(0.01)	816	1.17	DREIT	3.88	0.02	7,407	3.86
TSR	3.06	(0.04)	9,303	3.08	SC	2.24	(0.02)	4,347	2.25	ERWPF	4.26	-	1	4.26
Insurance	-	-	-	-	SENA	2.74	(0.02)	5,440	2.74	FTREIT	14.30	(0.40)	14,615	14.46
AYUD	33.00	-	84	33.00	SF	4.44	(0.10)	19,365	4.49	FUTUREPF	19.10	-	5	19.10
BKI	283.00	1.00	90	282.04	SIRI	0.67	-	284,716	0.67	GAHREIT	8.15	0.15	5	8.15
BLA	16.90	(0.50)	22,309	17.10	SPALI	16.60	0.50	51,346	16.28	GOLDPF	-	-	-	-
BUI	-	-	-	-	U	1.24	(0.01)	21,780	1.24	GVREIT	12.40	(0.10)	813	12.43
CHARAN	22.90	1.40	11	20.72	UV	2.56	(0.04)	9,264	2.57	HPF	4.68	-	472	4.68
INSURE	-	-	-	-	WHA	2.96	-	511,877	2.98	HREIT	7.90	(0.10)	17,807	7.91
MTI	-	-	-	-	WIN	0.37	0.01	125	0.36	IMPACT	19.30	-	93,160	19.29
NKI	48.25	1.00	60	46.20	Paper & Printing Mat	-	-	-	-	KNPFP	6.75	-	602	6.75
NSI	70.00	-	5	70.00	UTP	13.80	0.10	61,487	13.71	LHHOTEL	9.70	-	1,400	9.68
SEG	-	-	-	-	Fashion	-	-	-	-	LHPF	5.30	-	56	5.30
SMK	37.25	0.75	23	37.35	AFC	6.00	-	7	6.00	LHSC	11.90	-	121	11.80
THRE	0.95	(0.01)	148,041	0.96	B52	0.16	(0.02)	6,494	0.16	LUXF	6.35	(0.05)	636	6.35
THREL	2.32	0.14	40,293	2.29	BTNC	-	-	-	-	M-II	7.20	-	2	7.20
TIP	24.40	(0.20)	5,803	24.48	CPH	3.02	-	9	3.14	M-PAT	-	-	-	-
TQM	130.00	6.00	20,047	128.82	CPL	0.98	(0.07)	429	0.98	M-STOR	5.95	-	93	5.89
TSI	0.28	-	15,370	0.27	ICC	27.75	-	30	27.31	MIPF	13.80	(0.10)	27	13.83
TVI	3.40	0.06	1	3.40	NC	-	-	-	-	MIT	-	-	-	-
Mining	-	-	-	-	PAF	0.54	-	7	0.54	MJLF	6.90	0.05	6	6.90
THL	-	-	-	-	PDJ	1.44	(0.01)	2,526	1.45	MNIT	1.50	0.07	1	1.50
Packaging	-	-	-	-	PG	-	-	-	-	MNIT2	-	-	-	-
AJ	14.90	(0.20)	3,079	14.99	SABINA	21.10	0.40	49,387	21.56	MNRF	2.80	(0.08)	507	2.82
ALUCON	153.50	2.00	20	153.03	SAWANG	-	-	-	-	POPF	10.40	-	68	10.40
BGC	12.90	0.90	93,526	12.65	SUC	33.75	0.25	12	33.52	PPF	11.30	-	62	11.30
CSC	50.00	-	143	50.12	TNL	-	-	-	-	PROSPECT	9.05	(0.05)	896	9.06
GLOCON	1.01	-	4,305	1.01	TPCORP	9.00	(0.05)	2	9.03	QHHR	5.80	0.05	736	5.80
NEP	0.26	-	12,954	0.25	TR	21.70	(0.10)	87	21.55	QHOP	2.28	-	31	2.28
PTL	22.50	(0.20)	57,349	22.56	TTI	17.80	(0.70)	4	17.85	QHPP	9.55	(0.10)	1,602	9.59
SFLEX	10.80	0.20	4,576	10.62	TTT	53.75	(0.50)	15	53.07	SBPF	-	-	-	-
SITHAI	0.54	(0.01)	5,767	0.53	UPF	58.00	0.50	9	60.78	SHREIT	3.50	(0.10)	1,738	3.53
SLP	0.40	-	476	0.38	UT	-	-	-	-	SIRIP	-	-	-	-
SMPC	11.70	(0.20)	8,055	11.93	WACOAL	-	-	-	-	SPF	12.90	0.10	1,454	12.82
SPACK	2.20	(0.22)	4,329	2.34	Transportation & Log	-	-	-	-	SPRIME	9.15	(0.20)	3,347	9.32
TCOAT	-	-	-	-	AAV	1.86	(0.01)	143,031	1.86	SRIPANWA	7.85	(0.15)	118	7.90
TFI	0.11	0.01	6,992	0.10	AOT	60.25	-	262,274	59.93	SSPF	9.30	-	78	9.30
THIP	24.40	0.30	258	24.41	ASIMAR	1.24	0.03	438	1.24	SSTRT	5.40	0.05	35	5.36
TMD	-	-	-	-	B	0.29	-	18,693	0.29	TIF1	8.45	0.05	4	8.44
TOPP	-	-	-	-	BA	5.30	-	9,691	5.30	TLGF	16.90	(0.40)	8,769	17.26
TPBI	4.60	(0.04)	448	4.61	BEM	8.85	(0.10)	298,384	8.87	TLHPF	-	-	-	-
TPP	13.90	(0.50)	40	14.03	BTS	10.00	-	234,241	10.01	TNPF	2.10	0.04	20	2.20
Personal Products &	-	-	-	-	BTSGIF	6.15	-	27,550	6.14	TPRIME	12.90	(0.30)	354	12.93
APCO	3.54	-	3,686	3.46	III	4.14	(0.06)	1,384	4.17	TTLPF	22.00	(0.10)	11	21.73
DDD	15.70	(0.30)	3,403	15.86	JUTHA	0.47	0.03	1	0.47	TU-PF	0.84	(0.02)	2	0.84
JCT	-	-	-	-	JWD	7.10	0.10	11,072	7.13	URBNPF	-	-	-	-
OCC	-	-	-	-	KWC	276.00	(4.00)	11	276.18	WHART	8.85	(0.05)	1	8.85
S & J	-	-	-	-	NOK	0.64	(0.02)	605	0.64	WHART	14.60	(0.30)	8,	

Main Board Quotation

Issue Date :

Friday September 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AIE	0.59	-	44,298	-	ADVA08C2012A	0.34	0.01	60,154	-
ABICO	5.80	(0.10)	4,765	5.00	ETC	1.71	(0.04)	208,030	1.00	ADVA08P2009A	-	-	-	-
AU	9.65	0.10	12,153	9.00	PSTC	1.54	-	5,185	1.00	ADVA08P2101A	0.86	(0.03)	40,560	-
JCKH	0.28	(0.01)	450	-	QTAC	3.94	(0.02)	77	3.00	ADVA11C2011A	0.31	(0.03)	16,400	-
KASET	1.53	0.03	2,227	1.00	SAAM	1.00	(0.01)	122	1.00	ADVA11P2011A	0.46	(0.02)	17,505	-
MM	1.90	(0.02)	42	1.00	SEAOIL	2.42	0.02	150,452	2.00	ADVA13C2010A	0.07	-	80	-
SUN	2.70	(0.06)	3,548	2.00	SR	0.71	0.06	524	-	ADVA13C2012A	0.40	0.01	166,837	-
TACC	6.30	(0.05)	63,869	6.00	TAKUNI	0.39	-	4,266	-	ADVA13P2012A	0.77	(0.04)	77,575	-
TMILL	3.06	-	2,503	3.00	TPCH	11.70	(0.10)	10,177	11.00	ADVA16C2009A	-	-	-	-
XO	9.00	-	12,493	8.00	TRT	1.69	0.03	920	1.00	ADVA19C2009A	-	-	-	-
Consumer Products														
BGT	1.03	-	65	1.00	UMS	0.17	-	99,265	-	ADVA19C2010A	-	-	-	-
BIZ	3.30	-	1,896	3.00	UPA	0.05	-	8,676	-	ADVA19C2010B	0.14	-	74,984	-
DOD	9.50	(0.05)	86,645	9.00	UWC	0.05	-	-	-	ADVA19C2012A	0.39	0.02	3,250	-
ECF	1.27	-	45,479	1.00	Services (MAI)	-	-	-	-	ADVA19P2009A	-	-	-	-
HPT	0.89	-	241	-	A5	-	-	-	-	ADVA19P2010A	0.20	(0.02)	101,602	-
IP	11.80	-	3,377	11.00	AKP	0.84	-	833	-	ADVA19P2012A	0.67	(0.04)	86,836	-
JUBILE	17.50	(0.20)	830	17.00	AMA	4.30	(0.10)	107,339	4.00	ADVA24C2009A	-	-	-	-
MOONG	3.72	(0.02)	927	3.00	ARIP	0.40	-	1,418	-	ADVA24C2101A	0.42	0.01	62,541	-
NPK	17.10	(0.70)	10	17.00	ATP30	0.80	(0.01)	5,660	-	ADVA28C2011A	-	-	-	-
OCEAN	0.81	(0.01)	2,513	-	AUCT	13.00	(0.30)	15,984	13.00	ADVA28C2012A	0.04	-	31	-
TM	2.32	0.02	2,175	2.00	BOL	4.80	(0.04)	5,650	4.00	ADVA28C2012B	0.13	-	6,084	-
Financials (MAI)														
ACAP	0.67	-	435	-	CMO	0.91	-	298	-	ADVA28C2101A	0.40	0.01	29,331	-
AF	0.50	(0.02)	306	-	D	3.46	0.02	438	3.00	ADVA28C2102L	0.25	(0.01)	9,343	-
AIRA	-	-	-	-	DV8	0.30	-	587	-	ADVA28P2012A	0.21	-	10,140	-
ASN	4.18	0.04	51	4.00	EFORL	0.03	-	432,904	-	ADVA41C2010A	-	-	-	-
BROOK	0.40	-	23,016	-	ETE	0.92	(0.02)	1,847	-	ADVA41C2010B	-	-	-	-
CHAYO	7.50	0.05	35,725	7.00	FSMART	7.40	(0.20)	37,498	7.00	ADVA41C2011A	0.32	0.02	44,700	-
GCAP	1.36	(0.02)	3,880	1.00	FVC	0.38	-	1,610	-	ADVA41P2009A	-	-	-	-
LIT	3.16	-	531	3.00	GSC	1.34	0.01	1,581	1.00	ADVA41P2011A	-	-	-	-
MITSI	1.05	0.02	4,905	1.00	HARN	2.12	0.02	1,669	2.00	ADVA41P2101A	0.59	(0.03)	36,776	-
SGF	0.54	(0.01)	39,021	-	IMH	2.22	0.08	580	2.00	ADVA42C2102T	-	-	-	-
Industrials (MAI)														
ZS	3.18	-	440	3.00	JKN	9.50	0.05	60,320	9.00	AEON13C2010A	0.01	-	16,772	-
ADB	0.74	0.03	1,467	-	KIAT	0.45	0.01	177,389	-	AEON13C2011A	0.13	(0.01)	83,125	-
BM	2.10	(0.02)	52	2.00	KOOL	0.95	(0.02)	11,362	-	AEON19C2010A	-	-	-	-
CHO	0.47	-	1,910	-	LDC	1.20	-	7,367	1.00	AEON19C2010B	0.13	(0.01)	4,005	-
CHOW	1.78	(0.03)	372	1.00	MORE	0.78	(0.02)	326,908	-	AEON19C2011A	0.61	(0.08)	5,638	-
CIG	0.22	-	4,740	-	MPG	0.29	(0.05)	10,974	-	AEON19C2012A	0.39	(0.01)	27,682	-
COLOR	1.19	-	121	1.00	MVP	1.15	(0.01)	546	1.00	AEON28C2012A	0.32	(0.02)	35,611	-
CPR	2.48	(0.02)	92	2.00	NBC	0.56	0.02	225	-	AEON28C2101A	0.83	(0.09)	100	-
FPI	1.40	(0.01)	1,773	1.00	NCL	0.65	(0.04)	235	-	AEON42C2101T	0.19	(0.02)	50	-
GTB	0.66	-	748	-	NEWS	0.01	-	106	-	AMAT01C2101A	0.34	-	47,980	-
KCM	0.46	0.01	162	-	NINE	1.93	0.23	15	1.00	AMAT06C2010A	0.08	(0.01)	1,240	-
KUMWEL	1.03	0.01	1,297	1.00	OTO	3.14	(0.02)	6,221	3.00	AMAT08C2010A	0.15	-	18,684	-
KWM	0.86	(0.01)	3,247	-	PHOL	2.38	0.16	35,812	2.00	AMAT08C2101A	0.37	0.02	18,000	-
MBAX	6.05	(0.05)	2,381	6.00	PICO	3.68	0.08	53	3.00	AMAT13C2010A	0.08	(0.01)	3,276	-
MGT	2.16	-	1,506	2.00	QLT	4.16	(0.02)	70	4.00	AMAT13C2012A	0.26	0.01	110,826	-
NDR	1.40	0.02	2,138	1.00	RP	1.25	(0.02)	34	1.00	AMAT19C2009A	-	-	-	-
PDG	3.42	0.04	293	3.00	SE	-	-	-	-	AMAT19C2011A	0.16	-	55,800	-
PIMO	2.00	(0.04)	90,793	2.00	SLM	-	-	-	-	AMAT19C2012A	0.23	0.01	39,564	-
PJW	1.30	(0.01)	3,599	1.00	SONIC	1.04	-	129	1.00	AMAT24C2010A	-	-	-	-
PPM	0.72	0.01	110	-	SPA	6.45	(0.05)	53,882	6.00	AMAT28C2012A	0.13	-	26,249	-
RWI	1.36	-	628	1.00	THMUI	0.55	-	65	-	AMAT28C2101A	0.24	0.01	23,290	-
SALEE	-	-	-	-	TNDT	3.06	(0.02)	227	3.00	AMAT28C2102L	0.13	-	18,112	-
SANKO	0.96	-	3	-	TNH	33.50	(0.25)	400	33.00	AMAT28C2103A	0.35	(0.65)	43,546	-
SELIC	2.04	(0.02)	4,305	2.00	TNP	2.88	0.04	35,736	2.00	AMAT42C2101T	0.14	0.01	52	-
SWC	4.20	0.02	460	4.00	TSF	-	-	-	-	AOT01C2012A	0.74	(0.01)	56,853	-
TMC	0.58	0.03	759	-	TVF	1.06	(0.03)	192,687	1.00	AOT01P2012A	0.23	(0.01)	58,209	-
TMI	0.62	-	6,446	-	TVT	0.65	-	150	-	AOT01P2012B	0.58	-	45,437	-
TMW	29.25	-	128	29.00	VL	1.00	-	14,711	1.00	AOT06C2009A	0.04	(0.01)	12	-
TPAC	13.80	0.40	530	13.00	WINNER	2.50	-	2,565	2.00	AOT06C2011A	0.35	(0.01)	34,646	-
TPLAS	1.62	-	6,932	1.00	YGG	10.90	0.10	34,523	11.00	AOT06P2009A	-	-	-	-
UBIS	5.00	(0.15)	55	5.00	Technology (MAI)									
UEC	0.87	-	125	-	APP	2.44	-	39,336	2.00	AOT08C2009A	-	-	-	-
UKEM	0.54	(0.01)	24,278	-	COMAN	2.30	-	353	2.00	AOT08C2101A	0.60	-	37,943	-
UREKA	0.79	(0.01)	899	-	ICN	1.96	(0.06)	28,441	1.00	AOT08P2009A	-	-	-	-
YUASA	14.40	-	237	14.00	IIG	20.60	0.50	356,465	21.00	AOT08P2102A	0.60	(0.01)	62,504	-
ZIGA	1.85	(0.03)	104,897	1.00	INSET	3.22	0.02	55,492	3.00	AOT11C2011A	0.37	(0.01)	37,620	-
Property & Construc														
ALL	3.00	0.04	52,407	3.00	IRCP	0.70	(0.02)	42,054	-	AOT11P2101A	0.35	(0.01)	35,374	-
ARIN	1.01	0.04	11,927	-	ITEL	2.80	0.18	77,864	2.00	AOT13C2010A	0.05	(0.01)	8,760	-
ARROW	7.10	-	149	7.00	NETBAY	26.00	0.25	843	25.00	AOT13C2011A	0.29	-	360,208	-
BC	0.81	(0.01)	1,540	-	PLANET	1.18	0.02	13,895	1.00	AOT13C2012A	0.68	-	14,009	-
BSM	0.28	-	10,109	-	SICT	4.70	0.12	311,027	4.00	AOT13P2010A	0.29	(0.01)	42,280	-
BTW	0.77	-	96	-	SIMAT	3.78	(0.02)	27,233	3.00	AOT13P2011A	0.14	-	106,968	-
CAZ	1.49	-	1,423	1.00	SKY	13.70	0.20	8,412	13.00	AOT16C2009A	-	-	-	-
CHEWA	0.51	-	20,145	-	SPVI	3.02	0.06	88,853	3.00	AOT16C2012A	0.73	(0.04)	3,052	-
CMC	0.71	-	929	-	TPS	2.52	-	39,187	2.00	AOT19C2009A	-	-	-	-
CRD	0.48	0.01	225	-	VCOM	4.96	(0.02)	13,636	4.00	AOT19C2011A	0.09	(0.01)	2,000	-
DIMET	0.18	-	51,380	-	Unit Trust									
FLOYD	0.89	(0.04)	1,264	-	SCBSET	-	-	-	-	AOT19C2011B	0.31	0.01	248,833	-
HYDRO	0.24	0.03	15,991	-	ETF	-	-	-	-	AOT19C2012A	0.58	(0.01)	56,976	-
JSP	0.22	(0.01)	15,732	-	IDIV	7.82	0.03	57	7.00	AOT19P2009A	-	-	-	-
K	0.74	(0.02)	273	-	ABFTH	-	-	-	-	AOT19P2009B	-	-	-	-
KUN	0.89	-	1,838	-	BMSGC	7.39	(0.01)	36	7.00	AOT19P2010A	0.15	(0.01)	41,936	-
META	0.38	(0.01)	13,303	-	BMSCIT	9.								

Main Board Quotation

Issue Date :

Friday September 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP13C2011A	0.14	-	46,796	-	BCPG28C2012C	-	-	-	-	BTS19C2011A	-	-	-	-
AP19C2010A	-	-	-	-	BCPG28C2010A	0.17	0.02	18,730	-	BTS19C2012A	0.41	(0.01)	408	-
AP19C2011A	0.16	-	21,004	-	BDPG28C2103L	0.17	-	14,140	-	BTS19P2012A	-	-	-	-
AP28C2012A	-	-	-	-	BDM501C2101A	0.44	(0.02)	48,399	-	BTS24C2012A	-	-	-	-
AP28C2012B	0.15	-	27,457	-	BDM506C2010A	-	-	-	-	BTS41C2010A	-	-	-	-
AWC01C2009A	-	-	-	-	BDM506C2102A	0.43	(0.04)	46,552	-	BTS41C2012A	-	-	-	-
AWC01C2101A	0.55	(0.02)	3,472	-	BDM506P2009A	-	-	-	-	CBG01C2012A	0.38	(0.01)	57,306	-
AWC06C2011A	-	-	-	-	BDM508C2011A	0.09	-	10	-	CBG01P2012A	0.73	-	155,963	-
AWC06P2012A	0.41	0.01	5,816	-	BDM508C2101A	0.37	(0.03)	31,047	-	CBG06C2011A	0.38	(0.02)	251,433	-
AWC08C2012A	0.28	(0.02)	11,500	-	BDM511C2011A	0.41	(0.02)	32,054	-	CBG08C2012A	0.50	(0.01)	14,879	-
AWC11C2102A	0.55	(0.02)	8,300	-	BDM513C2009A	-	-	-	-	CBG11C2101A	0.51	(0.02)	12,850	-
AWC13C2010A	-	-	-	-	BDM513C2011A	0.16	(0.02)	48,029	-	CBG13C2010A	0.48	(0.05)	270	-
AWC13C2010B	0.02	(0.02)	10,200	-	BDM513C2012A	0.29	(0.04)	175,468	-	CBG13C2011A	0.38	(0.02)	97,072	-
AWC13C2011A	0.23	(0.01)	12,894	-	BDM519C2101A	-	-	-	-	CBG13C2012A	0.26	(0.01)	52,806	-
AWC13P2011A	0.22	-	12,506	-	BDM519C2011A	0.13	(0.01)	15,179	-	CBG13P2010A	-	-	-	-
AWC19C2010A	0.08	(0.01)	4,000	-	BDM519C2012A	0.28	(0.02)	73,863	-	CBG13P2011A	0.43	(0.01)	145,012	-
AWC19C2010B	-	-	-	-	BDM519P2010A	0.10	-	20	-	CBG19C2010A	1.20	0.01	210	1.00
AWC19C2010C	-	-	-	-	BDM524C2101A	0.41	(0.04)	17,611	-	CBG19C2011A	0.50	(0.01)	86,388	-
AWC19P2011A	-	-	-	-	BDM528C2011A	0.05	(0.01)	5,950	-	CBG19C2011B	0.21	(0.01)	92,784	-
AWC24C2010A	-	-	-	-	BDM528C2012A	-	-	-	-	CBG19P2010A	0.05	-	277	-
AWC28C2010A	-	-	-	-	BDM528C2012B	-	-	-	-	CBG19P2011A	0.21	(0.01)	10,558	-
AWC28C2010B	-	-	-	-	BDM528C2101A	0.21	(0.02)	7,111	-	CBG19P2012A	0.80	0.01	111,561	-
AWC28C2012A	0.03	-	100	-	BDM528C2102A	0.30	(0.02)	16,477	-	CBG41C2009A	-	-	-	-
AWC28C2012B	-	-	-	-	BDM541C2012A	0.25	(0.02)	39,518	-	CBG41C2010A	0.37	(0.02)	8,921	-
AWC28C2101A	0.35	(0.01)	10,104	-	BDM541P2011A	0.56	0.05	14,412	-	CBG41C2011A	1.20	(0.06)	800	1.00
AWC28C2103L	0.23	(0.77)	4,563	-	BDM542C2101T	0.13	(0.01)	50	-	CBG41C2011B	0.33	(0.01)	8,000	-
AWC41C2010A	-	-	-	-	BEM01C2101A	-	-	-	-	CBG41C2012A	0.20	(0.01)	1,962	-
AWC41C2011A	-	-	-	-	BEM06P2009A	-	-	-	-	CBG41P2010A	-	-	-	-
AWC42C2101T	-	-	-	-	BEM08C2009A	-	-	-	-	CBG41P2012A	1.01	0.02	6,512	-
BANP01C2101A	0.41	0.11	122,487	-	BEM08C2102A	-	-	-	-	CBG42C2101T	0.71	(0.01)	4,900	-
BANP06C2010A	0.06	0.04	1,000	-	BEM11C2011A	-	-	-	-	CENT01C2009A	-	-	-	-
BANP06C2101A	0.40	0.15	127,172	-	BEM13C2009A	-	-	-	-	CENT01P2009A	0.02	0.01	15,176	-
BANP06P2011A	0.30	(0.18)	62,267	-	BEM13C2010A	-	-	-	-	CENT08C2012A	0.44	(0.06)	7,306	-
BANP08C2009A	-	-	-	-	BEM13C2011A	0.17	(0.01)	20,144	-	CENT11C2012A	0.18	(0.01)	1,681	-
BANP08P2009A	-	-	-	-	BEM19C2010A	0.16	(0.01)	10,001	-	CENT13C2010A	0.06	(0.01)	1,700	-
BANP13C2010A	0.01	-	4,850	-	BEM19C2011A	0.06	(0.03)	100	-	CENT13C2011A	0.39	(0.03)	66,570	-
BANP13C2011A	0.16	0.07	122,254	-	BEM19P2010A	0.12	(0.01)	5,000	-	CENT13P2011A	0.26	-	53,198	-
BANP13C2012A	0.32	0.14	479,960	-	BEM28C2010A	0.14	-	7,084	-	CENT19C2010A	0.19	(0.02)	7,238	-
BANP19C2009A	0.09	0.04	2,030	-	BEM28C2012A	-	-	-	-	CENT19C2011A	0.11	(0.01)	329	-
BANP19C2010A	0.08	0.04	6,702	-	BEM28C2103A	0.34	0.01	6,591	-	CENT19C2011B	0.49	(0.04)	7,672	-
BANP19C2012A	0.34	0.14	160,547	-	BEM28C2104L	0.27	(0.73)	6,084	-	CENT19P2011A	0.25	0.01	2,713	-
BANP19P2010A	0.10	(0.04)	50,500	-	BGR101C2009A	-	-	-	-	CENT24C2011A	0.49	(0.07)	39,820	-
BANP19P2010B	0.36	(0.19)	16,848	-	BGR101C2012A	0.25	0.01	29,370	-	CENT28C2010A	-	-	-	-
BANP19P2012A	0.19	(0.09)	96,585	-	BGR101P2012A	0.47	(0.03)	46,075	-	CENT28C2012A	-	-	-	-
BANP24C2011A	0.11	0.02	2,000	-	BGR106C2010A	0.04	(0.01)	7,550	-	CENT28C2012B	0.26	(0.04)	2,075	-
BANP28C2010A	-	-	-	-	BGR106C2102A	0.57	0.02	30,540	-	CENT28C2101A	-	-	-	-
BANP28C2012A	0.16	0.06	54,910	-	BGR106P2011A	0.48	(0.04)	39,514	-	CENT28C2101B	0.14	(0.01)	2,028	-
BANP28C2012B	0.15	0.05	42,588	-	BGR108C2009A	-	-	-	-	CENT28C2103L	-	-	-	-
BANP28C2101A	0.34	0.13	54,296	-	BGR108C2101A	0.40	0.01	17,100	-	CHG06C2102A	0.23	(0.02)	8,000	-
BANP41C2010A	0.12	0.05	5,000	-	BGR111C2101A	0.25	0.01	29,990	-	CHG13C2010A	0.06	(0.05)	40	-
BANP42C2012T	0.10	0.01	120	-	BGR113C2011A	0.07	-	6,084	-	CHG13C2012A	0.20	(0.01)	75,896	-
BBL06C2101A	0.80	0.03	20,885	-	BGR113C2012A	0.34	0.01	53,329	-	CHG16C2009A	-	-	-	-
BBL06P2011A	0.56	(0.07)	71,005	-	BGR113P2011A	0.43	(0.03)	64,968	-	CHG19C2011A	0.14	(0.04)	16,000	-
BBL08C2009A	-	-	-	-	BGR119C2009A	-	-	-	-	CHG27C2009A	-	-	-	-
BBL08C2101A	0.31	-	25,938	-	BGR119C2011A	0.12	0.01	38,308	-	CK01C2101A	0.34	0.01	27,260	-
BBL08P2009A	-	-	-	-	BGR119C2012A	0.24	0.02	45,996	-	CK06C2009A	0.01	-	1	-
BBL11C2011A	0.36	0.01	23,183	-	BGR119P2010A	0.29	(0.03)	84,123	-	CK06C2102A	0.39	0.01	12,500	-
BBL13C2010A	0.14	(0.03)	101,721	-	BGR124C2009A	-	-	-	-	CK06P2012A	0.58	(0.02)	15,899	-
BBL13C2010B	0.06	-	30,170	-	BGR127C2101A	0.18	0.01	7,234	-	CK11C2012A	0.22	-	4,100	-
BBL13C2011A	0.31	0.02	297,171	-	BGR127P2012A	0.28	(0.01)	10,446	-	CK13C2010A	0.14	-	2,574	-
BBL13P2010A	0.04	(0.01)	1,650	-	BGR141C2010A	-	-	-	-	CK13C2012A	0.30	0.02	54,354	-
BBL13P2012A	0.63	(0.04)	23,376	-	BGR141C2012A	0.47	0.01	20,162	-	CK19C2010A	0.11	-	54,040	-
BBL19C2009A	-	-	-	-	BGR141C2101A	-	-	-	-	CK19C2011A	0.16	-	53,830	-
BBL19C2010A	0.09	(0.01)	29,956	-	BGR142C2101T	-	-	-	-	CK19C2012A	0.32	-	31,456	-
BBL19C2011A	0.09	-	3,058	-	BH13C2010A	-	-	-	-	CK19P2011A	0.43	(0.02)	90,038	-
BBL19C2011B	0.17	0.01	121,502	-	BH13C2012A	0.26	0.01	49,852	-	CK24C2102A	0.29	-	31,725	-
BBL19C2012A	0.68	(0.26)	38,684	-	BH19C2009A	-	-	-	-	CK41C2009A	-	-	-	-
BBL19P2010A	0.23	(0.03)	29,840	-	BH19C2012A	0.29	0.01	103,530	-	CK41C2011A	-	-	-	-
BBL19P2011A	0.59	(0.05)	77,749	-	BH19P2012A	0.43	(0.01)	46,432	-	CK41C2012A	0.30	-	4,000	-
BBL19P2012A	0.42	(0.58)	40,001	-	BH41C2009A	-	-	-	-	CK42C2101T	-	-	-	-
BBL24C2009A	-	-	-	-	BH41C2012A	0.23	-	17,000	-	CKP01C2009A	-	-	-	-
BBL28C2010A	-	-	-	-	BJC01C2009A	-	-	-	-	CKP01C2101A	0.28	0.05	22,678	-
BBL28C2011A	-	-	-	-	BJC01C2101A	0.35	0.01	24,667	-	CKP01P2009A	-	-	-	-
BBL28C2012A	0.13	0.01	4,056	-	BJC01P2009A	-	-	-	-	CKP01P2101A	0.43	(0.06)	16,533	-
BBL28C2101A	0.23	0.02	19,589	-	BJC01P2101A	0.44	(0.02)	25,264	-	CKP06C2012A	0.38	0.07	20,630	-
BBL28C2104L	0.19	(0.81)	6,222	-	BJC11C2102A	0.31	-	50	-	CKP08C2010A	-	-	-	-
BBL41C2009A	-	-	-	-	BJC13C2010A	-	-	-	-	CKP08C2012A	0.30	0.06	35,186	-
BBL41C2011A	-	-	-	-	BJC13C2011A	0.10	(0.01)	30,562	-	CKP11C2102A	0.36	0.04	23,615	-
BBL41C2012A	0.64	(0.01)	834	-	BJC13C2012A	0.25	0.01	18,022	-	CKP13C2010A	-	-	-	-
BBL41P2010A	0.19	(0.03)	741	-	BJC13P2012A	0.29	-	4,459	-	CKP13C2011A	0.24	0.05	215,213	-
BBL41P2011A	0.35	(0.03)	9,919	-	BJC19C2010A	-	-	-	-	CKP16C2012A	0.24	0.05	8,399	-
BBL42C2101T	0.11	-	100	-	BJC19C2010B	-	-	-	-	CKP19C2010A	-	-	-	-
BBL42P2102T	-	-	-	-	BJC19C2012A	0.24	-	30,980	-	CKP19C2011A	0.81	0.01	10	-
BCH01C2101A	0.35	0.01	20,771	-	BJC19P2012A	0.28	(0.02)	45,000	-	CKP19C2011B	0.22	0.05	49,670	-
BCH06C2011A	0.17	-	22,450	-	BJC27C2009A	0.01	-	4,000	-	CKP19P2012A	0.27	(0.05)	66,547	-
BCH13C2010A	0.09	-	10,728	-	BJC28C2010A	-	-	-	-	CKP24C2011A	0.28	0.06	27,760	-
BCH13C2012A	0.32	-	52,304	-	BJC28C2012A	-	-	-	-	CKP28C2011A	-	-	-	-
BCH19C2011A	0.22	(0.01)	12,000	-	BJC28C2012B	-	-	-	-	CKP28C2012A	-	-	-	-
BCP13C2011A	0.07	-	9,628	-	BJC28C2101A	0.22	0.01	4,056	-	CKP28C2012B	0.20	0.04	20,125	-
BCP13C2012A	-	-	-	-	BJC28C2102L	0.13								

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday September 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM719P2012A	0.18	(0.04)	226,856	-	DTAC06P2012A	0.60	(0.06)	3,150	-	GPSC11C2102A	0.55	(0.01)	8,500	-
COM724C2012A	0.39	0.04	39,511	-	DTAC08C2012A	-	-	-	-	GPSC13C2011A	0.10	-	5,000	-
CPAL01C2101A	0.37	-	43,468	-	DTAC08C2101A	0.21	(0.01)	8,066	-	GPSC13C2012A	0.31	0.01	25,826	-
CPAL01P2101A	0.59	(0.02)	16,461	-	DTAC13C2011A	0.07	(0.01)	701	-	GPSC13C2012B	0.48	0.03	256,437	-
CPAL06C2011A	-	-	-	-	DTAC13C2012A	0.19	(0.01)	45,318	-	GPSC13P2011A	0.63	(0.05)	220	-
CPAL06C2102A	0.40	-	16,082	-	DTAC13P2011A	0.46	0.02	58,834	-	GPSC13P2011B	0.33	(0.01)	26,184	-
CPAL06P2012A	0.63	(0.01)	13,016	-	DTAC16C2009A	-	-	-	-	GPSC19C2009A	-	-	-	-
CPAL08C2011A	0.07	(0.01)	800	-	DTAC19C2009A	-	-	-	-	GPSC19C2010A	0.09	-	1,922	-
CPAL08C2102A	0.42	(0.01)	22,005	-	DTAC19C2010A	-	-	-	-	GPSC19C2012A	0.37	0.02	86,579	-
CPAL08P2009A	-	-	-	-	DTAC19C2011A	-	-	-	-	GPSC19P2010A	0.13	(0.02)	25,127	-
CPAL08P2101A	0.69	(0.01)	6,000	-	DTAC19C2012A	0.13	(0.01)	49,410	-	GPSC19P2011A	0.77	(0.06)	49,616	-
CPAL11C2012A	0.20	(0.01)	15,710	-	DTAC19P2011A	0.39	0.01	63,445	-	GPSC19P2012A	0.42	(0.03)	51,840	-
CPAL13C2011A	0.07	-	15,740	-	DTAC24C2012A	-	-	-	-	GPSC24C2011A	0.10	-	3,800	-
CPAL13C2012A	0.27	-	94,615	-	DTAC28C2012A	0.07	(0.01)	1	-	GPSC28C2011A	-	-	-	-
CPAL13P2011A	0.46	(0.01)	94,028	-	DTAC28C2102A	0.14	(0.03)	16,320	-	GPSC28C2101A	0.39	-	10,160	-
CPAL19C2010A	0.02	(0.01)	250	-	DTAC28C2104L	0.20	(0.01)	15,210	-	GPSC28C2104L	0.31	0.01	12,968	-
CPAL19C2011A	0.12	(0.01)	43,520	-	DTAC41C2010A	-	-	-	-	GPSC41C2011A	0.18	(0.05)	20	-
CPAL19C2012A	0.32	0.01	33,626	-	DTAC41C2011A	-	-	-	-	GPSC41C2012A	0.35	-	18,254	-
CPAL19P2010A	0.03	(0.01)	1	-	DTAC42C2101T	-	-	-	-	GPSC41P2010A	0.65	(0.02)	18,987	-
CPAL19P2010B	0.45	(0.01)	48,554	-	EA06C2010A	0.14	(0.01)	47,595	-	GPSC42C2101T	-	-	-	-
CPAL24C2009A	0.09	(0.01)	1,065	-	EA06P2012A	0.56	-	15,913	-	GULF01C2012A	0.22	(0.01)	44,009	-
CPAL27C2101A	0.11	-	1,963	-	EA08C2009A	0.08	(0.04)	3,603	-	GULF01P2012A	0.26	-	16,801	-
CPAL28C2010A	-	-	-	-	EA08C2101A	0.42	0.01	7,111	-	GULF06C2009A	0.01	-	1,651	-
CPAL28C2012A	-	-	-	-	EA11C2101A	0.13	(0.01)	5,530	-	GULF06C2101A	0.29	-	11,450	-
CPAL28C2012B	-	-	-	-	EA13C2011A	0.12	(0.01)	80,679	-	GULF08C2009A	0.01	-	140	-
CPAL28C2012C	-	-	-	-	EA13C2012A	0.26	-	78,118	-	GULF08C2102A	0.13	(0.01)	1	-
CPAL28C2102A	0.26	0.01	8,152	-	EA13P2011A	0.67	(0.01)	31,597	-	GULF08C2102A	0.33	-	5,000	-
CPAL28C2104L	0.22	(0.01)	3,042	-	EA16C2012A	0.18	-	19,825	-	GULF11C2011A	-	-	-	-
CPAL41C2010A	-	-	-	-	EA19C2010A	0.13	(0.01)	47,929	-	GULF13C2011A	0.06	(0.01)	16,958	-
CPAL41C2011A	0.19	-	17,460	-	EA19C2012A	0.25	-	4,136	-	GULF13C2012A	0.15	(0.01)	62,832	-
CPAL41P2011A	0.57	(0.01)	11,509	-	EA19P2011A	0.31	-	56,508	-	GULF13P2009A	-	-	-	-
CPAL42C2101T	0.08	-	602	-	EA19P2011B	0.45	(0.01)	28,421	-	GULF13P2011A	0.28	(0.01)	108,296	-
CPF01C2012A	0.10	(0.01)	22,608	-	EA24C2101A	0.34	0.01	21,803	-	GULF16C2012A	-	-	-	-
CPF01P2012A	0.37	0.02	33,165	-	EA28C2011A	0.14	(0.01)	10,261	-	GULF19C2010A	0.03	-	3,993	-
CPF06C2010A	0.04	(0.01)	520	-	EA28C2012A	0.17	(0.01)	6,028	-	GULF19C2010B	-	-	-	-
CPF06C2102A	0.33	-	16,031	-	EA28C2101A	0.18	-	6,056	-	GULF19C2012A	0.17	-	67,034	-
CPF06P2011A	0.15	(0.01)	36,508	-	EA28C2102A	0.28	(0.72)	15,210	-	GULF19C2101A	0.24	-	41,881	-
CPF08C2010A	0.09	(0.01)	600	-	EA28C2103L	0.15	-	2,175	-	GULF19P2009A	-	-	-	-
CPF11C2010A	-	-	-	-	EA41C2009A	-	-	-	-	GULF19P2010A	0.11	(0.01)	2,604	-
CPF13C2009A	-	-	-	-	EA41C2011A	0.13	-	7,000	-	GULF19P2010B	0.30	(0.01)	47,668	-
CPF13C2011A	0.05	(0.01)	5,364	-	EA42C2101T	0.18	(0.02)	5,759	-	GULF19P2012A	0.30	(0.01)	169,241	-
CPF13C2012A	0.14	(0.01)	69,569	-	EGC001C2101A	0.31	-	12,357	-	GULF24C2009A	-	-	-	-
CPF13P2012A	0.34	0.01	86,825	-	EGC006C2010A	-	-	-	-	GULF24C2011A	0.23	(0.01)	303	-
CPF16C2012A	0.09	(0.01)	932	-	EGC006P2009A	-	-	-	-	GULF28C2010A	-	-	-	-
CPF19C2009A	-	-	-	-	EGC013C2009A	-	-	-	-	GULF28C2012A	-	-	-	-
CPF19C2010A	0.05	(0.01)	3,501	-	EGC013C2011A	0.06	-	1,000	-	GULF28C2012B	0.08	-	10	-
CPF19C2012A	0.15	(0.01)	31,645	-	EGC013C2012A	0.29	-	103,397	-	GULF28C2101A	0.16	-	14,689	-
CPF19P2010A	-	-	-	-	EGC013P2011A	0.71	0.02	52,234	-	GULF28C2102A	-	-	-	-
CPF19P2012A	0.38	-	18,183	-	EGC019C2010A	0.02	(0.01)	106,782	-	GULF41C2011A	-	-	-	-
CPF24C2012A	-	-	-	-	EGC019C2011A	0.07	(0.02)	3,502	-	GULF41C2012A	0.17	-	11,200	-
CPF28C2010A	0.38	(0.10)	551	-	EGC019C2012A	0.17	-	114,825	-	GULF41C2102A	0.23	(0.77)	1,962	-
CPF28C2011A	-	-	-	-	EGC019P2011A	0.89	(0.01)	18,990	-	GULF41P2009A	-	-	-	-
CPF28C2012A	0.07	(0.01)	14,600	-	EGC019P2012A	0.55	0.01	48,566	-	GULF41P2011A	0.36	(0.01)	2,777	-
CPF28C2012B	0.05	(0.01)	6,000	-	EGC024C2009A	-	-	-	-	GULF41P2012A	-	-	-	-
CPF28C2102A	0.17	(0.83)	9,126	-	EGC042C2101T	0.07	-	100	-	GULF42C2010M	-	-	-	-
CPF28C2103L	0.15	(0.01)	6,204	-	EPG13C2010A	-	-	-	-	GULF42C2101T	0.11	-	916	-
CPF41C2010A	-	-	-	-	EPG13C2011A	0.34	0.01	53,562	-	GULF42P2010T	-	-	-	-
CPF41C2011A	0.18	(0.02)	16,250	-	EPG13C2012A	0.13	0.01	8,500	-	GUNK01C2012A	0.15	0.01	48,493	-
CPF41P2011A	0.30	0.01	2,944	-	EPG19C2010A	0.34	0.02	36,152	-	GUNK13C2011A	0.05	0.01	1	-
CPF42C2101T	0.07	(0.01)	35,255	-	EPG19C2011A	0.10	-	2,400	-	GUNK19C2010A	-	-	-	-
CPN01C2012A	0.21	(0.02)	36,220	-	EPG42C2101T	-	-	-	-	GUNK19C2012A	0.08	0.01	287	-
CPN06C2010A	0.09	-	1,001	-	ERW06C2010A	0.19	(0.01)	65,848	-	GUNK19C2101A	0.16	0.02	17,064	-
CPN11C2011A	0.20	-	7,640	-	ERW13C2010A	0.07	-	20,100	-	GUNK24C2012A	0.09	0.01	29,134	-
CPN13C2009A	-	-	-	-	ERW19C2010A	0.28	(0.02)	23,116	-	GUNK28C2012A	0.09	0.02	154	-
CPN13C2011A	0.09	(0.01)	2,000	-	ERW19C2010B	0.05	0.01	10	-	GUNK28C2012B	-	-	-	-
CPN13C2012A	0.27	(0.73)	30,768	-	ESS001C2009A	0.25	0.11	150	-	GUNK28C2102A	0.12	0.02	17,425	-
CPN19C2010A	0.04	(0.01)	170	-	ESS001C2012A	0.30	(0.02)	20,814	-	HANA01C2012A	0.53	0.03	89,763	-
CPN19C2011A	0.10	-	96,620	-	ESS001P2009A	-	-	-	-	HANA13C2011A	0.55	0.04	166,598	-
CPN19C2012A	0.22	(0.01)	80,623	-	ESS001P2012A	0.49	(0.01)	32,469	-	HANA13C2012A	0.30	0.02	630,442	-
CPN19P2010A	0.28	-	52,000	-	ESS006C2011A	0.13	(0.02)	12,003	-	HANA19C2010A	0.51	0.04	77,311	-
CPN24C2011A	0.12	-	5,100	-	ESS008C2011A	0.22	(0.02)	16,800	-	HANA19C2012A	0.33	0.02	138,744	-
CPN41C2009A	-	-	-	-	ESS013C2010A	0.11	(0.01)	12,349	-	HANA19P2011A	0.53	(0.01)	1,352	-
CPN41C2012A	0.17	(0.01)	20,000	-	ESS013C2012A	0.27	(0.02)	75,188	-	HANA24C2012A	0.02	0.04	56,002	-
CPN41C2101A	0.20	(0.01)	1,489	-	ESS019C2009A	-	-	-	-	HANA27P2012X	0.11	(0.02)	11,553	-
CPN41P2011A	0.75	0.01	8,208	-	ESS019C2010A	0.18	(0.02)	58,958	-	HANA28C2012A	0.45	0.03	66,112	-
CRC01C2101A	0.27	(0.01)	58,942	-	ESS019C2011A	0.10	(0.01)	931	-	HANA41C2012A	0.41	(0.01)	58,576	-
CRC01P2101A	0.49	0.01	79,565	-	ESS019C2012A	0.23	(0.02)	64,941	-	HANA42C2101T	0.36	-	8,786	-
CRC08C2009A	0.01	(0.01)	3	-	ESS019P2012A	0.34	-	85,619	-	HMPRO1C2012A	0.20	0.01	253	-
CRC08C2101A	0.22	(0.02)	26,205	-	ESS024C2012A	0.16	-	31,648	-	HMPRO6C2010A	0.12	0.01	4,901	-
CRC13C2011A	0.10	(0.01)	111,626	-	ESS028C2101A	0.15	-	4,066	-	HMPRO6P2011A	0.20	(0.02)	5,025	-
CRC13C2012A	0.18	(0.01)	159,076	-	ESS028C2101B	0.20	(0.01)	9,126	-	HMPR11C2011A	0.33	-	25,440	-
CRC13P2012A	0.23	0.01	62,265	-	ESS041C2010A	-	-	-	-	HMPR13C2009A	-	-	-	-
CRC19C2010A	0.02	(0.01)	2,700	-	ESS041C2011A	-	-	-	-	HMPR13C2012A	0.28	0.02	24,090	-
CRC19C2011A	0.10	(0.01)	10,816	-	ESS042C2101T	0.18	0.01	1,325	-	HMPR19C2010A	0.18	0.01	54,602	-
CRC19C2012A	0.17	(0.02)	129,302	-	GFPT08C2011A	0.13	-	200	-	HMPR19P2011A	0.30	(0.04)	180,512	-
CRC19P2011A	0.22	0.02	138,951	-	GFPT13C2010A	0.09	(0.01)	1,100	-	HMPRA41C2010A	-	-	-	-
CRC24C2101A	0.19	(0.01)	24,839	-	GFPT19C2010A	0.10	(0.02)	7,446	-	HST128C2009A	0.16	0.02	511,234	-
CRC28C2011A	-	-	-	-	GFPT19C2010B									

Main Board Quotation

Issue Date :

Friday September 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28P2010C	1.13	(0.12)	370,273	1.00	JAS19C2009A	-	-	-	-	KTB28C2012B	-	-	-	-
HSI28P2010L	0.07	(0.01)	6,265	-	JAS19C2010A	0.02	0.01	3,236	-	KTB28C2010C	-	-	-	-
HSI28P2011L	0.13	(0.02)	6,156	-	JAS19C2010B	-	-	-	-	KTB28C2012A	0.28	0.01	28,783	-
HSI28P2012L	0.46	(0.04)	2,444	-	JAS19C2012A	0.18	0.07	200,830	-	KTC01C2012A	0.33	0.03	31,848	-
HSI28P2101L	0.41	(0.02)	41	-	JAS19C2010A	0.39	(0.61)	1,034,737	-	KTC01P2012A	0.23	(0.01)	2,679	-
HSI41C2009A	0.02	-	986	-	JAS19P2010A	0.30	(0.22)	397,611	-	KTC08C2011A	0.21	0.03	21,039	-
HSI41C2009B	0.01	(0.01)	3,005	-	JAS28C2011A	0.02	(0.01)	399	-	KTC11P2011A	0.17	(0.01)	4,110	-
HSI41C2009C	-	-	-	-	JAS28C2012A	0.03	0.02	4,230	-	KTC13C2010A	0.01	-	48,040	-
HSI41C2009D	0.10	0.07	1	-	JAS28C2012B	0.04	0.01	3,400	-	KTC13C2010B	0.14	0.01	89,094	-
HSI41C2010A	0.61	0.02	1,455,192	-	JAS28C2010A	0.15	0.06	48,516	-	KTC13C2011A	0.28	0.03	225,235	-
HSI41C2010B	0.27	0.01	17,219	-	JAS28C2010A	0.26	0.10	99,224	-	KTC13P2010A	0.07	(0.02)	2,240	-
HSI41C2010C	0.12	0.01	29,054	-	JAS41C2009A	-	-	-	-	KTC13P2012A	0.24	(0.03)	81,562	-
HSI41C2011A	0.18	-	3,872	-	JAS41C2011A	0.11	(0.01)	7,325	-	KTC19C2010A	0.03	(0.01)	2,383	-
HSI41C2012A	0.21	0.01	3,157	-	JMT06C2012A	0.41	0.01	33,716	-	KTC19C2010B	0.17	-	9,900	-
HSI41C2101A	0.21	0.01	1,450	-	JMT08C2101A	0.29	-	26,848	-	KTC19C2012A	0.28	0.04	62,468	-
HSI41P2009A	0.19	(0.05)	20,400	-	JMT11C2102A	0.31	-	19,894	-	KTC19P2010A	0.14	(0.02)	17,030	-
HSI41P2009B	-	-	-	-	JMT13C2011A	-	-	-	-	KTC24C2011A	0.25	0.01	21,462	-
HSI41P2009C	0.57	(0.10)	8,542	-	JMT13C2011B	0.36	-	140,488	-	KTC28C2011A	-	-	-	-
HSI41P2009D	0.06	(0.03)	200	-	JMT13C2012A	0.23	0.01	290,086	-	KTC28C2012A	0.10	-	4,056	-
HSI41P2010A	1.15	(0.17)	1,318	1.00	JMT19C2010A	-	-	-	-	KTC28C2012B	0.24	0.02	16,368	-
HSI41P2010B	0.72	(0.08)	660,008	-	JMT19C2011A	0.37	0.01	56,677	-	KTC28C2010A	0.24	0.01	22,773	-
HSI41P2010C	0.42	(0.05)	6,389	-	JMT19C2012A	0.23	-	237,106	-	KTC28C2103L	0.22	0.01	9,126	-
HSI41P2011A	0.80	(0.07)	40,002	-	JMT24C2011A	0.36	0.01	51,040	-	KTC41C2009A	-	-	-	-
HSI41P2012A	0.45	(0.02)	6,002	-	JMT28C2101A	0.29	0.01	39,706	-	KTC41C2011A	0.24	0.02	7,000	-
HSI41P2101A	-	-	-	-	JMT42C2101T	0.22	0.01	6,302	-	KTC41C2012A	-	-	-	-
INTU01C2101A	0.40	(0.01)	128,760	-	KBAN01C2012A	0.69	0.02	78,573	-	KTC42C2012T	-	-	-	-
INTU06C2009A	-	-	-	-	KBAN01C2012B	0.55	0.03	116,255	-	LH01C2101A	0.29	(0.02)	4,548	-
INTU06P2011A	0.32	-	62,380	-	KBAN01P2012A	0.90	(0.08)	49,772	-	LH06C2012A	0.15	(0.02)	10,300	-
INTU13C2011A	0.14	(0.01)	6,697	-	KBAN06C2011A	0.03	-	300	-	LH11C2012A	0.19	(0.03)	1,020	-
INTU16C2009A	-	-	-	-	KBAN06C2012A	0.26	0.02	58,705	-	LH13C2010A	-	-	-	-
INTU19C2009A	-	-	-	-	KBAN06P2011A	0.73	(0.11)	42,861	-	LH19C2010A	0.15	(0.01)	1,900	-
INTU19C2012A	0.29	(0.01)	239,252	-	KBAN08C2011A	-	-	-	-	LH19C2011A	0.09	(0.01)	20	-
INTU19P2010A	-	-	-	-	KBAN08C2010A	0.34	0.02	18,166	-	LH19P2010A	-	-	-	-
INTU19P2012A	0.55	-	239,314	-	KBAN08P2011A	1.10	(0.08)	33,377	1.00	MAJ01C2011A	0.21	-	12,211	-
INTU23C2111A	-	-	-	-	KBAN13C2010A	0.02	0.01	15,084	-	MAJ01C2011A	0.35	(0.01)	4,862	-
INTU28C2010A	0.06	(0.04)	2,980	-	KBAN13C2010B	0.01	-	1	-	MEGA13C2011A	0.12	(0.01)	37,394	-
INTU28C2012A	0.15	(0.02)	9,312	-	KBAN13C2011A	0.21	0.03	67,868	-	MEGA16C2009A	-	-	-	-
INTU28C2102A	0.30	(0.01)	62,840	-	KBAN13C2012A	0.31	0.04	595,994	-	MEGA19C2011A	0.16	(0.01)	122,493	-
INTU41C2010A	0.04	(0.02)	30	-	KBAN13P2010A	0.10	(0.02)	2,000	-	MEGA42C2101T	-	-	-	-
INTU41C2012A	0.26	(0.01)	34,142	-	KBAN13P2011A	0.96	(0.10)	357,600	-	MINT01C2012A	0.70	(0.01)	55,282	-
INTU42C2101T	-	-	-	-	KBAN19C2009A	-	-	-	-	MINT01P2012A	0.30	(0.02)	22,314	-
IRPC01C2101A	0.21	-	3,692	-	KBAN19C2010A	-	-	-	-	MINT01P2012B	0.72	0.01	41,798	-
IRPC06C2010A	0.01	-	370	-	KBAN19C2010B	0.04	-	1,500	-	MINT06C2012A	0.78	(0.01)	50,659	-
IRPC06P2010A	-	-	-	-	KBAN19C2011A	0.01	-	1,381	-	MINT06P2012A	0.19	-	47,625	-
IRPC11C2102A	-	-	-	-	KBAN19C2012A	0.42	0.04	353,928	-	MINT08C2010A	0.39	(0.02)	15,837	-
IRPC13C2011A	-	-	-	-	KBAN19C2012B	0.26	0.04	17,490	-	MINT08P2011A	0.29	-	15,103	-
IRPC13C2012A	0.10	-	1,064	-	KBAN19P2010A	0.61	(0.08)	224,177	-	MINT11C2011A	0.64	(0.03)	27,064	-
IRPC13C2012B	0.17	0.01	29,470	-	KBAN19P2010P	0.17	(0.03)	45,405	-	MINT11P2011A	0.23	-	12,443	-
IRPC13P2011A	0.41	-	1,322	-	KBAN24C2009A	-	-	-	-	MINT13C2009A	-	-	-	-
IRPC13P2012A	0.25	(0.01)	81,831	-	KBAN24C2012A	0.28	0.04	100,059	-	MINT13C2010A	0.41	(0.01)	63,479	-
IRPC19C2010A	0.01	-	170	-	KBAN28C2010A	0.01	-	210	-	MINT13C2011A	0.49	(0.01)	470,807	-
IRPC19C2011A	-	-	-	-	KBAN28C2012A	0.04	0.01	1	-	MINT13P2011A	0.22	0.01	43,428	-
IRPC19C2011A	0.17	0.01	22,005	-	KBAN28C2012B	0.11	0.01	6,056	-	MINT13P2012A	0.40	-	187,734	-
IRPC19P2010A	0.45	(0.01)	1,366	-	KBAN28C2101A	0.38	0.03	62,019	-	MINT16C2012A	0.74	(0.01)	10,810	-
IRPC19P2012A	0.26	(0.01)	78,504	-	KBAN28C2104L	0.29	0.01	27,588	-	MINT19C2010A	0.24	-	27,624	-
IRPC24C2012A	-	-	-	-	KBAN28P2012A	0.39	(0.03)	18,224	-	MINT19C2011A	0.78	(0.02)	38,168	-
IRPC28C2012A	-	-	-	-	KBAN41C2009A	-	-	-	-	MINT19C2011B	0.44	(0.01)	256,828	-
IRPC28C2101A	-	-	-	-	KBAN41C2011A	-	-	-	-	MINT19P2010A	0.12	-	32,592	-
IRPC28C2103A	0.17	(0.01)	3,037	-	KBAN41C2012A	0.36	0.02	96,790	-	MINT19P2011A	0.14	(0.01)	26,146	-
IRPC41C2010A	-	-	-	-	KBAN41P2010A	0.33	(0.06)	37,208	-	MINT19P2012A	0.44	(0.01)	184,873	-
IRPC41C2101A	0.11	(0.02)	2,000	-	KBAN41P2011A	1.36	(0.08)	4,328	1.00	MINT24C2011A	0.57	-	11,862	-
IVL01C2012A	0.13	-	14,434	-	KBAN42C2101T	0.26	(0.08)	10	-	MINT28C2012A	0.23	(0.02)	6,984	-
IVL01C2012B	0.51	(0.01)	19,682	-	KBAN42P2011T	0.87	(0.04)	1,600	-	MINT28C2012B	0.41	(0.03)	20,552	-
IVL01P2012A	0.80	-	19,845	-	KCE01C2012A	0.40	0.01	115,437	-	MINT28C2012C	0.48	(0.02)	22,825	-
IVL06C2010A	0.01	(0.01)	4,402	-	KCE01P2011A	0.35	(0.01)	95,633	-	MINT28C2104L	0.32	(0.01)	8,605	-
IVL06C2101A	0.36	(0.01)	16,200	-	KCE06C2009A	-	-	-	-	MINT41C2010A	0.28	(0.03)	38,200	-
IVL06P2009A	-	-	-	-	KCE06C2012A	-	-	-	-	MINT41C2011A	-	-	-	-
IVL06P2011A	0.62	-	13,845	-	KCE06C2012B	0.59	0.01	42,317	-	MINT42C2101T	-	-	-	-
IVL08C2009A	-	-	-	-	KCE08C2009A	-	-	-	-	MINT42P2102T	0.49	0.01	1,258	-
IVL08C2101A	0.38	-	12,619	-	KCE08C2012A	0.48	-	28,174	-	MTC01C2012A	0.54	0.03	42,701	-
IVL08P2011A	0.28	(0.01)	8,100	-	KCE11C2101A	0.47	-	37,202	-	MTC06C2010A	0.06	(0.03)	151	-
IVL11C2012A	0.13	-	9,080	-	KCE13C2010A	0.34	(0.01)	97,890	-	MTC06C2102A	0.64	0.05	36,817	-
IVL13C2011A	0.04	-	3,944	-	KCE13C2012A	0.32	-	419,762	-	MTC08C2009A	-	-	-	-
IVL13C2012A	0.32	(0.01)	8,996	-	KCE13P2010A	0.06	-	108,184	-	MTC08C2011A	0.35	0.01	10,606	-
IVL13C2012B	-	-	-	-	KCE16C2012A	0.40	(0.03)	14,911	-	MTC08C2102A	0.61	0.02	43,844	-
IVL13P2010A	0.12	-	27,508	-	KCE19C2009A	-	-	-	-	MTC11C2102A	0.58	0.04	13,844	-
IVL13P2012A	0.47	(0.53)	24,101	-	KCE19C2010A	1.75	(0.09)	298	1.00	MTC13C2010A	0.10	0.01	45,361	-
IVL16C2009A	-	-	-	-	KCE19C2010B	1.00	0.28	1	1.00	MTC13C2011A	0.37	0.03	138,596	-
IVL19C2009A	-	-	-	-	KCE19C2011A	0.36	-	83,354	-	MTC13P2011A	0.33	(0.04)	30,688	-
IVL19C2010A	-	-	-	-	KCE19C2012A	0.29	0.01	275,957	-	MTC19C2009A	0.39	0.04	8,012	-
IVL19C2010B	-	-	-	-	KCE19P2010A	0.06	-	300	-	MTC19C2010A	0.24	0.02	60,822	-
IVL19C2011A	0.20	(0.01)	58,949	-	KCE19P2012A	0.21	(0.01)	279,291	-	MTC19C2012A	0.42	0.03	116,216	-
IVL19C2012A	0.36	(0.01)	5,846	-	KCE24C2010A	0.59	0.01	8,230	-	MTC19P2010A	0.05	(0.06)	238	-
IVL19P2010A	0.12	-	24,688	-	KCE27C2101X	0.78	(0.03)	10,800	-	MTC19P2012A	0.39	(0.04)	309,112	-
IVL19P2010B	0.24	-	56,938	-	KCE41C2012A	0.30	(0.03)	50,794	-	MTC24C2009A	-	-	-	-
IVL19P2011A	0.60	-	18,063	-	KCE42C2012T	0.97	0.01	1,601	-	MTC28C2011A	0.21	0.01	19,252	-
IVL19P2012A	0.46	0.01	41,291	-	KKP13C2010A	0.03	-	1,272	-	MTC2				

Main Board Quotation

Issue Date :

Friday September 18, 2020

Main Board Quotation					Main Board Quotation					Issue Date :				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
OSP06P2009A	-	-	-	-	PTTE19C2009A	-	-	-	-	S5008P2009A	-	-	-	-
OSP06P2102A	0.49	0.01	35,409	-	PTTE19C2009B	-	-	-	-	S5008P2009B	0.02	-	1	-
OSP08C2009A	-	-	-	-	PTTE19C2010A	0.11	-	183,610	-	S5008P2012A	0.96	-	458,102	-
OSP11C2102A	0.29	(0.01)	16,120	-	PTTE19C2010B	0.36	-	264,476	-	S5013C2009A	0.01	-	191	-
OSP13C2010A	-	-	-	-	PTTE19C2011A	0.15	-	56,698	-	S5013C2009B	-	-	-	-
OSP13C2012A	0.16	(0.01)	2	-	PTTE19C2011B	0.26	-	155,282	-	S5013C2009C	0.01	-	1	-
OSP13P2011A	0.32	-	74,342	-	PTTE19C2012A	0.64	0.02	154,804	-	S5013C2009D	-	-	-	-
OSP19C2009A	-	-	-	-	PTTE19P2009A	-	-	-	-	S5013C2009E	-	-	-	-
OSP19C2010A	0.04	0.01	1	-	PTTE19P2009B	-	-	-	-	S5013C2009F	0.01	-	1	-
OSP19C2012A	0.18	(0.01)	171,099	-	PTTE19P2010A	0.18	(0.02)	133,956	-	S5013C2010A	0.42	0.01	65,643	-
OSP19P2010A	0.21	0.01	156,317	-	PTTE19P2010B	0.31	(0.04)	124,502	-	S5013C2012A	0.38	-	3,434,036	-
OSP24C2101A	0.27	(0.01)	34,072	-	PTTE24C2011A	0.17	0.01	15,756	-	S5013C2012B	0.43	-	3,278,068	-
OSP28C2101A	0.13	(0.01)	33,448	-	PTTE28C2011A	0.30	0.01	26,336	-	S5013C2012C	0.57	-	3,405,307	-
OSP28C2101B	0.15	(0.01)	47,588	-	PTTE28C2011B	-	-	-	-	S5013C2012D	0.54	-	4,150,616	-
OSP41C2010A	-	-	-	-	PTTE28C2012A	0.39	0.01	16,244	-	S5013P2009A	0.01	-	500	-
OSP41C2012A	-	-	-	-	PTTE28C2011A	0.53	0.01	80,819	-	S5013P2009B	-	-	-	-
OSP42C2101T	0.12	-	70	-	PTTE28C2102L	0.32	0.01	15,168	-	S5013P2009C	-	-	-	-
PLAN06C2102A	0.28	(0.01)	11,260	-	PTTE41C2010A	-	-	-	-	S5013P2009D	-	-	-	-
PLAN13C2010A	0.05	(0.01)	3,023	-	PTTE41C2011A	0.33	-	9,798	-	S5013P2009E	0.07	(0.03)	1,005,705	-
PLAN13C2011A	0.19	0.01	58,375	-	PTTE41C2012A	0.50	0.02	46,860	-	S5013P2009F	0.01	(0.01)	551	-
PLAN19C2010A	0.66	(0.03)	6,936	-	PTTE41C2101A	0.61	0.01	22,312	-	S5013P2009G	0.01	(0.01)	240	-
PLAN19C2010B	0.10	-	1,000	-	PTTE41P2010A	-	-	-	-	S5013P2010A	0.68	-	179,451	-
PLAN19C2012A	0.19	(0.01)	23,977	-	PTTE41P2011A	0.72	(0.03)	54,214	-	S5013P2012A	0.97	(0.03)	6,072,237	1.00
PLAN24C2009A	-	-	-	-	PTTE42C2101T	-	-	-	-	S5013P2012B	1.09	(0.03)	4,631,881	1.00
PLAN27C2101A	0.18	(0.01)	1,200	-	PTTE42P2101T	0.65	(0.02)	10,611	-	S5013P2012C	0.65	(0.35)	6,233,919	-
PLAN28C2101A	-	-	-	-	PTTG01C2012A	0.39	-	17,889	-	S5016C2009A	-	-	-	-
PLAN28C2102A	-	-	-	-	PTTG01P2012A	0.90	(0.02)	8,998	-	S5016C2009B	-	-	-	-
PLAN28C2012B	0.19	(0.01)	2,028	-	PTTG08C2101A	0.29	0.01	2,200	-	S5016C2012A	0.39	-	319	-
PLAN42C2101T	-	-	-	-	PTTG08P2010A	-	-	-	-	S5016P2009A	-	-	-	-
PRM08C2101A	0.38	-	24,520	-	PTTG11C2010A	0.10	(0.01)	9,750	-	S5016P2009B	0.01	(0.01)	15	-
PRM11C2102A	0.50	0.01	19,397	-	PTTG13C2010A	-	-	-	-	S5016P2012A	0.81	(0.02)	35,072	-
PRM13C2010A	0.26	-	85,372	-	PTTG13C2011A	0.16	(0.01)	15,476	-	S5016P2012B	0.76	(0.04)	51,896	-
PRM13C2012A	0.40	(0.60)	91,658	-	PTTG13C2012A	0.28	-	46,212	-	S5016P2103Z	-	-	-	-
PRM16C2012A	0.29	(0.01)	33,168	-	PTTG13P2010A	0.11	(0.01)	7,024	-	S5019C2009A	1.00	(0.04)	7,435	-
PRM19C2010A	0.54	(0.01)	72,018	-	PTTG13P2011A	0.50	(0.02)	91,812	-	S5019C2009B	-	-	-	-
PRM19C2011A	0.29	-	42,093	-	PTTG19C2009A	0.06	(0.01)	400	-	S5019C2009C	-	-	-	-
PRM28C2012A	0.25	-	20,270	-	PTTG19C2011A	0.16	(0.01)	48,308	-	S5019C2009D	-	-	-	-
PRM42C2101T	-	-	-	-	PTTG19C2012A	0.30	-	26,284	-	S5019C2009E	-	-	-	-
PTG01C2012A	0.33	(0.02)	11,546	-	PTTG19P2009A	-	-	-	-	S5019C2009F	-	-	-	-
PTG01P2012A	0.70	-	44,561	-	PTTG19P2010A	0.24	(0.02)	12,918	-	S5019C2012A	0.31	-	935,016	-
PTG06C2010A	0.34	(0.02)	23,896	-	PTTG19P2011A	0.28	(0.01)	23,898	-	S5019C2012B	0.34	0.01	215,460	-
PTG08C2011A	0.36	(0.02)	10,730	-	PTTG19P2011B	0.65	(0.03)	2,508	-	S5019C2012C	0.63	-	298,179	-
PTG11C2101A	0.38	(0.01)	6,859	-	PTTG24C2101A	0.37	-	10,844	-	S5019P2009A	-	-	-	-
PTG13C2010A	0.17	(0.01)	66,317	-	PTTG28C2011A	-	-	-	-	S5019P2009B	-	-	-	-
PTG13C2012A	0.18	(0.01)	44,982	-	PTTG28C2012A	0.24	(0.01)	12,439	-	S5019P2009C	0.02	(0.01)	5	-
PTG13C2012B	0.34	(0.02)	137,172	-	PTTG28C2102L	0.17	0.01	2,028	-	S5019P2009D	0.06	(0.02)	6,138	-
PTG16C2009A	-	-	-	-	PTTG41C2010A	0.25	-	7,852	-	S5019P2009E	-	-	-	-
PTG19C2010A	0.34	(0.01)	55,476	-	PTTG41C2011A	-	-	-	-	S5019P2009F	-	-	-	-
PTG19C2011A	0.22	(0.01)	54,840	-	PTTG41C2010A	0.25	0.01	2,963	-	S5019P2012A	0.83	(0.02)	1,036,835	-
PTG19C2012A	0.33	(0.01)	76,583	-	PTTG41P2010A	-	-	-	-	S5019P2012B	0.72	(0.02)	1,324,347	-
PTG19P2010A	0.04	(0.01)	20,869	-	PTTG41P2011A	0.60	(0.02)	4,000	-	S5024C2009A	-	-	-	-
PTG19P2011A	0.39	(0.01)	181,540	-	PTTG42C2012T	-	-	-	-	S5024C2009B	-	-	-	-
PTG42C2101T	0.25	(0.01)	1,100	-	QH19C2012A	0.14	(0.01)	14,105	-	S5024C2009C	-	-	-	-
PTT01C2012A	0.21	(0.02)	26,056	-	QH27C2101A	0.15	(0.02)	3,251	-	S5024C2009D	-	-	-	-
PTT01P2012A	0.36	(0.01)	31,916	-	RAT00C2101A	0.35	(0.03)	22,112	-	S5024C2009E	-	-	-	-
PTT06C2012A	0.13	(0.01)	7,400	-	RAT06C2102A	0.34	(0.01)	9,213	-	S5024C2009F	-	-	-	-
PTT08C2101A	0.21	-	3,260	-	RAT06P2010A	-	-	-	-	S5024C2009G	-	-	-	-
PTT08P2009A	-	-	-	-	RAT13C2010A	-	-	-	-	S5024C2012A	0.03	-	4,255	-
PTT08P2101A	0.42	(0.01)	20,034	-	RAT13C2012A	0.17	(0.01)	18,189	-	S5024C2012B	0.18	(0.01)	100	-
PTT11C2101A	0.17	(0.01)	10,065	-	RAT13P2011A	0.46	(0.01)	56,520	-	S5024C2012C	0.41	-	23,203	-
PTT13C2010A	0.02	-	14,148	-	RAT19C2011A	-	-	-	-	S5024C2012D	0.56	0.01	338,597	-
PTT13C2012A	0.12	(0.01)	63,304	-	RAT19C2012A	0.22	(0.01)	239	-	S5024C2012E	0.80	-	451,501	-
PTT13C2012B	0.23	(0.02)	107,934	-	RAT19C2101A	0.34	(0.66)	3,000	-	S5024P2009A	-	-	-	-
PTT13P2010A	0.11	-	49,227	-	RAT19P2011A	0.63	(0.01)	27,860	-	S5024P2009B	-	-	-	-
PTT13P2011A	0.32	-	103,780	-	RAT24C2012A	-	-	-	-	S5024P2009C	-	-	-	-
PTT16C2012A	0.13	(0.01)	1,348	-	RAT41C2010A	-	-	-	-	S5024P2009D	-	-	-	-
PTT19C2009A	-	-	-	-	RAT41C2012A	0.27	(0.03)	12,000	-	S5024P2009E	0.30	(0.06)	4,376	-
PTT19C2011A	0.09	(0.01)	1,550	-	RAT42C2102T	0.11	(0.01)	50	-	S5024P2012A	0.13	-	5,815	-
PTT19C2012A	0.14	(0.02)	78,385	-	RS06C2010A	-	-	-	-	S5024P2012B	0.44	(0.01)	11,246	-
PTT19C2012B	0.19	(0.02)	63,475	-	RS06C2012A	0.43	-	17,191	-	S5024P2012C	1.04	(0.03)	735,712	1.00
PTT19P2009A	-	-	-	-	RS08C2011A	-	-	-	-	S5024P2012D	0.70	(0.04)	568,414	-
PTT19P2010A	0.12	(0.02)	10,000	-	RS08C2103A	0.55	0.01	16,210	-	S5028C2009A	-	-	-	-
PTT19P2010B	0.19	0.01	21,500	-	RS13C2010A	0.86	(0.03)	500	-	S5028C2009B	0.01	-	962	-
PTT24C2101A	0.21	(0.01)	7,979	-	RS13C2011A	0.37	-	113,940	-	S5028C2009C	-	-	-	-
PTT28C2011A	0.08	0.01	347	-	RS19C2010A	-	-	-	-	S5028C2009D	-	-	-	-
PTT28C2012A	-	-	-	-	RS19C2010B	0.47	(0.01)	15,119	-	S5028C2009E	-	-	-	-
PTT28C2101A	0.16	-	2,600	-	RS19C2011A	-	-	-	-	S5028C2010A	0.16	-	129,827	-
PTT28C2103L	0.20	-	5,070	-	RS19C2011B	0.30	0.01	54,458	-	S5028C2012A	0.08	-	3,930	-
PTT41C2010A	-	-	-	-	RS19P2012A	0.46	(0.54)	33,477	-	S5028C2012B	0.14	(0.01)	217,960	-
PTT41C2012A	0.13	-	7,000	-	RS28C2012A	-	-	-	-	S5028C2012C	0.66	(0.34)	743,756	-
PTT41C2101A	-	-	-	-	RS28C2101A	0.38	0.01	31,895	-	S5028C2103L	0.39	(0.61)	1,002	-
PTT41P2010A	0.09	(0.01)	936	-	RS28C2101L	0.45	-	34,689	-	S5028P2009A	0.40	(0.02)	2,280	-
PTT41P2011A	-	-	-	-	RS41C2011A	0.48	(0.02)	15,852	-	S5028P2009B	0.12	(0.02)	72,101	-
PTT41P2012A	0.44	-	12,220	-	RS42C2101T	-	-	-	-	S5028P2009C	0.07	(0.02)	13,061	-
PTT42C2010M	-	-	-	-	S10001C2011A	-	(0.01)	127	-	S5028P2009D	-	-	-	-
PTT42C2012T	0.08	-	10,099	-	S5001C2012F	0.69	0.01	234,563	-	S5028P2009E	0.31	(0.05)	136,980	-
PTT42P2101T	0.21	-	2,000	-	S5001P2012F	1.07	(0.04)	368,886	1.00	S5028P2010A	0.48	(0.02)	634,240	-
PTTE01C2012A	0.85	0.01	70,726	-	S5006C2009A	0.01	-	5,284	-	S5028P2012A	1.08	(0.01)	619,168	1.00
PTTE01P2012A	1.28	(0.05)	34,988											

Main Board Quotation

Issue Date :

Friday September 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5041P2009C	0.37	(0.05)	14,124	-	SPRC42C2101T	-	-	-	-	THAN06C2102A	0.57	-	50,642	-
S5041P2009D	-	-	-	-	STA01C2009A	-	-	-	-	THAN08C2101A	-	-	-	-
S5041P2009E	0.65	(0.02)	2,464	-	STA01P2009A	0.01	-	1,406	-	THAN08C2102A	0.49	(0.08)	16,280	-
S5041P2009F	1.53	(0.04)	6,975	1.00	STA06C2012A	0.20	(0.01)	5,144	-	THAN13C2012A	0.69	(0.01)	520	-
S5041P2009G	2.26	(0.02)	251	2.00	STA08C2010A	-	-	-	-	THAN13C2012B	0.33	(0.01)	78,533	-
S5041P2012A	0.89	(0.02)	98,474	-	STA08C2011A	0.14	-	14,999	-	THAN19C2010A	0.78	(0.01)	28,418	-
S5041P2012B	0.75	(0.03)	1,193,352	-	STA08C2101A	0.35	0.01	10,570	-	THAN19C2011A	1.14	(0.05)	20,490	1.00
S5041P2012C	0.90	(0.04)	152,657	-	STA13C2009A	-	-	-	-	THAN19C2012A	0.56	-	29,347	-
SAWA01C2012A	0.52	-	75,729	-	STA13C2010A	0.92	0.01	217	-	THAN19C2012B	0.36	-	52,963	-
SAWA01P2012A	0.65	(0.03)	45,396	-	STA13C2010B	0.10	(0.01)	529,312	-	THAN42C2102T	-	-	-	-
SAWA06C2010A	0.07	(0.01)	6,001	-	STA13C2010C	0.05	(0.01)	792	-	TISC01C2101A	0.45	0.01	28,268	-
SAWA06C2101A	0.58	0.02	62,156	-	STA13C2010D	0.04	-	50	-	TISC11C2012A	0.29	0.01	2,131	-
SAWA08C2011A	0.17	-	10,900	-	STA13C2011A	-	-	-	-	TISC13C2010A	-	-	-	-
SAWA08C2101A	0.46	0.01	12,064	-	STA13C2011B	0.14	-	395	-	TISC13C2012A	0.36	0.04	16,549	-
SAWA13C2010A	0.04	(0.01)	6,377	-	STA13C2012A	0.21	0.01	292,475	-	TISC19C2010A	0.03	-	300	-
SAWA13C2011A	0.28	0.01	463,520	-	STA13P2010A	0.03	(0.01)	4,735	-	TISC19C2010B	0.11	-	19,300	-
SAWA19C2009A	0.04	(0.01)	271,280	-	STA13P2010B	0.01	-	3,742	-	TISC19C2012A	0.36	0.04	18,405	-
SAWA19C2009B	-	-	-	-	STA19C2009A	-	-	-	-	TISC41C2010A	0.04	0.02	8,000	-
SAWA19C2011A	0.17	-	228,700	-	STA19C2010A	-	-	-	-	TISC41C2012A	0.32	0.02	5,200	-
SAWA19C2012A	0.40	0.02	272,479	-	STA19C2010B	-	-	-	-	TISC42C2101T	0.15	0.02	550	-
SAWA19P2011A	0.32	(0.02)	262,703	-	STA19C2010C	-	-	-	-	TKN01C2101A	0.25	-	81,852	-
SAWA24C2009A	-	-	-	-	STA19C2011A	0.69	-	111	-	TKN06C2011A	0.18	0.01	36,203	-
SAWA28C2011A	0.13	-	12,998	-	STA19C2011B	0.17	-	73,932	-	TKN06C2101A	-	-	-	-
SAWA28C2012A	0.24	(0.01)	20,266	-	STA19C2012A	0.24	-	174,952	-	TKN08C2011A	0.14	0.01	18,500	-
SAWA28C2012B	0.19	(0.01)	31,580	-	STA19P2009A	-	-	-	-	TKN13C2010A	-	-	-	-
SAWA28C2101A	0.36	-	48,608	-	STA19P2010A	0.06	(0.01)	1,710	-	TKN13C2010B	0.07	(0.01)	13,865	-
SAWA28C2102L	0.14	-	9,198	-	STA24C2011A	0.12	-	25,584	-	TKN13C2012A	0.17	-	248,079	-
SAWA41C2010A	-	-	-	-	STA28C2011A	-	-	-	-	TKN19C2010A	-	-	-	-
SAWA41C2012A	0.30	(0.01)	11,395	-	STA28C2011B	0.14	-	18,347	-	TKN19C2011A	0.43	(0.06)	167	-
SAWA42C2101T	0.12	(0.01)	1,010	-	STA28C2012A	1.25	(0.02)	15	1.00	TKN19C2011B	0.14	-	79,900	-
SCB01C2009A	-	-	-	-	STA28C2102L	0.15	0.01	20,281	-	TKN28C2012A	-	-	-	-
SCB01C2101A	0.48	-	117,090	-	STA41C2010A	0.11	-	200	-	TKN28C2012B	0.15	-	57,189	-
SCB01P2101A	0.90	(0.03)	62,079	-	STA42C2101T	-	-	-	-	TKN28C2101A	0.59	(0.01)	80	-
SCB06C2010A	0.08	(0.01)	36,820	-	STEC01C2101A	0.21	(0.01)	5,857	-	TKN42C2012T	-	-	-	-
SCB08C2009A	-	-	-	-	STEC01P2101A	0.55	(0.01)	2,498	-	TMB13C2011A	-	-	-	-
SCB08C2101A	0.38	0.02	41,298	-	STEC06C2010A	-	-	-	-	TMB19C2011A	0.12	-	65,016	-
SCB08P2012A	0.59	(0.03)	11,000	-	STEC08C2012A	-	-	-	-	TMB19C2011B	0.04	-	977	-
SCB11C2102A	0.45	0.01	43,340	-	STEC11C2102A	0.25	-	1,360	-	TMB19C2012A	0.16	(0.84)	31,324	-
SCB11P2012A	0.60	(0.03)	54,180	-	STEC13C2010A	-	-	-	-	TMB19P2011A	0.29	(0.02)	44,626	-
SCB13C2010A	0.02	-	1,609	-	STEC13C2012A	0.13	(0.01)	6,948	-	TMB41C2010A	-	-	-	-
SCB13C2011A	0.22	0.01	137,275	-	STEC13P2011A	0.28	(0.01)	19,755	-	TOA13C2011A	0.15	0.02	43,748	-
SCB13C2012A	0.46	(0.01)	615,281	-	STEC16C2009A	-	-	-	-	TOA19C2010A	0.13	0.02	22,074	-
SCB13P2010A	0.65	(0.04)	88,721	-	STEC19C2009A	-	-	-	-	TOA19C2012A	0.27	0.02	19,910	-
SCB19C2010A	-	-	-	-	STEC19C2011A	0.03	-	10	-	TOA42C2101T	-	-	-	-
SCB19C2010B	0.19	-	104,554	-	STEC19C2012A	0.15	-	1,000	-	TOP01C2009A	-	-	-	-
SCB19C2012A	0.34	0.01	102,745	-	STEC19P2011A	0.61	(0.02)	590	-	TOP01C2012A	0.30	0.01	29,765	-
SCB19P2010A	0.15	(0.02)	72,944	-	STEC19P2012A	0.38	-	131	-	TOP01P2009A	0.02	-	1,039	-
SCB19P2011A	1.07	(0.04)	16,538	1.00	STEC28C2011A	-	-	-	-	TOP01P2012A	0.52	(0.04)	28,562	-
SCB19P2011B	0.53	(0.01)	81,932	-	STEC28C2012A	0.08	(0.02)	2,050	-	TOP06C2011A	0.05	-	9,850	-
SCB24C2012A	0.30	(0.01)	75,891	-	STEC28C2101A	-	-	-	-	TOP06C2102A	0.33	0.02	24,938	-
SCB28C2010A	-	-	-	-	STEC28C2104L	0.18	(0.01)	2,000	-	TOP06P2010A	-	-	-	-
SCB28C2012A	0.15	-	18,524	-	STEC41C2009A	-	-	-	-	TOP06P2102A	0.49	(0.03)	20,952	-
SCB28C2012B	0.31	0.01	99,486	-	STEC41C2012A	0.12	-	2,456	-	TOP08C2010A	-	-	-	-
SCB28C2104L	0.26	-	23,844	-	STEC42P2102T	-	-	-	-	TOP08C2102A	0.49	0.02	11,768	-
SCB41C2011A	-	-	-	-	SUPE08C2012A	0.13	-	6,705	-	TOP11C2011A	0.22	-	7,012	-
SCB41C2011B	0.16	(0.08)	1,962	-	SUPE19C2010A	0.28	-	811	-	TOP13C2010A	0.03	0.01	850	-
SCB41C2012A	0.41	0.01	65,222	-	SUPE19C2011A	0.10	(0.01)	31,148	-	TOP13C2011A	0.07	-	3,850	-
SCB41P2011A	0.50	(0.04)	12,080	-	SUPE19C2011B	0.04	-	1,430	-	TOP13C2012A	0.14	0.01	134,552	-
SCB42C2101T	-	-	-	-	SUPE19C2012A	0.26	(0.01)	103,703	-	TOP13C2012B	0.26	0.01	47,638	-
SCC01C2101A	0.61	(0.01)	42,017	-	SUPE19P2011A	0.19	-	41,664	-	TOP13P2010A	0.24	-	32,972	-
SCC01P2012A	0.98	(0.01)	23,186	-	SUPE42C2101T	0.10	-	73	-	TOP13P2012A	-	-	-	-
SCC06C2012A	0.24	(0.01)	35,489	-	SUPE42P2102T	0.16	-	1	-	TOP19C2010A	0.09	-	24,000	-
SCC08C2011A	0.20	(0.01)	24,000	-	TASC01C2012A	0.21	(0.04)	99,401	-	TOP19C2010B	0.11	-	400	-
SCC11C2011A	0.41	(0.01)	22,400	-	TASC06C2009A	-	-	-	-	TOP19C2012A	0.12	-	126,234	-
SCC13C2011A	0.23	(0.01)	126,890	-	TASC06C2012A	0.09	(0.04)	30,970	-	TOP19C2101A	0.33	0.01	34,953	-
SCC13C2012A	0.38	(0.62)	52,292	-	TASC08C2011A	0.06	(0.02)	3,390	-	TOP19P2010A	0.27	(0.02)	112,669	-
SCC13P2011A	0.85	-	85,439	-	TASC08C2012A	0.03	-	90,685	-	TOP19P2011A	0.56	0.01	44,117	-
SCC19C2010A	0.13	(0.01)	146,052	-	TASC11C2102A	0.07	(0.01)	150	-	TOP24C2101A	0.30	0.01	23,921	-
SCC19C2012A	0.39	(0.01)	130,758	-	TASC13C2009A	-	-	-	-	TOP41C2010A	-	-	-	-
SCC19P2010A	-	-	-	-	TASC13C2011A	0.02	-	390,041	-	TOP41C2011A	0.10	(0.02)	3,104	-
SCC19P2011A	0.48	-	348,764	-	TASC13C2012A	0.08	(0.04)	1,361,607	-	TOP41C2102A	0.29	(0.02)	5,000	-
SCC24C2012A	0.22	(0.01)	26,684	-	TASC13C2012B	0.25	(0.04)	1,800,129	-	TOP41P2010A	0.21	(0.01)	8,388	-
SCC28C2010A	0.13	(0.01)	20,252	-	TASC13P2011A	1.09	0.06	11,868	1.00	TOP41P2011A	-	-	-	-
SCC28C2102A	0.33	(0.01)	26,626	-	TASC13P2012A	0.42	(0.58)	782,798	-	TOP42C2011T	-	-	-	-
SCC28C2104L	0.27	(0.01)	15,211	-	TASC19C2009A	-	-	-	-	TP113C2011A	0.23	-	163,070	-
SCC41C2010A	-	-	-	-	TASC19C2010A	0.01	-	4,879	-	TP119C2012A	0.32	0.01	41,394	-
SCC41C2011A	0.13	(0.01)	14,284	-	TASC19C2011A	0.05	(0.01)	215,773	-	TQM11C2102A	0.74	0.08	35,942	-
SCC41P2011A	0.91	(0.01)	50,400	-	TASC19C2012A	0.23	(0.03)	697,088	-	TQM13C2011A	0.39	0.08	510,289	-
SGP13C2011A	0.13	(0.01)	747	-	TASC19P2010A	1.05	0.09	6,045	1.00	TQM19C2010A	2.62	0.16	105	2.00
SGP19C2011A	0.21	-	10,336	-	TASC19P2011A	0.71	0.04	2	-	TQM19C2010B	0.24	0.04	12,468	-
SGP42C2101T	0.20	(0.03)	10	-	TASC19P2012A	1.83	0.09	13,334	1.00	TQM19C2011A	0.67	0.10	97,447	-
SIR19C2011A	0.05	-	4,000	-	TASC19P2012B	0.30	0.02	274,764	-	TQM24C2011A	0.35	0.06	27,952	-
SIR142C2101T	-	-	-	-	TASC24C2011A	0.05	(0.04)	100	-	TQM28C2012A	0.38	0.05	48,779	-
SPAL06C2010A	0.42	0.08	28,723	-	TASC28C2010A	-	-	-	-	TQM28C2102A	0.75	(0.25)	48,378	-
SPAL13C2010A	0.19	0.03	27,132	-	TASC28C2012A	0.08	(0.01)	5,423	-	TQM28C2104L	0.43	(0.57)	27,350	-
SPAL19C2011A	0.39	0.04	46,540	-	TASC28C2012B	-	-	-	-	TQM41C2011A	0.46	0.06	46,044	-
SPAL19C2011B	0.17	0.03	1,733	-	TASC28C2012C	-	-	-	-	TQM42C2101T	0.45	0.02	4,100	-
SPAL27C2101A	0.16	(0.01)	2,978	-</										

Main Board Quotation

Issue Date :

Friday September 18, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE28C2103L	0.23	(0.77)	27,323	-	NEX-W2	4.48	0.02	15,613	4.00	-	-	-	-	-
TRUE41C2010A	0.09	(0.02)	1,300	-	NFC-W1	-	-	-	-	-	-	-	-	-
TRUE42C2101T	0.11	(0.01)	300	-	NVD-W1	0.06	-	300	-	-	-	-	-	-
TTW19C2011A	0.12	(0.01)	1	-	ORI-W1	-	-	-	-	-	-	-	-	-
TTW24C2012A	0.12	-	2,000	-	PACE-W2	-	-	-	-	-	-	-	-	-
TTW27C2009A	-	-	-	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU01C2101A	0.26	(0.01)	8,117	-	PDI-W1	0.51	-	17,283	-	-	-	-	-	-
TU01P2101A	0.41	(0.01)	35,000	-	PDI-W4	0.62	(0.01)	5,423	-	-	-	-	-	-
TU06C2009A	0.02	(0.01)	3,550	-	PERM-W1	0.11	-	21,919	-	-	-	-	-	-
TU06P2010A	-	-	-	-	PORT-W1	0.53	(0.01)	1,575	-	-	-	-	-	-
TU08C2011A	0.19	-	8,640	-	PPPM-W4	0.12	-	322	-	-	-	-	-	-
TU11C2102A	0.24	-	30,615	-	PRIME-W1	0.01	(0.01)	7,005	-	-	-	-	-	-
TU13C2101A	0.12	(0.03)	1	-	PRIME-W2	0.03	0.01	3	-	-	-	-	-	-
TU13C2012A	0.22	-	147,678	-	SAMART-W2	0.14	0.01	751	-	-	-	-	-	-
TU19C2009A	-	-	-	-	SAWAD-W2	12.40	(1.20)	51,998	13.00	-	-	-	-	-
TU19C2101A	0.12	-	37,635	-	SDC-W1	-	-	-	-	-	-	-	-	-
TU19C2012A	0.21	(0.01)	9,515	-	SINGER-W1	6.50	0.15	882	6.00	-	-	-	-	-
TU19P2011A	0.10	(0.01)	18,000	-	SINGER-W2	4.30	0.08	2,011	4.00	-	-	-	-	-
TU19P2012A	0.30	(0.01)	51,256	-	SST-W2	0.86	0.05	10	-	-	-	-	-	-
TU24C2011A	0.24	-	36,158	-	TCC-W3	0.03	-	1,000	-	-	-	-	-	-
TU28C2011A	0.12	(0.01)	3,052	-	TCC-W4	-	-	-	-	-	-	-	-	-
TU28C2012A	0.09	-	2,000	-	TCC-W5	0.12	-	21	-	-	-	-	-	-
TU28C2103L	0.21	(0.01)	3,042	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
TU41C2010A	-	-	-	-	TNITY-W1	0.10	-	7,199	-	-	-	-	-	-
TU41C2101A	0.15	(0.01)	7,535	-	TRITN-W3	0.14	-	64,681	-	-	-	-	-	-
TU42C2101T	0.17	-	130	-	TTCL-W1	0.42	0.02	5,898	-	-	-	-	-	-
TVO13C2011A	0.34	0.09	149,576	-	U-W4	-	-	-	-	-	-	-	-	-
TVO13C2012A	0.38	0.06	213,434	-	VGI-W2	0.78	(0.01)	416,099	-	-	-	-	-	-
TVO19C2011A	0.41	0.10	139,745	-	VIBHA-W3	0.11	(0.01)	11,650	-	-	-	-	-	-
TVO19C2012A	0.34	0.06	230,023	-	W-W3	0.04	0.02	18,276	-	-	-	-	-	-
VGI01C2012A	0.30	0.01	80,231	-	WIJK-W2	0.24	-	22,151	-	-	-	-	-	-
VGI06C2010A	0.05	-	1,001	-	ZMICO-W4	0.07	(0.01)	161	-	-	-	-	-	-
VGI06C2101A	0.29	0.01	49,286	-	Preferred Shares	-	-	-	-	-	-	-	-	-
VGI11C2101A	0.21	-	16,090	-	BH-P	-	-	-	-	-	-	-	-	-
VGI13C2010A	0.01	-	8,634	-	CSC-P	-	-	-	-	-	-	-	-	-
VGI13C2012A	0.20	0.01	427,660	-	JUTHA-P	-	-	-	-	-	-	-	-	-
VGI19C2010A	0.08	0.01	1	-	KTB-P	-	-	-	-	-	-	-	-	-
VGI19C2012A	0.24	-	92,499	-	SCB-P	78.00	10.00	20	78.00	-	-	-	-	-
VGI19C2012B	0.34	-	56,624	-	TCAP-P	-	-	-	-	-	-	-	-	-
VGI19C2012C	0.14	-	44,832	-	TISCO-P	-	-	-	-	-	-	-	-	-
VGI24C2012A	0.22	-	59,339	-	U-P	1.65	0.01	1	1.00	-	-	-	-	-
VGI28C2101A	0.16	(0.01)	22,280	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
VGI28C2103L	0.20	(0.80)	40,504	-	ALL-W1	0.59	0.02	218,528	-	-	-	-	-	-
VGI41C2011A	-	-	-	-	BROOK-W5	0.13	(0.01)	6,820	-	-	-	-	-	-
VGI42C2101T	0.08	-	1,400	-	CHAYO-W1	2.18	0.04	3,000	2.00	-	-	-	-	-
WHA01C2009A	-	-	-	-	CHO-W2	0.01	-	245,109	-	-	-	-	-	-
WHA01C2101A	0.30	-	35,719	-	CIG-W8	0.01	-	6,240	-	-	-	-	-	-
WHA01P2009A	0.01	-	1	-	D-W1	0.86	-	57	-	-	-	-	-	-
WHA01P2101A	0.71	-	23,550	-	DIMET-W3	-	-	-	-	-	-	-	-	-
WHA06C2010A	0.07	(0.02)	9,511	-	DOD-W1	0.59	(0.01)	68,943	-	-	-	-	-	-
WHA06P2012A	0.53	-	23,550	-	ECF-W3	0.10	-	5,740	-	-	-	-	-	-
WHA08C2011A	0.19	(0.01)	26,358	-	HPT-W1	0.31	(0.02)	2,000	-	-	-	-	-	-
WHA11C2101A	0.28	-	39,052	-	HYDRO-W1	0.03	-	176	-	-	-	-	-	-
WHA13C2009A	-	-	-	-	ITEL-W1	0.14	0.02	287,586	-	-	-	-	-	-
WHA13C2011A	0.11	(0.01)	26,038	-	ITEL-W2	0.43	0.06	150,324	-	-	-	-	-	-
WHA13P2011A	0.34	-	59,830	-	LIT-W1	0.44	0.02	176	-	-	-	-	-	-
WHA19C2010A	0.18	(0.01)	13,478	-	META-W4	0.02	-	3,310	-	-	-	-	-	-
WHA19C2011A	0.12	(0.01)	49,084	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA19P2011A	0.39	(0.01)	45,740	-	OCEAN-W3	0.23	0.01	3,163	-	-	-	-	-	-
WHA28C2011A	0.12	-	10,112	-	RWI-W2	0.12	-	25,275	-	-	-	-	-	-
WHA28C2012A	0.26	-	28,364	-	SANKO-W1	-	-	-	-	-	-	-	-	-
WHA28C2102A	0.32	(0.68)	40,344	-	SIMAT-W3	0.47	(0.02)	675	-	-	-	-	-	-
WHA28C2102L	0.14	(0.01)	6,094	-	SIMAT-W4	2.56	0.08	478	2.00	-	-	-	-	-
WHA42C2101T	-	-	-	-	SMART-W2	0.18	-	6,053	-	-	-	-	-	-
WHAU13C2012A	0.18	0.02	20,334	-	SWC-W1	2.98	(0.02)	105	3.00	-	-	-	-	-
WHAU19C2012A	0.24	0.03	24,878	-	TAKUNI-W	0.03	0.01	3,002	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TAPAC-W4	0.20	(0.01)	5,844	-	-	-	-	-	-
BH-Q	-	-	-	-	TVD-W2	0.23	(0.01)	318,915	-	-	-	-	-	-
CSC-Q	-	-	-	-	UREKA-W2	-	-	-	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.11	-	2,405	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.03	-	16,294	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	0.53	(0.01)	24,344	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.22	(0.01)	14,395	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.04	-	691	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.06	0.01	554	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.07	-	2,615	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	0.73	(0.05)	215,671	-	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.06	-	3,523	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.02	-	7	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	1.00	-	21,029	1.00	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.07	(0.01)	93,628	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.04	-	230,329	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.14	(0.01)	57,698	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.46	-	15,884	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.56	0.01	5,215	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.71	-	2,240	-	-	-	-	-	-	-	-	-	-	-
JMART-W3	4.98	0.04	6,102	5.00	-	-	-	-	-	-	-	-	-	-
JMART-W4	3.44	0.12	7,496	3.00	-	-	-	-	-	-	-	-	-	-
JMT-W2	13.50	0.30	8,034	13.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.08	-	58,405	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.04	-	66	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	0.47	-	35,715	-	-	-	-	-	-	-	-	-	-	-
MINT-W7	8.45	-	37,009	8.00	-	-	-	-	-	-	-	-	-	-
NER-W1	1.58	0.02	74,344	1.00	-	-	-	-	-	-	-	-	-	-