

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday September 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPUI	-	-	-	-	ALT	3.20	0.14	113,946	3.18	MAJOR	16.10	-	22,659	16.07
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	-	-	-	-
VI	-	-	-	-	DIF	14.80	0.10	41,895	14.78	MATI	-	-	-	-
WORLD	-	-	-	-	DTAC	32.75	1.00	53,477	32.32	MCOT	4.48	0.08	349	4.43
WR	-	-	-	-	FORTH	6.40	(0.05)	18,510	6.55	MONO	2.52	(0.02)	73,025	2.63
Agribusiness	-	-	-	-	HUMAN	8.40	(0.10)	4,281	8.41	MPIC	-	-	-	-
EE	0.72	0.02	178,221	0.71	ILINK	5.50	0.30	43,704	5.42	NMG	-	-	-	-
GFPT	12.20	0.20	30,022	12.08	INET	3.20	(0.08)	87,177	3.28	PLANB	5.55	(0.05)	127,962	5.59
LEE	2.22	(0.02)	4,070	2.22	INTUCH	53.50	-	68,468	53.58	POST	1.23	0.10	6	1.20
MAX	0.01	-	1,105,571	0.01	JAS	2.96	0.08	1,776,375	2.97	PRAKIT	7.35	-	82	7.35
NER	3.32	0.02	347,564	3.32	JASIF	9.60	-	75,101	9.57	SE-ED	-	-	-	-
PPPM	0.34	0.01	2,401	0.34	JMART	14.80	0.20	84,760	14.75	TBSP	-	-	-	-
STA	27.75	1.00	231,238	27.62	JTS	3.02	0.24	31,051	2.98	TH	0.48	(0.01)	113	0.48
TRUBB	1.70	-	50,423	1.69	MFEK	4.88	0.06	7,364	4.86	TKS	5.50	(0.05)	2,562	5.46
TWPC	3.40	-	4,627	3.41	MSC	6.00	0.05	1,168	5.99	VGI	6.50	0.05	104,336	6.47
UPOIC	3.40	-	36	3.40	PT	5.25	0.10	1,256	5.27	WAVE	-	-	-	-
UVAN	4.56	0.02	1,904	4.55	SAMART	4.84	-	3,135	4.82	WORK	10.40	(0.10)	6,947	10.41
VPO	0.36	-	5,878	0.35	SAMTEL	4.88	-	1,097	4.87	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.15	-	1,125	0.15	AEC	0.13	0.01	26,435	0.13
BAY	19.70	0.10	1,128	19.68	SIS	15.10	0.90	83,010	14.75	AEONTS	110.50	11.50	26,365	105.44
BBL	95.75	(1.75)	122,656	96.54	SVOA	1.19	0.05	144,379	1.18	AMANAHA	2.54	-	35,256	2.55
CIMBT	0.54	-	8,943	0.54	SYMC	4.46	0.06	245	4.39	ASAP	2.14	(0.02)	10,552	2.15
KBANK	74.25	(2.25)	233,480	75.39	SYNEX	13.90	0.60	63,508	13.68	ASK	18.10	(0.10)	4,759	18.12
KKP	36.75	(0.25)	27,093	36.80	THCOM	5.65	0.30	195,520	5.68	ASP	1.68	-	9,462	1.67
KTB	8.95	(0.10)	270,674	8.97	TRUE	3.18	-	280,576	3.19	BAM	20.40	0.50	490,518	20.01
LHFG	0.88	-	7,531	0.89	TWZ	0.06	-	152,125	0.06	BFIT	28.75	0.75	11,286	28.41
SCB	64.25	(0.25)	94,594	64.55	Electronic Componer	-	-	-	-	CGH	0.68	0.02	3,916	0.67
TCAP	30.25	(0.25)	49,092	30.20	CCET	2.16	0.19	391,171	2.12	ECL	0.82	0.01	55,606	0.82
TISCO	63.00	-	28,454	63.07	DELTA	151.50	(1.50)	30,000	152.27	FNS	3.06	-	2,644	3.08
TMB	0.90	0.02	1,287,155	0.89	HANA	43.50	1.25	84,620	43.32	FSS	1.30	(0.03)	340	1.32
Construction Materia	-	-	-	-	KCE	31.25	-	122,159	31.33	GBX	0.43	0.01	3,134	0.43
CCP	0.46	(0.01)	73,914	0.47	METCO	147.00	-	12	147.46	GL	3.08	(0.02)	11,961	3.10
COTTO	1.12	0.01	2,318	1.11	NEX	4.32	(0.06)	60,706	4.39	IFS	2.36	0.02	411	2.34
DCC	2.58	-	51,607	2.58	SMT	2.98	(0.12)	798,404	3.06	JMT	32.50	0.50	44,309	32.45
DCON	0.34	-	62,179	0.34	SVI	4.00	0.10	140,362	3.98	KCAR	7.55	-	7,623	7.55
DRT	6.35	-	3,844	6.38	TEAM	0.87	0.01	479	0.87	KGI	2.94	-	9,377	2.93
EPG	4.82	0.02	17,247	4.84	W	0.20	-	292,905	0.20	KTC	34.00	-	59,408	34.20
GEL	0.19	0.01	12,241	0.18	Energy & Utilities	-	-	-	-	MBKET	7.25	-	348	7.18
PPP	2.04	(0.02)	1,491	2.02	7UP	0.32	0.01	68,126	0.32	MFC	13.80	(0.10)	138	13.44
Q-CON	4.96	0.42	1	4.96	ABPIF	2.98	(0.02)	486	2.98	ML	0.91	0.01	7,106	0.90
RCI	3.78	-	4	3.78	ACE	3.04	(0.02)	169,512	3.00	MTC	53.00	0.25	163,683	53.09
SCC	331.00	1.00	21,042	330.72	AI	1.84	0.04	237,605	1.83	PE	-	-	-	-
SCCC	123.00	(1.00)	2,306	123.44	AKR	0.47	-	10,004	0.47	PL	2.00	-	3,248	2.01
SCP	6.00	-	330	5.97	BAFS	20.70	(0.20)	1,239	20.74	S11	6.30	0.15	9,325	6.21
SKN	2.40	0.02	2,435	2.41	BANPU	6.30	-	1,268,169	6.25	SAWAD	50.50	1.50	253,473	50.41
TASCO	15.60	0.20	678,751	15.61	BCP	15.60	(0.20)	9,828	15.74	THANI	3.92	0.10	318,808	3.89
TCMC	1.17	0.01	187,331	1.18	BCPG	12.10	-	18,843	12.18	TK	6.95	(0.05)	990	7.00
TOA	37.00	1.00	25,422	36.89	BGRIM	43.50	(1.25)	48,523	43.94	TNITY	3.68	0.02	8	3.66
TPIPL	1.32	-	52,198	1.32	BPP	13.70	-	9,101	13.66	UOBKH	3.02	(0.04)	2	3.02
UMI	0.61	-	1,703	0.60	BRRGIF	6.10	-	53	6.06	ZMICO	0.59	-	5,102	0.60
VNG	3.10	-	108	3.10	CKP	5.90	0.10	165,049	5.81	Food & Beverage	-	-	-	-
WIJK	2.12	0.14	46,677	2.07	DEMCO	2.90	0.02	939	2.90	APURE	1.82	0.01	9,321	1.83
Petrochemicals & Ch	-	-	-	-	EA	39.50	(0.25)	57,343	39.84	ASIAN	11.30	0.40	110,273	11.15
BCT	41.25	-	863	40.97	EASTW	9.45	-	5,182	9.47	BR	1.88	0.01	5,098	1.88
CMAN	1.16	-	1,028	1.17	EGATIF	12.00	(0.10)	37,680	12.09	BRR	2.80	-	290	2.79
GC	5.25	0.05	818	5.21	EGCO	194.50	(1.00)	9,284	195.42	CBG	118.00	2.50	82,010	117.64
GGC	8.55	(0.10)	3,904	8.60	EP	3.70	-	6,288	3.68	CFRESH	4.30	(0.10)	40,831	4.38
GIFT	1.93	(0.04)	3,953	1.94	ESSO	6.20	-	101,723	6.22	CHOTI	68.00	1.00	59	65.05
IVL	21.80	(0.10)	207,491	21.89	GPSC	62.75	(0.25)	47,454	62.59	CM	2.74	-	2,893	2.73
NFC	-	-	-	-	GREEN	1.15	0.02	9,935	1.14	CPF	29.25	-	330,257	29.13
PATO	9.80	(0.05)	22	9.80	GULF	30.75	(0.75)	288,409	30.84	CPI	1.27	0.02	2	1.27
PMTA	-	-	-	-	GUNKUL	2.28	(0.02)	239,041	2.30	F&D	-	-	-	-
PTTGC	38.50	(2.00)	288,854	39.04	IFEC	-	-	-	-	HTC	27.25	-	9,577	27.08
SUTHA	3.16	0.16	115	3.14	IRPC	2.06	0.02	456,252	2.06	ICHI	12.40	0.90	480,644	11.99
TCCC	22.60	-	126	22.52	KBSPIF	9.95	0.05	3,218	9.90	KBS	3.02	-	177	3.02
TPA	5.10	-	40	5.04	LANNA	6.05	-	838	6.01	KSL	2.04	0.02	22,611	2.05
UAC	3.72	0.02	1,311	3.70	MDX	2.28	(0.02)	1,687	2.30	KTIS	2.50	0.02	185	2.51
UP	-	-	-	-	PDI	6.70	0.05	1,753	6.65	LST	4.30	0.02	428	4.30
VNT	22.70	(0.30)	4,558	22.87	PRIME	0.54	-	38,691	0.54	M	47.75	-	3,905	48.04
WG	185.50	0.50	75	185.50	PTG	18.30	0.60	120,659	18.01	MALEE	6.35	(0.05)	2,244	6.39
YCI	-	-	-	-	PTT	33.50	(0.75)	533,368	33.76	MINT	21.20	-	596,900	21.34
Commerce	-	-	-	-	PTTEP	82.50	(2.25)	121,689	82.92	OISHI	39.50	-	32	39.62
BEAUTY	1.17	(0.01)	152,648	1.17	RATCH	50.50	(0.50)	28,704	50.81	OSP	36.25	-	105,738	36.52
BIG	0.44	(0.01)	38,311	0.44	RPC	0.45	(0.01)	856	0.46	PB	70.25	-	2	70.25
BJC	37.00	-	39,344	36.98	SCG	3.56	(0.02)	41	3.57	PM	7.65	(0.05)	9,320	7.64
COL	18.70	-	13,858	18.70	SCI	1.33	0.01	9,332	1.34	PRG	10.80	(0.20)	21	10.69
COM7	41.25	1.25	55,863	40.61	SCN	1.77	0.01	5,614	1.73	RBF	10.10	0.60	488,477	9.85
CPALL	61.00	(1.00)	347,696	61.09	SGP	8.65	-	6,704	8.67	SAPPE	21.90	1.10	52,476	21.53
CPW	1.98	0.12	85,379	1.92	SKE	0.57	(0.01)	23,117	0.57	SAUCE	25.00	(0.25)	10	25.23
CRC	27.00	(0.75)	118,024	27.15	SOLAR	0.94	-	2,387	0.94	SFP	-	-	-	-
CSS	1.30	-	13,320	1.31	SPCG	18.60	0.50	32,296	18.62	SNP	10.00	-	21	10.00
DOHOME	14.50	1.30	405,201	14.02	SPRC	5.65	0.15	216,790	5.56	SORKON	5.25	(0.05)	95	5.25
FN	1.31	0.04	123,020	1.30	SSP	7.05	(0.10)	4,348	7.06	SSC	32.25	0.25	1	32.25
FTE	1.50	-	791	1.50	SUPER	0.89	0.02	3,588,952	0.89	SSF	-	-	-	-
GLOBAL	19.50	(0.20)	91,132	19.51	SUPEREIF	11.80	0.10	2,434	11.70	SST	2.44	0.04	21	2.41
HMPRO	14.20	(0.20)	162,089	14.32	SUSCO	2.66	0.04	9,659	2.64	TC	3.68	0.04	4,454	3.63
ILM	11.80	0.10	8,004	11.65	TAE	2.28	-	3,738	2.27	TFG	4.30	0.02	111,676	4.29
IT	2.46	(0.04)	401	2.48	TCC	0.19	0.01	4,373	0.19	TFMAMA	199.00	0.50	66	199.04
KAMART	2.80	(0.06)	31,549	2.82	TOP	34.75	(1.00)	107,266	34.98	TIPCO	5.80	(0.05)	18,538	5.82
LOXLEY	1.36	(0.02)	4,944	1.37	TPIPP	4.18	(0.02)	61,865	4.21	TKN	10.70	0.40	268,400	10.70
MAKRO	45.00	-	25,158	44.16	TSE	2.76	-	13,511	2.76	TU	13.60	0.20	283,928	13.55
MC	9.65	0.15	13,652	9.64	TTW	12.90	(0.10)	38,068	12.99					

Main Board Quotation

Issue Date :

Wednesday September 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
M-CHAT	-	-	-	-	AWC	3.84	-	180,636	3.83	HFT	3.52	0.02	4,390	3.49
NEW	-	-	-	-	BLAND	1.06	0.03	724,508	1.05	IHL	3.22	0.04	75,975	3.20
NTV	41.25	-	10	41.05	BROCK	1.46	(0.16)	22	1.46	INGRS	0.46	-	38,438	0.46
PR9	6.65	-	631	6.63	CGD	0.67	0.03	160,644	0.65	IRC	12.30	-	53	12.28
PRINC	2.70	0.04	10,172	2.67	CI	0.67	0.03	1,085	0.66	PCSGH	4.40	-	3	4.40
RAM	138.00	-	28	138.00	CPN	42.25	(1.00)	87,899	42.55	SAT	13.20	-	18,398	13.24
RJH	22.20	0.20	1,370	22.10	ESTAR	0.34	0.01	2,676	0.34	SPG	12.90	0.10	1	12.90
RPH	5.35	(0.05)	1,278	5.33	EVER	0.22	-	1,464	0.22	STANLY	145.50	0.50	324	145.69
SKR	6.00	0.05	1,138	5.96	FPT	10.80	0.20	221	10.61	TKT	0.95	0.02	1,219	0.95
SVH	410.00	2.00	18	408.78	GLAND	2.16	-	6	2.14	TNCP	-	-	-	-
THG	18.30	-	1,912	18.21	J	1.23	0.03	15,502	1.21	TRU	-	-	-	-
VIBHA	1.53	0.02	31,348	1.51	JCK	1.64	0.08	447,725	1.63	TSC	9.30	(0.05)	2	9.30
VIH	6.25	-	11,822	6.24	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.53	0.01	322	1.52	KWG	0.69	0.02	63	0.69	ALLA	1.11	-	3,103	1.11
Tourism & Leisure	-	-	-	-	LALIN	5.50	0.10	3,002	5.43	ASEFA	3.18	0.06	1,776	3.16
ASIA	4.60	-	159	4.58	LH	7.00	0.10	298,269	6.96	CPT	0.81	-	331	0.81
CENTEL	22.90	(0.10)	37,901	23.08	LPN	4.48	-	52,758	4.49	CRANE	1.79	0.07	38,103	1.76
CSR	70.25	(1.75)	3	69.92	MBK	12.20	0.20	6,336	12.15	CTW	5.55	-	1,764	5.59
DTC	7.05	(0.10)	615	7.08	MJD	1.47	-	2,361	1.47	FMT	-	-	-	-
ERW	3.20	0.02	78,202	3.23	MK	2.82	(0.04)	807	2.84	HTECH	2.76	(0.04)	2,532	2.78
GRAND	0.52	0.01	2,661	0.53	NCH	0.90	0.02	1,552	0.87	KKC	0.53	-	710	0.52
LRH	29.75	(0.25)	8	29.75	NNCL	1.97	0.09	36,327	1.95	PK	1.30	0.05	1,316	1.28
MANRIN	22.00	(0.20)	1	22.00	NOBLE	15.90	1.00	203,768	15.70	SNC	10.00	0.05	1,643	10.01
OHTL	-	-	-	-	NUSA	0.29	-	24,455	0.30	STARK	2.04	0.02	40,300	2.04
ROH	-	-	-	-	NVD	1.10	-	4,928	1.09	T CJ	3.30	0.06	857	3.29
SHANG	-	-	-	-	ORI	6.50	-	37,265	6.46	VARO	-	-	-	-
SHR	1.95	(0.01)	16,884	1.95	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
VRANDA	5.60	-	351	5.57	PF	0.34	(0.01)	37,182	0.35	AIMCG	6.05	(0.05)	832	6.05
Home & Office Produ	-	-	-	-	PLAT	2.34	(0.02)	4,043	2.34	AJMIRT	13.60	-	319	13.62
ACC	0.60	0.01	1,933	0.60	POLAR	-	-	-	-	AMATAR	10.10	-	63	10.00
AJA	0.12	-	6,227	0.13	PRECHA	0.88	(0.01)	46	0.87	B-WORK	11.60	(0.10)	5	11.68
DTCI	-	-	-	-	PRIN	1.63	0.01	2,102	1.63	BKER	5.65	-	275	5.65
FANCY	0.46	-	3,221	0.45	PSH	10.90	(0.20)	12,975	10.99	BKKCP	11.90	-	438	11.80
KYE	307.00	(1.00)	2	307.00	QH	2.22	0.06	187,163	2.20	BOFFICE	11.80	-	181	11.80
L&E	1.67	0.02	39	1.74	RICHY	0.68	(0.01)	4,313	0.69	CPNCG	10.20	-	2,813	10.12
MODERN	2.48	(0.04)	3,934	2.50	RML	0.62	0.01	26,568	0.61	CPNREIT	24.60	(0.10)	6,936	24.59
OGC	-	-	-	-	ROJNA	4.16	(0.02)	5,969	4.18	CPTGF	10.10	(0.10)	345	10.12
ROCK	-	-	-	-	S	1.30	-	10,113	1.30	CTARAF	5.00	-	1,109	4.99
SIAM	1.39	0.01	608	1.38	SAMCO	1.19	0.01	32	1.18	DREIT	3.90	0.04	5,964	3.86
TSR	3.38	-	38,067	3.31	SC	2.18	(0.02)	37,069	2.20	ERWPF	4.30	-	150	4.30
Insurance	-	-	-	-	SENA	2.68	(0.02)	17,658	2.67	FTREIT	14.30	-	3,259	14.35
AYUD	32.75	-	73	32.79	SF	4.48	0.02	13,829	4.47	FUTUREPF	19.10	-	7	19.13
BKI	282.00	(1.00)	94	282.01	SIRI	0.66	(0.01)	368,251	0.66	GAHREIT	8.15	-	3	8.13
BLA	17.90	(0.10)	18,980	17.94	SPALI	15.20	(0.70)	59,759	15.43	GOLDDPF	-	-	-	-
BUI	-	-	-	-	U	1.19	-	36,135	1.19	GVREIT	12.10	(0.10)	43	12.10
CHARAN	-	-	-	-	UV	2.52	(0.02)	13,191	2.53	HPF	4.70	0.04	931	4.68
INSURE	-	-	-	-	WHA	2.82	-	758,692	2.85	HREIT	7.80	(0.20)	6,622	7.86
MTI	84.00	(1.00)	2	84.50	WIN	0.37	0.02	1,840	0.37	IMPACT	18.90	(0.30)	2,335	19.01
NKI	45.50	-	3	45.50	Paper & Printing Mat	-	-	-	-	KPNPF	6.80	0.10	210	6.80
NSI	70.25	0.25	6	69.88	UTP	14.10	0.30	35,599	13.97	LHHOTEL	9.70	-	1,002	9.70
SEG	25.00	1.80	114	24.88	Fashion	-	-	-	-	LHPF	5.40	-	77	5.40
SMK	36.75	0.50	50	36.78	AFC	6.00	(0.05)	7	6.00	LHXC	11.90	0.20	325	11.73
THRE	0.92	-	275,598	0.91	B52	0.15	(0.01)	17,375	0.15	LUXF	6.25	(0.30)	676	6.34
THREL	2.32	0.02	20,696	2.33	BTNC	-	-	-	-	M-II	7.05	(0.15)	17	7.05
TIP	24.00	(0.30)	9,098	24.07	CPH	-	-	-	-	M-PAT	2.72	(0.28)	39	2.64
TQM	144.50	11.50	41,364	141.48	CPL	1.00	(0.02)	557	0.99	M-STOR	-	-	-	-
TSI	0.28	-	9	0.28	ICC	27.75	-	57	27.75	MIPF	-	-	-	-
TVI	3.44	0.08	238	3.41	NC	-	-	-	-	MIT	-	-	-	-
Mining	-	-	-	-	PAF	0.54	-	427	0.52	MJLF	-	-	-	-
THL	-	-	-	-	PDJ	1.46	(0.01)	671	1.48	MNIT	-	-	-	-
Packaging	-	-	-	-	PG	4.78	0.04	10	4.78	MNIT2	3.70	(0.20)	2	3.70
AJ	15.30	0.40	5,003	15.23	SABINA	21.90	1.10	20,595	21.41	MNRF	-	-	-	-
ALUCON	153.00	-	18	153.00	SAWANG	12.60	0.90	1	12.60	POPF	10.40	0.10	306	10.30
BGC	13.30	0.30	54,636	13.28	SUC	33.50	-	64	33.47	PPF	11.30	-	11	11.30
CSC	50.25	(0.25)	12	50.17	TNL	-	-	-	-	PROSPECT	9.35	0.05	675	9.49
GLOCON	0.95	(0.02)	89,625	0.94	TPCORP	-	-	-	-	QHHR	5.80	(0.05)	352	5.75
NEP	0.25	-	5,005	0.25	TR	21.50	-	103	21.50	QHOP	2.28	-	111	2.28
PTL	22.20	(0.30)	42,771	22.25	TTI	-	-	-	-	QHPP	9.60	-	1,574	9.57
SFLEX	5.55	0.15	6,039	5.53	TTT	52.25	(1.00)	5	52.45	SBPF	-	-	-	-
SITHAI	0.53	-	3,866	0.51	UPF	55.00	-	1	55.00	SHREIT	3.86	0.08	125	3.81
SLP	0.40	-	2,025	0.39	UT	-	-	-	-	SIRIP	-	-	-	-
SMPC	12.50	(0.20)	23,114	12.63	WACOAL	-	-	-	-	SPF	12.50	(0.40)	18,639	12.61
SPACK	2.36	0.08	5,267	2.35	Transportation & Log	-	-	-	-	SPRIME	9.00	-	3,351	9.00
TCOAT	-	-	-	-	AAV	1.85	-	93,464	1.86	SRIPANWA	8.00	0.10	1,428	7.96
TFI	0.14	0.01	6,029	0.14	AOT	59.00	-	217,245	59.28	SSPF	9.25	-	55	9.17
THIP	24.40	0.40	95	24.16	ASIMAR	1.33	0.10	29,111	1.31	SSTRT	5.25	(0.15)	645	5.25
TMD	21.80	0.20	10	21.82	B	0.30	-	4,897	0.29	TIF1	8.40	(0.05)	39	8.40
TOPP	-	-	-	-	BA	5.30	(0.10)	18,905	5.28	TLGF	17.00	-	3,079	16.91
TPBI	4.64	0.02	1,313	4.63	BEM	8.80	0.05	131,638	8.80	TLHPF	8.65	(0.15)	17	8.65
TPP	-	-	-	-	BTS	10.00	-	119,257	10.00	TNPF	2.02	-	50	2.06
Personal Products &	-	-	-	-	BTSGIF	6.05	(0.10)	12,143	6.07	TPRIME	12.80	-	887	12.80
APCO	3.56	0.06	119	3.52	III	4.12	(0.04)	5,671	4.14	TTLPF	22.40	0.40	2	22.40
DDD	16.90	0.90	15,581	16.75	JUTHA	-	-	-	-	TU-PF	0.88	0.04	1	0.88
JCT	-	-	-	-	JWD	7.15	0.05	18,642	7.17	URBNPF	-	-	-	-
OCC	-	-	-	-	KWC	-	-	-	-	WHABT	8.75	(0.10)	10	8.68
S & J	-	-	-	-	NOK	0.64	0.01	810	0.64	WHART	14.60	-	4,708	14.62
STGT	73.00	3.00	254,797	72.29	NYT	3.20	0.04	51,020	3.22	Steel	-	-	-	-
STHAI	-	-	-	-	PORT	2.14	0.06	200,094	2.19	AMC	1.51	0.01	1,303	1.50
TNR	10.00	0.05	51	10.00	PRM	9.05	0.35	321,037	8.95	BSBM	0.84	(0.01)	388	0.83
TOG	3.34	-	453	3.32	PSL	4.82	0.42	739,439	4.77	CEN	0.69	-	126	0.69
Professional Service	-	-	-	-	RCL	5.30	0.68	276,468	5.13	CITY	1.84	-	15	1.84
BWG	0.48	-	318,019	0.48	TFFIF	10.00	-	85,810	10.00	CSP	0.53	0.01	104	0.53
GENCO	0.47	-	2,787	0.47	THAI	3.24	(0.02)	6,782	3.26	GJS	0.09	-	211	0.09
PRO	-	-	-	-	TSTE	-	-	-	-	GSTEEL	-	-	-	-
SISB	8.80	0.05	12,426	8.75	TTA	3.26	0.22	317,421	3.18	INOX	0.42	-	4,635	0.42
Property Developer	-	-	-	-	WICE	5.15	0.15	118,455	5.14	LHK	2.20	-	1,207	2.20
A	4.98	-	40	4.99	Automotive	-	-	-	-	MCS	12.50	0.10	22,234	12.41
AMATA	12.70	(0.40)	42,392	12.84	ACG	1.38	0.16	130,128	1.36	MILL	0.67	-	2	0.68
AMATAV	5.15	-	156	5.15	AH	11.80	(0.20)	64,009	11.86	PAP	2.48			

Main Board Quotation

Issue Date :

Wednesday September 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price		
MAI																
Agro & Food Indust	-	-	-	-	AIE	0.60	-	49,812	-	ADVA08C2012A	0.29	-	24,451	-		
ABICO	6.20	0.35	10,264	6.00	ETC	1.78	0.08	274,837	1.00	ADVA08P2009A	-	-	-	-		
AU	9.80	0.25	30,932	9.00	PSTC	1.64	0.09	207,486	1.00	ADVA08P2101A	0.88	(0.02)	29,308	-		
JCKH	0.29	0.01	525	-	QTC	3.94	(0.02)	1,993	3.00	ADVA11C2011A	0.27	-	13,101	-		
KASET	1.53	0.02	545	1.00	SAAM	1.01	0.01	992	1.00	ADVA11P2011A	0.46	(0.01)	8,250	-		
MM	1.92	(0.01)	1,271	1.00	SEAOIL	2.42	(0.02)	18,100	2.00	ADVA13C2010A	0.03	-	3,279	-		
SUN	2.72	0.02	3,012	2.00	SR	0.68	0.06	42	-	ADVA13C2012A	0.34	-	108,469	-		
TACC	6.65	0.25	92,535	6.00	TAKUNI	0.40	0.01	4,584	-	ADVA13P2012A	0.79	(0.02)	27,260	-		
TMILL	3.04	-	1,064	3.00	TPCH	11.70	-	3,613	11.00	ADVA16C2009A	-	-	-	-		
XO	9.35	-	75,359	9.00	TRT	1.64	0.01	274	1.00	ADVA19C2009A	-	-	-	-		
Consumer Products																
BGT	1.03	0.01	10	1.00	UMS	-	-	-	-	ADVA19C2010A	0.01	-	1,000	-		
BIZ	3.20	-	1,233	3.00	UPA	0.17	0.01	10,323	-	ADVA19C2010B	0.10	(0.01)	30,052	-		
DOD	9.90	0.25	178,105	9.00	UWC	0.05	-	24,664	-	ADVA19C2012A	0.32	(0.01)	222,749	-		
ECF	1.27	-	14,551	1.00	Services (MAI)	-	-	-	-	ADVA19P2009A	-	-	-	-		
HPT	0.89	-	2,112	-	A5	-	-	-	-	ADVA19P2010A	0.20	(0.01)	107,928	-		
IP	12.90	0.80	59,949	12.00	AKP	0.83	(0.01)	752	-	ADVA19P2012A	0.69	(0.02)	37,350	-		
JUBILE	17.60	-	325	17.00	AMA	4.50	0.26	125,130	4.00	ADVA24C2009A	-	-	-	-		
MOONG	3.78	0.06	646	3.00	ARIP	0.38	(0.02)	1,547	-	ADVA24C2101A	0.36	-	45,438	-		
NPK	16.50	-	41	15.00	ATP30	0.79	-	3,479	-	ADVA28C2011A	-	-	-	-		
OCEAN	0.81	-	1,118	-	AUCT	14.90	1.30	139,230	14.00	ADVA28C2012A	-	-	-	-		
TM	2.30	-	1,699	2.00	BOL	4.66	0.04	8,923	4.00	ADVA28C2012B	0.10	-	14,168	-		
Financials (MAI)																
ACAP	0.68	0.01	812	-	CMO	0.88	-	1,102	-	ADVA28C2101A	0.35	0.01	16,318	-		
AF	0.54	0.01	1,622	-	D	3.32	(0.12)	2,002	3.00	ADVA28C2102L	0.24	0.01	6,484	-		
AIRA	0.94	-	21	-	DV8	0.31	-	702	-	ADVA28P2012A	0.20	(0.01)	3,042	-		
ASN	4.40	(0.08)	100	4.00	EFORL	0.03	-	116,820	-	ADVA41C2010A	-	-	-	-		
BROOK	0.39	(0.01)	33,011	-	ETE	0.93	(0.01)	1,438	-	ADVA41C2010B	-	-	-	-		
CHAYO	7.90	0.40	144,929	7.00	FSMART	8.30	0.30	174,322	8.00	ADVA41C2011A	0.26	-	80,000	-		
GCAP	1.45	0.09	18,712	1.00	FVC	0.39	0.01	137	-	ADVA41P2011A	0.40	-	741	-		
LIT	3.18	-	5,954	3.00	GSC	1.37	0.01	3,730	1.00	ADVA41P2101A	0.61	(0.02)	90,298	-		
MITSI	1.04	-	4,248	1.00	HARN	2.12	-	6,003	2.00	ADVA42C2102T	-	-	-	-		
SGF	0.54	-	17,149	-	IMH	2.16	-	476	2.00	AEON13C2010A	-	-	-	-		
Industrials (MAI)																
ZS	3.16	0.02	140	3.00	JKN	11.10	0.30	122,096	11.00	AEON13C2011A	0.18	0.09	65,019	-		
ADB	0.76	-	1,984	-	KIAT	0.46	-	56,424	-	AEON13C2012A	0.59	(0.41)	380,480	-		
BM	2.10	-	50	2.00	KOOL	1.02	0.01	102,980	1.00	AEON19C2010A	0.05	-	400	-		
CHO	0.50	0.02	79,877	-	LDC	1.20	0.01	5,901	1.00	AEON19C2010B	0.17	0.08	2,777	-		
CHOW	1.69	(0.01)	458	1.00	MORE	0.82	0.02	257,833	-	AEON19C2011A	0.88	0.36	134,279	-		
CIG	0.21	-	7,031	-	MPG	0.24	(0.02)	17,595	-	AEON19C2012A	0.50	0.19	153,912	-		
COLOR	1.25	0.04	535	1.00	MVP	1.14	0.01	1,715	1.00	AEON28C2012A	0.43	0.18	91,482	-		
CPR	2.46	-	345	2.00	NBC	0.53	(0.01)	1,060	-	AEON28C2101A	0.89	0.19	7,202	-		
FPI	1.41	-	2,165	1.00	NCL	0.68	0.05	6,358	-	AEON42C2101T	0.18	0.03	114	-		
GTB	0.67	-	3,610	-	NEWS	0.01	-	4,220	-	AMAT01C2101A	0.28	(0.03)	20,361	-		
KCM	0.43	0.01	2,538	-	NINE	1.74	0.03	107	1.00	AMAT06C2010A	-	-	-	-		
KUMWEL	1.16	0.02	113,426	1.00	OTO	3.08	0.04	3,386	3.00	AMAT08C2010A	0.10	(0.02)	2,614	-		
KWM	0.89	0.03	31,107	-	PHOL	2.40	0.02	7,641	2.00	AMAT08C2101A	0.30	(0.03)	8,540	-		
MBAX	6.20	-	12,351	6.00	PICO	3.58	(0.02)	37	3.00	AMAT13C2010A	0.03	(0.02)	987	-		
MGT	2.10	(0.04)	11,010	2.00	QLT	4.06	0.04	186	4.00	AMAT13C2012A	0.19	(0.03)	158,952	-		
NDR	1.40	0.01	1,434	1.00	RP	1.24	-	482	1.00	AMAT19C2009A	-	-	-	-		
PDG	3.42	-	393	3.00	SE	1.18	0.03	266	1.00	AMAT19C2011A	0.11	(0.01)	58,928	-		
PIMO	2.22	0.02	212,034	2.00	SLM	-	-	-	-	AMAT19C2012A	0.18	(0.02)	41,029	-		
PJW	1.35	0.02	6,426	1.00	SONIC	1.03	(0.01)	5,557	1.00	AMAT24C2010A	-	-	-	-		
PPM	0.72	0.03	223	-	SPA	6.20	0.05	4,427	6.00	AMAT28C2012A	0.10	(0.01)	7,577	-		
RWI	1.37	0.01	232	1.00	THMUI	0.54	0.01	87	-	AMAT28C2101A	0.18	(0.02)	24,605	-		
SALEE	0.63	-	9	-	TNDT	3.08	0.10	104	2.00	AMAT28C2102L	0.11	(0.01)	8,114	-		
SANKO	0.97	-	444	-	TNH	33.25	-	405	32.00	AMAT28C2103A	0.29	(0.03)	19,773	-		
SELIC	2.02	0.02	2,912	2.00	TNP	3.02	0.06	23,036	2.00	AMAT42C2101T	-	-	-	-		
SWC	4.18	0.04	676	4.00	TSF	-	-	-	-	AOT01C2012A	0.68	-	49,723	-		
TMC	0.57	(0.03)	2,601	-	TVT	1.00	(0.01)	35,117	-	AOT01P2012A	0.23	(0.01)	2,739	-		
TMI	0.62	-	1,332	-	TVT	0.66	0.01	2,030	-	AOT01P2012B	0.58	(0.02)	58,422	-		
TMW	29.25	0.25	43	28.00	VL	1.07	-	152,321	1.00	AOT06C2009A	0.02	(0.02)	1	-		
TPAC	13.00	(0.40)	1,373	12.00	WINNER	2.48	0.02	753	2.00	AOT06C2011A	0.29	-	44,133	-		
TPLAS	1.58	(0.02)	668	1.00	YGG	13.60	1.00	231,621	13.00	AOT06P2009A	0.01	-	3,651	-		
UBIS	5.00	-	228	5.00	Technology (MAI)					-	-	AOT06P2011A	0.53	(0.03)	42,977	-
UEC	0.87	0.01	164	-	APP	2.44	0.04	29,437	2.00	AOT08C2009A	-	-	-	-		
UKEM	0.55	0.02	38,989	-	COMAN	2.22	-	1,673	2.00	AOT08C2101A	0.54	0.01	37,269	-		
UREKA	0.80	(0.01)	567	-	ICN	2.00	0.05	13,966	1.00	AOT08P2009A	-	-	-	-		
YUASA	14.90	-	1,070	14.00	IIG	23.50	0.50	238,700	23.00	AOT08P2102A	0.61	(0.01)	35,792	-		
ZIGA	1.90	0.06	73,426	1.00	INSET	3.28	0.02	33,524	3.00	AOT11C2011A	0.34	-	28,480	-		
Property & Construc																
ALL	3.06	0.04	85,139	3.00	IRCP	0.70	0.01	7,632	-	AOT11P2011A	0.36	-	26,260	-		
ARIN	0.95	(0.04)	20,502	-	ITEL	2.92	0.08	57,143	2.00	AOT13C2010A	0.03	-	4,073	-		
ARROW	7.60	(0.20)	26,634	7.00	NETBAY	26.25	0.25	2,002	26.00	AOT13C2011A	0.22	(0.01)	275,701	-		
BC	0.84	0.02	560	-	PLANET	1.26	0.09	21,673	1.00	AOT13C2012A	0.59	-	2,184	-		
BSM	0.28	-	1,370	-	SICT	4.82	(0.23)	255,215	4.00	AOT13P2010A	0.27	(0.02)	43,645	-		
BTW	0.80	-	404	-	SIMAT	3.64	-	6,449	3.00	AOT13P2011A	0.13	(0.01)	63,577	-		
CAZ	1.48	-	277	1.00	SKY	13.60	(0.10)	3,958	13.00	AOT16C2009A	-	-	-	-		
CHEWA	0.48	(0.01)	13,135	-	SPVI	3.00	0.04	123,217	3.00	AOT16C2012A	0.67	-	3,481	-		
CMC	0.72	0.01	3,206	-	TPS	2.56	0.08	68,333	2.00	AOT19C2009A	-	-	-	-		
CRD	0.48	(0.01)	207	-	VCOM	5.75	0.75	181,192	5.00	AOT19C2011A	0.08	-	3,761	-		
DIMET	0.17	-	38,748	-	Unit Trust					-	-	AOT19C2011B	0.25	(0.01)	391,198	-
FLOYD	0.89	-	1,039	-	SCBSET	-	-	-	-	AOT19C2012A	0.52	-	41,159	-		
HYDRO	0.29	(0.02)	21,531	-	ETF	-	-	-	-	AOT19P2009A	-	-	-	-		
JSP	0.23	-	3,254	-	IDIV	7.50	(0.07)	438	7.00	AOT19P2009B	-	-	-	-		
K	0.76	-	18	-	IBFTH	-	-	-	-	A						

Main Board Quotation

Issue Date :

Wednesday September 23, 2020

Main Board Quotation					Main Board Quotation					Issue Date : Wednesday September 23, 2020				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP13C2011A	0.11	0.02	30,079	-	BCPG19C2011A	-	-	-	-	BTS13P2011A	0.15	(0.01)	151,305	-
AP19C2010A	-	-	-	-	BCPG19C2012A	0.16	(0.01)	4,003	-	BTS19C2010A	-	-	-	-
AP19C2011A	0.13	-	12,324	-	BCPG28C2012A	0.06	(0.02)	2	-	BTS19C2011A	-	-	-	-
AP28C2012A	-	-	-	-	BCPG28C2012B	-	-	-	-	BTS19C2012A	-	-	-	-
AP28C2012B	0.12	0.01	19,773	-	BCPG28C2012C	-	-	-	-	BTS19P2012A	0.12	-	57,026	-
AWC01C2009A	-	-	-	-	BCPG28C2010A	0.14	-	5,043	-	BTS24C2012A	-	-	-	-
AWC01C2101A	0.50	(0.01)	13,573	-	BCPG28C2103L	0.16	-	4,563	-	BTS41C2010A	-	-	-	-
AWC06C2011A	0.04	-	2,000	-	BDM01C2101A	0.40	0.01	43,933	-	BTS41C2012A	-	-	-	-
AWC06P2012A	0.42	(0.01)	81,125	-	BDM050C210A	-	-	-	-	CBG01C2012A	0.41	0.03	99,476	-
AWC08C2012A	0.24	(0.02)	12,005	-	BDM050C2102A	0.38	-	32,219	-	CBG01P2012A	0.63	(0.07)	160,126	-
AWC11C2102A	0.51	-	14,750	-	BDM050P2009A	0.01	-	301	-	CBG06C2011A	0.42	0.03	245,864	-
AWC13C2010A	-	-	-	-	BDM0508C2011A	0.07	-	270	-	CBG08C2012A	0.57	0.05	47,063	-
AWC13C2010B	0.01	-	474	-	BDM0508C2101A	0.34	0.01	10,000	-	CBG11C2101A	0.56	0.05	35,616	-
AWC13C2011A	0.18	(0.02)	42,494	-	BDM0511C2011A	0.38	0.01	18,220	-	CBG13C2010A	0.49	0.06	11,401	-
AWC13P2011A	0.22	-	43,079	-	BDM0513C2011A	0.14	-	36,056	-	CBG13C2011A	0.42	0.03	243,402	-
AWC19C2010A	-	-	-	-	BDM0513C2012A	0.26	-	89,506	-	CBG13C2012A	0.28	0.02	263,512	-
AWC19C2010B	-	-	-	-	BDM0519C2010A	-	-	-	-	CBG13P2010A	0.01	-	900	-
AWC19C2010C	0.15	(0.05)	20,000	-	BDM0519C2011A	0.11	-	35,000	-	CBG13P2011A	0.33	(0.04)	199,191	-
AWC19P2011A	0.22	-	65,818	-	BDM0519C2012A	0.24	-	47,160	-	CBG19C2010A	1.21	0.01	200	1.00
AWC24C2010A	-	-	-	-	BDM0519P2010A	0.09	(0.01)	1,010	-	CBG19C2011A	0.55	0.04	479,923	-
AWC28C2010A	-	-	-	-	BDM0524C2010A	0.38	0.02	12,934	-	CBG19C2011B	0.23	0.02	230,576	-
AWC28C2010B	-	-	-	-	BDM0528C2011A	0.04	-	1,845	-	CBG19P2010A	0.03	-	1,141	-
AWC28C2012A	-	-	-	-	BDM0528C2012A	-	-	-	-	CBG19P2011A	0.16	(0.02)	208,701	-
AWC28C2012B	0.12	(0.01)	15,717	-	BDM0528C2102B	0.02	-	200	-	CBG19P2012A	0.68	(0.06)	336,699	-
AWC28C2101A	0.30	(0.01)	21,280	-	BDM0528C2101A	0.19	0.01	11,140	-	CBG41C2010A	0.45	0.06	18,008	-
AWC28C2103L	0.20	(0.01)	7,098	-	BDM0528C2102A	0.27	-	2,610	-	CBG41C2011A	1.43	0.25	2,092	1.00
AWC41C2010A	-	-	-	-	BDM0541C2012A	0.21	(0.01)	32,922	-	CBG41C2011B	0.40	0.06	38,838	-
AWC41C2011A	-	-	-	-	BDM0541P2011A	0.55	(0.03)	2,434	-	CBG41C2012A	0.23	0.03	3,412	-
AWC42C2101T	-	-	-	-	BDM0542C2101T	-	-	-	-	CBG41P2010A	0.12	(0.03)	99	-
BANP01C2101A	0.41	(0.03)	142,816	-	BEM01C2101A	0.01	-	-	-	CBG41P2012A	0.87	(0.08)	16,140	-
BANP06C2010A	-	-	-	-	BEM06P2009A	-	-	13	-	CBG42C2101T	0.83	0.11	7,213	-
BANP06C2101A	0.42	(0.01)	156,194	-	BEM08C2009A	-	-	-	-	CENT01C2009A	-	-	-	-
BANP06P2011A	0.26	-	195,121	-	BEM08C2102A	0.16	(0.01)	3	-	CENT01P2009A	0.02	-	12,001	-
BANP08C2009A	-	-	-	-	BEM11C2011A	0.20	(0.01)	20,750	-	CENT08C2012A	0.37	-	19,519	-
BANP08C2102A	0.38	(0.62)	64,430	-	BEM13C2010A	-	-	-	-	CENT11C2012A	0.14	(0.01)	4,822	-
BANP08P2009A	-	-	-	-	BEM13C2011A	0.14	(0.01)	181,656	-	CENT13C2010A	-	-	-	-
BANP13C2010A	-	-	-	-	BEM19C2010A	-	-	-	-	CENT13C2011A	0.29	(0.01)	90,109	-
BANP13C2011A	0.17	0.01	335,035	-	BEM19C2011A	-	-	-	-	CENT13P2011A	0.28	(0.01)	57,986	-
BANP13C2012A	0.32	(0.01)	482,527	-	BEM19C2101A	0.33	(0.67)	23,730	-	CENT19C2010A	0.12	(0.01)	12,480	-
BANP13P2012A	0.28	0.01	101,084	-	BEM19P2010A	-	-	-	-	CENT19C2011A	0.09	-	101	-
BANP19C2009A	0.08	(0.01)	139,050	-	BEM28C2010A	-	-	-	-	CENT19C2011B	0.38	(0.02)	26,180	-
BANP19C2010A	0.08	0.03	1,032	-	BEM28C2012A	-	-	-	-	CENT19P2011A	0.26	(0.02)	1,998	-
BANP19C2012A	0.35	-	246,758	-	BEM28C2103A	-	-	-	-	CENT24C2011A	0.38	(0.01)	49,915	-
BANP19P2010A	0.06	(0.03)	40,000	-	BEM28C2104L	0.25	-	27,885	-	CENT28C2010A	-	-	-	-
BANP19P2010B	0.31	(0.03)	166,430	-	BGR101C2009A	-	-	-	-	CENT28C2012A	0.17	-	29,451	-
BANP19P2012A	0.17	-	209,037	-	BGR101C2012A	0.18	(0.04)	25,160	-	CENT28C2012B	0.19	-	24,918	-
BANP24C2011A	0.11	-	8,600	-	BGR101P2012A	0.51	0.03	57,439	-	CENT28C2101A	0.35	-	54,763	-
BANP28C2010A	0.02	(0.04)	200	-	BGR106C2010A	0.01	(0.03)	2,000	-	CENT28C2101B	0.11	-	15,154	-
BANP28C2012A	0.16	(0.01)	49,268	-	BGR106C2102A	0.47	(0.06)	45,277	-	CENT28C2103L	0.31	-	24,857	-
BANP28C2012B	0.18	0.06	87,673	-	BGR106P2011A	0.55	0.06	39,318	-	CHG06C2102A	0.21	(0.02)	25,012	-
BANP28C2101A	0.33	(0.02)	64,739	-	BGR108C2009A	-	-	-	-	CHG13C2010A	-	-	-	-
BANP41C2010A	0.14	0.05	41,866	-	BGR108C2101A	0.34	(0.04)	28,985	-	CHG13C2012A	0.19	(0.01)	6,431	-
BANP42C2012T	-	-	-	-	BGR111C2101A	0.20	(0.03)	18,910	-	CHG16C2009A	-	-	-	-
BBL06C2101A	0.59	(0.07)	85,450	-	BGR113C2011A	0.06	-	6,100	-	CHG19C2011A	0.13	-	46,000	-
BBL06P2011A	0.67	0.05	70,002	-	BGR113C2012A	0.27	(0.04)	63,746	-	CHG27C2009A	-	-	-	-
BBL08C2009A	0.01	(0.01)	1,000	-	BGR113P2011A	0.48	0.05	86,622	-	CK01C2101A	0.29	(0.03)	128,491	-
BBL08C2101A	0.24	(0.03)	13,609	-	BGR119C2009A	0.02	(0.05)	3,100	-	CK01P2101A	0.58	(0.42)	38,026	-
BBL08P2009A	-	-	-	-	BGR119C2011A	0.09	(0.01)	10,966	-	CK06C2009A	-	-	-	-
BBL08P2102A	1.02	0.02	43,025	-	BGR119C2012A	0.18	(0.03)	33,750	-	CK06C2102A	0.33	(0.03)	58,988	-
BBL11C2011A	0.28	(0.04)	33,100	-	BGR119P2010A	0.33	0.04	71,053	-	CK06P2012A	0.62	0.03	58,077	-
BBL13C2010A	-	-	-	-	BGR124C2009A	-	-	-	-	CK11C2012A	0.19	(0.01)	15,160	-
BBL13C2010B	0.03	(0.01)	110	-	BGR127C2101A	0.15	(0.02)	7,734	-	CK13C2010A	0.09	(0.02)	42,118	-
BBL13C2012A	0.22	(0.03)	225,295	-	BGR127P2012A	0.30	0.02	9,538	-	CK13C2012A	0.24	(0.02)	383,274	-
BBL13C2012B	0.62	(0.07)	124,736	-	BGR141C2010A	-	-	-	-	CK19C2010A	0.08	(0.01)	350	-
BBL13P2010A	0.03	-	2,704	-	BGR141C2012A	0.40	(0.05)	29,232	-	CK19C2011A	0.13	(0.01)	219,071	-
BBL13P2012A	0.72	0.04	87,899	-	BGR141C2101A	-	-	-	-	CK19C2012A	0.27	(0.02)	156,764	-
BBL19C2009A	-	-	-	-	BGR142C2101T	-	-	-	-	CK19P2011A	0.45	0.01	143,329	-
BBL19C2010A	0.05	(0.02)	300	-	BH13C2010A	0.01	(0.02)	2,823	-	CK24C2102A	0.26	(0.02)	42,858	-
BBL19C2011A	0.06	(0.03)	300	-	BH13C2012A	0.21	(0.01)	21,588	-	CK41C2011A	-	-	-	-
BBL19C2011B	0.12	(0.01)	167,712	-	BH19C2009A	-	-	-	-	CK41C2012A	0.24	(0.03)	21,808	-
BBL19C2012A	0.49	(0.07)	165,335	-	BH19C2012A	0.24	(0.02)	37,213	-	CK42C2101T	-	-	-	-
BBL19P2010A	0.27	0.01	118,860	-	BH19P2012A	0.45	-	28,018	-	CKP01C2009A	1.86	(0.01)	800	1.00
BBL19P2011A	0.69	0.04	176,705	-	BH24C2102A	0.35	-	36,773	-	CKP01C2101A	0.27	0.02	25,468	-
BBL19P2012A	0.50	0.04	100,642	-	BH41C2012A	0.19	(0.01)	9,000	-	CKP01P2009A	-	-	-	-
BBL24C2009A	-	-	-	-	BJC01C2009A	-	-	-	-	CKP01P2101A	0.43	(0.02)	21,836	-
BBL28C2010A	-	-	-	-	BJC01C2101A	0.33	-	20,061	-	CKP06C2012A	0.37	0.02	27,031	-
BBL28C2011A	-	-	-	-	BJC01P2009A	-	-	-	-	CKP08C2010A	-	-	-	-
BBL28C2012A	-	-	-	-	BJC01P2101A	0.43	(0.02)	24,497	-	CKP08C2012A	0.28	0.01	10,500	-
BBL28C2101A	0.16	(0.02)	23,280	-	BJC11C2102A	0.29	(0.01)	2,440	-	CKP11C2102A	0.36	0.01	14,790	-
BBL28C2104L	0.15	(0.02)	39,039	-	BJC13C2010A	-	-	-	-	CKP13C2010A	-	-	-	-
BBL41C2011A	-	-	-	-	BJC13C2011A	0.09	-	12,000	-	CKP13C2011A	0.22	-	44,165	-
BBL41C2012A	-	-	-	-	BJC13C2012A	0.23	(0.01)	20,336	-	CKP16C2012A	0.22	0.01	6,788	-
BBL41C2012B	0.19	(0.02)	110,817	-	BJC13P2012A	0.27	-	12,730	-	CKP19C2010A	-	-	-	-
BBL41P2010A	-	-	-	-	BJC19C2010A	0.02	-	3,800	-	CKP19C2011A	-	-	-	-
BBL41P2011A	0.42	0.05	12,404	-	BJC19C2010B	-	-	-	-	CKP19C2011B	0.20	0.01	5,844	-
BBL42C2101T	-	-	-	-	BJC19P2012A	0.23	0.01	53,000	-	CKP19P2012A	0.26	(0.01)	34,930	-
BBL42P2102T	-	-	-	-	BJC19P2012A	0.27	(0.01)	67,000	-	CKP24C2011A	0.27	0.02	7,847	-
BCH01C2101A	0.34	-	4,407	-	BJC27C2009A	-	-	-	-	CKP28C2011A	-	-	-	-
BCH06C2011A</														

Main Board Quotation

Issue Date :

Wednesday September 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM719P2011A	0.06	-	20,294	-	DTAC01C2010A	0.21	0.02	27,029	-	GPSC01C2012A	0.28	(0.01)	21,362	-
COM719P2012A	0.16	(0.03)	190,440	-	DTAC06C2012A	0.07	0.01	2,750	-	GPSC01C2010A	0.59	(0.41)	30,522	-
COM724C2012A	0.41	0.06	20,457	-	DTAC06P2012A	-	-	-	-	GPSC01P2012A	0.73	(0.01)	52,310	-
COM741C2010A	0.34	0.03	27,994	-	DTAC08C2012A	0.06	(0.03)	201	-	GPSC06C2011A	-	-	-	-
CPAL01C2010A	0.31	(0.04)	100,239	-	DTAC08C2101A	0.20	0.02	10,750	-	GPSC06C2101A	0.37	(0.02)	26,385	-
CPAL01P2010A	0.62	0.03	48,526	-	DTAC13C2011A	0.06	0.01	453	-	GPSC06P2011A	0.85	(0.01)	30,795	-
CPAL06C2011A	0.05	0.02	2,310	-	DTAC13C2012A	0.18	0.02	46,168	-	GPSC08C2009A	-	-	-	-
CPAL06C2102A	0.33	(0.04)	73,056	-	DTAC13P2011A	0.43	(0.05)	51,913	-	GPSC08C2101A	0.35	(0.01)	13,500	-
CPAL06P2012A	0.66	0.04	67,845	-	DTAC16C2009A	-	-	-	-	GPSC11C2102A	0.49	(0.02)	16,000	-
CPAL08C2011A	-	-	-	-	DTAC19C2009A	-	-	-	-	GPSC13C2011A	0.06	(0.01)	1	-
CPAL08C2102A	0.38	(0.05)	58,200	-	DTAC19C2010A	-	-	-	-	GPSC13C2012A	0.25	(0.01)	34,805	-
CPAL08P2009A	0.01	(0.01)	4	-	DTAC19C2011A	0.06	-	251	-	GPSC13C2012B	0.40	(0.02)	143,672	-
CPAL08P2101A	0.71	0.03	45,187	-	DTAC19C2012A	0.12	-	63,157	-	GPSC13P2011A	-	-	-	-
CPAL11C2012A	0.16	(0.03)	22,860	-	DTAC19P2011A	0.37	(0.04)	34,260	-	GPSC13P2011B	0.33	-	153,591	-
CPAL13C2011A	0.05	(0.01)	25,505	-	DTAC24C2012A	0.37	-	-	-	GPSC19C2009A	-	-	-	-
CPAL13C2012A	0.21	(0.03)	269,417	-	DTAC28C2012A	-	-	-	-	GPSC19C2100A	0.06	(0.01)	608	-
CPAL13P2011A	0.47	0.02	207,542	-	DTAC28C2102A	0.14	0.01	34,462	-	GPSC19C2012A	0.31	-	228,054	-
CPAL19C2010A	0.01	-	880	-	DTAC28C2104L	0.19	0.01	35,362	-	GPSC19C2101A	0.47	(0.53)	14,212	-
CPAL19C2011A	0.10	(0.03)	169,629	-	DTAC41C2010A	-	-	-	-	GPSC19C2101A	0.13	(0.01)	12,000	-
CPAL19C2012A	0.26	(0.03)	191,715	-	DTAC41C2011A	-	-	-	-	GPSC19P2011A	0.81	-	28,427	-
CPAL19P2010A	0.04	0.01	2	-	DTAC41C2012A	0.14	(0.86)	19,744	-	GPSC19P2012A	0.43	(0.01)	233,346	-
CPAL19P2010B	0.46	0.03	79,536	-	DTAC42C2101T	-	-	-	-	GPSC24C2011A	-	-	-	-
CPAL24C2009A	0.02	(0.02)	1,000	-	EA06C2010A	0.08	-	17,629	-	GPSC28C2011A	-	-	-	-
CPAL27C2101A	-	-	-	-	EA06P2012A	0.61	-	24,761	-	GPSC28C2101A	0.34	(0.01)	32,448	-
CPAL28C2010A	-	-	-	-	EA08C2009A	-	-	-	-	GPSC28C2104L	0.27	(0.01)	22,252	-
CPAL28C2012A	0.04	(0.01)	300	-	EA08C2101A	0.35	-	28,866	-	GPSC41C2011A	-	-	-	-
CPAL28C2012B	0.06	(0.05)	3,000	-	EA11C2101A	0.10	(0.01)	19,332	-	GPSC41C2012A	0.29	(0.01)	63,333	-
CPAL28C2012C	-	-	-	-	EA13C2011A	0.09	(0.01)	36,522	-	GPSC41P2010A	0.69	-	11,925	-
CPAL28C2102A	0.21	(0.02)	25,724	-	EA13C2012A	0.20	-	52,424	-	GPSC42C1010T	-	-	-	-
CPAL28C2104L	0.20	(0.02)	25,294	-	EA13P2011A	0.74	0.01	64,149	-	GULF01C2012A	0.18	(0.02)	73,202	-
CPAL41C2010A	0.01	(0.01)	3	-	EA16C2012A	0.14	0.01	28,965	-	GULF01P2012A	0.26	0.01	49,132	-
CPAL41C2011A	0.14	(0.03)	57,636	-	EA19C2010A	0.19	-	-	-	GULF06C2009A	0.01	-	9,580	-
CPAL41P2011A	0.61	0.04	31,972	-	EA19C2012A	0.19	-	94,973	-	GULF06C2101A	0.26	(0.01)	27,844	-
CPAL42C2101T	-	-	-	-	EA19P2011A	0.32	(0.02)	247	-	GULF08C2009A	0.02	0.01	1,041	-
CPF01C2012A	0.09	0.01	165	-	EA19P2011B	0.50	0.01	54,390	-	GULF08C2102A	0.11	(0.01)	10,990	-
CPF01C2101A	0.26	(0.74)	44,709	-	EA24C2101A	0.27	-	64,134	-	GULF08P2010A	0.31	(0.01)	15,000	-
CPF01P2012A	0.39	(0.01)	43,198	-	EA28C2011A	0.10	0.01	16,860	-	GULF11C2011A	0.09	(0.02)	16,398	-
CPF06C2010A	0.02	-	15	-	EA28C2012A	0.14	-	11,641	-	GULF13C2011A	0.05	-	14,297	-
CPF06C2102A	0.28	0.01	51,152	-	EA28C2101A	0.14	-	5,083	-	GULF13C2012A	0.13	(0.01)	120,210	-
CPF06P2011A	0.17	-	48,512	-	EA28C2102A	0.22	-	33,448	-	GULF13C2012B	0.20	(0.80)	245,327	-
CPF08C2010A	-	-	-	-	EA28C2103L	0.13	-	16,224	-	GULF13P2011A	0.28	0.02	330,410	-
CPF08C2102A	0.26	(0.74)	11,010	-	EA41C2011A	-	-	-	-	GULF16C2012A	0.12	(0.02)	1,264	-
CPF11C2010A	-	-	-	-	EA42C2101T	-	-	-	-	GULF19C2010A	0.02	-	30,324	-
CPF13C2011A	0.04	-	4,750	-	EGC001C2010A	0.26	-	23,844	-	GULF19C2101B	0.04	(0.02)	7,697	-
CPF13C2012A	0.11	-	140,001	-	EGC001P2010A	0.78	(0.22)	14,838	-	GULF19C2012A	0.14	(0.02)	12,006	-
CPF13P2012A	0.36	-	143,193	-	EGC006C2010A	-	-	-	-	GULF19C2101A	0.21	(0.02)	593,678	-
CPF16C2012A	-	-	-	-	EGC006P2009A	-	-	-	-	GULF19P2009A	0.02	-	25,000	-
CPF19C2009A	-	-	-	-	EGC013C2011A	0.05	-	1,087	-	GULF19P2010A	0.11	-	59,986	-
CPF19C2010A	0.03	(0.01)	1,500	-	EGC013C2012A	0.24	(0.01)	74,328	-	GULF19P2010B	0.32	0.02	8,398	-
CPF19C2012A	0.12	(0.01)	82,447	-	EGC013C2012B	0.35	(0.65)	126,168	-	GULF19P2012A	0.32	0.02	513,772	-
CPF19P2010A	0.08	(0.02)	5,000	-	EGC013P2011A	0.73	-	53,334	-	GULF24C2009A	-	-	-	-
CPF19P2012A	0.41	(0.01)	8,187	-	EGC019C2010A	0.02	-	340	-	GULF24C2101A	0.21	(0.02)	33,307	-
CPF24C2012A	-	-	-	-	EGC019C2011A	-	-	-	-	GULF28C2010A	-	-	-	-
CPF28C2010A	-	-	-	-	EGC019C2012A	0.14	(0.01)	101,365	-	GULF28C2012A	0.04	-	8,232	-
CPF28C2011A	0.06	(0.03)	500	-	EGC019C2012B	0.67	(0.33)	67,182	-	GULF28C2011B	-	-	-	-
CPF28C2012A	0.06	-	40	-	EGC019P2011A	0.93	-	79,867	-	GULF28C2101A	0.13	(0.02)	29,378	-
CPF28C2012B	0.04	(0.01)	2,000	-	EGC019P2012A	0.59	0.01	205,904	-	GULF28C2102A	0.16	(0.02)	42,215	-
CPF28C2102A	0.14	(0.01)	18,262	-	EGC024C2009A	-	-	-	-	GULF41C2011A	0.07	(0.03)	981	-
CPF28C2103L	0.13	(0.01)	14,098	-	EGC041C2010A	0.25	(0.01)	44,488	-	GULF41C2012A	0.14	(0.02)	19,600	-
CPF41C2010A	-	-	-	-	EGC042C2101T	-	-	-	-	GULF41C2102A	0.20	(0.02)	7,928	-
CPF41C2011A	0.15	(0.01)	500	-	EPG13C2010A	0.01	(0.01)	4,000	-	GULF41P2011A	0.37	0.02	11,134	-
CPF41P2011A	-	-	-	-	EPG13C2011A	0.33	-	54,300	-	GULF41P2012A	0.29	0.01	82,038	-
CPF42C2012A	0.06	(0.01)	48	-	EPG13C2012A	0.13	(0.01)	45,000	-	GULF42C2010M	0.01	-	500	-
CPN01C2012A	0.17	(0.02)	23,026	-	EPG19C2010A	0.33	(0.01)	37,108	-	GULF42C2101T	0.09	(0.01)	308	-
CPN01P2012A	0.58	(0.42)	19,174	-	EPG19C2011A	0.09	(0.02)	18,006	-	GULF42P2010T	0.28	0.01	37,568	-
CPN06C2010A	0.16	0.08	1	-	EPG42C2101T	-	-	-	-	GUNK01C2012A	0.14	(0.01)	8,624	-
CPN11C2010A	0.17	(0.02)	3,415	-	ERW06C2010A	0.14	(0.01)	88,110	-	GUNK13C2011A	-	-	-	-
CPN13C2011A	-	-	-	-	ERW13C2010A	0.06	-	268	-	GUNK13C2101A	0.20	(0.01)	62,237	-
CPN13C2012A	0.23	(0.02)	92,453	-	ERW19C2010A	0.27	0.02	35,807	-	GUNK19C2010A	-	-	-	-
CPN19C2010A	-	-	-	-	ERW19C2010B	0.04	-	70	-	GUNK19C2012A	0.08	-	2,000	-
CPN19C2011A	-	-	-	-	ESS001C2009A	0.06	(0.07)	100	-	GUNK19C2101A	0.15	(0.01)	247,284	-
CPN19C2012A	0.18	(0.02)	23,012	-	ESS001C2012A	0.23	(0.01)	17,307	-	GUNK24C2012A	0.10	0.01	20	-
CPN19P2010A	0.28	0.01	109,981	-	ESS001P2009A	0.01	-	2,490	-	GUNK28C2012A	0.08	(0.01)	118	-
CPN24C2011A	-	-	-	-	ESS001P2012A	0.53	(0.01)	23,952	-	GUNK28C2012B	-	-	-	-
CPN41C2012A	0.14	(0.02)	2,000	-	ESS006C2011A	0.09	(0.01)	650	-	GUNK28C2102A	0.11	(0.01)	12,112	-
CPN41C2101A	-	-	-	-	ESS008C2011A	0.17	(0.1)	4,770	-	HANA01C2012A	0.53	0.05	92,188	-
CPN41P2011A	0.80	0.04	20	-	ESS008C2102A	0.32	(0.68)	9,600	-	HANA13C2011A	0.55	0.06	58,959	-
CRC01C2010A	0.23	(0.02)	38,181	-	ESS013C2010A	0.05	(0.01)	5,888	-	HANA13C2012A	0.30	0.03	672,178	-
CRC01P2010A	0.52	0.03	55,138	-	ESS013C2012A	0.21	-	79,780	-	HANA19C2010A	0.51	0.04	189,835	-
CRC08C2009A	-	-	-	-	ESS019C2009A	-	-	-	-	HANA19C2012A	0.33	0.04	311,106	-
CRC08C2101A	0.18	(0.02)	4,051	-	ESS019C2010A	0.14	-	20,000	-	HANA19P2011A	-	-	-	-
CRC13C2011A	0.08	-	2,178	-	ESS019C2011A	0.07	(0.01)	900	-	HANA24C2012A	0.53	0.05	115,598	-
CRC13C2012A	0.14	(0.02)	75,659	-	ESS019C2012A	0.18	-	67,952	-	HANA27P2012X	0.10	(0.02)	9,198	-
CRC13P2012A	0.25	0.01	53,059	-	ESS019P2012A	0.37	(0.01)	142,323	-	HANA28C20				

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Wednesday September 23, 2020

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28C2010L	0.03	(0.01)	6,711	-	IVL41C2010A	-	-	-	-	KTB01C2009A	-	-	-	-
HSI28C2011L	0.22	-	51,752	-	IVL41C2011A	-	-	-	-	KTB01P2009A	-	-	-	-
HSI28C2012L	0.13	-	131,644	-	IVL41C2012A	0.28	(0.01)	82,896	-	KTBI3C2010A	-	-	-	-
HSI28C2101L	0.16	-	65,623	-	IVL41P2010A	-	-	-	-	KTBI3C2012A	0.16	(0.01)	57,872	-
HSI28P2009A	1.15	(0.03)	132,910	1.00	IVL41P2012A	0.87	-	61,488	-	KTBI9C2010A	-	-	-	-
HSI28P2009B	0.37	(0.04)	517,584	-	IVL41P2012B	-	-	-	-	KTBI9C2011A	-	-	-	-
HSI28P2009C	0.07	(0.03)	142,464	-	IVL42C2101T	0.04	-	8,379	-	KTBI9C2012A	0.17	(0.02)	60,630	-
HSI28P2010A	0.56	(0.02)	376,117	-	JAS08C2011A	0.06	-	14,008	-	KTBI9P2012A	0.57	0.01	90,719	-
HSI28P2010B	0.96	(0.02)	1,387,993	-	JAS19C2101A	0.04	0.01	2,126	-	KTB24C2009A	-	-	-	-
HSI28P2010C	1.60	(0.03)	431,758	1.00	JAS13C2012A	0.23	0.02	1,049,522	-	KTB24C2101A	0.27	(0.03)	27,883	-
HSI28P2010L	0.09	-	1,043	-	JAS19C2009A	-	-	-	-	KTB28C2011A	-	-	-	-
HSI28P2011L	0.16	(0.01)	7,781	-	JAS19C2010A	-	-	-	-	KTB28C2012A	-	-	-	-
HSI28P2012L	0.59	(0.01)	15,130	-	JAS19C2010B	-	-	-	-	KTB28C2012B	-	-	-	-
HSI28P2101L	0.49	(0.01)	4,808	-	JAS19C2012A	0.20	0.02	289,527	-	KTB28C2101C	-	-	-	-
HSI41C2009A	0.01	-	16,250	-	JAS19C2101A	0.41	0.04	400,744	-	KTB28C2102A	0.22	(0.03)	20,752	-
HSI41C2009B	-	-	-	-	JAS19P2010A	0.25	(0.03)	252,859	-	KTC01C2012A	0.34	(0.01)	36,830	-
HSI41C2009C	-	-	-	-	JAS28C2011A	-	-	-	-	KTC01P2012A	0.18	(0.01)	221	-
HSI41C2009D	-	-	-	-	JAS28C2012A	0.04	0.01	12	-	KTC08C2011A	0.22	-	4,403	-
HSI41C2010A	0.29	(0.01)	57,559	-	JAS28C2012B	-	-	-	-	KTC11P2011A	0.13	(0.01)	36,000	-
HSI41C2010B	0.11	-	14,945	-	JAS28C2101A	0.16	0.02	30,896	-	KTC13C2010A	0.01	-	12,465	-
HSI41C2010C	0.04	-	2,653	-	JAS28C2102A	0.28	0.03	58,281	-	KTC13C2010B	0.15	-	51,054	-
HSI41C2011A	0.09	-	11,800	-	JAS41C2011A	0.12	0.03	4,636	-	KTC13C2011A	0.30	-	229,025	-
HSI41C2012A	0.13	-	1,060	-	JMT06C2012A	0.43	0.03	27,641	-	KTC13P2010A	0.05	(0.01)	30	-
HSI41C2101A	0.13	-	7,913	-	JMT08C2101A	0.30	0.01	16,592	-	KTC13P2012A	0.20	(0.01)	177,268	-
HSI41P2009A	0.35	(0.04)	258	-	JMT11C2102A	0.33	0.01	11,050	-	KTC19C2010A	0.03	-	7,021	-
HSI41P2009B	-	-	-	-	JMT13C2011A	1.19	0.08	300	1.00	KTC19C2010B	0.20	-	68,059	-
HSI41P2009C	1.06	0.02	6	1.00	JMT13C2011B	0.39	0.02	70,700	-	KTC19C2012A	0.29	(0.01)	58,895	-
HSI41P2009D	0.11	(0.01)	38,000	-	JMT13C2012A	0.23	0.01	141,259	-	KTC19P2010A	0.11	-	6,000	-
HSI41P2010A	1.64	(0.02)	462	1.00	JMT19C2010A	-	-	-	-	KTC19P2012A	0.27	(0.01)	61,940	-
HSI41P2010B	1.01	(0.06)	20,999	1.00	JMT19C2011A	0.39	0.02	56,025	-	KTC24C2011A	0.28	(0.01)	11,800	-
HSI41P2010C	0.59	(0.01)	2,429,714	-	JMT19C2012A	0.24	0.02	247,780	-	KTC28C2011A	-	-	-	-
HSI41P2011A	-	-	-	-	JMT24C2011A	0.37	0.02	30,435	-	KTC28C2012A	0.11	-	1,014	-
HSI41P2012A	0.57	-	74	-	JMT28C2101A	0.29	-	54,612	-	KTC28C2012B	-	-	-	-
HSI41P2101A	-	-	-	-	JMT41C2012A	0.23	(0.77)	42,000	-	KTC28C2101A	0.27	-	21,299	-
INTU01C2101A	0.35	-	60,135	-	JMT42C2101T	0.23	0.02	550	-	KTC28C2103L	0.23	-	21,394	-
INTU06C2009A	-	-	-	-	KBAN01C2012A	0.50	(0.08)	77,868	-	KTC41C2011A	0.26	(0.01)	44,123	-
INTU06P2011A	0.31	(0.02)	47,678	-	KBAN01C2012B	0.38	(0.05)	30,644	-	KTC41C2012A	-	-	-	-
INTU13C2011A	0.10	-	99,249	-	KBAN01P2012A	1.12	0.09	72,178	1.00	KTC42C2012T	-	-	-	-
INTU16C2009A	-	-	-	-	KBAN06C2011A	0.02	-	4,759	-	LH01C2101A	0.27	0.02	296	-
INTU19C2009A	-	-	-	-	KBAN06C2012A	0.13	(0.04)	40,569	-	LH06C2012A	0.14	0.01	10,300	-
INTU19C2012A	0.25	-	118,782	-	KBAN06P2011A	0.98	0.10	66,683	-	LH11C2012A	0.18	0.01	12,590	-
INTU19P2010A	-	-	-	-	KBAN08C2011A	0.06	0.01	751	-	LH13C2010A	-	-	-	-
INTU19P2012A	0.58	-	248,450	-	KBAN08C2101A	0.22	(0.05)	16,353	-	LH19C2010A	0.12	-	20,402	-
INTU23C2111A	-	-	-	-	KBAN08P2101A	1.31	0.08	75,413	1.00	LH19C2011A	-	-	-	-
INTU28C2010A	-	-	-	-	KBAN13C2010A	-	-	-	-	LH19P2010A	0.12	(0.01)	4	-
INTU28C2012A	0.13	0.01	35,434	-	KBAN13C2010B	-	-	-	-	MAJ01C2011A	0.19	0.01	4,800	-
INTU28C2102A	0.26	-	86,134	-	KBAN13C2011A	0.10	(0.03)	75,834	-	MAJ019C2011A	0.32	(0.01)	6,530	-
INTU41C2010A	-	-	-	-	KBAN13C2012A	0.16	(0.05)	165,699	-	MEGA13C2011A	0.10	-	205	-
INTU41C2012A	0.22	-	20,746	-	KBAN13C2012B	0.31	(0.69)	309,109	-	MEGA16C2009A	0.14	-	200	-
INTU42C2101T	-	-	-	-	KBAN13P2010A	0.10	-	7,606	-	MEGA19C2011A	0.15	0.01	517,111	-
IRPC01C2101A	0.17	0.01	46,307	-	KBAN13P2011A	1.21	0.11	123,397	1.00	MEGA42C2101T	-	-	-	-
IRPC06C2010A	-	-	-	-	KBAN13P2012A	0.94	(0.06)	473,387	-	MINT01C2012A	0.53	(0.01)	96,560	-
IRPC06P2010A	0.43	0.02	20	-	KBAN19C2009A	-	-	-	-	MINT01P2012A	0.35	-	67,847	-
IRPC11C2102A	0.15	0.01	7,000	-	KBAN19C2010A	-	-	-	-	MINT01P2012B	0.79	(0.02)	105,809	-
IRPC13C2011A	-	-	-	-	KBAN19C2010B	0.02	(0.02)	11,000	-	MINT06C2012A	0.57	(0.01)	122,029	-
IRPC13C2012A	0.10	0.03	1	-	KBAN19C2011A	0.01	-	1,510	-	MINT06P2012A	0.24	-	63,483	-
IRPC13C2012B	0.13	0.01	93,782	-	KBAN19C2012A	0.26	(0.05)	298,089	-	MINT08C2010A	0.27	-	64,924	-
IRPC13P2011A	-	-	-	-	KBAN19C2012B	0.13	(0.04)	46,269	-	MINT08P2011A	0.33	(0.01)	55,587	-
IRPC13P2012A	0.28	(0.01)	50,615	-	KBAN19P2010A	0.81	0.08	52,074	-	MINT08P2102A	0.77	(0.24)	82,784	-
IRPC19C2010A	-	-	-	-	KBAN19P2010P	0.24	0.03	65,880	-	MINT11C2011A	0.52	-	84,720	-
IRPC19C2011A	-	-	-	-	KBAN19P2012A	0.74	(0.26)	472,726	-	MINT11P2011A	0.26	-	20,153	-
IRPC19C2011A	0.13	-	7,000	-	KBAN24C2009A	-	-	-	-	MINT13C2010A	0.24	(0.02)	107,760	-
IRPC19P2011A	0.50	(0.02)	2,325	-	KBAN24C2012A	0.14	(0.04)	41,761	-	MINT13C2011A	0.33	(0.01)	941,720	-
IRPC19P2012A	0.29	(0.01)	57,490	-	KBAN28C2010A	0.01	-	300	-	MINT13P2011A	0.24	(0.01)	93,534	-
IRPC24C2012A	0.07	0.01	2	-	KBAN28C2012A	0.02	(0.01)	498	-	MINT13P2012A	0.47	(0.01)	431,260	-
IRPC28C2012A	-	-	-	-	KBAN28C2012B	0.06	(0.01)	350	-	MINT16C2012A	0.53	(0.01)	15,054	-
IRPC28C2101A	-	-	-	-	KBAN28C2101A	0.24	(0.04)	38,869	-	MINT19C2010A	0.15	-	102,256	-
IRPC28C2103A	0.14	-	9,117	-	KBAN28C2104L	0.23	(0.02)	3,062	-	MINT19C2011A	0.63	0.01	141,097	-
IRPC41C2010A	-	-	-	-	KBAN28P2012A	0.47	0.03	46,592	-	MINT19C2011B	0.30	(0.01)	474,641	-
IRPC41C2011A	-	-	-	-	KBAN41C2011A	-	-	-	-	MINT19P2010A	0.14	(0.01)	212,982	-
IVL01C2012A	0.10	(0.01)	23,160	-	KBAN41C2012A	0.21	(0.05)	155,845	-	MINT19P2011A	0.18	(0.02)	123,964	-
IVL01C2012B	0.39	(0.02)	70,450	-	KBAN41P2010A	0.48	0.06	66,940	-	MINT19P2012A	0.54	(0.01)	515,355	-
IVL01P2012A	0.88	0.02	48,562	-	KBAN41P2011A	1.67	0.10	2,967	1.00	MINT24C2011A	0.40	(0.02)	17,403	-
IVL06C2010A	0.01	-	7,818	-	KBAN42C2010T	-	-	-	-	MINT28C2012A	0.17	(0.01)	22,531	-
IVL06C2101A	0.24	(0.01)	71,700	-	KBAN42P2010T	1.01	0.06	10,420	-	MINT28C2102B	0.31	-	34,802	-
IVL06P2009A	-	-	-	-	KCE01C2012A	0.37	(0.01)	131,447	-	MINT28C2012C	0.34	0.01	153,498	-
IVL06P2011A	0.76	0.01	53,383	-	KCE01P2011A	0.32	(0.01)	103,474	-	MINT28C2104L	0.27	-	35,393	-
IVL08C2009A	-	-	-	-	KCE06C2009A	-	-	-	-	MINT41C2010A	0.16	(0.01)	38,250	-
IVL08C2101A	0.28	(0.02)	34,382	-	KCE06C2012A	-	-	-	-	MINT41C2012A	0.59	(0.03)	2,854	-
IVL08P2011A	0.33	-	33,810	-	KCE06C2012B	0.58	0.01	40,391	-	MINT42C2101T	0.29	(0.02)	715	-
IVL08P2102A	0.85	(0.15)	42,491	-	KCE08C2009A	-	-	-	-	MINT42P2102T	0.54	-	9,247	-
IVL11C2012A	0.10	(0.01)	20,312	-	KCE08C2012A	0.47	0.02	32,076	-	MTC01C2012A	0.55	(0.01)	894,631	-
IVL13C2011A	0.02	(0.01)	902	-	KCE11C2101A	0.45	-	36,563	-	MTC06C2010A	-	-	-	-
IVL13C2012A	0.21	(0.01)	171,119	-	KCE13C2010A	0.31	(0.01)	13,958	-	MTC06C2102A	0.68	0.01	123,605	-
IVL13C2012B	0.06	(0.01)	20,014	-	KCE13C2012A	0.29	(0.01)	541,053	-	MTC08C2009A	-	-	-	-
IVL13P2010A	0.14	(0.01)	157,580	-	KCE13P2010A	0.04	(0.01)	900	-	MTC08C2011A	0.35	0.01	30,305	-
IVL13P2012A	0.56	0.01	82,569	-	KCE16C2012A	0.36	(0.01)	42,003	-	MTC08C2102A	0.64	0.02	118,978	-
IVL16C2														

Main Board Quotation

Issue Date :

Wednesday September 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MTC42C2101T	0.19	0.01	284	-	PTTE01P2012A	1.40	0.06	48,114	1.00	S5001C2012F	0.53	(0.05)	327,706	-
OR113C2011A	0.20	-	18,398	-	PTTE06C2011A	0.09	(0.02)	10,700	-	S5001P2012F	1.16	0.02	393,975	1.00
OR119C2010A	-	-	-	-	PTTE06C2101A	0.55	(0.11)	86,270	-	S5006C2009A	0.01	-	2,473	-
OR119C2011A	0.35	-	6,438	-	PTTE06P2009A	0.01	-	30	-	S5006C2009B	-	-	-	-
OR119C2012A	0.19	-	10,996	-	PTTE06P2011A	0.45	0.04	103,414	-	S5006C2009C	-	-	-	-
OR128C2011A	-	-	-	-	PTTE08C2011A	0.31	(0.03)	39,372	-	S5006C2009D	0.01	(0.04)	158	-
OR128C2012A	-	-	-	-	PTTE08P2101A	1.07	0.07	62,447	1.00	S5006C2012A	0.34	(0.05)	229,696	-
OR128C2012B	0.30	(0.01)	34,870	-	PTTE11C2011A	0.40	(0.05)	37,927	-	S5006C2012B	1.17	(0.19)	957,761	1.00
OR128C2011A	0.14	(0.01)	24,376	-	PTTE13C2010A	0.02	(0.02)	2,468	-	S5006P2009A	0.01	-	2,710	-
OR128C2103L	0.21	(0.01)	21,294	-	PTTE13C2010B	-	-	-	-	S5006P2009B	-	-	-	-
OSP01C2012A	0.18	-	85,733	-	PTTE13C2011A	0.22	(0.04)	57,998	-	S5006P2009C	0.05	-	225	-
OSP01P2012A	0.49	(0.51)	77,068	-	PTTE13C2012A	0.51	(0.08)	104,038	-	S5006P2009D	-	-	-	-
OSP06C2011A	0.07	-	11,250	-	PTTE13P2010A	0.46	0.04	107,317	-	S5006P2012A	1.12	0.07	448,905	1.00
OSP06P2009A	-	-	-	-	PTTE13P2012A	0.65	0.04	139,758	-	S5006P2012B	0.63	0.05	381,269	-
OSP06P2102A	0.53	(0.03)	33,565	-	PTTE16C2009A	-	-	-	-	S5008C2009A	-	-	-	-
OSP08C2009A	-	-	-	-	PTTE19C2009A	-	-	-	-	S5008C2009B	-	-	-	-
OSP08C2102A	0.41	(0.59)	41,000	-	PTTE19C2009B	-	-	-	-	S5008C2012A	0.25	(0.03)	115,518	-
OSP11C2101A	0.26	0.02	31,650	-	PTTE19C2010A	-	-	-	-	S5008C2012B	0.36	(0.04)	158,326	-
OSP13C2010A	0.02	0.01	100	-	PTTE19C2010B	0.24	(0.03)	109,290	-	S5008P2009A	-	-	-	-
OSP13C2011A	0.12	-	82,315	-	PTTE19C2011A	0.10	(0.02)	25,199	-	S5008P2009B	-	-	-	-
OSP13P2011A	0.35	(0.01)	34,518	-	PTTE19C2011B	0.16	(0.03)	128,660	-	S5008P2012A	1.06	0.04	213,437	1.00
OSP19C2009A	-	-	-	-	PTTE19C2012A	0.45	(0.06)	182,915	-	S5013C2009A	-	-	-	-
OSP19C2010A	-	-	-	-	PTTE19P2009A	-	-	-	-	S5013C2009B	-	-	-	-
OSP19C2012A	0.14	-	18,513	-	PTTE19P2009B	-	-	-	-	S5013C2009C	0.01	-	31	-
OSP19C2101A	0.25	(0.75)	76,000	-	PTTE19P2010A	0.23	0.02	188,296	-	S5013C2009D	-	-	-	-
OSP19P2010A	0.23	(0.02)	81,165	-	PTTE19P2010B	0.40	0.04	368,763	-	S5013C2009E	-	-	-	-
OSP24C2101A	0.22	-	92,603	-	PTTE19P2012A	0.74	0.08	129,061	-	S5013C2009F	-	-	-	-
OSP28C2101A	0.10	-	10,612	-	PTTE24C2011A	0.09	(0.02)	2,006	-	S5013C2010A	0.35	(0.02)	55,583	-
OSP28C2101B	0.11	-	35,462	-	PTTE28C2011A	0.18	(0.03)	38,668	-	S5013C2012A	0.25	(0.03)	1,390,078	-
OSP41C2010A	-	-	-	-	PTTE28C2011B	-	-	-	-	S5013C2012B	0.29	(0.03)	3,374,319	-
OSP41C2012A	0.15	-	2,000	-	PTTE28C2012A	0.29	(0.03)	28,364	-	S5013C2012C	0.40	(0.04)	3,323,182	-
OSP42C2101T	0.10	0.01	23	-	PTTE28C2010A	0.37	(0.05)	76,022	-	S5013C2012D	0.35	(0.04)	4,957,488	-
PLAN06C2102A	0.28	-	40,109	-	PTTE28C2102L	0.25	(0.02)	20,280	-	S5013P2009A	-	-	-	-
PLAN13C2010A	0.04	0.01	12	-	PTTE41C2010A	-	-	-	-	S5013P2009B	-	-	-	-
PLAN13C2011A	0.18	(0.01)	62,549	-	PTTE41C2011A	-	-	-	-	S5013P2009C	-	-	-	-
PLAN19C2010A	0.67	0.01	4,014	-	PTTE41C2012A	0.34	(0.04)	47,000	-	S5013P2009D	-	-	-	-
PLAN19C2010B	0.09	0.01	2,000	-	PTTE41C2010A	0.43	(0.06)	6,818	-	S5013P2009E	0.03	(0.02)	273	-
PLAN19C2012A	0.20	-	31,492	-	PTTE41P2010A	-	-	-	-	S5013P2009F	-	-	-	-
PLAN24C2009A	-	-	-	-	PTTE41P2011A	0.87	0.06	38,235	-	S5013P2009G	0.01	-	1,695	-
PLAN27C2101A	0.18	0.01	4,200	-	PTTE42C2101T	-	-	-	-	S5013P2010A	0.76	0.03	251,485	-
PLAN28C2010A	-	-	-	-	PTTE42P2101T	0.75	0.03	14,635	-	S5013P2012A	1.12	0.05	4,583,648	1.00
PLAN28C2012A	-	-	-	-	PTTG01C2012A	0.26	(0.05)	98,458	-	S5013P2012B	1.25	0.05	2,555,626	1.00
PLAN28C2012B	0.19	0.01	22,765	-	PTTG01P2012A	1.11	0.10	45,566	1.00	S5013P2012C	0.79	0.04	10,571,560	-
PLAN42C2101T	-	-	-	-	PTTG08C2101A	0.18	(0.03)	13,128	-	S5016C2009A	-	-	-	-
PRM08C2101A	0.40	0.06	64,176	-	PTTG08P2010A	0.11	0.02	7,510	-	S5016C2009B	-	-	-	-
PRM11C2102A	0.52	0.06	42,556	-	PTTG11C2010A	-	-	-	-	S5016C2012A	0.27	(0.04)	71,537	-
PRM13C2010A	0.26	0.04	62,475	-	PTTG13C2010A	0.02	0.01	123	-	S5016C2012B	0.33	(0.03)	60,805	-
PRM13C2012A	0.42	0.07	231,506	-	PTTG13C2011A	0.08	(0.03)	21,666	-	S5016P2009A	-	-	-	-
PRM16C2012A	0.30	0.04	55,517	-	PTTG13C2012A	0.16	(0.04)	62,028	-	S5016P2009B	-	-	-	-
PRM19C2010A	0.56	0.07	47,743	-	PTTG13P2010A	0.18	0.04	80,751	-	S5016P2012A	0.94	0.03	96,340	-
PRM19C2011A	0.30	0.04	89,283	-	PTTG13P2011A	0.72	0.11	7,372	-	S5016P2012B	0.92	0.04	83,351	-
PRM28C2012A	0.27	0.06	86,093	-	PTTG13P2012A	0.56	(0.44)	258,860	-	S5016P2103Z	-	-	-	-
PRM42C2101T	0.24	-	490	-	PTTG19C2009A	-	-	-	-	S5019C2009A	0.62	(0.12)	32,626	-
PTG01C2012A	0.37	0.05	27,485	-	PTTG19C2011A	0.09	(0.03)	108,050	-	S5019C2009B	-	-	-	-
PTG01P2012A	0.63	(0.06)	44,711	-	PTTG19C2012A	0.17	(0.05)	88,561	-	S5019C2009C	-	-	-	-
PTG06C2010A	0.36	0.06	27,342	-	PTTG19P2009A	-	-	-	-	S5019C2009D	-	-	-	-
PTG08C2011A	0.36	0.03	11,887	-	PTTG19P2010A	0.40	0.09	87,172	-	S5019C2009E	0.02	-	1,200	-
PTG11C2011A	0.39	0.03	25,362	-	PTTG19P2011A	0.39	0.06	153,239	-	S5019C2009F	-	-	-	-
PTG13C2010A	0.16	0.03	44,335	-	PTTG19P2011B	0.91	0.12	20,779	-	S5019C2012A	0.21	(0.04)	159,826	-
PTG13C2012A	0.20	0.04	57,066	-	PTTG24C2101A	0.23	(0.05)	16,698	-	S5019C2012B	0.21	(0.03)	146,278	-
PTG13C2012B	0.36	0.05	187,889	-	PTTG28C2011A	-	-	-	-	S5019C2012C	0.43	(0.05)	426,325	-
PTG16C2009A	-	-	-	-	PTTG28C2012A	0.14	(0.03)	18,571	-	S5019P2009A	-	-	-	-
PTG19C2010A	0.35	0.05	39,767	-	PTTG28C2102L	0.11	(0.02)	4,156	-	S5019P2009B	-	-	-	-
PTG19C2011A	0.24	0.04	94,952	-	PTTG41C2010A	0.09	(0.06)	15,844	-	S5019P2009C	-	-	-	-
PTG19C2012A	0.37	0.07	87,953	-	PTTG41C2011A	-	-	-	-	S5019P2009D	0.03	(0.03)	1,900	-
PTG19P2010A	0.02	(0.02)	1,725	-	PTTG41C2101A	0.12	(0.05)	15,000	-	S5019P2009E	-	-	-	-
PTG19P2011A	0.33	(0.05)	149,702	-	PTTG41P2010A	-	-	-	-	S5019P2009F	-	-	-	-
PTG42C2101T	0.26	0.02	520	-	PTTG41P2011A	0.85	0.11	2,419	-	S5019P2012A	0.96	0.03	914,013	-
PTT01C2012A	0.17	(0.01)	10,675	-	PTTG42C2012T	-	-	-	-	S5019P2012B	0.88	0.05	330,476	-
PTT01P2012A	0.41	0.02	44,744	-	QH19C2012A	0.14	0.02	69,360	-	S5019P2012C	0.56	0.05	471,253	-
PTT06C2012A	0.08	(0.01)	4,576	-	QH27C2101A	0.15	(0.01)	2,896	-	S5024C2009A	-	-	-	-
PTT08C2101A	0.15	(0.01)	106	-	RAT001C2101A	0.31	(0.02)	11,715	-	S5024C2009B	-	-	-	-
PTT08P2009A	-	-	-	-	RAT001P2101A	0.74	(0.26)	12,378	-	S5024C2009C	-	-	-	-
PTT08P2101A	0.50	0.03	3,800	-	RAT006C2102A	0.29	(0.01)	8,666	-	S5024C2009D	-	-	-	-
PTT11C2101A	0.13	(0.01)	27,101	-	RAT006P2010A	0.66	-	1,522	-	S5024C2009E	-	-	-	-
PTT13C2010A	0.01	-	1,430	-	RAT13C2010A	-	-	-	-	S5024C2009F	-	-	-	-
PTT13C2012A	0.09	(0.01)	3,273	-	RAT13C2012A	0.13	(0.01)	47,526	-	S5024C2009G	-	-	-	-
PTT13C2012B	0.16	(0.02)	81,376	-	RAT13P2011A	0.49	0.02	115,084	-	S5024C2012A	0.03	-	3,455	-
PTT13P2010A	0.12	0.01	94,512	-	RATC19C2011A	-	-	-	-	S5024C2012B	0.12	(0.01)	600	-
PTT13P2011A	0.39	0.04	172,813	-	RATC19C2012A	0.19	-	25,881	-	S5024C2012C	0.24	(0.04)	15,844	-
PTT16C2012A	-	-	-	-	RATC19C2101A	0.28	(0.04)	77,815	-	S5024C2012D	0.33	(0.05)	379,317	-
PTT19C2009A	-	-	-	-	RATC19P2011A	0.66	0.01	94,263	-	S5024C2012E	0.50	(0.07)	478,688	-
PTT19C2011A	0.07	-	250	-	RATC24C2012A	0.18	(0.01)	3,234	-	S5024P2009A	-	-	-	-
PTT19C2012A	0.10	(0.02)	2,862	-	RATC41C2010A	-	-	-	-	S5024P2009B	-	-	-	-
PTT19C2012B	0.14	(0.01)	119,194	-	RATC41C2012A	0.24	-	4,200	-	S5024P2009C	-	-	-	-
PTT19P2009A	-	-	-	-	RATC42C2102T	-	-	-	-	S5024P2009D	-	-	-	-
PTT19P2010A	0.14	0.01	79,706	-	RS06C2010A	-	-	-	-	S5024P2009E	0.28	(0.02)	40	-
PTT19P2010B	0.23	0.02	40,300	-	RS06C2012A	0.35	(0.03)	40,278	-	S5024P2012A	0.14			

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Wednesday September 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5028P2009C	0.03	(0.01)	5,220	-	SGP42C2101T	-	-	-	-	TASC19P2011A	0.74	0.03	89	-
S5028P2009D	-	-	-	-	SIRI19C2011A	0.05	-	30	-	TASC19P2012A	1.93	(0.04)	251	1.00
S5028P2009E	0.29	-	126,729	-	SIRI42C2101T	-	-	-	-	TASC19P2012B	0.31	(0.01)	53,714	-
S5028P2010A	0.55	0.02	991,089	-	SPAL06C2010A	0.21	(0.09)	45,801	-	TASC28C2011A	-	-	-	-
S5028P2012A	1.21	0.04	1,553,508	1.00	SPAL13C2010A	0.09	(0.05)	37,399	-	TASC28C2010A	0.01	-	400	-
S5028P2012B	0.51	0.02	789,330	-	SPAL19C2011A	0.25	(0.07)	63,631	-	TASC28C2012A	0.07	0.01	5,293	-
S5028P2103L	0.75	0.02	524,228	-	SPAL19C2011B	0.08	(0.04)	6,584	-	TASC28C2012B	-	-	-	-
S5041C2009A	0.02	0.01	56	-	SPAL27C2101A	0.11	(0.04)	2,166	-	TASC28C2012C	0.03	0.01	90	-
S5041C2009B	-	-	-	-	SPRC01C2101A	0.21	0.01	61,913	-	TASC28C2101A	-	-	-	-
S5041C2009C	0.01	-	100	-	SPRC01P2101A	0.66	(0.04)	52,352	-	TASC28C2103L	0.04	0.01	11	-
S5041C2009D	-	-	-	-	SPRC06C2010A	0.01	(0.01)	1,000	-	TASC41C2010A	-	-	-	-
S5041C2009E	0.01	(0.09)	90	-	SPRC06C2102A	0.19	0.02	89,791	-	TASC41C2011A	0.01	(0.02)	3,000	-
S5041C2009F	-	-	-	-	SPRC06P2011A	0.38	(0.06)	52,357	-	TASC41C2012A	0.22	0.01	35,313	-
S5041C2009G	0.07	(0.03)	4,225	-	SPRC08C2011A	0.08	-	5,000	-	TASC42C2101T	0.05	(0.01)	2,587	-
S5041C2012A	0.24	(0.04)	936,791	-	SPRC11C2102A	0.22	0.02	38,645	-	TCAP01C2101A	0.26	(0.01)	44,385	-
S5041C2012B	0.12	(0.03)	61,841	-	SPRC13C2010A	-	-	-	-	TCAP13C2010A	0.01	-	1,003	-
S5041C2012C	0.11	(0.02)	40	-	SPRC13C2012A	0.10	0.01	29,543	-	TCAP13C2012A	0.13	(0.01)	11,342	-
S5041C2012D	0.22	(0.05)	980,436	-	SPRC13C2012B	0.16	0.01	279,853	-	TCAP19C2010A	0.04	(0.01)	2	-
S5041P2009A	-	-	-	-	SPRC19C2010A	-	-	-	-	TCAP19C2012A	0.16	(0.01)	3,001	-
S5041P2009B	0.10	(0.01)	146	-	SPRC19C2012A	0.13	0.02	158,995	-	TCAP19P2012A	0.30	0.01	27,802	-
S5041P2009C	0.47	0.01	894	-	SPRC19P2011A	0.40	(0.05)	87,339	-	TCAP42C2101T	-	-	-	-
S5041P2009D	-	-	-	-	SPRC28C2011A	-	-	-	-	THAN01C2012A	1.12	0.06	15,913	1.00
S5041P2009E	0.84	0.03	120	-	SPRC28C2101A	0.11	0.01	12,238	-	THAN01C2012B	0.44	0.02	35,444	-
S5041P2009F	1.87	0.01	1,130	1.00	SPRC42C2101T	-	-	-	-	THAN06C2010A	-	-	-	-
S5041P2009G	-	-	-	-	STA01C2009A	-	-	-	-	THAN06C2102A	0.59	0.05	59,683	-
S5041P2012A	1.00	0.03	36,308	-	STA01C2101A	0.33	(0.67)	49,069	-	THAN08C2101A	-	-	-	-
S5041P2012B	0.87	0.03	1,347,088	-	STA01P2009A	0.01	-	10,536	-	THAN08C2102A	0.50	0.04	14,702	-
S5041P2012C	1.04	0.01	199,518	1.00	STA06C2012A	0.22	0.02	42,276	-	THAN13C2012A	0.73	0.07	3,672	-
S5041P2012D	-	-	-	-	STA08C2010A	-	-	-	-	THAN13C2012B	0.34	0.04	194,068	-
SAWA01C2012A	0.59	0.04	98,750	-	STA08C2011A	0.15	0.02	16,951	-	THAN19C2010A	0.77	0.04	35,229	-
SAWA01P2012A	0.55	(0.06)	87,692	-	STA08C2101A	0.37	0.04	28,368	-	THAN19C2011A	1.22	0.09	27,934	1.00
SAWA06C2010A	0.09	0.02	19,214	-	STA13C2010A	0.99	0.18	270	-	THAN19C2012A	0.58	0.06	58,369	-
SAWA06C2101A	0.68	0.07	142,563	-	STA13C2010B	0.11	0.02	138,531	-	THAN19C2012B	0.37	0.04	85,622	-
SAWA08C2011A	0.20	0.02	36,580	-	STA13C2010C	0.05	0.01	24,001	-	THAN42C2102T	-	-	-	-
SAWA08C2101A	0.54	0.05	50,566	-	STA13C2010D	0.03	0.01	15,632	-	TISC01C2101A	0.41	(0.01)	4,244	-
SAWA13C2010A	0.05	0.01	7,164	-	STA13C2011A	0.44	0.07	16	-	TISC13C2012A	0.26	(0.02)	2,100	-
SAWA13C2011A	0.35	0.04	713,020	-	STA13C2011B	0.15	0.03	72,633	-	TISC13C2010A	0.01	(0.01)	7	-
SAWA19C2009A	0.06	0.02	16,871	-	STA13C2012A	0.22	0.03	464,488	-	TISC13C2012A	0.30	-	6,359	-
SAWA19C2009B	0.01	(0.05)	1	-	STA13P2010A	0.02	-	92	-	TISC19C2010A	-	-	-	-
SAWA19C2011A	0.21	0.03	172,934	-	STA13P2010B	-	-	-	-	TISC19C2010B	0.07	(0.01)	4,951	-
SAWA19C2012A	0.47	0.05	689,720	-	STA19C2009A	-	-	-	-	TISC19C2012A	0.29	(0.01)	61,380	-
SAWA19P2011A	0.24	(0.04)	272,649	-	STA19C2010A	-	-	-	-	TISC41C2010A	-	-	-	-
SAWA24C2009A	-	-	-	-	STA19C2010B	1.18	0.12	10	1.00	TISC41C2012A	0.27	(0.01)	42,100	-
SAWA28C2011A	0.16	0.03	28,464	-	STA19C2101C	-	-	-	-	TISC42C2101T	-	-	-	-
SAWA28C2012A	0.29	0.02	70,445	-	STA19C2011A	0.70	0.09	848	-	TKN01C2101A	0.27	0.03	83,124	-
SAWA28C2012B	0.24	0.04	81,922	-	STA19C2011B	0.18	0.02	371,048	-	TKN06C2011A	0.19	0.03	50,418	-
SAWA28C2101A	0.44	0.06	132,130	-	STA19C2012A	0.25	0.03	161,791	-	TKN06C2010A	0.92	0.09	5,325	-
SAWA28C2102L	0.16	0.02	51,388	-	STA19P2009A	-	-	-	-	TKN08C2011A	0.14	0.02	34,520	-
SAWA41C2010A	-	-	-	-	STA19P2010A	0.04	(0.01)	1,201	-	TKN08C2102A	0.36	(0.64)	46,322	-
SAWA41C2012A	0.39	0.06	31,205	-	STA24C2011A	0.12	0.01	17,104	-	TKN13C2010A	0.33	0.03	2,184	-
SAWA42C2101T	0.15	0.03	90	-	STA28C2011A	-	-	-	-	TKN13C2010B	0.07	0.01	28,906	-
SCB01C2009A	-	-	-	-	STA28C2011B	0.13	0.01	12,169	-	TKN13C2012A	0.18	0.02	468,521	-
SCB01C2101A	0.37	(0.02)	73,116	-	STA28C2012A	1.30	0.04	205	1.00	TKN19C2010A	-	-	-	-
SCB01P2101A	1.03	0.01	83,295	1.00	STA28C2102L	0.16	0.02	13,583	-	TKN19C2011A	0.46	0.06	3,000	-
SCB06C2010A	0.05	-	1,030	-	STA41C2010A	0.11	0.01	8,800	-	TKN19C2011B	0.15	0.02	111,820	-
SCB08C2009A	-	-	-	-	STA42C2101T	0.14	0.01	200	-	TKN28C2012A	-	-	-	-
SCB08C2101A	0.28	-	13,580	-	STEC01C2101A	0.20	-	5,012	-	TKN28C2012B	0.17	0.03	18,802	-
SCB08P2012A	0.69	-	57,039	-	STEC01P2101A	0.56	0.02	7,359	-	TKN28C2101A	0.64	0.05	1	-
SCB11C2102A	0.34	(0.01)	58,940	-	STEC06C2010A	-	-	-	-	TKN42C2012T	-	-	-	-
SCB11P2012A	0.69	(0.01)	51,836	-	STEC08C2012A	-	-	-	-	TMB13C2011A	-	-	-	-
SCB13C2010A	-	-	-	-	STEC11C2102A	0.23	(0.01)	10,080	-	TMB19C2011A	0.11	(0.01)	1,433	-
SCB13C2011A	0.14	(0.01)	92,818	-	STEC13C2010A	0.01	-	1,140	-	TMB19C2011B	-	-	-	-
SCB13C2012A	0.35	(0.01)	554,779	-	STEC13C2012A	0.12	-	56,147	-	TMB19C2012A	0.14	0.01	17,600	-
SCB13P2010A	0.77	(0.01)	49,444	-	STEC13P2011A	0.28	0.01	45,463	-	TMB19P2011A	0.30	(0.01)	9,282	-
SCB13P2012A	0.66	(0.34)	587,638	-	STEC16C2009A	-	-	-	-	TMB41C2010A	-	-	-	-
SCB19C2010A	0.01	(0.02)	4,000	-	STEC19C2009A	-	-	-	-	TOA13C2011A	0.15	0.01	59,209	-
SCB19C2010B	0.11	(0.01)	212,033	-	STEC19C2011A	-	-	-	-	TOA19C2010A	0.13	0.01	38,826	-
SCB19C2012A	0.23	(0.02)	353,045	-	STEC19C2012A	0.12	(0.01)	146,453	-	TOA19C2012A	0.29	0.04	81,402	-
SCB19P2010A	0.17	(0.01)	129,122	-	STEC19C2101A	0.21	(0.79)	60,070	-	TOA42C2101T	0.16	0.01	4	-
SCB19P2011A	1.24	-	10,794	1.00	STEC19P2011A	0.62	0.03	4,749	-	TOP01C2009A	-	-	-	-
SCB19P2011B	0.62	(0.01)	156,986	-	STEC19P2012A	0.38	0.02	76,918	-	TOP01C2012A	0.19	(0.02)	65,770	-
SCB24C2012A	0.20	(0.01)	69,924	-	STEC28C2011A	-	-	-	-	TOP01P2009A	0.12	0.04	1	-
SCB28C2010A	-	-	-	-	STEC28C2012A	-	-	-	-	TOP01P2012A	0.66	0.04	69,647	-
SCB28C2012A	0.10	-	9,126	-	STEC28C2101A	0.15	(0.01)	27,667	-	TOP06C2011A	-	-	-	-
SCB28C2012B	0.20	-	26,936	-	STEC28C2104L	0.18	(0.01)	21,295	-	TOP06C2102A	0.18	(0.03)	41,150	-
SCB28C2104L	0.21	(0.01)	43,595	-	STEC41C2012A	0.11	(0.02)	3,927	-	TOP06P2010A	-	-	-	-
SCB41C2011A	-	-	-	-	STEC42P2102T	0.28	0.01	686	-	TOP06P2102A	0.70	0.06	26,688	-
SCB41C2011B	-	-	-	-	SUPE08C2012A	0.12	-	2,640	-	TOP08C2010A	-	-	-	-
SCB41C2012A	0.30	-	91,088	-	SUPE08C2102A	0.27	(0.73)	10,965	-	TOP08C2102A	0.35	(0.03)	23,564	-
SCB41P2011A	0.62	-	86,961	-	SUPE19C2010A	0.26	0.02	1,129	-	TOP11C2011A	0.15	(0.01)	6,970	-
SCB42C2101T	-	-	-	-	SUPE19C2011A	0.10	-	39,977	-	TOP13C2010A	0.01	-	3,684	-
SCC01C2101A	0.53	-	58,651	-	SUPE19C2011B	0.04	-	670	-	TOP13C2011A	0.05	0.01	2	-
SCC01P2012A	1.03	(0.02)	28,228	1.00	SUPE19C2012A	0.26	0.02	201,796	-	TOP13C2012A	0.07	(0.01)	54,175	-
SCC06C2012A	0.18	(0.01)	57,290	-	SUPE19P2011A	0.17	(0.02)	44,400	-	TOP13C2012B	0.14	(0.03)	64,543	-
SCC08C2011A	0.15	-	2,160	-	SUPE19P2012A	0.22	(0.02)	21,870	-	TOP13P2010A	0.33	0.04	59,591	-
SCC11C2011A	0.35	(0.01)	6,120	-	SUPE42C2101T	-	-	-	-	TOP13P2012A	0.80	0.04	3	-
SCC13C2011A	0.17	-	3,661	-	S									

Main Board Quotation

Issue Date :

Wednesday September 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TQM19C2010A	3.28	0.24	500	3.00	AKR-W1	0.03	(0.01)	17,466	-					
TQM19C2010B	0.40	0.14	215,077	-	ALT-W1	0.61	0.08	119,999	-					
TQM19C2011A	0.96	0.23	165,809	-	APEX-W1	-	-	-	-					
TQM24C2011A	0.54	0.18	56,460	-	APURE-W2	0.22	0.01	21,107	-					
TQM28C2012A	0.59	0.20	107,252	-	B-W3	-	-	-	-					
TQM28C2102A	1.01	0.22	30,742	-	B-W4	0.05	-	1,016	-					
TQM28C2104L	0.55	0.11	71,780	-	B-W5	0.06	0.02	559	-					
TQM41C2011A	0.67	0.19	27,548	-	BKD-W2	0.08	0.01	10,025	-					
TQM42C2101T	0.60	0.15	3,098	-	BTS-W5	0.65	(0.06)	242,046	-					
TRUE01C2101A	0.28	-	1,905	-	CGD-W4	0.06	-	1,212	-					
TRUE01P2101A	0.58	(0.42)	17,316	-	CGH-W3	0.02	0.01	4	-					
TRUE06C2009A	-	-	-	-	DCC-W1	1.01	-	14,771	1.00					
TRUE06P2011A	0.29	-	21,392	-	ECL-W3	0.08	0.01	3,293	-					
TRUE08C2012A	0.18	(0.01)	6,774	-	EMC-W6	0.04	0.01	30,110	-					
TRUE08P2010A	0.14	-	10,342	-	EP-W3	0.13	0.01	4,627	-					
TRUE11C2101A	0.19	(0.01)	4,080	-	GLOCON-W4	0.45	(0.01)	77,747	-					
TRUE11P2101A	0.54	(0.01)	14,096	-	III-W1	0.54	(0.01)	6,311	-					
TRUE13C2011A	0.09	(0.01)	35,335	-	J-W1	0.67	-	3,166	-					
TRUE13C2101A	0.28	(0.01)	68,675	-	JMART-W3	5.50	0.20	11,132	5.00					
TRUE19C2009A	-	-	-	-	JMART-W4	3.72	0.06	5,281	3.00					
TRUE19C2011A	0.04	(0.01)	546	-	JMT-W2	13.90	0.60	20,912	13.00					
TRUE19C2012A	0.17	(0.01)	18,998	-	MACO-W2	0.07	(0.01)	19,125	-					
TRUE19P2011A	0.29	-	70,196	-	MILL-W4	0.04	0.01	5,187	-					
TRUE28C2011A	-	-	-	-	MINT-W6	0.45	-	22,610	-					
TRUE28C2012A	0.07	-	500	-	MINT-W7	7.80	0.10	44,266	7.00					
TRUE28C2012B	0.10	0.01	4,056	-	NER-W1	1.55	0.01	33,887	1.00					
TRUE28C2101A	0.20	-	14,196	-	NEX-W2	4.50	(0.06)	7,373	4.00					
TRUE28C2103L	0.22	-	12,168	-	NFC-W1	-	-	-	-					
TRUE41C2010A	0.07	-	305	-	NVD-W1	0.06	-	4,407	-					
TRUE42C2101T	-	-	-	-	ORI-W1	-	-	-	-					
TTW19C2011A	-	-	-	-	PACE-W2	-	-	-	-					
TTW24C2012A	-	-	-	-	PACE-W3	-	-	-	-					
TTW27C2009A	0.01	(0.01)	600	-	PDI-W1	0.48	0.01	10,210	-					
TU01C2101A	0.23	0.01	45,301	-	PDJ-W4	0.54	(0.04)	3,729	-					
TU01P2101A	0.42	(0.03)	120,416	-	PERM-W1	0.10	0.01	2,325	-					
TU06C2009A	-	-	-	-	PORT-W1	0.61	0.05	173,677	-					
TU06P2010A	-	-	-	-	PPPM-W4	0.12	0.01	283	-					
TU08C2011A	0.16	-	37,065	-	PRIME-W1	0.02	-	70,732	-					
TU11C2102A	0.21	0.01	83,805	-	PRIME-W2	0.03	0.01	38,098	-					
TU13C2010A	0.10	0.02	1,522	-	SAMART-W2	0.14	-	1,670	-					
TU13C2012A	0.19	0.01	174,650	-	SAWAD-W2	12.70	(0.30)	83,583	12.00					
TU19C2009A	-	-	-	-	SDC-W1	-	-	-	-					
TU19C2010A	0.09	0.01	4,871	-	SINGER-W1	6.95	0.30	5,944	6.00					
TU19C2012A	0.18	0.01	54,826	-	SINGER-W2	4.48	0.10	646	4.00					
TU19P2011A	0.10	(0.02)	101,850	-	SST-W2	0.87	(0.04)	144	-					
TU19P2012A	0.32	(0.01)	106,991	-	TCC-W3	0.04	0.01	7,025	-					
TU24C2011A	0.20	0.02	115,932	-	TCC-W4	0.04	-	7,010	-					
TU28C2011A	0.10	(0.01)	11,146	-	TCC-W5	0.11	-	1,017	-					
TU28C2012A	0.08	0.01	1,150	-	TGPRO-W3	-	-	-	-					
TU28C2103L	0.20	(0.01)	22,994	-	TNITY-W1	0.08	(0.02)	16,018	-					
TU41C2010A	-	-	-	-	TRITN-W3	0.15	0.02	24,716	-					
TU41C2101A	0.12	(0.01)	35,746	-	TTCL-W1	0.40	-	8,456	-					
TU42C2101T	-	-	-	-	U-W4	-	-	-	-					
TVO13C2011A	0.32	(0.01)	23,704	-	VGI-W2	0.77	-	109,751	-					
TVO13C2012A	0.37	-	120,123	-	VIBHA-W3	0.11	-	15,289	-					
TVO19C2011A	0.40	-	3,951	-	W-W3	0.05	0.01	3,179	-					
TVO19C2012A	0.33	-	110,746	-	WIIK-W2	0.27	0.03	51,917	-					
VGI01C2012A	0.28	-	38,336	-	ZMICO-W4	0.07	(0.01)	16,525	-					
VGI06C2010A	0.04	0.01	100	-	Preferred Shares	-	-	-	-					
VGI06C2101A	0.26	-	49,492	-	BH-P	-	-	-	-					
VGI11C2101A	0.19	0.01	11,525	-	CSC-P	-	-	-	-					
VGI13C2010A	-	-	-	-	JUTHA-P	-	-	-	-					
VGI13C2012A	0.18	0.01	480,387	-	KTB-P	-	-	-	-					
VGI19C2010A	-	-	-	-	SCB-P	-	-	-	-					
VGI19C2012A	0.22	-	52,545	-	TCAP-P	-	-	-	-					
VGI19C2012B	0.32	-	107,496	-	TISCO-P	-	-	-	-					
VGI19C2012C	0.12	-	51,048	-	U-P	1.66	0.02	1	1.00					
VGI24C2012A	0.20	0.02	11,344	-	Warrant (MAI)	-	-	-	-					
VGI28C2101A	0.15	-	15,210	-	ALL-W1	0.59	0.01	44,579	-					
VGI28C2103L	0.19	0.01	15,703	-	BROOK-W5	0.13	(0.01)	10,598	-					
VGI41C2011A	-	-	-	-	CHAYO-W1	2.24	0.10	22,066	2.00					
VGI42C2101T	0.07	-	46	-	CHO-W2	0.01	-	38,616	-					
WHA01C2009A	-	-	-	-	CIG-W8	-	-	-	-					
WHA01C2101A	0.24	-	51,841	-	D-W1	0.75	(0.10)	155	-					
WHA01P2009A	-	-	-	-	DIMET-W3	-	-	-	-					
WHA01P2101A	0.76	-	39,341	-	DOD-W1	0.61	0.02	93,644	-					
WHA06C2010A	0.06	0.01	2,032	-	ECF-W3	0.09	(0.01)	3,152	-					
WHA06P2012A	0.60	0.02	47,529	-	HPT-W1	0.30	-	700	-					
WHA08C2011A	0.14	(0.01)	36,072	-	HYDRO-W1	0.03	(0.01)	6,737	-					
WHA11C2101A	0.23	-	59,890	-	ITEL-W1	0.15	0.01	58,414	-					
WHA13C2011A	0.08	(0.01)	58,254	-	ITEL-W2	0.46	0.02	148,141	-					
WHA13P2011A	0.39	(0.01)	148,083	-	LIT-W1	0.45	0.01	1,870	-					
WHA19C2010A	0.13	(0.01)	127,442	-	META-W4	0.01	-	22,873	-					
WHA19C2011A	0.09	-	43,300	-	NEWS-W6	-	-	-	-					
WHA19P2011A	0.44	(0.01)	69,567	-	OCEAN-W3	0.21	-	7,499	-					
WHA28C2011A	-	-	-	-	RWI-W2	0.11	-	15,824	-					
WHA28C2012A	0.21	-	56,609	-	SANKO-W1	-	-	-	-					
WHA28C2102A	0.26	-	76,731	-	SIMAT-W3	0.44	(0.03)	1,548	-					
WHA28C2102L	0.12	-	14,703	-	SIMAT-W4	2.50	(0.06)	28	2.00					
WHA42C2101T	-	-	-	-	SMART-W2	0.17	(0.01)	12,811	-					
WHAU13C2012A	0.17	(0.01)	9,222	-	SWC-W1	2.96	(0.02)	179	2.00					
WHAU19C2012A	0.20	(0.03)	104,599	-	TAKUNI-W	0.03	0.01	1,390	-					
Preferred/Foreign	-	-	-	-	TAPAC-W4	0.20	(0.01)	23,665	-					
BH-Q	-	-	-	-	TVD-W2	0.23	0.01	47,384	-					
CSC-Q	-	-	-	-	UREKA-W2	0.26	-	1,624	-					
JUTHA-Q	-	-	-	-	Preferred Shares	-	-	-	-					
KTB-Q	-	-	-	-	SGF-P1	-	-	-	-					
SCB-Q	-	-	-	-										
TCAP-Q	-	-	-	-										
TISCO-Q	-	-	-	-										
U-Q	-	-	-	-										
Warrant	-	-	-	-										
7UP-W4	0.11	-	3,846	-										