

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Thursday September 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.24	0.04	113,840	3.21	MAJOR	15.80	(0.30)	55,104	15.57
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	-	-	-	-
VI	-	-	-	-	DIF	14.60	(0.20)	194,975	14.67	MATI	4.00	(0.04)	11	4.00
WORLD	-	-	-	-	DTAC	31.50	(1.25)	70,245	31.81	MCOT	4.32	(0.16)	1,156	4.34
WR	-	-	-	-	FORTH	6.30	(0.10)	4,501	6.34	MONO	2.52	-	44,749	2.58
Agribusiness	-	-	-	-	HUMAN	8.45	0.05	12,919	8.46	MPIC	-	-	-	-
EE	0.70	(0.02)	174,283	0.71	ILINK	5.55	0.05	54,410	5.49	NMG	-	-	-	-
GPPT	12.20	-	35,882	12.11	INET	3.44	0.24	270,149	3.42	PLANB	5.55	-	116,166	5.55
LEE	2.20	(0.02)	1,297	2.20	INTUCH	51.75	(1.75)	169,328	52.10	POST	-	-	-	-
MAX	0.01	-	807,632	0.01	JAS	2.92	(0.04)	1,128,939	2.96	PRAKIT	-	-	-	-
NER	3.28	(0.04)	379,359	3.30	JASIF	9.55	(0.05)	58,279	9.56	SE-ED	-	-	-	-
PPPM	0.34	-	806	0.34	JMART	15.10	0.30	169,155	14.94	TBSP	14.40	1.50	22	14.33
STA	28.25	0.50	242,816	27.96	JTS	3.04	0.02	99,859	3.17	TH	-	-	-	-
TRUBB	1.68	(0.02)	39,171	1.68	MFEK	4.82	(0.06)	10,273	4.85	TKS	5.40	(0.10)	6,707	5.32
TPWC	3.38	(0.02)	3,975	3.37	MSC	6.05	0.05	708	6.00	VGI	6.55	0.05	150,412	6.49
UPOIC	3.46	0.06	3	3.46	PT	5.20	(0.05)	1,618	5.18	WAVE	0.65	(0.07)	36,446	0.63
UVAN	4.66	0.10	6,158	4.64	SAMART	4.82	(0.02)	3,650	4.81	WORK	10.40	-	7,873	10.40
VPO	0.35	(0.01)	9,244	0.34	SAMTEL	4.92	0.04	593	4.87	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.15	-	13,203	0.15	AEC	0.14	0.01	22,165	0.14
BAY	19.90	0.20	2,535	19.73	SIS	15.40	0.30	39,712	15.42	AEONTS	111.50	1.00	16,583	111.98
BBL	96.50	0.75	113,816	95.99	SVOA	1.17	(0.02)	105,647	1.19	AMANA	2.52	(0.02)	35,744	2.52
CIMBT	0.54	-	4,394	0.54	SYMC	4.42	(0.04)	588	4.44	ASAP	2.22	0.08	29,185	2.22
KBANK	75.75	1.50	278,811	75.38	SYNEX	13.50	(0.40)	46,587	13.59	ASK	17.80	(0.30)	9,393	17.93
KKP	37.25	0.50	34,408	36.91	THCOM	6.15	0.50	323,269	5.93	ASP	1.67	(0.01)	22,126	1.67
KTB	8.95	-	363,595	8.89	TRUE	3.18	-	523,563	3.15	BAM	19.90	(0.50)	304,648	20.07
LHFG	0.89	0.01	34,498	0.88	TWZ	0.06	-	332,700	0.06	BFIT	27.75	(1.00)	6,288	28.01
SCB	64.50	0.25	133,071	63.83	Electronic Componer	-	-	-	-	CGH	0.68	-	10,752	0.66
TCAP	30.50	0.25	32,972	30.14	CCET	2.36	0.20	970,629	2.32	ECL	0.83	0.01	78,866	0.83
TISCO	63.25	0.25	31,434	63.08	DELTA	156.00	4.50	52,048	153.53	FNS	3.04	(0.02)	4,686	3.03
TMB	0.91	0.01	2,163,306	0.89	HANA	43.75	0.25	98,538	42.99	FSS	1.32	0.02	367	1.30
Construction Materia	-	-	-	-	KCE	30.50	(0.75)	251,686	30.39	GBX	0.43	-	1,110	0.43
CCP	0.51	0.05	458,992	0.49	METCO	147.50	0.50	29	148.21	GL	3.06	(0.02)	6,599	3.05
COTTO	1.11	(0.01)	10,209	1.10	NEX	4.18	(0.14)	66,872	4.25	IFS	2.34	(0.02)	1,015	2.34
DCC	2.62	0.04	171,565	2.63	SMT	3.00	0.02	389,755	3.02	JMT	33.25	0.75	63,513	32.89
DCON	0.34	-	70,244	0.34	SVI	3.94	(0.06)	228,508	3.98	KCAR	7.55	-	908	7.55
DRT	6.35	-	3,577	6.38	TEAM	0.87	-	1,052	0.87	KGI	2.88	(0.06)	39,499	2.88
EPG	4.98	0.16	130,680	4.96	W	0.21	0.01	366,886	0.20	KTC	34.00	-	91,719	33.88
GEL	0.17	(0.02)	58,383	0.18	Energy & Utilities	-	-	-	-	MBKET	7.10	(0.15)	833	7.03
PPP	2.06	0.02	221	2.02	7UP	0.31	(0.01)	224,864	0.32	MFC	13.50	(0.30)	105	13.50
Q-CON	-	-	-	-	ABPIF	2.96	(0.02)	685	2.96	ML	0.84	(0.07)	22,090	0.86
RCI	3.76	(0.02)	975	3.76	ACE	3.02	(0.02)	136,272	3.00	MTC	51.25	(1.75)	120,337	51.39
SCC	323.00	(8.00)	23,834	324.98	AI	1.82	(0.02)	139,979	1.83	PE	-	-	-	-
SCCC	121.00	(2.00)	2,158	121.53	AKR	0.47	-	4,035	0.47	PL	2.00	-	312	1.99
SCP	6.00	-	3,746	5.97	BAFS	20.60	(0.10)	1,245	20.55	S11	6.25	(0.05)	3,641	6.20
SKN	2.48	0.08	6,044	2.46	BANPU	5.90	(0.40)	934,383	6.05	SAWAD	49.25	(1.25)	247,468	49.44
TASCO	16.10	0.50	804,468	15.97	BCP	15.30	(0.30)	17,040	15.34	THANI	3.96	0.04	193,678	3.92
TCMC	1.14	(0.03)	101,051	1.15	BCPG	11.90	(0.20)	41,776	11.98	TK	6.95	-	1,764	6.92
TOA	37.00	-	26,517	36.85	BGRIM	41.50	(2.00)	103,226	42.17	TNITY	3.64	(0.04)	426	3.63
TPIPL	1.32	-	110,036	1.30	BPP	13.30	(0.40)	25,567	13.42	UOBKH	3.02	-	25	3.02
UMI	0.59	(0.02)	3,030	0.60	BRRGIF	6.05	(0.05)	402	6.04	ZMICO	0.60	0.01	821	0.59
VNG	3.12	0.02	46	3.11	CKP	5.85	(0.05)	319,803	5.92	Food & Beverage	-	-	-	-
WIJK	2.02	(0.10)	29,858	2.06	DEMCO	2.90	-	389	2.88	APURE	1.80	(0.02)	8,589	1.81
Petrochemicals & Ch	-	-	-	-	EA	39.50	-	49,152	39.35	ASIAN	11.20	(0.10)	92,172	11.18
BCT	41.00	(0.25)	175	41.01	EASTW	9.40	(0.05)	2,417	9.41	BR	1.88	-	6,414	1.88
CMAN	1.15	(0.01)	1,579	1.16	EGATIF	12.00	-	7,040	12.10	BRR	2.80	-	271	2.79
GC	5.20	(0.05)	785	5.21	EGCO	191.00	(3.50)	13,208	192.38	CBG	117.50	(0.50)	78,316	118.35
GCC	8.45	(0.10)	3,238	8.47	EP	3.68	(0.02)	6,701	3.67	CFRESH	4.06	(0.24)	37,072	4.15
GIFT	1.89	(0.04)	6,332	1.89	ESSO	6.10	(0.10)	172,911	6.10	CHOTI	-	-	-	-
IVL	21.60	(0.20)	228,039	21.62	Gpsc	59.00	(3.75)	135,149	60.41	CM	2.72	(0.02)	2,221	2.70
NFC	-	-	-	-	GREEN	1.14	(0.01)	3,114	1.11	CPF	28.25	(1.00)	456,497	28.49
PATO	9.85	0.05	25	9.80	GULF	29.25	(1.50)	439,460	29.78	CPI	-	-	-	-
PMTA	-	-	-	-	GUNKUL	2.30	0.02	150,676	2.30	F&D	-	-	-	-
PTTGC	39.75	1.25	253,793	39.30	IFEC	-	-	-	-	HTC	29.00	1.75	35,564	28.62
SUTHA	3.02	(0.14)	15	3.03	IRPC	2.00	(0.06)	729,712	2.01	ICHI	12.10	(0.30)	239,415	12.27
TCCC	22.50	(0.10)	38	22.51	KBSPIF	9.90	(0.05)	2,103	9.90	KBS	3.02	-	178	3.02
TPA	5.05	(0.05)	102	5.02	LANNA	6.00	(0.05)	834	6.01	KSL	2.06	0.02	18,647	2.07
UAC	3.74	0.02	1,718	3.71	MDX	2.20	(0.08)	9,913	2.20	KTIS	2.48	(0.02)	643	2.43
UP	-	-	-	-	PDI	6.50	(0.20)	5,451	6.64	LST	4.38	0.08	2,309	4.36
VNT	23.40	0.70	19,451	23.20	PRIME	0.51	(0.03)	292,494	0.52	M	48.50	0.75	6,315	48.00
WG	185.50	-	13	185.62	PTG	18.00	(0.30)	104,238	18.06	MALEE	6.55	0.20	7,064	6.59
YCI	-	-	-	-	PTT	32.50	(1.00)	651,054	32.81	MINT	20.70	(0.50)	523,622	20.83
Commerce	-	-	-	-	PTTEP	80.50	(2.00)	144,723	80.63	OISHI	39.50	-	311	39.45
BEAUTY	1.14	(0.03)	204,723	1.14	RATCH	49.25	(1.25)	57,197	49.76	OSP	35.50	(0.75)	127,542	36.02
BIG	0.43	(0.01)	21,166	0.44	RPC	0.45	-	2,993	0.45	PB	70.25	-	14	70.02
BJC	36.50	(0.50)	60,675	35.98	SCG	3.52	(0.04)	76	3.53	PM	7.55	(0.10)	16,729	7.54
COL	18.60	(0.10)	17,046	18.66	SCI	1.32	(0.01)	7,111	1.31	PRG	-	-	-	-
COM7	40.25	(1.00)	45,993	40.55	SCN	1.79	0.02	48,427	1.79	RBF	10.10	-	386,409	10.13
CPALL	60.75	(0.25)	220,554	60.78	SGP	8.55	(0.10)	4,095	8.58	SAPPE	21.60	(0.30)	17,820	21.94
CPW	1.99	0.01	235,084	2.00	SKE	0.55	(0.02)	18,712	0.56	SAUCE	25.25	0.25	17	25.11
CRC	26.75	(0.25)	124,660	26.70	SOLAR	0.94	-	2,984	0.93	SFP	-	-	-	-
CSS	1.43	0.13	386,278	1.39	SPCG	19.00	0.40	30,789	18.79	SNP	-	-	-	-
DOHOME	14.50	-	277,712	14.57	SPRC	5.45	(0.20)	134,917	5.54	SORKON	5.30	0.05	141	5.21
FN	1.27	(0.04)	109,380	1.29	SSP	7.05	-	5,008	7.02	SSC	32.25	-	1	32.25
FTE	1.49	(0.01)	1,218	1.49	SUPER	0.89	-	3,797,962	0.87	SSF	-	-	-	-
GLOBAL	19.50	-	81,616	19.46	SUPEREIF	11.70	(0.10)	4,636	11.67	SST	2.42	(0.02)	2	2.43
HMPRO	14.10	(0.10)	235,718	14.22	SUSCO	2.62	(0.04)	11,351	2.64	TC	3.78	0.10	12,339	3.78
ILM	11.70	(0.10)	8,914	11.70	TAE	2.28	-	3,206	2.26	TFG	4.24	(0.06)	70,407	4.27
IT	2.50	0.04	1,032	2.46	TCC	0.18	(0.01)	19,575	0.18	TFMAMA	198.50	(0.50)	44	198.47
KAMART	2.78	(0.02)	13,370	2.78	TOP	33.00	(1.75)	249,983	33.56	TIPCO	5.85	0.05	28,809	5.84
LOXLEY	1.36	-	5,942	1.36	TPIPP	4.18	-	46,741	4.17	TKN	10.60	(0.10)	104,789	10.57
MAKRO	44.00	(1.00)	15,233	44.25	TSE	2.74	(0.02)	53,138	2.77	TU	13.90	0.30	256,079	13.77
MC	9.80	0.15	54,733	9.83	TTW	12.80	(0.10)	31,786	12.88	TVO	33.50	(0.50)	28,625	33.60
MEGA														

## Main Board Quotation

Issue Date :

Thursday September 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
M-CHAI	-	-	-	-	AWC	3.78	(0.06)	272,189	3.79	HFT	3.46	(0.06)	5,739	3.46
NEW	-	-	-	-	BLAND	1.03	(0.03)	457,154	1.04	IHL	3.10	(0.12)	84,405	3.20
NTV	41.25	-	5	41.20	BROCK	1.50	0.04	2	1.50	INGRS	0.47	0.01	17,707	0.46
PR9	6.55	(0.10)	3,621	6.55	CGD	0.64	(0.03)	65,644	0.66	IRC	12.00	(0.30)	42	12.01
PRINC	2.64	(0.06)	4,629	2.66	CI	0.68	0.01	975	0.69	PCSGH	4.40	-	10	4.40
RAM	137.50	(0.50)	125	137.94	CPN	42.00	(0.25)	84,855	41.66	SAT	13.30	0.10	34,137	13.52
RJH	22.00	(0.20)	2,860	22.30	ESTAR	0.34	-	804	0.33	SPG	12.80	(0.10)	13	12.72
RPH	5.25	(0.10)	2,395	5.27	EVER	0.21	(0.01)	91,436	0.21	STANLY	144.50	(1.00)	274	144.53
SKR	6.05	0.05	918	5.98	FPT	10.80	-	705	10.67	TKT	0.91	(0.04)	557	0.93
SVH	406.00	(4.00)	17	406.47	GLAND	2.16	-	189	2.10	TNCP	0.73	(0.01)	30	0.73
THG	19.20	0.90	11,293	18.78	J	1.23	-	39,116	1.24	TRU	3.38	(0.02)	50	3.38
VIBHA	1.56	0.03	32,190	1.53	JCK	1.58	(0.06)	131,774	1.62	TSC	9.10	(0.20)	21	9.20
VIH	6.15	(0.10)	18,017	6.19	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.53	-	336	1.53	KWG	0.73	0.04	459	0.72	ALLA	1.10	(0.01)	8,825	1.10
Tourism & Leisure	-	-	-	-	LALIN	5.40	(0.10)	3,631	5.45	ASEFA	3.14	(0.04)	1,953	3.12
ASIA	4.50	(0.10)	137	4.50	LH	6.90	(0.10)	541,337	6.85	CPT	0.80	(0.01)	991	0.81
CENTEL	22.80	(0.10)	33,821	22.73	LPN	4.52	0.04	54,455	4.52	CRANE	1.73	(0.06)	25,976	1.75
CSR	72.00	1.75	1	72.00	MBK	12.00	(0.20)	6,722	12.05	CTW	5.30	(0.25)	2,270	5.36
DTC	7.05	-	399	7.05	MJD	1.46	(0.01)	1,426	1.47	FMT	-	-	-	-
ERW	3.18	(0.02)	76,343	3.20	MK	2.80	(0.02)	696	2.82	HTECH	2.74	(0.02)	28,146	2.74
GRAND	0.51	(0.01)	1,526	0.52	NCH	0.90	-	2,390	0.90	KKC	0.55	0.02	4,342	0.54
LRH	31.00	1.25	1	31.00	NNCL	1.93	(0.04)	8,558	1.96	PK	1.28	(0.02)	559	1.26
MANRIN	21.20	(0.80)	4	21.20	NOBLE	17.40	1.50	206,533	16.76	SNC	10.00	-	2,034	10.00
OHTL	310.00	(8.00)	1	310.00	NUSA	0.30	0.01	11,680	0.30	STARK	2.04	-	44,390	2.04
ROH	38.00	-	10	38.00	NVD	1.14	0.04	9,578	1.15	TCJ	3.26	(0.04)	374	3.26
SHANG	-	-	-	-	ORI	6.45	(0.05)	72,618	6.35	VARO	3.06	-	4	3.06
SHR	1.93	(0.02)	36,193	1.94	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
VRANDA	5.55	(0.05)	1	5.55	PF	0.34	-	50,389	0.34	AIMCG	6.05	-	623	6.03
Home & Office Produ	-	-	-	-	PLAT	2.32	(0.02)	5,983	2.32	AIMIRT	13.50	(0.10)	1,245	13.51
ACC	0.60	-	681	0.60	POLAR	-	-	-	-	AMATAR	10.10	-	101	10.00
AJA	0.12	-	37,154	0.12	PRECHA	0.92	0.04	21,075	0.97	B-WORK	11.50	(0.10)	112	11.49
DTCI	-	-	-	-	PRIN	1.63	-	1,044	1.63	BKER	5.60	(0.05)	1,237	5.60
FANCY	0.47	0.01	1,576	0.47	PSH	10.90	-	7,455	10.83	BKKCP	11.90	-	202	11.80
KYE	307.00	-	2	307.00	QH	2.22	-	130,628	2.20	BOFFICE	11.30	(0.50)	3,183	11.64
L&E	1.69	0.02	42	1.63	RICHY	0.68	-	1,091	0.68	CPNCG	10.10	(0.10)	7,508	10.04
MODERN	2.50	0.02	1,638	2.48	RML	0.61	(0.01)	23,552	0.61	CPNREIT	24.90	0.30	8,834	24.75
OGC	-	-	-	-	ROJNA	4.12	(0.04)	12,018	4.12	CPTGF	10.00	(0.10)	1,369	10.02
ROCK	-	-	-	-	S	1.32	0.02	5,845	1.31	CTARAF	4.96	(0.04)	2,934	4.96
SIAM	1.39	-	967	1.37	SAMCO	1.19	-	396	1.18	DREIT	3.88	(0.02)	121	3.86
TSR	3.38	-	66,790	3.40	SC	2.16	(0.02)	35,578	2.18	ERWPF	-	-	-	-
Insurance	-	-	-	-	SENA	2.68	-	6,753	2.67	FTREIT	14.30	-	2,268	14.30
AYUD	32.75	-	30	32.75	SF	4.50	0.02	21,323	4.52	FUTUREPF	19.00	(0.10)	1,327	19.00
BKI	282.00	-	130	281.74	SIRI	0.64	(0.02)	463,816	0.65	GAHREIT	8.15	-	6	8.00
BLA	17.60	(0.30)	11,952	17.59	SPALI	15.50	0.30	28,362	15.39	GOLDPF	6.00	0.50	1	6.00
BUI	-	-	-	-	U	1.13	(0.06)	70,285	1.16	GVREIT	12.10	-	36	12.09
CHARAN	-	-	-	-	UV	2.48	(0.04)	10,069	2.51	HPF	-	-	-	-
INSURE	-	-	-	-	WHA	2.76	(0.06)	852,761	2.75	HREIT	7.95	0.15	6,035	7.91
MTI	83.00	(1.00)	23	83.12	WIN	0.37	-	2,070	0.38	IMPACT	18.60	(0.30)	3,253	18.68
NKI	46.50	1.00	5	46.50	Paper & Printing Mat	-	-	-	-	KNPFP	6.70	(0.10)	87	6.70
NSI	70.75	0.50	4	70.88	UTP	14.20	0.10	94,631	14.31	LHHOTEL	9.90	0.20	22	9.68
SEG	24.00	(1.00)	42	24.20	Fashion	-	-	-	-	LHPF	5.40	-	90	5.39
SMK	37.75	1.00	370	38.56	AFC	-	-	-	-	LHSC	11.80	(0.10)	872	11.71
THRE	0.90	(0.02)	60,880	0.91	B52	0.16	0.01	12,113	0.16	LUXF	6.30	0.05	148	6.31
THREL	2.30	(0.02)	35,220	2.32	BTNC	11.20	(0.20)	2	11.20	M-II	7.05	-	15	7.05
TIP	23.70	(0.30)	13,299	23.56	CPH	-	-	-	-	M-PAT	2.64	(0.08)	2	2.64
TQM	140.50	(4.00)	29,996	143.15	CPL	0.99	(0.01)	80	1.00	M-STOR	-	-	-	-
TSI	0.27	(0.01)	9,503	0.27	ICC	27.75	-	11	27.75	MIPF	13.80	-	9	15.13
TVI	3.38	(0.06)	802	3.37	NC	-	-	-	-	MIT	-	-	-	-
Mining	-	-	-	-	PAF	0.53	(0.01)	179	0.52	MJLF	6.80	(0.05)	555	6.89
THL	-	-	-	-	PDJ	1.44	(0.02)	2,347	1.44	MNIT	-	-	-	-
Packaging	-	-	-	-	PG	4.78	-	13	4.78	MNIT2	4.24	0.54	9	4.16
AJ	15.00	(0.30)	5,102	15.26	SABINA	21.40	(0.50)	9,738	21.36	MNRF	2.88	0.20	1	2.88
ALUCON	153.00	-	5	153.00	SAWANG	-	-	-	-	POPF	10.30	(0.10)	624	10.27
BGC	12.90	(0.40)	39,613	13.00	SUC	33.75	0.25	10	33.93	PPF	11.30	-	51	11.30
CSC	49.75	(0.50)	30	49.27	TNL	-	-	-	-	PROSPECT	9.15	(0.20)	2,394	9.19
GLOCON	0.94	(0.01)	35,163	0.94	TPCORP	-	-	-	-	QHHR	5.70	(0.10)	778	5.73
NEP	0.25	-	5,380	0.24	TR	21.00	(0.50)	102	21.07	QHOP	2.18	(0.10)	15	2.18
PTL	21.70	(0.50)	85,572	21.90	TTI	18.40	0.60	4	18.33	QHPP	9.45	(0.15)	6,087	9.50
SFLEX	5.50	(0.05)	3,649	5.48	TTT	52.25	-	3	52.08	SBPF	-	-	-	-
SITHAI	0.53	-	2,096	0.52	UPF	58.00	3.00	18	53.93	SHREIT	-	-	-	-
SLP	0.40	-	14	0.39	UT	-	-	-	-	SIRIP	8.30	(0.25)	12	8.32
SMPC	12.60	0.10	20,742	12.49	WACOAL	-	-	-	-	SPF	12.60	0.10	3,129	12.55
SPACK	2.36	-	3,068	2.38	Transportation & Log	-	-	-	-	SPRIME	9.10	0.10	491	9.00
TCOAT	-	-	-	-	AAV	1.84	(0.01)	136,571	1.84	SRIPANWA	7.85	(0.15)	961	7.85
TFI	0.15	0.01	18,317	0.15	AOT	56.50	(2.50)	491,313	56.54	SSPF	9.20	(0.05)	213	9.02
THIP	24.10	(0.30)	611	24.10	ASIMAR	1.30	(0.03)	12,997	1.33	SSTRT	5.20	(0.05)	126	5.20
TMD	22.00	0.20	124	21.84	B	0.30	-	5,353	0.29	TIF1	8.40	-	25	8.40
TOPP	-	-	-	-	BA	5.30	-	6,028	5.29	TLGF	16.90	(0.10)	808	16.90
TPBI	4.66	0.02	165	4.64	BEM	8.80	-	257,733	8.74	TLHPF	8.50	(0.15)	70	8.53
TPP	-	-	-	-	BTS	9.85	(0.15)	429,265	9.86	TNPF	2.06	0.04	19	2.06
Personal Products &	-	-	-	-	BTSGIF	6.15	0.10	66,907	6.05	TPRIME	12.70	(0.10)	1,100	12.71
APCO	3.58	0.02	515	3.53	III	4.04	(0.08)	5,167	4.08	TTLPF	22.20	(0.20)	3	22.37
DDD	17.00	0.10	19,414	17.19	JUTHA	0.45	(0.02)	1,020	0.41	TU-PF	0.87	(0.01)	6	0.86
JCT	77.75	0.25	4	78.25	JWD	7.25	0.10	29,406	7.26	URBNPF	-	-	-	-
OCC	-	-	-	-	KWC	-	-	-	-	WHABT	8.60	(0.15)	2	8.60
S & J	-	-	-	-	NOK	0.64	-	1,480	0.63	WHART	14.70	0.10	5,934	14.61
STGT	76.50	3.50	272,921	74.90	NYT	3.18	(0.02)	38,037	3.21	Steel	-	-	-	-
STHAI	-	-	-	-	PORT	2.20	0.06	66,809	2.16	AMC	1.49	(0.02)	126	1.49
TNR	9.95	(0.05)	16	9.95	PRM	9.10	0.05	194,779	9.00	BSBM	0.82	(0.02)	392	0.83
TOG	3.36	0.02	224	3.31	PSL	4.76	(0.06)	295,776	4.78	CEN	0.70	0.01	237	0.70
Professional Service	-	-	-	-	RCL	5.35	0.05	141,220	5.34	CITY	-	-	-	-
BWG	0.48	-	327,532	0.48	TFFIF	9.80	(0.20)	120,571	9.89	CSP	0.53	-	535	0.53
GENCO	0.47	-	2,675	0.47	THAI	3.18	(0.06)	30,173	3.19	GJS	0.09	-	411	0.08
PRO	-	-	-	-	TSTE	6.75	(0.10)	8	6.81	GSTEEL	-	-	-	-
SISB	8.45	(0.35)	8,222	8.57	TTA	3.14	(0.12)	152,990	3.17	INOX	0.42	-	6,458	0.42
Property Developer	-	-	-	-	WICE	5.20	0.05	201,897	5.25	LHK	2.18	(0.02)	1,182	2.19
A	4.98	-	40	4.98	Automotive	-	-	-	-	MCS	12.50	-	14,932	12.63

## Main Board Quotation

Issue Date :

Thursday September 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	AIE	0.59	(0.01)	29,028	-	ADVA08C2012A	0.23	(0.06)	10,720	-
ABICO	6.80	0.60	41,561	6.00	ETC	1.83	0.05	362,779	1.00	ADVA08P2009A	-	-	-	-
AU	9.55	(0.25)	44,452	9.00	PSTC	1.61	(0.03)	70,194	1.00	ADVA08P2101A	0.98	0.10	47,773	-
JCKH	0.31	0.02	2,668	-	QTC	3.92	(0.02)	468	3.00	ADVA11C2011A	0.22	(0.05)	48,860	-
KASET	1.53	-	3,137	1.00	SAAM	1.01	-	1,048	1.00	ADVA11P2011A	0.50	0.04	36,230	-
MM	1.94	0.02	201	1.00	SEAOIL	2.40	(0.02)	10,610	2.00	ADVA13C2010A	0.01	(0.02)	2	-
SUN	2.72	-	4,349	2.00	SR	0.61	(0.07)	2,323	-	ADVA13C2012A	0.27	(0.07)	146,547	-
TACC	6.55	(0.10)	81,913	6.00	TAKUNI	0.38	(0.02)	658	-	ADVA13P2012A	0.90	0.11	69,687	-
TMILL	3.04	-	2,407	3.00	TPCH	11.60	(0.10)	5,937	11.00	ADVA16C2009A	-	-	-	-
XO	9.30	(0.05)	92,354	9.00	TRT	1.64	-	4	1.00	ADVA19C2009A	-	-	-	-
Consumer Products					UMS	0.28	-	6	-	ADVA19C2010A	-	-	-	-
BGT	-	-	-	-	UPA	0.16	(0.01)	118,962	-	ADVA19C2010B	0.08	(0.02)	6,000	-
BIZ	3.14	(0.06)	1,487	3.00	UWC	0.05	-	31,120	-	ADVA19C2012A	0.25	(0.07)	188,573	-
DOD	9.60	(0.30)	275,135	9.00	Services (MAI)	-	-	-	-	ADVA19P2009A	-	-	-	-
ECF	1.26	(0.01)	231,789	1.00	A5	-	-	-	-	ADVA19P2010A	0.24	0.04	176,783	-
HPT	0.85	(0.04)	434	-	AKP	0.84	0.01	1,315	-	ADVA19P2012A	0.77	0.08	233,253	-
IP	12.70	(0.20)	47,351	12.00	AMA	4.88	0.38	242,480	4.00	ADVA24C2009A	-	-	-	-
JUBILE	17.60	-	201	17.00	ARIP	0.37	(0.01)	3,881	-	ADVA24C2101A	0.30	(0.06)	42,039	-
MOONG	3.74	(0.04)	725	3.00	ATP30	0.78	(0.01)	28,006	-	ADVA28C2011A	-	-	-	-
NPK	17.50	1.00	5	16.00	AUCT	14.60	(0.30)	60,539	14.00	ADVA28C2012A	-	-	-	-
OCEAN	0.82	0.01	592	-	BOL	4.54	(0.12)	8,314	4.00	ADVA28C2012B	0.07	(0.03)	14,068	-
TM	2.30	-	3,237	2.00	CMO	0.88	-	1,329	-	ADVA28C2101A	0.28	(0.07)	48,622	-
Financials (MAI)					D	3.22	(0.10)	2,593	3.00	ADVA28C2102L	0.20	(0.04)	16,240	-
ACAP	0.67	(0.01)	967	-	DV8	0.31	-	8,170	-	ADVA28P2012A	0.23	0.03	21,480	-
AF	0.58	0.04	1,779	-	EFORL	0.03	-	150,315	-	ADVA41C2010A	-	-	-	-
AIRA	-	-	-	-	ETE	0.92	(0.01)	1,623	-	ADVA41C2010B	-	-	-	-
ASN	4.20	(0.20)	46	4.00	FSMART	8.30	-	89,972	8.00	ADVA41C2011A	0.20	(0.06)	126,000	-
BROOK	0.39	-	8,900	-	FVC	0.40	0.01	11,425	-	ADVA41P2011A	-	-	-	-
CHAYO	7.75	(0.15)	75,043	7.00	GSC	1.32	(0.05)	1,932	1.00	ADVA41P2101A	0.69	0.08	64,156	-
GCAP	1.40	(0.05)	60,874	1.00	HARN	2.12	-	2,249	2.00	ADVA42C2102T	0.31	(0.03)	12	-
LIT	3.18	-	3,793	3.00	IMH	2.14	(0.02)	881	2.00	AEON13C2010A	0.02	-	19,313	-
MITSI	1.05	0.01	1,891	1.00	JKN	11.00	(0.10)	149,889	10.00	AEON13C2011A	0.18	-	34,071	-
SGF	0.53	(0.01)	33,647	-	KIAT	0.47	0.01	39,748	-	AEON13C2012A	0.60	0.01	81,407	-
Industrials (MAI)					KOOL	0.98	(0.04)	54,689	1.00	AEON19C2010A	0.06	0.01	1,190	-
ZS	3.12	(0.04)	1,249	3.00	LDC	1.16	(0.04)	1,933	1.00	AEON19C2010B	0.17	-	14	-
ADB	0.75	(0.01)	1,078	-	MORE	0.81	(0.01)	629,514	-	AEON19C2011A	0.89	0.01	6,977	-
BM	2.02	(0.08)	320	2.00	MPG	0.21	(0.03)	19,290	-	AEON19C2012A	0.51	0.01	280,596	-
CHO	0.49	(0.01)	55,658	-	MVP	1.14	-	1,599	1.00	AEON28C2012A	0.44	0.01	132,070	-
CHOW	1.66	(0.03)	432	1.00	NBC	0.53	-	871	-	AEON28C2101A	-	-	-	-
CIG	0.21	-	10,516	-	NCL	0.65	(0.03)	9,538	-	AEON42C2101T	-	-	-	-
COLOR	1.21	(0.04)	6	1.00	NEWS	0.01	-	965,823	-	AMAT01C2101A	0.26	(0.02)	18,069	-
CPR	2.46	-	184	2.00	NINE	1.74	-	17	1.00	AMAT06C2010A	-	-	-	-
FPI	1.40	(0.01)	42	1.00	OTO	3.04	(0.04)	7,334	3.00	AMAT06C2102A	0.25	(0.75)	14,500	-
GTB	0.68	0.01	5,599	-	PHOL	2.38	(0.02)	3,632	2.00	AMAT08C2010A	0.09	(0.01)	100	-
KCM	0.43	-	282	-	PICO	3.78	0.20	1	3.00	AMAT08C2101A	0.28	(0.02)	9,800	-
KUMWEL	1.13	(0.03)	94,964	1.00	QLT	4.18	0.12	1	4.00	AMAT13C2010A	-	-	-	-
KWM	0.88	(0.01)	2,030	-	RP	1.25	0.01	586	1.00	AMAT13C2012A	0.17	(0.02)	186,694	-
MBAX	6.10	(0.10)	3,578	6.00	SE	1.14	(0.04)	2,792	1.00	AMAT19C2009A	-	-	-	-
MGT	2.08	(0.02)	3,484	2.00	SLM	-	-	-	-	AMAT19C2011A	0.10	(0.01)	1,300	-
NDR	1.38	(0.02)	1,792	1.00	SONIC	1.03	-	950	1.00	AMAT19C2012A	0.15	(0.03)	98,555	-
PDG	3.42	-	126	3.00	SPA	6.10	(0.10)	4,618	6.00	AMAT24C2010A	-	-	-	-
PIMO	2.18	(0.04)	197,086	2.00	THMUI	0.54	-	114	-	AMAT28C2012A	0.09	(0.01)	4,000	-
PJW	1.34	(0.01)	8,138	1.00	TNDT	3.14	0.06	9,385	3.00	AMAT28C2101A	0.16	(0.02)	4,056	-
PPM	0.77	0.05	1,310	-	TNH	33.25	-	1,493	32.00	AMAT28C2102L	0.10	(0.01)	2,029	-
RWI	1.35	(0.02)	782	1.00	TNP	2.90	(0.12)	19,128	2.00	AMAT28C2103A	0.27	(0.02)	28,658	-
SALIE	0.66	0.03	1,108	-	TSF	-	-	-	-	AMAT42C2101T	0.10	(0.04)	90	-
SANKO	0.97	-	622	-	TVD	1.02	0.02	9,095	1.00	AOT01C2012A	0.57	(0.11)	107,528	-
SELIC	1.97	(0.05)	8,975	1.00	TVT	0.65	(0.01)	200	-	AOT01P2012A	0.27	0.04	49,458	-
SWC	4.16	(0.02)	775	4.00	VL	1.02	(0.05)	78,360	1.00	AOT01P2012B	0.67	0.09	107,497	-
TMC	0.60	0.03	2,340	-	WINNER	2.46	(0.02)	750	2.00	AOT06C2009A	0.01	(0.01)	798	-
TMI	-	-	-	-	YGG	12.50	(1.10)	99,789	12.00	AOT06C2011A	0.19	(0.10)	61,171	-
TMW	29.00	(0.25)	105	28.00	Technology (MAI)	-	-	-	-	AOT06P2009A	-	-	-	-
TPAC	13.10	0.10	1,390	13.00	APP	2.42	(0.02)	23,155	2.00	AOT06P2011A	0.68	0.15	103,514	-
TPLAS	1.62	0.04	3,693	1.00	COMAN	2.26	0.04	2,950	2.00	AOT08C2009A	-	-	-	-
UBIS	5.00	-	18	4.00	ICN	2.12	0.12	99,150	2.00	AOT08C2101A	0.42	(0.12)	43,276	-
UEC	0.87	-	401	-	IIG	23.60	0.10	99,252	23.00	AOT08P2009A	-	-	-	-
UKEM	0.53	(0.02)	42,054	-	INSET	3.48	0.20	531,073	3.00	AOT08P2102A	0.72	0.11	120,262	-
UREKA	0.80	-	2,822	-	IRCP	0.69	(0.01)	1,718	-	AOT11C2011A	0.27	(0.07)	104,356	-
YUASA	14.70	(0.20)	6,207	15.00	ITEL	3.04	0.12	104,882	3.00	AOT11P2101A	0.42	0.06	97,905	-
ZIGA	2.16	0.26	501,090	2.00	NETBAY	26.50	0.25	3,212	26.00	AOT13C2010A	0.02	(0.01)	5,104	-
Property & Construc					PLANET	1.18	(0.08)	68,527	1.00	AOT13C2011A	0.15	(0.07)	540,242	-
ALL	3.00	(0.06)	63,000	3.00	SICT	4.78	(0.04)	159,836	4.00	AOT13C2012A	0.46	(0.13)	68,626	-
ARIN	0.96	0.01	1,230	-	SIMAT	3.64	-	2,756	3.00	AOT13P2010A	0.34	0.07	124,899	-
ARROW	7.40	(0.20)	1,815	7.00	SKY	13.30	(0.30)	5,901	13.00	AOT13P2011A	0.17	0.04	262,476	-
BC	0.89	0.05	160	-	SPVI	3.00	-	67,421	2.00	AOT16C2009A	-	-	-	-
BSM	0.28	-	2,393	-	TPS	2.52	(0.04)	32,855	2.00	AOT16C2012A	0.51	(0.16)	7,586	-
BTW	0.80	-	569	-	VCOM	5.85	0.10	392,371	6.00	AOT19C2009A	-	-	-	-
CAZ	1.47	(0.01)	2,804	1.00	Unit Trust	-	-	-	-	AOT19C2011A	0.05	(0.03)	5,127	-
CHEWA	0.47	(0.01)	10,518	-	SCBSET	-	-	-	-	AOT19C2011B	0.17	(0.08)	173,979	-
CMC	0.71	(0.01)	3,502	-	ETF	-	-	-	-	AOT19C2012A	0.40	(0.12)	249,997	-
CRD	0.49	0.01	2,982	-	IDIV	7.42	(0.08)	191	7.00	AOT19P2009A	0.01	-	1	-
DIMET	0.18	0.01	28,765	-	ABFTH	1,340.00	(26.00)	1	1,340.00	AOT19P2009B				

## Main Board Quotation

## Issue Date :

Thursday September 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP08C2101A	0.19	-	19,331	-	BCPG19C2101A	-	-	-	-	BTS13C2011A	0.06	(0.01)	1,200	-
AP13C2011A	0.12	0.01	47,297	-	BCPG19C2011A	0.03	(0.02)	6,000	-	BTS13C2012A	-	-	-	-
AP19C2010A	-	-	-	-	BCPG19C2012A	0.14	(0.02)	67,509	-	BTS13P2011A	0.16	0.01	95,594	-
AP19C2011A	0.13	-	9,601	-	BCPG28C2012A	-	-	-	-	BTS19C2010A	0.02	(0.01)	100	-
AP28C2012A	-	-	-	-	BCPG28C2012B	-	-	-	-	BTS19C2011A	0.07	(0.02)	12,000	-
AP28C2012B	0.12	-	41,557	-	BCPG28C2012C	-	-	-	-	BTS19C2012A	0.35	(0.03)	12,153	-
AWC01C2009A	-	-	-	-	BCPG28C2010A	0.13	(0.01)	7,542	-	BTS19P2012A	0.13	0.01	12,096	-
AWC01C2101A	0.48	(0.02)	18,714	-	BCPG28C2103L	0.15	(0.01)	9,126	-	BTS24C2012A	-	-	-	-
AWC06C2011A	-	-	-	-	BDM01C2010A	0.39	(0.01)	35,288	-	BTS41C2010A	-	-	-	-
AWC06P2012A	0.43	0.01	61,070	-	BDM06C2010A	-	-	-	-	BTS41C2012A	-	-	-	-
AWC08C2012A	0.22	(0.02)	31,558	-	BDM06C2102A	0.37	(0.01)	44,131	-	CBG01C2012A	0.39	(0.02)	145,851	-
AWC11C2102A	0.48	(0.03)	29,380	-	BDM06P2009A	-	-	-	-	CBG01P2012A	0.63	-	97,900	-
AWC13C2010A	-	-	-	-	BDM08C2011A	0.06	(0.01)	202	-	CBG06C2011A	0.40	(0.02)	234,345	-
AWC13C2010B	-	-	-	-	BDM08C2101A	0.32	(0.02)	26,000	-	CBG08C2012A	0.55	(0.02)	57,191	-
AWC13C2011A	0.16	(0.02)	117,286	-	BDM08C2101A	0.35	(0.03)	29,300	-	CBG11C2101A	0.54	(0.02)	51,656	-
AWC13P2011A	0.23	0.01	118,390	-	BDM08C2101A	0.13	(0.01)	12,181	-	CBG13C2010A	0.45	(0.04)	4,481	-
AWC19C2010A	-	-	-	-	BDM08C2102A	0.25	(0.01)	125,191	-	CBG13C2011A	0.41	(0.01)	278,914	-
AWC19C2010B	-	-	-	-	BDM08C2102A	-	-	-	-	CBG13C2012A	0.27	(0.01)	294,127	-
AWC19C2010C	0.13	(0.02)	89,326	-	BDM08C2101A	0.10	(0.01)	23,347	-	CBG13P2010A	0.01	-	1,360	-
AWC19P2011A	0.22	-	271,388	-	BDM08C2102A	0.23	(0.01)	21,049	-	CBG13P2011A	0.33	-	282,945	-
AWC24C2010A	-	-	-	-	BDM08C2102A	0.09	-	140	-	CBG19C2010A	-	-	-	-
AWC28C2010A	-	-	-	-	BDM08C2101A	0.36	(0.02)	26,021	-	CBG19C2011A	0.53	(0.02)	657,757	-
AWC28C2010B	-	-	-	-	BDM08C2011A	-	-	-	-	CBG19C2011B	0.22	(0.01)	161,216	-
AWC28C2012A	0.03	-	700	-	BDM08C2012A	0.07	(0.02)	2	-	CBG19P2010A	0.03	-	3,221	-
AWC28C2012B	0.11	(0.01)	25,252	-	BDM08C2012B	-	-	-	-	CBG19P2011A	0.15	(0.01)	404,335	-
AWC28C2101A	0.29	(0.01)	34,526	-	BDM08C2101A	0.17	(0.02)	16,224	-	CBG19P2012A	0.68	-	313,063	-
AWC28C2103L	0.19	(0.01)	30,420	-	BDM08C2102A	0.26	(0.01)	20,661	-	CBG41C2010A	0.41	(0.04)	26,612	-
AWC41C2010A	-	-	-	-	BDM08C2101A	0.21	-	14,688	-	CBG41C2011A	1.35	(0.08)	80	1.00
AWC41C2011A	-	-	-	-	BDM08C2101A	0.57	0.02	12,278	-	CBG41C2011B	0.36	(0.04)	60,501	-
AWC42C2101T	-	-	-	-	BDM08C2101T	-	-	-	-	CBG41C2012A	0.22	(0.01)	4,001	-
BANP01C2101A	0.36	(0.05)	33,951	-	BEM01C2101A	0.13	(0.01)	10,499	-	CBG41P2010A	0.12	-	250	-
BANP06C2010A	-	-	-	-	BEM06P2009A	-	-	-	-	CBG41P2012A	0.88	0.01	77,046	-
BANP06C2101A	0.32	(0.10)	98,672	-	BEM08C2009A	-	-	-	-	CBG42C2101T	0.76	(0.07)	19,584	-
BANP06P2011A	0.31	0.05	65,727	-	BEM08C2102A	0.16	-	6,000	-	CENT01C2009A	0.40	(0.26)	10	-
BANP08C2009A	-	-	-	-	BEM11C2011A	0.19	(0.01)	40,280	-	CENT01P2009A	0.01	(0.01)	7,312	-
BANP08C2102A	0.33	(0.05)	50,201	-	BEM13C2010A	-	-	-	-	CENT08C2012A	0.35	(0.02)	11,033	-
BANP08P2009A	0.02	(0.14)	120	-	BEM13C2011A	0.13	(0.01)	312,432	-	CENT11C2012A	0.14	-	7,499	-
BANP13C2010A	-	-	-	-	BEM19C2010A	0.13	-	15,027	-	CENT13C2010A	-	-	-	-
BANP13C2011A	0.14	(0.03)	2,126	-	BEM19C2011A	-	-	-	-	CENT13C2011A	0.28	(0.01)	62,833	-
BANP13C2012A	0.24	(0.08)	261,216	-	BEM19C2101A	0.32	(0.01)	76,316	-	CENT13P2011A	0.28	-	32,615	-
BANP13P2012A	0.29	0.01	40,995	-	BEM19P2010A	-	-	-	-	CENT19C2010A	0.12	-	6,474	-
BANP19C2009A	0.03	(0.05)	1,000	-	BEM28C2010A	0.07	(0.02)	25,056	-	CENT19C2011A	-	-	-	-
BANP19C2010A	0.06	(0.02)	327	-	BEM28C2012A	-	-	-	-	CENT19C2011B	0.36	(0.02)	9,772	-
BANP19C2012A	0.26	(0.09)	134,808	-	BEM28C2103A	0.29	(0.02)	9,605	-	CENT19P2011A	0.27	0.01	2,404	-
BANP19P2010A	0.09	0.03	1	-	BEM28C2104L	0.25	-	8,098	-	CENT24C2011A	0.37	(0.01)	37,969	-
BANP19P2010B	0.37	0.06	81,884	-	BGR101C2009A	-	-	-	-	CENT28C2010A	-	-	-	-
BANP19P2012A	0.20	0.03	96,020	-	BGR101C2012A	0.14	(0.04)	58,402	-	CENT28C2012A	0.16	(0.01)	9,204	-
BANP24C2011A	-	-	-	-	BGR10P2012A	0.59	0.08	43,537	-	CENT28C2012B	0.18	(0.01)	22,030	-
BANP28C2010A	-	-	-	-	BGR106C2010A	0.01	-	3,500	-	CENT28C2101A	0.34	(0.01)	17,275	-
BANP28C2012A	0.14	(0.02)	3,442	-	BGR106C2102A	0.38	(0.09)	79,034	-	CENT28C2101B	0.10	(0.01)	3,042	-
BANP28C2012B	0.13	(0.05)	22,344	-	BGR106P2011A	0.66	0.11	65,885	-	CENT28C2103L	0.30	(0.01)	7,001	-
BANP28C2101A	0.28	(0.05)	37,574	-	BGR108C2009A	-	-	-	-	CHG06C2102A	0.20	(0.01)	28,455	-
BANP41C2010A	0.09	(0.05)	13,654	-	BGR108C2101A	0.30	(0.04)	22,011	-	CHG13C2010A	0.04	(0.02)	300	-
BANP42C2012T	-	-	-	-	BGR111C2101A	0.16	(0.04)	29,397	-	CHG13C2012A	0.17	(0.02)	145,451	-
BBL06C2101A	0.60	0.01	120,942	-	BGR113C2011A	0.04	(0.02)	11,570	-	CHG16C2009A	-	-	-	-
BBL06P2011A	0.63	(0.04)	84,231	-	BGR113C2012A	0.22	(0.05)	48,154	-	CHG19C2011A	0.12	(0.01)	11,500	-
BBL08C2009A	0.01	-	5,312	-	BGR113P2011A	0.60	0.12	143,093	-	CHG27C2009A	-	-	-	-
BBL08C2101A	0.24	-	23,156	-	BGR119C2009A	-	-	-	-	CK01C2101A	0.27	(0.02)	42,828	-
BBL08P2009A	-	-	-	-	BGR119C2011A	0.06	(0.03)	36,459	-	CK01P2010A	0.61	0.03	19,348	-
BBL08P2102A	1.00	(0.02)	69,315	1.00	BGR119C2012A	0.13	(0.05)	109,383	-	CK06C2009A	-	-	-	-
BBL11C2011A	0.28	-	56,910	-	BGR119P2010A	0.40	0.07	212,455	-	CK06C2102A	0.31	(0.02)	75,605	-
BBL13C2010A	0.04	(0.08)	1,600	-	BGR124C2009A	-	-	-	-	CK06P2012A	0.64	0.02	43,022	-
BBL13C2010B	0.03	-	3,283	-	BGR127C2101A	0.12	(0.03)	6,737	-	CK11C2012A	0.17	(0.02)	11,670	-
BBL13C2012A	0.23	0.01	310,186	-	BGR127P2012A	0.33	0.03	11,644	-	CK13C2010A	-	-	-	-
BBL13C2012B	0.64	0.02	462,521	-	BGR141C2010A	-	-	-	-	CK13C2012A	0.22	(0.02)	130,821	-
BBL13P2010A	0.02	(0.01)	1,400	-	BGR141C2012A	0.34	(0.06)	23,491	-	CK19C2010A	-	-	-	-
BBL13P2012A	0.69	(0.03)	72,114	-	BGR141C2101A	-	-	-	-	CK19C2011A	0.11	(0.02)	54,902	-
BBL19C2009A	-	-	-	-	BGR142C2101T	0.07	(0.02)	814	-	CK19C2012A	0.25	(0.02)	208,841	-
BBL19C2010A	0.05	-	770	-	BH13C2010A	-	-	-	-	CK19P2011A	0.48	0.03	51,468	-
BBL19C2011A	0.06	-	560	-	BH13C2011A	0.21	-	60,100	-	CK24C2102A	0.24	(0.02)	25,057	-
BBL19C2011B	0.12	-	24,052	-	BH19C2009A	-	-	-	-	CK41C2011A	0.10	(0.03)	1,962	-
BBL19C2012A	0.50	0.01	364,644	-	BH19C2012A	0.24	-	41,576	-	CK41C2012A	0.22	(0.02)	7,936	-
BBL19P2010A	0.25	(0.02)	191,656	-	BH19P2012A	0.44	(0.01)	48,882	-	CK42C2101T	-	-	-	-
BBL19P2011A	0.66	(0.03)	166,058	-	BH24C2102A	0.34	(0.01)	102,593	-	CKP01C2009A	-	-	-	-
BBL19P2012A	0.47	(0.03)	389,768	-	BH41C2012A	0.19	-	44,000	-	CKP01C2101A	0.26	(0.01)	53,874	-
BBL24C2009A	-	-	-	-	BJC01C2009A	-	-	-	-	CKP01P2009A	0.01	-	300	-
BBL28C2010A	-	-	-	-	BJC01C2101A	0.29	(0.04)	22,401	-	CKP01P2101A	0.42	(0.01)	54,324	-
BBL28C2011A	-	-	-	-	BJC01P2009A	-	-	-	-	CKP06C2012A	0.35	(0.02)	49,922	-
BBL28C2012A	-	-	-	-	BJC01P2101A	0.48	0.05	41,588	-	CKP08C2010A	-	-	-	-
BBL28C2101A	0.16	-	37,448	-	BJC06C2102A	0.26	(0.74)	35,900	-	CKP08C2012A	0.29	0.01	21,820	-
BBL28C2104L	0.15	-	39,639	-	BJC11C2102A	0.26	(0.03)	28,340	-	CKP11C2102A	0.36	-	31,890	-
BBL41C2011A	-	-	-	-	BJC13C2010A	-	-	-	-	CKP13C2010A	-	-	-	-
BBL41C2012A	0.47	(0.09)	1	-	BJC13C2011A	0.07	(0.02)	200	-	CKP13C2011A	0.21	(0.01)	120,731	-
BBL41C2012B	0.19	-	125,830	-	BJC13C2012A	0.19	(0.04)	19,466	-	CKP16C2012A	0.23	0.01	10,512	-
BBL41P2010A	-	-	-	-	BJC13P2012A	0.30	0.03	43,013	-	CKP19C2010A	-	-	-	-
BBL41P2011A	0.40	(0.02)	9,000	-	BJC19C2010A	-	-	-	-	CKP19C2011A	-	-	-	-
BBL42C2101T	0.09	-	50	-	BJC19C2010B	-	-	-	-	CKP19C2011B	0.19	(0.01)	86,853	-
BBL42P2102T	-	-	-	-	BJC19C2012A	0.19	(0.04)	78,090	-	CKP19P2012A	0.26	-	141,796	-
BCH01C2101A	0.33	(0.01)	9,753	-	BJC19P2012A	0.30	0.03	36,070						

## Main Board Quotation

Issue Date :

Thursday September 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM719C2011B	0.46	(0.05)	43,673	-	DOHO28C2012A	0.31	-	98,156	-	GLOB19C2010A	0.50	(0.01)	38,894	-
COM719C2012A	0.32	(0.03)	310,530	-	DOHO28C2102L	0.25	-	53,832	-	GLOB19C2012A	0.32	(0.01)	66,685	-
COM719P2011A	0.06	-	11,817	-	DOHO24C2012T	0.27	0.02	1,294	-	GLOB24C2010A	0.41	(0.01)	10,324	-
COM719P2012A	0.17	0.01	171,307	-	DOH01C2012A	0.17	(0.04)	62,815	-	GLOB42C2009A	-	-	-	-
COM724C2012A	0.38	(0.03)	44,159	-	DTAC06C2012A	0.05	(0.02)	2,924	-	GPSC01C2012A	0.19	(0.09)	83,896	-
COM741C2101A	0.33	(0.01)	32,408	-	DTAC06P2012A	-	-	-	-	GPSC01C2101A	0.48	(0.11)	54,240	-
CPAL01C2101A	0.30	(0.01)	41,657	-	DTAC08C2012A	-	-	-	-	GPSC01P2012A	0.87	0.14	63,589	-
CPAL01P2101A	0.63	0.01	24,293	-	DTAC08C2101A	0.17	(0.03)	29,465	-	GPSC06C2011A	0.04	(0.02)	70	-
CPAL06C2011A	0.04	(0.01)	450	-	DTAC13C2011A	0.04	(0.02)	500	-	GPSC06C2101A	0.26	(0.11)	50,247	-
CPAL06C2102A	0.30	(0.03)	37,237	-	DTAC13C2012A	0.14	(0.04)	79,144	-	GPSC06P2011A	1.05	0.20	68,962	-
CPAL06P2012A	0.67	0.01	36,496	-	DTAC13P2011A	0.48	0.05	63,631	-	GPSC08C2009A	0.01	-	700	-
CPAL08C2011A	-	-	-	-	DTAC16C2009A	-	-	-	-	GPSC08C2101A	0.29	(0.06)	30,000	-
CPAL08C2102A	0.37	(0.01)	10,050	-	DTAC19C2009A	-	-	-	-	GPSC11C2102A	0.40	(0.09)	29,500	-
CPAL08P2009A	0.01	-	6	-	DTAC19C2010A	-	-	-	-	GPSC13C2011A	0.04	(0.02)	201	-
CPAL08P2101A	0.73	0.02	16,602	-	DTAC19C2011A	-	-	-	-	GPSC13C2012A	0.17	(0.08)	87,911	-
CPAL11C2012A	0.15	(0.01)	4,863	-	DTAC19C2012A	0.10	(0.02)	210,607	-	GPSC13C2012B	0.29	(0.11)	345,398	-
CPAL13C2011A	0.04	(0.01)	554	-	DTAC19P2011A	0.42	0.05	76,950	-	GPSC13P2011A	0.76	0.11	30	-
CPAL13C2012A	0.20	(0.01)	26,705	-	DTAC24C2012A	-	-	-	-	GPSC13P2011B	0.42	0.09	292,010	-
CPAL13P2011A	0.48	0.01	106,507	-	DTAC28C2012A	0.05	(0.01)	1	-	GPSC19C2009A	-	-	-	-
CPAL19C2010A	0.01	-	1,060	-	DTAC28C2102A	0.12	(0.02)	45,946	-	GPSC19C2010A	0.03	(0.03)	1,003	-
CPAL19C2011A	0.09	(0.01)	10,120	-	DTAC28C2104L	0.17	(0.02)	30,420	-	GPSC19C2012A	0.22	(0.09)	473,661	-
CPAL19C2012A	0.25	(0.01)	30,935	-	DTAC41C2010A	-	-	-	-	GPSC19C2101A	0.35	(0.12)	160,052	-
CPAL19P2010A	-	-	-	-	DTAC41C2011A	-	-	-	-	GPSC19P2010A	0.19	0.06	170,909	-
CPAL19P2010B	0.46	-	13,257	-	DTAC41C2012A	0.11	(0.03)	7,852	-	GPSC19P2011A	0.99	0.18	112,266	-
CPAL24C2009A	-	-	-	-	DTAC42C2011T	0.05	-	300	-	GPSC19P2012A	0.55	0.12	352,953	-
CPAL27C2101A	-	-	-	-	EA06C2010A	0.07	(0.01)	20,955	-	GPSC24C2011A	0.05	(0.05)	30	-
CPAL28C2010A	-	-	-	-	EA06C2102A	0.34	(0.66)	33,950	-	GPSC28C2011A	-	-	-	-
CPAL28C2012A	0.03	(0.01)	400	-	EA06P2012A	0.61	-	23,220	-	GPSC28C2101A	0.26	(0.08)	45,588	-
CPAL28C2012B	-	-	-	-	EA08C2009A	-	-	-	-	GPSC28C2104L	0.23	(0.04)	51,722	-
CPAL28C2012C	-	-	-	-	EA08C2101A	0.33	(0.02)	26,904	-	GPSC41C2011A	-	-	-	-
CPAL28C2102A	0.20	(0.01)	18,248	-	EA11C2101A	0.10	-	25,590	-	GPSC41C2012A	0.23	(0.06)	47,012	-
CPAL28C2104L	-	-	-	-	EA13C2011A	0.08	(0.01)	25,834	-	GPSC41P2010A	0.84	0.15	65,003	-
CPAL41C2010A	0.01	-	2	-	EA13C2012A	0.19	(0.01)	161,885	-	GPSC42C2011T	-	-	-	-
CPAL41C2011A	0.13	(0.01)	5,200	-	EA13P2011A	0.74	-	52,512	-	GULF01C2012A	0.14	(0.04)	83,657	-
CPAL41P2011A	0.62	0.01	6,888	-	EA16C2012A	0.13	(0.01)	8,672	-	GULF01P2012A	0.32	0.06	128,206	-
CPAL42C2101T	0.06	-	16	-	EA19C2010A	0.08	(0.01)	2,900	-	GULF06C2009A	-	-	-	-
CPF01C2012A	0.07	(0.02)	979	-	EA19C2012A	0.18	(0.01)	55,772	-	GULF06C2101A	0.19	(0.07)	57,350	-
CPF01C2101A	0.23	(0.03)	19,069	-	EA19P2011A	0.34	0.02	77,836	-	GULF08C2009A	0.01	(0.01)	2,450	-
CPF01P2012A	0.42	0.03	19,801	-	EA19P2011B	0.48	(0.02)	10,336	-	GULF08C2012A	0.10	(0.01)	13,194	-
CPF06C2010A	0.02	-	4,040	-	EA24C2101A	0.26	(0.01)	56,901	-	GULF08C2102A	0.26	(0.05)	27,291	-
CPF06C2102A	0.25	(0.03)	35,626	-	EA28C2011A	0.08	(0.02)	4,700	-	GULF11C2011A	0.09	-	4,000	-
CPF06P2011A	0.19	0.02	39,533	-	EA28C2012A	0.13	(0.01)	12,168	-	GULF13C2011A	0.04	(0.01)	19,973	-
CPF08C2010A	0.05	(0.02)	100	-	EA28C2101A	-	-	-	-	GULF13C2012A	0.10	(0.03)	203,648	-
CPF08C2102A	0.23	(0.03)	5,950	-	EA28C2102A	0.21	(0.01)	18,252	-	GULF13C2012B	0.15	(0.05)	449,785	-
CPF11C2010A	-	-	-	-	EA28C2103L	0.12	(0.01)	12,208	-	GULF13P2011A	0.35	0.07	447,888	-
CPF13C2011A	0.03	(0.01)	27,596	-	EA41C2011A	-	-	-	-	GULF16C2012A	0.09	(0.03)	5,079	-
CPF13C2012A	0.10	(0.01)	110,554	-	EA42C2101T	0.15	(0.01)	3,514	-	GULF19C2010A	0.02	-	340	-
CPF13P2012A	0.39	0.03	148,247	-	EGCO01C2101A	0.23	(0.03)	17,597	-	GULF19C2010B	0.03	(0.01)	892	-
CPF16C2012A	0.07	(0.01)	372	-	EGCO01P2101A	0.81	0.03	14,848	-	GULF19C2012A	0.11	(0.03)	124,559	-
CPF19C2009A	-	-	-	-	EGCO06C2010A	0.02	(0.01)	3,862	-	GULF19C2101A	0.16	(0.05)	357,607	-
CPF19C2010A	0.03	-	1,520	-	EGCO06P2009A	-	-	-	-	GULF19P2009A	-	-	-	-
CPF19C2012A	0.10	(0.02)	33,598	-	EGCO13C2011A	0.04	(0.01)	261	-	GULF19P2010A	0.14	0.03	61,069	-
CPF19P2010A	-	-	-	-	EGCO13C2012A	0.22	(0.02)	215,293	-	GULF19P2010B	0.39	0.07	158,862	-
CPF19P2012A	0.45	0.04	21,797	-	EGCO13C2012B	0.31	(0.04)	44,089	-	GULF19P2012A	0.37	0.05	688,754	-
CPF24C2012A	0.06	(0.03)	1,050	-	EGCO13P2011A	0.78	0.05	19,837	-	GULF24C2009A	-	-	-	-
CPF28C2010A	-	-	-	-	EGCO19C2010A	-	-	-	-	GULF24C2101A	0.15	(0.06)	45,128	-
CPF28C2011A	0.04	(0.02)	1,470	-	EGCO19C2011A	-	-	-	-	GULF28C2010A	-	-	-	-
CPF28C2012A	0.05	(0.01)	500	-	EGCO19C2012A	0.12	(0.02)	70,106	-	GULF28C2012A	0.03	(0.01)	11,431	-
CPF28C2012B	0.04	-	1	-	EGCO19C2012B	0.60	(0.07)	15,321	-	GULF28C2012B	-	-	-	-
CPF28C2102A	0.13	(0.01)	7,235	-	EGCO19P2011A	0.97	0.04	80,573	-	GULF28C2101A	0.10	(0.03)	45,646	-
CPF28C2103L	0.12	(0.01)	1,731	-	EGCO19P2012A	0.62	0.03	247,650	-	GULF28C2102A	0.11	(0.05)	59,527	-
CPF41C2010A	-	-	-	-	EGCO24C2009A	-	-	-	-	GULF41C2011A	-	-	-	-
CPF41C2011A	0.13	(0.02)	18,150	-	EGCO41C2010A	0.22	(0.03)	22,709	-	GULF41C2012A	0.11	(0.03)	4,001	-
CPF41P2011A	0.35	0.03	1,482	-	EGCO42C2101T	0.04	(0.03)	370	-	GULF41C2102A	0.15	(0.05)	75,034	-
CPF42C2101T	0.05	(0.01)	1,332	-	EPG13C2010A	0.01	-	4,541	-	GULF41P2011A	0.44	0.07	14,613	-
CPN01C2012A	0.16	(0.01)	25,394	-	EPG13C2011A	0.39	0.06	65,259	-	GULF41P2012A	0.35	0.06	78,794	-
CPN01P2012A	0.59	0.01	31,824	-	EPG13C2012A	0.15	0.02	60,541	-	GULF42C2010M	-	-	-	-
CPN06C2010A	-	-	-	-	EPG19C2010A	0.39	0.06	13,855	-	GULF42C2101T	0.08	(0.01)	3,299	-
CPN11C2011A	0.15	(0.02)	10,890	-	EPG19C2011A	0.12	0.03	35,423	-	GULF42P2101T	0.33	0.05	18,276	-
CPN13C2011A	-	-	-	-	EPG42C2101T	0.31	0.04	1	-	GUNK01C2012A	0.14	-	4,385	-
CPN13C2012A	0.21	(0.02)	83,528	-	ERW06C2010A	0.12	(0.02)	110,192	-	GUNK13C2011A	0.03	(0.02)	1,000	-
CPN19C2010A	-	-	-	-	ERW13C2010A	0.05	(0.01)	100	-	GUNK13C2012A	0.20	-	23,574	-
CPN19C2011A	0.07	(0.03)	130	-	ERW19C2010A	0.24	(0.03)	71,569	-	GUNK19C2010A	-	-	-	-
CPN19C2012A	0.16	(0.02)	90,699	-	ERW19C2010B	0.03	(0.01)	90	-	GUNK19C2012A	0.08	-	2,000	-
CPN19P2010A	0.29	0.01	69,842	-	ESSO01C2009A	-	-	-	-	GUNK19C2101A	0.15	-	72,201	-
CPN24C2011A	0.08	(0.02)	19	-	ESSO01C2012A	0.21	(0.02)	20,410	-	GUNK24C2012A	0.08	(0.02)	1,640	-
CPN41C2012A	0.12	(0.02)	7,128	-	ESSO01P2009A	0.01	-	2,051	-	GUNK28C2012A	0.09	0.01	1	-
CPN41C2101A	-	-	-	-	ESSO01P2012A	0.55	0.02	34,168	-	GUNK28C2012B	-	-	-	-
CPN41P2011A	0.83	0.03	7,983	-	ESSO06C2011A	0.08	(0.01)	12,050	-	GUNK28C2102A	0.11	-	4,069	-
CRC01C2101A	0.21	(0.02)	29,949	-	ESSO08C2011A	0.15	(0.02)	16,800	-	HANA01C2012A	0.52	(0.01)	77,657	-
CRC01P2101A	0.52	-	38,876	-	ESSO08C2102A	0.29	(0.03)	40,975	-	HANA13C2011A	0.55	-	25,849	-
CRC06C2102A	0.21	(0.79)	24,350	-	ESSO13C2010A	0.05	-	127	-	HANA13C2012A	0.30	-	830,642	-
CRC08C2009A	-	-	-	-	ESSO13C2012A	0.19	(0.02)	68,852	-	HANA19C2010A	0.51	-	43,900	-
CRC08C2101A	0.17	(0.01)	8,800	-	ESSO19C2009A	-	-	-	-	HANA19C2012A	0.33	-	233,647	-
CRC13C2011A	-	-	-	-	ESSO19C2010A	0.11	(0.03)	151,434	-	HANA19P2011A	0.02	(0.01)	768	-
CRC13C2012A	0.13	(0.01)	64,539	-	ESSO19C2011A	-	-	-	-	HANA24C2012A	0.51	(0.02)	170,283	-
CRC13P2012A	0.25	-	78,1											

## Main Board Quotation

## Issue Date :

Thursday September 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28C2009D	0.01	-	1,139	-	IVL19C2010B	-	-	-	-	KCE19C2010B	-	-	-	-
HSI28C2009E	0.01	-	53,739	-	IVL19C2011A	0.11	(0.02)	289,770	-	KCE19C2011A	0.30	(0.04)	213,345	-
HSI28C2010A	0.16	(0.12)	1,457,769	-	IVL19C2012A	0.24	(0.02)	569,663	-	KCE19C2012A	0.24	(0.03)	133,441	-
HSI28C2010B	0.06	(0.04)	436,763	-	IVL19P2010A	0.14	0.01	58,000	-	KCE19P2010A	-	-	-	-
HSI28C2010C	0.02	(0.02)	107,546	-	IVL19P2011A	0.31	0.02	80,369	-	KCE19P2012A	0.22	0.01	452,392	-
HSI28C2010L	0.03	-	98,553	-	IVL19P2011B	0.74	0.02	19,507	-	KCE24C2010A	0.48	(0.08)	23,756	-
HSI28C2011A	0.70	(0.30)	1,169,317	-	IVL19P2012A	0.57	0.03	95,142	-	KCE27C2010X	0.68	(0.07)	15,606	-
HSI28C2011B	0.39	(0.61)	134,863	-	IVL24C2012A	0.22	(0.03)	44,050	-	KCE41C2012A	0.26	(0.03)	102,014	-
HSI28C2011C	0.12	(0.88)	4,410	-	IVL28C2011A	-	-	-	-	KCE42C2012T	0.87	(0.07)	9,060	-
HSI28C2011L	0.15	(0.07)	159,319	-	IVL28C2012A	0.03	-	100	-	KKP13C2010A	-	-	-	-
HSI28C2012L	0.09	(0.04)	177,369	-	IVL28C2012B	-	-	-	-	KKP13C2012A	0.16	-	36,262	-
HSI28C2101L	0.12	(0.04)	85,605	-	IVL28C2101A	0.20	(0.02)	45,616	-	KKP19C2010A	-	-	-	-
HSI28C2102L	0.27	(0.73)	72	-	IVL28C2104L	0.22	(0.01)	30,420	-	KKP19C2011A	0.04	-	12,500	-
HSI28P2009A	1.66	0.51	112,782	1.00	IVL41C2010A	-	-	-	-	KKP19C2012A	0.17	-	55,958	-
HSI28P2009B	0.65	0.28	601,872	-	IVL41C2011A	0.07	(0.04)	2	-	KT801C2009A	0.01	-	6,309	-
HSI28P2009C	0.15	0.08	111,674	-	IVL41C2012A	0.25	(0.03)	92,000	-	KT801P2009A	-	-	-	-
HSI28P2010A	0.74	0.18	550,970	-	IVL41P2010A	-	-	-	-	KT813C2010A	0.01	-	1,208	-
HSI28P2010B	1.24	0.28	43,361	1.00	IVL41P2012A	0.88	0.01	7,888	-	KT813C2012A	0.15	(0.01)	32,230	-
HSI28P2010C	2.00	0.40	727,096	1.00	IVL41P2012B	-	-	-	-	KT819C2010A	-	-	-	-
HSI28P2010L	0.11	0.02	14,199	-	IVL42C2010T	0.04	-	495	-	KT819C2011A	-	-	-	-
HSI28P2011A	1.80	0.80	741,263	1.00	JAS08C2011A	0.06	-	6,953	-	KT819C2012A	0.17	-	18,591	-
HSI28P2011B	1.23	0.23	619,855	1.00	JAS13C2011A	0.04	-	637	-	KT819P2012A	0.56	(0.01)	141,706	-
HSI28P2011C	0.81	(0.19)	843,610	-	JAS13C2012A	0.21	(0.02)	400,459	-	KT824C2009A	-	-	-	-
HSI28P2011L	0.20	0.04	7,402	-	JAS19C2009A	-	-	-	-	KT824C2010A	0.27	-	30,386	-
HSI28P2012L	0.69	0.10	11,645	-	JAS19C2010A	0.02	-	251	-	KT828C2011A	0.05	(0.05)	76	-
HSI28P2101L	0.56	0.07	9,902	-	JAS19C2010B	-	-	-	-	KT828C2012A	-	-	-	-
HSI28P2102L	0.55	(0.45)	13	-	JAS19C2012A	0.18	(0.02)	119,174	-	KT828C2012B	-	-	-	-
HSI41C2009A	-	-	-	-	JAS19C2101A	0.39	(0.02)	156,522	-	KT828C2101C	-	-	-	-
HSI41C2009B	-	-	-	-	JAS19P2010A	0.25	-	125,405	-	KT828C2102A	0.23	0.01	289,198	-
HSI41C2009C	0.01	-	1,010	-	JAS28C2011A	-	-	-	-	KTC01C2012A	0.34	-	58,067	-
HSI41C2009D	-	-	-	-	JAS28C2012A	-	-	-	-	KT001P2012A	0.18	-	45,030	-
HSI41C2010A	0.17	(0.12)	102,576	-	JAS28C2012B	-	-	-	-	KTC08C2011A	0.21	(0.01)	22,768	-
HSI41C2010B	0.06	(0.05)	22,731	-	JAS28C2101A	0.15	(0.01)	9,715	-	KTC11P2011A	0.13	-	20,630	-
HSI41C2010C	0.03	(0.01)	2,168	-	JAS28C2102A	0.27	(0.01)	20,710	-	KTC13C2010A	0.02	0.01	11,491	-
HSI41C2011A	0.08	(0.01)	400	-	JAS41C2011A	0.10	(0.02)	4,196	-	KTC13C2010B	0.14	(0.01)	100,556	-
HSI41C2012A	0.10	(0.03)	532	-	JMT06C2012A	0.45	0.02	53,735	-	KTC13C2011A	0.29	(0.01)	527,944	-
HSI41C2101A	0.09	(0.04)	17,488	-	JMT08C2010A	0.31	0.01	27,311	-	KTC13P2010A	0.06	0.01	20,000	-
HSI41P2009A	-	-	-	-	JMT11C2102A	0.33	-	10,600	-	KTC13P2012A	0.20	-	226,406	-
HSI41P2009B	-	-	-	-	JMT13C2011A	1.19	-	301	1.00	KTC19C2010A	0.03	-	78,521	-
HSI41P2009C	-	-	-	-	JMT13C2011B	0.41	0.02	184,637	-	KTC19C2010B	0.19	(0.01)	102,592	-
HSI41P2009D	-	-	-	-	JMT13C2012A	0.25	0.02	221,969	-	KTC19C2012A	0.29	-	195,724	-
HSI41P2010A	2.08	0.44	336	2.00	JMT19C2010A	-	-	-	-	KTC19P2010A	0.10	(0.01)	111,980	-
HSI41P2010B	1.25	0.24	1,338	1.00	JMT19C2011A	0.41	0.02	29,643	-	KTC19P2012A	0.27	-	307,857	-
HSI41P2010C	0.75	0.16	1,427,894	-	JMT19C2012A	0.26	0.02	400,110	-	KTC24C2011A	0.27	(0.01)	25,900	-
HSI41P2011A	1.21	0.15	40,300	1.00	JMT24C2011A	0.41	0.04	37,349	-	KTC28C2011A	0.04	-	1,004	-
HSI41P2012A	0.65	0.08	857	-	JMT28C2101A	0.32	0.03	30,216	-	KTC28C2012A	0.11	-	16,346	-
HSI41P2101A	0.52	(0.48)	1,100	-	JMT41C2012A	0.23	-	30,348	-	KTC28C2012B	0.24	(0.01)	51,672	-
INTU01C2101A	0.29	(0.06)	75,379	-	JMT42C2101T	0.23	-	2,263	-	KTC28C2101A	0.26	(0.01)	64,840	-
INTU06C2009A	-	-	-	-	KBAN01C2012A	0.54	0.04	133,557	-	KTC28C2103L	0.23	-	33,341	-
INTU06P2011A	0.37	0.06	48,385	-	KBAN01C2012B	0.40	0.02	128,735	-	KTC41C2011A	0.25	(0.01)	77,734	-
INTU13C2011A	0.08	(0.02)	45,082	-	KBAN01P2012A	1.01	(0.11)	85,146	1.00	KTC41C2012A	0.31	0.02	7,852	-
INTU16C2009A	-	-	-	-	KBAN06C2011A	0.02	-	718	-	KTC42C2012T	-	-	-	-
INTU19C2009A	-	-	-	-	KBAN06C2012A	0.15	0.02	147,130	-	LH01C2101A	0.24	(0.03)	12,798	-
INTU19C2012A	0.19	(0.06)	142,867	-	KBAN06P2011A	0.88	(0.10)	196,899	-	LH06C2012A	0.12	(0.02)	23,910	-
INTU19P2010A	0.10	-	86,502	-	KBAN08C2011A	0.06	-	15	-	LH11C2012A	0.16	(0.02)	23,750	-
INTU19P2012A	0.62	0.04	228,625	-	KBAN08C2101A	0.25	0.03	31,101	-	LH13C2010A	-	-	-	-
INTU23C2111A	0.60	(0.06)	110	-	KBAN08P2010A	1.21	(0.10)	51,471	1.00	LH19C2010A	0.11	(0.01)	37,800	-
INTU28C2010A	-	-	-	-	KBAN13C2010A	0.01	-	23,554	-	LH19C2011A	0.08	(0.01)	50	-
INTU28C2012A	0.11	(0.02)	12,168	-	KBAN13C2010B	-	-	-	-	LH19P2010A	-	-	-	-
INTU28C2102A	0.21	(0.05)	22,294	-	KBAN13C2011A	0.12	0.02	127,216	-	MAJ013C2011A	0.14	(0.05)	6,978	-
INTU41C2010A	-	-	-	-	KBAN13C2012A	0.20	0.04	384,495	-	MAJ019C2011A	0.30	(0.02)	3,812	-
INTU41C2012A	0.18	(0.04)	76,000	-	KBAN13C2012B	0.35	0.04	953,134	-	MEGA13C2011A	0.10	-	3,990	-
INTU42C2101T	-	-	-	-	KBAN13P2010A	0.08	(0.02)	627	-	MEGA16C2009A	-	-	-	-
IRPC01C2101A	0.15	(0.02)	25,344	-	KBAN13P2011A	1.10	(0.11)	94,808	1.00	MEGA19C2011A	0.16	0.01	434,942	-
IRPC06C2010A	-	-	-	-	KBAN13P2012A	0.88	(0.06)	871,739	-	MEGA42C2101T	-	-	-	-
IRPC06P2010A	-	-	-	-	KBAN19C2009A	-	-	-	-	MINT01C2012A	0.47	(0.06)	62,312	-
IRPC11C2102A	0.13	(0.02)	7,000	-	KBAN19C2010A	-	-	-	-	MINT01P2012A	0.36	0.01	38,351	-
IRPC13C2011A	-	-	-	-	KBAN19C2010B	0.02	-	10,000	-	MINT01P2012B	0.84	0.05	54,311	-
IRPC13C2012A	0.07	(0.03)	8	-	KBAN19C2011A	0.02	0.01	31	-	MINT06C2012A	0.52	(0.05)	110,006	-
IRPC13C2012B	0.11	(0.02)	106,937	-	KBAN19C2012A	0.28	0.02	757,090	-	MINT06P2012A	0.26	0.02	119,734	-
IRPC13P2011A	-	-	-	-	KBAN19C2012B	0.15	0.02	405,429	-	MINT06P2102A	1.07	0.07	32,600	1.00
IRPC13P2012A	0.29	0.01	83,865	-	KBAN19P2010A	0.75	(0.06)	1,041	-	MINT08C2010A	0.23	(0.04)	41,334	-
IRPC19C2010A	-	-	-	-	KBAN19P2010P	0.20	(0.04)	194,260	-	MINT08P2011A	0.35	0.02	29,730	-
IRPC19C2011A	-	-	-	-	KBAN19P2012A	0.67	(0.07)	311,218	-	MINT08P2102A	0.81	0.04	56,919	-
IRPC19C2101A	0.12	(0.01)	700	-	KBAN24C2009A	-	-	-	-	MINT11C2011A	0.47	(0.05)	67,262	-
IRPC19P2011A	0.54	0.04	2,867	-	KBAN24C2012A	0.17	0.03	81,013	-	MINT11P2011A	0.26	-	24,792	-
IRPC19P2012A	0.31	0.02	9,325	-	KBAN28C2010A	0.01	-	4,400	-	MINT13C2010A	0.20	(0.04)	88,706	-
IRPC24C2012A	0.05	(0.02)	103	-	KBAN28C2012A	0.03	0.01	1	-	MINT13C2011A	0.29	(0.04)	518,432	-
IRPC28C2012A	0.03	-	100	-	KBAN28C2012B	0.07	0.01	460	-	MINT13P2011A	0.25	0.01	56,571	-
IRPC28C2101A	-	-	-	-	KBAN28C2101A	0.28	0.04	89,337	-	MINT13P2012A	0.51	0.04	542,524	-
IRPC28C2103A	0.13	(0.01)	521	-	KBAN28C2104L	0.24	0.01	54,896	-	MINT16C2012A	0.47	(0.06)	23,407	-
IRPC41C2010A	-	-	-	-	KBAN28P2012A	0.43	(0.04)	105,993	-	MINT19C2010A	0.12	(0.03)	28,976	-
IRPC41C2101A	0.08	(0.01)	500	-	KBAN41C2011A	-	-	-	-	MINT19C2011A	0.58	(0.05)	82,978	-
IVL01C2012A	0.09	(0.01)	840	-	KBAN41C2012A	0.25	0.04	201,820	-	MINT19C2011B	0.26	(0.04)	454,523	-
IVL01C2012B	0.36	(0.03)	34,905	-	KBAN41P2010A	0.39	(0.09)	134,172	-	MINT19P2010A	0.15	0.01	100,900	-
IVL01P2012A	0.89	0.01	42,436	-	KBAN41P2011A	1.61	(0.06)	1,282	1.00	MINT19P2011A	0.20</			

## Main Board Quotation

Issue Date :

Thursday September 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MTC13C2010A	0.07	(0.02)	58,580	-	PTT19P2010A	0.15	0.01	1,600	-	RS06C2010A	-	-	-	-
MTC13C2011A	0.33	(0.06)	359,549	-	PTT19P2010B	0.27	0.04	58,265	-	RS06C2012A	0.34	(0.01)	22,375	-
MTC13P2011A	0.30	0.02	110,682	-	PTT24C2010A	0.13	(0.04)	5,964	-	RS08C2011A	-	-	-	-
MTC19C2009A	-	-	-	-	PTT28C2011A	-	-	-	-	RS08C2103A	0.47	0.01	12,966	-
MTC19C2010A	0.19	(0.05)	150,121	-	PTT28C2012A	-	-	-	-	RS13C2010A	-	-	-	-
MTC19C2012A	0.38	(0.07)	320,523	-	PTT28C2101A	0.09	(0.02)	3,042	-	RS13C2011A	0.28	(0.01)	192,101	-
MTC19P2010A	0.03	(0.02)	200	-	PTT28C2103L	0.16	(0.01)	2,028	-	RS19C2010A	-	-	-	-
MTC19P2012A	0.37	0.03	82,970	-	PTT41C2010A	0.01	(0.05)	1,150	-	RS19C2010B	0.38	0.01	67,803	-
MTC24C2009A	-	-	-	-	PTT41C2012A	-	-	-	-	RS19C2011A	-	-	-	-
MTC28C2011A	0.17	(0.04)	85,134	-	PTT41C2010A	-	-	-	-	RS19C2011B	0.23	-	275,848	-
MTC28C2012A	0.19	(0.03)	22,942	-	PTT41P2010A	0.13	0.02	548	-	RS19P2012A	0.50	-	36,404	-
MTC28C2012B	0.39	(0.05)	59,772	-	PTT41P2011A	0.92	0.09	1,096	-	RS28C2012A	-	-	-	-
MTC28C2102L	0.23	(0.02)	24,102	-	PTT41P2012A	0.56	0.04	5,252	-	RS28C2101A	0.31	-	38,167	-
MTC41C2010A	-	-	-	-	PTT42C2010M	-	-	-	-	RS28C2101L	0.40	-	28,307	-
MTC41C2012A	0.50	(0.06)	52,138	-	PTT42C2012T	-	-	-	-	RS41C2011A	0.42	0.03	23,704	-
MTC42C2010T	0.16	(0.03)	3,100	-	PTT42P2101T	0.28	0.03	7,025	-	RS42C2101T	0.25	-	60	-
ORI13C2011A	0.18	(0.02)	53,740	-	PTTE01C2012A	0.60	(0.06)	39,627	-	S10001C2011A	0.02	-	2,916	-
ORI19C2010A	-	-	-	-	PTTE01P2012A	1.47	0.07	25,702	1.00	S5001C2012F	0.46	(0.07)	110,282	-
ORI19C2011A	0.32	(0.03)	23,809	-	PTTE06C2011A	0.07	(0.02)	582	-	S5001P2012F	1.26	0.10	437,607	1.00
ORI19C2012A	0.18	(0.01)	15,534	-	PTTE06C2101A	0.48	(0.07)	200,593	-	S5006C2009A	0.02	0.01	9,952	-
ORI28C2011A	-	-	-	-	PTTE06P2009A	-	-	-	-	S5006C2009B	-	-	-	-
ORI28C2012A	-	-	-	-	PTTE06P2011A	0.52	0.07	84,258	-	S5006C2009C	-	-	-	-
ORI28C2012B	0.30	-	65,293	-	PTTE08C2011A	0.25	(0.06)	34,780	-	S5006C2009D	0.01	-	200	-
ORI28C2101A	0.13	(0.01)	51,719	-	PTTE08P2101A	1.15	0.08	68,174	1.00	S5006C2012A	0.24	(0.10)	349,351	-
ORI28C2103L	0.20	(0.01)	51,719	-	PTTE11C2011A	0.35	(0.05)	23,046	-	S5006C2012B	0.80	(0.37)	1,324,736	-
OSP01C2012A	0.17	(0.01)	36,063	-	PTTE13C2010A	0.02	-	825	-	S5006P2009A	0.01	-	9	-
OSP01P2012A	0.51	0.02	68,140	-	PTTE13C2010B	-	-	-	-	S5006P2009B	0.02	-	64,676	-
OSP06C2011A	0.06	(0.01)	3,740	-	PTTE13C2011A	0.17	(0.05)	191,598	-	S5006P2009C	0.11	0.06	36,236	-
OSP06C2102A	0.24	(0.76)	63,860	-	PTTE13C2012A	0.44	(0.07)	181,806	-	S5006P2009D	-	-	-	-
OSP06P2009A	-	-	-	-	PTTE13P2010A	0.51	0.05	72,029	-	S5006P2012A	1.37	0.25	711,506	1.00
OSP06P2102A	0.58	0.05	29,078	-	PTTE13P2012A	0.71	0.06	95,491	-	S5006P2012B	0.84	0.21	716,346	-
OSP08C2009A	-	-	-	-	PTTE16C2009A	-	-	-	-	S5008C2009A	-	-	-	-
OSP08C2102A	0.38	(0.03)	63,836	-	PTTE19C2009A	1.12	(0.78)	1,000	1.00	S5008C2009B	-	-	-	-
OSP11C2102A	0.23	(0.03)	44,445	-	PTTE19C2009B	-	-	-	-	S5008C2012A	0.19	(0.06)	44,028	-
OSP13C2010A	0.01	(0.01)	3,481	-	PTTE19C2010A	-	-	-	-	S5008C2012B	0.27	(0.09)	139,463	-
OSP13C2012A	0.11	(0.01)	105,155	-	PTTE19C2010B	0.18	(0.06)	70,966	-	S5008P2009A	0.01	-	2,000	-
OSP13P2011A	0.37	0.02	40,628	-	PTTE19C2011A	-	-	-	-	S5008P2009B	-	-	-	-
OSP19C2009A	-	-	-	-	PTTE19C2011B	0.13	(0.03)	26,617	-	S5008P2012A	1.19	0.13	486,708	1.00
OSP19C2010A	-	-	-	-	PTTE19C2012A	0.38	(0.07)	232,961	-	S5013C2009A	0.01	-	20	-
OSP19C2012A	0.13	(0.01)	100,605	-	PTTE19P2009A	0.01	-	20	-	S5013C2009B	-	-	-	-
OSP19C2101A	0.23	(0.02)	106,994	-	PTTE19P2009B	0.02	(0.01)	20	-	S5013C2009C	-	-	-	-
OSP19P2010A	0.25	0.02	6,171	-	PTTE19P2010A	0.26	0.03	89,438	-	S5013C2009D	0.01	-	1	-
OSP24C2101A	0.20	(0.02)	71,292	-	PTTE19P2010B	0.46	0.06	206,978	-	S5013C2009E	-	-	-	-
OSP28C2101A	0.10	-	11,640	-	PTTE19P2012A	0.82	0.08	133,821	-	S5013C2009F	-	-	-	-
OSP28C2101B	0.11	-	19,210	-	PTTE24C2011A	-	-	-	-	S5013C2010A	0.31	(0.04)	46,920	-
OSP41C2010A	-	-	-	-	PTTE28C2011A	0.13	(0.05)	12,168	-	S5013C2012A	0.20	(0.05)	2,548,280	-
OSP41C2012A	0.14	(0.01)	8,926	-	PTTE28C2011B	-	-	-	-	S5013C2012B	0.23	(0.06)	965,237	-
OSP42C2101T	0.08	(0.02)	2,650	-	PTTE28C2012A	0.25	(0.04)	10,127	-	S5013C2012C	0.31	(0.09)	5,826,352	-
PLAN06C2102A	0.29	0.01	56,392	-	PTTE28C2101A	0.30	(0.07)	40,519	-	S5013C2012D	0.26	(0.09)	2,968,277	-
PLAN13C2010A	0.03	(0.01)	5,552	-	PTTE28C2102L	-	-	-	-	S5013P2009A	0.01	-	2	-
PLAN13C2011A	0.17	(0.01)	5,574	-	PTTE41C2010A	-	-	-	-	S5013P2009B	0.01	-	4	-
PLAN19C2010A	0.64	(0.03)	13,971	-	PTTE41C2011A	-	-	-	-	S5013P2009C	-	-	-	-
PLAN19C2010B	0.08	(0.01)	3,000	-	PTTE41C2012A	0.27	(0.07)	32,015	-	S5013P2009D	-	-	-	-
PLAN19C2012A	0.19	(0.01)	42,291	-	PTTE41C2101A	0.35	(0.08)	5,582	-	S5013P2009E	0.04	0.01	118,417	-
PLAN24C2009A	-	-	-	-	PTTE41P2010A	-	-	-	-	S5013P2009F	0.02	0.01	3,102	-
PLAN27C2101A	0.18	-	4,800	-	PTTE41P2011A	0.99	0.12	40,866	-	S5013P2009G	0.02	0.01	2,389	-
PLAN28C2010A	-	-	-	-	PTTE42C2101T	-	-	-	-	S5013P2010A	0.82	0.06	300,036	-
PLAN28C2012A	-	-	-	-	PTTE42P2101T	0.82	0.07	18,829	-	S5013P2012A	1.24	0.12	1,626,201	1.00
PLAN28C2012B	0.18	(0.01)	48,073	-	PTTG01C2012A	0.28	0.02	120,632	-	S5013P2012B	1.40	0.15	533,615	1.00
PLAN42C2101T	-	-	-	-	PTTG01P2012A	1.02	(0.09)	48,108	1.00	S5013P2012C	0.93	0.14	8,439,086	-
PRM08C2101A	0.39	(0.01)	31,000	-	PTTG08C2101A	0.20	0.02	22,804	-	S5016C2009A	-	-	-	-
PRM11C2102A	0.51	(0.01)	19,461	-	PTTG08P2010A	0.10	(0.01)	8,689	-	S5016C2009B	-	-	-	-
PRM13C2010A	0.26	-	52,723	-	PTTG11C2010A	-	-	-	-	S5016C2012A	0.21	(0.06)	23,519	-
PRM13C2012A	0.42	-	165,094	-	PTTG13C2010A	0.02	-	926	-	S5016C2012B	0.23	(0.10)	52,437	-
PRM16C2012A	0.31	0.01	14,276	-	PTTG13C2011A	0.09	0.01	21,795	-	S5016P2009A	-	-	-	-
PRM19C2010A	0.56	-	26,258	-	PTTG13C2012A	0.18	0.02	258,516	-	S5016P2009B	0.01	-	10	-
PRM19C2011A	0.30	-	67,975	-	PTTG13P2010A	0.14	(0.04)	102,466	-	S5016P2012A	1.05	0.11	94,230	1.00
PRM28C2012A	0.26	(0.01)	49,169	-	PTTG13P2011A	0.67	(0.05)	23,019	-	S5016P2012B	1.11	0.19	146,290	1.00
PRM42C2101T	0.26	0.02	30	-	PTTG13P2012A	0.50	(0.06)	561,334	-	S5016P2103Z	-	-	-	-
PTG01C2012A	0.33	(0.04)	15,723	-	PTTG19C2009A	-	-	-	-	S5019C2009A	0.44	(0.18)	64,523	-
PTG01P2012A	0.64	0.01	36,219	-	PTTG19C2011A	0.10	0.01	2,940	-	S5019C2009B	-	-	-	-
PTG06C2010A	0.32	(0.04)	39,034	-	PTTG19C2012A	0.20	0.03	128,087	-	S5019C2009C	-	-	-	-
PTG08C2011A	0.36	-	15,825	-	PTTG19P2009A	0.01	(0.01)	11	-	S5019C2009D	-	-	-	-
PTG11C2011A	0.38	(0.01)	25,453	-	PTTG19P2010A	0.32	(0.08)	46,971	-	S5019C2009E	-	-	-	-
PTG13C2010A	0.14	(0.02)	95,300	-	PTTG19P2011A	0.34	(0.05)	355,970	-	S5019C2009F	-	-	-	-
PTG13C2012A	0.17	(0.03)	88,768	-	PTTG19P2011B	0.80	(0.11)	30,222	-	S5019C2012A	0.17	(0.04)	54,914	-
PTG13C2012B	0.34	(0.02)	299,534	-	PTTG24C2101A	0.26	0.03	72,433	-	S5019C2012B	0.15	(0.06)	172,438	-
PTG16C2009A	0.04	(0.10)	3	-	PTTG28C2011A	-	-	-	-	S5019C2012C	0.33	(0.10)	1,274,128	-
PTG19C2010A	0.34	(0.01)	12,664	-	PTTG28C2012A	0.16	0.02	57,720	-	S5019P2009A	-	-	-	-
PTG19C2011A	0.21	(0.03)	83,837	-	PTTG28C2102L	0.11	-	12,318	-	S5019P2009B	-	-	-	-
PTG19C2012A	0.34	(0.03)	52,090	-	PTTG41C2010A	0.12	0.03	7,329	-	S5019P2009C	-	-	-	-
PTG19P2010A	0.03	0.01	852	-	PTTG41C2011A	-	-	-	-	S5019P2009D	0.04	0.01	49,200	-
PTG19P2011A	0.34	0.01	172,471	-	PTTG41C2101A	0.15	0.03	50,408	-	S5019P2009E	-	-	-	-
PTG42C2101T	0.25	(0.01)	7,278	-	PTTG41P2010A	-	-	-	-	S5019P2009F	-	-	-	-
PTT01C2012A	0.13	(0.04)	21,041	-	PTTG41P2011A	0.76	(0.09)	4,088	-	S5019P2012A	1.06	0.10	919,363	1.00
PTT01P2012A	0.43	0.02	20,107	-	PTTG42C2012T	-	-	-	-	S5019P2012B	1.03	0.15	481,187	1.00
PTT06C2012A	0.07	(0.01)	27,988	-	QH19C2012A	0.13	(0.01)	16,406	-	S5019P2012C	0.65	0.09	813,816	-
PTT06C														

## Main Board Quotation

Issue Date :

Thursday September 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5024P2009E	0.46	0.18	171	-	SCC13C2011A	0.14	(0.03)	153,209	-	SUPE42C2101T	0.09	-	95	-
S5024P2012A	0.17	0.03	17,035	-	SCC13C2012A	0.24	(0.06)	55,137	-	SUPE42P2102T	0.16	-	32,000	-
S5024P2012B	0.54	0.05	18,244	-	SCC13P2011A	0.99	0.09	104,093	-	TASC01C2012A	0.25	0.02	72,973	-
S5024P2012C	1.65	0.29	992,217	1.00	SCC19C2010A	-	-	-	-	TASC06C2009A	-	-	-	-
S5024P2012D	1.21	0.25	662,327	1.00	SCC19C2012A	0.26	(0.05)	151,186	-	TASC06C2012A	0.10	0.02	14,445	-
S5028C2009A	0.01	(0.02)	600	-	SCC19P2010A	-	-	-	-	TASC06C2102A	0.53	(0.47)	68,206	-
S5028C2009B	-	-	-	-	SCC19P2011A	0.54	0.05	356,638	-	TASC08C2011A	0.05	0.01	51	-
S5028C2009C	-	-	-	-	SCC24C2012A	0.13	(0.04)	175,681	-	TASC08C2012A	0.03	0.01	11,528	-
S5028C2009D	-	-	-	-	SCC28C2010A	-	-	-	-	TASC11C2102A	0.06	-	10	-
S5028C2009E	-	-	-	-	SCC28C2102A	0.23	(0.03)	12,907	-	TASC13C2011A	0.01	-	8,064	-
S5028C2010A	0.05	(0.02)	21,691	-	SCC28C2104L	0.23	(0.01)	24,317	-	TASC13C2012A	0.07	0.02	635,871	-
S5028C2012A	0.04	(0.01)	26,361	-	SCC41C2010A	0.23	(0.02)	8,702	-	TASC13C2012B	0.25	0.03	1,331,882	-
S5028C2012B	0.06	(0.02)	230,382	-	SCC41C2011A	-	-	-	-	TASC13P2011A	1.09	(0.06)	304	1.00
S5028C2012C	0.36	(0.09)	890,905	-	SCC41C2101A	0.23	(0.04)	35,030	-	TASC13P2012A	0.39	(0.05)	136,091	-
S5028C2103L	0.26	(0.06)	386,062	-	SCC41P2011A	1.07	0.08	55,184	1.00	TASC19C2009A	-	-	-	-
S5028P2009A	0.47	0.09	1,654	-	SGP13C2011A	0.10	(0.01)	259	-	TASC19C2010A	0.01	-	401	-
S5028P2009B	0.12	0.04	10	-	SGP19C2011A	0.18	(0.01)	9,316	-	TASC19C2011A	0.04	0.01	588,229	-
S5028P2009C	0.04	0.01	12,010	-	SGP42C2101T	-	-	-	-	TASC19C2012A	0.23	0.04	749,800	-
S5028P2009D	-	-	-	-	SIRI19C2011A	-	-	-	-	TASC19P2010A	1.04	(0.11)	1,200	1.00
S5028P2009E	0.43	0.14	8,790	-	SIRI42C2101T	-	-	-	-	TASC19P2011A	0.70	(0.04)	20	-
S5028P2010A	0.65	0.10	1,665,950	-	SPAL06C2010A	0.22	0.01	25,105	-	TASC19P2012A	1.77	(0.16)	304	1.00
S5028P2012A	1.31	0.10	1,543,109	1.00	SPAL13C2010A	0.09	-	4,000	-	TASC19P2012B	0.28	(0.03)	365,477	-
S5028P2012B	0.59	0.08	799,982	-	SPAL19C2011A	0.27	0.02	24,351	-	TASC24C2011A	-	-	-	-
S5028P2103L	0.80	0.05	558,831	-	SPAL19C2011B	0.09	0.01	11,800	-	TASC28C2010A	-	-	-	-
S5041C2009A	-	-	-	-	SPAL27C2101A	0.13	0.02	1,522	-	TASC28C2012A	0.07	-	294	-
S5041C2009B	-	-	-	-	SPRC01C2101A	0.19	(0.02)	15,737	-	TASC28C2012B	0.03	-	40	-
S5041C2009C	-	-	-	-	SPRC01P2101A	0.69	0.03	15,179	-	TASC28C2012C	0.03	-	40	-
S5041C2009D	-	-	-	-	SPRC06C2010A	-	-	-	-	TASC28C2101A	0.04	(0.01)	40	-
S5041C2009E	-	-	-	-	SPRC06C2102A	0.15	(0.04)	41,465	-	TASC28C2103L	0.04	-	3	-
S5041C2009F	-	-	-	-	SPRC06P2011A	0.43	0.05	38,337	-	TASC41C2010A	-	-	-	-
S5041C2009G	-	-	-	-	SPRC08C2011A	0.08	-	2,000	-	TASC41C2011A	0.02	0.01	1	-
S5041C2012A	0.17	(0.07)	62,547	-	SPRC11C2102A	0.20	(0.02)	23,845	-	TASC41C2012A	0.23	0.01	74,363	-
S5041C2012B	0.09	(0.03)	6,001	-	SPRC13C2010A	-	-	-	-	TASC42C2101T	0.05	-	13,038	-
S5041C2012C	0.07	(0.04)	2,272	-	SPRC13C2012A	0.10	-	27,974	-	TCAP01C2101A	0.27	0.01	28,152	-
S5041C2012D	0.17	(0.05)	239,282	-	SPRC13C2012B	0.14	(0.02)	282,187	-	TCAP13C2010A	0.01	-	100	-
S5041P2009A	-	-	-	-	SPRC19C2010A	-	-	-	-	TCAP13C2012A	0.14	0.01	32,014	-
S5041P2009B	-	-	-	-	SPRC19C2012A	0.11	(0.02)	53,482	-	TCAP19C2010A	0.04	-	4,200	-
S5041P2009C	0.69	0.22	173	-	SPRC19C2101A	0.20	(0.80)	40,286	-	TCAP19C2012A	0.16	-	2,000	-
S5041P2009D	-	-	-	-	SPRC19P2011A	0.42	0.02	50,566	-	TCAP19P2012A	0.29	(0.01)	123,418	-
S5041P2009E	1.15	0.31	320	1.00	SPRC28C2011A	-	-	-	-	TCAP42C2101T	0.05	-	7	-
S5041P2009F	-	-	-	-	SPRC28C2101A	0.10	(0.01)	16,504	-	THAN01C2012A	1.17	0.05	6,043	1.00
S5041P2009G	2.86	0.22	20	2.00	SPRC42C2101T	-	-	-	-	THAN01C2012B	0.45	0.01	11,702	-
S5041P2012A	1.12	0.12	58,823	1.00	STA01C2009A	2.62	0.08	1	2.00	THAN06C2010A	-	-	-	-
S5041P2012B	1.00	0.13	2,113,835	-	STA01C2101A	0.35	0.02	83,841	-	THAN06C2102A	0.60	0.01	31,915	-
S5041P2012C	1.18	0.14	52,403	1.00	STA01P2009A	0.01	-	2,739	-	THAN08C2101A	-	-	-	-
S5041P2012D	-	-	-	-	STA06C2012A	0.23	0.01	48,085	-	THAN08C2102A	0.51	0.01	9,000	-
SAWA01C2012A	0.54	(0.05)	87,200	-	STA08C2010A	-	-	-	-	THAN13C2012A	0.72	(0.01)	10,680	-
SAWA01P2012A	0.57	0.02	114,238	-	STA08C2011A	0.15	-	23,195	-	THAN13C2012B	0.35	0.01	53,490	-
SAWA06C2010A	0.07	(0.02)	2,204	-	STA08C2101A	0.39	0.02	43,559	-	THAN19C2010A	0.81	0.04	20,365	-
SAWA06C2101A	0.61	(0.07)	106,331	-	STA13C2010A	1.07	0.08	440	1.00	THAN19C2011A	1.24	0.02	14,038	1.00
SAWA08C2011A	0.18	(0.02)	28,567	-	STA13C2010B	0.12	0.01	703,806	-	THAN19C2012A	0.59	0.01	72,243	-
SAWA08C2101A	0.48	(0.06)	24,256	-	STA13C2010C	0.05	-	4,680	-	THAN19C2012B	0.38	0.01	29,851	-
SAWA13C2010A	-	-	-	-	STA13C2010D	0.03	-	7,800	-	THAN42C2102T	-	-	-	-
SAWA13C2011A	0.31	(0.04)	838,070	-	STA13C2011A	0.44	-	4,000	-	THAN01C2101A	0.42	0.01	22,560	-
SAWA19C2009A	0.03	(0.03)	2,350	-	STA13C2011B	0.16	0.01	320,624	-	TISC11C2012A	0.26	-	8,160	-
SAWA19C2009B	-	-	-	-	STA13C2012A	0.24	0.02	601,922	-	TISC13C2010A	0.01	-	2	-
SAWA19C2011A	0.18	(0.03)	131,685	-	STA13P2010A	0.02	-	800	-	TISC13C2012A	0.30	-	21,423	-
SAWA19C2012A	0.42	(0.05)	738,829	-	STA13P2010B	-	-	-	-	TISC19C2010A	-	-	-	-
SAWA19P2011A	0.26	0.02	108,111	-	STA19C2009A	-	-	-	-	TISC19C2010B	-	-	-	-
SAWA24C2009A	-	-	-	-	STA19C2010A	-	-	-	-	TISC19C2012A	0.29	-	18,915	-
SAWA28C2011A	0.14	(0.02)	16,224	-	STA19C2010B	1.21	0.03	89	1.00	TISC41C2010A	-	-	-	-
SAWA28C2012A	0.27	(0.02)	58,632	-	STA19C2010C	0.10	0.01	10,750	-	TISC41C2012A	0.28	0.01	14,000	-
SAWA28C2012B	0.21	(0.03)	56,202	-	STA19C2011A	0.74	0.04	697	-	TISC42C2101T	0.12	(0.01)	10,509	-
SAWA28C2101A	0.40	(0.04)	53,740	-	STA19C2011B	0.19	0.01	264,314	-	TKN01C2101A	0.25	(0.02)	27,198	-
SAWA28C2102L	0.15	(0.01)	29,530	-	STA19C2012A	0.27	0.02	233,577	-	TKN06C2011A	0.18	(0.01)	31,920	-
SAWA41C2010A	-	-	-	-	STA19P2009A	-	-	-	-	TKN06C2101A	-	-	-	-
SAWA41C2012A	0.33	(0.06)	35,258	-	STA19P2010A	0.04	-	1,701	-	TKN08C2011A	0.13	(0.01)	7,600	-
SAWA42C2101T	-	-	-	-	STA24C2011A	0.13	0.01	30,650	-	TKN08C2102A	0.35	(0.01)	33,302	-
SCB01C2009A	0.01	-	919	-	STA28C2011A	-	-	-	-	TKN13C2010A	-	-	-	-
SCB01C2101A	0.37	-	115,280	-	STA28C2011B	0.14	0.01	8,112	-	TKN13C2010B	0.06	(0.01)	24,400	-
SCB01P2101A	1.00	(0.03)	36,200	1.00	STA28C2012A	1.41	0.11	6	1.00	TKN13C2012A	0.18	-	347,346	-
SCB06C2010A	0.05	-	40	-	STA28C2102L	0.16	-	21,367	-	TKN19C2010A	-	-	-	-
SCB08C2009A	-	-	-	-	STA41C2010A	0.11	-	48,066	-	TKN19C2011A	0.44	(0.02)	400	-
SCB08C2101A	0.28	-	36,015	-	STA42C2101T	0.15	0.01	570	-	TKN19C2011B	0.14	(0.01)	30,729	-
SCB08P2012A	0.67	(0.02)	60,886	-	STEC01C2101A	0.16	(0.04)	14,788	-	TKN19C2101A	0.25	(0.75)	13,732	-
SCB11C2102A	0.34	-	72,275	-	STEC01P2101A	0.62	0.06	12,773	-	TKN28C2012A	0.65	(0.07)	20	-
SCB11P2012A	0.68	(0.01)	92,469	-	STEC06C2010A	-	-	-	-	TKN28C2012B	0.16	(0.01)	26,298	-
SCB13C2010A	-	-	-	-	STEC08C2012A	-	-	-	-	TKN28C2101A	-	-	-	-
SCB13C2011A	0.14	-	160,945	-	STEC11C2102A	0.19	(0.04)	33,440	-	TKN42C2012T	-	-	-	-
SCB13C2012A	0.35	-	722,901	-	STEC13C2010A	-	-	-	-	TMB13C2011A	-	-	-	-
SCB13P2010A	0.73	(0.04)	4,368	-	STEC13C2012A	0.08	(0.04)	31,061	-	TMB19C2011A	0.11	-	27,252	-
SCB13P2012A	0.64	(0.02)	455,448	-	STEC13P2011A	0.34	0.06	56,483	-	TMB19C2011B	0.04	-	100	-
SCB19C2010A	-	-	-	-	STEC16C2009A	-	-	-	-	TMB19C2012A	0.14	-	14,982	-
SCB19C2010B	0.11	-	121,538	-	STEC19C2009A	-	-	-	-	TMB19P2011A	0.28	(0.02)	38,578	-
SCB19C2012A	0.24	0.01	132,392	-	STEC19C2011A	0.02	(0.01)	4,450	-	TMB41C2010A	-	-	-	-
SCB19P2010A	0.16	(0.01)	215,884	-	STEC19C2012A	0.09	(0.03)	28,286	-	TOA13C2011A	0.15	-	38,869	-
SCB19P2011A	1.27	0.03	40	1.00	STEC19C2101A	0.17	(0.04)	114,019	-	TOA19C2010A	0.12	(0.01)	45,136	-
SCB19P2011B	0.60	(												



## Main Board Quotation

Issue Date :

Thursday September 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP13C2012B	0.10	(0.04)	37,151	-	WHA19C2010A	0.11	(0.02)	24,762	-	META-W4	0.02	0.01	13,024	-
TOP13P2010A	0.39	0.06	92,185	-	WHA19C2011A	-	-	-	-	NEWS-W6	-	-	-	-
TOP13P2012A	0.94	0.14	34,325	-	WHA19P2011A	0.49	0.05	35,681	-	OCEAN-W3	0.21	-	3,994	-
TOP19C2010A	-	-	-	-	WHA28C2011A	-	-	-	-	RWI-W2	0.11	-	34,308	-
TOP19C2010B	-	-	-	-	WHA28C2012A	0.19	(0.02)	27,688	-	SANKO-W1	0.01	-	90	-
TOP19C2012A	0.04	(0.01)	6,000	-	WHA28C2102A	0.23	(0.03)	103,266	-	SIMAT-W3	0.43	(0.01)	430	-
TOP19C2101A	0.16	(0.04)	527,972	-	WHA28C2102L	0.11	(0.01)	6,595	-	SIMAT-W4	-	-	-	-
TOP19P2010A	0.48	0.10	175,799	-	WHA42C2101T	-	-	-	-	SMART-W2	0.18	0.01	9,939	-
TOP19P2011A	0.76	0.07	210	-	WHAU13C2012A	0.15	(0.02)	7,644	-	SWC-W1	2.96	-	42	2.00
TOP24C2101A	0.15	(0.04)	26,119	-	WHAU19C2012A	0.19	(0.01)	10,935	-	TAKUNI-W	0.02	(0.01)	15,533	-
TOP41C2010A	-	-	-	-	Preferred/Foreign	-	-	-	-	TAPAC-W4	0.19	(0.01)	35,987	-
TOP41C2011A	-	-	-	-	BH-Q	-	-	-	-	TVD-W2	0.23	-	27,306	-
TOP41C2102A	0.15	(0.05)	35,408	-	CSC-Q	-	-	-	-	UREKA-W2	0.26	-	3,313	-
TOP41P2010A	0.42	0.09	29,685	-	JUTHA-Q	-	-	-	-	Preferred Shares	-	-	-	-
TOP41P2011A	-	-	-	-	KTB-Q	-	-	-	-	SGF-P1	-	-	-	-
TOP42C2011T	-	-	-	-	SCB-Q	-	-	-	-	-	-	-	-	-
TP113C2011A	0.18	(0.01)	9,470	-	TCAP-Q	-	-	-	-	-	-	-	-	-
TP119C2012A	0.26	(0.01)	3,280	-	TISCO-Q	-	-	-	-	-	-	-	-	-
TQM11C2102A	0.90	(0.09)	47,291	-	U-Q	-	-	-	-	-	-	-	-	-
TQM13C2011A	0.51	(0.08)	473,529	-	Warrant	-	-	-	-	-	-	-	-	-
TQM19C2010A	3.38	0.10	71	3.00	7UP-W4	0.11	-	3,489	-	-	-	-	-	-
TQM19C2010B	0.33	(0.07)	425,796	-	AKR-W1	0.03	-	1,359	-	-	-	-	-	-
TQM19C2011A	0.86	(0.10)	333,168	-	ALT-W1	0.61	-	47,137	-	-	-	-	-	-
TQM24C2011A	0.47	(0.07)	111,302	-	APEX-W1	0.01	-	4,284	-	-	-	-	-	-
TQM28C2012A	0.50	(0.09)	175,820	-	APURE-W2	0.20	(0.02)	21,677	-	-	-	-	-	-
TQM28C2102A	0.97	(0.04)	6,100	1.00	B-W3	-	-	-	-	-	-	-	-	-
TQM28C2104L	0.51	(0.04)	144,188	-	B-W4	0.04	(0.01)	3,721	-	-	-	-	-	-
TQM41C2011A	0.59	(0.08)	150,242	-	B-W5	0.04	(0.02)	422	-	-	-	-	-	-
TQM42C2101T	0.56	(0.04)	1,954	-	BKD-W2	0.08	-	724	-	-	-	-	-	-
TRUE01C2101A	0.26	(0.02)	14,445	-	BTS-W5	0.60	(0.05)	180,267	-	-	-	-	-	-
TRUE01P2101A	0.60	0.02	39,508	-	CGD-W4	0.05	(0.01)	12,050	-	-	-	-	-	-
TRUE06C2009A	-	-	-	-	CGH-W3	0.02	-	1	-	-	-	-	-	-
TRUE06P2011A	0.30	0.01	34,620	-	DCC-W1	1.03	0.02	55,551	1.00	-	-	-	-	-
TRUE08C2012A	0.17	(0.01)	19,196	-	ECL-W3	0.07	(0.01)	22,489	-	-	-	-	-	-
TRUE08P2010A	0.14	-	31,420	-	EMC-W6	0.03	(0.01)	30,403	-	-	-	-	-	-
TRUE11C2101A	0.17	(0.02)	19,440	-	EP-W3	0.12	(0.01)	11,831	-	-	-	-	-	-
TRUE11P2101A	0.57	0.03	36,351	-	GLOCON-W4	0.46	0.01	50,427	-	-	-	-	-	-
TRUE13C2011A	0.08	(0.01)	31,072	-	III-W1	0.53	(0.01)	10,065	-	-	-	-	-	-
TRUE13C2101A	0.26	(0.02)	147,915	-	J-W1	0.70	0.03	5,560	-	-	-	-	-	-
TRUE19C2009A	-	-	-	-	JMART-W3	5.85	0.35	21,262	5.00	-	-	-	-	-
TRUE19C2011A	0.04	-	1,670	-	JMART-W4	3.88	0.16	15,090	3.00	-	-	-	-	-
TRUE19C2012A	0.16	(0.01)	24,000	-	JMT-W2	14.00	0.10	16,152	14.00	-	-	-	-	-
TRUE19P2011A	0.30	0.01	137,007	-	MACO-W2	0.07	-	16,083	-	-	-	-	-	-
TRUE28C2011A	-	-	-	-	MILL-W4	-	-	-	-	-	-	-	-	-
TRUE28C2012A	0.06	(0.01)	2,000	-	MINT-W6	0.45	-	11,521	-	-	-	-	-	-
TRUE28C2012B	-	-	-	-	MINT-W7	7.70	(0.10)	24,029	7.00	-	-	-	-	-
TRUE28C2101A	0.18	(0.02)	32,375	-	NER-W1	1.53	(0.02)	39,460	1.00	-	-	-	-	-
TRUE28C2103L	0.21	(0.01)	24,365	-	NEX-W2	4.34	(0.16)	11,276	4.00	-	-	-	-	-
TRUE41C2010A	-	-	-	-	NFC-W1	-	-	-	-	-	-	-	-	-
TRUE42C2101T	-	-	-	-	NVD-W1	0.07	0.01	10,131	-	-	-	-	-	-
TTW19C2011A	0.09	(0.02)	1,000	-	ORI-W1	-	-	-	-	-	-	-	-	-
TTW24C2012A	0.10	(0.01)	1,000	-	PACE-W2	-	-	-	-	-	-	-	-	-
TTW27C2009A	-	-	-	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU01C2101A	0.25	0.02	37,303	-	PDI-W1	0.47	(0.01)	18,339	-	-	-	-	-	-
TU01P2101A	0.39	(0.03)	39,528	-	PDJ-W4	0.52	(0.02)	2,132	-	-	-	-	-	-
TU06C2009A	-	-	-	-	PERM-W1	0.10	-	1,818	-	-	-	-	-	-
TU06C2102A	0.31	(0.69)	39,600	-	PORT-W1	0.60	(0.01)	41,293	-	-	-	-	-	-
TU06P2010A	-	-	-	-	PPPM-W4	0.11	(0.01)	5,275	-	-	-	-	-	-
TU08C2011A	0.18	0.02	27,025	-	PRIME-W1	0.03	0.01	24,993	-	-	-	-	-	-
TU11C2102A	0.23	0.02	21,135	-	PRIME-W2	0.03	-	56,674	-	-	-	-	-	-
TU13C2010A	0.10	-	368	-	SAMART-W2	0.14	-	14,557	-	-	-	-	-	-
TU13C2012A	0.21	0.02	278,463	-	SAWAD-W2	12.40	(0.30)	12,174	12.00	-	-	-	-	-
TU19C2009A	-	-	-	-	SDC-W1	-	-	-	-	-	-	-	-	-
TU19C2010A	0.10	0.01	17,199	-	SINGER-W1	6.80	(0.15)	3,307	6.00	-	-	-	-	-
TU19C2012A	0.20	0.02	78,382	-	SINGER-W2	4.50	0.02	784	4.00	-	-	-	-	-
TU19P2011A	0.09	(0.01)	10,000	-	SST-W2	0.79	(0.08)	211	-	-	-	-	-	-
TU19P2012A	0.29	(0.03)	29,505	-	TCC-W3	0.04	-	11,943	-	-	-	-	-	-
TU24C2011A	0.22	0.02	85,668	-	TCC-W4	0.04	-	8,013	-	-	-	-	-	-
TU28C2011A	0.10	-	18,252	-	TCC-W5	0.10	(0.01)	1,660	-	-	-	-	-	-
TU28C2012A	-	-	-	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
TU28C2103L	0.20	-	15,210	-	TNITY-W1	0.08	-	3,673	-	-	-	-	-	-
TU41C2010A	0.14	(0.07)	2,000	-	TRITN-W3	0.14	(0.01)	25,791	-	-	-	-	-	-
TU41C2101A	0.14	0.02	33,704	-	TTCL-W1	0.40	-	7,263	-	-	-	-	-	-
TU42C2101T	0.16	0.01	1,100	-	U-W4	-	-	-	-	-	-	-	-	-
TVO13C2011A	0.30	(0.02)	4,935	-	VGI-W2	0.76	(0.01)	180,226	-	-	-	-	-	-
TVO13C2012A	0.34	(0.03)	75,929	-	VIBHA-W3	0.11	-	6,738	-	-	-	-	-	-
TVO19C2011A	0.38	(0.02)	2,400	-	W-W3	0.04	(0.01)	20,435	-	-	-	-	-	-
TVO19C2012A	0.30	(0.03)	40,804	-	WIJK-W2	0.25	(0.02)	4,364	-	-	-	-	-	-
VGI01C2012A	0.28	-	21,667	-	ZMICO-W4	0.07	-	18,999	-	-	-	-	-	-
VGI06C2010A	0.03	(0.01)	1,920	-	Preferred Shares	-	-	-	-	-	-	-	-	-
VGI06C2101A	0.27	0.01	113,940	-	BH-P	-	-	-	-	-	-	-	-	-
VGI11C2101A	0.19	-	2,520	-	CSC-P	-	-	-	-	-	-	-	-	-
VGI13C2010A	0.01	-	20	-	JUTHA-P	-	-	-	-	-	-	-	-	-
VGI13C2012A	0.18	-	205,796	-	KTB-P	-	-	-	-	-	-	-	-	-
VGI19C2010A	0.04	(0.04)	20	-	SCB-P	-	-	-	-	-	-	-	-	-
VGI19C2012A	0.23	0.01	34,861	-	TCAP-P	-	-	-	-	-	-	-	-	-
VGI19C2012B	0.33	0.01	82,487	-	TISCO-P	-	-	-	-	-	-	-	-	-
VGI19C2012C	0.12	-	6,000	-	U-P	1.63	(0.03)	51	1.00	-	-	-	-	-
VGI24C2012A	0.20	-	41,525	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
VGI28C2101A	0.15	-	50,137	-	ALL-W1	0.58	(0.01)	43,217	-	-	-	-	-	-
VGI28C2103L	0.19	-	50,644	-	BROOK-W5	0.13	-	27,061	-	-	-	-	-	-
VGI41C2011A	-	-	-	-	CHAYO-W1	2.14	(0.10)	8,715	2.00	-	-	-	-	-
VGI42C2101T	-	-	-	-	CHO-W2	0.01	-	71,554	-	-	-	-	-	-
WHA01C2009A	-	-	-	-	CIG-W8	0.01	-	445	-	-	-	-	-	-
WHA01C2101A	0.21	(0.03)	23,457	-	D-W1	0.70	(0.05)	452	-	-	-	-	-	-
WHA01P2009A	0.01	-	125	-	DIMET-W3	-	-	-	-	-	-	-	-	-
WHA01P2101A	0.80	0.04	30,576	-	DOD-W1	0.59	(0.02)	139,926	-	-	-	-	-	-
WHA06C2010A	0.03	(0.03)	19,312	-	ECF-W3	0.09	-	6,173	-	-	-	-	-	-
WHA06P2012A	0.65	0.05	54,119	-	HPT-W1	0.31	0.01	679	-	-	-	-	-	-
WHA08C2011A	0.12	(0.02)	21,500	-	HYDRO-W1	0.04	0.01	4,376	-	-	-	-	-	-
WHA11C2101A	0.20	(0.03)	61,060	-	ITEL-W1	0.14	(0.01)	92,335	-	-	-	-	-	-
WHA13C2011A	0.06	(0.02)	41,140	-	ITEL-W2	0.46	-	356,783	-	-	-	-	-	-
WHA13P2011A	0.44	0.05	134,738	-	LIT-W1	0.41	(0.04)	7,755	-	-	-	-	-	-