

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday October 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.36	(0.02)	64,940	3.38	MAJOR	15.00	(0.30)	13,657	15.02
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	1.60	0.05	55	1.51
VI	-	-	-	-	DIF	13.30	-	128,857	13.38	MATTI	4.00	(0.40)	2	4.00
WORLD	-	-	-	-	DTAC	32.25	0.50	64,186	32.15	MCOT	3.58	(0.10)	2,276	3.61
WR	-	-	-	-	FORTH	6.00	(0.10)	1,064	6.07	MONO	2.72	-	33,644	2.76
Agribusiness	-	-	-	-	HUMAN	8.25	(0.25)	32,139	8.27	MPIC	-	-	-	-
EE	0.73	0.01	78,074	0.72	ILINK	6.10	0.30	64,978	6.08	NMG	-	-	-	-
GFPT	12.60	0.30	36,482	12.61	INET	3.18	(0.04)	24,288	3.22	PLANB	6.25	0.05	137,492	6.24
LEE	2.28	0.04	4,616	2.27	INTUCH	50.00	0.25	68,279	49.94	POST	1.36	0.05	5	1.46
MAX	0.01	-	133,664	0.01	JAS	2.82	0.06	622,010	2.80	PRAKIT	7.30	0.05	72	7.31
NER	3.40	0.12	1,257,375	3.38	JASIF	9.50	-	32,482	9.48	SE-ED	1.41	(0.09)	431	1.45
PPPM	0.38	0.04	15,143	0.39	JMART	15.30	-	102,841	15.25	TBSP	12.10	(0.20)	20	12.24
STA	28.25	-	245,524	28.82	JTS	2.62	0.04	3,757	2.62	TH	0.48	-	292	0.47
TRUBB	1.60	-	17,498	1.60	MFEI	5.10	0.28	27,787	5.03	TKS	5.80	0.35	38,794	5.68
TPWC	3.40	0.10	38,108	3.41	MSC	5.85	(0.10)	1,272	5.90	VGI	6.70	0.15	376,016	6.71
UPOIC	3.36	(0.26)	3,261	3.20	PT	5.15	(0.10)	1,923	5.17	WAVE	0.70	-	6,139	0.68
UVAN	4.76	0.02	1,446	4.77	SAMART	4.90	(0.04)	9,778	4.95	WORK	11.70	0.40	62,402	11.47
VPO	0.49	-	48,550	0.50	SAMTEL	4.90	(0.04)	3,662	4.94	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.16	-	4,814	0.16	AEC	0.41	0.05	1,878,559	0.42
BAY	19.40	0.30	8,999	19.63	SIS	18.80	0.40	120,278	19.44	AEONTS	119.50	(0.50)	12,703	119.52
BBL	94.75	0.50	83,268	94.86	SVOA	1.47	0.02	510,420	1.47	AMANA	2.64	(0.02)	30,170	2.64
CIMBT	0.54	-	11,442	0.53	SYMC	4.36	0.02	415	4.34	ASAP	2.26	0.02	8,315	2.26
KBANK	75.00	(0.50)	237,494	75.01	SYNEX	14.50	0.30	93,072	14.52	ASK	18.30	0.10	2,366	18.36
KKP	37.25	0.25	22,263	37.06	THCOM	5.95	0.05	145,534	6.00	ASP	1.69	0.01	2,015	1.68
KTB	8.80	0.05	233,816	8.78	TRUE	2.96	-	498,214	2.98	BAM	21.30	0.10	207,810	21.40
LHFG	0.88	0.01	13,169	0.88	TWZ	0.06	-	2,777	0.06	BFIT	27.50	-	5,599	27.56
SCB	65.25	1.00	119,878	65.03	Electronic Componer	-	-	-	-	CGH	0.65	(0.02)	3,869	0.66
TCAP	29.00	0.50	50,594	28.98	CCET	2.30	(0.04)	211,465	2.35	ECL	0.81	0.03	51,259	0.80
TISCO	64.50	1.50	60,029	63.99	DELTA	171.00	(4.50)	37,706	172.99	FNS	2.86	0.10	813	2.82
TMB	0.85	(0.01)	1,222,029	0.85	HANA	43.50	(1.50)	52,513	44.53	FSS	1.26	(0.02)	155	1.27
Construction Materia	-	-	-	-	KCE	33.75	0.50	70,567	33.64	GBX	0.43	0.01	3,575	0.43
CCP	0.47	-	36,223	0.47	METCO	163.00	-	20	163.08	GL	3.10	0.02	37,053	3.13
COTTO	1.13	-	1,364	1.14	NEX	4.20	-	20,629	4.21	IFS	2.42	-	3,039	2.41
DCC	2.38	(0.08)	220,521	2.41	SMT	2.94	0.04	87,116	2.96	JMT	34.50	(1.00)	79,290	34.87
DCON	0.35	0.01	53,447	0.35	SVI	4.56	0.36	1,486,379	4.64	KCAR	7.60	-	343	7.61
DRT	6.00	(0.05)	6,913	6.02	TEAM	0.90	-	959	0.89	KGI	2.90	0.02	5,459	2.90
EPG	4.76	-	33,220	4.79	W	0.20	(0.01)	229,148	0.20	KTC	36.75	0.75	75,371	36.73
GEL	0.17	-	28,741	0.16	Energy & Utilities	-	-	-	-	MBKET	6.90	(0.10)	861	6.91
PPP	2.06	-	746	2.03	7UP	0.31	(0.01)	214,895	0.31	MFC	13.80	0.10	85	13.65
Q-CON	-	-	-	-	ABPIF	2.98	0.04	549	2.96	MICRO	4.66	(0.28)	642,416	4.91
RCI	3.74	(0.02)	600	3.75	ACE	2.84	0.02	112,913	2.86	ML	0.83	-	3,770	0.83
SCC	347.00	10.00	38,415	346.83	AI	2.00	0.15	1,274,454	1.95	MTC	50.50	0.25	44,016	50.47
SCCC	118.50	(2.00)	5,490	120.54	AKR	0.47	(0.01)	4,011	0.47	PE	-	-	-	-
SCP	5.85	-	1,671	5.88	BAFS	20.30	(0.30)	3,713	20.44	PL	2.04	(0.02)	4,097	2.01
SKN	2.48	-	3,494	2.50	BANPU	6.50	0.30	1,200,263	6.41	S11	6.30	-	6,327	6.35
TASCO	15.90	(0.40)	613,417	16.17	BCP	15.40	0.70	49,921	15.27	SAWAD	50.00	1.50	82,936	49.50
TCMC	1.15	0.01	120,545	1.17	BCPG	13.00	0.60	95,175	12.80	THANI	3.70	(0.06)	215,856	3.71
TOA	36.50	(0.50)	38,970	36.28	BGRIM	40.75	(1.50)	120,592	41.52	TK	7.00	0.05	961	7.03
TPIPL	1.35	0.01	35,305	1.35	BPP	13.30	-	24,968	13.34	TNITY	3.56	-	116	3.56
UMI	0.63	-	7,866	0.61	BRRGIF	6.20	0.20	196	6.10	UOBKH	3.00	-	10	3.02
VNG	3.06	(0.04)	311	3.07	CKP	4.84	(0.31)	792,119	4.94	ZMICO	0.60	-	2,822	0.60
WIJK	2.24	(0.04)	20,869	2.26	DEMCO	2.82	(0.04)	976	2.84	Food & Beverage	-	-	-	-
Petrochemicals & Ch	-	-	-	-	EA	39.00	(0.50)	67,023	39.46	APURE	1.82	0.01	24,214	1.83
BCT	41.00	-	317	41.05	EASTW	9.40	0.05	2,072	9.37	ASIAN	12.40	(0.40)	125,701	12.80
CMAN	1.17	0.01	667	1.17	EGATIF	12.00	0.10	9,172	11.90	BR	1.82	-	1,420	1.83
GC	5.30	0.05	1,041	5.29	EGCO	189.00	(2.00)	16,324	190.37	BRR	2.90	-	712	2.89
GGC	8.95	0.30	21,778	8.94	EP	3.82	0.04	3,327	3.82	CBG	121.50	(1.50)	49,465	123.25
GIFT	1.95	0.01	1,093	1.94	ESSO	6.50	0.35	304,425	6.42	CFRESH	3.94	(0.10)	12,031	3.99
IVL	23.70	2.70	1,332,945	22.74	GPSC	56.50	(0.50)	102,754	56.96	CHOTI	69.75	4.00	5	68.95
NFC	1.54	-	1	1.54	GREEN	1.01	-	1,215	1.01	CM	2.70	-	1,040	2.72
PATO	10.00	0.10	126	9.94	GULF	30.25	(0.25)	180,580	30.46	CPF	28.00	-	279,551	28.00
PMTA	8.95	0.20	7	8.94	GUNKUL	2.32	(0.04)	201,490	2.36	CPI	1.27	(0.02)	568	1.27
PTTGC	41.50	2.25	306,249	41.13	IFEC	-	-	-	-	F&D	-	-	-	-
SUTHA	3.16	(0.04)	213	3.15	IRPC	2.16	0.12	1,776,590	2.13	HTC	30.50	(0.50)	8,478	30.59
TCCC	24.20	0.30	588	24.26	KBSPIF	9.55	0.10	1,156	9.50	ICHI	11.70	(0.30)	148,922	11.78
TPA	-	-	-	-	LANNA	6.10	(0.05)	6,089	6.10	KBS	3.00	(0.04)	545	3.01
UAC	3.76	0.04	2,505	3.76	MDX	2.36	-	5,037	2.36	KSL	2.22	0.08	47,166	2.18
UP	-	-	-	-	PDI	7.90	0.70	27,652	7.64	KTIS	2.46	-	1,405	2.42
VNT	22.90	-	3,645	22.94	PRIME	0.50	0.01	65,120	0.50	LST	4.34	-	2,901	4.35
WG	185.50	-	117	185.90	PTG	19.30	-	94,483	19.48	M	45.50	(0.25)	12,094	45.82
YCI	-	-	-	-	PTT	33.00	0.75	677,855	32.96	MALEE	6.40	(0.05)	2,082	6.46
Commerce	-	-	-	-	PTTEP	82.25	5.50	331,051	80.73	MINT	19.50	(0.20)	336,514	19.65
BEAUTY	1.53	(0.07)	2,913,108	1.58	RATCH	50.75	(0.25)	43,619	50.82	OISHI	39.75	0.25	33	39.72
BIG	0.44	-	41,201	0.45	RPC	0.46	-	14,370	0.46	OSP	35.75	0.25	119,856	35.57
BJC	35.00	0.25	38,487	35.13	SCG	3.20	(0.50)	1,508	2.92	PB	70.00	(0.25)	2	70.25
COL	18.70	-	2,923	18.61	SCI	1.39	0.01	22,113	1.41	PM	8.25	(0.05)	9,391	8.32
COM7	40.50	(1.50)	65,663	41.13	SCN	1.76	(0.01)	4,449	1.76	PRG	10.80	0.10	55	10.95
CPALL	60.00	(0.50)	126,458	60.40	SGP	9.00	0.35	22,105	8.90	RBF	10.10	0.10	136,846	10.19
CPW	2.54	0.22	467,096	2.49	SKE	0.66	(0.02)	17,908	0.67	SAPPE	22.90	0.20	22,258	22.79
CRC	26.00	0.50	85,997	26.05	SOLAR	0.93	-	6,337	0.94	SAUCE	25.00	-	248	24.95
CSS	1.53	0.09	348,264	1.51	SPCG	19.50	-	12,115	19.46	SFP	-	-	-	-
DOHOME	15.00	(0.50)	123,771	15.33	SPRC	6.00	0.30	395,666	5.98	SNP	10.10	-	138	10.02
FN	1.32	0.03	981,987	1.40	SSP	7.20	0.15	3,348	7.14	SORKON	5.30	0.15	345	5.25
FTE	1.60	(0.02)	3,573	1.61	SUPER	0.84	0.01	2,375,001	0.84	SSC	32.50	(1.00)	18	33.28
GLOBAL	19.10	(0.30)	58,760	19.25	SUPEREIF	11.30	-	1,619	11.27	SSF	-	-	-	-
HMPRO	14.30	(0.10)	139,600	14.41	SUSCO	2.76	0.06	51,787	2.80	SST	2.34	-	54	2.35
ILM	12.50	-	16,191	12.49	TAE	2.34	-	13,055	2.38	TC	4.26	0.14	68,708	4.21
IT	2.60	-	1,523	2.60	TCC	0.19	-	3,937	0.18	TFG	4.60	0.26	476,281	4.52
KAMART	3.46	(0.08)	636,087	3.62	TOP	35.75	2.75	274,562	34.90	TFMAMA	197.50	(0.50)	71	198.33
LOXLEY	1.38	(0.01)	8,143	1.38	TIPIP	4.20	-	33,150	4.21	TIPCO	5.75	(0.10)	6,067	5.82
MAKRO	43.00	0.50	11,564	43.27	TSE	2.68	0.02	12,794	2.68	TKN	10.00	-	93,225	10.01
MC	10.00	0.25	28,487	9.94	TTW	12.30								

Main Board Quotation

Issue Date :

Tuesday October 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
LPH	4.24	(0.04)	1,473	4.24	AQ	0.02	0.01	41,631	0.02	GYT	-	-	-	-
M-CHAI	184.00	4.50	8	183.25	AWC	3.36	(0.02)	277,766	3.37	HFT	3.68	0.04	28,189	3.72
NEW	-	-	-	-	BLAND	1.00	0.01	21,361	0.99	IHL	3.06	(0.06)	37,147	3.10
NTV	41.00	0.25	40	41.00	BROCK	-	-	-	-	INGRS	0.46	-	7,950	0.46
PR9	6.95	-	5,975	6.98	CGD	0.70	0.06	634,473	0.67	IRC	12.00	-	10	12.00
PRINC	2.72	0.02	5,425	2.73	CI	0.70	-	2,018	0.70	PCSGH	4.54	0.02	60	4.53
RAM	138.50	0.50	101	138.64	CPN	44.00	0.75	71,211	44.05	SAT	13.00	0.20	15,456	12.89
RJH	22.00	(0.20)	526	22.02	ESTAR	0.35	0.02	90,658	0.35	SPG	13.30	0.10	2	13.30
RPH	5.25	(0.05)	1,822	5.29	EVER	0.21	(0.01)	83,114	0.21	STANLY	146.50	0.50	815	144.52
SKR	6.00	0.05	868	5.99	FPT	10.20	-	626	10.20	TKT	0.93	0.01	48	0.94
SVH	400.00	-	8	400.50	GLAND	2.14	-	73	2.10	TNPC	0.71	0.01	2,129	0.71
THG	18.60	0.10	350	18.52	J	1.24	(0.03)	16,771	1.25	TRU	3.50	(0.04)	447	3.40
VIBHA	1.52	-	16,250	1.52	JCK	1.47	-	72,283	1.49	TSC	8.90	-	1	8.90
VIH	6.35	0.15	6,103	6.30	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.52	-	4,005	1.49	KWG	0.73	0.01	2,278	0.73	ALLA	1.14	(0.01)	11,573	1.14
Tourism & Leisure	-	-	-	-	LALIN	5.45	(0.05)	2,591	5.45	ASEFA	3.12	0.02	1,590	3.10
ASIA	4.38	0.10	128	4.49	LH	6.80	0.05	223,991	6.81	CPT	0.86	(0.02)	12,426	0.87
CENDEL	20.80	(0.50)	55,008	20.99	LPN	4.28	0.12	69,641	4.24	CRANE	1.81	(0.04)	102,613	1.87
CSR	-	-	-	-	MBK	11.70	(0.30)	24,962	11.86	CTW	5.50	-	556	5.57
DTC	7.05	(0.05)	1,262	7.08	MJD	1.46	-	935	1.47	FMT	-	-	-	-
ERW	3.06	(0.06)	51,162	3.10	MK	3.06	-	3,136	3.05	HTECH	2.78	0.22	40,598	2.84
GRAND	0.52	0.01	4,734	0.52	NCH	0.89	0.04	7	0.89	KKC	0.59	0.01	2,722	0.58
LRH	30.00	0.75	1	30.00	NNCL	1.93	0.05	4,869	1.91	PK	1.68	0.08	64,076	1.71
MANRIN	-	-	-	-	NOBLE	19.00	0.20	37,073	18.95	SNC	10.00	-	2,391	10.05
OHTL	-	-	-	-	NUSA	0.29	0.01	35,761	0.29	STARK	2.08	-	21,214	2.07
ROH	-	-	-	-	NVD	1.10	(0.01)	3,158	1.10	TCJ	3.03	0.06	635	3.25
SHANG	53.00	(2.00)	15	52.53	ORI	6.80	0.45	235,487	6.74	VARO	3.38	0.06	6	3.36
SHR	1.93	(0.01)	16,549	1.94	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
VRANDA	5.60	-	520	5.54	PF	0.35	0.01	89,392	0.34	AIMCG	5.95	(0.05)	30	5.95
Home & Office Produ	-	-	-	-	PLAT	2.24	0.02	9,632	2.22	AIMIRT	13.10	(0.10)	627	13.02
ACC	0.60	0.02	3,593	0.57	POLAR	-	-	-	-	AMATAR	10.10	-	71	10.03
AJA	0.13	0.01	9,882	0.12	PRECHA	0.88	0.01	511	0.88	B-WORK	11.40	(0.10)	399	11.40
DTCI	-	-	-	-	PRIN	1.63	(0.01)	2,738	1.63	BKER	5.60	-	1,398	5.60
FANCY	0.50	0.03	6,177	0.49	PSH	10.60	-	8,593	10.65	BKKCP	11.80	(0.10)	156	11.80
KYE	317.00	(1.00)	1	317.00	QH	2.12	-	421,812	2.14	BOFFICE	11.00	-	156	11.00
L&E	1.62	0.01	3	1.65	RICHY	0.67	(0.01)	382	0.68	CPNCG	9.85	0.05	843	9.84
MODERN	2.40	-	584	2.40	RML	0.57	-	19,591	0.56	CPNREIT	22.70	0.10	15,594	22.86
OGC	-	-	-	-	ROJNA	4.04	-	14,034	4.04	CPTGF	9.95	-	507	9.95
ROCK	-	-	-	-	S	1.32	0.01	27,129	1.32	CTARAF	5.00	0.04	512	4.99
SIAM	1.39	-	528	1.37	SAMCO	1.19	0.01	24	1.20	DREIT	3.86	0.02	1,485	3.86
TSR	3.92	(0.14)	42,521	3.98	SC	2.20	-	45,709	2.20	ERWPF	4.20	(0.08)	5	4.20
Insurance	-	-	-	-	SENA	2.70	0.02	5,214	2.69	FTREIT	14.10	(0.10)	11,261	14.28
AYUD	-	-	-	-	SF	4.46	-	14,823	4.44	FUTUREPF	18.80	-	139	18.80
BKI	279.00	1.00	88	279.39	SIRI	0.59	0.02	1,598,302	0.59	GAHREIT	8.10	-	9	8.10
BLA	18.70	0.60	36,462	18.49	SPALI	16.30	1.00	85,028	16.35	GOLDPF	-	-	-	-
BUI	-	-	-	-	U	1.17	0.02	94,527	1.18	GVREIT	11.30	(0.20)	1,611	11.22
CHARAN	-	-	-	-	UV	2.64	0.26	91,402	2.59	HPF	4.70	-	5	4.70
INSURE	-	-	-	-	WHA	3.00	0.14	1,342,288	2.97	HREIT	8.00	0.05	154	7.99
MTI	83.50	2.25	12	83.25	WIN	0.38	0.01	80	0.37	IMPACT	17.90	(0.40)	719	17.99
NKI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KNPFP	6.80	-	40	6.80
NSI	66.50	-	1	66.50	UTP	14.70	0.10	76,364	14.87	LHHOTEL	9.60	-	11	9.56
SEG	26.00	1.90	51	26.00	Fashion	-	-	-	-	LHPF	5.40	(0.05)	40	5.40
SMK	38.00	0.25	30	38.27	AFC	-	-	-	-	LHSC	-	-	-	-
THRE	0.95	0.01	119,644	0.95	B52	0.15	-	1,115	0.15	LUXF	6.30	-	316	6.30
THREL	2.44	0.02	8,158	2.44	BTNC	-	-	-	-	M-II	-	-	-	-
TIP	24.20	0.20	6,796	24.03	CPH	3.08	(0.02)	9	3.01	M-PAT	2.80	(0.10)	20	2.71
TQM	136.00	4.00	18,300	135.26	CPL	1.00	0.02	39	0.99	M-STOR	5.85	-	50	5.85
TSI	0.28	0.01	12,840	0.28	ICC	27.25	0.25	8	27.25	MIPF	-	-	-	-
TVI	3.46	-	124	3.41	NC	9.65	0.05	2	9.80	MIT	-	-	-	-
Mining	-	-	-	-	PAF	0.52	-	631	0.51	MULF	6.65	(0.15)	977	6.71
THL	-	-	-	-	PDJ	1.47	0.04	562	1.45	MNIT	1.38	(0.52)	253	1.40
Packaging	-	-	-	-	PG	4.68	0.08	12	4.68	MNIT2	-	-	-	-
AJ	18.90	0.20	22,573	18.80	SABINA	21.00	(0.10)	3,981	21.25	MNRF	2.98	-	40	2.98
ALUCON	156.50	-	2	156.50	SAWANG	-	-	-	-	POPF	10.10	0.10	226	10.13
BGC	12.80	(0.10)	29,632	12.85	SUC	33.50	-	308	33.51	PPF	11.40	0.10	1	11.40
CSC	49.00	(1.25)	113	49.26	TNL	-	-	-	-	PROSPECT	9.30	(0.10)	121	9.32
GLOCON	0.96	(0.01)	25,607	0.97	TPCORP	9.00	-	24	8.90	QHHR	5.65	0.05	51	5.65
NEP	0.23	0.01	825	0.22	TR	21.20	-	173	21.12	QHOP	2.28	(0.08)	10	2.28
PTL	24.00	-	22,500	24.13	TTI	-	-	-	-	QHPP	9.00	-	1,525	9.00
SFLEX	5.55	0.15	5,493	5.49	TTT	54.00	0.25	3	54.00	SBPF	3.36	0.18	2,609	3.30
SITHAI	0.57	0.03	39,987	0.55	UPF	53.50	(2.00)	11	53.16	SHREIT	4.14	(0.02)	2,011	4.13
SLP	0.43	0.01	5,516	0.43	UT	-	-	-	-	SIRIP	8.50	0.50	1	8.50
SMPC	12.20	-	4,233	12.13	WACOAL	-	-	-	-	SPF	12.50	-	705	12.62
SPACK	2.42	-	3,399	2.43	Transportation & Log	-	-	-	-	SPRIME	8.75	-	12	8.75
TCOAT	-	-	-	-	AAV	1.77	0.01	223,097	1.76	SRIPANWA	7.85	0.10	130	7.80
TFI	0.12	-	28,752	0.11	AOT	55.50	(0.75)	216,677	55.82	SSPF	-	-	-	-
THIP	26.25	0.50	284	26.13	ASIMAR	1.38	0.01	5,657	1.39	SSTRT	-	-	-	-
TMD	22.20	-	11	22.28	B	0.28	-	479	0.28	TIF1	8.40	-	677	8.32
TOPP	-	-	-	-	BA	5.30	-	2,429	5.34	TLGF	16.60	(0.10)	1,903	16.55
TPBI	5.20	0.30	1,749	5.10	BEM	8.50	(0.05)	306,602	8.54	TLHPF	9.25	0.45	15	9.09
TPP	13.10	0.20	8	13.06	BTS	9.55	(0.25)	335,062	9.63	TNPF	-	-	-	-
Personal Products &	-	-	-	-	BTSGIF	5.65	(0.05)	33,514	5.69	TPRIME	12.40	-	1	12.40
APCO	3.66	(0.02)	6,092	3.62	III	4.12	0.06	6,701	4.14	TTLPF	22.20	(0.90)	18	22.12
DDD	15.70	(0.20)	29,690	15.87	JUTHA	-	-	-	-	TU-PF	0.86	-	2	0.86
JCT	-	-	-	-	JWD	8.30	0.40	173,057	8.29	URBNPF	-	-	-	-
OCC	-	-	-	-	KWC	-	-	-	-	WHABT	8.45	-	20	8.45
S & J	25.50	(0.50)	5	24.55	NOK	0.62	-	438	0.61	WHART	13.80	(0.20)	6,978	13.73
STGT	86.50	(2.25)	351,062	89.51	NYT	3.16	0.06	9,985	3.14	Steel	-	-	-	-
STHAI	-	-	-	-	PORT	2.12	0.06	20,818	2.10	AMC	1.41	(0.02)	102	1.41
TNR	10.70	-	120	10.56	PRM	8.70	(0.20)	162,019	8.82	BSBM	0.84	0.01	104	0.83
TOG	3.30	-	80	3.30	PSL	5.80	(0.15)	256,001	5.83	CEN	0.68	-	2,075	0.70
Professional Service	-	-	-	-	RCL	5.45	-	40,518	5.56	CITY	1.82	0.01	208	1.82
BWG	0.50	0.02	220,549	0.49	TFHIF	9.90	-	16,338	9.90	CSP	0.52	0.02	498	0.51
GENCO	0.50	-	16,626	0.50	THAI	3.20	0.02	17,614	3.15	GJS	0.09	-	14,211	0.08
PRO	-	-	-	-	TSTE	-	-	-	-	GSTEEL	-	-	-	-
SISB	8.60	-	10,497	8.72	TTA	3.12	(0.02)	32,665	3.14	INOX	0.43	0.01	991	0.43
Property Developme	-	-	-	-	WICE	4.98	(0.22)	387,603	5.19	LHK	2.22	0.02	609	2.20
A	4.98	(0.02)	40	4.99	Automotive	-	-	-	-	MCS	12.80	-	6,458	12.86
AMATA	12.70	0.40	51,303	12.59	3K									

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Tuesday October 06, 2020

Main Board Quotation					Main Board Quotation					Issue Date :				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AIE	0.62	0.01	320,355	-	ADVA06P2011A	0.18	0.02	68,362	-
ABICO	6.40	-	668	6.00	ETC	2.34	0.04	337,990	2.00	ADVA08C2012A	0.19	(0.03)	24,910	-
AU	9.10	(0.10)	10,731	9.00	PSTC	1.77	0.11	251,697	1.00	ADVA08P2010A	0.89	0.04	14,204	-
JCKH	0.36	-	3,315	-	QTC	3.98	0.02	2,041	3.00	ADVA11C2011A	0.19	(0.01)	13,921	-
KASET	1.50	(0.01)	1,175	1.00	SAM	1.03	(0.01)	651	1.00	ADVA11P2011A	0.43	0.01	32,800	-
MM	2.04	0.02	146	2.00	SEOIL	2.38	0.06	7,076	2.00	ADVA13C2010A	-	-	-	-
SUN	3.36	0.18	47,767	3.00	SR	0.61	-	1,313	-	ADVA13C2012A	0.23	(0.03)	61,409	-
TACC	6.65	0.05	42,627	6.00	TAKUNI	0.40	0.01	3,217	-	ADVA13C2101A	0.48	(0.06)	235,956	-
TMILL	3.16	-	2,546	3.00	TPCH	11.60	0.40	20,145	11.00	ADVA13P2012A	0.80	0.05	39,438	-
XO	10.90	(0.70)	109,304	11.00	TRT	1.63	-	6	1.00	ADVA19C2010A	-	-	-	-
Consumer Products					UMS	-	-	-	-	ADVA19C2010B	-	-	-	-
BGT	0.99	-	265	1.00	UPA	0.17	0.01	1,074,700	-	ADVA19C2012A	0.22	(0.03)	40,987	-
BIZ	3.20	0.04	382	3.00	UWC	0.05	(0.01)	114,724	-	ADVA19C2101A	0.38	(0.07)	111,199	-
DOD	9.55	(0.15)	96,093	9.00	Services (MAI)	-	-	-	-	ADVA19P2010A	0.13	-	62,272	-
ECF	1.38	-	35,883	1.00	AS	-	-	-	-	ADVA19P2012A	0.68	0.03	128,096	-
HPT	0.88	-	444	-	AKP	0.81	(0.02)	2,563	-	ADVA24C2101A	0.26	(0.03)	23,418	-
IP	12.30	0.10	5,667	12.00	AMA	4.96	(0.14)	27,047	5.00	ADVA28C2011A	-	-	-	-
JUBILE	17.30	0.10	237	17.00	ARIP	0.39	-	3,909	-	ADVA28C2012A	-	-	-	-
MOONG	3.84	0.08	1,438	3.00	ATP30	0.87	(0.01)	31,386	-	ADVA28C2012B	-	-	-	-
NPK	16.00	0.20	1	16.00	AUCT	13.70	(0.20)	34,533	13.00	ADVA28C2101A	0.24	(0.03)	21,317	-
OCEAN	0.80	-	1,681	-	BOL	6.10	(0.10)	30,261	6.00	ADVA28C2102L	0.18	(0.01)	13,184	-
TM	2.32	0.02	1,849	2.00	CMO	0.89	-	766	-	ADVA28P2012A	0.19	-	8,112	-
Financials (MAI)					D	3.20	0.02	841	3.00	ADVA41C2010A	-	-	-	-
ACAP	0.70	-	4,603	-	DV8	0.32	-	1,038	-	ADVA41C2010B	-	-	-	-
AF	0.58	-	340	-	EFORL	0.03	-	11,796	-	ADVA41C2011A	0.13	(0.04)	10,000	-
AIRA	-	-	-	-	ETE	0.99	0.01	4,345	1.00	ADVA41C2101A	0.41	(0.59)	90,067	-
ASN	4.58	0.28	88	4.00	FSMART	8.15	0.05	23,896	8.00	ADVA41P2011A	0.35	0.03	9,927	-
BROOK	0.39	-	2,933	-	FVC	0.40	-	1,170	-	ADVA41P2101A	0.49	0.04	68,060	-
CHAYO	7.95	(0.25)	71,020	7.00	GSC	1.47	0.01	14,943	1.00	ADVA42C102T	0.28	(0.01)	4,058	-
GCAP	1.39	(0.01)	7,034	1.00	HARN	2.10	-	629	2.00	AEON13C2010A	0.01	-	801	-
LIT	3.26	0.02	478	3.00	IMH	2.14	0.04	428	2.00	AEON13C2011A	0.20	(0.02)	107,000	-
MITSI	1.03	(0.03)	3,983	1.00	JKN	9.85	(0.15)	96,367	9.00	AEON13C2012A	0.73	(0.01)	17,333	-
SGF	0.50	-	21,792	-	KIAT	0.49	-	132,966	-	AEON19C2010A	-	-	-	-
Industrials (MAI)					KOOL	1.18	(0.01)	208,655	1.00	AEON19C2010B	0.19	(0.01)	45,014	-
ZS	3.08	(0.02)	1,171	3.00	LDC	1.21	0.01	4,400	1.00	AEON19C2011A	-	-	-	-
ADB	0.75	(0.01)	322	-	MORE	0.86	-	1,743,472	-	AEON19C2012A	0.62	(0.02)	192,600	-
BM	2.08	0.02	699	2.00	MPG	0.26	-	2,214	-	AEON28C2012A	0.53	(0.02)	91,140	-
CHO	0.59	(0.01)	67,809	-	MVP	1.18	0.01	760	1.00	AEON28C2101A	-	-	-	-
CHOW	1.50	(0.02)	9,078	1.00	NBC	0.54	0.02	542	-	AEON42C2101T	0.26	(0.02)	42	-
CIG	0.22	0.01	1,001	-	NCL	0.63	-	3,108	-	AMAT01C2101A	0.24	0.02	20,755	-
COLOR	1.25	-	10	1.00	NEWS	0.01	-	52,760	-	AMAT06C2010A	0.01	-	130	-
CPR	2.22	(0.02)	435	2.00	NINE	1.67	(0.02)	54	1.00	AMAT06C2102A	0.25	0.04	21,368	-
FPI	1.40	-	468	1.00	OTO	3.14	(0.14)	700	3.00	AMAT08C2010A	-	-	-	-
GTB	0.80	0.04	112,832	-	PHOL	2.34	-	6,602	2.00	AMAT08C2101A	0.27	0.03	8,008	-
KCM	0.45	0.01	742	-	PICO	3.76	0.02	1	3.00	AMAT13C2010A	-	-	-	-
KUMWEL	1.19	-	11,808	1.00	QLT	4.12	-	8	4.00	AMAT13C2012A	0.15	0.02	25,336	-
KWM	1.04	-	8,911	1.00	RP	1.21	0.02	3,178	1.00	AMAT19C2011A	0.07	-	400	-
MBAX	7.85	(0.10)	99,446	8.00	SE	1.21	0.02	3,580	1.00	AMAT19C2012A	0.14	0.02	32,968	-
MGT	2.36	0.04	29,567	2.00	SLM	-	-	-	-	AMAT19C2101A	0.25	(0.75)	83,263	-
NDR	1.49	0.09	19,999	1.00	SONIC	1.05	0.01	6,089	1.00	AMAT24C2010A	-	-	-	-
PDG	3.72	0.14	17,629	3.00	SPA	6.25	-	8,126	6.00	AMAT28C2012A	-	-	-	-
PIMO	2.12	(0.08)	107,356	2.00	THMUI	0.56	-	281	-	AMAT28C2101A	0.15	0.02	16,224	-
PJW	1.29	(0.01)	1,118	1.00	TNDT	3.14	-	67	3.00	AMAT28C2102L	-	-	-	-
PPM	0.78	0.03	2,385	-	TNH	32.50	-	219	32.00	AMAT28C2103A	0.26	0.02	44,095	-
RWI	1.35	0.01	466	1.00	TNP	3.22	0.14	85,649	3.00	AMAT42C2101T	-	-	-	-
SALEE	0.69	-	10,491	-	TSF	-	-	-	-	AOT01C2012A	0.49	(0.03)	43,807	-
SANKO	0.96	0.01	211	-	TVD	1.04	-	10,446	1.00	AOT01C2102T	0.31	(0.01)	32,602	-
SELIC	2.06	(0.02)	2,124	2.00	TVT	0.66	-	2,217	-	AOT01P2012A	0.22	-	34,135	-
SWC	4.20	0.04	1,342	4.00	VL	1.02	-	38,756	1.00	AOT01P2012B	0.61	0.01	31,588	-
TMC	0.66	(0.02)	6,650	-	WINNER	2.50	-	3,027	2.00	AOT01P2102T	0.52	-	21,017	-
TMI	0.61	(0.01)	32,276	-	YGG	11.60	(0.10)	3,530	11.00	AOT06C2011A	0.11	(0.03)	20,445	-
TMW	29.25	0.25	51	29.00	Technology (MAI)					AOT06P2011A	0.60	0.03	45,011	-
TPAC	13.40	(0.10)	464	13.00	APP	2.64	(0.04)	70,005	2.00	AOT08C2101A	0.38	(0.01)	32,666	-
TPAS	1.63	0.04	8,451	1.00	COMAN	2.24	0.02	780	2.00	AOT08P2102A	0.68	-	66,329	-
UBIS	5.05	0.05	20	5.00	ICN	2.08	-	5,388	2.00	AOT11C2011A	0.21	(0.02)	39,260	-
UEC	0.87	0.01	1,429	-	IIG	22.90	(0.60)	36,280	23.00	AOT11P2101A	0.38	-	34,360	-
UKEM	0.58	0.06	677,391	-	INSET	3.38	-	47,668	3.00	AOT13C2010A	0.01	-	1	-
UREKA	0.80	(0.01)	2,261	-	IRCP	0.76	0.01	11,075	-	AOT13C2011A	0.09	(0.02)	93,562	-
YUASA	14.80	-	743	14.00	ITEL	2.82	0.04	26,808	2.00	AOT13C2012A	0.38	(0.02)	16,648	-
ZIGA	2.30	(0.10)	163,268	2.00	NETBAY	27.00	(0.25)	1,797	27.00	AOT13C2101A	0.28	(0.03)	308,765	-
Property & Construc					PLANET	1.37	(0.03)	9,050	1.00	AOT13P2010A	0.22	-	45,159	-
ALL	3.16	0.06	195,751	3.00	SICT	4.74	(0.08)	26,194	4.00	AOT13P2011A	0.13	-	131,096	-
ARIN	0.93	(0.02)	1,421	-	SIMAT	3.82	(0.10)	18,494	3.00	AOT13P2101A	0.55	0.02	433,802	-
ARROW	7.25	(0.05)	270	7.00	SKY	12.80	(0.20)	3,618	12.00	AOT16C2012A	0.42	(0.04)	3,680	-
BC	0.83	(0.04)	3,035	-	SPVI	3.18	0.02	158,689	3.00	AOT19C2011A	0.02	(0.01)	758	-
BSM	0.28	-	2,530	-	TPS	2.68	(0.06)	101,730	2.00	AOT19C2011B	0.13	(0.01)	5,220	-
BTW	0.82	-	866	-	VCOM	5.95	(0.05)	25,384	6.00	AOT19C2012A	0.33	(0.03)	261,667	-
CAZ	1.50	0.01	1,334	1.00	Unit Trust					AOT19P2010A	0.12	0.01	200	-
CHEWA	0.51	0.01	18,212	-	SCBSET	-	-	-	-	AOT19P2011A	0.48	0.02	356,932	-
CMC	0.75	(0.01)	15,818	-	ETF	-	-	-	-	AOT19P2011B	0.14	(0.01)	15,999	-
CRD	0.50	0.01	118	-	IDIV	7.51	0.16	621	7.00	AOT24C2012A	0.51	(0.03)	10,652	-
DIMET	0.14	(0.01)	87,336	-	ABFTH	-	-	-	-	AOT28C2011A	-	-	-	-
FLOYD														

Main Board Quotation

Issue Date :

Tuesday October 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price
AWC01C2101A	0.29	-	21,089	-
AWC06C2011A	-	-	-	-
AWC06P2012A	0.56	(0.03)	14,451	-
AWC08C2012A	0.11	-	6,000	-
AWC11C2102A	0.29	(0.01)	12,160	-
AWC13C2010A	-	-	-	-
AWC13C2010B	-	-	-	-
AWC13C2011A	-	-	-	-
AWC13C2011A	0.18	(0.01)	57,428	-
AWC13P2011A	0.31	0.01	62,759	-
AWC19C2010A	-	-	-	-
AWC19C2010B	-	-	-	-
AWC19C2010C	-	-	-	-
AWC19C2010A	0.20	(0.01)	13,318	-
AWC19P2011A	0.28	(0.01)	8,770	-
AWC24C2010A	-	-	-	-
AWC28C2010A	-	-	-	-
AWC28C2010B	-	-	-	-
AWC28C2012A	0.01	-	363	-
AWC28C2012B	-	-	-	-
AWC28C2101A	0.14	(0.01)	12,840	-
AWC28C2103L	0.12	-	15,360	-
AWC41C2010A	-	-	-	-
AWC41C2011A	-	-	-	-
AWC41C2102A	0.15	(0.01)	24,044	-
AWC42C2101T	-	-	-	-
BANP01C2101A	0.42	0.04	163,673	-
BANP01P2101A	0.35	(0.04)	42,410	-
BANP06C2010A	0.02	-	7,000	-
BANP06C2101A	0.45	0.08	94,725	-
BANP06P2011A	0.16	(0.05)	56,409	-
BANP08C2102A	0.41	0.04	70,562	-
BANP13C2010A	-	-	-	-
BANP13C2011A	0.17	0.04	1,610	-
BANP13C2012A	0.34	0.06	542,998	-
BANP13P2012A	0.19	(0.05)	50,960	-
BANP19C2010A	0.06	-	2,502	-
BANP19C2012A	0.36	0.06	100,674	-
BANP19P2010A	0.02	(0.02)	4,099	-
BANP19P2010B	0.19	(0.05)	42,316	-
BANP19P2012A	0.12	(0.02)	31,427	-
BANP24C2011A	0.10	0.01	3,500	-
BANP28C2010A	-	-	-	-
BANP28C2012A	0.17	0.02	23,895	-
BANP28C2012B	0.17	0.04	45,655	-
BANP28C2101A	0.38	0.06	76,196	-
BANP41C2010A	-	-	-	-
BANP42C2012T	-	-	-	-
BBL06C2101A	0.45	-	64,656	-
BBL06P2011A	0.55	(0.04)	20,830	-
BBL08C2101A	0.20	-	3,300	-
BBL08P2102A	0.97	(0.03)	1,500	-
BBL11C2011A	0.21	-	8,540	-
BBL11P2102A	0.72	(0.02)	75,880	-
BBL13C2010A	-	-	-	-
BBL13C2010B	-	-	-	-
BBL13C2012A	0.18	0.01	6,969	-
BBL13C2012B	0.47	-	237,081	-
BBL13P2010A	-	-	-	-
BBL13P2012A	0.66	(0.02)	19,015	-
BBL19C2010A	-	-	-	-
BBL19C2011A	0.04	(0.03)	500	-
BBL19C2011B	-	-	-	-
BBL19C2012A	0.39	-	63,107	-
BBL19C2101A	0.24	-	69,792	-
BBL19P2010A	0.19	(0.02)	302,838	-
BBL19P2011A	0.61	(0.02)	45,690	-
BBL19P2012A	0.45	(0.01)	1	-
BBL28C2010A	-	-	-	-
BBL28C2011A	0.05	(0.02)	1,000	-
BBL28C2012A	-	-	-	-
BBL28C2101A	0.12	-	13,768	-
BBL28C2104L	-	-	-	-
BBL41C2011A	-	-	-	-
BBL41C2012A	0.38	0.01	58,000	-
BBL41C2012B	0.15	-	8,000	-
BBL41P2010A	-	-	-	-
BBL41P2011A	0.31	(0.01)	117,000	-
BBL42C2101T	0.07	-	1,000	-
BBL42P2102T	-	-	-	-
BCH01C2101A	0.28	0.03	38,328	-
BCH06C2011A	0.08	0.01	10,800	-
BCH13C2010A	0.05	-	1	-
BCH13C2012A	0.23	0.02	68,691	-
BCH19C2011A	0.14	0.02	19,771	-
BCP13C2011A	-	-	-	-
BCP13C2012A	0.10	0.02	1,008	-
BCP19C2011A	-	-	-	-
BCP19C2012A	0.11	-	65,746	-
BCPG13C2010A	-	-	-	-
BCPG13C2012A	0.04	0.02	100	-
BCPG13C2012B	0.15	0.06	6,647	-
BCPG19C2010A	-	-	-	-
BCPG19C2011A	-	-	-	-
BCPG19C2012A	0.18	0.04	40,431	-
BCPG19C2101A	0.33	(0.67)	27,980	-
BCPG28C2012A	0.07	0.02	8,102	-
BCPG28C2012B	-	-	-	-
BCPG28C2012C	-	-	-	-
BCPG28C2101A	0.15	0.03	15,064	-
BCPG28C2103L	0.17	0.02	22,308	-
BDM501C2101A	0.30	(0.01)	29,955	-
BDM506C2010A	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
BDM506C2102A	0.26	(0.03)	21,052	-
BDM508C2011A	0.03	(0.02)	204	-
BDM508C2010A	0.24	(0.01)	26,000	-
BDM511C2011A	0.26	(0.01)	5,000	-
BDM513C2011A	0.08	-	8,120	-
BDM513C2012A	0.17	(0.01)	59,787	-
BDM519C2010A	-	-	-	-
BDM519C2011A	0.05	(0.03)	402	-
BDM519C2012A	0.16	(0.01)	400	-
BDM519P2010A	-	-	-	-
BDM524C2010A	0.29	(0.01)	5,395	-
BDM528C2011A	-	-	-	-
BDM528C2012A	-	-	-	-
BDM528C2012B	-	-	-	-
BDM528C2010A	-	-	-	-
BDM528C202A	0.21	-	251	-
BDM541C2012A	0.15	-	38,098	-
BDM541P2011A	0.58	0.02	38,845	-
BDM542C2101T	-	-	-	-
BEM01C2101A	-	-	-	-
BEM08C2102A	0.14	-	12,000	-
BEM11C2011A	-	-	-	-
BEM11C2010A	-	-	-	-
BEM11C2011A	0.07	(0.01)	1,105	-
BEM11C2101A	0.29	(0.71)	53,589	-
BEM19C2010A	-	-	-	-
BEM19C2011A	-	-	-	-
BEM19C2101A	0.25	-	6,983	-
BEM19P2010A	-	-	-	-
BEM28C2010A	-	-	-	-
BEM28C2012A	-	-	-	-
BEM28C2103A	-	-	-	-
BEM28C2104L	-	-	-	-
BGR101C2012A	0.09	(0.02)	54,952	-
BGR101P2012A	0.51	0.04	63,559	-
BGR106C2010A	0.01	-	16,981	-
BGR106C2102A	0.32	(0.06)	87,341	-
BGR106P2011A	0.58	0.08	60,037	-
BGR108C2010A	0.25	(0.02)	31,577	-
BGR111C2101A	0.13	(0.03)	26,200	-
BGR113C2011A	0.02	-	200	-
BGR113C2012A	0.16	(0.04)	306,522	-
BGR113P2011A	0.50	0.03	625	-
BGR113P2101A	0.35	0.04	100,119	-
BGR119C2011A	0.03	(0.02)	417	-
BGR119C2012A	0.10	(0.03)	234,720	-
BGR119C2101A	0.28	(0.05)	344,515	-
BGR119P2010A	0.33	0.05	22,834	-
BGR127C2101A	0.11	-	1,554	-
BGR127P2012A	0.31	0.02	13,155	-
BGR141C2010A	-	-	-	-
BGR141C2012A	0.30	(0.04)	13,346	-
BGR141C2101A	0.12	(0.03)	40,100	-
BGR142C2101T	0.04	(0.03)	3,676	-
BH13C2010A	-	-	-	-
BH13C2012A	0.10	0.01	900	-
BH13C2101A	0.45	-	42,328	-
BH13P2010A	0.53	(0.01)	23,960	-
BH19C2012A	0.12	(0.01)	45,232	-
BH19C2101A	0.69	(0.02)	24,155	-
BH19P2012A	0.56	-	13,940	-
BH24C2102A	0.19	-	17,329	-
BH41C2012A	-	-	-	-
BJC01C2010A	0.24	-	29,462	-
BJC01P2010A	0.45	(0.02)	39,113	-
BJC06C2102A	0.18	-	25,849	-
BJC11C2102A	0.21	-	10,160	-
BJC13C2010A	-	-	-	-
BJC13C2011A	-	-	-	-
BJC13C2012A	0.14	(0.01)	124,671	-
BJC13P2012A	0.28	(0.01)	11,574	-
BJC19C2010A	-	-	-	-
BJC19C2010B	-	-	-	-
BJC19C2012A	0.14	-	50,500	-
BJC19P2012A	0.29	(0.01)	54,149	-
BJC28C2010A	-	-	-	-
BJC28C2012A	-	-	-	-
BJC28C2012B	-	-	-	-
BJC28C2101A	0.13	(0.01)	12,140	-
BJC28C2102L	-	-	-	-
BJC41C2011A	-	-	-	-
BJC41C2012A	0.11	-	8,000	-
BPP13C2011A	-	-	-	-
BPP13C2012A	0.16	(0.01)	16,230	-
BPP19C2010A	-	-	-	-
BPP19C2012A	0.17	0.01	9,665	-
BTS01C2101A	0.13	(0.01)	22,742	-
BTS11C2011A	-	-	-	-
BTS13C2011A	-	-	-	-
BTS13C2012A	0.10	(0.01)	37,544	-
BTS13P2011A	0.13	0.01	20,224	-
BTS19C2010A	-	-	-	-
BTS19C2011A	-	-	-	-
BTS19C2012A	0.27	(0.04)	72,370	-
BTS19P2012A	0.12	(0.01)	20,000	-
BTS24C2012A	-	-	-	-
BTS41C2010A	-	-	-	-
BTS41C2012A	-	-	-	-
BTS41C2012A	0.36	(0.03)	53,573	-
BTS41P2012A	0.44	-	44,776	-
CBG01C2011A	0.37	(0.04)	153,546	-
CBG08C2012A	0.56	(0.04)	19,740	-
CBG11C2010A	0.57	(0.02)	22,263	-

Securities	Close	Change	Volume (Lot)	Average Price
CBG13C2010A	0.20	(0.06)	2,622	-
CBG13C2011A	0.40	(0.03)	80,000	-
CBG13C2012A	0.27	(0.02)	211,164	-
CBG13P2010A	-	-	-	-
CBG13P2011A	0.19	0.01	99,267	-
CBG16C2010A	0.67	(0.04)	17,444	-
CBG19C2010A	-	-	-	-
CBG19C2011A	0.55	(0.04)	93,998	-
CBG19C2011B	0.22	(0.01)	121,528	-
CBG19P2010A	0.01	-	300	-
CBG19P2011A	0.07	-	790	-
CBG19P2012A	0.53	0.01	92,413	-
CBG41C2010A	0.48	0.10	10	-
CBG41C2011A	-	-	-	-
CBG41C2011B	0.38	(0.02)	70,975	-
CBG41C2012A	0.18	0.03	5,924	-
CBG41P2010A	0.04	(0.03)	400	-
CBG41P2012A	0.70	0.01	25,402	-
CBG42C2101T	0.81	(0.05)	7,702	-
CENT08C2012A	0.20	(0.03)	3,786	-
CENT11C2012A	-	-	-	-
CENT13C2010A	-	-	-	-
CENT13C2011A	0.12	(0.02)	25,074	-
CENT13P2011A	0.32	0.02	30,452	-
CENT19C2010A	0.02	(0.02)	400	-
CENT19C2011A	0.03	(0.02)	61	-
CENT19C2011B	0.19	(0.02)	1,420	-
CENT19P2011A	0.30	0.02	5,082	-
CENT24C2011A	0.19	(0.02)	5,302	-
CENT28C2010A	-	-	-	-
CENT28C2012A	0.09	(0.01)	500	-
CENT28C2012B	-	-	-	-
CENT28C2101A	0.19	(0.03)	7,773	-
CENT28C2101B	0.06	(0.01)	80	-
CENT28C2103L	0.20	(0.03)	10,969	-
CHG06C2010A	0.17	0.01	15,143	-
CHG13C2010A	-	-	-	-
CHG13C2012A	0.14	-	20,136	-
CHG19C2011A	-	-	-	-
CK01C2101A	0.26	0.03	34,039	-
CK01P2101A	0.52	(0.07)	65,499	-
CK06C2102A	0.30	0.04	80,077	-
CK06P2012A	0.53	(0.07)	75,749	-
CK11C20				

Main Board Quotation

Main Board Quotation					Issue Date : Tuesday October 06, 2020									
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL19C2010A	-	-	-	-	DTAC13P2011A	0.38	(0.04)	2	-	GPSC13C2012B	0.20	-	397,270	-
CPAL19C2011A	-	-	-	-	DTAC13P2010A	0.26	(0.02)	23,697	-	GPSC13P2011A	-	-	-	-
CPAL19C2012A	-	-	-	-	DTAC19C2010A	-	-	-	-	GPSC13P2011B	0.39	-	229,282	-
CPAL19P2010A	-	-	-	-	DTAC19C2011A	-	-	-	-	GPSC19C2010A	0.01	-	50	-
CPAL19P2010B	0.34	(0.03)	10,728	-	DTAC19C2012A	0.10	0.02	52,990	-	GPSC19C2012A	0.15	(0.01)	63,955	-
CPAL19P2010A	0.44	(0.01)	65,233	-	DTAC19C2010A	0.20	0.02	131,567	-	GPSC19C2101A	0.25	(0.01)	221,325	-
CPAL27C2101A	0.06	(0.04)	1,100	-	DTAC19P2011A	0.32	(0.04)	17,550	-	GPSC19P2010A	0.14	-	411,092	-
CPAL28C2010A	-	-	-	-	DTAC24C2012A	-	-	-	-	GPSC19P2011A	-	-	-	-
CPAL28C2012A	0.02	(0.01)	25	-	DTAC28C2012A	-	-	-	-	GPSC19P2012A	0.57	0.01	98,211	-
CPAL28C2012B	-	-	-	-	DTAC28C2102A	0.12	0.02	22,815	-	GPSC24C2011A	-	-	-	-
CPAL28C2012C	-	-	-	-	DTAC28C2104L	0.18	0.02	22,815	-	GPSC28C2011A	-	-	-	-
CPAL28C2102A	0.17	(0.01)	3,039	-	DTAC41C2010A	-	-	-	-	GPSC28C2101A	0.18	(0.01)	30,364	-
CPAL28C2104L	0.18	-	3,042	-	DTAC41C2011A	-	-	-	-	GPSC28C2104L	0.19	(0.01)	42,598	-
CPAL41C2010A	-	-	-	-	DTAC41C2012A	0.09	0.01	8,000	-	GPSC41C2011A	0.06	(0.12)	100	-
CPAL41C2011A	-	-	-	-	DTAC42C2010T	-	-	-	-	GPSC41C2012A	0.06	(0.01)	4,000	-
CPAL41C2101A	0.29	(0.71)	7,001	-	EA06C2010A	0.02	-	8,889	-	GPSC41P2010A	0.88	(0.01)	31,600	-
CPAL41P2011A	0.56	0.01	3,441	-	EA06C2102A	0.30	(0.02)	25,464	-	GPSC42C2101T	-	-	-	-
CPAL41P2101A	0.54	(0.46)	14,000	-	EA06P2012A	0.51	(0.03)	25,074	-	GULF01C2012A	0.13	(0.01)	308	-
CPAL42C2101T	0.04	-	38,800	-	EA08C2101A	0.30	(0.01)	6,615	-	GULF01P2012A	0.22	(0.01)	29,857	-
CPF01C2012A	0.06	-	10	-	EA11C2101A	-	-	-	-	GULF06C2101A	0.20	(0.01)	12,622	-
CPF01C2101A	0.20	-	17,257	-	EA13C2011A	0.05	(0.01)	47,500	-	GULF08C2102A	0.09	-	2,300	-
CPF01P2012A	0.41	(0.01)	11,858	-	EA13C2012A	0.15	(0.01)	31,057	-	GULF08C2102A	0.26	(0.01)	23,500	-
CPF06C2010A	0.01	-	1,970	-	EA13P2011A	-	-	-	-	GULF11C2011A	0.07	-	100	-
CPF06C2102A	0.20	-	39,536	-	EA13P2101A	0.32	-	27,132	-	GULF13C2011A	0.02	(0.01)	24,072	-
CPF06P2011A	0.15	(0.02)	38,783	-	EA16C2012A	0.10	-	3,328	-	GULF13C2012A	0.09	(0.01)	27,791	-
CPF08C2010A	-	-	-	-	EA19C2010A	0.05	-	1,980	-	GULF13C2012B	0.15	(0.01)	70,693	-
CPF08C2102A	0.20	-	7,000	-	EA19C2012A	0.14	(0.01)	54,239	-	GULF13P2011A	0.21	-	24,284	-
CPF11C2010A	-	-	-	-	EA19C2101A	0.30	(0.70)	32,642	-	GULF13P2010A	0.25	-	62,633	-
CPF13C2011A	0.02	0.01	300	-	EA19P2011A	0.28	(0.01)	36,950	-	GULF16C2012A	-	-	-	-
CPF13C2012A	0.07	-	2,477	-	EA19P2011B	0.42	0.01	28,305	-	GULF19C2010A	-	-	-	-
CPF13C2101A	0.16	-	141,952	-	EA24C2101A	0.22	(0.02)	11,318	-	GULF19C2101B	-	-	-	-
CPF13P2012A	0.38	0.01	6,000	-	EA28C2011A	0.06	0.01	500	-	GULF19C2012A	0.11	(0.01)	2,555	-
CPF13P2101A	0.21	-	63,892	-	EA28C2012A	0.12	0.01	2,103	-	GULF19C2101A	0.17	(0.01)	69,280	-
CPF16C2012A	-	-	-	-	EA28C2101A	0.11	-	4,056	-	GULF19P2010A	0.07	(0.01)	363	-
CPF19C2010A	0.01	-	590	-	EA28C2102A	0.18	-	12,268	-	GULF19P2010B	0.26	(0.02)	832	-
CPF19C2012A	0.07	(0.01)	15	-	EA28C2103L	0.11	-	2,278	-	GULF19P2012A	0.29	-	40,284	-
CPF19C2102A	0.21	-	30,990	-	EA41C2011A	-	-	-	-	GULF24C2101A	0.16	(0.01)	9,712	-
CPF19P2010A	0.05	(0.01)	180	-	EA41C2101A	0.09	(0.04)	11,844	-	GULF28C2010A	-	-	-	-
CPF19P2012A	0.45	0.01	801	-	EA42C2101T	0.13	(0.01)	10,025	-	GULF28C2012A	0.03	-	504	-
CPF24C2012A	-	-	-	-	EGC001C2010A	0.19	-	11,540	-	GULF28C2012B	-	-	-	-
CPF28C2010A	-	-	-	-	EGC001P2010A	0.77	-	4,400	-	GULF28C2101A	0.11	(0.01)	5,042	-
CPF28C2011A	-	-	-	-	EGC006C2010A	-	-	-	-	GULF28C2102A	0.13	-	6,084	-
CPF28C2012A	-	-	-	-	EGC013C2011A	0.02	(0.01)	1,830	-	GULF41C2011A	-	-	-	-
CPF28C2012B	-	-	-	-	EGC013C2012A	0.16	(0.02)	59,552	-	GULF41C2012A	0.12	-	3,948	-
CPF28C2102A	-	-	-	-	EGC013C2012B	0.26	(0.01)	22,502	-	GULF41C2102A	0.17	-	26,000	-
CPF28C2103L	-	-	-	-	EGC013P2011A	0.67	(0.04)	-	4	GULF41P2011A	0.34	-	11,455	-
CPF41C2010A	-	-	-	-	EGC019C2010A	-	-	-	-	GULF41P2012A	0.28	0.01	74,686	-
CPF41C2101A	0.10	-	52,000	-	EGC019C2011A	-	-	-	-	GULF42C2010M	-	-	-	-
CPF41P2011A	0.34	-	6,901	-	EGCO19C2012A	0.09	(0.01)	31,849	-	GULF42C2101T	0.08	-	20	-
CPF42C2101T	0.04	-	22,304	-	EGCO19C2012B	0.50	(0.04)	40,724	-	GULF42P2010T	0.26	(0.02)	3,924	-
CPN01C2012A	0.15	0.01	21,846	-	EGCO19P2010A	0.90	(0.01)	53,595	-	GUNK01C2012A	0.13	(0.01)	18,264	-
CPN01C2101A	0.46	0.04	38,027	-	EGCO19P2012A	0.59	0.01	108,403	-	GUNK13C2011A	-	-	-	-
CPN01P2012A	0.44	(0.04)	28,372	-	EGCO41C2010A	0.17	0.01	4,000	-	GUNK13C2101A	0.20	(0.01)	75,076	-
CPN06C2010A	0.07	0.03	185	-	EGCO42C2101T	0.04	-	100	-	GUNK19C2010A	-	-	-	-
CPN11C2010A	0.18	0.02	19,220	-	EPG13C2010A	-	-	-	-	GUNK19C2012A	0.08	0.02	111	-
CPN13C2011A	0.07	0.02	2	-	EPG13C2011A	0.24	-	30,693	-	GUNK19C2101A	0.15	-	6,559	-
CPN13C2012A	0.23	0.01	113,873	-	EPG13C2012A	0.10	(0.01)	13,021	-	GUNK24C2012A	0.08	(0.01)	15,020	-
CPN19C2010A	-	-	-	-	EPG19C2010A	0.24	0.01	12,303	-	GUNK28C2012A	-	-	-	-
CPN19C2011A	0.07	-	200	-	EPG19C2011A	0.08	-	280	-	GUNK28C2012B	-	-	-	-
CPN19C2012A	0.19	0.02	36,377	-	EPG42C2101T	0.25	(0.01)	23	-	GUNK28C2102A	0.11	(0.01)	13,178	-
CPN19P2010A	0.14	(0.04)	23,220	-	ERW06C2010A	0.01	(0.01)	5,751	-	HANA01C2012A	0.47	(0.05)	29,312	-
CPN24C2011A	-	-	-	-	ERW13C2010A	0.01	-	1,450	-	HANA11C2103A	0.57	(0.04)	25,600	-
CPN41C2012A	0.15	0.02	9,000	-	ERW19C2010A	0.14	(0.02)	2,869	-	HANA13C2011A	0.48	(0.08)	1,374	-
CPN41C2101A	0.18	0.02	20,766	-	ERW19C2010B	-	-	-	-	HANA13C2012A	0.25	(0.04)	593,082	-
CPN41P2011A	0.61	(0.06)	3,605	-	ESSO01C2012A	0.22	0.04	34,253	-	HANA16C2101A	0.42	(0.06)	10,366	-
CRC01C2101A	0.17	0.01	56,592	-	ESSO01P2012A	0.40	(0.06)	31,403	-	HANA19C2010A	0.47	(0.07)	8,734	-
CRC01P2101A	0.51	(0.02)	14,027	-	ESSO06C2011A	0.07	0.01	8,251	-	HANA19C2012A	0.29	(0.05)	292,585	-
CRC06C2102A	0.17	0.02	29,849	-	ESSO08C2011A	0.17	0.04	19,829	-	HANA19P2011A	-	-	-	-
CRC08C2101A	0.15	0.02	5,500	-	ESSO08C2102A	0.35	0.06	98,175	-	HANA24C2012A	0.49	(0.06)	76,986	-
CRC13C2011A	0.04	-	2,405	-	ESSO13C2010A	0.01	(0.03)	1	-	HANA27P2012X	-	-	-	-
CRC13C2012A	0.09	0.01	15,510	-	ESSO13C2012A	0.22	0.05	229,468	-	HANA28C2012A	0.40	(0.06)	43,476	-
CRC13C2101A	0.18	0.02	21,860	-	ESSO19C2010A	0.11	0.02	28,340	-	HANA41C2012A	0.36	(0.04)	12,216	-
CRC13P2012A	0.23	(0.04)	38,090	-	ESSO19C2011A	0.06	0.01	2,750	-	HANA42C2101T	0.36	(0.03)	1,760	-
CRC19C2010A	-	-	-	-	ESSO19C2012A	0.19	0.04	55,490	-	HMPRO1C2012A	0.13	(0.02)	24,250	-
CRC19C2011A	0.04	-	136	-	ESSO19P2012A	0.27	(0.06)	107,036	-	HMPRO1P2012A	0.40	(0.01)	10,652	-
CRC19C2012A	0.09	0.01	2,235	-	ESSO24C2012A	0.12	0.02	33,436	-	HMPRO6C2010A	-	-	-	-
CRC19C2101A	0.19	(0.02)	35,273	-	ESSO28C2101A	0.11	0.02	14,546	-	HMPRO6C2102A	0.36	(0.01)	14,243	-
CRC19P2011A	0.20	(0.02)	118,293	-	ESSO28C2101B	0.16	0.04	37,462	-	HMPRO6P2011A	0.11	-	16,292	-
CRC24C2101A	0.11	0.01	20,415	-	ESSO41C2010A	0.09	0.02	4,000	-	HMPR11C2011A	0.27	(0.02)	18,180	-
CRC28C2011A	-	-	-	-	ESSO41C2011A	-	-	-	-	HMPR13C2012A	0.22	-	56,579	-
CRC28C2012A	0.04	0.01	25	-	ESSO42C2101T	0.15	-	20	-	HMPR19C2010A	0.10	(0.01)	20,200	-
CRC28C2101A	0.13	0.01	31,447	-	GFPT08C2011A	0.12	0.01	11,620	-	HMPR19C2102A	0.29	(0.01)	22,736	-
CRC41C2010A	-	-	-	-	GFPT13C2010A	-	-	-	-	HMPR19P2011A	0.23	(0.02)	10,000	-
CRC41C2012A	-	-	-	-	GFPT19C2010A	0.09	-	4,000	-	HMPR41C2010A	-	-	-	-
DEL13C2011A	7.70	(0.40)	1,208	7.00	GFPT19C2010B	-	-	-	-	HST28C2010A	0.18	0.03	178,537	-
DOHO06C2012A	0.41	(0.07)	201,262	-	GFPT19C2012A	0.22	0.02	65,151	-	HST28C2010B	0.05	0.01	142,983	-
DOHO08C2012A	0.54	(0.01)	1,050	-	GFPT24C2012A	0.13	0.01	20,668	-	HST28C2010C	0.02	-	2,863	-
DOHO11C2010A	0.47	(0.04)	54,540	-	GFPT42C2101T	-	-	-	-	HST28C2010L	0.01	-	11,882	-
DOHO13C2011A	0.29	(0.05)	152,805											

Main Board Quotation

Issue Date :

Tuesday October 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28P2012L	0.44	(0.07)	35,123	-	JAS13C2010A	0.30	(0.70)	270,177	-	KTBI9P2012A	0.54	(0.02)	58,022	-
HSI28P2010L	0.40	(0.03)	1	-	JAS19C2010A	0.01	(0.01)	1,750	-	KTBI24C2010A	0.22	-	7,576	-
HSI28P2102L	0.40	(0.03)	38	-	JAS19C2010B	-	-	-	-	KTBI28C2010A	-	-	-	-
HSI41C2010A	0.20	0.03	71,663	-	JAS19C2012A	0.13	0.01	31,143	-	KTBI28C2012A	-	-	-	-
HSI41C2010B	0.06	0.01	1,310	-	JAS19C2010A	0.31	0.03	152,693	-	KTBI28C2012B	-	-	-	-
HSI41C2010C	0.01	-	480	-	JAS19P2010A	0.21	(0.05)	47,817	-	KTBI28C2010C	0.05	(0.05)	500	-
HSI41C2011A	0.08	0.01	6	-	JAS28C2011A	-	-	-	-	KTBI28C2012A	0.18	-	13,721	-
HSI41C2011B	0.82	0.06	1,119,614	-	JAS28C2012A	-	-	-	-	KTBI28C2010A	0.39	0.02	39,560	-
HSI41C2011C	-	-	-	-	JAS28C2012B	-	-	-	-	KTBI28C2012A	0.10	-	2,400	-
HSI41C2011D	-	-	-	-	JAS28C2010A	0.10	0.01	10,532	-	KTBI28C2012B	0.26	0.02	17,100	-
HSI41C2011E	-	-	-	-	JAS28C2012A	0.20	0.02	14,246	-	KTBI28C2010C	0.07	(0.02)	4	-
HSI41C2012A	0.10	0.01	6	-	JAS41C2011A	-	-	-	-	KTBI28C2012A	0.01	-	6	-
HSI41C2010A	0.11	-	1	-	JAS41C2012A	0.29	0.01	30,088	-	KTBI28C2010A	0.15	0.02	56,530	-
HSI41P2010A	-	-	-	-	JMT06C2012A	0.47	(0.07)	34,003	-	KTBI28C2011A	0.37	0.03	116,513	-
HSI41P2010B	0.64	(0.14)	1,146,093	-	JMT08C2010A	0.33	(0.05)	27,776	-	KTBI28C2010A	0.32	(0.68)	237,224	-
HSI41P2010C	0.31	(0.08)	98,828	-	JMT11C2102A	0.37	(0.03)	58,800	-	KTBI28C2010A	0.01	-	50	-
HSI41P2011A	0.74	(0.12)	640,140	-	JMT13C2011A	1.37	(0.14)	44	1.00	KTBI28C2012A	0.11	(0.02)	6,225	-
HSI41P2011B	1.15	(0.37)	20,000	1.00	JMT13C2011B	0.43	(0.07)	343,229	-	KTBI28C2010A	0.03	-	300	-
HSI41P2011C	0.68	(0.31)	40,889	-	JMT13C2012A	0.26	(0.04)	1,177,966	-	KTBI28C2010B	0.23	0.01	19,750	-
HSI41P2011D	-	-	-	-	JMT19C2010A	-	-	-	-	KTBI28C2012A	0.38	0.03	45,829	-
HSI41P2011E	0.59	(0.10)	52,462	-	JMT19C2011A	0.45	(0.04)	9,020	-	KTBI28C2010A	-	-	-	-
HSI41P2012A	0.43	(0.06)	3,277	-	JMT19C2012A	0.27	(0.04)	444,795	-	KTBI28C2012A	0.18	(0.01)	6,460	-
HSI41P2101A	0.36	(0.05)	1,391	-	JMT24C2011A	0.45	(0.03)	15,087	-	KTBI28C2011A	0.36	0.03	17,251	-
INTU01C2010A	-	-	-	-	JMT28C2010A	0.34	(0.04)	57,095	-	KTBI28C2011A	-	-	-	-
INTU06P2011A	0.34	(0.03)	26,250	-	JMT41C2012A	0.26	(0.03)	15,792	-	KTBI28C2012A	0.14	0.01	1,024	-
INTU11C2103A	0.36	0.01	32,600	-	JMT42C2101T	0.25	(0.03)	2,600	-	KTBI28C2012B	0.30	0.02	30,420	-
INTU13C2011A	-	-	-	-	KBAN01C2012A	0.44	(0.03)	93,671	-	KTBI28C2010A	0.35	0.03	42,399	-
INTU13C2010A	0.30	(0.70)	77,336	-	KBAN01C2012B	0.31	(0.01)	106,773	-	KTBI28C2010B	0.28	0.01	32,220	-
INTU19C2012A	0.13	-	2,000	-	KBAN01C2012T	0.48	(0.02)	47,252	-	KTBI28C2011A	0.33	0.03	7,583	-
INTU19P2010A	-	-	-	-	KBAN01P2012A	0.84	(0.01)	90,583	-	KTBI28C2012A	0.34	0.02	8,150	-
INTU19P2012A	0.63	(0.02)	51,167	-	KBAN01P2010A	0.83	0.01	59,609	-	KTBI28C2012T	0.18	0.01	7,850	-
INTU23C2111A	-	-	-	-	KBAN01P2012T	0.72	-	48,456	-	LH01C2010A	0.20	-	13,988	-
INTU28C2010A	-	-	-	-	KBAN06C2011A	0.01	(0.01)	2,687	-	LH06C2012A	0.09	0.01	127	-
INTU28C2012A	0.05	-	4,000	-	KBAN06C2012A	0.09	(0.01)	66,441	-	LH11C2012A	0.13	-	11,250	-
INTU28C2102A	0.15	-	3,072	-	KBAN06C2103A	0.59	(0.03)	229,030	-	LH13C2010A	-	-	-	-
INTU41C2010A	-	-	-	-	KBAN06P2011A	0.75	-	116,923	-	LH13C2101A	0.19	0.01	53,183	-
INTU41C2012A	-	-	-	-	KBAN08C2011A	-	-	-	-	LH19C2010A	0.07	-	1,000	-
INTU42C2010T	0.06	(0.01)	90	-	KBAN08C2101A	0.19	(0.02)	17,767	-	LH19C2011A	-	-	-	-
IRPC01C2010A	0.18	0.04	75,993	-	KBAN08P2010A	1.16	-	55,432	1.00	LH19C2101A	0.21	-	108,312	-
IRPC01P2010A	0.30	(0.05)	68,858	-	KBAN13C2010A	-	-	-	-	LH19P2010A	-	-	-	-
IRPC06C2010A	0.01	-	39,069	-	KBAN13C2010B	0.01	-	100	-	MAJ013C2011A	0.08	(0.01)	4,034	-
IRPC06P2010A	-	-	-	-	KBAN13C2011A	0.07	-	27,709	-	MAJ019C2011A	0.20	(0.03)	10,069	-
IRPC13C2102A	0.16	0.03	74,700	-	KBAN13C2012A	0.17	(0.01)	101,798	-	MEGA13C2011A	-	-	-	-
IRPC13C2010A	-	-	-	-	KBAN13C2012B	0.24	(0.02)	1,070,200	-	MEGA13C2101A	0.27	(0.02)	188,317	-
IRPC13C2012A	0.09	0.01	8,108	-	KBAN13P2010A	-	-	-	-	MEGA19C2011A	0.09	(0.01)	25,833	-
IRPC13C2012B	0.14	0.04	331,638	-	KBAN13P2011A	0.99	0.01	12,141	1.00	MEGA19C2101A	0.25	(0.02)	242,643	-
IRPC13C2101A	0.50	0.07	4,250	-	KBAN13P2012A	0.80	0.01	736,352	-	MEGA42C2010T	-	-	-	-
IRPC13P2011A	-	-	-	-	KBAN19C2010A	-	-	-	-	MINT01C2012A	0.30	(0.02)	103,894	-
IRPC13P2012A	0.20	(0.05)	314,766	-	KBAN19C2010B	0.01	-	-	-	MINT01C2102T	0.33	(0.01)	166,884	-
IRPC19C2010A	-	-	-	-	KBAN19C2011A	0.01	(0.01)	1,252	-	MINT01P2012A	0.32	-	58,804	-
IRPC19C2011A	-	-	-	-	KBAN19C2012A	0.22	(0.02)	23,412	-	MINT01P2012B	0.81	0.01	60,511	-
IRPC19C2012A	0.53	0.16	31,201	-	KBAN19C2012B	0.10	(0.02)	75,884	-	MINT01P2102T	0.61	-	92,698	-
IRPC19C2010A	0.15	0.03	216,916	-	KBAN19C2101A	0.46	(0.02)	1,225,758	-	MINT06C2012A	0.34	(0.02)	115,041	-
IRPC19P2011A	0.38	(0.09)	14,748	-	KBAN19P2010A	0.57	0.07	1,100	-	MINT06P2012A	0.26	-	56,550	-
IRPC19P2012A	0.21	(0.06)	28,224	-	KBAN19P2010P	0.13	-	325,026	-	MINT06P2102A	1.17	0.02	67,050	1.00
IRPC24C2010A	0.07	0.01	121	-	KBAN19P2012A	0.62	0.01	566,442	-	MINT08C2010A	0.10	(0.02)	43,340	-
IRPC28C2012A	0.03	0.01	1	-	KBAN24C2012A	0.12	(0.01)	78,415	-	MINT08P2011A	0.34	-	21,450	-
IRPC28C2101A	0.07	-	1,450	-	KBAN28C2010A	-	-	-	-	MINT08P2102A	-	-	-	-
IRPC28C2103A	0.16	0.04	50,451	-	KBAN28C2012A	-	-	-	-	MINT11C2011A	0.33	(0.02)	67,787	-
IRPC41C2010A	-	-	-	-	KBAN28C2010B	0.04	(0.02)	25	-	MINT11P2011A	0.24	(0.01)	25,393	-
IRPC41C2011A	0.10	0.02	252	-	KBAN28C2012A	0.20	(0.02)	46,302	-	MINT13C2010A	0.06	-	21,481	-
IVL01C2012A	0.10	0.01	8,400	-	KBAN28C2104L	0.22	(0.01)	39,668	-	MINT13C2011A	0.15	(0.02)	697,779	-
IVL01C2012B	0.45	0.18	823,831	-	KBAN28P2012A	0.38	-	55,758	-	MINT13P2011A	0.24	0.01	47,108	-
IVL01P2012A	0.58	(0.26)	173,951	-	KBAN41C2011A	-	-	-	-	MINT13P2012A	0.52	0.01	400,613	-
IVL06C2010A	0.01	-	121,052	-	KBAN41C2012A	0.18	(0.01)	29,092	-	MINT16C2012A	0.31	(0.01)	14,953	-
IVL06C2101A	0.32	0.17	294,965	-	KBAN41C2101A	0.34	(0.03)	208,214	-	MINT19C2010A	0.05	(0.01)	2,550	-
IVL06C2103A	0.74	0.34	417,027	-	KBAN41P2010A	-	-	-	-	MINT19C2011A	0.43	(0.02)	112,132	-
IVL06P2011A	0.41	(0.09)	209,301	-	KBAN41P2011A	-	-	-	-	MINT19C2011B	0.15	(0.01)	421,064	-
IVL08C2101A	0.38	0.17	63,880	-	KBAN42C2010T	-	-	-	-	MINT19P2010A	0.12	(0.01)	64,116	-
IVL08P2011A	0.17	(0.16)	138,346	-	KBAN42P2010T	0.93	0.02	17,272	-	MINT19P2011A	0.18	-	10,292	-
IVL08P2102A	0.63	(0.25)	154,351	-	KCE01C2012A	0.40	0.02	39,478	-	MINT19P2012A	0.62	0.01	33,274	-
IVL11C2012A	0.12	0.05	3,035	-	KCE01P2011A	0.19	(0.02)	3,140	-	MINT24C2011A	0.24	(0.01)	13,680	-
IVL13C2011A	0.03	0.01	12,575	-	KCE06C2012A	-	-	-	-	MINT28C2012A	-	-	-	-
IVL13C2012A	0.27	0.15	1,212,439	-	KCE06C2012B	0.66	0.02	28,522	-	MINT28C2012B	0.18	-	22,302	-
IVL13C2012B	0.08	0.04	1,344	-	KCE08C2012A	0.53	0.01	13,230	-	MINT28C2012C	0.18	-	34,358	-
IVL13C2101A	0.56	0.26	2,416,342	-	KCE11C2101A	0.52	0.01	17,355	-	MINT28C2104L	0.20	-	38,025	-
IVL13P2010A	0.01	(0.04)	800	-	KCE13C2010A	0.37	0.02	9,786	-	MINT41C2010A	-	-	-	-
IVL13P2012A	0.32	(0.25)	676,357	-	KCE13C2012A	0.35	0.03	344,207	-	MINT41C2012A	0.41	(0.03)	85,516	-
IVL19C2010A	-	-	-	-	KCE13P2010A	-	-	-	-	MINT42C2101T	0.22	-	3,400	-
IVL19C2010B	0.03	0.01	200	-	KCE13P2012A	0.16	(0.01)	98,688	-	MINT42P2102T	0.59	-	8,016	-
IVL19C2011A	0.16	0.09	900,049	-	KCE16C2012A	0.42	-	6,829	-	MTC01C2012A	0.39	-	38,186	-
IVL19C2012A	0.34	0.17	1,322,125	-	KCE19C2010A	1.92	0.23	20	1.00	MTC06C2010A	0.01	-	73	-
IVL19C2012B	0.57	0.27	1,282,787	-	KCE19C2010B	-	-	-	-	MTC06C2012A	0.51	0.01	21,895	-
IVL19P2010A	0.04	(0.06)	4,116	-	KCE19C2011A	0.40	0.02	39,190	-	MTC08C2011A	0.23	-	3,003	-
IVL19P2010B	0.12	(0.16)	281,111	-	KCE19C2012A	0.32	0.01	54,247	-	MTC08C2102A	0.50	(0.01)	4,800	-
IVL19P2011A	-	-	-	-	KCE19P2010A	-	-	-	-	MTC11C2010A	0.47	-	10,880	-</

Asia Plus Securities Company Limited

Main Board Quotation

Securities	Close	Change	Volume (Lot)	Average Price
OR119C2012A	0.19	0.05	21,401	-
OR128C2011A	-	-	-	-
OR128C2012A	-	-	-	-
OR128C2012B	0.33	0.08	90,648	-
OR128C2013A	0.15	0.04	104,407	-
OR128C2103L	0.23	0.04	78,390	-
OSP01C2012A	0.13	-	31,041	-
OSP01P2012A	0.45	(0.03)	29,597	-
OSP06C2011A	0.03	-	1,000	-
OSP06C2102A	0.23	0.01	33,500	-
OSP06P2102A	0.52	(0.03)	11,910	-
OSP08C2102A	0.35	0.01	20,771	-
OSP11C2102A	0.22	0.01	27,640	-
OSP13C2010A	-	-	-	-
OSP13C2012A	0.09	0.01	5,445	-
OSP13C2101A	0.20	-	44,868	-
OSP13P2011A	0.30	(0.03)	10,616	-
OSP19C2010A	-	-	-	-
OSP19C2012A	0.11	0.01	12,300	-
OSP19C2101A	0.21	0.02	44,200	-
OSP19P2010A	0.17	(0.02)	17,696	-
OSP24C2101A	0.19	0.01	11,572	-
OSP28C2101A	-	-	-	-
OSP28C2101B	0.09	0.01	200	-
OSP41C2010A	-	-	-	-
OSP41C2012A	-	-	-	-
OSP42C2101T	0.07	0.01	1	-
PLAN06C2102A	0.42	0.01	39,149	-
PLAN11C2103A	0.47	0.02	18,481	-
PLAN13C2010A	0.01	(0.01)	100	-
PLAN13C2011A	0.27	-	123,899	-
PLAN19C2010A	-	-	-	-
PLAN19C2010B	0.12	-	3,002	-
PLAN19C2012A	0.29	0.01	65,938	-
PLAN27C2101A	0.23	0.02	2,212	-
PLAN28C2010A	-	-	-	-
PLAN28C2012A	-	-	-	-
PLAN28C2012B	0.27	-	26,454	-
PLAN42C2101T	0.15	-	14	-
PRM08C2101A	0.32	(0.02)	5,113	-
PRM11C2102A	0.43	(0.04)	10,599	-
PRM13C2010A	0.15	(0.03)	16,364	-
PRM13C2012A	0.31	(0.03)	49,765	-
PRM16C2012A	0.22	(0.03)	9,798	-
PRM19C2010A	0.42	(0.05)	6,719	-
PRM19C2011A	0.20	(0.03)	10,813	-
PRM28C2012A	0.17	(0.02)	15,428	-
PRM42C2101T	-	-	-	-
PTG01C2012A	0.39	0.01	37,600	-
PTG01P2012A	0.45	(0.01)	54,819	-
PTG06C2010A	0.38	(0.02)	22,013	-
PTG06C2103A	0.66	-	17,901	-
PTG08C2011A	0.45	0.01	8,000	-
PTG11C2011A	0.47	0.01	21,705	-
PTG13C2010A	0.11	(0.02)	18,701	-
PTG13C2012A	0.21	(0.01)	80,009	-
PTG13C2012B	0.42	(0.01)	205,521	-
PTG16C2101A	0.52	-	6,785	-
PTG19C2010A	0.43	0.01	13,069	-
PTG19C2011A	0.26	(0.01)	96,462	-
PTG19C2012A	0.42	-	51,994	-
PTG19P2010A	0.01	(0.01)	5	-
PTG19P2011A	0.21	-	124,712	-
PTG19P2011A	0.48	(0.52)	48,104	-
PTG41C2101A	0.46	0.01	8,196	-
PTG42C2101T	0.31	-	510	-
PTT01C2012A	0.11	-	14,241	-
PTT01P2012A	0.33	(0.03)	51,736	-
PTT06C2012A	0.06	-	23,410	-
PTT06C2102A	0.14	0.02	73,980	-
PTT08C2101A	0.12	0.01	14,999	-
PTT08P2101A	0.45	(0.05)	15,399	-
PTT11C2101A	0.11	0.01	40,481	-
PTT13C2010A	-	-	-	-
PTT13C2012A	0.06	0.01	5,853	-
PTT13C2012B	0.12	0.01	356,531	-
PTT13C2101A	0.21	0.03	364,890	-
PTT13P2010A	0.06	(0.02)	77,106	-
PTT13P2011A	0.35	(0.06)	855	-
PTT13P2101A	0.20	(0.02)	166,085	-
PTT16C2012A	-	-	-	-
PTT19C2011A	0.03	(0.01)	354	-
PTT19C2012A	0.08	0.01	405	-
PTT19C2012B	0.10	0.01	23,700	-
PTT19C2101A	0.18	0.02	257,932	-
PTT19P2010A	0.09	(0.02)	10,000	-
PTT19P2010B	0.17	(0.04)	97,602	-
PTT19P2101A	0.21	(0.03)	91,161	-
PTT24C2101A	0.13	0.02	24,516	-
PTT28C2011A	-	-	-	-
PTT28C2012A	-	-	-	-
PTT28C2101A	-	-	-	-
PTT28C2103L	0.15	0.01	15,196	-
PTT41C2010A	-	-	-	-
PTT41C2012A	-	-	-	-
PTT41C2101A	-	-	-	-
PTT41C2101B	0.20	(0.80)	79,508	-
PTT41P2010A	-	-	-	-
PTT41P2011A	-	-	-	-
PTT41P2012A	0.49	(0.03)	9,020	-
PTT41P2101A	0.26	(0.74)	62,000	-
PTT42C2010M	-	-	-	-
PTT42C2012T	-	-	-	-

Securities	Close	Change	Volume (Lot)	Average Price
PTT42P2101T	0.23	(0.02)	15,067	-
PTTE01C2012A	0.53	0.11	41,509	-
PTTE01P2012A	1.13	(0.25)	44,635	1.00
PTTE06C2011A	0.04	(0.01)	400	-
PTTE06C2101A	0.47	0.14	182,498	-
PTTE06P2011A	0.28	(0.20)	178,757	-
PTTE08C2011A	0.22	0.07	90,959	-
PTTE08P2101A	0.97	(0.26)	52,874	1.00
PTTE11C2011A	0.35	0.09	48,966	-
PTTE11P2102A	0.70	(0.17)	136,873	-
PTTE13C2010A	0.02	0.01	2,803	-
PTTE13C2010B	-	-	-	-
PTTE13C2011A	0.15	0.06	451,828	-
PTTE13C2012A	0.42	0.14	784,059	-
PTTE13P2010A	0.22	(0.21)	110,051	-
PTTE13P2012A	0.53	(0.20)	157,608	-
PTTE19C2010A	0.01	(0.01)	749	-
PTTE19C2010B	0.13	0.06	112,987	-
PTTE19C2011A	0.07	0.02	3,280	-
PTTE19C2011B	0.10	0.05	71,686	-
PTTE19C2012A	0.37	0.12	394,267	-
PTTE19C2101A	0.79	0.20	464,064	-
PTTE19P2010A	0.11	(0.10)	201,212	-
PTTE19P2010B	0.23	(0.19)	104,836	-
PTTE19P2012A	0.60	(0.40)	17,420	-
PTTE19P2101A	0.47	(0.18)	383,887	-
PTTE24C2011A	-	-	-	-
PTTE28C2011A	-	-	-	-
PTTE28C2011B	-	-	-	-
PTTE28C2012A	0.24	0.07	37,469	-
PTTE28C2101A	0.30	0.10	108,940	-
PTTE28C2102L	0.22	0.04	14,196	-
PTTE41C2010A	-	-	-	-
PTTE41C2011A	0.15	0.06	7,896	-
PTTE41C2012A	0.27	0.10	66,269	-
PTTE41C2101A	0.34	0.11	334,038	-
PTTE41P2010A	-	-	-	-
PTTE41P2011A	0.76	(0.29)	35,552	-
PTTE41P2101A	0.60	(0.40)	271,025	-
PTTE42C2101T	0.23	(0.01)	4,001	-
PTTE42P2101T	0.68	(0.17)	20,446	-
PTTG01C2012A	0.27	0.04	134,567	-
PTTG01P2012A	0.79	(0.15)	55,145	-
PTTG08C2101A	0.22	0.05	25,508	-
PTTG08P2010A	-	-	-	-
PTTG11C2010A	-	-	-	-
PTTG13C2010A	0.07	0.01	12,588	-
PTTG13C2012A	0.19	0.05	187,194	-
PTTG13C2101A	0.34	0.08	622,085	-
PTTG13P2010A	0.05	(0.04)	20	-
PTTG13P2011A	0.45	(0.14)	15,883	-
PTTG13P2012A	0.38	(0.08)	346,831	-
PTTG19C2011A	0.10	0.02	112,222	-
PTTG19C2012A	0.21	0.05	385,480	-
PTTG19C2101A	0.39	0.08	287,271	-
PTTG19P2010A	0.16	(0.10)	67,284	-
PTTG19P2011A	0.24	(0.07)	183,430	-
PTTG19P2011B	0.62	(0.17)	3	-
PTTG24C2101A	0.28	0.06	75,145	-
PTTG28C2011A	-	-	-	-
PTTG28C2012A	0.16	0.05	100,968	-
PTTG28C2102L	0.12	0.02	26,658	-
PTTG41C2010A	0.09	0.03	4,048	-
PTTG41C2011A	-	-	-	-
PTTG41C2101A	0.16	0.05	145,000	-
PTTG41P2010A	-	-	-	-
PTTG41P2011A	0.59	(0.13)	20,930	-
PTTG41P2102A	0.36	(0.08)	154,646	-
PTTG42C2012T	-	-	-	-
QH19C2012A	0.09	(0.02)	10,000	-
QH27C2101A	0.12	-	9,062	-
RAT01C2101A	0.27	(0.01)	23,106	-
RAT01P2101A	0.65	(0.01)	27,054	-
RAT06C2102A	0.26	(0.01)	16,225	-
RAT06P2010A	-	-	-	-
RAT06C2103A	0.52	(0.01)	30,918	-
RAT06C2101A	-	-	-	-
RAT08C2012A	0.10	(0.01)	23,476	-
RAT08C2101A	0.30	(0.70)	71,670	-
RAT08C2101A	0.37	(0.01)	72,098	-
RAT08C2101B	-	-	-	-
RAT08C2101C	-	-	-	-
RAT08C2102A	0.15	-	27,100	-
RAT08C2101A	0.26	(0.02)	113,556	-
RAT08C2101B	0.54	(0.03)	17,776	-
RAT08C2102A	0.15	-	2,494	-
RAT08C2101A	-	-	-	-
RAT08C2102A	0.19	(0.01)	21,000	-
RAT08C2102T	0.08	-	49	-
RS06C2010A	-	-	-	-
RS06C2012A	0.31	(0.04)	184,437	-
RS08C2011A	-	-	-	-
RS08C2103A	0.46	(0.04)	111,058	-

Issue Date :

Tuesday October 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price
RS41C2011A	0.38	(0.03)	56,394	-
RS42C2101T	0.26	(0.01)	8,400	-
S10001C2011A	0.02	0.01	144	-
S5001C2012F	0.36	0.01	103,012	-
S5001P2012F	1.09	(0.05)	415,072	1.00
S5006C2012A	0.19	0.02	63,655	-
S5006C2012B	0.59	0.04	580,154	-
S5006P2012A	1.10	(0.12)	440,363	1.00
S5006P2012B	0.57	(0.11)	1,142,205	-
S5008C2012A	0.15	0.01	10,364	-
S5008C2012B	0.23	0.02	111,800	-
S5008P2012A	1.06	(0.05)	252,184	1.00
S5011C2012A	0.58	0.03	25,997	-
S5011P2012A	0.60	(0.05)	22,103	-
S5013C2010A	0.29	0.01	3,172	-
S5013C2012A	0.15	0.01	131,253	-
S5013C2012B	0.18	0.01	221,959	-
S5013C2012C	0.25	0.01	196,193	-
S5013C2012D	0.21	0.02	1,538,823	-
S5013C2012E	0.35	0.02	5,137,215	-
S5013C2012F	0.49	(0.51)	4,776,338	-
S5013P2010A	0.79	(0.02)	13,984	-
S5013P2012A	1.07	(0.06)	293,605	1.00
S5013P2012B	1.19	(0.06)	263,850	1.00
S5013P2012C	0.73	(0.07)	4,677,695	-
S5013P2012D	0.47	(0.05)	10,275,445	-
S5013P2012E	0.38	(0.05)	5,559,628	-
S5016C2012A	0.16	0.01	8,462	-
S5016C2012B	-	-	-	-
S5016P2012A	0.93	(0.06)	42,946	-
S5016P2012B	0.89	(0.07)	64,542	-
S5016P2103Z	-	-	-	-
S5019C2012A	0.14	-	215	-
S5019C2012B	0.12	0.01	1,002	-
S5019C2012C	0.28	0.02	455,893	-
S5019C2012D	0.46	0.04	633,377	-
S5019P2012A	0.97	(0.06)	436,177	-
S5019P2012B	0.85	(0.08)	740,405	-
S5019P2012C	0.56	(0.04)	1,767,218	-
S5024C2012A	0.02	0.01	14	-
S5024C2012B	-	-	-	-
S5024C2012C	0.12	-	240	-
S5024C2012D	0.18	0.01	13,814	-
S5024C2012E	0.30	0.03	281,673	-
S5024C2012F	0.58	0.04	518	

Asia Plus Securities Company Limited

Main Board Quotation

Daily Quotation

Issue Date :

Tuesday October 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCB13C2010A	-	-	-	-	STA13C2012A	0.19	(0.01)	1,248,488	-	THAN19C2012B	0.24	(0.02)	12,526	-
SCB13C2011A	0.10	-	66,028	-	STA13P2010A	-	-	-	-	THAN42C2102T	0.21	(0.07)	201	-
SCB13C2012A	0.33	0.03	580,911	-	STA13P2010B	-	-	-	-	TISC01C2101A	0.40	0.03	83,898	-
SCB13P2010A	0.43	(0.15)	30	-	STA13P2012A	0.18	(0.01)	140,010	-	TISC11C2012A	0.24	0.03	12,740	-
SCB13P2012A	0.53	(0.05)	786,535	-	STA13P2012B	0.25	(0.75)	779,413	-	TISC13C2010A	-	-	-	-
SCB19C2010A	-	-	-	-	STA19C2010A	-	-	-	-	TISC13C2012A	0.28	0.03	106,484	-
SCB19C2010B	-	-	-	-	STA19C2010B	1.37	0.19	20	1.00	TISC19C2010A	-	-	-	-
SCB19C2012A	0.21	0.01	106,902	-	STA19C2010C	0.09	0.02	1	-	TISC19C2010B	0.04	(0.04)	4,600	-
SCB19C2010A	0.40	0.03	94,854	-	STA19C2010A	0.75	0.04	9,056	-	TISC19C2012A	0.28	0.04	17,000	-
SCB19P2010A	0.08	(0.02)	40,662	-	STA19C2011B	0.17	-	329,500	-	TISC41C2010A	-	-	-	-
SCB19P2011A	-	-	-	-	STA19C2012A	0.23	(0.01)	793,575	-	TISC41C2012A	0.27	0.04	19,422	-
SCB19P2011B	0.48	(0.05)	129,746	-	STA19P2010A	0.23	-	-	-	TISC42C2101T	0.11	0.01	10	-
SCB24C2012A	0.20	0.02	52,320	-	STA19P2012A	0.17	(0.01)	728,359	-	TKN01C2101A	0.18	-	43,362	-
SCB28C2010A	-	-	-	-	STA24C2011A	0.11	-	37,817	-	TKN06C2011A	0.10	-	38,350	-
SCB28C2012A	-	-	-	-	STA28C2011A	-	-	-	-	TKN06C2012A	0.65	(0.04)	32,700	-
SCB28C2012B	0.17	0.01	27,469	-	STA28C2011B	0.12	(0.01)	102,132	-	TKN08C2011A	0.08	(0.01)	1,000	-
SCB28C2104L	0.21	0.02	29,948	-	STA28C2012A	1.45	-	9	1.00	TKN08C2102A	0.28	-	10,850	-
SCB41C2011A	-	-	-	-	STA28C2102L	0.15	-	142,520	-	TKN13C2010A	0.01	(0.12)	308	-
SCB41C2011B	0.05	(0.11)	500	-	STA41C2010A	0.08	(0.01)	17,000	-	TKN13C2010B	-	-	-	-
SCB41C2012A	0.28	0.02	202,594	-	STA42C2101T	0.14	-	240	-	TKN13C2012A	0.10	(0.01)	94,613	-
SCB41P2011A	0.48	(0.05)	174,824	-	STEC01C2101A	0.18	0.04	25,104	-	TKN19C2010A	-	-	-	-
SCB42C2101T	-	-	-	-	STEC01P2101A	0.49	(0.10)	14,608	-	TKN19C2011A	0.29	(0.01)	1,213	-
SCC01C2101A	0.61	0.08	35,424	-	STEC06C2010A	-	-	-	-	TKN19C2011B	-	-	-	-
SCC01P2012A	0.69	(0.11)	26,288	-	STEC08C2012A	-	-	-	-	TKN19C2012A	0.18	-	60,204	-
SCC06C2012A	0.19	0.04	43,439	-	STEC11C2102A	0.21	0.04	40,190	-	TKN28C2012A	-	-	-	-
SCC08C2011A	0.16	0.03	35,400	-	STEC13C2010A	-	-	-	-	TKN28C2012B	0.10	(0.01)	312	-
SCC11C2011A	0.37	0.04	45,980	-	STEC13C2012A	0.10	0.03	34,708	-	TKN28C2101A	0.44	(0.25)	48,347	-
SCC13C2011A	0.18	0.03	129,570	-	STEC13C2101A	0.24	0.06	132,589	-	TKN42C2012T	-	-	-	-
SCC13C2012A	0.35	0.07	310,443	-	STEC13P2011A	0.22	(0.06)	46,300	-	TMB13C2011A	0.02	(0.01)	1,308	-
SCC13P2011A	0.62	(0.11)	17,911	-	STEC19C2011A	0.01	(0.01)	6,422	-	TMB19C2011A	0.07	(0.01)	57	-
SCC13P2101A	0.31	(0.05)	50,711	-	STEC19C2012A	0.11	0.03	6,000	-	TMB19C2011B	-	-	-	-
SCC19C2010A	-	-	-	-	STEC19C2101A	0.20	0.05	36,600	-	TMB19C2012A	0.09	(0.01)	19,600	-
SCC19C2012A	0.37	0.06	312,049	-	STEC19P2011A	-	-	-	-	TMB19P2010A	0.28	(0.01)	33,220	-
SCC19C2101A	0.65	0.10	69,952	-	STEC19P2012A	-	-	-	-	TMB41C2010A	-	-	-	-
SCC19P2010A	-	-	-	-	STEC19P2101A	0.20	(0.05)	19,902	-	TOA13C2011A	0.10	(0.01)	36,453	-
SCC19P2011A	0.25	(0.06)	50,834	-	STEC28C2011A	-	-	-	-	TOA19C2010A	0.07	(0.03)	28,036	-
SCC24C2012A	0.22	0.05	53,206	-	STEC28C2012A	0.07	0.02	50	-	TOA19C2012A	0.23	(0.02)	177,182	-
SCC28C2010A	-	-	-	-	STEC28C2101A	0.14	0.04	23,429	-	TOA42C2101T	-	-	-	-
SCC28C2102A	0.32	0.06	45,900	-	STEC28C2104L	0.17	0.03	24,336	-	TOP01C2012A	0.16	0.05	134,611	-
SCC28C2104L	0.28	0.03	24,352	-	STEC41C2012A	-	-	-	-	TOP01P2012A	0.49	(0.17)	114,410	-
SCC41C2010A	0.14	0.03	3,948	-	STEC42P2102T	0.25	(0.04)	800	-	TOP06C2011A	0.02	(0.01)	1,612	-
SCC41C2011A	0.11	0.04	23,896	-	SUPE08C2012A	0.09	0.01	33	-	TOP06C2102A	0.18	0.07	173,440	-
SCC41C2101A	0.34	0.06	79,040	-	SUPE08C2102A	0.22	0.02	17,473	-	TOP06P2010A	0.01	(0.03)	969	-
SCC41P2011A	0.56	(0.12)	10,180	-	SUPE08C2101A	-	-	-	-	TOP06P2102A	-	-	-	-
SCC41P2102A	0.51	(0.08)	88,251	-	SUPE19C2011A	0.06	-	20,801	-	TOP08C2010A	-	-	-	-
SGP13C2011A	-	-	-	-	SUPE19C2011B	0.02	0.01	610	-	TOP08C2102A	0.35	0.08	51,914	-
SGP19C2011A	0.19	0.04	17,917	-	SUPE19C2012A	0.20	0.01	32,780	-	TOP11C2011A	0.13	0.04	46,763	-
SGP42C2101T	0.19	0.01	10	-	SUPE19P2011A	0.14	(0.01)	45,802	-	TOP13C2010A	0.01	-	24,400	-
SIR119C2011A	-	-	-	-	SUPE19P2012A	0.22	(0.02)	44,836	-	TOP13C2011A	0.03	-	301	-
SIR19C2103A	0.13	0.01	71,048	-	SUPE42C2101T	0.08	0.01	1,600	-	TOP13C2012A	0.06	0.02	130,565	-
SIR142C2101T	-	-	-	-	SUPE42P2102T	0.15	(0.01)	3,030	-	TOP13C2012B	0.14	0.06	484,763	-
SPAL06C2010A	0.28	0.12	23,542	-	TASC01C2012A	0.16	(0.01)	19,785	-	TOP13C2101A	0.31	0.10	905,255	-
SPAL06C2103A	0.46	0.11	33,022	-	TASC01C2012B	0.36	(0.04)	53,378	-	TOP13P2010A	0.16	(0.20)	62	-
SPAL13C2010A	0.06	-	1,228	-	TASC01P2012A	0.60	0.02	30,005	-	TOP13P2012A	-	-	-	-
SPAL19C2011A	0.30	0.08	22,420	-	TASC06C2012A	0.05	-	4,110	-	TOP13P2101A	0.18	(0.07)	87,256	-
SPAL19C2011B	0.12	0.04	8	-	TASC06C2102A	0.47	(0.05)	64,192	-	TOP19C2010A	0.02	-	1,000	-
SPAL27C2101A	0.16	0.05	4,522	-	TASC08C2011A	0.03	-	5,059	-	TOP19C2010B	-	-	-	-
SPRC01C2101A	0.21	0.02	90,887	-	TASC08C2012A	0.03	-	10	-	TOP19C2012A	0.05	0.02	10,130	-
SPRC01P2101A	0.53	(0.05)	65,962	-	TASC11C2102A	-	-	-	-	TOP19C2101A	0.20	0.06	315,743	-
SPRC06C2010A	0.01	-	7,649	-	TASC13C2011A	0.01	-	6	-	TOP19C2101B	0.35	0.10	460,639	-
SPRC06C2102A	0.22	0.05	167,130	-	TASC13C2012A	0.05	(0.01)	331,341	-	TOP19P2010A	-	-	-	-
SPRC06P2011A	0.20	(0.07)	108,025	-	TASC13C2012B	0.20	(0.02)	596,147	-	TOP19P2011A	-	-	-	-
SPRC08C2011A	-	-	-	-	TASC13C2101A	0.37	(0.04)	481,984	-	TOP19P2101A	0.20	(0.09)	71,860	-
SPRC11C2102A	0.24	0.03	103,180	-	TASC13P2011A	1.14	0.05	95	-	TOP24C2101A	0.19	0.05	27,711	-
SPRC13C2010A	-	-	-	-	TASC13P2012A	0.35	0.02	100,439	-	TOP41C2010A	-	-	-	-
SPRC13C2012A	0.11	0.02	133,965	-	TASC19C2010A	0.01	-	56	-	TOP41C2011A	-	-	-	-
SPRC13C2012B	0.18	0.04	458,013	-	TASC19C2011A	0.03	-	12,565	-	TOP41C2102A	0.17	0.06	29,000	-
SPRC19C2010A	-	-	-	-	TASC19C2012A	0.18	(0.02)	253,653	-	TOP41P2010A	-	-	-	-
SPRC19C2012A	0.14	0.02	74,406	-	TASC19C2101A	0.36	(0.04)	707,858	-	TOP41P2011A	0.83	(0.19)	8	-
SPRC19C2101A	0.28	0.06	165,714	-	TASC19P2010A	0.98	0.08	45	-	TOP42C2011T	0.04	0.02	40,000	-
SPRC19P2011A	0.29	(0.04)	80,804	-	TASC19P2011A	-	-	-	-	TP113C2011A	0.15	-	49,332	-
SPRC28C2011A	-	-	-	-	TASC19P2012A	1.72	0.09	851	1.00	TP19C2012A	0.24	0.02	45,735	-
SPRC28C2101A	0.13	0.03	24,336	-	TASC19P2012B	0.25	-	113,604	-	TQM11C2102A	0.78	0.06	12,392	-
SPRC42C2101T	-	-	-	-	TASC19P2012C	0.35	0.02	174,674	-	TQM13C2011A	0.35	0.05	93,500	-
SPX28C2012A	1.04	0.06	3,500	1.00	TASC24C2011A	-	-	-	-	TQM13C2101A	0.45	0.04	86,322	-
SPX28C2012B	0.50	0.05	6,569	-	TASC28C2010A	-	-	-	-	TQM19C2010A	2.88	(0.08)	19	2.00
SPX28C2012C	0.87	(0.13)	165	-	TASC28C2012A	0.05	(0.01)	1,351	-	TQM19C2010B	0.18	0.01	12,242	-
SPX28C2103L	0.38	(0.62)	280	-										

Main Board Quotation

Issue Date :

Tuesday October 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TRUE41C2101A	0.10	-	10,000	-	NVD-W1	0.07	0.01	1,014	-	-	-	-	-	-
TRUE42C2101T	0.06	0.01	200	-	PACE-W2	-	-	-	-	-	-	-	-	-
TTW19C2011A	-	-	-	-	PACE-W3	-	-	-	-	-	-	-	-	-
TTW24C2012A	-	-	-	-	PDI-W1	0.53	0.04	114,899	-	-	-	-	-	-
TU01C2101A	0.28	0.03	59,792	-	PDJ-W4	0.42	(0.02)	581	-	-	-	-	-	-
TU01P2101A	0.30	(0.03)	79,928	-	PERM-W1	-	-	-	-	-	-	-	-	-
TU06C2102A	0.37	0.05	62,538	-	PORT-W1	0.59	0.01	4,544	-	-	-	-	-	-
TU06P2010A	-	-	-	-	PPPM-W4	0.11	0.01	4,599	-	-	-	-	-	-
TU06P2103A	0.29	(0.06)	27,875	-	PRIME-W1	0.01	-	133,992	-	-	-	-	-	-
TU08C2011A	0.19	0.02	26,796	-	PRIME-W2	0.01	-	26,602	-	-	-	-	-	-
TU11C2102A	0.26	0.03	52,361	-	SAMART-W2	0.14	-	3,649	-	-	-	-	-	-
TU13C2010A	0.04	(0.01)	865	-	SAWAD-W2	10.30	0.30	6,300	10.00	-	-	-	-	-
TU13C2012A	0.22	0.02	267,665	-	SDC-W1	-	-	-	-	-	-	-	-	-
TU19C2010A	0.10	0.01	42,549	-	SINGER-W1	7.15	0.45	17,346	7.00	-	-	-	-	-
TU19C2012A	0.23	0.04	246,489	-	SINGER-W2	4.78	0.06	1,312	4.00	-	-	-	-	-
TU19P2011A	0.05	(0.03)	3,712	-	SST-W2	0.83	0.01	34,792	-	-	-	-	-	-
TU19P2012A	0.20	(0.03)	4,032	-	TCC-W3	0.04	-	3,605	-	-	-	-	-	-
TU24C2011A	0.25	0.04	49,193	-	TCC-W4	0.04	-	379	-	-	-	-	-	-
TU28C2011A	0.10	-	24,336	-	TCC-W5	-	-	-	-	-	-	-	-	-
TU28C2012A	0.09	0.01	5,090	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
TU28C2103L	0.22	0.01	24,336	-	TNITY-W1	0.08	(0.01)	170	-	-	-	-	-	-
TU41C2010A	0.15	0.02	3,600	-	TRITN-W3	0.14	-	11,056	-	-	-	-	-	-
TU41C2101A	0.16	0.02	46,924	-	TTCL-W1	0.39	(0.01)	7,558	-	-	-	-	-	-
TU42C2101T	0.20	0.04	2,250	-	U-W4	-	-	-	-	-	-	-	-	-
TV013C2011A	0.34	0.02	4,134	-	VGI-W2	0.82	0.02	610,905	-	-	-	-	-	-
TV013C2012A	0.37	0.02	79,595	-	VIBHA-W3	0.11	-	11,623	-	-	-	-	-	-
TV019C2011A	0.44	0.03	7,070	-	W-W3	0.08	-	520	-	-	-	-	-	-
TV019C2012A	0.34	0.02	253,548	-	WIJK-W2	0.27	-	5,177	-	-	-	-	-	-
VGI01C2012A	0.27	0.02	55,324	-	ZMICO-W4	0.08	-	28	-	-	-	-	-	-
VGI06C2010A	0.02	-	13	-	Preferred Shares	-	-	-	-	-	-	-	-	-
VGI06C2101A	0.26	0.02	110,556	-	BH-P	-	-	-	-	-	-	-	-	-
VGI11C2101A	0.19	0.01	26,890	-	CSC-P	-	-	-	-	-	-	-	-	-
VGI13C2010A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
VGI13C2012A	0.17	0.02	303,379	-	KTB-P	-	-	-	-	-	-	-	-	-
VGI13C2101A	0.26	(0.74)	621,651	-	SCB-P	-	-	-	-	-	-	-	-	-
VGI19C2010A	0.04	-	201	-	TCAP-P	-	-	-	-	-	-	-	-	-
VGI19C2012A	0.22	0.02	222,201	-	TISCO-P	-	-	-	-	-	-	-	-	-
VGI19C2012B	0.34	0.03	2,236	-	U-P	1.60	(0.05)	545	1.00	-	-	-	-	-
VGI19C2012C	0.12	0.01	78,973	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
VGI24C2012A	0.19	0.01	52,402	-	ALL-W1	0.58	-	43,108	-	-	-	-	-	-
VGI28C2101A	0.14	-	56,061	-	BROOK-W5	0.13	0.01	937	-	-	-	-	-	-
VGI28C2103L	0.19	0.01	5,577	-	CHAYO-W1	2.22	(0.02)	5,072	2.00	-	-	-	-	-
VGI41C2011A	0.08	0.02	4,000	-	CHO-W2	0.02	0.01	13,060	-	-	-	-	-	-
VGI42C2101T	0.07	0.01	81	-	CIG-W8	0.01	-	10,309	-	-	-	-	-	-
WHA01C2101A	0.26	0.05	73,918	-	D-W1	0.70	(0.01)	445	-	-	-	-	-	-
WHA01P2101A	0.61	(0.08)	33,314	-	DIMET-W3	-	-	-	-	-	-	-	-	-
WHA06C2010A	0.02	0.01	32	-	DOD-W1	0.58	(0.01)	40,759	-	-	-	-	-	-
WHA06P2012A	0.39	(0.12)	37,095	-	ECF-W3	0.09	-	7,706	-	-	-	-	-	-
WHA08C2011A	0.15	0.03	31,560	-	HPT-W1	0.25	(0.02)	1,876	-	-	-	-	-	-
WHA11C2101A	0.25	0.05	49,242	-	HYDRO-W1	0.04	-	9	-	-	-	-	-	-
WHA13C2011A	0.09	0.03	3,400	-	ITEL-W1	0.12	-	10,623	-	-	-	-	-	-
WHA13C2101A	0.34	0.06	228,280	-	ITEL-W2	0.38	-	29,588	-	-	-	-	-	-
WHA13P2011A	0.24	(0.08)	104,074	-	LIT-W1	0.43	-	267	-	-	-	-	-	-
WHA19C2010A	0.14	0.04	255,838	-	META-W4	0.01	-	903	-	-	-	-	-	-
WHA19C2011A	0.10	0.03	36,310	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA19C2101A	0.37	0.07	138,594	-	OCEAN-W3	0.21	-	1,339	-	-	-	-	-	-
WHA19P2011A	0.29	(0.07)	35,259	-	RWI-W2	0.12	(0.01)	5,211	-	-	-	-	-	-
WHA28C2011A	0.09	-	100	-	SANKO-W1	-	-	-	-	-	-	-	-	-
WHA28C2012A	0.24	0.05	16,303	-	SIMAT-W3	0.52	-	2,861	-	-	-	-	-	-
WHA28C2102A	0.29	0.05	66,846	-	SIMAT-W4	-	-	-	-	-	-	-	-	-
WHA28C2102L	0.13	0.02	39,546	-	SMART-W2	0.20	-	8,526	-	-	-	-	-	-
WHA42C2101T	0.11	0.01	199	-	SWC-W1	3.12	0.50	531	2.00	-	-	-	-	-
WHAU13C2012A	0.11	0.01	1,014	-	TAKUNI-W	0.01	(0.01)	8,956	-	-	-	-	-	-
WHAU19C2012A	0.13	-	23,381	-	TAPAC-W4	0.25	0.04	370,447	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TVD-W2	0.23	0.01	8,970	-	-	-	-	-	-
BH-Q	-	-	-	-	UREKA-W2	0.26	-	109	-	-	-	-	-	-
CSC-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.11	-	81,904	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.03	-	29,556	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	0.52	(0.01)	8,932	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.22	-	18,647	-	-	-	-	-	-	-	-	-	-	-
B-W3	0.01	-	1,000	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.05	0.01	263	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.04	(0.01)	736	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	0.59	(0.01)	107,045	-	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.06	0.01	75,108	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.02	-	16,004	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.96	(0.02)	55,801	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.07	0.01	41,628	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.03	-	44,627	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.12	-	13,137	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.47	(0.01)	37,216	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.48	(0.02)	28,033	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.70	-	890	-	-	-	-	-	-	-	-	-	-	-
JMART-W3	5.60	(0.05)	4,477	5.00	-	-	-	-	-	-	-	-	-	-
JMART-W4	3.96	-	2,514	3.00	-	-	-	-	-	-	-	-	-	-
JMT-W2	15.80	(0.70)	14,249	16.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.07	-	124,972	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.04	-	182	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	0.39	0.01	21,446	-	-	-	-	-	-	-	-	-	-	-
MINT-W7	7.25	0.20	14,492	7.00	-	-	-	-	-	-	-	-	-	-
NER-W1	1.64	0.11	181,478	1.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	4.34	(0.04)	4,173	4.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.72	0.07	18	-	-	-	-	-	-	-	-	-	-	-