

Main Board Quotation

Issue Date :

Friday October 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.68	0.08	197,290	3.66	MAJOR	14.90	0.10	33,398	14.76
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	-	-	-	-
VI	-	-	-	-	DIF	13.30	(0.10)	145,524	13.37	MATI	-	-	-	-
WORLD	-	-	-	-	DTAC	33.25	(0.50)	67,387	33.67	MCOT	3.30	(0.10)	3,313	3.32
WR	-	-	-	-	FORTH	5.90	(0.05)	1,316	5.91	MONO	2.62	(0.06)	12,858	2.67
Agribusiness	-	-	-	-	HUMAN	8.05	(0.20)	8,789	8.13	MPIC	1.63	(0.01)	3	1.63
EE	0.72	(0.01)	268,930	0.72	ILINK	6.05	(0.25)	15,597	6.14	NMG	-	-	-	-
GPPT	12.50	(0.40)	27,667	12.57	INET	3.40	(0.06)	99,920	3.39	PLANB	6.10	(0.10)	345,417	6.03
LEE	2.24	0.02	1,370	2.23	INTUCH	52.50	(0.25)	77,759	52.33	POST	-	-	-	-
MAX	0.01	-	463,516	0.01	JAS	2.82	(0.06)	242,411	2.84	PRAKIT	7.40	0.05	48	7.35
NER	3.88	0.52	5,570,242	3.72	JASIF	9.50	-	47,783	9.48	SE-ED	1.42	0.01	264	1.42
PPPM	0.40	-	14,861	0.41	JMART	16.20	(0.20)	108,334	16.23	TBSP	12.20	0.10	1	12.20
STA	27.75	(0.50)	100,899	28.08	JTS	2.68	(0.02)	2,197	2.71	TH	0.48	-	2,231	0.47
TRUBB	1.70	0.09	197,821	1.68	MFEF	5.00	-	15,597	4.94	TKS	5.95	(0.10)	12,490	5.97
TWPC	3.38	(0.02)	13,387	3.36	MSC	5.90	0.10	222	5.86	VGI	6.80	0.05	220,812	6.82
UPOIC	3.20	-	54	3.21	PT	5.25	(0.05)	1,940	5.30	WAVE	0.67	(0.02)	2,588	0.68
UVAN	4.88	0.12	314	4.78	SAMART	5.20	0.05	22,042	5.16	WORK	12.10	0.20	60,195	12.04
VPO	0.44	(0.02)	32,027	0.44	SAMTEL	5.05	-	972	5.03	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.17	-	12,507	0.17	AEC	0.25	0.02	1,329,435	0.21
BAY	19.60	-	1,369	19.60	SIS	21.80	(0.80)	58,839	22.40	AEONTS	135.00	(1.50)	22,391	134.93
BBL	95.00	(0.50)	63,287	95.17	SVOA	1.46	(0.06)	90,817	1.49	AMANA	2.66	(0.06)	140,322	2.66
CIMBT	0.55	0.01	4,302	0.54	SYMC	4.34	0.02	138	4.32	ASAP	2.20	(0.06)	9,585	2.22
KBANK	75.25	(0.25)	125,232	75.66	SYNEX	16.50	(0.50)	79,312	16.61	ASK	18.70	-	2,647	18.63
KKP	37.50	(0.25)	9,116	37.41	THCOM	5.95	0.05	67,310	5.99	ASP	1.69	(0.01)	3,434	1.70
KTB	8.90	(0.10)	189,134	8.89	TRUE	3.02	(0.04)	356,225	3.03	BAM	21.40	(0.30)	226,045	21.39
LHFG	0.89	-	5,853	0.89	TWZ	0.06	(0.01)	63,285	0.06	BFIT	28.50	(0.25)	8,214	28.42
SCB	66.00	(0.50)	75,652	65.90	Electronic Componer	-	-	-	-	CGH	0.68	-	4,509	0.68
TCAP	29.00	(0.50)	48,405	29.03	CCET	2.42	-	315,785	2.46	ECL	0.81	(0.01)	51,384	0.82
TISCO	66.00	0.75	63,176	65.84	DELTA	193.50	(2.00)	39,284	197.03	FNS	2.82	-	930	2.80
TMB	0.86	(0.01)	1,550,827	0.86	HANA	43.75	(1.00)	38,353	44.50	FSS	1.53	0.06	4,101	1.52
Construction Materia	-	-	-	-	KCE	34.25	(0.25)	74,401	34.07	GBX	0.43	(0.01)	1,091	0.44
CCP	0.47	0.01	56,740	0.46	METCO	171.00	(1.50)	8	171.69	GL	2.92	(0.02)	48,773	2.99
COTTO	1.14	-	623	1.13	NEX	4.74	0.30	396,971	4.67	IFS	2.40	-	990	2.39
DCC	2.40	0.02	69,810	2.39	SMT	3.06	(0.04)	77,755	3.03	JMT	36.25	-	37,951	36.11
DCON	0.35	-	55,771	0.35	SVI	4.66	(0.06)	135,180	4.76	KCAR	7.65	0.05	1,012	7.60
DRT	6.10	(0.10)	1,754	6.16	TEAM	0.90	(0.01)	902	0.90	KGI	2.94	(0.02)	9,147	2.94
EPG	4.70	(0.02)	35,603	4.70	W	0.21	(0.01)	959,747	0.21	KTC	37.75	(0.25)	84,156	37.12
GEL	0.18	-	11,916	0.17	Energy & Utilities	-	-	-	-	MBKET	7.05	-	695	6.97
PPP	2.08	-	831	2.07	7UP	0.30	(0.02)	311,028	0.31	MFC	13.60	(0.10)	40	13.61
Q-CON	5.00	0.24	56	4.65	ABPIF	2.98	(0.02)	534	2.97	MICRO	4.02	(0.26)	240,827	4.15
RCI	3.74	(0.02)	356	3.74	ACE	2.92	0.02	60,087	2.90	ML	0.81	(0.01)	3,963	0.81
SCC	351.00	-	16,247	348.89	AI	2.06	(0.10)	259,389	2.10	MTC	51.25	(1.00)	52,373	51.94
SCCC	118.50	(0.50)	756	119.24	AKR	0.49	0.01	30,898	0.49	PE	-	-	-	-
SCP	5.95	0.05	297	5.94	BAFS	20.30	0.10	927	20.23	PL	2.00	(0.02)	524	2.00
SKN	2.52	(0.02)	4,121	2.52	BANPU	6.40	(0.10)	597,169	6.36	S11	6.60	(0.15)	8,657	6.66
TASCO	15.00	(0.90)	985,449	15.27	BCP	15.50	-	22,409	15.49	SAWAD	48.25	(2.00)	157,930	48.82
TCMC	1.21	0.03	176,946	1.20	BCPG	12.90	(0.30)	46,936	12.98	THANI	3.64	0.02	457,939	3.63
TOA	34.75	(0.50)	29,049	34.97	BGRIM	43.00	(0.25)	55,463	43.03	TK	7.00	(0.10)	1,460	7.07
TPIPL	1.37	(0.02)	55,719	1.37	BPP	13.10	(0.20)	12,960	13.26	TNITY	3.70	0.08	1	3.70
UMI	0.61	-	5,605	0.61	BRRGIF	-	-	-	-	UOBKH	3.00	(0.02)	268	2.93
VNG	3.10	0.06	576	3.05	CKP	5.05	0.17	360,102	4.99	ZMICO	0.59	(0.01)	6,273	0.59
WIJK	2.54	0.22	281,169	2.49	DEMCO	2.84	0.02	2,772	2.82	Food & Beverage	-	-	-	-
Petrochemicals & Ch	-	-	-	-	EA	43.50	1.75	187,928	42.69	APURE	2.06	0.02	149,918	2.08
BCT	41.00	(1.00)	244	41.00	EASTW	9.25	(0.05)	14,470	9.30	ASIAN	13.50	(0.20)	195,738	13.60
CMAN	1.17	-	8,483	1.16	EGATIF	12.00	-	1,787	11.99	BR	1.82	(0.01)	4,418	1.83
GC	5.30	-	125	5.27	EGCO	193.00	1.00	22,595	193.75	BRR	2.84	(0.02)	205	2.88
GCC	8.65	(0.35)	7,982	8.82	EP	3.88	-	33,065	3.90	CBG	120.50	(2.50)	46,489	121.81
GIFT	1.92	-	2,644	1.91	ESSO	6.35	(0.10)	144,757	6.45	CFRESH	4.16	(0.12)	74,128	4.38
IVL	23.10	(0.20)	361,671	23.12	Gpsc	58.50	(1.00)	56,201	58.88	CHOTI	-	-	-	-
NFC	1.50	(0.05)	1	1.50	GREEN	1.09	0.04	2,214	1.09	CM	2.70	(0.06)	2,685	2.71
PATO	10.00	0.10	76	9.98	GULF	31.25	(0.50)	213,170	31.46	CPF	27.50	(0.50)	318,120	27.73
PMTA	9.15	0.15	1	9.15	GUNKUL	2.30	(0.06)	120,046	2.33	CPI	1.26	-	322	1.25
PTTGC	41.00	(0.50)	88,823	41.14	IFEC	-	-	-	-	F&D	-	-	-	-
SUTHA	3.22	0.06	4	3.18	IRPC	2.10	(0.04)	760,721	2.13	HTC	31.50	(0.25)	6,686	31.77
TCCC	24.00	-	405	23.91	KBSPIF	9.45	(0.05)	845	9.45	ICHI	11.60	(0.20)	105,869	11.74
TPA	5.05	(0.05)	220	5.08	LANNA	6.05	(0.10)	730	6.06	KBS	3.10	0.02	1,954	3.10
UAC	3.76	-	243	3.76	MDX	2.30	(0.04)	1,450	2.31	KSL	2.38	0.12	263,229	2.36
UP	-	-	-	-	PDI	8.40	0.20	9,581	8.34	KTIS	2.70	0.14	3,962	2.64
VNT	22.70	(0.20)	2,371	22.80	PRIME	0.52	0.02	292,389	0.52	LST	4.36	-	986	4.36
WG	186.50	0.50	72	186.19	PTG	19.30	(0.10)	76,814	19.41	M	46.75	0.50	7,053	46.72
YCI	-	-	-	-	PTT	33.25	0.25	389,096	33.19	MALEE	6.35	(0.10)	1,484	6.40
Commerce	-	-	-	-	PTTEP	83.50	1.25	130,087	83.34	MINT	19.90	(0.60)	407,636	20.09
BEAUTY	1.42	(0.03)	459,830	1.44	RATCH	51.25	(0.25)	52,271	51.75	NRF	6.05	1.45	8,676,134	6.95
BIG	0.51	(0.01)	168,629	0.51	RPC	0.46	(0.01)	1,743	0.46	OISHI	39.75	(0.50)	198	40.09
BJC	35.00	(0.50)	34,270	35.07	SCG	3.50	0.02	106	3.49	OSP	35.00	(1.00)	135,832	35.27
COL	18.60	(0.10)	9,380	18.60	SCI	1.37	(0.02)	2,625	1.38	PB	-	-	-	-
COM7	42.25	(0.25)	45,866	42.48	SCN	1.73	(0.02)	7,094	1.74	PM	8.25	0.15	7,410	8.19
CPALL	60.50	(0.75)	111,191	60.83	SGP	8.90	(0.05)	10,250	8.95	PRG	11.00	0.20	1	11.00
CPW	2.54	-	180,517	2.51	SKE	0.63	(0.02)	10,464	0.64	RBF	9.90	(0.20)	148,066	9.93
CRS	27.75	-	119,074	27.65	SOLAR	0.95	0.01	1,692	0.95	SAPPE	23.30	(0.50)	10,271	23.55
CSS	1.46	(0.05)	90,193	1.50	SPCG	19.00	-	5,944	18.99	SAUCE	25.00	0.10	35	25.03
DOHOME	14.90	-	74,147	14.96	SPRC	5.85	(0.15)	137,107	5.94	SFP	-	-	-	-
FN	1.31	(0.04)	82,042	1.34	SSP	7.20	(0.05)	4,038	7.17	SNP	9.95	(0.05)	65	9.98
FTE	1.58	(0.01)	1,051	1.59	SUPER	0.89	(0.03)	7,581,163	0.90	SORKON	5.30	0.15	83	5.48
GLOBAL	19.10	(0.50)	115,928	19.13	SUPEREIF	11.00	(0.30)	20,446	11.14	SSC	-	-	-	-
HMPRO	15.20	0.10	289,024	15.29	SUSCO	2.74	-	25,335	2.74	SSF	6.95	0.25	1	6.95
ILM	13.40	0.10	19,510	13.33	TAE	2.30	(0.04)	5,788	2.31	SST	2.34	0.02	94	2.34
IT	2.58	0.08	3,718	2.60	TCC	0.19	0.01	1,843	0.18	TC	4.54	0.14	62,748	4.45
KAMART	3.80	0.28	351,20											

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday October 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KDH	-	-	-	-	APEX	0.07	-	14,875	0.07	EASON	1.18	(0.02)	212	1.18
LPH	4.20	(0.04)	2,016	4.22	AQ	0.02	-	5,707	0.02	GYT	-	-	-	-
M-CHAI	180.00	(6.00)	3	182.50	AWC	3.36	(0.12)	318,757	3.40	HFT	3.76	0.08	18,658	3.76
NEW	-	-	-	-	BLAND	0.97	(0.01)	54,493	0.97	IHL	3.06	(0.04)	51,033	3.07
NTV	40.50	(0.50)	148	41.00	BROCK	-	-	-	-	INGRS	0.49	-	44,988	0.49
PR9	7.35	0.35	66,897	7.15	CGD	0.71	(0.01)	187,658	0.71	IRC	12.00	0.10	25	11.91
PRINC	2.64	(0.06)	10,921	2.65	CI	0.70	-	2,011	0.68	PCSGH	4.46	0.06	76	4.41
RAM	139.00	(0.50)	102	138.69	CPN	44.50	(1.00)	32,723	44.62	SAT	12.70	(0.40)	9,893	12.97
RJH	22.00	(0.10)	139	22.08	ESTAR	0.36	-	13,657	0.35	SPG	12.50	(0.70)	277	12.50
RPH	5.25	-	5,745	5.25	EVER	0.21	-	22,429	0.21	STANLY	147.50	0.50	348	147.80
SKR	6.05	0.05	1,410	6.00	FPT	10.30	(0.10)	30	10.29	TKT	0.94	0.02	303	0.93
SVH	400.00	(4.00)	24	400.00	GLAND	2.12	-	28	2.12	TNPC	0.67	-	202	0.67
THG	18.60	0.10	217	18.51	J	1.32	0.05	42,413	1.30	TRU	3.50	0.02	128	3.49
VIBHA	1.52	0.01	17,559	1.52	JCK	1.37	(0.04)	50,988	1.38	TSC	8.80	-	33	8.80
VIH	6.20	(0.15)	3,090	6.26	KC	-	-	-	-	Industrial Materials	-	-	-	-
WPH	1.53	(0.01)	132	1.51	KWG	0.71	-	154	0.69	ALLA	1.14	-	31,656	1.16
Tourism & Leisure	-	-	-	-	LALIN	5.45	(0.05)	2,995	5.48	ASEFA	3.12	(0.02)	981	3.09
ASIA	4.44	0.02	4	4.43	LH	7.00	-	221,689	7.04	CPT	0.85	0.02	9,341	0.86
CENTEL	21.40	(0.40)	49,060	21.62	LPN	4.16	(0.12)	52,352	4.19	CRANE	1.79	(0.03)	21,729	1.80
CSR	70.00	(1.75)	2	70.00	MBK	12.00	(0.20)	14,520	11.96	CTW	5.65	0.10	200	5.61
DTC	7.05	(0.10)	2,029	7.03	MJD	1.51	0.01	11,585	1.49	FMT	-	-	-	-
ERW	2.94	(0.14)	331,554	2.99	MK	3.06	-	3,913	3.06	HTECH	3.00	0.20	60,116	3.00
GRAND	0.52	-	265	0.52	NCH	0.86	0.04	816	0.86	KKC	0.56	(0.01)	1,574	0.56
LRH	29.00	(1.00)	28	29.04	NNCL	1.94	(0.02)	896	1.95	PK	1.60	(0.01)	2,579	1.61
MANRIN	-	-	-	-	NOBLE	20.30	0.30	184,758	20.55	SNC	9.90	-	6,375	9.88
OHTL	310.00	(8.00)	1	310.00	NUSA	0.28	(0.01)	25,362	0.29	STARK	2.04	(0.02)	14,423	2.06
ROH	-	-	-	-	NVD	1.11	(0.03)	288	1.11	TCJ	3.28	(0.02)	310	3.29
SHANG	51.50	(1.00)	35	51.01	ORI	6.80	(0.25)	70,147	6.89	VARO	3.96	0.64	1	3.96
SHR	1.98	-	32,666	1.97	PACE	-	-	-	-	Property Fund & RET	-	-	-	-
VRANDA	5.60	-	761	5.60	PF	0.35	0.01	799,205	0.36	AIMCG	6.10	0.10	95	6.03
Home & Office Produ	-	-	-	-	PLAT	2.14	(0.06)	22,747	2.16	AIMIRT	13.00	-	102	13.00
ACC	0.59	-	1,227	0.59	POLAR	-	-	-	-	AMATAR	10.00	(0.10)	195	10.00
AJA	0.12	-	5,754	0.12	PRECHA	0.90	0.01	4	0.89	B-WORK	11.40	(0.10)	274	11.40
DTCI	-	-	-	-	PRIN	1.64	-	5,121	1.64	BKER	5.65	-	297	5.65
FANCY	0.50	0.01	3,500	0.50	PSH	10.70	(0.10)	5,187	10.68	BKKCP	11.80	-	661	11.80
KYE	312.00	3.00	9	310.22	QH	2.14	(0.02)	335,618	2.13	BOFFICE	11.00	0.10	2,175	11.00
L&E	1.69	0.05	21	1.70	RICHY	0.69	0.01	1,175	0.69	CPNCG	9.80	-	159	9.80
MODERN	2.44	0.02	1,584	2.41	RML	0.58	-	8,360	0.58	CPNREIT	21.70	-	9,891	21.74
OGC	-	-	-	-	ROJNA	4.02	(0.02)	4,351	4.03	CPTGF	9.75	(0.05)	45	9.76
ROCK	-	-	-	-	S	1.32	-	32,236	1.30	CTARAF	4.96	-	200	4.96
SIAM	1.39	0.02	308	1.37	SAMCO	1.19	(0.02)	53	1.20	DREIT	3.84	-	4	3.84
TSR	3.98	0.04	17,043	3.93	SC	2.20	0.02	31,399	2.21	ERWPF	-	-	-	-
Insurance	-	-	-	-	SENA	2.80	0.02	11,243	2.80	FTREIT	13.80	(0.10)	1,730	13.84
AYUD	32.75	(1.50)	109	33.00	SF	4.50	(0.02)	4,856	4.52	FUTUREPF	18.80	-	30	18.80
BKI	277.00	(1.00)	92	277.25	SIRI	0.60	(0.01)	913,825	0.61	GAHREIT	8.10	-	118	8.10
BLA	18.30	(0.40)	8,576	18.48	SPALI	16.30	(0.60)	91,876	16.55	GOLDPF	-	-	-	-
BUI	-	-	-	-	U	1.16	(0.02)	37,454	1.17	GVREIT	10.80	-	15,112	10.80
CHARAN	-	-	-	-	UV	2.60	0.04	18,395	2.58	HPF	4.68	-	324	4.68
INSURE	-	-	-	-	WHA	2.84	(0.06)	673,987	2.85	HREIT	7.95	(0.05)	175	7.94
MTI	84.25	(0.25)	4	84.63	WIN	0.37	(0.01)	100	0.37	IMPACT	18.00	(0.30)	358	18.08
NKI	-	-	-	-	Paper & Printing Mat	-	-	-	-	KPNPF	6.85	(0.05)	223	6.81
NSI	67.50	(2.25)	48	67.50	UTP	14.10	(0.30)	31,217	14.29	LHHOTEL	9.65	0.05	48	9.66
SEG	-	-	-	-	Fashion	-	-	-	-	LHPF	5.30	(0.10)	18	5.34
SMK	38.00	0.50	56	38.00	AFC	-	-	-	-	LHSC	11.40	(0.10)	318	11.43
THRE	1.10	0.08	792,735	1.09	B52	0.16	0.01	41,058	0.15	LUXF	6.30	(0.20)	393	6.30
THREL	2.58	(0.04)	154,150	2.54	BTNC	-	-	-	-	M-II	7.00	-	150	7.00
TIP	23.90	(0.10)	6,237	23.95	CPH	-	-	-	-	M-PAT	3.00	0.20	28	2.86
TQM	132.00	(8.00)	24,426	134.21	CPL	1.18	(0.06)	4,726	1.17	M-STOR	6.00	0.15	1	6.00
TSI	0.28	-	820	0.27	ICC	27.25	(0.50)	12	27.46	MIPF	-	-	-	-
TVI	3.40	0.02	173	3.38	NC	-	-	-	-	MIT	3.50	0.40	1,029	3.20
Mining	-	-	-	-	PAF	0.54	0.01	936	0.53	MULF	6.60	-	2	6.60
THL	-	-	-	-	PDJ	1.48	-	13,415	1.51	MNIT	1.46	0.12	1	1.46
Packaging	-	-	-	-	PG	4.50	0.10	1	4.50	MNIT2	4.00	(0.10)	100	4.00
AJ	18.30	0.50	23,711	18.25	SABINA	20.80	(0.40)	5,878	20.90	MNRF	2.96	(0.02)	165	2.96
ALUCON	157.00	-	1	157.00	SAWANG	-	-	-	-	POPF	10.10	-	272	10.15
BGC	12.80	0.20	61,555	12.48	SUC	33.50	(0.25)	262	33.51	PPF	11.30	-	102	11.30
CSC	49.00	(0.25)	33	49.04	TNL	-	-	-	-	PROSPECT	9.20	(0.05)	135	9.24
GLOCON	0.96	(0.01)	22,698	0.97	TPCORP	9.00	-	50	9.00	QHHR	5.70	-	7	5.70
NEP	0.22	0.01	2,645	0.21	TR	21.50	-	388	21.53	QHOP	2.26	(0.02)	10	2.26
PTL	24.00	(0.10)	79,735	24.32	TTI	-	-	-	-	QHPP	9.25	0.05	1,524	9.23
SFLEX	5.35	-	4,189	5.35	TTT	53.50	0.50	41	52.04	SBPF	-	-	-	-
SITHAI	0.59	(0.02)	9,401	0.59	UPF	57.00	1.00	9	57.44	SHREIT	3.92	(0.06)	619	3.92
SLP	0.44	-	1,100	0.43	UT	-	-	-	-	SIRP	8.55	0.25	178	8.35
SMPC	12.20	-	6,555	12.13	WACOAL	44.75	-	11	44.77	SPF	12.40	(0.10)	13,232	12.46
SPACK	2.56	0.08	19,596	2.55	Transportation & Log	-	-	-	-	SPRIME	7.90	(0.35)	101	8.02
TCOAT	-	-	-	-	AAV	1.74	(0.04)	194,413	1.76	SRIPANWA	7.85	0.05	35	7.84
TFI	0.11	-	14,705	0.10	AOT	57.50	0.25	183,642	57.63	SSPF	9.15	0.10	79	9.03
THIP	25.75	(1.00)	238	26.20	ASIMAR	1.36	(0.01)	699	1.37	SSTRT	5.25	-	681	5.25
TMD	21.80	(0.50)	50	21.80	B	0.28	(0.01)	3,689	0.28	TIF1	8.40	-	32	8.40
TOPP	-	-	-	-	BA	5.40	-	1,013	5.38	TLGF	16.30	-	2,362	16.27
TPBI	5.15	(0.10)	1,845	5.20	BEM	8.70	(0.05)	178,491	8.74	TLHPF	8.85	(0.15)	119	8.80
TPP	13.40	0.30	7	13.17	BTS	9.80	(0.10)	248,025	9.77	TNPF	2.04	-	47	2.04
Personal Products &	-	-	-	-	BTSIGIF	5.90	-	8,815	5.86	TPRIME	12.10	(0.10)	181	12.10
APCO	3.72	0.04	2,067	3.69	III	4.16	(0.02)	1,999	4.16	TTLPF	22.30	0.10	14	22.13
DDD	15.30	(0.30)	811	15.47	JUTHA	0.46	-	154	0.43	TU-PF	0.85	-	25	0.85
JCT	-	-	-	-	JWD	7.70	(0.40)	81,216	7.86	URBNPF	-	-	-	-
OCC	8.90	(0.05)	20	8.90	KWC	-	-	-	-	WHABT	-	-	-	-
S & J	-	-	-	-	NOK	0.62	-	1,102	0.61	WHART	13.00	0.10	9,343	13.01
STGT	86.00	-	86,171	86.16	NYT	3.26	-	17,531	3.27	Steel	-	-	-	-
STHAI	-	-	-	-	PORT	2.04	(0.06)	21,108	2.06	AMC	1.45	0.01	205	1.45
TNR	10.80	-	142	10.78	PRM	8.55	(0.10)	291,890	8.63	BSBM	0.84	-	204	0.83
TOG	3.52	0.12	1,754	3.60	PSL	5.25	(0.25)	180,708	5.28	CEN	0.67	(0.02)	650	0.68
Professional Service	-	-	-	-	RCL	5.55	(0.20)	43,948	5.55	CITY	1.84	-	258	1.83
BWG	0.48	-	84,680	0.48	TFFIF	9.85	-	27,101	9.84	CSP	0.52	(0.02)	452	0.52
GENCO	0.50	0.01	4,231	0.49	THAI	3.18	-	14,113	3.19	GJS	0.08	(0.01)	12,794	0.08
PRO	-	-	-	-	TSTE	6.80	(0.05)	5	6.80	GSTEEL	-	-	-	-
SISB	8.20	(0.35)	17,121	8.37	TTA	3.06	(0.06)	38,258	3.07	INOX	0.42	-	1,303	

Main Board Quotation

Issue Date :

Friday October 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	1.38	(0.01)	43,275	1.00	ADVA06C2010A	0.01	(0.01)	2,250	-
ABICO	6.25	(0.10)	1,615	6.00	AIE	0.63	-	239,995	-	ADVA06C2103A	0.69	(0.01)	37,590	-
AU	9.50	(0.05)	15,773	9.00	ETC	2.04	0.04	323,720	2.00	ADVA06P2011A	0.08	(0.02)	46,914	-
JCKH	0.30	(0.02)	282	-	PSTC	1.77	0.01	37,265	1.00	ADVA08C2012A	0.23	-	4,213	-
KASET	1.49	(0.01)	3,010	1.00	QTC	3.96	(0.04)	708	3.00	ADVA08C2103A	0.65	-	42,042	-
MM	2.16	(0.02)	562	2.00	SAAM	1.12	0.03	64,924	1.00	ADVA08P2101A	0.76	(0.02)	18,092	-
SUN	3.34	0.08	21,805	3.00	SEAOIL	2.38	-	5,657	2.00	ADVA11C2011A	0.20	-	9,003	-
TACC	6.70	(0.15)	54,398	6.00	SR	0.62	(0.01)	6,444	-	ADVA11P2011A	0.36	(0.01)	14,860	-
TMILL	3.20	(0.04)	4,317	3.00	TAKUNI	0.39	-	494	-	ADVA13C2010A	-	-	-	-
XO	11.00	(0.50)	48,010	11.00	TPCH	11.20	(0.10)	8,716	11.00	ADVA13C2012A	0.28	-	67,785	-
Consumer Products	-	-	-	-	TRT	1.68	-	11	1.00	ADVA13C2101A	0.56	-	234,345	-
BGT	1.01	0.01	11	1.00	UMS	0.30	0.01	2	-	ADVA13P2012A	0.67	(0.01)	51,986	-
BIZ	3.32	0.02	551	3.00	UPA	0.16	-	110,328	-	ADVA19C2010A	-	-	-	-
DOD	9.10	(0.30)	150,971	9.00	UWC	0.06	0.01	10,618	-	ADVA19C2010B	-	-	-	-
ECF	1.37	(0.01)	31,952	1.00	Services (MAI)	-	-	-	-	ADVA19C2012A	0.27	-	359,726	-
HPT	0.88	0.02	322	-	A5	-	-	-	-	ADVA19C2101A	0.48	-	209,756	-
IP	12.50	(0.10)	6,062	12.00	AKP	0.81	-	706	-	ADVA19P2010A	-	-	-	-
JUBILE	17.70	0.10	999	17.00	AMA	4.72	(0.22)	39,150	4.00	ADVA19P2012A	0.56	(0.02)	177,601	-
MOONG	3.86	0.04	798	3.00	ARIP	0.44	-	7,727	-	ADVA24C2101A	0.31	-	29,954	-
NPK	14.20	(1.00)	156	14.00	ATP30	0.86	(0.01)	13,084	-	ADVA28C2011A	0.01	(0.02)	1,200	-
OCEAN	0.80	-	2,292	-	AUCT	13.30	(0.20)	47,201	13.00	ADVA28C2012A	-	-	-	-
TM	2.32	-	3,413	2.00	BOL	6.25	0.15	58,516	6.00	ADVA28C2012B	-	-	-	-
Financials (MAI)	-	-	-	-	CMO	0.94	-	2,055	-	ADVA28C2101A	0.28	(0.01)	61,888	-
ACAP	0.74	(0.03)	10,756	-	D	3.24	0.04	768	3.00	ADVA28C2102L	0.20	-	37,504	-
AF	0.57	-	15	-	DV8	0.32	-	1,947	-	ADVA28P2012A	0.16	-	2,178	-
AIRA	0.88	(0.01)	5	-	EFORL	0.03	-	118,538	-	ADVA41C2010A	-	-	-	-
ASN	4.18	-	3	4.00	ETE	1.00	(0.01)	5,331	1.00	ADVA41C2011A	0.17	0.01	9,000	-
BROOK	0.40	0.01	3,448	-	FSMART	7.70	(0.35)	54,453	7.00	ADVA41C2101A	0.48	-	262,510	-
CHAYO	8.10	(0.15)	42,007	8.00	FVC	0.40	-	5,202	-	ADVA41P2011A	-	-	-	-
GCAP	1.37	(0.05)	10,294	1.00	GSC	1.34	(0.08)	18,343	1.00	ADVA41P2101A	0.39	(0.01)	26,494	-
LIT	3.16	(0.04)	1,375	3.00	HARN	2.10	-	1,603	2.00	ADVA42C2102T	0.31	-	30	-
MITSIB	1.06	0.01	989	1.00	IMH	2.08	(0.02)	973	2.00	AEON13C2010A	0.02	(0.01)	13,272	-
SGF	0.49	(0.01)	5,541	-	JKN	9.55	(0.45)	159,315	9.00	AEON13C2011A	0.39	(0.04)	177,066	-
Industrials (MAI)	-	-	-	-	KIAT	0.49	-	61,185	-	AEON13C2012A	1.11	(0.05)	52,820	1.00
ZS	3.16	0.04	764	3.00	KK	1.41	(0.08)	632,268	1.00	AEON19C2010A	0.11	(0.02)	132,786	-
ADB	0.81	0.02	4,994	-	KOOL	1.19	0.06	211,944	1.00	AEON19C2010B	0.38	(0.04)	237,289	-
BM	2.12	(0.04)	576	2.00	LDC	1.20	0.01	3,570	1.00	AEON19C2011A	-	-	-	-
CHO	0.54	(0.01)	73,526	-	MORE	0.83	(0.02)	327,438	-	AEON19C2012A	0.98	(0.04)	2,632	-
CHOW	1.54	-	129	1.00	MPG	0.32	-	9,105	-	AEON19C2101A	0.66	(0.05)	465,521	-
CIG	0.22	-	41	-	MVP	1.26	0.04	3,448	1.00	AEON28C2012A	0.88	(0.06)	111,732	-
COLOR	1.17	(0.03)	423	1.00	NBC	0.52	(0.01)	260	-	AEON28C2101A	-	-	-	-
CPR	2.26	(0.10)	1,233	2.00	NCL	0.64	0.02	8,405	-	AEON42C2101T	0.42	(0.02)	26,177	-
FPI	1.40	(0.01)	584	1.00	NEWS	0.01	-	622	-	AMAT01C2101A	0.21	(0.02)	6,577	-
GTB	0.79	-	14,779	-	NINE	-	-	-	-	AMAT06C2010A	-	-	-	-
KCM	0.45	(0.02)	7,489	-	OTO	3.12	-	1,511	3.00	AMAT06C2102A	0.21	(0.02)	7,120	-
KUMWEL	1.26	0.04	74,927	1.00	PHOL	2.34	(0.04)	5,377	2.00	AMAT08C2010A	-	-	-	-
KWM	1.01	(0.01)	7,255	1.00	PICO	-	-	-	-	AMAT08C2101A	0.25	(0.02)	3,010	-
MBAX	7.95	0.25	32,138	7.00	QLT	4.18	(0.02)	6	4.00	AMAT13C2010A	-	-	-	-
MGT	2.28	-	12,688	2.00	RP	1.19	(0.02)	325	1.00	AMAT13C2012A	0.13	(0.02)	24,009	-
NDR	1.59	(0.02)	12,052	1.00	SE	1.28	(0.06)	168,656	1.00	AMAT19C2011A	-	-	-	-
PDG	3.64	(0.04)	1,279	3.00	SLM	-	-	-	-	AMAT19C2012A	0.12	(0.02)	10,007	-
PIMO	2.10	(0.04)	60,641	2.00	SONIC	1.11	0.04	11,764	1.00	AMAT19C2101A	0.22	(0.03)	12,649	-
PJW	1.30	(0.03)	3,369	1.00	SPA	6.25	(0.05)	27,875	6.00	AMAT24C2010A	-	-	-	-
PPM	0.85	0.06	2,865	-	THMUI	0.92	0.21	851,568	-	AMAT28C2012A	-	-	-	-
RWI	1.35	0.03	475	1.00	TNDT	3.10	(0.06)	502	3.00	AMAT28C2101A	0.13	(0.02)	2,028	-
SALIE	0.67	0.01	2,047	-	TNH	32.75	0.25	422	32.00	AMAT28C2102L	0.08	(0.01)	8	-
SANKO	0.96	0.01	233	-	TNP	3.26	(0.08)	23,255	3.00	AMAT28C2103A	0.24	(0.02)	6,084	-
SELIC	2.06	(0.08)	2,089	2.00	TSF	-	-	-	-	AMAT42C2101T	0.09	(0.01)	110	-
SWC	4.22	(0.02)	380	4.00	TVD	1.03	(0.01)	9,499	1.00	AOT01C2012A	0.54	-	49,670	-
TMC	0.67	(0.03)	7,111	-	TVT	0.67	0.02	305	-	AOT01C2102A	0.50	0.01	39,661	-
TMI	0.62	-	41,540	-	VL	1.01	(0.01)	26,155	1.00	AOT01C2102T	0.34	-	42,144	-
TMW	29.00	-	170	29.00	WINNER	2.56	(0.08)	6,172	2.00	AOT01P2012A	0.16	(0.01)	57,427	-
TPAC	13.80	0.30	1,514	13.00	YGG	12.40	0.20	16,333	12.00	AOT01P2012B	0.53	(0.01)	35,260	-
TPLAS	1.73	0.04	14,225	1.00	Technology (MAI)	-	-	-	-	AOT01P2102T	0.48	(0.01)	40,181	-
UBIS	5.00	-	92	5.00	APP	2.60	(0.06)	40,942	2.00	AOT06C2011A	0.14	-	37,695	-
UEC	0.88	-	3,732	-	COMAN	2.30	-	1,449	2.00	AOT06C2102A	0.47	-	34,875	-
UKEM	0.56	(0.03)	153,807	-	ICN	2.24	0.04	61,027	2.00	AOT06P2011A	0.43	(0.03)	60,798	-
UREKA	0.82	0.01	932	-	IIG	21.80	(0.80)	26,973	22.00	AOT08C2101A	0.43	0.01	24,491	-
YUASA	14.80	0.10	227	14.00	INSET	3.44	(0.06)	60,928	3.00	AOT08P2102A	0.61	-	66,898	-
ZIGA	2.34	0.04	74,843	2.00	IRCP	0.75	(0.02)	8,130	-	AOT11C2011A	0.22	(0.01)	39,019	-
Property & Construc	-	-	-	-	ITEL	3.08	(0.04)	68,595	3.00	AOT11P2010A	0.33	-	20,485	-
ALL	3.10	-	66,120	3.00	NETBAY	25.50	(1.25)	9,343	25.00	AOT13C2010A	-	-	-	-
ARIN	0.95	0.01	1,311	-	PLANET	1.43	0.03	22,279	1.00	AOT13C2011A	0.10	-	116,428	-
ARROW	7.30	-	266	7.00	SICT	4.44	(0.12)	44,244	4.00	AOT13C2012A	0.43	-	5,360	-
BC	0.82	(0.02)	2,542	-	SIMAT	3.98	(0.02)	25,427	3.00	AOT13C2101A	0.33	-	167,172	-
BSM	0.28	-	6,050	-	SKY	13.00	(0.30)	2,330	13.00	AOT13P2010A	0.12	(0.02)	5,125	-
BTW	0.82	0.01	994	-	SPVI	3.84	0.10	206,144	3.00	AOT13P2011A	0.09	(0.01)	3,040	-
CAZ	1.49	0.02	4,973	1.00	TPS	2.62	(0.04)	20,363	2.00	AOT13P2101A	0.46	(0.02)	235,872	-
CHEWA	0.53	0.01	84,187	-	VCOM	5.50	(0.40)	63,148	5.00	AOT16C2012A	0.48	(0.03)	5,216	-
CMC	0.74	-	3,607	-	Unit Trust	-	-	-	-	AOT19C2011A	-	-	-	-
CRD	0.49	-	804	-	SCBSET	-	-	-	-	AOT19C2011B	0.15	-	14,350	-
DIMET	0.15	0.01	250,420	-	ETF	-								

Main Board Quotation

Issue Date :

Friday October 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP13C2011A	0.13	(0.01)	61,139	-	BCEG28C2012B	-	-	-	-	BTS19P2012A	-	-	-	-
AP19C2010A	-	-	-	-	BCEG28C2012C	-	-	-	-	BTS24C2012A	-	-	-	-
AP19C2011A	0.17	-	22,202	-	BCEG28C2010A	0.15	(0.02)	35,969	-	BTS41C2010A	-	-	-	-
AP28C2012A	-	-	-	-	BCEG28C2013L	0.17	(0.01)	7,606	-	BTS41C2012A	-	-	-	-
AP28C2012B	0.16	-	6,085	-	BDM501C2010A	0.28	(0.01)	41,002	-	CBG01C2012A	0.33	(0.03)	15,287	-
AWC01C2010A	0.28	(0.03)	3,975	-	BDM506C2010A	-	-	-	-	CBG01C2010A	0.67	(0.06)	17,876	-
AWC06C2011A	-	-	-	-	BDM506C2012A	0.24	(0.02)	39,459	-	CBG01P2012A	0.42	0.02	48,470	-
AWC06C2013A	0.37	(0.05)	14,101	-	BDM508C2011A	-	-	-	-	CBG01P2010A	0.72	0.02	21,014	-
AWC06P2012A	0.51	0.04	31,930	-	BDM508C2010A	-	-	-	-	CBG06C2011A	0.32	(0.05)	28,770	-
AWC08C2012A	0.11	(0.01)	14,500	-	BDM511C2011A	0.22	(0.01)	35,420	-	CBG08C2012A	0.53	(0.06)	21,050	-
AWC11C2010A	0.29	(0.03)	9,639	-	BDM513C2011A	-	-	-	-	CBG11C2010A	0.53	(0.06)	14,118	-
AWC13C2010A	-	-	-	-	BDM513C2012A	0.15	(0.01)	82,980	-	CBG13C2010A	-	-	-	-
AWC13C2010B	-	-	-	-	BDM513C2010A	0.36	(0.01)	106,312	-	CBG13C2011A	0.36	(0.05)	64,482	-
AWC13C2011A	0.03	(0.02)	35,420	-	BDM519C2010A	-	-	-	-	CBG13C2012A	0.25	(0.03)	173,996	-
AWC13C2010A	0.18	(0.04)	147,999	-	BDM519C2011A	-	-	-	-	CBG13P2010A	-	-	-	-
AWC13P2011A	0.29	0.05	104,122	-	BDM519C2012A	0.14	(0.01)	46,701	-	CBG13P2011A	0.16	-	29,366	-
AWC19C2010A	-	-	-	-	BDM519C2010A	0.29	(0.01)	136,827	-	CBG16C2010A	0.63	(0.07)	9,530	-
AWC19C2010B	-	-	-	-	BDM519P2010A	-	-	-	-	CBG19C2010A	1.20	0.06	100	1.00
AWC19C2010C	-	-	-	-	BDM524C2010A	0.26	(0.01)	1,360	-	CBG19C2011A	0.52	(0.04)	140,027	-
AWC19C2010A	0.20	(0.03)	24,611	-	BDM528C2011A	-	-	-	-	CBG19C2011B	0.19	(0.03)	100,306	-
AWC19P2011A	0.26	0.03	98,998	-	BDM528C2012A	-	-	-	-	CBG19P2010A	-	-	-	-
AWC24C2010A	-	-	-	-	BDM528C2012B	0.03	0.02	5,000	-	CBG19P2011A	0.06	0.01	762	-
AWC28C2012A	0.02	-	100	-	BDM528C2010A	0.11	(0.01)	24,858	-	CBG19P2012A	0.52	0.03	64,207	-
AWC28C2012B	-	-	-	-	BDM528C2012A	0.18	-	500	-	CBG41C2010A	-	-	-	-
AWC28C2010A	0.14	(0.04)	16,224	-	BDM541C2012A	0.13	(0.01)	18,931	-	CBG41C2011A	-	-	-	-
AWC28C2013L	0.12	(0.01)	6,834	-	BDM541P2011A	0.57	(0.01)	10,360	-	CBG41C2011B	0.35	(0.04)	13,450	-
AWC41C2010A	-	-	-	-	BDM542C2010T	0.07	-	10	-	CBG41C2012A	0.15	(0.05)	5,971	-
AWC41C2011A	-	-	-	-	BEM01C2010A	0.11	-	27,447	-	CBG41P2010A	-	-	-	-
AWC41C2012A	0.15	(0.03)	3,750	-	BEM08C2010A	0.15	0.01	2,501	-	CBG41P2012A	0.69	0.04	18,483	-
AWC42C2010T	-	-	-	-	BEM11C2011A	0.14	(0.01)	15,860	-	CBG42C2010T	0.77	(0.08)	9,485	-
BANP01C2010A	0.38	(0.04)	24,631	-	BEM13C2010A	-	-	-	-	CENT08C2012A	0.22	(0.04)	8,625	-
BANP01P2010A	0.36	0.03	49,458	-	BEM13C2011A	0.08	-	4,000	-	CENT11C2012A	-	-	-	-
BANP06C2010A	-	-	-	-	BEM13C2010A	0.31	(0.01)	119,095	-	CENT13C2010A	-	-	-	-
BANP06C2010A	0.39	(0.06)	37,261	-	BEM19C2010A	-	-	-	-	CENT13C2011A	0.13	(0.02)	34,366	-
BANP06P2011A	0.16	0.02	66,751	-	BEM19C2011A	-	-	-	-	CENT13C2010A	0.47	(0.07)	123,578	-
BANP08C2010A	0.37	(0.05)	20,000	-	BEM19C2010A	0.27	-	87,218	-	CENT13P2011A	0.26	0.02	68,917	-
BANP08P2010A	0.39	0.03	43,001	-	BEM19P2010A	-	-	-	-	CENT19C2010A	0.02	-	600	-
BANP13C2010A	-	-	-	-	BEM28C2012A	0.03	-	2,300	-	CENT19C2011A	0.04	-	200	-
BANP13C2011A	0.15	-	3,382	-	BEM28C2010A	0.26	-	15,210	-	CENT19C2011B	0.19	(0.04)	3,998	-
BANP13C2012A	0.30	(0.03)	306,317	-	BEM28C2014L	0.22	-	15,210	-	CENT19P2011A	0.24	0.02	1,823	-
BANP13P2012A	0.20	0.02	116,778	-	BGR101C2012A	0.10	(0.01)	22,076	-	CENT24C2011A	0.20	(0.05)	27,018	-
BANP16C2010A	0.29	(0.03)	4,558	-	BGR101C2010A	0.43	(0.01)	26,502	-	CENT28C2012A	0.10	(0.03)	6,384	-
BANP19C2010A	0.04	(0.02)	8,000	-	BGR101P2012A	0.38	(0.02)	40,539	-	CENT28C2012B	0.19	(0.01)	8,112	-
BANP19C2012A	0.32	(0.03)	31,269	-	BGR106C2010A	-	-	-	-	CENT28C2010A	0.21	(0.03)	39,518	-
BANP19C2010A	0.24	(0.07)	24,540	-	BGR106C2012A	0.39	-	62,389	-	CENT28C2010B	0.07	(0.01)	200	-
BANP19P2010A	0.02	0.01	1,500	-	BGR106P2011A	0.38	(0.03)	43,350	-	CENT28C2013L	0.22	(0.03)	16,224	-
BANP19P2010B	0.17	0.01	55,303	-	BGR108C2010A	0.29	(0.01)	27,723	-	CHG06C2012A	0.16	-	18,200	-
BANP19P2012A	0.11	0.01	7,135	-	BGR11C2010A	0.15	(0.01)	15,369	-	CHG13C2010A	-	-	-	-
BANP24C2011A	-	-	-	-	BGR11C2011A	-	-	-	-	CHG13C2012A	0.13	-	13,878	-
BANP28C2012A	0.15	(0.01)	25,336	-	BGR11C2012A	0.20	(0.01)	78,623	-	CHG19C2011A	0.08	-	4,000	-
BANP28C2012B	0.14	(0.03)	57,103	-	BGR11C2010A	0.30	(0.07)	159,116	-	CK01C2010A	0.22	(0.02)	14,686	-
BANP28C2010A	0.33	(0.04)	20,365	-	BGR113P2011A	0.34	(0.02)	300	-	CK01P2010A	0.54	0.01	237,637	-
BANP41C2010A	-	-	-	-	BGR113P2010A	0.28	-	80,363	-	CK06C2010A	0.25	(0.02)	60,680	-
BANP42C2012T	-	-	-	-	BGR119C2011A	0.04	(0.01)	1,205	-	CK06P2012A	0.55	-	107,069	-
BBL06C2010A	0.43	(0.02)	34,620	-	BGR119C2012A	0.12	(0.02)	104,111	-	CK11C2012A	0.12	(0.02)	21,840	-
BBL06P2011A	0.49	-	30,390	-	BGR119C2010A	0.35	(0.01)	150,531	-	CK13C2010A	-	-	-	-
BBL08C2010A	0.19	(0.01)	2,801	-	BGR119P2010A	0.19	(0.02)	109,784	-	CK13C2012A	0.16	(0.02)	302,000	-
BBL08P2010A	-	-	-	-	BGR124C2010A	0.37	(0.63)	32,930	-	CK19C2010A	0.02	(0.02)	1,000	-
BBL11C2011A	0.19	(0.02)	15,580	-	BGR127C2010A	0.11	-	6,072	-	CK19C2011A	0.06	(0.02)	8,000	-
BBL11P2010A	0.68	-	44,720	-	BGR127P2012A	0.27	(0.01)	4,252	-	CK19C2012A	0.20	(0.02)	226,621	-
BBL13C2010A	-	-	-	-	BGR141C2010A	-	-	-	-	CK19P2011A	0.40	-	192,871	-
BBL13C2010B	-	-	-	-	BGR141C2012A	0.35	(0.01)	1,186	-	CK24C2010A	0.20	(0.02)	21,135	-
BBL13C2012A	0.16	(0.01)	86,222	-	BGR141C2010A	0.15	(0.01)	20,000	-	CK41C2011A	-	-	-	-
BBL13C2012B	0.45	(0.03)	128,232	-	BGR142C2010T	0.06	-	300	-	CK41C2012A	0.14	(0.01)	31,648	-
BBL13P2010A	-	-	-	-	BH13C2010A	-	-	-	-	CK42C2010T	-	-	-	-
BBL13P2012A	0.63	0.01	49,663	-	BH13C2012A	0.09	(0.02)	35,679	-	CKP01C2010A	0.11	0.01	25,583	-
BBL19C2010A	-	-	-	-	BH13C2010A	0.43	(0.07)	115,469	-	CKP01P2010A	0.56	(0.04)	20,385	-
BBL19C2011A	-	-	-	-	BH13P2010A	0.49	0.03	83,410	-	CKP06C2012A	0.15	0.02	60,076	-
BBL19C2011B	-	-	-	-	BH19C2012A	0.12	(0.02)	54,428	-	CKP08C2010A	-	-	-	-
BBL19C2012A	0.37	(0.02)	65,925	-	BH19C2010A	0.67	(0.13)	32,085	-	CKP08C2012A	0.12	-	17,760	-
BBL19C2101A	0.24	(0.01)	37,842	-	BH19P2012A	0.54	0.06	65,415	-	CKP11C2010A	0.18	-	1,530	-
BBL19P2010A	0.15	(0.01)	123,272	-	BH24C2010A	0.19	(0.03)	6,242	-	CKP13C2010A	-	-	-	-
BBL19P2011A	0.57	-	91,648	-	BH41C2012A	0.08	(0.01)	3,262	-	CKP13C2011A	0.06	0.01	6,229	-
BBL19P2012A	0.42	-	55,604	-	BJC01C2010A	0.23	(0.01)	18,236	-	CKP13C2010A	0.19	0.02	131,567	-
BBL28C2011A	-	-	-	-	BJC01P2010A	0.44	0.02	25,577	-	CKP16C2012A	0.07	0.01	5	-
BBL28C2012A	-	-	-	-	BJC06C2010A	0.17	(0.02)	29,248	-	CKP19C2010A	0.50	0.01	1,102	-
BBL28C2010A	0.12	(0.01)	13,208	-	BJC11C2010A	0.20	(0.03)	7,710	-	CKP19C2011A	0.33	0.05	15,892	-
BBL28C2014L	0.13	(0.01)	3,042	-	BJC13C2010A	-	-	-	-	CKP19C2011B	0.05	-	200	-
BBL41C2011A	-	-	-	-	BJC13C2011A	-	-	-	-	CKP19C2010A	0.18	0.02	71,604	-
BBL41C2012A	0.37	(0.02)	76,724	-	BJC13C2012A	0.13	(0.02)	32,858	-	CKP19P2012A	0.37	(0.04)	22,994	-
BBL41C2012B	0.14	(0.01)	979	-	BJC13P2012A	0.27	0.02	14,882	-	CKP24C2010A	-	-	-	-
BBL41P2010A	-	-	-	-	BJC19C2010A	-	-	-	-	CKP28C2011A	-	-	-	-
BBL41P2011A	0.28	0.01	99,506	-	BJC19C2010B	-	-	-	-	CKP28C2012A	-	-	-	-
BBL42C2010T	0.07	-	50	-	BJC19C2012A	0.13	(0.02)	44,842	-	CKP28C2012B	0.05	0.01	2	-
BBL42P2010T	-	-	-	-	BJC19P2012A	0.28	0.01	30,000	-	COM706C2012A	0.82	(0.01)	288	-
BCH01C2010A	0.26	0.01	19,564	-	BJC28C2010A	-	-	-	-	COM708C2010A	-	-	-	-
BCH06C2011A	0.07	0.01	8,400	-	BJC28C2012B	-	-	-	-	COM708C2011A	-	-	-	-
BCH06C2013A	0.40	0.02	11,752	-	BJC28C2010A	0.12	(0.02)	6,084	-	COM708C2012A	0.44	(0.01)	20,477	-
BCH13C2010A	-	-	-	-	BJC28C2010L	-	-	-	-					

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday October 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL01C2101A	0.24	(0.02)	44,377	-	DOHO28C2012A	0.30	(0.02)	38,682	-	GLOB13C2011A	0.22	(0.04)	74,059	-
CPAL01P2101A	0.55	0.01	29,181	-	DOHO28C2102L	0.25	(0.01)	10,415	-	GLOB19C2010A	0.37	(0.05)	39,492	-
CPAL06C2011A	-	-	-	-	DOHO42C2012T	0.25	(0.02)	400	-	GLOB19C2012A	0.24	(0.04)	123,975	-
CPAL06C2102A	0.24	(0.03)	20,935	-	DTAC01C2101A	0.19	(0.01)	27,871	-	GLOB24C2010A	0.26	(0.06)	10,534	-
CPAL06P2012A	0.55	0.01	32,930	-	DTAC01P2101A	0.28	-	25,379	-	GPSC01C2012A	0.11	(0.02)	51,960	-
CPAL08C2011A	-	-	-	-	DTAC06C2012A	-	-	-	-	GPSC01C2101A	0.39	(0.04)	46,488	-
CPAL08C2102A	0.32	(0.01)	1,500	-	DTAC06C2103A	0.37	(0.03)	23,671	-	GPSC01P2012A	0.69	-	23,819	-
CPAL08P2101A	-	-	-	-	DTAC06P2012A	0.48	(0.18)	21,056	-	GPSC06C2011A	0.03	-	1	-
CPAL11C2012A	0.11	(0.01)	9,760	-	DTAC08C2012A	-	-	-	-	GPSC06C2101A	0.19	(0.02)	9,565	-
CPAL13C2011A	0.02	-	2	-	DTAC08C2101A	0.19	(0.02)	12,000	-	GPSC06P2011A	-	-	-	-
CPAL13C2012A	0.15	(0.02)	19,887	-	DTAC13C2011A	0.04	-	755	-	GPSC08C2101A	0.22	(0.02)	6,630	-
CPAL13C2101A	0.34	(0.03)	144,088	-	DTAC13C2012A	0.15	-	238,655	-	GPSC11C2102A	0.34	(0.02)	15,100	-
CPAL13P2011A	0.36	0.01	30,122	-	DTAC13C2101A	0.21	(0.02)	129,099	-	GPSC13C2011A	0.01	-	900	-
CPAL19C2010A	-	-	-	-	DTAC13P2011A	0.29	(0.09)	40	-	GPSC13C2012A	0.11	(0.03)	47,040	-
CPAL19C2011A	-	-	-	-	DTAC13P2101A	0.22	0.01	55,854	-	GPSC13C2012B	0.23	(0.01)	10,234	-
CPAL19C2012A	0.19	(0.03)	118,910	-	DTAC19C2010A	-	-	-	-	GPSC13C2101A	0.47	(0.04)	160,694	-
CPAL19P2010A	-	-	-	-	DTAC19C2011A	0.05	(0.01)	1,352	-	GPSC13P2011A	-	-	-	-
CPAL19P2010B	0.29	(0.01)	56,542	-	DTAC19C2012A	0.11	(0.01)	13,387	-	GPSC13P2011B	0.30	0.01	103,189	-
CPAL19P2101A	0.41	-	5	-	DTAC19C2101A	0.22	(0.02)	12,388	-	GPSC19C2010A	-	-	-	-
CPAL27C2101A	-	-	-	-	DTAC19P2011A	0.27	0.01	61,530	-	GPSC19C2012A	0.16	(0.02)	240,306	-
CPAL28C2012A	0.03	0.01	4	-	DTAC24C2012A	-	-	-	-	GPSC19C2101A	0.28	(0.03)	218,669	-
CPAL28C2012B	-	-	-	-	DTAC28C2012A	-	-	-	-	GPSC19C2101B	0.44	(0.04)	62,016	-
CPAL28C2012C	-	-	-	-	DTAC28C2102A	0.13	(0.02)	19,854	-	GPSC19P2010A	-	-	-	-
CPAL28C2102A	0.16	(0.02)	10,144	-	DTAC28C2104L	0.19	(0.01)	10,126	-	GPSC19P2011A	-	-	-	-
CPAL28C2104L	0.18	-	12,168	-	DTAC41C2010A	-	-	-	-	GPSC19P2012A	0.46	0.03	219,490	-
CPAL41C2010A	-	-	-	-	DTAC41C2011A	-	-	-	-	GPSC41C2011A	-	-	-	-
CPAL41C2011A	-	-	-	-	DTAC41C2012A	0.11	(0.01)	1,000	-	GPSC41P2010A	0.70	0.01	7,705	-
CPAL41C2101A	-	-	-	-	DTAC42C2010T	0.05	-	100	-	GPSC42C2010T	-	-	-	-
CPAL41P2011A	0.50	(0.04)	5,851	-	EA06C2010A	0.04	0.01	3,082	-	GPSC28C2010A	0.20	(0.03)	8,132	-
CPAL41P2101A	0.52	0.01	18,960	-	EA06C2102A	0.46	0.06	79,363	-	GPSC28C2104L	0.21	(0.01)	45,408	-
CPAL42C2010T	0.04	-	33,855	-	EA06P2012A	0.32	(0.07)	36,105	-	GPSC41C2011A	-	-	-	-
CPF01C2012A	0.08	0.02	2,383	-	EA08C2101A	0.42	0.06	60,507	-	GPSC41P2012A	-	-	-	-
CPF01C2101A	0.18	(0.01)	4,651	-	EA11C2101A	0.13	0.02	44,740	-	GPSC41P2010A	0.70	0.01	7,705	-
CPF01P2012A	0.42	0.02	16,412	-	EA13C2011A	0.10	0.02	71,867	-	GPSC42C2010T	-	-	-	-
CPF06C2010A	0.01	-	11	-	EA13C2012A	0.24	0.04	286,611	-	GULF01C2012A	0.31	(0.02)	12,203	-
CPF06C2102A	0.17	(0.03)	42,248	-	EA13C2101A	0.46	0.08	291,907	-	GULF01P2012A	0.18	-	64,742	-
CPF06P2011A	0.14	0.01	56,250	-	EA13P2011A	0.43	(0.22)	100	-	GULF01P2102A	0.31	0.01	18,556	-
CPF08C2010A	-	-	-	-	EA13P2101A	0.21	(0.04)	54,655	-	GULF06C2101A	0.22	(0.03)	38,755	-
CPF08C2102A	0.18	(0.02)	4,500	-	EA16C2012A	0.15	0.02	8,666	-	GULF08C2012A	0.10	-	2,000	-
CPF11C2010A	0.01	(0.08)	600	-	EA19C2010A	0.07	0.01	2,478	-	GULF08C2102A	0.29	(0.01)	18,525	-
CPF13C2011A	0.02	-	481	-	EA19C2012A	0.25	0.05	86,074	-	GULF11C2011A	-	-	-	-
CPF13C2012A	0.07	0.01	1,162	-	EA19C2101A	0.45	0.06	108,561	-	GULF13C2011A	0.02	-	3,205	-
CPF13C2101A	0.14	(0.01)	49,641	-	EA19P2011A	0.18	(0.03)	27,608	-	GULF13C2012A	0.10	(0.01)	119,540	-
CPF13P2012A	-	-	-	-	EA19P2011B	0.24	(0.06)	93,983	-	GULF13C2012B	0.18	(0.02)	115,385	-
CPF13P2101A	0.21	0.01	143,452	-	EA24C2101A	0.36	0.06	53,345	-	GULF13P2011A	0.15	0.01	40,724	-
CPF16C2012A	-	-	-	-	EA28C2011A	0.10	0.03	21,684	-	GULF13P2101A	0.21	0.01	110,006	-
CPF19C2010A	-	-	-	-	EA28C2012A	0.17	0.02	14,296	-	GULF16C2012A	0.10	-	1,264	-
CPF19C2012A	0.07	(0.01)	200	-	EA28C2101A	0.17	0.03	14,368	-	GULF19C2010A	0.01	-	1	-
CPF19C2102A	0.18	(0.03)	46,055	-	EA28C2102A	0.29	0.05	58,477	-	GULF19C2010B	0.01	(0.01)	1,000	-
CPF19P2010A	-	-	-	-	EA28C2103L	0.15	0.02	10,140	-	GULF19C2012A	0.12	(0.01)	20,916	-
CPF19P2012A	-	-	-	-	EA41C2011A	-	-	-	-	GULF19C2101A	0.19	(0.02)	299,884	-
CPF24C2012A	-	-	-	-	EA41C2101A	0.16	0.04	19,416	-	GULF19P2010A	0.04	(0.03)	601	-
CPF28C2011A	-	-	-	-	EA42C2101T	0.20	0.04	2,469	-	GULF19P2010B	0.19	-	30,250	-
CPF28C2012A	0.03	-	10,000	-	EGC001C2010A	0.19	-	33,696	-	GULF19P2012A	0.25	0.01	52,100	-
CPF28C2012B	-	-	-	-	EGC001P2011A	0.71	(0.04)	22,676	-	GULF24C2010A	0.18	(0.02)	4,037	-
CPF28C2102A	-	-	-	-	EGC006C2010A	-	-	-	-	GULF28C2012A	-	-	-	-
CPF28C2103L	0.10	-	13,568	-	EGC013C2011A	-	-	-	-	GULF28C2012B	-	-	-	-
CPF41C2010A	-	-	-	-	EGC013C2012A	0.17	-	80,918	-	GULF28C2101A	0.12	(0.01)	30,670	-
CPF41C2101A	0.09	(0.01)	760	-	EGC013C2012B	0.28	0.01	87,817	-	GULF28C2102A	0.14	(0.02)	16,952	-
CPF41P2011A	0.34	0.02	4,153	-	EGC013P2011A	-	-	-	-	GULF41C2011A	-	-	-	-
CPF42C2101T	0.04	-	405	-	EGC019C2010A	-	-	-	-	GULF41C2012A	-	-	-	-
CPN01C2012A	0.13	(0.03)	31,694	-	EGC019C2011A	0.03	-	700	-	GULF41C2102A	0.18	(0.02)	35,000	-
CPN01C2101A	0.44	(0.05)	23,036	-	EGC019C2012A	0.10	0.01	88,166	-	GULF41P2011A	0.27	-	1,571	-
CPN01P2012A	0.41	0.02	34,370	-	EGC019C2012B	0.54	0.01	238,497	-	GULF41P2012A	0.23	0.01	35,100	-
CPN06C2010A	-	-	-	-	EGC019P2011A	0.82	(0.05)	100,012	-	GULF42C2010M	-	-	-	-
CPN11C2010A	0.17	(0.03)	10,620	-	EGC019P2012A	0.53	(0.02)	211,034	-	GULF42C2101T	-	-	-	-
CPN13C2011A	-	-	-	-	EGC041C2010A	0.17	0.02	9,936	-	GULF42P2010T	-	-	-	-
CPN13C2012A	0.24	(0.03)	86,992	-	EGC042C2010T	0.04	-	200	-	GUNK01C2012A	0.12	(0.01)	3,600	-
CPN19C2010A	-	-	-	-	EPG13C2010A	-	-	-	-	GUNK13C2011A	0.02	(0.01)	5,998	-
CPN19C2011A	-	-	-	-	EPG13C2011A	0.19	-	34,016	-	GUNK13C2011A	0.18	(0.02)	48,336	-
CPN19C2012A	0.17	(0.04)	51,700	-	EPG13C2012A	0.09	(0.01)	12,000	-	GUNK19C2010A	-	-	-	-
CPN19P2010A	0.12	0.01	17,000	-	EPG19C2010A	0.18	(0.01)	4	-	GUNK19C2012A	0.06	(0.01)	18,731	-
CPN24C2011A	-	-	-	-	EPG19C2011A	-	-	-	-	GUNK19C2101A	0.14	(0.01)	650	-
CPN41C2012A	0.14	(0.03)	13,368	-	EPG42C2101T	-	-	-	-	GUNK24C2012A	-	-	-	-
CPN41C2101A	0.17	(0.03)	16,996	-	ERW06C2010A	-	-	-	-	GUNK28C2012A	-	-	-	-
CPN41P2011A	0.60	0.05	3,406	-	ERW13C2010A	0.01	-	30	-	GUNK28C2012B	-	-	-	-
CRC01C2101A	0.20	(0.01)	47,805	-	ERW19C2010A	0.09	(0.05)	21,933	-	GUNK28C2102A	0.10	(0.01)	7,905	-
CRC01P2101A	0.42	-	42,851	-	ERW19C2010B	-	-	-	-	HANA01C2012A	0.45	(0.04)	33,429	-
CRC06C2102A	0.22	0.01	69,861	-	ESSO01C2012A	0.18	(0.02)	19,643	-	HANA11C2103A	0.57	(0.03)	27,298	-
CRC08C2101A	0.18	(0.01)	17,386	-	ESSO01P2012A	0.40	-	22,270	-	HANA13C2011A	0.51	-	501	-
CRC13C2011A	0.05	(0.01)	1,593	-	ESSO06C2011A	0.05	(0.02)	13,700	-	HANA13C2012A	0.23	(0.04)	818,184	-
CRC13C2012A	0.12	-	59,556	-	ESSO08C2011A	0.15	-	18,050	-	HANA16C2101A	0.42	(0.04)	12,200	-
CRC13C2101A	0.22	(0.01)	189,679	-	ESSO08C2102A	0.31	(0.02)	38,077	-	HANA19C2010A	0.44	(0.06)	3,977	-
CRC13P2012A	0.17	(0.01)	121,862	-	ESSO13C2010A	-	-	-	-	HANA19C2012A	0.28	(0.03)	196,772	-
CRC19C2010A	-	-	-	-	ESSO13C2011A	0.18	(0.02)	164,620	-	HANA19P2011A	0.01	(0.01)	100	-
CRC19C2011A	0.05	(0.01)	3,000	-	ESSO19C2010A	0.09	(0.01)	14,000	-	HANA24C2012A	0.49	(0.04)	33,997	-
CRC19C2012A	0.13	-	3,885	-	ESSO19C2011A	0.05	(0.01)	100	-	HANA27P2012X	0.07	-	26	-
CRC19C2101A	0.24	-	68,161	-	ESSO19C2012A	0.17	(0.01)	53,133	-	HANA28C2012A	0.40	(0.04)		

Main Board Quotation

Issue Date :

Friday October 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28C2010C	0.02	-	5,061	-	IVL24C2012A	0.27	(0.02)	23,696	-	KCE19C2010B	-	-	-	-
HSI28C2010L	0.01	-	100,289	-	IVL28C2011A	-	-	-	-	KCE19C2011A	0.41	(0.01)	16,631	-
HSI28C2011A	0.87	(0.06)	400,448	-	IVL28C2012A	-	-	-	-	KCE19C2012A	0.32	(0.02)	134,703	-
HSI28C2011B	0.47	(0.04)	1,338,296	-	IVL28C2012B	-	-	-	-	KCE19P2010A	-	-	-	-
HSI28C2011C	0.12	(0.01)	2,300	-	IVL28C2101A	0.22	(0.02)	52,078	-	KCE19P2012A	0.12	0.01	68,126	-
HSI28C2011L	0.18	(0.01)	2,134	-	IVL28C2104L	0.25	(0.01)	50,630	-	KCE19P2101A	0.24	-	77,922	-
HSI28C2012L	0.12	(0.01)	5,547	-	IVL41C2010A	-	-	-	-	KCE24C2010A	0.65	(0.06)	7,138	-
HSI28C2101L	0.13	(0.01)	10,602	-	IVL41C2011A	-	-	-	-	KCE27C2101X	0.86	(0.04)	4,800	-
HSI28C2102L	0.33	(0.01)	6,015	-	IVL41C2012A	0.29	(0.01)	21,424	-	KCE41C2012A	0.34	(0.01)	32,507	-
HSI28P2010A	0.20	-	267,233	-	IVL41P2010A	-	-	-	-	KCE42C2012T	1.10	(0.04)	2,300	1.00
HSI28P2010B	0.45	0.01	916,904	-	IVL41P2012A	0.53	(0.01)	55,474	-	KKP13C2010A	-	-	-	-
HSI28P2010C	0.98	0.03	929,634	-	IVL41P2012B	0.24	-	8,898	-	KKP13C2012A	0.13	(0.01)	20,224	-
HSI28P2010L	0.01	(0.01)	3,972	-	IVL42C2101T	0.03	-	501	-	KKP19C2010A	-	-	-	-
HSI28P2011A	1.03	0.02	747,874	1.00	JAS08C2011A	-	-	-	-	KKP19C2011A	0.02	(0.02)	5,000	-
HSI28P2011B	0.63	0.01	555,417	-	JAS08P2103A	0.60	0.01	24,208	-	KKP19C2012A	0.14	(0.02)	1,500	-
HSI28P2011C	0.38	-	2,380	-	JAS13C2011A	0.01	-	5,005	-	KTBI3C2010A	-	-	-	-
HSI28P2011L	0.07	(0.01)	406	-	JAS13C2012A	0.14	(0.02)	47,769	-	KTBI3C2012A	0.10	(0.01)	17,206	-
HSI28P2012L	0.40	-	8,049	-	JAS13C2101A	0.29	(0.04)	74,027	-	KTBI9C2010A	-	-	-	-
HSI28P2101L	0.35	(0.01)	41	-	JAS19C2010A	0.02	0.01	69	-	KTBI9C2011A	-	-	-	-
HSI28P2102L	0.37	0.01	580	-	JAS19C2010B	-	-	-	-	KTBI9C2012A	0.12	(0.02)	25,000	-
HSI41C2010A	0.15	(0.05)	252,229	-	JAS19C2012A	0.12	(0.02)	905	-	KTBI9C2101A	0.29	(0.02)	18,000	-
HSI41C2010B	-	-	-	-	JAS19C2101A	0.30	(0.03)	11,481	-	KTBI9P2012A	0.50	(0.01)	35,398	-
HSI41C2010C	0.01	(0.01)	1,700	-	JAS19P2010A	0.17	(0.01)	7,834	-	KTBI9P2012A	0.23	-	5,433	-
HSI41C2011A	0.07	(0.01)	26	-	JAS28C2011A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
HSI41C2011B	0.80	(0.07)	1,245,190	-	JAS28C2012A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
HSI41C2011C	0.41	(0.02)	3,976	-	JAS28C2012B	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
HSI41C2011D	-	-	-	-	JAS28C2101A	0.10	(0.01)	3,719	-	KTBI9P2012A	0.23	-	5,433	-
HSI41C2011E	-	-	-	-	JAS28C2102A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
HSI41C2012A	0.10	(0.02)	39,798	-	JAS28C2102A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
HSI41C2012A	0.11	(0.01)	4,191	-	JAS41C2102A	0.30	-	7,912	-	KTBI9P2012A	0.23	-	5,433	-
HSI41P2010A	-	-	-	-	JMT06C2012A	0.56	(0.01)	20,769	-	KTBI9P2012A	0.23	-	5,433	-
HSI41P2010B	0.50	-	1,672,014	-	JMT08C2010A	0.39	-	17,099	-	KTBI9P2012A	0.23	-	5,433	-
HSI41P2010C	0.21	-	26,216	-	JMT11C2102A	0.40	(0.02)	12,130	-	KTBI9P2012A	0.23	-	5,433	-
HSI41P2011A	0.63	0.01	1,780	-	JMT13C2011A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
HSI41P2011B	0.99	(0.16)	900	-	JMT13C2011B	0.49	(0.04)	2,079	-	KTBI9P2012A	0.23	-	5,433	-
HSI41P2011C	0.58	-	204	-	JMT13C2012A	0.31	(0.01)	379,175	-	KTBI9P2012A	0.23	-	5,433	-
HSI41P2011D	-	-	-	-	JMT19C2010A	1.88	0.45	150	1.00	KTBI9P2012A	0.23	-	5,433	-
HSI41P2011E	0.49	(0.03)	2	-	JMT19C2011A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
HSI41P2012A	0.38	-	2,186	-	JMT19C2012A	0.32	-	379,768	-	KTBI9P2012A	0.23	-	5,433	-
HSI41P2101A	0.33	-	4,026	-	JMT24C2011A	0.52	(0.01)	20,272	-	KTBI9P2012A	0.23	-	5,433	-
INTU01C2101A	0.26	(0.02)	80,188	-	JMT28C2101A	0.38	(0.02)	32,468	-	KTBI9P2012A	0.23	-	5,433	-
INTU06P2011A	0.22	(0.02)	35,350	-	JMT41C2012A	0.29	(0.01)	26,513	-	KTBI9P2012A	0.23	-	5,433	-
INTU11C2103A	0.43	-	40,923	-	JMT42C2101T	0.29	0.01	1,000	-	KTBI9P2012A	0.23	-	5,433	-
INTU13C2011A	0.04	(0.01)	103	-	KBAN01C2012A	0.42	(0.02)	61,028	-	KTBI9P2012A	0.23	-	5,433	-
INTU13C2101A	0.38	(0.02)	436,098	-	KBAN01C2012B	0.28	-	24,443	-	KTBI9P2012A	0.23	-	5,433	-
INTU19C2012A	0.17	-	466,236	-	KBAN01C2102T	0.48	(0.01)	45,169	-	KTBI9P2012A	0.23	-	5,433	-
INTU19C2101A	0.36	-	53,239	-	KBAN01P2012A	0.76	(0.03)	42,613	-	KTBI9P2012A	0.23	-	5,433	-
INTU19P2010A	-	-	-	-	KBAN01P2010A	0.79	(0.02)	33,559	-	KTBI9P2012A	0.23	-	5,433	-
INTU19P2012A	0.51	(0.01)	147,949	-	KBAN01P2102T	0.70	(0.01)	35,716	-	KTBI9P2012A	0.23	-	5,433	-
INTU23C2111A	-	-	-	-	KBAN06C2011A	0.01	(0.01)	330	-	KTBI9P2012A	0.23	-	5,433	-
INTU28C2012A	0.07	-	2,000	-	KBAN06C2012A	0.08	(0.01)	46,539	-	KTBI9P2012A	0.23	-	5,433	-
INTU28C2102A	0.19	-	50,151	-	KBAN06C2103A	0.58	(0.02)	85,977	-	KTBI9P2012A	0.23	-	5,433	-
INTU41C2012A	-	-	-	-	KBAN06P2011A	0.65	(0.03)	57,677	-	KTBI9P2012A	0.23	-	5,433	-
INTU42C2101T	-	-	-	-	KBAN08C2011A	0.02	(0.03)	2,390	-	KTBI9P2012A	0.23	-	5,433	-
IRPC01C2101A	0.15	(0.01)	36,080	-	KBAN08C2011A	0.20	0.01	16,400	-	KTBI9P2012A	0.23	-	5,433	-
IRPC01P2101A	0.31	0.01	26,234	-	KBAN08C2103A	0.72	(0.01)	27,662	-	KTBI9P2012A	0.23	-	5,433	-
IRPC06C2010A	-	-	-	-	KBAN08P2101A	1.12	(0.03)	22,210	1.00	KTBI9P2012A	0.23	-	5,433	-
IRPC06P2010A	-	-	-	-	KBAN13C2010A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IRPC11C2102A	0.14	(0.01)	2,380	-	KBAN13C2010B	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IRPC13C2011A	-	-	-	-	KBAN13C2011A	0.06	(0.01)	11,991	-	KTBI9P2012A	0.23	-	5,433	-
IRPC13C2012A	0.07	(0.01)	1,518	-	KBAN13C2012A	0.13	-	78,104	-	KTBI9P2012A	0.23	-	5,433	-
IRPC13C2012B	0.11	(0.02)	256,249	-	KBAN13C2012B	0.26	(0.01)	167,373	-	KTBI9P2012A	0.23	-	5,433	-
IRPC13C2101A	0.49	(0.03)	2	-	KBAN13C2101A	0.43	(0.01)	464,697	-	KTBI9P2012A	0.23	-	5,433	-
IRPC13P2011A	-	-	-	-	KBAN13P2010A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IRPC13P2012A	0.21	0.01	137,736	-	KBAN13P2011A	0.94	(0.01)	1,023	-	KTBI9P2012A	0.23	-	5,433	-
IRPC19C2010A	-	-	-	-	KBAN13P2012A	0.75	(0.01)	126,887	-	KTBI9P2012A	0.23	-	5,433	-
IRPC19C2011A	-	-	-	-	KBAN16C2101A	0.51	-	19,260	-	KTBI9P2012A	0.23	-	5,433	-
IRPC19C2012A	0.41	(0.06)	4,668	-	KBAN19C2010A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IRPC19C2101A	0.13	(0.01)	42,636	-	KBAN19C2010B	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IRPC19P2011A	-	-	-	-	KBAN19C2011A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IRPC19P2012A	0.23	-	38,292	-	KBAN19C2012A	0.21	(0.01)	55,722	-	KTBI9P2012A	0.23	-	5,433	-
IRPC24C2012A	-	-	-	-	KBAN19C2012B	0.10	-	76,504	-	KTBI9P2012A	0.23	-	5,433	-
IRPC28C2012A	-	-	-	-	KBAN19C2101A	0.46	-	477,583	-	KTBI9P2012A	0.23	-	5,433	-
IRPC28C2101A	-	-	-	-	KBAN19P2010A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IRPC28C2103A	0.13	(0.02)	500	-	KBAN19P2010P	0.09	(0.01)	61,940	-	KTBI9P2012A	0.23	-	5,433	-
IRPC41C2010A	-	-	-	-	KBAN19P2012A	0.58	-	117,273	-	KTBI9P2012A	0.23	-	5,433	-
IRPC41C2101A	-	-	-	-	KBAN24C2012A	0.11	-	47,237	-	KTBI9P2012A	0.23	-	5,433	-
IVL01C2012A	0.08	(0.01)	1,788	-	KBAN28C2012A	0.03	-	3	-	KTBI9P2012A	0.23	-	5,433	-
IVL01C2012B	0.37	(0.03)	77,709	-	KBAN28C2012B	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IVL01P2012A	0.60	-	109,254	-	KBAN28C2101A	0.19	(0.01)	19,102	-	KTBI9P2012A	0.23	-	5,433	-
IVL06C2010A	-	-	-	-	KBAN28C2104L	0.22	-	6,084	-	KTBI9P2012A	0.23	-	5,433	-
IVL06C2101A	0.25	(0.02)	84,855	-	KBAN28P2012A	0.35	(0.01)	34,476	-	KTBI9P2012A	0.23	-	5,433	-
IVL06C2103A	0.62	(0.04)	243,092	-	KBAN41C2011A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IVL06P2011A	0.44	0.01	107,988	-	KBAN41C2012A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IVL08C2101A	0.31	(0.01)	55,703	-	KBAN41C2101A	0.33	-	176,178	-	KTBI9P2012A	0.23	-	5,433	-
IVL08P2011A	0.19	-	37,260	-	KBAN41P2010A	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IVL08P2102A	0.66	-	51,537	-	KBAN41P2011A	1.37	(0.02)	9,164	1.00	KTBI9P2012A	0.23	-	5,433	-
IVL11C2012A	0.10	-	39,920	-	KBAN42C2101T	-	-	-	-	KTBI9P2012A	0.23	-	5,433	-
IVL13C2011A	0.02	-	7,600	-	KBAN42P2010T	0.89	(0.02)	3,874						

Main Board Quotation

Issue Date :

Friday October 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT41C2010A	0.02	(0.09)	500	-	PTT08C2010A	0.12	(0.01)	12,520	-	PTTG41C2011A	-	-	-	-
MINT41C2012A	0.45	(0.04)	32,851	-	PTT08P2010A	0.44	-	13,000	-	PTTG41C2010A	0.13	(0.01)	48,000	-
MINT42C2010T	0.23	(0.02)	5,451	-	PTT11C2010A	0.10	(0.01)	72,050	-	PTTG41P2011A	0.58	0.02	3,508	-
MINT42P2102T	0.56	0.03	400	-	PTT13C2010A	-	-	-	-	PTTG41P2102A	0.36	-	139,102	-
MTC01C2012A	0.39	(0.03)	46,162	-	PTT13C2012A	0.05	(0.01)	3,805	-	PTTG42C2012A	0.08	(0.01)	300	-
MTC01C2102A	0.56	(0.04)	57,712	-	PTT13C2012B	0.12	-	261,373	-	QHI19C2012A	-	-	-	-
MTC06C2010A	0.01	-	200	-	PTT13C2010A	0.21	0.01	304,090	-	QH27C2101A	0.11	(0.01)	1,156	-
MTC06C2102A	0.52	(0.05)	77,525	-	PTT13P2010A	-	-	-	-	RATC01C2101A	0.28	-	23,369	-
MTC08C2011A	0.24	(0.02)	8,800	-	PTT13P2011A	0.31	-	1,020	-	RATC01P2101A	0.63	0.01	28,347	-
MTC08C2102A	0.54	(0.03)	11,100	-	PTT13P2010A	0.18	(0.01)	244,270	-	RATC06C2102A	0.25	(0.02)	21,639	-
MTC11C2102A	0.49	(0.04)	14,860	-	PTT16C2012A	-	-	-	-	RATC06P2010A	-	-	-	-
MTC13C2010A	-	-	-	-	PTT19C2011A	-	-	-	-	RATC11C2103A	0.52	(0.02)	17,786	-
MTC13C2011A	0.26	(0.03)	134,501	-	PTT19C2012A	0.07	(0.01)	2,381	-	RATC13C2010A	-	-	-	-
MTC13C2101A	0.43	(0.04)	182,035	-	PTT19C2012B	0.10	-	24,400	-	RATC13C2012A	0.10	-	50,017	-
MTC13P2011A	0.20	-	37,310	-	PTT19C2010A	0.18	-	54,747	-	RATC13C2101A	0.29	(0.02)	78,349	-
MTC19C2010A	0.10	(0.03)	256,448	-	PTT19P2010A	0.06	(0.01)	30	-	RATC13P2011A	0.34	0.01	85,752	-
MTC19C2012A	0.32	(0.04)	142,378	-	PTT19P2010B	0.14	-	20,000	-	RATC19C2011A	-	-	-	-
MTC19P2010A	-	-	-	-	PTT19P2010A	0.19	(0.01)	45,200	-	RATC19C2012A	0.16	0.02	42,000	-
MTC19P2012A	0.28	0.01	130,002	-	PTT24C2010A	0.12	(0.01)	13,366	-	RATC19P2010A	0.26	(0.01)	67,411	-
MTC28C2011A	0.09	(0.03)	31,378	-	PTT28C2011A	0.01	-	10	-	RATC19P2011A	0.50	0.01	45,076	-
MTC28C2012A	0.15	(0.02)	29,775	-	PTT28C2012A	-	-	-	-	RATC24C2012A	0.14	(0.01)	5,152	-
MTC28C2012B	0.32	(0.03)	59,182	-	PTT28C2101A	-	-	-	-	RATC41C2010A	-	-	-	-
MTC28C2102L	0.20	(0.02)	21,280	-	PTT28C2103L	0.15	-	24,308	-	RATC41C2012A	-	-	-	-
MTC41C2010A	-	-	-	-	PTT41C2010A	-	-	-	-	RATC42C2102T	-	-	-	-
MTC41C2012A	0.37	(0.04)	51,001	-	PTT41C2012A	-	-	-	-	RS06C2010A	-	-	-	-
MTC42C2101T	-	-	-	-	PTT41C2101A	-	-	-	-	RS06C2012A	0.38	-	124,993	-
ORI13C2011A	0.20	(0.03)	27,917	-	PTT41C2101B	0.19	-	54,845	-	RS08C2011A	-	-	-	-
ORI19C2010A	-	-	-	-	PTT41P2010A	-	-	-	-	RS08C2103A	0.54	0.01	37,203	-
ORI19C2011A	0.36	(0.06)	22,281	-	PTT41P2011A	-	-	-	-	RS13C2010A	-	-	-	-
ORI19C2012A	0.18	(0.04)	38,597	-	PTT41P2012A	0.46	(0.01)	4,853	-	RS13C2011A	0.31	-	270,856	-
ORI28C2011A	-	-	-	-	PTT41P2101A	0.25	0.01	9,720	-	RS19C2010A	-	-	-	-
ORI28C2012A	-	-	-	-	PTT42C2010M	-	-	-	-	RS19C2010B	0.42	0.01	9,692	-
ORI28C2012B	0.32	(0.06)	32,013	-	PTT42C2012T	0.04	-	50	-	RS19C2011A	-	-	-	-
ORI28C2101A	0.15	(0.02)	27,196	-	PTT42P2101T	-	-	-	-	RS19C2011B	0.24	-	212,742	-
ORI28C2103L	0.23	(0.02)	23,829	-	PTTE01C2012A	0.52	0.02	18,744	-	RS19P2012A	0.32	(0.01)	91,173	-
OSP01C2012A	0.11	(0.02)	24,303	-	PTTE01C2102A	1.07	0.03	39,906	1.00	RS28C2012A	-	-	-	-
OSP01C2102A	0.29	(0.05)	44,884	-	PTTE01P2012A	1.00	(0.07)	44,648	1.00	RS28C2101A	0.36	0.02	81,422	-
OSP01P2012A	0.48	0.05	52,529	-	PTTE01P2102A	0.53	(0.03)	53,769	-	RS28C2101L	0.46	0.01	84,234	-
OSP06C2011A	0.03	-	12	-	PTTE06C2011A	-	-	-	-	RS41C2011A	0.46	0.02	31,765	-
OSP06C2102A	0.19	(0.05)	51,527	-	PTTE06C2101A	0.48	0.03	90,431	-	RS42C2101T	0.30	0.01	1,800	-
OSP06P2102A	0.54	0.04	38,924	-	PTTE06P2011A	0.20	(0.04)	59,720	-	S10001C2011A	0.03	0.01	10	-
OSP08C2102A	0.32	(0.04)	23,430	-	PTTE08C2011A	0.22	0.01	22,728	-	S5001C2012F	0.36	(0.05)	99,235	-
OSP11C2102A	0.19	(0.02)	18,980	-	PTTE08P2101A	0.90	(0.05)	49,190	-	S5001C2101A	0.96	(0.06)	234,942	-
OSP13C2010A	-	-	-	-	PTTE11C2011A	0.33	0.01	30,060	-	S5001P2012F	0.96	0.03	305,849	-
OSP13C2012A	0.07	(0.02)	20,047	-	PTTE11P2102A	0.65	(0.03)	66,069	-	S5001P2101A	0.73	-	248,810	-
OSP13C2101A	0.17	(0.04)	103,488	-	PTTE13C2010A	-	-	-	-	S5006C2012A	0.20	(0.05)	69,839	-
OSP13P2011A	0.31	0.04	43,441	-	PTTE13C2010B	-	-	-	-	S5006C2012B	0.68	(0.13)	13,517	-
OSP19C2010A	-	-	-	-	PTTE13C2011A	0.14	0.01	162,618	-	S5006P2012A	0.83	(0.01)	370,993	-
OSP19C2012A	0.08	(0.03)	36,450	-	PTTE13C2012A	0.43	0.03	283,677	-	S5006P2012B	0.37	0.03	319,772	-
OSP19C2101A	0.18	(0.03)	69,942	-	PTTE13C2101A	0.76	0.03	334,113	-	S5008C2012A	0.17	(0.01)	546	-
OSP19P2010A	0.17	0.04	41,600	-	PTTE13P2010A	0.13	(0.06)	35,170	-	S5008C2012B	0.25	(0.04)	270,079	-
OSP24C2101A	0.17	(0.03)	28,481	-	PTTE13P2012A	0.46	(0.05)	130,915	-	S5008C2012C	0.54	(0.07)	289,604	-
OSP28C2101A	-	-	-	-	PTTE19C2010A	-	-	-	-	S5008P2012A	0.92	0.04	384,032	-
OSP28C2101B	-	-	-	-	PTTE19C2010B	0.11	-	126,992	-	S5008P2012B	0.39	0.03	340,191	-
OSP41C2010A	-	-	-	-	PTTE19C2011A	0.07	-	220	-	S5011C2012A	0.63	(0.05)	8,476	-
OSP41C2012A	-	-	-	-	PTTE19C2011B	0.09	(0.01)	123,137	-	S5011P2012A	0.53	0.03	12,600	-
OSP42C2101T	0.07	(0.01)	50	-	PTTE19C2012A	0.38	0.02	300,655	-	S5013C2010A	0.34	(0.01)	811	-
PLAN06C2102A	0.37	(0.04)	58,414	-	PTTE19C2101A	0.82	0.04	94,022	-	S5013C2012A	0.17	(0.02)	65,987	-
PLAN11C2103A	0.42	(0.06)	36,970	-	PTTE19P2010A	-	-	-	-	S5013C2012B	0.20	(0.03)	69,362	-
PLAN13C2010A	-	-	-	-	PTTE19P2010B	0.14	(0.04)	198,522	-	S5013C2012C	0.28	(0.05)	1,243,973	-
PLAN13C2011A	0.23	(0.02)	26,310	-	PTTE19P2012A	0.52	(0.05)	133,533	-	S5013C2012D	0.24	(0.04)	1,407,107	-
PLAN13C2101A	0.24	(0.04)	124,317	-	PTTE19P2101A	0.41	(0.04)	343,246	-	S5013C2012E	0.40	(0.06)	4,078,391	-
PLAN19C2010A	-	-	-	-	PTTE24C2011A	-	-	-	-	S5013C2012F	0.56	(0.08)	3,172,480	-
PLAN19C2010B	0.08	(0.03)	24,150	-	PTTE28C2011A	-	-	-	-	S5013C2101A	0.59	(0.02)	3,186	-
PLAN19C2012A	0.25	(0.02)	116,593	-	PTTE28C2011B	-	-	-	-	S5013P2010A	0.75	0.01	7,354	-
PLAN27C2101A	0.19	(0.03)	11,800	-	PTTE28C2012A	0.24	0.01	18,402	-	S5013P2012A	0.92	0.04	3,086,303	-
PLAN28C2012A	-	-	-	-	PTTE28C2101A	0.31	0.02	68,724	-	S5013P2012B	0.99	0.04	673,105	-
PLAN28C2012B	0.24	(0.03)	57,124	-	PTTE28C2102L	0.23	0.01	10,740	-	S5013P2012C	0.57	0.03	7,964,388	-
PLAN42C2101T	-	-	-	-	PTTE41C2010A	-	-	-	-	S5013P2012D	0.36	0.02	4,125,942	-
PRM08C2101A	0.28	(0.01)	15,918	-	PTTE41C2011A	-	-	-	-	S5013P2012E	0.28	0.02	5,146,855	-
PRM11C2102A	0.40	(0.02)	30,488	-	PTTE41P2011A	0.65	(0.07)	23	-	S5013P2101A	0.65	0.02	15,766	-
PRM13C2010A	0.10	(0.03)	15,465	-	PTTE41P2101A	0.55	(0.03)	187,958	-	S5016C2012A	-	-	-	-
PRM13C2012A	0.26	(0.02)	200,847	-	PTTE41P2010A	-	-	-	-	S5016C2012B	0.22	(0.02)	2,131	-
PRM16C2012A	0.18	(0.01)	8,092	-	PTTE41P2011A	0.65	(0.07)	23	-	S5016C2012C	0.70	(0.10)	103,322	-
PRM19C2010A	0.37	(0.03)	55,331	-	PTTE41P2101A	0.55	(0.03)	187,958	-	S5016P2012A	0.81	0.04	73,088	-
PRM19C2011A	0.17	(0.01)	100,564	-	PTTE42C2101T	-	-	-	-	S5016P2012B	0.72	0.05	87,590	-
PRM28C2012A	0.16	0.01	2,028	-	PTTE42P2101T	0.66	-	124	-	S5016P2103Z	-	-	-	-
PRM42C2101T	-	-	-	-	PTTG01C2012A	0.24	(0.02)	31,376	-	S5019C2012A	0.16	(0.02)	668	-
PTG01C2012A	0.36	(0.01)	22,180	-	PTTG01C2102A	0.44	(0.02)	49,368	-	S5019C2012B	0.14	(0.01)	32,312	-
PTG01P2012A	0.43	0.01	51,150	-	PTTG01P2012A	0.79	0.01	24,831	-	S5019C2012C	0.32	(0.04)	817,615	-
PTG06C2010A	0.33	(0.03)	18,720	-	PTTG01P2102A	0.48	-	96,181	-	S5019C2012D	0.52	(0.08)	1,181,694	-
PTG06C2103A	0.64	(0.02)	11,075	-	PTTG08C2010A	0.19	(0.02)	16,309	-	S5019C2012E	0.79	(0.10)	2,044,159	-
PTG08C2011A	0.42	(0.01)	8,000	-	PTTG08P2010A	-	-	-	-	S5019P2012A	0.86	0.03	1,203,689	-
PTG11C2101A	0.43	(0.04)	17,070	-	PTTG08P2102A	0.46	-	21,324	-	S5019P2012B	0.68	0.04	1,351,444	-
PTG13C2010A	-	-	-	-	PTTG11C2010A	-	-	-	-	S5019P2012C	0.45	0.03	1,499,837	-
PTG13C2012A	0.20	(0.01)	36,110	-	PTTG13C2010A	-	-	-	-	S5024C2012A	0.01	(0.01)	220	-
PTG13C2012B	0.40	(0.02)												

Main Board Quotation

Issue Date :

Friday October 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5028C2103L	0.27	(0.02)	388,724	-	SPAL19C2011B	0.09	(0.05)	15,122	-	SUPE42C2101T	0.09	(0.01)	6,500	-
S5028P2010A	0.26	0.01	314,212	-	SPAL27C2101A	0.15	(0.04)	8,706	-	SUPE42P2102T	-	-	-	-
S5028P2012A	1.14	0.03	628,663	1.00	SPRC01C2101A	0.20	(0.02)	14,289	-	TASC01C2012A	0.11	(0.02)	11,759	-
S5028P2012B	0.41	0.03	503,201	-	SPRC01P2101A	0.51	0.02	19,970	-	TASC01C2012B	0.27	(0.07)	45,160	-
S5028P2103L	0.72	0.03	559,061	-	SPRC06C2010A	-	-	-	-	TASC01P2012A	0.64	0.07	116,644	-
S5041C2012A	0.14	(0.03)	14,752	-	SPRC06C2102A	0.18	(0.03)	45,882	-	TASC06C2012A	0.03	(0.01)	12,911	-
S5041C2012B	0.07	(0.01)	700	-	SPRC06P2011A	0.19	0.02	49,925	-	TASC06C2102A	0.37	(0.09)	91,541	-
S5041C2012C	-	-	-	-	SPRC08C2011A	-	-	-	-	TASC08C2011A	0.04	0.01	3,652	-
S5041C2012D	0.18	(0.05)	760,260	-	SPRC11C2102A	0.23	(0.03)	28,400	-	TASC08C2012A	0.02	-	7,167	-
S5041C2012E	0.31	(0.07)	680,296	-	SPRC13C2010A	-	-	-	-	TASC11C2102A	0.05	-	10,190	-
S5041C2012F	0.58	0.02	2,092,782	-	SPRC13C2012A	0.10	(0.01)	1,502	-	TASC13C2011A	0.01	-	5,001	-
S5041C2103T	1.05	(0.11)	152,279	1.00	SPRC13C2012B	0.15	(0.02)	212,512	-	TASC13C2012A	0.03	(0.02)	935,911	-
S5041P2012A	0.79	0.03	731,166	-	SPRC19C2010A	-	-	-	-	TASC13C2012B	0.14	(0.05)	942,343	-
S5041P2012B	0.72	0.10	90,144	-	SPRC19C2012A	0.12	(0.02)	108,260	-	TASC13C2101A	0.28	(0.08)	650,462	-
S5041P2012C	0.80	0.08	54,076	-	SPRC19C2101A	0.25	(0.02)	32,271	-	TASC13P2011A	1.16	0.21	969	1.00
S5041P2012E	0.95	0.44	106,757	-	SPRC19P2011A	0.28	0.02	64,903	-	TASC13P2012A	0.39	0.05	226,378	-
S5041P2012F	0.72	0.44	213,938	-	SPRC28C2011A	-	-	-	-	TASC19C2010A	-	-	-	-
S5041P2012G	0.47	0.06	205,100	-	SPRC28C2101A	0.11	(0.03)	18,252	-	TASC19C2011A	0.01	(0.02)	18,030	-
S5041P2103T	1.29	0.08	110,427	1.00	SPRC42C2101T	-	-	-	-	TASC19C2012A	0.12	(0.04)	116,827	-
SAWA01C2012A	0.42	(0.07)	67,526	-	SPX28C2012A	1.22	0.08	6,791	1.00	TASC19C2101A	0.27	(0.08)	932,753	-
SAWA01C2102A	0.50	(0.08)	52,522	-	SPX28C2012B	0.61	0.05	7,879	-	TASC19P2010A	1.09	0.20	40	1.00
SAWA01P2012A	0.48	0.04	56,384	-	SPX28C2012C	1.12	0.13	44	1.00	TASC19P2011A	0.73	(0.02)	4	-
SAWA01P2102A	0.77	0.06	49,153	-	SPX28C2012D	0.46	0.05	4,117	-	TASC19P2012A	1.95	0.25	4,426	1.00
SAWA06C2010A	0.01	-	4,552	-	SPX28C2103L	0.45	(0.55)	751	-	TASC19P2012B	0.28	0.04	159,672	-
SAWA06C2101A	0.50	(0.10)	79,308	-	SPX28P2012A	0.32	(0.04)	14,325	-	TASC19P2012C	0.40	0.06	159,578	-
SAWA08C2011A	0.10	(0.04)	22,000	-	SPX28P2012B	0.18	(0.04)	50,529	-	TASC24C2011A	-	-	-	-
SAWA08C2101A	0.40	(0.08)	38,296	-	SPX28P2012C	0.83	(0.08)	61,955	-	TASC28C2012A	0.04	(0.02)	3,550	-
SAWA11C2103A	0.58	(0.07)	41,000	-	SPX28P2012D	0.53	(0.04)	8,900	-	TASC28C2012B	0.02	-	818	-
SAWA13C2010A	-	-	-	-	SPX28P2103L	-	-	-	-	TASC28C2012C	-	-	-	-
SAWA13C2011A	0.20	(0.04)	395,281	-	SPX41C2012A	1.02	0.10	716	1.00	TASC28C2101A	0.04	-	741	-
SAWA16C2101A	0.38	(0.07)	21,067	-	SPX41C2012B	0.60	0.06	25,135	-	TASC28C2103L	-	-	-	-
SAWA19C2011A	0.10	(0.04)	127,998	-	SPX41C2012C	-	-	-	-	TASC41C2010A	-	-	-	-
SAWA19C2012A	0.33	(0.07)	217,524	-	SPX41C2012T	1.07	0.08	3,999	1.00	TASC41C2011A	0.02	-	3,331	-
SAWA19P2011A	0.20	0.03	544,211	-	SPX41C2012U	1.61	0.10	189	1.00	TASC41C2012A	0.15	(0.05)	15,556	-
SAWA28C2011A	-	-	-	-	SPX41C2103T	0.97	0.06	222	-	TASC42C2101T	0.03	(0.01)	8,992	-
SAWA28C2012A	0.21	(0.04)	36,397	-	SPX41P2012A	0.69	(0.07)	8,285	-	TCAP01C2101A	0.19	(0.02)	22,182	-
SAWA28C2012B	0.13	(0.04)	33,542	-	SPX41P2012B	0.47	(0.06)	9,560	-	TCAP13C2010A	-	-	-	-
SAWA28C2101A	0.31	(0.06)	67,060	-	SPX41P2012C	-	-	-	-	TCAP13C2012A	-	-	-	-
SAWA28C2102L	0.12	(0.02)	16,196	-	SPX41P2012T	0.57	(0.07)	8,005	-	TCAP19C2010A	0.01	-	1,000	-
SAWA41C2010A	-	-	-	-	SPX41P2012U	0.43	(0.05)	7,828	-	TCAP19C2012A	0.10	(0.02)	200	-
SAWA41C2012A	0.24	(0.06)	3,880	-	SPX41P2103T	0.81	(0.03)	4,911	-	TCAP19C2102A	0.22	(0.02)	24,918	-
SAWA42C2101T	-	-	-	-	STA01C2101A	0.29	(0.02)	91,957	-	TCAP19P2012A	0.29	0.02	55,382	-
SCB01C2101A	0.34	-	71,226	-	STA06C2012A	0.16	(0.02)	27,682	-	TCAP42C2101T	0.04	-	2,001	-
SCB01P2101A	0.83	(0.01)	29,414	-	STA08C2010A	1.93	(0.11)	181	1.00	THAN01C2012A	0.80	(0.01)	10,711	-
SCB06C2010A	0.01	-	510	-	STA08C2011A	0.12	-	2,000	-	THAN01C2012B	0.28	-	20,692	-
SCB06C2103A	0.59	(0.03)	89,380	-	STA08C2101A	0.35	(0.02)	11,010	-	THAN06C2010A	0.49	(0.59)	50	-
SCB08C2101A	0.26	(0.01)	14,220	-	STA13C2010A	0.90	(0.21)	331	-	THAN06C2102A	0.38	-	205,766	-
SCB08P2012A	0.52	(0.01)	22,553	-	STA13C2010B	0.04	(0.02)	113,789	-	THAN08C2101A	-	-	-	-
SCB11C2102A	0.32	(0.01)	25,980	-	STA13C2010C	0.01	(0.01)	1,000	-	THAN08C2102A	0.35	(0.01)	119,688	-
SCB11P2012A	0.54	-	30,660	-	STA13C2010D	0.01	-	15,043	-	THAN13C2012A	0.49	0.01	178,975	-
SCB13C2010A	-	-	-	-	STA13C2011A	-	-	-	-	THAN13C2012B	0.18	-	227,057	-
SCB13C2011A	0.10	(0.01)	34,251	-	STA13C2011B	0.10	(0.01)	82,288	-	THAN19C2010A	-	-	-	-
SCB13C2012A	0.33	(0.02)	328,598	-	STA13C2012A	0.16	(0.02)	272,497	-	THAN19C2011A	-	-	-	-
SCB13P2010A	0.32	-	222	-	STA13P2010A	-	-	-	-	THAN19C2012A	0.37	0.01	99,492	-
SCB13P2012A	0.49	(0.01)	355,476	-	STA13P2010B	-	-	-	-	THAN19C2012B	0.20	(0.01)	112,987	-
SCB19C2010A	-	-	-	-	STA13P2012A	0.17	0.01	77,523	-	THAN42C2102T	-	-	-	-
SCB19C2010B	-	-	-	-	STA13P2012B	0.25	0.01	121,829	-	TISC01C2101A	0.43	0.02	57,268	-
SCB19C2012A	0.21	(0.02)	93,716	-	STA19C2010A	-	-	-	-	TISC11C2012A	0.27	0.03	8,691	-
SCB19C2101A	0.41	0.01	70,737	-	STA19C2010B	1.19	(0.06)	145	1.00	TISC13C2010A	-	-	-	-
SCB19P2010A	-	-	-	-	STA19C2010C	-	-	-	-	TISC13C2012A	0.31	0.02	79,016	-
SCB19P2011A	-	-	-	-	STA19C2011A	-	-	-	-	TISC19C2010A	-	-	-	-
SCB19P2011B	0.44	(0.01)	109,844	-	STA19C2011B	0.14	(0.02)	199,583	-	TISC19C2010B	-	-	-	-
SCB24C2012A	0.20	0.01	27,716	-	STA19C2012A	0.20	(0.03)	129,797	-	TISC19C2012A	0.31	0.02	44,201	-
SCB28C2012A	-	-	-	-	STA19P2010A	-	-	-	-	TISC24C2102A	0.54	(0.46)	55,794	-
SCB28C2012B	0.17	-	28,392	-	STA19P2012A	0.17	0.01	46,598	-	TISC41C2010A	0.01	-	50	-
SCB28C2104L	0.21	-	6,084	-	STA19P2101A	0.28	0.01	59,891	-	TISC41C2012A	0.29	0.01	30,668	-
SCB41C2011A	-	-	-	-	STA24C2011A	0.10	-	5,184	-	TISC42C2101T	0.12	-	30	-
SCB41C2011B	-	-	-	-	STA28C2011A	0.72	(0.06)	10	-	TKN01C2101A	0.33	(0.03)	936	-
SCB41C2012A	0.28	0.02	52,067	-	STA28C2011B	0.10	(0.02)	4,356	-	TKN06C2011A	0.19	(0.10)	5,110	-
SCB41P2011A	0.42	0.01	167,938	-	STA28C2012A	1.39	-	21	1.00	TKN06C2101A	-	-	-	-
SCB42C2101T	-	-	-	-	STA28C2102L	0.14	-	6,094	-	TKN08C2011A	0.15	(0.08)	165,220	-
SCC01C2101A	0.59	(0.02)	26,334	-	STA41C2010A	-	-	-	-	TKN08C2102A	0.38	(0.10)	22,366	-
SCC01P2012A	0.62	-	49,344	-	STA42C2101T	0.14	-	10	-	TKN13C2010A	-	-	-	-
SCC06C2012A	0.18	(0.02)	32,463	-	STEC01C2101A	0.15	(0.01)	1,572	-	TKN13C2101B	0.02	(0.06)	147,125	-
SCC08C2011A	0.16	-	11,000	-	STEC01P2101A	0.50	-	30,587	-	TKN13C2012A	0.17	(0.12)	483,513	-
SCC11C2011A	0.36	(0.01)	20,260	-	STEC06C2010A	-	-	-	-	TKN13C2101A	0.27	(0.14)	323,496	-
SCC13C2011A	0.17	(0.01)	137,448	-	STEC08C2012A	-	-	-	-	TKN19C2010A	-	-	-	-
SCC13C2012A	0.35	(0.01)	152,810	-	STEC11C2102A	0.19	(0.03)	7,721	-	TKN19C2011A	0.49	(0.23)	100	-
SCC13P2011A	0.55	(0.02)	30,128	-	STEC13C2010A	0.01	-	100	-	TKN19C2011B	0.15	(0.08)	383,600	-
SCC13P2101A	0.28	-	24,097	-	STEC13C2012A	0.07	(0.02)	17,019	-	TKN19C2101A	0.26	(0.13)	153,783	-
SCC19C2010A	-	-	-	-	STEC13C2101A	0.20	(0.01)	42,967	-	TKN28C2012A	-	-	-	-
SCC19C2012A	0.38	0.01	228,263	-	STEC13P2011A	0.22	-	40,922	-	TKN28C2012B	0.17	(0.09)	34,530	-
SCC19C2101A	0.65	(0.03)	60,523	-	STEC19C2011A	0.01	-	650	-	TKN28C2101A	0.68	(0.39)	60	-
SCC19P2010A	-	-	-	-	STEC19C2012A	-	-	-	-	TKN42C2012T	0.10	(0.04)	301	-
SCC19P2011A	0.21	-	35,716	-	STEC19C2101A	0.16	(0.02)	213,957	-	TMB13C2011A	-	-	-	-
SCC24C2012A	0.22	(0.01)	22,940	-	STEC19P2011A	-	-	-	-	TMB19C2011A	-	-	-	-
SCC28C2102A	0.													

Main Board Quotation

Issue Date :

Friday October 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TOP08C2010A	-	-	-	-	VGI42C2101T	-	-	-	-	CHAYO-W1	2.30	(0.02)	7,493	2.00
TOP08C2102A	0.34	(0.03)	21,982	-	WHA01C2101A	0.20	(0.01)	11,105	-	CHO-W2	0.02	0.01	16,490	-
TOP11C2011A	0.11	(0.02)	22,140	-	WHA01P2101A	0.68	0.04	25,690	-	CIG-W8	0.01	-	2,000	-
TOP13C2010A	-	-	-	-	WHA06C2010A	-	-	-	-	D-W1	0.75	(0.01)	3	-
TOP13C2011A	0.02	-	1	-	WHA06P2012A	0.47	0.03	42,910	-	DIMET-W3	-	-	-	-
TOP13C2012A	0.05	(0.01)	9,126	-	WHA08C2011A	0.10	(0.02)	8,475	-	DOD-W1	0.56	(0.02)	73,677	-
TOP13C2012B	0.12	(0.02)	140,121	-	WHA11C2101A	0.20	(0.02)	21,950	-	ECF-W3	0.09	-	4,407	-
TOP13C2101A	0.29	(0.05)	274,162	-	WHA13C2011A	0.05	(0.02)	8,137	-	HPT-W1	0.25	(0.01)	1,150	-
TOP13P2010A	0.10	-	15	-	WHA13C2101A	0.26	(0.03)	101,331	-	HYDRO-W1	0.04	-	180	-
TOP13P2011A	0.66	0.04	630	-	WHA13P2011A	0.30	0.02	75,154	-	ITEL-W1	0.13	-	18,107	-
TOP13P2102A	0.17	0.01	35,121	-	WHA19C2010A	0.08	(0.03)	650	-	ITEL-W2	0.40	(0.01)	42,574	-
TOP19C2010A	-	-	-	-	WHA19C2011A	0.06	(0.01)	5,300	-	LIT-W1	0.41	-	1,062	-
TOP19C2010B	-	-	-	-	WHA19C2101A	0.28	(0.04)	143,226	-	META-W4	0.01	-	110	-
TOP19C2012A	-	-	-	-	WHA19P2011A	0.34	0.03	97,448	-	NEWS-W6	-	-	-	-
TOP19C2101A	0.19	(0.03)	156,438	-	WHA28C2011A	-	-	-	-	OCEAN-W3	0.22	(0.02)	4,660	-
TOP19C2101B	0.34	(0.04)	69,940	-	WHA28C2012A	0.19	(0.01)	4,336	-	RWI-W2	0.12	-	4,878	-
TOP19P2010A	0.21	(0.25)	40,060	-	WHA28C2102A	0.23	(0.02)	36,922	-	SANKO-W1	-	-	-	-
TOP19P2011A	-	-	-	-	WHA28C2102L	0.11	(0.01)	507	-	SIMAT-W3	0.51	-	6,767	-
TOP19P2101A	0.20	0.02	62,992	-	WHA42C2101T	-	-	-	-	SIMAT-W4	2.46	(0.18)	10	2.00
TOP24C2101A	0.18	(0.03)	23,778	-	WHAU13C2012A	0.12	0.01	15,596	-	SMART-W2	0.19	-	330	-
TOP41C2010A	-	-	-	-	WHAU19C2012A	0.16	0.02	13,545	-	SWC-W1	2.80	(0.20)	435	2.00
TOP41C2011A	-	-	-	-	Preferred/Foreign	-	-	-	-	TAKUNI-W	0.01	-	21,070	-
TOP41C2102A	-	-	-	-	BH-Q	-	-	-	-	TAPAC-W4	0.23	(0.01)	16,294	-
TOP41P2010A	-	-	-	-	CSC-Q	-	-	-	-	TVD-W2	0.19	(0.01)	39,967	-
TOP41P2011A	-	-	-	-	JUTHA-Q	-	-	-	-	UREKA-W2	0.26	-	7,317	-
TOP42C2011T	-	-	-	-	KTB-Q	-	-	-	-	Preferred Shares	-	-	-	-
TPI13C2011A	0.15	(0.01)	55,180	-	SCB-Q	-	-	-	-	SGF-P1	-	-	-	-
TP119C2012A	0.24	(0.01)	99,023	-	TCAP-Q	-	-	-	-	-	-	-	-	-
TQM11C2102A	0.70	(0.14)	23,594	-	TISCO-Q	-	-	-	-	-	-	-	-	-
TQM13C2011A	0.26	(0.13)	190,394	-	U-Q	-	-	-	-	-	-	-	-	-
TQM13C2101A	0.39	(0.10)	273,746	-	Warrant	-	-	-	-	-	-	-	-	-
TQM19C2010A	-	-	-	-	7UP-W4	0.11	-	6,137	-	-	-	-	-	-
TQM19C2010B	0.12	(0.08)	26,709	-	AEC-W6	0.07	-	1,173,749	-	-	-	-	-	-
TQM19C2011A	0.59	(0.17)	175,521	-	AKR-W1	0.03	-	119,086	-	-	-	-	-	-
TQM24C2011A	0.28	(0.10)	14,808	-	ALT-W1	0.61	0.04	54,436	-	-	-	-	-	-
TQM28C2012A	0.30	(0.11)	38,189	-	APEX-W1	-	-	-	-	-	-	-	-	-
TQM28C2102A	0.70	(0.16)	56,578	-	APURE-W2	0.24	-	96,931	-	-	-	-	-	-
TQM28C2104L	0.42	(0.06)	45,482	-	B-W3	0.01	-	2	-	-	-	-	-	-
TQM41C2011A	0.34	(0.11)	17,530	-	B-W4	0.03	(0.01)	18	-	-	-	-	-	-
TQM42C2101T	0.44	(0.08)	1,376	-	B-W5	0.04	-	71	-	-	-	-	-	-
TRUE01C2101A	0.19	(0.01)	8,323	-	BKD-W2	0.07	-	8,243	-	-	-	-	-	-
TRUE01P2101A	0.60	-	13,839	-	BTS-W5	0.59	(0.02)	99,666	-	-	-	-	-	-
TRUE06C2103A	0.34	(0.03)	8,654	-	CGD-W4	0.06	-	20,264	-	-	-	-	-	-
TRUE06P2011A	0.20	0.01	17,254	-	CGH-W3	0.02	0.01	367,188	-	-	-	-	-	-
TRUE08C2012A	0.11	(0.01)	9,500	-	CWT-W5	0.55	(0.10)	203,360	-	-	-	-	-	-
TRUE08P2010A	-	-	-	-	DCC-W1	0.96	0.01	12,584	-	-	-	-	-	-
TRUE11C2101A	0.12	(0.01)	4,020	-	ECL-W3	0.06	-	22,789	-	-	-	-	-	-
TRUE11P2101A	0.56	0.02	11,100	-	EMC-W6	0.03	(0.01)	34,632	-	-	-	-	-	-
TRUE13C2011A	-	-	-	-	EP-W3	0.07	(0.05)	175,871	-	-	-	-	-	-
TRUE13C2101A	0.18	(0.01)	3	-	GLOCON-W4	0.46	(0.01)	28,694	-	-	-	-	-	-
TRUE19C2011A	-	-	-	-	III-W1	0.50	(0.01)	7,565	-	-	-	-	-	-
TRUE19C2012A	0.09	(0.02)	50,000	-	J-W1	0.69	(0.01)	3,100	-	-	-	-	-	-
TRUE19C2101A	0.20	(0.01)	42,236	-	JMART-W3	5.90	(0.15)	5,093	5.00	-	-	-	-	-
TRUE19P2011A	0.27	0.01	116,668	-	JMART-W4	4.00	(0.12)	3,901	4.00	-	-	-	-	-
TRUE28C2011A	-	-	-	-	JMT-W2	16.60	(0.10)	3,791	16.00	-	-	-	-	-
TRUE28C2012A	0.04	-	100	-	MACO-W2	0.08	0.01	31,458	-	-	-	-	-	-
TRUE28C2012B	-	-	-	-	MILL-W4	0.04	0.01	31	-	-	-	-	-	-
TRUE28C2101A	0.13	-	8,372	-	MINT-W6	0.32	(0.01)	54,546	-	-	-	-	-	-
TRUE28C2103L	-	-	-	-	MINT-W7	7.30	(0.30)	10,563	7.00	-	-	-	-	-
TRUE41C2010A	-	-	-	-	NER-W1	1.96	0.33	1,003,561	1.00	-	-	-	-	-
TRUE41C2101A	-	-	-	-	NEX-W2	5.05	0.33	70,765	4.00	-	-	-	-	-
TRUE42C2101T	-	-	-	-	NFC-W1	-	-	-	-	-	-	-	-	-
TTW19C2011A	-	-	-	-	NVD-W1	0.07	-	1,681	-	-	-	-	-	-
TTW24C2012A	-	-	-	-	PACE-W2	-	-	-	-	-	-	-	-	-
TU01C2101A	0.38	(0.03)	42,618	-	PACE-W3	-	-	-	-	-	-	-	-	-
TU01P2101A	0.21	0.02	54,578	-	PDI-W1	0.51	(0.02)	29,233	-	-	-	-	-	-
TU06C2102A	0.53	(0.05)	44,517	-	PDJ-W4	0.51	-	208,231	-	-	-	-	-	-
TU06P2010A	-	-	-	-	PERM-W1	0.10	(0.01)	10,141	-	-	-	-	-	-
TU06P2103A	0.19	0.01	55,084	-	PORT-W1	0.57	(0.01)	2,030	-	-	-	-	-	-
TU08C2011A	0.30	(0.01)	36,137	-	PPPM-W4	0.12	-	995	-	-	-	-	-	-
TU11C2102A	0.35	(0.04)	53,087	-	PRIME-W1	0.01	-	500	-	-	-	-	-	-
TU13C2010A	-	-	-	-	PRIME-W2	0.02	0.01	34,664	-	-	-	-	-	-
TU13C2012A	0.31	(0.04)	245,847	-	SAMART-W2	0.16	0.01	7,906	-	-	-	-	-	-
TU19C2010A	0.16	(0.04)	98,995	-	SAWAD-W2	10.00	(0.50)	5,373	10.00	-	-	-	-	-
TU19C2012A	0.32	(0.05)	173,245	-	SDC-W1	-	-	-	-	-	-	-	-	-
TU19P2011A	-	-	-	-	SINGER-W1	8.65	0.15	7,608	8.00	-	-	-	-	-
TU19P2012A	0.12	0.01	66,848	-	SINGER-W2	4.88	0.06	3,016	4.00	-	-	-	-	-
TU24C2011A	0.41	(0.03)	20,312	-	SST-W2	0.84	0.01	893	-	-	-	-	-	-
TU28C2011A	0.17	(0.03)	89,584	-	TCC-W3	0.04	-	1,298	-	-	-	-	-	-
TU28C2012A	0.13	(0.02)	21,183	-	TCC-W4	-	-	-	-	-	-	-	-	-
TU28C2103L	0.27	(0.02)	21,294	-	TCC-W5	0.10	(0.01)	1,043	-	-	-	-	-	-
TU41C2010A	0.33	-	110	-	TGPRO-W3	-	-	-	-	-	-	-	-	-
TU41C2101A	0.24	(0.02)	52,330	-	TNITY-W1	0.09	-	7,947	-	-	-	-	-	-
TU42C2101T	0.27	(0.01)	13,935	-	TRITN-W3	0.14	-	16,299	-	-	-	-	-	-
TV013C2011A	0.34	0.03	29,028	-	TTCL-W1	0.41	-	2,919	-	-	-	-	-	-
TV013C2012A	0.36	0.04	316,841	-	U-W4	0.01	-	6	-	-	-	-	-	-
TV019C2011A	0.46	0.01	1,342	-	VGI-W2	0.80	(0.01)	246,506	-	-	-	-	-	-
TV019C2012A	0.34	0.04	402,769	-	VIBHA-W3	0.11	-	9,128	-	-	-	-	-	-
VGI01C2012A	0.27	-	30,432	-	W-W3	0.07	(0.01)	3,190	-	-	-	-	-	-
VGI06C2010A	0.01	-	1,200	-	WIJK-W2	0.34	0.06	310,194	-	-	-	-	-	-
VGI06C2101A	0.27	0.01	53,599	-	ZMICO-W4	0.08	-	1,003	-	-	-	-	-	-
VGI11C2101A	0.20	-	11,080	-	Preferred Shares	-	-	-	-	-	-	-	-	-
VGI13C2010A	-	-	-	-	BH-P	-	-	-	-	-	-	-	-	-
VGI13C2012A	0.18	-	215,809	-	CSC-P	-	-	-	-	-	-	-	-	-
VGI13C2101A	0.27	0.01	275,802	-	JUTHA-P	-	-	-	-	-	-	-	-	-
VGI19C2010A	-	-	-	-	KTB-P	-	-	-	-	-	-	-	-	-
VGI19C2012A	0.22	-	17,207	-	SCB-P	-	-	-	-	-	-	-	-	-
VGI19C2012B	0.34	-	10,100	-	TCAP-P	-	-	-	-	-	-	-	-	-
VGI19C2012C	0.13	-	59,384	-	TISCO-P	-	-	-	-	-	-	-	-	-
VGI24C2012A	0.19	-	9,982	-	U-P	1.62	0.01	102	1.00	-	-	-	-	-
VGI28C2101A	0.15	-	16,210	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
VGI28C2103L	0.20	-	12,168	-	ALL-W1	0.57	(0.02)	44,327	-	-	-	-	-	-
VGI41C2011A	0.08	(0.01)	4	-	BROOK-W5	0.13	-	121	-	-	-	-	-	-