

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday October 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.82	(0.18)	183,382	3.88	MAJOR	14.50	(0.30)	45,869	14.61
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	1.50	(0.09)	50	1.50
VI	-	-	-	-	DIF	13.40	(0.10)	70,191	13.38	MATI	3.82	(0.18)	27	3.82
WORLD	-	-	-	-	DTAC	33.25	-	56,595	33.34	MCOT	3.10	(0.10)	978	3.13
WR	-	-	-	-	FORTH	5.70	(0.20)	2,441	5.75	MONO	2.76	(0.04)	55,403	2.73
Agribusiness	-	-	-	-	HUMAN	8.20	0.05	7,888	8.25	MPIC	-	-	-	-
EE	0.74	0.01	206,130	0.74	ILINK	5.80	(0.45)	25,773	5.93	NMG	-	-	-	-
GPPT	11.80	(0.10)	16,444	11.81	INET	3.96	0.12	344,967	4.04	PLANB	5.70	(0.15)	176,948	5.81
LEE	2.18	(0.04)	2,745	2.20	INTUCH	52.25	(0.25)	101,758	52.06	POST	-	-	-	-
MAX	0.01	-	2,051,179	0.01	JAS	2.78	(0.02)	240,404	2.80	PRAKIT	-	-	-	-
NER	4.20	0.06	2,156,874	4.16	JASIF	9.35	(0.05)	42,469	9.38	SE-ED	1.40	(0.02)	716	1.40
PPPM	0.37	(0.01)	189	0.37	JMART	15.90	(0.70)	182,737	16.05	TBSP	-	-	-	-
STA	31.50	(0.50)	271,129	31.32	JTS	2.62	(0.04)	2,561	2.64	TH	0.49	(0.01)	234	0.50
TRUBB	1.72	(0.06)	67,884	1.73	MFEF	4.90	(0.10)	6,139	4.90	TKS	5.85	(0.15)	8,959	5.85
TPWC	3.44	0.04	19,924	3.44	MSC	6.15	0.15	4,124	6.21	VGI	6.30	(0.15)	265,811	6.38
UPOIC	3.38	0.12	99	3.31	PT	5.25	(0.10)	1,666	5.27	WAVE	0.67	(0.02)	4,271	0.69
UVAN	4.82	(0.02)	112	4.78	SAMART	5.50	0.45	96,130	5.48	WORK	10.70	(1.10)	36,584	11.05
VPO	0.44	0.01	27,735	0.45	SAMTEL	5.10	0.14	12,149	5.15	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.23	0.05	318,586	0.22	AEC	0.32	(0.02)	311,326	0.32
BAY	19.90	0.20	2,449	19.82	SIS	20.00	(1.20)	42,693	20.32	AEONTS	134.50	(5.00)	30,080	138.91
BBL	94.50	-	62,520	93.96	SVOA	1.43	(0.06)	316,297	1.50	AMANAH	2.72	(0.08)	190,803	2.75
CIMBT	0.55	-	6,272	0.54	SYMC	4.44	(0.08)	264	4.39	ASAP	2.12	(0.02)	10,476	2.10
KBANK	73.00	0.75	337,565	72.85	SYNEX	15.10	(1.10)	88,667	15.56	ASK	18.40	(0.20)	6,280	18.49
KKP	36.75	(0.25)	18,361	36.65	THCOM	6.10	-	151,169	6.17	ASP	1.68	(0.01)	10,632	1.69
KTB	8.70	(0.05)	176,129	8.68	TRUE	2.96	(0.04)	365,886	2.96	BAM	20.00	(1.20)	463,381	20.41
LHFG	0.89	-	7,122	0.88	TWZ	0.06	-	68,398	0.06	BFIT	28.25	(0.75)	12,192	28.61
SCB	64.50	0.25	123,370	63.68	Electronic Componer	-	-	-	-	CGH	0.66	(0.02)	6,283	0.68
TCAP	28.50	(0.25)	40,500	28.49	CCET	2.52	(0.08)	488,817	2.59	ECL	0.77	(0.02)	21,948	0.77
TISCO	65.75	(1.75)	51,446	66.06	DELTA	185.00	(15.00)	64,226	191.47	FNS	2.80	0.02	1,240	2.80
TMB	0.84	(0.01)	1,481,098	0.84	HANA	48.75	(2.25)	269,674	50.09	FSS	1.48	(0.03)	443	1.47
Construction Materia	-	-	-	-	KCE	35.00	(1.50)	151,176	35.77	GBX	0.43	-	500	0.43
CCP	0.47	(0.01)	97,285	0.48	METCO	166.50	(3.00)	3	167.83	GL	2.76	(0.06)	27,246	2.80
COTTO	1.12	(0.01)	5,304	1.11	NEX	4.56	(0.10)	95,247	4.61	IFS	2.40	-	669	2.41
DCC	2.28	(0.04)	192,748	2.30	SMT	2.96	(0.12)	104,793	2.96	JMT	34.50	(1.50)	110,698	34.70
DCON	0.35	(0.01)	51,028	0.35	SVI	4.80	(0.25)	187,808	4.87	KCAR	7.50	(0.15)	505	7.62
DRT	6.15	0.05	1,577	6.14	TEAM	0.86	(0.07)	7,817	0.89	KGI	2.86	-	18,614	2.86
EPG	4.66	(0.06)	10,835	4.70	W	0.21	(0.01)	1,787,907	0.21	KTC	37.50	(0.25)	37,960	37.54
GEL	0.18	0.01	160,667	0.17	Energy & Utilities	-	-	-	-	MBKET	7.00	0.15	182	6.87
PPP	2.06	-	95	2.05	7UP	0.31	-	100,063	0.31	MFC	13.50	(0.10)	380	13.51
Q-CON	4.80	(0.20)	39	4.80	ABPIF	2.94	(0.02)	536	2.94	MICRO	4.18	0.20	814,549	4.20
RCI	-	-	-	-	ACE	2.88	(0.06)	131,850	2.88	ML	0.80	(0.02)	589	0.80
SCC	341.00	(7.00)	22,415	343.22	AI	2.02	(0.08)	257,437	2.03	MTC	52.50	0.75	61,838	52.25
SCCC	118.00	(1.00)	952	118.30	AKR	0.48	(0.01)	2,873	0.48	PE	-	-	-	-
SCP	5.90	(0.10)	290	5.92	BAFS	19.80	(0.40)	5,981	19.91	PL	2.00	-	1,338	2.01
SKN	2.52	(0.02)	2,993	2.52	BANPU	6.45	(0.10)	948,566	6.59	S11	6.35	(0.15)	6,740	6.41
TASCO	14.80	(0.20)	451,059	15.10	BCP	15.10	(0.40)	30,822	15.17	SAWAD	47.00	(1.75)	136,025	47.80
TCMC	1.15	(0.06)	90,532	1.18	BCPG	11.90	(0.40)	32,521	12.04	THANI	3.52	(0.06)	298,381	3.54
TOA	34.50	(1.25)	15,640	34.68	BGRIM	42.25	(1.25)	46,570	42.57	TK	7.00	-	2,083	7.00
TPIPL	1.38	(0.02)	68,137	1.38	BPP	13.30	(0.20)	25,130	13.27	TNITY	3.58	(0.10)	115	3.58
UMI	0.61	(0.01)	1,950	0.61	BRRGIF	6.20	0.10	44	6.12	UOBKH	3.00	0.02	6	3.04
VNG	3.10	-	626	3.11	CKP	4.66	(0.26)	313,404	4.77	ZMICO	0.60	0.01	39	0.60
WIJK	3.06	-	64,860	3.05	DEMCO	2.80	(0.02)	1,951	2.81	Food & Beverage	-	-	-	-
Petrochemicals & Ch	-	-	-	-	EA	41.75	(0.75)	57,331	42.03	APURE	2.02	(0.14)	102,082	2.06
BCT	40.00	(1.50)	53	39.67	EASTW	9.25	(0.05)	6,224	9.28	ASIAN	13.10	(0.90)	185,630	13.58
CMAN	1.17	-	5,528	1.18	EGATIF	12.00	0.10	2,024	11.95	BR	1.83	-	5,696	1.81
GC	5.25	-	1,558	5.25	EGCO	180.50	(5.00)	28,067	181.73	BRR	2.84	(0.12)	1,944	2.88
GCC	8.75	(0.05)	1,082	8.77	EP	3.88	(0.04)	11,193	3.88	CBG	120.50	(4.00)	35,262	122.16
GIFT	1.86	(0.02)	2,164	1.86	ESSO	6.20	(0.15)	135,346	6.33	CFRESH	4.06	(0.06)	20,113	4.13
IVL	23.60	(0.60)	523,869	23.86	Gpsc	56.00	(2.00)	87,372	56.60	CHOTI	-	-	-	-
NFC	1.48	0.01	1	1.48	GREEN	1.03	(0.03)	2,264	1.04	CM	2.64	(0.08)	4,142	2.63
PATO	10.10	-	62	9.99	GULF	30.50	(0.50)	183,506	30.50	CPF	26.00	(0.50)	667,867	26.53
PMTA	8.90	0.20	4	8.90	GUNKUL	2.30	(0.06)	138,936	2.33	CPI	1.26	(0.02)	700	1.27
PTTGC	41.75	1.00	299,125	42.30	IFEC	-	-	-	-	F&D	19.40	-	59	19.15
SUTHA	3.14	-	235	3.12	IRPC	2.06	(0.02)	726,209	2.08	HTC	31.50	(0.25)	9,383	31.92
TCCC	23.80	(0.20)	129	23.68	KBSPIF	9.50	-	1,795	9.46	ICHI	11.00	(0.60)	115,004	11.29
TPA	5.00	(0.15)	98	5.00	LANNA	6.00	(0.15)	1,201	6.03	KBS	3.08	(0.06)	952	3.12
UAC	3.68	(0.06)	1,042	3.69	MDX	2.24	(0.12)	2,022	2.28	KSL	2.30	(0.10)	71,328	2.34
UP	-	-	-	-	PDI	7.80	(0.05)	5,575	7.79	KTIS	2.98	(0.12)	3,100	3.00
VNT	23.50	0.60	16,937	23.33	PRIME	0.49	(0.02)	145,307	0.50	LST	4.36	-	673	4.33
WG	-	-	-	-	PTG	18.80	(0.40)	105,962	18.92	M	45.50	(0.75)	5,470	45.74
YCI	-	-	-	-	PTT	33.00	(0.25)	612,941	33.10	MALEE	6.30	(0.15)	2,524	6.42
Commerce	-	-	-	-	PTTEP	80.50	(0.25)	113,342	81.20	MINT	18.70	(0.80)	618,257	19.02
BEAUTY	1.34	(0.06)	115,792	1.38	RATCH	50.75	(0.50)	41,979	50.52	NRF	6.00	(0.35)	902,311	6.25
BIG	0.50	(0.01)	117,644	0.51	RPC	0.48	(0.01)	2,355	0.47	OISHI	39.50	(0.50)	219	39.68
BJC	33.25	(1.50)	77,371	33.56	SCG	3.48	(0.06)	78	3.48	OSP	32.00	(2.00)	300,433	32.48
COL	18.70	0.10	41,176	18.60	SCI	1.30	(0.03)	10,492	1.31	PB	70.75	-	150	70.73
COM7	41.50	(1.00)	57,986	41.79	SCN	1.69	(0.03)	4,115	1.69	PM	7.80	(0.45)	17,044	7.98
CPALL	59.25	(1.00)	218,582	59.51	SGP	8.75	(0.20)	6,760	8.79	PRG	-	-	-	-
CPW	2.40	(0.10)	107,305	2.44	SKE	0.60	(0.01)	12,230	0.60	RBF	10.00	(0.70)	670,865	10.43
CRG	26.75	(1.75)	159,399	27.28	SOLAR	0.92	(0.01)	3,078	0.92	SAPPE	22.00	-	12,040	21.84
CSS	1.45	(0.08)	104,280	1.49	SPCG	18.80	(0.10)							

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday October 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KDH	88.00	3.00	1	88.00	AP	6.05	(0.15)	130,534	6.12	CWT	2.18	(0.24)	48,971	2.29
LPH	4.16	(0.04)	3,694	4.15	APEX	0.07	-	37,151	0.07	EASON	1.16	(0.02)	420	1.17
M-CHAI	183.00	-	3	183.00	AQ	0.02	-	21,713	0.02	GYT	-	-	-	-
NEW	-	-	-	-	AWC	3.32	-	279,660	3.29	HFT	3.68	(0.10)	29,790	3.79
NTV	40.75	(0.50)	79	40.61	BLAND	0.96	(0.01)	43,829	0.97	IHL	3.18	0.02	252,006	3.22
PR9	7.20	(0.10)	6,737	7.20	BROCK	1.53	(0.02)	28	1.51	INGRS	0.48	-	41,313	0.48
PRINC	2.62	(0.06)	3,857	2.62	CGD	0.68	(0.01)	71,089	0.68	IRC	12.00	0.10	143	11.80
RAM	140.00	0.50	104	139.84	CI	0.70	0.03	2,384	0.69	PCSGH	4.40	-	4	4.40
RJH	22.40	0.20	2,570	22.32	CPI	42.75	(2.00)	91,974	42.80	SAT	12.80	(0.10)	22,406	13.05
RPH	5.25	-	2,789	5.17	ESTAR	0.33	(0.01)	17,753	0.33	SPG	-	-	-	-
SKR	6.10	0.05	1,031	6.06	EVER	0.21	-	20,547	0.21	STANLY	144.50	(1.00)	164	144.55
SVH	395.00	(3.00)	27	396.44	FPT	10.30	(0.20)	841	10.31	TKT	0.90	(0.03)	923	0.91
THG	18.30	(0.30)	2,325	18.44	GLAND	2.12	(0.02)	9	2.06	TNPC	0.68	-	10	0.68
VIBHA	1.52	-	17,813	1.51	J	1.31	(0.09)	52,807	1.36	TRU	3.50	-	126	3.50
VIH	6.10	(0.15)	5,638	6.13	JCK	1.45	0.02	106,532	1.45	TSC	-	-	-	-
WPH	1.52	(0.02)	1,074	1.52	KC	-	-	-	-	Industrial Materials	-	-	-	-
Tourism & Leisure	-	-	-	-	KWG	0.69	(0.01)	977	0.70	ALLA	1.13	(0.02)	28,850	1.15
ASIA	4.40	0.10	375	4.54	LALIN	5.55	-	1,915	5.46	ASEFA	3.12	(0.02)	2,048	3.11
CENTEL	20.50	(1.00)	46,842	20.88	LH	6.80	(0.20)	327,033	6.83	CPT	0.84	-	2,821	0.83
CSR	-	-	-	-	LPN	3.92	(0.14)	87,203	3.98	CRANE	1.75	(0.04)	22,487	1.76
DTC	7.00	(0.10)	538	7.01	MBK	11.60	(0.10)	10,926	11.56	CTW	5.60	(0.05)	212	5.60
ERW	2.60	(0.22)	560,309	2.67	MJD	1.50	(0.01)	1,636	1.50	FMT	-	-	-	-
GRAND	0.52	-	4,950	0.51	MK	2.92	(0.02)	5,093	2.94	HTECH	3.42	0.04	59,414	3.43
LRH	28.00	-	58	27.63	NCH	0.88	0.03	189	0.85	KKC	0.55	(0.01)	1,274	0.55
MANRIN	22.00	1.00	1	22.00	NNCL	1.94	(0.01)	1,993	1.94	PK	1.53	0.02	809	1.49
OHTL	-	-	-	-	NOBLE	19.20	(0.70)	47,569	19.71	SNC	9.90	-	1,843	9.91
ROH	-	-	-	-	NUSA	0.28	-	14,324	0.28	STARK	2.02	(0.02)	27,607	2.02
SHANG	51.25	(0.25)	2	51.25	NVD	1.03	(0.10)	3,289	1.09	TCJ	3.30	-	91	3.27
SHR	1.88	(0.04)	61,916	1.90	ORI	6.65	(0.20)	89,059	6.75	VARO	3.00	(0.54)	4	3.03
VRANDA	5.55	(0.05)	40	5.55	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
Home & Office Produ	-	-	-	-	PF	0.36	-	58,163	0.36	AIMCG	6.05	-	616	6.01
ACC	0.56	(0.03)	895	0.57	PLAT	2.08	(0.02)	6,212	2.09	AIMIRT	12.60	(0.30)	4,338	12.80
AJA	0.12	-	21,439	0.12	POLAR	-	-	-	-	AMATAR	10.10	0.10	266	9.96
DTCI	25.25	(4.25)	2	25.25	PRECHA	0.89	0.03	115	0.85	B-WORK	11.30	(0.10)	30	11.33
FANCY	0.50	0.02	1,240	0.49	PRIN	1.64	0.01	595	1.64	BKER	5.70	-	1,317	5.69
KYE	309.00	(2.00)	8	309.38	PSH	10.40	-	6,053	10.36	BKKCP	11.80	(0.10)	825	11.80
L&E	1.61	(0.04)	103	1.61	QH	2.12	(0.06)	283,274	2.14	BOFFICE	10.70	(0.30)	591	10.77
MODERN	2.44	0.02	6,236	2.44	RICHY	0.69	-	869	0.68	CPNCG	9.75	(0.10)	3,397	9.79
OGC	21.00	(0.20)	11	21.00	RML	0.57	-	2,516	0.57	CPNREIT	21.70	(0.20)	3,996	21.69
ROCK	-	-	-	-	ROJNA	3.98	(0.06)	6,944	4.00	CPTGF	9.65	(0.05)	170	9.66
SIAM	1.39	-	619	1.37	S	1.31	(0.01)	10,438	1.32	CTARAF	4.92	(0.06)	1,881	4.94
TSR	3.96	(0.04)	22,091	3.97	SAMCO	1.18	-	354	1.19	DREIT	3.82	(0.08)	191	3.85
Insurance	-	-	-	-	SC	2.22	-	31,507	2.23	ERWPF	4.20	(0.08)	198	4.20
AYUD	33.00	-	279	33.00	SENA	2.80	(0.02)	13,204	2.82	FTREIT	13.90	-	1,419	13.81
BKI	274.00	(2.00)	40	275.63	SF	4.48	(0.06)	9,033	4.48	FUTUREPF	18.70	-	5	18.70
BLA	18.50	(0.60)	14,816	18.75	SIRI	0.59	(0.01)	318,651	0.60	GAHREIT	8.10	-	24	7.98
BUI	-	-	-	-	SPALI	16.00	(0.30)	23,163	16.13	GOLDPF	5.15	(0.35)	257	5.20
CHARAN	-	-	-	-	U	1.11	(0.02)	39,857	1.12	GVREIT	10.80	(0.10)	1,584	10.83
INSURE	-	-	-	-	UV	2.54	(0.08)	10,533	2.56	HPF	4.70	-	106	4.69
MTI	-	-	-	-	WHA	2.78	(0.06)	675,793	2.79	HREIT	7.85	(0.05)	2,729	7.83
NKI	47.00	1.00	7	47.00	WIN	0.36	(0.01)	977	0.35	IMPACT	17.70	(0.30)	834	17.80
NSI	68.00	0.25	3	68.08	Paper & Printing Mat	-	-	-	-	KNPF	6.80	-	100	6.80
SEG	-	-	-	-	UTP	14.00	(0.20)	29,117	14.02	LHHOTEL	9.55	(0.30)	62	9.66
SMK	36.25	(0.50)	110	36.07	Fashion	-	-	-	-	LHPF	-	-	-	-
THRE	1.05	(0.05)	266,848	1.07	AFC	6.00	(0.25)	8	6.01	LHSC	11.40	(0.10)	210	11.45
THREL	2.66	(0.06)	56,471	2.68	B52	0.16	-	4,174	0.15	LUXF	-	-	-	-
TIP	24.00	(0.20)	5,750	23.95	BTNC	-	-	-	-	M-II	7.00	-	10	7.00
TQM	119.00	(6.00)	18,861	120.78	CPH	3.00	(0.16)	1	3.00	M-PAT	2.96	0.16	54	2.60
TSI	0.28	-	1,209	0.27	CPL	1.17	(0.01)	160	1.17	M-STOR	-	-	-	-
TVI	3.36	(0.02)	24	3.33	ICC	-	-	-	-	MIPF	-	-	-	-
Mining	-	-	-	-	NC	9.90	-	10	9.90	MIT	3.30	(0.02)	1,110	3.23
THL	-	-	-	-	PAF	0.51	-	279	0.51	MJLF	-	-	-	-
Packaging	-	-	-	-	PDJ	1.47	(0.03)	635	1.47	MNIT	1.28	-	5	1.28
AJ	18.20	(0.90)	25,015	18.50	PG	4.66	0.28	1	4.66	MNIT2	-	-	-	-
ALUCON	154.00	(2.00)	6	154.42	SABINA	20.70	(0.50)	11,263	20.79	MNRF	-	-	-	-
BGC	12.40	(0.50)	12,539	12.51	SAWANG	10.70	(0.30)	15	10.83	POPF	10.20	-	336	10.20
CSC	48.75	(1.00)	50	48.89	SUC	33.50	-	2,327	33.50	PPF	11.30	-	123	11.32
GLOCON	0.94	(0.01)	22,593	0.94	TNL	-	-	-	-	PROSPECT	9.20	(0.05)	1,736	9.18
NEP	0.23	-	11	0.23	TPCORP	-	-	-	-	QHHR	5.65	(0.05)	370	5.65
PTL	24.00	-	27,278	23.88	TR	21.30	0.30	66	21.24	QHOP	-	-	-	-
SFLEX	5.85	(0.35)	44,018	6.01	TTI	-	-	-	-	QHPF	9.15	(0.10)	9,876	9.15
SITHAI	0.60	(0.03)	10,668	0.61	TTT	-	-	-	-	SBPF	3.34	-	1	3.34
SLP	0.41	(0.02)	2,655	0.42	UPF	55.00	(1.00)	24	55.32	SHREIT	3.82	(0.08)	545	3.83
SMPC	12.10	(0.20)	5,406	12.19	UT	-	-	-	-	SIRIP	8.40	(0.15)	100	8.40
SPACK	2.86	-	29,778	2.90	WACOAL	-	-	-	-	SPF	12.20	(0.10)	1,323	12.20
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	7.70	(0.05)	166	7.70
TFI	0.11	-	342	0.11	AAV	1.64	(0.05)	238,505	1.65	SRIPANWA	7.85	(0.05)	40	7.85
THIP	26.00	0.25	242	25.89	AOT	55.75	(1.50)	184,175	56.01	SSPF	9.15	(0.05)	72	9.02
TMD	22.10	-	11	21.83	ASIMAR	1.37	0.01	2,526	1.36	SSTRT	5.30	(0.05)	197	5.20
TOPP	-	-	-	-	B	0.28	(0.02)	5,808	0.29	TIF1	8.40	-	5	8.37
TPBI	5.15	(0.05)	1,160	5.14	BA	5.30	0.05	6,410	5.27	TLGF	16.70	(0.10)	2,296	16.73
TPP	-	-	-	-	BEM	8.45	(0.20)	380,176	8.52	TLHPF	8.50	(0.55)	77	8.64
Personal Products &	-	-	-	-	BTS	9.35	(0.30)	513,356	9.43	TNPF	2.04	-	10	2.04
APCO	3.78	0.02	513	3.76	BTSGIF	5.55	(0.15)	24,659	5.60	TPRIME	11.90	(0.20)	103	11.95
DDD	15.10	(0.30)	1,426	15.16	III	4.10	(0.12)	2,307	4.14	TTLPF	-	-	-	-
JCT	77.75	(0.75)	5	78.55	JUTHA	-	-	-	-	TU-PF	0.91	0.17	46	0.92
OCC	8.90	-	1	8.90	JWD	7.30	(0.15)	34,841	7.44	URBNPF	-	-	-	-
S & J	26.00	0.75	2	26.00	KWC	-	-	-	-	WHABT	8.45	(0.05)	5	8.45
STGT	88.50	(0.75)	140,734	88.52	NOK	0.60	-	1,922	0.59	WHART	12.90	(0.50)	7,277	12.98
STHAI	-	-	-	-	NYT	3.34	(0.14)	61,894	3.40	Steel	-	-	-	-
TNR	11.00	-	217	11.04	PORT	2.04	(0.06)	24,023	2.06	AMC	1.43	(0.02)	97	1.43
TOG	3.46	-	233	3.40	PRM	8.45	(0.15)	185,127	8.49	BSBM	0.85	0.01	3	0.84
Professional Service	-	-	-	-	PSL	5.40	0.20	144,571	5.32	CEN	0.66	(0.01)	923	0.67
BWG	0.47	(0.01)	100,781	0.48	RCL	5.30	(0.25)	33,478	5.45	CITY	1.83	(0.02)	717	1.83
GENCO	0.48	(0.02)	10,805	0.49	TFEIF	9.90	0.05	12,869	9.85	CSP	0.51	-	318	0.51
PRO	-	-	-	-	THAI	3.16	-	8,523	3.17	GJS	0.09	-	1,720	0.08
SISB	8.10	(0.25)	6,724	8.15	TSTE	6.80	(0.15)	32	6.80	GSTEEL	-	-	-	-
SO	5.60	(0.80)	304,782	6.10										

Main Board Quotation

Issue Date :

Thursday October 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	AGE	1.34	(0.04)	21,760	1.00	ADVA06C2010A	-	-	-	-
ABICO	5.95	(0.10)	1,537	5.00	AIE	0.65	(0.01)	329,276	-	ADVA06C2103A	0.62	(0.02)	55,599	-
AU	9.60	0.05	24,573	9.00	ETC	1.98	(0.02)	320,072	2.00	ADVA06P2011A	0.06	(0.02)	3,525	-
JCKH	0.33	(0.01)	1,276	-	PSTC	1.76	(0.04)	88,196	1.00	ADVA08C2012A	0.19	(0.01)	3,000	-
KASET	1.44	(0.03)	1,890	1.00	QTC	4.00	0.04	1,068	3.00	ADVA08C2103A	0.60	-	53,000	-
MM	1.94	(0.05)	10	1.00	SAAM	1.12	0.01	1,301	1.00	ADVA08P2101A	0.75	(0.01)	15,210	-
SUN	3.40	0.02	82,173	3.00	SEAOIL	2.34	(0.02)	2,808	2.00	ADVA11C2011A	0.17	-	14,330	-
TACC	6.40	(0.25)	88,436	6.00	SER	0.62	(0.02)	2,002	-	ADVA11P2011A	0.34	(0.01)	27,517	-
TMILL	3.26	0.02	12,004	3.00	TAKUNI	0.37	(0.02)	8,701	-	ADVA13C2012A	0.24	(0.01)	68,064	-
XO	10.20	(0.70)	81,284	10.00	TPCH	11.20	(0.30)	5,325	11.00	ADVA13C2101A	0.51	(0.02)	288,779	-
Consumer Products	-	-	-	-	TRT	1.65	0.03	28	1.00	ADVA13P2012A	0.64	(0.01)	48,209	-
BGT	-	-	-	-	UMS	0.30	-	1	-	ADVA19C2010A	-	-	-	-
BIZ	3.34	0.10	10,248	3.00	UPA	0.16	-	100,263	-	ADVA19C2010B	-	-	-	-
DOD	9.05	(0.35)	35,414	9.00	UWC	0.05	(0.01)	94,440	-	ADVA19C2012A	0.23	(0.01)	298,946	-
ECF	1.35	0.01	94,710	1.00	Services (MAI)	-	-	-	-	ADVA19C2101A	0.42	(0.02)	220,708	-
HPT	0.86	(0.01)	112	-	A5	-	-	-	-	ADVA19P2010A	-	-	-	-
IP	12.20	-	7,609	12.00	AKP	0.81	(0.01)	1,706	-	ADVA19P2012A	0.54	(0.01)	304,835	-
JUBILE	17.50	(0.30)	931	17.00	AMA	4.78	(0.10)	14,148	4.00	ADVA24C2101A	0.28	-	20,853	-
MOONG	3.92	(0.14)	1,984	3.00	ARIP	0.43	(0.02)	2,561	-	ADVA28C2011A	-	-	-	-
NPK	-	-	-	-	ATP30	0.83	(0.03)	6,436	-	ADVA28C2012A	-	-	-	-
OCEAN	0.80	-	1,394	-	AUCT	12.80	(0.40)	25,989	13.00	ADVA28C2012B	-	-	-	-
TM	2.32	-	2,598	2.00	BOL	5.25	(0.45)	44,445	5.00	ADVA28C2101A	0.24	(0.01)	20,280	-
Financials (MAI)	-	-	-	-	CMO	0.87	(0.02)	1,320	-	ADVA28C2102L	0.18	(0.01)	3,042	-
ACAP	0.72	(0.02)	4,895	-	D	3.22	(0.02)	1,089	3.00	ADVA28P2012A	0.15	0.01	27,294	-
AF	0.59	-	4,464	-	DV8	0.31	(0.01)	513	-	ADVA41C2010A	-	-	-	-
AIRA	0.86	0.02	63	-	EFORL	0.03	-	17,997	-	ADVA41C2011A	0.13	(0.01)	12,390	-
ASN	-	-	-	-	ETE	0.95	(0.02)	3,783	-	ADVA41C2101A	0.44	(0.01)	21,800	-
BROOK	0.39	-	18,829	-	FSMART	7.20	(0.50)	32,053	7.00	ADVA41P2011A	0.27	-	14,830	-
CHAYO	8.00	(0.20)	101,722	8.00	FVC	0.40	-	5,870	-	ADVA41P2101A	0.38	-	43,227	-
GCAP	1.36	(0.01)	3,164	1.00	GSC	1.31	-	12,500	1.00	ADVA42C2102T	0.29	-	3,031	-
LIT	3.16	(0.02)	745	3.00	HARN	2.08	(0.02)	5,870	2.00	AEON13C2010A	-	-	-	-
MITSI	1.02	(0.03)	5,546	1.00	IMH	2.10	(0.02)	866	2.00	AEON13C2011A	0.34	(0.10)	76,093	-
SGF	0.48	-	78,836	-	JKN	9.75	(0.45)	163,088	9.00	AEON13C2012A	1.08	(0.14)	31,516	1.00
Industrials (MAI)	-	-	-	-	KIAT	0.55	(0.02)	590,447	-	AEON13C2101A	0.50	(0.09)	316,862	-
ZS	3.28	0.04	4,330	3.00	KK	1.32	(0.08)	138,682	1.00	AEON19C2010A	0.07	(0.05)	164,151	-
ADB	0.80	0.01	3,870	-	KOOL	1.12	(0.05)	116,205	1.00	AEON19C2010B	0.31	(0.12)	446,714	-
BM	2.04	-	315	2.00	LDC	1.19	(0.01)	25	1.00	AEON19C2011A	-	-	-	-
CHO	0.52	(0.02)	41,967	-	MORE	0.82	-	729,675	-	AEON19C2012A	0.90	(0.18)	2,795	1.00
CHOW	1.53	-	123	1.00	MPG	0.25	(0.03)	14,769	-	AEON19C2101A	0.62	(0.14)	549,621	-
CIG	0.22	(0.01)	5,635	-	MVP	1.24	(0.04)	5,322	1.00	AEON28C2012A	0.83	(0.14)	26,301	1.00
COLOR	1.22	-	15	1.00	NBC	0.53	0.01	10	-	AEON28C2101A	-	-	-	-
CPR	2.36	0.10	3,254	2.00	NCL	0.62	-	202	-	AEON42C2101T	0.40	(0.05)	40,568	-
FPI	1.37	(0.02)	3,510	1.00	NEWS	0.01	-	1,554	-	AMAT01C2101A	0.20	(0.06)	13,260	-
GTB	0.79	0.02	14,288	-	NINE	1.65	(0.15)	55	1.00	AMAT06C2102A	0.20	(0.08)	55,546	-
KCM	0.43	(0.02)	3,581	-	OTO	3.04	-	1,453	3.00	AMAT08C2010A	0.03	(0.01)	5	-
KUMWEL	1.26	(0.03)	52,994	1.00	PHOL	2.34	-	5,416	2.00	AMAT08C2101A	0.28	(0.02)	10,159	-
KWM	1.14	0.01	34,571	1.00	PICO	3.84	0.04	1	3.00	AMAT13C2012A	0.12	(0.06)	178,399	-
MBAX	7.60	(0.15)	28,315	7.00	QLT	4.10	0.16	120	4.00	AMAT19C2011A	0.06	(0.03)	2,000	-
MGT	2.54	(0.08)	94,507	2.00	RP	1.17	-	492	1.00	AMAT19C2012A	0.11	(0.05)	134,720	-
NDR	1.55	(0.09)	9,842	1.00	SE	1.22	(0.02)	5,907	1.00	AMAT19C2101A	0.21	(0.08)	391,265	-
PDG	3.64	0.02	1,294	3.00	SLM	-	-	-	-	AMAT24C2010A	-	-	-	-
PIMO	2.38	(0.04)	387,923	2.00	SONIC	1.28	(0.02)	43,835	1.00	AMAT28C2012A	0.05	(0.02)	21,000	-
PJW	1.28	(0.02)	3,127	1.00	SPA	5.90	(0.25)	13,402	5.00	AMAT28C2101A	0.12	(0.04)	30,406	-
PPM	0.74	(0.04)	309	-	THMUI	0.78	0.06	213,477	-	AMAT28C2102L	0.08	(0.01)	13,300	-
RWI	1.35	(0.01)	578	1.00	TNDT	3.04	-	405	3.00	AMAT28C2103A	0.24	(0.06)	115,297	-
SALIE	0.70	0.01	3,839	-	TNH	32.75	-	43	32.00	AMAT42C2101T	0.08	(0.02)	150	-
SANKO	0.93	(0.03)	2,494	-	TNP	3.34	(0.04)	32,014	3.00	AOT01C2012A	0.46	(0.05)	72,609	-
SELIC	2.06	(0.08)	3,608	2.00	TSF	-	-	-	-	AOT01C2102A	0.42	(0.05)	56,442	-
SWC	4.30	0.02	1,742	4.00	TVD	1.00	(0.02)	12,672	1.00	AOT01C2102T	0.30	(0.03)	27,700	-
TMC	0.70	-	10	-	TVT	0.66	-	304	-	AOT01P2012A	0.17	0.01	63,555	-
TMI	0.62	-	10,394	-	VL	1.01	(0.04)	56,736	1.00	AOT01P2012B	0.54	0.03	39,573	-
TMW	29.00	-	122	28.00	WINNER	2.50	0.02	5,260	2.00	AOT01P2102T	0.50	0.02	46,938	-
TPAC	13.10	(0.70)	546	13.00	YGG	12.00	(0.40)	8,730	12.00	AOT06C2011A	0.09	(0.03)	8,295	-
TPLAS	1.70	(0.06)	9,189	1.00	Technology (MAI)	-	-	-	-	AOT06C2102A	0.40	(0.05)	31,440	-
UBIS	4.92	(0.23)	219	4.00	APP	2.64	(0.20)	122,947	2.00	AOT06P2011A	0.48	0.07	42,418	-
UEC	0.88	(0.01)	2,667	-	COMAN	2.18	(0.08)	1,621	2.00	AOT08C2101A	0.35	(0.05)	14,916	-
UKEM	0.56	(0.03)	155,614	-	ICN	2.16	(0.06)	15,953	2.00	AOT08P2102A	0.64	0.04	27,256	-
UREKA	0.79	(0.02)	2,154	-	IIG	20.00	(1.50)	27,947	20.00	AOT11C2011A	0.18	(0.04)	56,260	-
YUASA	14.50	(0.20)	417	14.00	INSET	3.58	(0.08)	231,917	3.00	AOT11P2101A	0.35	0.02	66,273	-
ZIGA	2.30	(0.02)	146,318	2.00	IRCP	0.75	(0.01)	9,121	-	AOT13C2010A	-	-	-	-
Property & Construc	-	-	-	-	ITEL	2.96	(0.20)	207,183	3.00	AOT13C2011A	0.06	(0.02)	11,597	-
ALL	3.16	0.04	32,933	3.00	NETBAY	26.50	0.25	15,801	26.00	AOT13C2012A	0.33	(0.07)	16,663	-
ARIN	0.95	-	2,157	-	PLANET	1.33	(0.03)	36,265	1.00	AOT13C2101A	0.26	(0.05)	193,931	-
ARROW	7.20	(0.05)	839	7.00	SICT	4.32	(0.08)	15,226	4.00	AOT13P2010A	0.07	-	100	-
BC	0.82	-	66	-	SIMAT	3.78	(0.02)	6,196	3.00	AOT13P2011A	0.10	0.02	21,541	-
BSM	0.27	-	1,073	-	SKY	12.90	(0.10)	5,201	12.00	AOT13P2101A	0.49	0.03	327,731	-
BTW	0.81	(0.01)	5,421	-	SPVI	3.52	(0.16)	138,086	3.00	AOT16C2012A	0.37	(0.07)	5,466	-
CAZ	1.47	(0.01)	2,933	1.00	TPS	2.50	(0.08)	52,372	2.00	AOT19C2011A	-	-	-	-
CHEWA	0.52	(0.01)	37,713	-	VCOM	5.65	(0.35)	34,953	5.00	AOT19C2011B	0.10	(0.04)	33,000	-
CMC	0.71	(0.01)	2,571	-	Unit Trust	-	-	-	-	AOT19C2012A	0.30	(0.06)	292,457	-
CRD	0.47	(0.02)	419	-	SCBSET	-	-	-	-	AOT19P2010A	-	-	-	

Main Board Quotation

Issue Date :

Thursday October 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP19C2011A	0.12	(0.02)	22,001	-	BCEG28C2103L	0.15	(0.01)	8,084	-	CBG01P2012A	0.38	0.03	39,584	-
AP28C2012A	-	-	-	-	BDM501C2101A	0.22	(0.01)	8,530	-	CBG01P2102A	0.69	0.03	20,494	-
AP28C2012B	0.13	-	30,420	-	BDM506C2102A	0.19	-	36,389	-	CBG06C2011A	0.27	(0.08)	37,986	-
AWC01C2101A	0.24	(0.01)	6,077	-	BDM508C2011A	-	-	-	-	CBG08C2012A	0.51	(0.07)	19,448	-
AWC06C2011A	-	-	-	-	BDM508C2101A	0.17	(0.01)	3,500	-	CBG11C2101A	0.52	(0.06)	13,726	-
AWC06C2103A	0.31	(0.02)	24,869	-	BDM511C2011A	0.18	(0.03)	22,540	-	CBG13C2010A	-	-	-	-
AWC06P2012A	0.53	-	36,295	-	BDM513C2011A	-	-	-	-	CBG13C2011A	0.32	(0.08)	6,842	-
AWC08C2012A	-	-	-	-	BDM513C2012A	0.10	(0.01)	31,601	-	CBG13C2012A	0.24	(0.03)	208,090	-
AWC11C2102A	0.30	0.04	7,330	-	BDM513C2101A	0.29	(0.01)	154,749	-	CBG13C2101A	0.54	(0.08)	66,607	-
AWC13C2010B	-	-	-	-	BDM519C2010A	-	-	-	-	CBG13P2010A	-	-	-	-
AWC13C2011A	0.02	(0.01)	1,000	-	BDM519C2011A	0.02	(0.03)	13	-	CBG13P2011A	0.13	0.01	37,618	-
AWC13C2101A	0.14	(0.01)	56,371	-	BDM519C2012A	0.10	(0.01)	72,150	-	CBG13P2101A	0.65	0.05	117,096	-
AWC13P2011A	0.28	0.01	105,653	-	BDM519C2102A	0.22	(0.01)	480	-	CBG16C2101A	0.61	(0.08)	6,960	-
AWC19C2010A	-	-	-	-	BDM519C2101A	0.04	(0.01)	2,000	-	CBG19C2010A	-	-	-	-
AWC19C2010B	-	-	-	-	BDM519C2102A	0.36	(0.64)	39,000	-	CBG19C2011A	0.48	(0.08)	28,453	-
AWC19C2010C	-	-	-	-	BDM524C2101A	0.21	-	10,505	-	CBG19C2011B	0.15	(0.04)	78,418	-
AWC19C2101A	0.17	-	65,268	-	BDM528C2011A	-	-	-	-	CBG19C2101A	0.45	(0.06)	49,126	-
AWC19C2102A	0.28	(0.72)	38,909	-	BDM528C2012A	-	-	-	-	CBG19P2010A	-	-	-	-
AWC19P2011A	0.24	(0.01)	121,691	-	BDM528C2012B	0.03	-	11	-	CBG19P2011A	0.04	0.01	1	-
AWC24C2010A	-	-	-	-	BDM528C2101A	0.08	(0.02)	3,000	-	CBG19P2012A	0.48	0.05	172,181	-
AWC28C2012A	-	-	-	-	BDM528C2102A	0.13	(0.01)	11,118	-	CBG41C2010A	0.27	(0.21)	10	-
AWC28C2012B	-	-	-	-	BDM541C2012A	0.09	(0.01)	4,000	-	CBG41C2011A	-	-	-	-
AWC28C2101A	0.11	(0.01)	15,196	-	BDM541P2011A	0.65	0.01	1,682	-	CBG41C2011B	0.33	(0.04)	31,680	-
AWC28C2103L	0.10	(0.01)	21,294	-	BDM542C2101T	-	-	-	-	CBG41C2012A	0.15	(0.03)	400	-
AWC41C2010A	-	-	-	-	BEM01C2101A	-	-	-	-	CBG41P2010A	-	-	-	-
AWC41C2011A	0.01	-	485	-	BEM08C2102A	0.13	(0.01)	6,500	-	CBG41P2012A	0.65	0.05	19,088	-
AWC41C2102A	0.12	-	52,355	-	BEM11C2011A	-	-	-	-	CBG42C2101T	0.76	(0.08)	6,182	-
AWC42C2101T	-	-	-	-	BEM13C2010A	-	-	-	-	CENT08C2012A	0.17	(0.04)	6,110	-
BANP01C2101A	0.39	(0.02)	80,940	-	BEM13C2011A	0.04	(0.02)	5,000	-	CENT11C2012A	-	-	-	-
BANP01P2101A	0.32	-	94,373	-	BEM13C2101A	0.25	(0.04)	59,658	-	CENT13C2010A	-	-	-	-
BANP06C2101A	-	-	-	-	BEM19C2010A	-	-	-	-	CENT13C2011A	0.09	(0.03)	12,950	-
BANP06C2101A	0.40	(0.04)	96,486	-	BEM19C2011A	-	-	-	-	CENT13C2101A	0.38	(0.08)	110,996	-
BANP06P2011A	0.12	-	44,350	-	BEM19C2101A	0.22	(0.03)	24,346	-	CENT13P2011A	0.26	0.04	66,646	-
BANP08C2102A	0.39	(0.01)	34,392	-	BEM19P2010A	-	-	-	-	CENT19C2010A	-	-	-	-
BANP08P2102A	0.33	(0.01)	53,691	-	BEM28C2012A	0.02	(0.01)	58	-	CENT19C2011A	0.02	(0.02)	200	-
BANP13C2010A	-	-	-	-	BEM28C2103A	0.23	(0.02)	6,084	-	CENT19C2011B	0.13	(0.06)	1,759	-
BANP13C2011A	0.14	-	216	-	BEM28C2104L	0.19	(0.02)	50	-	CENT19C2101A	0.33	(0.67)	5,091	-
BANP13C2012A	0.30	(0.04)	555,710	-	BGR101C2012A	0.10	-	100	-	CENT19P2011A	0.26	0.06	1,062	-
BANP13P2012A	0.17	0.01	11,967	-	BGR101C2102A	0.39	(0.05)	15,993	-	CENT24C2011A	0.14	(0.05)	20,518	-
BANP16C2101A	0.30	(0.01)	11,570	-	BGR101P2012A	0.39	0.05	22,990	-	CENT28C2012A	0.08	(0.01)	350	-
BANP19C2010A	-	-	-	-	BGR106C2102A	0.34	(0.06)	14,941	-	CENT28C2012B	-	-	-	-
BANP19C2012A	0.32	(0.02)	94,922	-	BGR106P2011A	0.38	0.06	28,706	-	CENT28C2101A	0.15	(0.05)	52,477	-
BANP19C2102A	0.24	(0.02)	203,996	-	BGR108C2101A	0.25	(0.04)	5,000	-	CENT28C2101B	0.05	(0.01)	150	-
BANP19P2010A	-	-	-	-	BGR111C2101A	0.13	(0.05)	10,980	-	CENT28C2103L	0.19	(0.03)	15,813	-
BANP19P2010B	0.11	(0.01)	27,554	-	BGR113C2011A	0.01	(0.01)	2,812	-	CHG06C2102A	0.15	-	2,900	-
BANP19P2012A	0.09	-	20,600	-	BGR113C2012A	0.17	(0.04)	40,959	-	CHG13C2010A	-	-	-	-
BANP24C2011A	-	-	-	-	BGR113C2101A	0.27	(0.03)	52,279	-	CHG13C2012A	0.11	(0.01)	201	-
BANP28C2012A	0.17	0.02	15,661	-	BGR113P2011A	0.30	0.04	65	-	CHG19C2011A	0.07	(0.01)	1,114	-
BANP28C2012B	0.14	-	34,763	-	BGR113P2101A	0.27	0.03	38,746	-	CK01C2101A	0.21	-	65,890	-
BANP28C2101A	0.35	-	49,624	-	BGR119C2011A	-	-	-	-	CK01P2101A	0.52	(0.01)	65,560	-
BANP41C2010A	-	-	-	-	BGR119C2012A	0.10	(0.04)	44,675	-	CK06C2102A	0.24	-	111,157	-
BANP42C2012T	0.12	0.02	1,800	-	BGR119C2101A	0.30	(0.05)	47,298	-	CK06P2012A	0.52	(0.01)	53,282	-
BBL06C2101A	0.38	(0.01)	54,970	-	BGR119P2010A	0.17	0.04	23,429	-	CK11C2012A	0.12	-	10,090	-
BBL06P2011A	0.45	(0.02)	55,187	-	BGR124C2101A	0.32	(0.06)	9,416	-	CK13C2010A	-	-	-	-
BBL08C2101A	0.17	(0.01)	5,710	-	BGR127C2101A	-	-	-	-	CK13C2012A	0.16	-	74,244	-
BBL08P2102A	0.93	(0.01)	12,394	-	BGR127P2012A	0.25	0.01	1,172	-	CK19C2010A	-	-	-	-
BBL11C2011A	0.17	-	35,750	-	BGR141C2010A	-	-	-	-	CK19C2011A	-	-	-	-
BBL11P2102A	0.68	-	49,410	-	BGR141C2012A	-	-	-	-	CK19C2012A	0.19	-	233,866	-
BBL13C2010B	-	-	-	-	BGR141C2101A	0.12	(0.03)	17,924	-	CK19P2011A	0.36	(0.04)	109,794	-
BBL13C2012A	0.14	-	155,899	-	BGR142C2101T	-	-	-	-	CK24C2102A	0.19	0.01	27,464	-
BBL13C2012B	0.39	(0.01)	71,447	-	BH13C2012A	0.07	-	50	-	CK41C2011A	-	-	-	-
BBL13P2012A	0.60	(0.01)	234,768	-	BH13C2101A	0.38	(0.01)	32,129	-	CK41C2012A	0.14	0.02	55,320	-
BBL19C2010A	-	-	-	-	BH13P2101A	0.51	-	61,610	-	CK42C2101T	-	-	-	-
BBL19C2011A	0.01	(0.02)	1,335	-	BH19C2012A	0.09	-	3,155	-	CKP01C2101A	0.08	(0.02)	2,274	-
BBL19C2011B	-	-	-	-	BH19C2101A	0.58	(0.01)	45,775	-	CKP01P2101A	0.65	0.07	16,324	-
BBL19C2012A	0.32	(0.01)	102,174	-	BH19P2012A	0.55	-	58,953	-	CKP06C2012A	0.09	(0.03)	41,480	-
BBL19C2101A	0.21	-	678,358	-	BH24C2102A	0.16	-	12,390	-	CKP08C2010A	-	-	-	-
BBL19C2101B	0.51	(0.49)	322,417	-	BH41C2012A	-	-	-	-	CKP08C2012A	0.10	(0.01)	1,300	-
BBL19P2010A	0.11	(0.01)	134,340	-	BJC01C2101A	0.18	(0.03)	47,925	-	CKP11C2102A	0.14	(0.03)	17,690	-
BBL19P2011A	0.54	-	253,912	-	BJC01P2101A	0.49	0.04	37,549	-	CKP13C2011A	0.04	(0.01)	13,503	-
BBL19P2012A	0.40	(0.01)	100,922	-	BJC06C2102A	0.11	(0.04)	46,875	-	CKP13C2101A	0.13	(0.03)	93,080	-
BBL28C2011A	-	-	-	-	BJC11C2102A	0.15	(0.04)	34,630	-	CKP16C2012A	-	-	-	-
BBL28C2012A	-	-	-	-	BJC13C2011A	-	-	-	-	CKP19C2010A	-	-	-	-
BBL28C2101A	0.10	-	31,136	-	BJC13C2012A	0.09	(0.03)	46,086	-	CKP19C2011A	0.18	(0.09)	92,300	-
BBL28C2103A	0.63	(0.37)	117,771	-	BJC13P2012A	0.30	0.05	37,613	-	CKP19C2011B	0.03	(0.02)	20,517	-
BBL28C2104L	0.12	-	23,322	-	BJC19C2010A	-	-	-	-	CKP19C2101A	0.12	(0.04)	11,626	-
BBL41C2011A	-	-	-	-	BJC19C2010B	-	-	-	-	CKP19P2012A	0.44	0.06	59,234	-
BBL41C2012A	0.32	(0.02)	140,000	-	BJC19C2012A	0.08	(0.03)	25,692	-	CKP24C2011A	0.06	(0.01)	700	-
BBL41C2012B	0.12	(0.01)	11,934	-	BJC19P2012A	0.31	0.03	111,148	-	CKP28C2011A	-	-	-	-
BBL41P2010A	-	-	-	-	BJC28C2012A	-	-	-	-	CKP28C2012A	0.45	(0.14)	150	-
BBL41P2011A	0.28	0.01	53,709	-	BJC28C2012B	-	-	-	-	CKP28C2012B	0.03	(0.01)	500	-
BBL42C2101T	0.05	(0.01)	470	-	BJC28C2101A	-	-	-	-	CKP28C2103A	0.15	(0.85)	31,214	-
BBL42P2102T	0.39	-	7,230	-	BJC28C2102L	-	-	-	-	COM706C2012A	-	-	-	-
BCH01C2101A	0.26	-	19,223	-	BJC41C2011A	-	-	-	-	COM708C2010A	-	-	-	-
BCH06C2011A	0.06	(0.01)	10,600	-	BJC41C2012A	-	-	-	-	COM708C2011A	0.54	(0.05)	3,500	-
BCH06C2103A	0.42	0.02	23,098	-	BPP13C2011A	-	-	-	-	COM708C2102A	0.40	(0.03)	24,790	-
BCH13C2010A	-	-	-	-	BPP13C2012A	0.14	(0.01)	9,000	-	COM711C2101A	0.47	(0.06)	12,043	-
BCH13C2012A	0.22	-	39,866	-	BPP19C2010A	-	-	-	-	COM711P2102A	0.58	0.02	26,851	-
BCH19C2011A	0.12	(0.01)	23,000	-	BPP19C2012A	0.13	(0.02)	31,5						

Main Board Quotation

Issue Date :

Thursday October 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CPAL06C2011A	0.01	(0.04)	20	-	DOHO28C2012A	0.26	(0.04)	28,224	-	GLOB19C2010A	0.30	(0.04)	38,631	-
CPAL06C2102A	0.18	(0.04)	16,937	-	DOHO28C2102L	0.23	(0.02)	19,224	-	GLOB19C2012A	0.20	(0.02)	143,748	-
CPAL06P2012A	0.57	0.03	44,965	-	DOHO42C2012T	0.23	(0.02)	2,428	-	GLOB24C2010A	0.16	(0.06)	9,810	-
CPAL08C2011A	-	-	-	-	DTAC01C2101A	0.17	(0.01)	18,506	-	GPSCO1C2012A	-	-	-	-
CPAL08C2102A	0.28	(0.01)	10,100	-	DTAC01P2101A	0.28	-	18,729	-	GPSCO1C2101A	0.32	(0.05)	46,121	-
CPAL08P2101A	0.65	-	14	-	DTAC06C2012A	0.04	(0.01)	1,000	-	GPSCO1P2012A	0.76	0.06	40,610	-
CPAL11C2012A	-	-	-	-	DTAC06C2103A	0.36	(0.02)	28,001	-	GPSCO6C2011A	-	-	-	-
CPAL13C2011A	0.01	-	4,000	-	DTAC06P2012A	0.47	(0.01)	21,876	-	GPSCO6C2101A	0.13	(0.03)	9,521	-
CPAL13C2012A	0.11	(0.02)	63,345	-	DTAC08C2012A	-	-	-	-	GPSCO6P2011A	-	-	-	-
CPAL13C2101A	0.28	(0.04)	396,812	-	DTAC08C2101A	0.18	-	2,500	-	GPSCO8C2101A	0.17	(0.05)	2,112	-
CPAL13P2011A	0.35	0.01	69,060	-	DTAC13C2011A	-	-	-	-	GPSC11C2102A	0.27	(0.05)	24,250	-
CPAL19C2010A	-	-	-	-	DTAC13C2012A	0.13	(0.01)	162,584	-	GPSC13C2011A	-	-	-	-
CPAL19C2011A	0.03	(0.01)	1,100	-	DTAC13C2101A	0.19	(0.01)	129,176	-	GPSC13C2012A	0.07	(0.03)	28,963	-
CPAL19C2012A	0.15	(0.03)	100,658	-	DTAC13P2011A	0.28	0.02	1	-	GPSC13C2012B	0.15	(0.04)	74,676	-
CPAL19C2102A	0.27	(0.02)	34,432	-	DTAC13P2101A	0.21	-	24,966	-	GPSC13C2101A	0.37	(0.06)	434,178	-
CPAL19P2010A	-	-	-	-	DTAC19C2010A	-	-	-	-	GPSC13P2011A	-	-	-	-
CPAL19P2010B	0.28	0.01	21,849	-	DTAC19C2011A	-	-	-	-	GPSC13P2011B	0.33	0.04	146,247	-
CPAL19P2101A	0.43	0.02	159,224	-	DTAC19C2012A	0.09	(0.01)	4,299	-	GPSC19C2010A	-	-	-	-
CPAL27C2101A	-	-	-	-	DTAC19C2101A	0.21	-	181,355	-	GPSC19C2012A	0.11	(0.03)	47,424	-
CPAL28C2012A	-	-	-	-	DTAC19P2011A	0.24	(0.01)	31,882	-	GPSC19C2101A	0.21	(0.05)	230,558	-
CPAL28C2012B	-	-	-	-	DTAC24C2012A	-	-	-	-	GPSC19C2101B	0.34	(0.06)	134,239	-
CPAL28C2012C	-	-	-	-	DTAC28C2012A	-	-	-	-	GPSC19P2010A	-	-	-	-
CPAL28C2102A	0.13	(0.01)	9,114	-	DTAC28C2102A	0.12	-	18,402	-	GPSC19P2011A	-	-	-	-
CPAL28C2104L	-	-	-	-	DTAC28C2103A	0.24	(0.76)	25,294	-	GPSC19P2012A	0.51	0.07	194,137	-
CPAL41C2010A	0.01	-	6	-	DTAC28C2104L	0.18	(0.01)	13,689	-	GPSC24C2011A	-	-	-	-
CPAL41C2011A	0.06	(0.02)	5,000	-	DTAC41C2010A	-	-	-	-	GPSC28C2011A	-	-	-	-
CPAL41C2101A	0.24	(0.01)	30,000	-	DTAC41C2011A	-	-	-	-	GPSC28C2101A	0.15	(0.02)	45,602	-
CPAL41P2011A	0.55	0.03	5,449	-	DTAC41C2012A	-	-	-	-	GPSC28C2103A	0.44	(0.56)	58,630	-
CPAL41P2101A	0.54	0.02	33,484	-	DTAC42C2101T	0.05	-	110	-	GPSC28C2104L	0.18	(0.01)	9,127	-
CPAL42C2101T	-	-	-	-	EA06C2010A	0.03	(0.01)	4,000	-	GPSC41C2011A	-	-	-	-
CPF01C2012A	-	-	-	-	EA06C2102A	0.37	(0.04)	37,088	-	GPSC41C2012A	-	-	-	-
CPF01C2101A	0.13	(0.02)	74,322	-	EA06P2012A	0.34	-	27,734	-	GPSC41P2010A	0.82	0.09	8,920	-
CPF01P2012A	0.49	0.01	15,746	-	EA08C2101A	0.36	(0.01)	10,247	-	GPSC42C101T	-	-	-	-
CPF06C2010A	-	-	-	-	EA11C2101A	0.10	(0.01)	14,270	-	GULF01C2012A	0.11	(0.02)	25,998	-
CPF06C2102A	0.12	(0.02)	192,335	-	EA13C2011A	0.06	(0.01)	870	-	GULF01C2102A	0.26	(0.03)	50,221	-
CPF06P2011A	0.19	0.02	61,226	-	EA13C2012A	0.17	(0.03)	155,158	-	GULF01P2012A	0.19	0.02	44,498	-
CPF08C2010A	0.02	(0.01)	50	-	EA13C2101A	0.36	(0.04)	157,809	-	GULF01P2102A	0.34	0.03	26,047	-
CPF08C2102A	0.14	(0.01)	22,500	-	EA13P2011A	0.44	0.01	63,294	-	GULF06C2101A	0.18	(0.03)	14,219	-
CPF11C2010A	-	-	-	-	EA13P2101A	0.22	-	57,438	-	GULF08C2012A	-	-	-	-
CPF13C2011A	0.01	(0.01)	8,526	-	EA16C2012A	0.11	(0.01)	7,944	-	GULF08C2102A	0.25	(0.02)	20,851	-
CPF13C2012A	0.05	-	970	-	EA19C2010A	0.94	-	400	-	GULF13C2011A	-	-	-	-
CPF13C2101A	0.10	(0.01)	184,203	-	EA19C2012A	0.18	(0.02)	121,775	-	GULF13C2012A	0.01	-	62,928	-
CPF13P2012A	0.46	0.10	400	-	EA19C2101A	0.37	(0.02)	32,645	-	GULF13C2012A	0.07	(0.01)	30,552	-
CPF13P2101A	0.26	0.02	156,235	-	EA19P2011A	0.17	(0.01)	112,901	-	GULF13C2012B	0.14	(0.02)	271,950	-
CPF16C2012A	0.03	(0.02)	100	-	EA19P2011B	0.23	(0.01)	79,248	-	GULF13P2011A	0.14	0.02	56,057	-
CPF19C2010A	-	-	-	-	EA24C2011A	0.28	(0.02)	12,117	-	GULF13P2101A	0.22	0.01	220,798	-
CPF19C2012A	0.04	-	19,950	-	EA28C2011A	0.06	(0.01)	2,841	-	GULF16C2012A	-	-	-	-
CPF19C2102A	0.13	(0.02)	254,419	-	EA28C2012A	0.14	(0.01)	10,640	-	GULF19C2010A	-	-	-	-
CPF19P2010A	-	-	-	-	EA28C2101A	0.13	(0.01)	16,224	-	GULF19C2010B	-	-	-	-
CPF19P2012A	-	-	-	-	EA28C2102A	0.23	(0.01)	36,490	-	GULF19C2012A	0.09	(0.02)	33,072	-
CPF19P2101A	0.28	0.01	37,134	-	EA28C2103L	0.13	-	4,056	-	GULF19C2101A	0.16	(0.02)	131,673	-
CPF24C2012A	-	-	-	-	EA41C2011A	-	-	-	-	GULF19P2010A	-	-	-	-
CPF28C2011A	-	-	-	-	EA41C2101A	0.11	(0.02)	11,868	-	GULF19P2010B	0.19	0.01	570	-
CPF28C2012A	0.03	-	1,000	-	EA42C2101T	0.17	(0.01)	2,812	-	GULF19P2012A	0.27	0.02	102,335	-
CPF28C2012B	0.03	-	10	-	EGCO01C2101A	0.12	(0.03)	12,851	-	GULF24C2011A	0.14	(0.03)	20,028	-
CPF28C2102A	0.06	-	4,650	-	EGCO01P2101A	0.84	0.05	13,401	-	GULF28C2012A	0.02	(0.01)	2,002	-
CPF28C2103A	0.13	(0.87)	26,368	-	EGCO06C2010A	-	-	-	-	GULF28C2012B	-	-	-	-
CPF28C2103L	0.08	(0.01)	3,000	-	EGCO13C2011A	-	-	-	-	GULF28C2101A	-	-	-	-
CPF41C2010A	-	-	-	-	EGCO13C2012A	0.10	(0.03)	16,364	-	GULF28C2102A	0.11	(0.02)	54,718	-
CPF41C2101A	-	-	-	-	EGCO13C2012B	0.17	(0.04)	33,666	-	GULF41C2011A	-	-	-	-
CPF41P2011A	0.42	0.02	6,471	-	EGCO13C2011A	0.54	(0.08)	189,653	-	GULF41C2012A	-	-	-	-
CPF42C2101T	0.02	(0.01)	5,183	-	EGCO13P2011A	0.80	0.09	63,246	-	GULF41C2102A	0.15	(0.02)	64,000	-
CPN01C2012A	0.09	(0.04)	16,976	-	EGCO19C2010A	-	-	-	-	GULF41P2011A	0.31	0.02	4,449	-
CPN01C2101A	0.38	(0.05)	38,549	-	EGCO19C2011A	-	-	-	-	GULF41P2012A	0.25	0.03	31,782	-
CPN01P2012A	0.43	0.05	44,618	-	EGCO19C2012A	0.05	(0.02)	511	-	GULF42C2010M	-	-	-	-
CPN11C2101A	0.13	(0.04)	32,340	-	EGCO19C2012B	0.33	(0.07)	90,407	-	GULF42C2101T	0.07	-	385	-
CPN13C2011A	-	-	-	-	EGCO19P2011A	0.96	0.05	38,763	-	GULF42P2010T	0.25	0.03	5,028	-
CPN13C2012A	0.17	(0.06)	108,664	-	EGCO19P2012A	0.65	0.06	136,758	-	GUNK01C2012A	0.10	(0.02)	8,385	-
CPN19C2010A	-	-	-	-	EGCO41C2101A	0.09	(0.03)	6,157	-	GUNK13C2011A	0.01	(0.01)	500	-
CPN19C2011A	0.04	(0.01)	1,000	-	EGCO42C2101T	0.03	(0.01)	3,430	-	GUNK13C2101A	0.17	(0.01)	63,363	-
CPN19C2012A	0.12	(0.05)	89,422	-	EPG13C2011A	0.14	(0.02)	11,512	-	GUNK19C2010A	-	-	-	-
CPN19P2010A	0.10	0.01	20,000	-	EPG13C2012A	0.08	(0.01)	4,300	-	GUNK19C2012A	-	-	-	-
CPN24C2011A	-	-	-	-	EPG19C2010A	0.12	(0.03)	2,008	-	GUNK19C2101A	0.13	(0.02)	23,821	-
CPN41C2012A	0.09	(0.04)	12,999	-	EPG19C2011A	-	-	-	-	GUNK24C2012A	0.06	(0.01)	40,004	-
CPN41C2101A	0.12	(0.04)	23,736	-	EPG42C2101T	0.20	(0.02)	600	-	GUNK28C2012A	-	-	-	-
CPN41P2011A	0.70	0.13	9,431	-	ERW13C2010A	-	-	-	-	GUNK28C2012B	-	-	-	-
CRC01C2101A	0.18	(0.02)	22,985	-	ERW19C2010A	0.02	(0.03)	4,234	-	GUNK28C2102A	0.10	-	6,084	-
CRC01P2101A	0.43	0.04	48,428	-	ERW19C2010B	-	-	-	-	HANA01C2012A	0.63	(0.10)	152,819	-
CRC06C2102A	0.18	(0.06)	57,526	-	ESSO01C2012A	0.16	(0.01)	24,800	-	HANA11C2103A	0.72	(0.16)	59,340	-
CRC08C2101A	0.15	(0.03)	7,000	-	ESSO01P2012A	0.39	-	19,046	-	HANA13C2011A	0.74	(0.14)	9,984	-
CRC13C2011A	0.03	(0.04)	17,000	-	ESSO06C2011A	0.07	0.02	183	-	HANA13C2012A	0.38	(0.10)	2,065,914	-
CRC13C2012A	0.09	(0.04)	34,924	-	ESSO08C2011A	0.12	(0.01)	19,300	-	HANA16C2101A	0.59	(0.13)	46,834	-
CRC13C2101A	0.19	(0.06)	98,141	-	ESSO08C2102A	0.29	(0.01)	61,500	-	HANA19C2010A	0.71	(0.10)	13,216	-
CRC13P2012A	0.18	0.03	45,317	-	ESSO13C2012A	0.15	(0.02)	42,499	-	HANA19C2012A	0.42	(0.10)	1,469,931	-
CRC19C2010A	-	-	-	-	ESSO19C2010A	-	-	-	-	HANA19P2011A	0.01	(0.01)	507	-
CRC19C2011A	-	-	-	-	ESSO19C2011A	0.04	(0.01)	2,511	-	HANA24C2012A	0.71	(0.09)	81,941	-
CRC19C2012A	0.10	(0.02)	108,200	-	ESSO19C2012A	0.14	(0.02)	164,266	-	HANA27P2012X	0.07	0.02	2,483	-
CRC19C2101A	0.19	(0.07)	27,085	-	ESSO19P2012A	0.27	0.							

Main Board Quotation

Issue Date :

Thursday October 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HSI28C2010C	0.01	(0.01)	854	-	IVL28C2012A	-	-	-	-	KCE19C2010B	-	-	-	-
HSI28C2010L	0.01	-	89,913	-	IVL28C2012B	-	-	-	-	KCE19C2011A	-	-	-	-
HSI28C2011A	0.78	(0.36)	1,002,728	-	IVL28C2010A	0.23	(0.04)	88,840	-	KCE19C2012A	0.33	(0.07)	186,141	-
HSI28C2011B	0.40	(0.23)	1,680,668	-	IVL28C20103A	0.53	(0.47)	98,930	-	KCE19P2010A	-	-	-	-
HSI28C2011C	0.09	(0.07)	14,292	-	IVL28C20104A	0.26	(0.03)	53,545	-	KCE19P2012A	0.08	0.01	35,465	-
HSI28C2011L	0.13	(0.10)	15,582	-	IVL41C2010A	-	-	-	-	KCE19P2010A	0.20	0.02	73,589	-
HSI28C2012L	0.09	(0.06)	46,426	-	IVL41C2011A	-	-	-	-	KCE24C2010A	0.79	(0.04)	446	-
HSI28C2101L	0.11	(0.06)	59,710	-	IVL41C2012A	0.31	(0.05)	79,416	-	KCE27C2101X	0.92	(0.11)	7,200	-
HSI28C2102L	0.30	(0.11)	7,028	-	IVL41P2010A	0.32	0.05	4	-	KCE41C2012A	0.38	(0.04)	8,898	-
HSI28P2010A	0.12	0.06	251,313	-	IVL41P2012A	0.48	0.05	75,884	-	KCE42C2012T	1.18	(0.15)	4,201	1.00
HSI28P2010B	0.33	0.15	267,340	-	IVL41P2012B	0.21	0.02	8,898	-	KKP13C2012A	0.10	(0.02)	40,848	-
HSI28P2010C	0.86	0.35	112,570	-	IVL42C2101T	0.03	-	-	-	KKP19C2010A	-	-	-	-
HSI28P2010L	0.01	-	72	-	JAS08C2011A	0.03	-	2,100	-	KKP19C2011A	-	-	-	-
HSI28P2011A	0.96	0.27	897,532	-	JAS08P2103A	0.59	-	25,681	-	KKP19P2012A	0.12	(0.02)	56,468	-
HSI28P2011B	0.57	0.18	77,088	-	JAS13C2011A	0.02	0.01	4,460	-	KTB13C2010A	-	-	-	-
HSI28P2011C	0.32	0.09	31,738	-	JAS13C2012A	0.12	-	68,199	-	KTB13C2012A	0.07	(0.01)	100	-
HSI28P2011L	0.05	0.01	7,541	-	JAS13C2101A	0.26	(0.01)	69,602	-	KTB13C2101A	0.25	(0.01)	44,300	-
HSI28P2012L	0.37	0.08	13,628	-	JAS19C2010A	-	-	-	-	KTB19C2010A	-	-	-	-
HSI28P2101L	0.33	0.07	7,592	-	JAS19C2010B	-	-	-	-	KTB19C2011A	-	-	-	-
HSI28P2102L	0.34	0.05	726	-	JAS19C2012A	0.10	(0.01)	24,193	-	KTB19C2012A	0.10	-	120	-
HSI41C2010A	0.10	(0.17)	480,757	-	JAS19C2101A	0.26	(0.02)	30,953	-	KTB19C2101A	0.25	(0.01)	54,372	-
HSI41C2010B	0.03	(0.07)	300	-	JAS19P2010A	0.15	0.01	30,655	-	KTB19P2012A	0.51	-	12,276	-
HSI41C2010C	0.01	-	9	-	JAS28C2011A	0.01	(0.02)	3,000	-	KTB24C2101A	0.19	(0.01)	3,856	-
HSI41C2011A	0.06	(0.04)	330	-	JAS28C2012A	-	-	-	-	KTB28C2011A	-	-	-	-
HSI41C2011B	0.73	(0.36)	502,460	-	JAS28C2012B	-	-	-	-	KTB28C2012A	-	-	-	-
HSI41C2011C	0.35	(0.23)	1,515,793	-	JAS28C2101A	0.09	-	3,360	-	KTB28C2012B	-	-	-	-
HSI41C2011D	-	-	-	-	JAS28C2102A	0.17	(0.01)	15,710	-	KTB28C2101C	-	-	-	-
HSI41C2011E	0.15	(0.85)	10	-	JAS41C2011A	0.04	-	500	-	KTB28C2102A	0.15	(0.01)	10,647	-
HSI41C2012A	0.09	(0.05)	28,263	-	JAS41C2102A	0.26	-	30,148	-	KTC01C2012A	0.38	(0.02)	23,800	-
HSI41C2101A	0.10	(0.05)	25,159	-	JMT06C2012A	0.43	(0.10)	37,813	-	KTC01P2012A	-	-	-	-
HSI41P2010A	-	-	-	-	JMT08C2101A	0.30	(0.07)	35,876	-	KTC08C2011A	0.25	(0.01)	9,565	-
HSI41P2010B	0.42	0.19	43,254	-	JMT11C2102A	0.34	(0.06)	101,995	-	KTC11P2011A	-	-	-	-
HSI41P2010C	0.14	0.06	35,483	-	JMT13C2011A	-	-	-	-	KTC13C2010A	-	-	-	-
HSI41P2011A	0.57	0.16	402	-	JMT13C2011B	0.37	(0.12)	13,450	-	KTC13C2010B	-	-	-	-
HSI41P2011B	0.95	0.26	945,690	-	JMT13C2012A	0.23	(0.06)	827,300	-	KTC13C2011A	0.37	(0.02)	80,558	-
HSI41P2011C	0.48	0.08	11	-	JMT19C2010A	-	-	-	-	KTC13C2101A	0.32	(0.02)	197,418	-
HSI41P2011D	0.26	(0.32)	310	-	JMT19C2011A	0.38	(0.17)	2	-	KTC13P2010A	-	-	-	-
HSI41P2011E	0.34	(0.01)	6	-	JMT19C2012A	0.24	(0.06)	541,554	-	KTC13P2012A	0.09	-	500	-
HSI41P2012A	0.35	0.07	1,772	-	JMT24C2011A	0.41	(0.08)	24,842	-	KTC13P2101A	0.36	0.01	174,410	-
HSI41P2101A	0.31	0.05	1,312	-	JMT28C2101A	0.31	(0.06)	64,470	-	KTC19C2010A	0.01	(0.01)	29,000	-
INTU01C2101A	0.25	-	59,725	-	JMT41C2012A	0.22	(0.07)	41,760	-	KTC19C2010B	0.20	(0.02)	5,158	-
INTU06P2011A	0.19	(0.01)	44,675	-	JMT42C2101T	0.23	(0.05)	11,400	-	KTC19C2012A	0.38	(0.01)	6,628	-
INTU11C2103A	0.41	(0.01)	47,285	-	KBAN01C2012A	0.34	-	120,196	-	KTC19C2101A	0.30	(0.01)	156,152	-
INTU13C2011A	-	-	-	-	KBAN01C2012B	0.22	0.02	82,263	-	KTC19P2010A	0.01	-	30	-
INTU13C2010A	0.35	(0.02)	216,542	-	KBAN01C2102T	0.42	-	72,176	-	KTC19P2012A	0.13	-	63,998	-
INTU19C2012A	0.15	-	356,678	-	KBAN01P2012A	0.81	(0.05)	108,341	-	KTC19P2101A	0.38	-	258,031	-
INTU19C2101A	0.34	-	172,573	-	KBAN01P2101A	0.83	(0.05)	69,558	-	KTC24C2011A	0.36	(0.02)	9,740	-
INTU19P2010A	-	-	-	-	KBAN01P2102T	0.74	(0.02)	38,966	-	KTC28C2011A	-	-	-	-
INTU19P2012A	0.48	(0.01)	585,914	-	KBAN06C2011A	-	-	-	-	KTC28C2012A	0.13	(0.01)	12,140	-
INTU23C2111A	0.59	(0.01)	10	-	KBAN06C2012A	0.05	-	9,400	-	KTC28C2012B	0.30	(0.01)	22,343	-
INTU28C2012A	0.05	(0.01)	8,000	-	KBAN06C2103A	0.47	0.03	186,248	-	KTC28C2101A	-	-	-	-
INTU28C2102A	0.18	-	58,714	-	KBAN06P2011A	0.72	(0.07)	98,557	-	KTC28C2103L	0.28	(0.01)	29,499	-
INTU41C2012A	-	-	-	-	KBAN08C2011A	-	-	-	-	KTC41C2011A	-	-	-	-
INTU42C2101T	-	-	-	-	KBAN08C2101A	0.14	-	10,175	-	KTC41C2012A	0.36	-	11,672	-
IRPC01C2101A	0.13	(0.01)	18,090	-	KBAN08C2103A	0.63	0.03	66,649	-	KTC42C2012T	0.18	-	3,800	-
IRPC01P2101A	0.32	-	20,841	-	KBAN08P2101A	1.19	(0.02)	17,102	1.00	LH01C2101A	0.18	(0.03)	11,134	-
IRPC06P2010A	-	-	-	-	KBAN13C2010A	-	-	-	-	LH06C2012A	0.07	(0.01)	1,250	-
IRPC11C2102A	0.12	(0.01)	34,550	-	KBAN13C2010B	-	-	-	-	LH11C2012A	0.11	(0.02)	20,240	-
IRPC13C2011A	-	-	-	-	KBAN13C2011A	0.03	(0.02)	763	-	LH13C2101A	0.17	(0.03)	45,781	-
IRPC13C2012A	0.08	0.02	2	-	KBAN13C2012A	0.08	-	77,081	-	LH19C2010A	0.04	(0.01)	3,500	-
IRPC13C2012B	0.09	(0.01)	103,466	-	KBAN13C2012B	0.18	0.01	256,532	-	LH19C2011A	0.03	(0.01)	727	-
IRPC13C2101A	-	-	-	-	KBAN13C2101A	0.33	0.01	1,140,575	-	LH19C2101A	0.19	(0.04)	134,000	-
IRPC13P2011A	-	-	-	-	KBAN13P2011A	1.00	(0.03)	175	1.00	LH19P2010A	-	-	-	-
IRPC13P2012A	0.22	0.01	156,923	-	KBAN13P2012A	0.79	(0.04)	644,269	-	MAJ013C2011A	-	-	-	-
IRPC19C2010A	-	-	-	-	KBAN16C2101A	0.40	0.02	34,114	-	MAJ013C2101A	0.30	(0.02)	4,167	-
IRPC19C2011A	-	-	-	-	KBAN19C2010A	-	-	-	-	MAJ019C2011A	0.15	(0.02)	28,868	-
IRPC19C2012A	0.36	(0.01)	3,562	-	KBAN19C2010B	-	-	-	-	MEGA13C2011A	-	-	-	-
IRPC19C2101A	0.11	(0.01)	67,343	-	KBAN19C2011A	0.01	-	130	-	MEGA13C2101A	0.21	-	70,497	-
IRPC19P2011A	-	-	-	-	KBAN19C2012A	0.15	(0.01)	287,906	-	MEGA19C2011A	0.04	(0.03)	3,590	-
IRPC19P2012A	0.23	(0.01)	12,915	-	KBAN19C2012B	0.06	-	68,022	-	MEGA19C2101A	0.18	(0.02)	136,438	-
IRPC24C2012A	-	-	-	-	KBAN19C2101A	0.35	0.01	852,096	-	MEGA42C2101T	-	-	-	-
IRPC28C2012A	-	-	-	-	KBAN19P2010A	-	-	-	-	MINT01C2012A	0.21	(0.05)	79,126	-
IRPC28C2101A	-	-	-	-	KBAN19P2010P	0.08	(0.02)	56,436	-	MINT01C2102T	0.27	(0.05)	51,649	-
IRPC28C2103A	0.12	-	22,194	-	KBAN19P2012A	0.62	(0.04)	220,835	-	MINT01P2012A	0.30	0.03	53,530	-
IRPC41C2010A	0.01	(0.01)	654	-	KBAN24C2012A	0.07	(0.03)	451	-	MINT01P2012B	0.80	0.08	45,878	-
IRPC41C2101A	-	-	-	-	KBAN28C2012A	-	-	-	-	MINT01P2102T	0.63	0.04	37,835	-
IVL01C2012A	0.10	-	48	-	KBAN28C2012B	-	-	-	-	MINT06C2012A	0.23	(0.07)	125,654	-
IVL01C2012B	0.37	(0.05)	111,454	-	KBAN28C2101A	0.14	0.01	23,280	-	MINT06P2012A	0.27	0.05	69,196	-
IVL01P2012A	0.51	0.02	63,611	-	KBAN28C2103A	0.46	(0.54)	133,806	-	MINT06P2102A	1.21	0.10	940	1.00
IVL06C2101A	0.27	(0.05)	237,452	-	KBAN28C2104L	0.18	-	24,336	-	MINT08C2010A	0.05	(0.01)	2,290	-
IVL06C2103A	0.67	(0.09)	224,175	-	KBAN28P2012A	0.37	(0.03)	52,960	-	MINT08C2102A	0.45	(0.07)	42,437	-
IVL06P2011A	0.34	0.04	146,493	-	KBAN41C2011A	-	-	-	-	MINT08P2011A	0.33	0.06	55,760	-
IVL08C2101A	0.33	(0.04)	47,056	-	KBAN41C2012A	0.11	-	85,984	-	MINT08P2102A	-	-	-	-
IVL08P2011A	0.14	0.02	24,966	-	KBAN41C2101A	0.25	0.01	287,144	-	MINT11C2011A	0.25	(0.05)	66,640	-
IVL08P2102A	0.59	0.04	37,781	-	KBAN41P2010A	-	-	-	-	MINT11P2011A	0.23	0.02	8,749	-
IVL11C2012A	0.10	(0.01)	87,778	-	KBAN41P2011A	1.52	(0.08)	15	1.00	MINT13C2010A	0.02	-	20	-
IVL13C2011A	-	-	-	-	KBAN42C2101T	0.12	(0.04)	1,510	-	MINT13C2011A	0.08	(0.04)	118,995	-
IVL13C2012A	0.21													

Main Board Quotation

Issue Date :

Thursday October 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT41C2010A	0.01	-	100	-	PTT08P2101A	0.43	0.02	8,970	-	PTTG41C2010A	0.01	-	1,186	-
MINT41C2012A	0.32	(0.08)	32,711	-	PTT11C2010A	0.09	(0.01)	4,510	-	PTTG41C2011A	-	-	-	-
MINT42C2101T	0.17	(0.03)	5,130	-	PTT13C2010A	-	-	-	-	PTTG41C2011A	0.14	0.02	100,000	-
MINT42P2102T	0.61	0.05	6,690	-	PTT13C2012A	0.04	(0.01)	2,470	-	PTTG41P2011A	0.48	(0.12)	33	-
MTC01C2012A	0.40	0.02	41,217	-	PTT13C2012B	0.10	(0.02)	106,421	-	PTTG41P2102A	0.33	(0.04)	80,647	-
MTC01C2102A	0.59	0.02	30,740	-	PTT13C2101A	0.19	(0.01)	283,380	-	PTTG42C2102T	-	-	-	-
MTC06C2010A	0.01	-	200	-	PTT13P2010A	-	-	-	-	QH19C2012A	-	-	-	-
MTC06C2102A	0.56	0.03	40,794	-	PTT13P2011A	0.27	0.01	980	-	QH27C2101A	0.11	-	6,752	-
MTC08C2011A	0.23	0.01	5,100	-	PTT13P2101A	0.17	-	87,399	-	RATC01C2101A	0.24	(0.01)	1,768	-
MTC08C2102A	0.56	0.02	10,975	-	PTT16C2012A	-	-	-	-	RATC01P2101A	0.62	0.01	16,576	-
MTC11C2102A	0.52	0.02	14,246	-	PTT19C2011A	-	-	-	-	RATC06C2102A	0.22	(0.02)	29,052	-
MTC13C2010A	-	-	-	-	PTT19C2012A	0.07	-	2,309	-	RATC06P2010A	-	-	-	-
MTC13C2011A	0.27	0.01	126,033	-	PTT19C2012B	-	-	-	-	RATC11C2103A	0.47	(0.03)	23,705	-
MTC13C2101A	0.46	0.03	131,185	-	PTT19C2101A	0.17	(0.01)	95,444	-	RATC13C2012A	-	-	-	-
MTC13P2011A	0.15	(0.02)	10,000	-	PTT19P2010A	-	-	-	-	RATC13C2101A	0.25	(0.03)	104,478	-
MTC19C2010A	-	-	-	-	PTT19P2010B	0.11	-	8,072	-	RATC13P2011A	0.33	0.02	39,728	-
MTC19C2012A	0.33	-	142,942	-	PTT19P2101A	0.18	(0.01)	4,000	-	RATC19C2011A	0.02	-	625	-
MTC19P2010A	-	-	-	-	PTT24C2010A	0.11	(0.01)	17,502	-	RATC19C2012A	0.12	(0.03)	1,204	-
MTC19P2012A	0.23	(0.02)	49,192	-	PTT28C2011A	-	-	-	-	RATC19C2101A	0.22	(0.03)	101,478	-
MTC28C2011A	-	-	-	-	PTT28C2012A	-	-	-	-	RATC19P2011A	0.48	0.01	30,431	-
MTC28C2012A	0.15	-	8,112	-	PTT28C2101A	-	-	-	-	RATC24C2012A	0.11	(0.02)	7,661	-
MTC28C2012B	0.32	-	38,964	-	PTT28C2103A	0.19	(0.81)	16,210	-	RATC41C2010A	-	-	-	-
MTC28C2102L	0.21	0.01	11,112	-	PTT28C2103L	0.14	(0.01)	11,154	-	RATC41C2012A	0.17	(0.01)	15,824	-
MTC41C2010A	-	-	-	-	PTT41C2010A	-	-	-	-	RATC42C2102T	-	-	-	-
MTC41C2012A	0.40	0.02	28,107	-	PTT41C2012A	-	-	-	-	RS06C2010A	-	-	-	-
MTC42C2101T	0.14	-	200	-	PTT41C2101A	-	-	-	-	RS06C2012A	0.33	(0.06)	60,344	-
ORI11C2011A	0.16	(0.02)	204,767	-	PTT41C2101B	0.18	(0.01)	134,174	-	RS08C2011A	-	-	-	-
ORI19C2010A	-	-	-	-	PTT41P2010A	-	-	-	-	RS08C2103A	0.50	(0.04)	31,743	-
ORI19C2011A	0.30	(0.05)	125,947	-	PTT41P2011A	-	-	-	-	RS13C2010A	-	-	-	-
ORI19C2012A	0.15	(0.03)	30,504	-	PTT41P2012A	-	-	-	-	RS13C2011A	0.25	(0.06)	47,182	-
ORI28C2011A	-	-	-	-	PTT41P2101A	0.24	-	32,890	-	RS13C2101A	0.36	(0.09)	348,180	-
ORI28C2012A	-	-	-	-	PTT42C2010M	-	-	-	-	RS19C2010A	-	-	-	-
ORI28C2012B	0.27	(0.04)	78,448	-	PTT42C2012T	-	-	-	-	RS19C2010B	-	-	-	-
ORI28C2101A	0.12	(0.01)	66,840	-	PTT42P2101T	0.21	-	1,910	-	RS19C2011A	-	-	-	-
ORI28C2103L	0.20	(0.02)	47,960	-	PTTE01C2012A	0.42	(0.01)	51,157	-	RS19C2011B	0.19	(0.05)	346,240	-
OSP01C2012A	-	-	-	-	PTTE01C2102A	0.94	(0.01)	54,270	-	RS19P2012A	0.32	0.04	122,200	-
OSP01C2102A	0.19	(0.06)	63,925	-	PTTE01P2012A	1.02	(0.02)	36,329	-	RS28C2012A	-	-	-	-
OSP01P2012A	0.60	0.10	110,680	-	PTTE01P2102A	0.57	(0.01)	42,072	-	RS28C2101A	0.30	(0.06)	62,784	-
OSP06C2011A	0.01	-	7,547	-	PTTE06C2011A	-	-	-	-	RS28C2101L	0.43	(0.04)	38,523	-
OSP06C2102A	0.10	(0.05)	37,180	-	PTTE06C2101A	0.37	(0.01)	93,176	-	RS41C2011A	0.38	(0.08)	70,622	-
OSP06P2102A	0.72	0.13	53,069	-	PTTE06P2011A	0.22	(0.01)	63,532	-	RS42C2101T	0.27	(0.04)	4,500	-
OSP08C2102A	0.23	(0.06)	29,828	-	PTTE08C2011A	0.16	-	14,000	-	S10001C2011A	0.02	-	582	-
OSP11C2102A	0.12	(0.04)	54,590	-	PTTE08P2011A	0.97	-	57,761	-	S5001C2012F	0.29	(0.04)	25,694	-
OSP13C2012A	0.03	(0.03)	10,900	-	PTTE11C2011A	0.27	-	45,228	-	S5001C2101A	0.79	(0.11)	234,570	-
OSP13C2101A	0.09	(0.05)	183,632	-	PTTE11P2102A	0.69	(0.02)	51,325	-	S5001P2012F	1.00	0.05	321,852	-
OSP13P2011A	0.44	0.10	104,947	-	PTTE13C2010A	-	-	-	-	S5001P2101A	0.83	0.08	508,222	-
OSP19C2010A	-	-	-	-	PTTE13C2010B	0.02	-	490	-	S5006C2012A	0.12	(0.04)	45,120	-
OSP19C2012A	0.04	(0.03)	25,108	-	PTTE13C2011A	0.09	-	7,070	-	S5006C2012B	0.41	(0.15)	460,650	-
OSP19C2101A	0.10	(0.04)	199,707	-	PTTE13C2012A	0.32	(0.01)	281,551	-	S5006P2012A	0.97	0.14	465,302	-
OSP19P2010A	0.26	0.09	22,090	-	PTTE13C2101A	0.62	(0.02)	592,960	-	S5006P2012B	0.45	0.09	151,322	-
OSP24C2101A	0.10	(0.04)	28,293	-	PTTE13P2010A	-	-	-	-	S5008C2012A	0.11	(0.02)	2,670	-
OSP28C2101A	-	-	-	-	PTTE13P2012A	0.49	(0.01)	102,242	-	S5008C2012B	0.17	(0.03)	202	-
OSP28C2101B	-	-	-	-	PTTE19C2010A	-	-	-	-	S5008C2012C	0.38	(0.08)	247,571	-
OSP41C2010A	0.01	-	1	-	PTTE19C2010B	-	-	-	-	S5008P2012A	0.99	0.08	234,002	-
OSP41C2012A	-	-	-	-	PTTE19C2011A	-	-	-	-	S5008P2012B	0.42	0.05	139,639	-
OSP42C2101T	0.03	(0.02)	150	-	PTTE19C2011B	-	-	-	-	S5011C2012A	0.49	(0.08)	6,200	-
PLAN06C2102A	0.26	(0.04)	65,941	-	PTTE19C2012A	0.29	-	122,310	-	S5011P2012A	0.58	0.04	6,915	-
PLAN11C2103A	0.36	(0.03)	42,731	-	PTTE19C2101A	0.67	(0.01)	229,325	-	S5013C2010A	0.29	(0.02)	2,046	-
PLAN13C2011A	0.14	(0.03)	118,072	-	PTTE19P2010A	-	-	-	-	S5013C2012A	0.11	(0.03)	271,726	-
PLAN13C2101A	0.17	(0.03)	87,882	-	PTTE19P2010B	0.11	(0.03)	48,912	-	S5013C2012B	0.13	(0.03)	37,363	-
PLAN19C2010A	0.57	(0.27)	15	-	PTTE19P2012A	0.57	(0.01)	172,346	-	S5013C2012C	0.20	(0.03)	139,940	-
PLAN19C2010B	0.04	(0.01)	8,180	-	PTTE19P2101A	0.46	-	402,614	-	S5013C2012D	0.15	(0.04)	242,868	-
PLAN19C2012A	0.17	(0.03)	183,255	-	PTTE24C2011A	-	-	-	-	S5013C2012E	0.27	(0.07)	4,444,659	-
PLAN27C2101A	0.15	(0.02)	13,800	-	PTTE28C2011A	-	-	-	-	S5013C2012F	0.40	(0.09)	5,018,508	-
PLAN28C2012A	-	-	-	-	PTTE28C2011B	-	-	-	-	S5013C2101A	0.54	(0.03)	62,553	-
PLAN28C2012B	0.16	(0.02)	54,300	-	PTTE28C2012A	0.18	(0.01)	61,812	-	S5013P2010A	0.82	0.06	3,641	-
PLAN42C2101T	0.10	(0.03)	4,100	-	PTTE28C2101A	0.23	-	96,470	-	S5013P2012A	0.98	0.08	2,415,743	-
PRM08C2101A	0.25	(0.02)	3,903	-	PTTE28C2102L	0.19	-	8,112	-	S5013P2012B	1.07	0.10	466,560	1.00
PRM11C2102A	0.37	(0.03)	9,310	-	PTTE41C2010A	-	-	-	-	S5013P2012C	0.63	0.08	7,290,218	-
PRM13C2010A	0.06	(0.03)	200	-	PTTE41C2011A	0.10	-	4,136	-	S5013P2012D	0.40	0.06	9,057,948	-
PRM13C2012A	0.23	(0.02)	45,871	-	PTTE41C2012A	0.19	(0.01)	13,868	-	S5013P2012E	0.31	0.05	5,926,984	-
PRM16C2012A	0.16	(0.02)	10,580	-	PTTE41C2101A	0.27	-	109,000	-	S5013P2101A	0.68	0.04	29,464	-
PRM19C2010A	0.31	(0.04)	5,940	-	PTTE41P2010A	-	-	-	-	S5016C2012A	0.11	(0.03)	10,200	-
PRM19C2011A	0.13	(0.03)	80,958	-	PTTE41P2011A	0.75	(0.01)	28,823	-	S5016C2012B	0.13	(0.03)	5	-
PRM19C2012A	0.31	(0.03)	21,492	-	PTTE41P2101A	0.60	(0.01)	90,946	-	S5016C2012C	0.49	(0.11)	80,432	-
PRM28C2012A	0.12	(0.02)	3,945	-	PTTE42C2101T	0.21	-	600	-	S5016P2012A	0.88	0.06	19,431	-
PRM42C2101T	-	-	-	-	PTTE42P2101T	0.68	0.01	9,160	-	S5016P2012B	0.75	0.07	82,080	-
PTG01C2012A	0.31	(0.02)	24,939	-	PTTG01C2012A	0.24	0.02	56,761	-	S5016P2103Z	3.76	0.06	10	3.00
PTG01P2012A	0.44	0.03	43,407	-	PTTG01C2102A	0.47	0.05	68,176	-	S5019C2012A	0.11	(0.02)	460	-
PTG06C2010A	0.20	(0.08)	16,523	-	PTTG01P2012A	0.70	(0.07)	59,888	-	S5019C2012B	0.08	(0.03)	27,275	-
PTG06C2103A	0.56	(0.06)	17,253	-	PTTG01P2102A	0.44	(0.05)	62,300	-	S5019C2012C	0.22	(0.05)	914,446	-
PTG08C2011A	0.32	(0.06)	16,000	-	PTTG08C2101A	0.20	0.02	21,160	-	S5019C2012D	0.37	(0.09)	3,138,857	-
PTG11C2010A	0.38	(0.04)	22,760	-	PTTG08P2010A	-	-	-	-	S5019C2012E	0.59	(0.13)	1,349,716	-
PTG13C2010A	-	-	-	-	PTTG08P2102A	0.42	(0.05)	37,173	-	S5019P2012A	0.93	0.08	1,125,923	-
PTG13C2012A	0.14	(0.03)	37,052	-	PTTG11C2010A	-	-	-	-	S5019P2012B	0.75	0.09	1,267,645	-
PTG13C2012B	0.32	(0.05)	266,594	-	PTTG13C2010A	-	-	-	-	S5019P2012C	0.51	0.07	5,022,301	-
PTG16C2101A	0.40	(0.05)	5,584	-	PTTG13C2011A									

Main Board Quotation

Issue Date :

Thursday October 15, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5028C2012C	0.23	(0.05)	534,590	-	SIRI19C2103A	0.12	(0.01)	33,603	-	SUPE19C2012A	0.21	(0.05)	191,878	-
S5028C2012D	0.30	(0.70)	1,117,806	-	SIRI42C2101T	0.02	(0.01)	10	-	SUPE19P2011A	0.08	0.01	500	-
S5028C2103L	0.22	(0.02)	248,066	-	SPAL06C2010A	-	-	-	-	SUPE19P2012A	0.17	0.03	5,370	-
S5028P2010A	0.21	0.03	6,647	-	SPAL06C2103A	-0.39	(0.05)	17,660	-	SUPE42C2101T	-	-	-	-
S5028P2012A	1.23	0.06	553,592	1.00	SPAL13C2010A	-	-	-	-	SUPE42P2102T	-	-	-	-
S5028P2012B	0.43	0.04	393,288	-	SPAL19C2011A	0.25	(0.03)	21,713	-	TASC01C2012A	0.08	(0.01)	9,003	-
S5028P2012C	0.51	(0.49)	1,043,130	-	SPAL19C2011B	-	-	-	-	TASC01C2012B	0.23	(0.02)	66,271	-
S5028P2103L	0.75	0.03	544,970	-	SPAL27C2101A	0.12	(0.02)	3,528	-	TASC01P2012A	0.63	0.01	49,286	-
S5041C2012A	0.10	(0.02)	350	-	SPRC01C2101A	0.18	(0.01)	26,074	-	TASC06C2012A	0.03	-	2,690	-
S5041C2012B	0.04	(0.02)	1,062	-	SPRC01P2101A	0.49	-	75,804	-	TASC06C2102A	0.33	(0.04)	90,071	-
S5041C2012C	-	-	-	-	SPRC06C2102A	0.17	(0.02)	81,107	-	TASC08C2011A	0.04	-	33	-
S5041C2012E	0.11	(0.04)	58,006	-	SPRC06P2011A	0.15	-	75,593	-	TASC08C2012A	0.01	(0.01)	390	-
S5041C2012F	0.20	(0.07)	231,990	-	SPRC08C2011A	-	-	-	-	TASC11C2102A	0.05	0.01	100	-
S5041C2012F	0.42	(0.09)	1,328,446	-	SPRC11C2102A	0.22	(0.01)	63,849	-	TASC13C2011A	0.01	-	1	-
S5041C2103T	1.01	(0.14)	381,068	1.00	SPRC13C2012A	0.09	-	4,128	-	TASC13C2012A	0.02	(0.01)	383,948	-
S5041P2012A	0.85	0.07	1,414,513	-	SPRC13C2012B	0.13	(0.02)	423,224	-	TASC13C2012B	0.12	(0.01)	528,768	-
S5041P2012B	0.79	0.08	61,970	-	SPRC19C2010A	-	-	-	-	TASC13C2101A	0.25	(0.03)	621,063	-
S5041P2012C	0.87	0.09	20	-	SPRC19C2012A	0.11	(0.02)	63,643	-	TASC13P2011A	1.20	0.05	310	1.00
S5041P2012E	0.91	0.05	159,564	-	SPRC19C2012B	0.23	(0.01)	158,960	-	TASC13P2012A	0.38	0.01	61,977	-
S5041P2012F	-	-	-	-	SPRC19P2011A	0.25	0.01	132,841	-	TASC19C2010A	-	-	-	-
S5041P2012G	1.09	0.05	9,980	1.00	SPRC28C2011A	0.01	-	900	-	TASC19C2011A	0.01	-	1,314	-
S5041P2103T	1.60	0.11	150,043	1.00	SPRC28C2010A	0.10	(0.01)	6,114	-	TASC19C2012A	0.11	(0.01)	139,707	-
SAWA01C2012A	0.37	(0.05)	61,225	-	SPRC42C2011T	-	-	-	-	TASC19C2101A	0.24	(0.02)	602,441	-
SAWA01C2102A	0.45	(0.06)	65,233	-	SPX28C2012A	1.14	(0.28)	7,123	1.00	TASC19P2010A	-	-	-	-
SAWA01P2012A	0.48	0.04	37,896	-	SPX28C2012B	0.54	(0.20)	2,206	-	TASC19P2011A	0.78	0.05	1	-
SAWA01P2102A	0.80	0.06	111,132	-	SPX28C2012C	0.92	(0.47)	2,936	1.00	TASC19P2012A	2.00	0.08	821	1.00
SAWA06C2010A	-	-	-	-	SPX28C2012D	0.39	(0.16)	4,081	-	TASC19P2012B	0.28	0.01	21,010	-
SAWA06C2101A	0.43	(0.08)	67,414	-	SPX28C2103L	0.42	(0.11)	2,993	-	TASC19P2012C	0.40	0.03	173,769	-
SAWA08C2011A	-	-	-	-	SPX28P2012A	0.29	0.05	22,283	-	TASC24C2011A	-	-	-	-
SAWA08C2101A	0.35	(0.05)	16,605	-	SPX28P2012B	0.16	0.02	14,879	-	TASC28C2012A	0.08	0.04	5,001	-
SAWA11C2103A	0.53	(0.05)	53,402	-	SPX28P2012C	0.82	0.16	15,987	-	TASC28C2012B	-	-	-	-
SAWA13C2010A	-	-	-	-	SPX28P2012D	0.49	0.09	9,326	-	TASC28C2012C	-	-	-	-
SAWA13C2011A	0.16	(0.03)	269,030	-	SPX28P2103L	0.34	0.02	228	-	TASC28C2101A	-	-	-	-
SAWA13C2101A	0.30	(0.05)	272,739	-	SPX41C2012A	0.92	(0.33)	588	-	TASC28C2103L	-	-	-	-
SAWA16C2101A	0.33	(0.05)	8,774	-	SPX41C2012B	0.51	(0.24)	19,592	-	TASC41C2010A	0.01	-	300	-
SAWA19C2011A	0.08	(0.02)	1,010	-	SPX41C2012C	-	-	-	-	TASC41C2011A	-	-	-	-
SAWA19C2012A	0.27	(0.06)	108,595	-	SPX41C2012T	0.99	(0.27)	12,048	1.00	TASC41C2012A	0.14	-	7,913	-
SAWA19P2011A	0.19	0.02	284,482	-	SPX41C2012U	1.52	(0.32)	317	1.00	TASC42C2101T	0.02	(0.01)	16,775	-
SAWA28C2011A	-	-	-	-	SPX41C2103T	0.95	(0.16)	1,423	-	TCAP01C2101A	0.17	(0.01)	34,673	-
SAWA28C2012A	0.17	(0.04)	28,602	-	SPX41P2012A	0.64	0.12	12,289	-	TCAP13C2010A	-	-	-	-
SAWA28C2012B	0.09	(0.03)	120	-	SPX41P2012B	0.43	0.08	1,078	-	TCAP13C2012A	-	-	-	-
SAWA28C2101A	0.26	(0.05)	52,495	-	SPX41P2012C	-	-	-	-	TCAP19C2010A	-	-	-	-
SAWA28C2102L	0.11	(0.01)	10,112	-	SPX41P2012T	0.55	0.09	643	-	TCAP19C2012A	0.09	-	1	-
SAWA41C2010A	-	-	-	-	SPX41P2012U	0.41	0.07	2,575	-	TCAP19C2102A	0.19	(0.01)	2,030	-
SAWA41C2012A	0.19	(0.05)	39,012	-	SPX41P2103T	0.80	0.10	1,744	-	TCAP19P2011A	0.30	0.01	30,115	-
SAWA42C2101T	0.09	(0.01)	100	-	STA01C2101A	0.41	(0.03)	110,584	-	TCAP42C2101T	0.03	-	200	-
SCB01C2101A	0.29	-	119,812	-	STA06C2012A	0.29	(0.02)	123,649	-	THAN01C2012A	0.68	(0.04)	8,478	-
SCB01P2101A	0.85	(0.02)	56,479	-	STA08C2010A	-	-	-	-	THAN01C2012B	0.23	(0.02)	9,426	-
SCB06C2010A	0.01	-	1	-	STA08C2011A	0.17	(0.03)	17,102	-	THAN06C2010A	-	-	-	-
SCB06C2103A	0.50	0.01	225,308	-	STA08C2101A	0.50	(0.02)	37,432	-	THAN06C2102A	0.33	(0.02)	163,260	-
SCB08C2101A	0.21	(0.02)	26,050	-	STA13C2010A	-	-	-	-	THAN08C2101A	-	-	-	-
SCB08P2012A	0.53	-	45,630	-	STA13C2010B	0.13	(0.01)	3,724	-	THAN08C2102A	0.31	(0.02)	27,020	-
SCB11C2102A	0.28	(0.01)	61,794	-	STA13C2010C	0.01	(0.01)	10	-	THAN13C2012A	0.41	(0.02)	501,452	-
SCB11P2012A	0.56	-	59,926	-	STA13C2010D	0.01	-	4,030	-	THAN13C2012B	0.13	(0.02)	218,674	-
SCB13C2010A	-	-	-	-	STA13C2011A	0.44	(0.07)	40	-	THAN19C2010A	-	-	-	-
SCB13C2011A	0.06	(0.04)	260	-	STA13C2011B	0.16	(0.03)	509,197	-	THAN19C2011A	-	-	-	-
SCB13C2012A	0.27	-	310,704	-	STA13C2012A	0.28	(0.05)	994,921	-	THAN19C2012A	0.29	(0.03)	314,653	-
SCB13P2010A	0.25	(0.05)	150	-	STA13P2010A	-	-	-	-	THAN19C2012B	0.16	(0.01)	83,816	-
SCB13P2012A	0.50	(0.01)	528,682	-	STA13P2012A	0.09	(0.01)	1,014	-	THAN42C2102T	0.17	-	2,700	-
SCB19C2010A	-	-	-	-	STA13P2012B	0.13	(0.01)	332,160	-	TISC01C2101A	0.41	(0.06)	37,940	-
SCB19C2010B	-	-	-	-	STA19C2010A	-	-	-	-	TISC11C2012A	0.23	(0.04)	13,119	-
SCB19C2012A	0.16	-	236,381	-	STA19C2010B	1.72	0.09	65	1.00	TISC13C2012A	0.27	(0.06)	131,314	-
SCB19C2101A	0.34	(0.01)	310,427	-	STA19C2010C	0.09	(0.02)	61,482	-	TISC19C2010A	-	-	-	-
SCB19P2010A	0.04	(0.03)	3,000	-	STA19C2011A	-	-	-	-	TISC19C2010B	-	-	-	-
SCB19P2011A	1.01	0.13	71	1.00	STA19C2011B	0.24	(0.02)	876,091	-	TISC19C2012A	0.28	(0.05)	112,266	-
SCB19P2011B	0.43	(0.02)	87,860	-	STA19C2012A	0.33	(0.04)	614,733	-	TISC24C2102A	0.51	(0.07)	25,840	-
SCB24C2012A	0.13	(0.01)	27,475	-	STA19P2010A	-	-	-	-	TISC41C2010A	-	-	-	-
SCB28C2012A	-	-	-	-	STA19P2012A	0.10	0.01	22,900	-	TISC41C2012A	0.27	(0.06)	72,866	-
SCB28C2012B	0.11	(0.02)	12,184	-	STA19P2101A	0.16	(0.01)	296,469	-	TISC42C2101T	0.11	(0.02)	1,405	-
SCB28C2103A	0.36	(0.64)	47,631	-	STA24C2011A	0.15	(0.01)	15,421	-	TKN01C2101A	-	-	-	-
SCB28C2104L	0.18	(0.01)	27,385	-	STA28C2011A	-	-	-	-	TKN06C2011A	-	-	-	-
SCB41C2011A	0.03	0.02	2	-	STA28C2011B	0.17	(0.02)	49,644	-	TKN06C2101A	-	-	-	-
SCB41C2011B	-	-	-	-	STA28C2012A	0.18	(0.06)	34	1.00	TKN08C2011A	0.15	(0.02)	1,700	-
SCB41C2012A	0.21	(0.01)	212,852	-	STA28C2102L	1.60	(0.01)	42,582	-	TKN08C2102A	-	-	-	-
SCB41P2011A	0.43	(0.02)	140,810	-	STA41C2010A	-	-	-	-	TKN13C2010B	0.01	(0.02)	14,075	-
SCB42C2101T	-	-	-	-	STA42C2101T	0.17	(0.02)	3,230	-	TKN13C2012A	0.18	(0.04)	382,869	-
SCC01C2101A	0.50	(0.06)	26,226	-	STEC01C2101A	0.13	(0.01)	11,678	-	TKN13C2010A	0.28	(0.05)	329,797	-
SCC01P2012A	0.65	0.04	39,140	-	STEC01P2101A	0.52	0.02	10,377	-	TKN19C2010A	-	-	-	-
SCC06C2012A	0.13	(0.03)	55,104	-	STEC06C2010A	-	-	-	-	TKN19C2011A	-	-	-	-
SCC08C2011A	0.10	(0.02)	11,000	-	STEC08C2012A	-	-	-	-	TKN19C2011B	0.14	(0.04)	886,594	-
SCC11C2011A	0.29	(0.03)	21,420	-	STEC11C2102A	0.16	(0.01)	10,488	-	TKN19C2101A	0.28	(0.05)	557,657	-
SCC13C2011A	0.11	(0.03)	144,594	-	STEC13C2010A	-	-	-	-	TKN19P2010A	0.37	0.03	73,385	-
SCC13C2012A	0.24	(0.06)	197,319	-	STEC13C2012A	0.06	(0.01)	5,014	-	TKN28C2012A	0.76	(0.20)	3,590	-
SCC13P2011A	0.58	0.03	64,122	-	STEC13C2101A	0.16	(0.02)	34,516	-	TKN28C2012B	0.17	(0.02)	24,450	-
SCC13P2101A	0.29	0.02	86,399	-	STEC13P2011A	0.23	0.02	11,994	-	TKN28C2101A	-	-	-	-
SCC19C2010A	-	-	-	-	STEC19C2011A	0.02	0.01	1	-	TKN42C2012T	0.10	(0.01)	970	-
SC														

