

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Tuesday October 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.84	0.12	115,662	3.83	MAJOR	14.00	(0.10)	58,829	13.68
SAFARI	-	-	-	-	BLISS	-	-	-	-	MATCH	-	-	-	-
VI	-	-	-	-	DIF	12.70	(0.10)	238,927	12.83	MATI	-	-	-	-
WORLD	-	-	-	-	DTAC	31.25	(0.50)	57,298	31.36	MCOT	3.06	-	213	3.04
WR	-	-	-	-	FORTH	5.75	0.15	236	5.73	MONO	2.62	-	14,659	2.63
Agribusiness	-	-	-	-	HUMAN	8.20	0.15	10,758	8.18	MPIC	1.64	0.01	178	1.40
EE	0.71	0.01	59,424	0.70	ILINK	5.15	0.05	18,241	5.19	NMG	-	-	-	-
GPPT	11.60	-	13,202	11.59	INET	3.62	0.16	278,385	3.71	PLANB	5.35	0.10	261,229	5.34
LEE	2.18	(0.02)	1,703	2.21	INTUCH	52.00	-	56,189	51.94	POST	1.47	(0.02)	39	1.48
MAX	0.01	-	974,050	0.01	JAS	2.62	-	160,964	2.64	PRAKIT	-	-	-	-
NER	4.32	(0.06)	2,777,985	4.35	JASIF	9.20	0.05	53,812	9.16	SE-ED	1.38	(0.02)	401	1.39
PPPM	0.39	0.04	14,856	0.39	JMART	15.20	0.10	91,256	15.21	TBSP	-	-	-	-
STA	32.75	2.00	573,266	31.79	JTS	2.38	(0.04)	1,291	2.42	TH	0.49	0.02	43	0.49
TRUBB	1.72	0.08	46,205	1.68	MFEK	4.76	0.02	4,557	4.72	TKS	5.45	(0.05)	3,846	5.42
TWPC	3.34	(0.02)	5,093	3.36	MSC	6.45	-	6,246	6.39	VGI	6.05	0.15	327,061	6.05
UPOIC	-	-	-	-	PT	5.10	-	1,060	5.05	WAVE	0.67	(0.02)	1,039	0.69
UVAN	4.74	0.02	171	4.74	SAMART	4.92	0.04	12,771	4.88	WORK	9.65	0.30	25,619	9.45
VPO	0.43	-	549	0.42	SAMTEL	4.92	-	501	4.90	Finance & Securities	-	-	-	-
Banking	-	-	-	-	SDC	0.19	0.01	12,427	0.18	AEC	0.32	0.04	327,786	0.30
BAY	18.80	-	3,444	18.89	SIS	18.90	0.40	33,940	18.90	AEONTS	126.00	(6.00)	17,951	127.65
BBL	91.75	1.50	72,826	91.67	SVOA	1.37	0.05	44,611	1.35	AMANA	2.60	0.08	342,758	2.64
CIMBT	0.54	-	13,054	0.54	SYMC	4.02	(0.10)	114	4.06	ASAP	1.97	(0.03)	7,187	1.96
KBANK	73.25	2.50	251,716	72.93	SYNEK	14.50	0.10	79,058	14.62	ASK	18.10	0.10	5,731	18.02
KKP	37.00	1.25	58,216	36.94	THCOM	5.45	(0.10)	68,385	5.53	ASP	1.67	-	12,269	1.67
KTB	8.50	0.10	264,538	8.50	TRUE	2.82	(0.10)	588,549	2.86	BAM	19.80	(0.20)	168,780	19.89
LHFG	0.85	(0.01)	15,901	0.85	TWZ	0.06	-	64,397	0.06	BFIT	27.75	-	4,288	27.98
SCB	61.25	0.50	169,324	61.63	Electronic Componer	-	-	-	-	CGH	0.65	-	1,509	0.65
TCAP	27.00	(0.50)	54,059	27.27	CCET	2.36	(0.02)	249,078	2.41	ECL	0.72	-	16,847	0.71
TISCO	68.50	0.50	66,879	68.80	DELTA	181.50	(4.50)	19,931	184.55	FNS	2.76	(0.02)	439	2.76
TMB	0.81	(0.01)	1,523,438	0.82	HANA	49.00	(0.25)	104,054	50.15	FSS	1.48	0.10	3,219	1.48
Construction Materia	-	-	-	-	KCE	38.50	0.25	143,190	38.72	GBX	0.41	-	7,522	0.41
CCP	0.47	0.01	67,289	0.47	METCO	164.00	2.00	2	163.00	GL	2.42	-	19,794	2.46
COTTO	1.07	0.01	1,743	1.08	NEX	4.16	0.04	99,008	4.15	IFS	2.30	(0.06)	2,993	2.32
DCC	2.34	0.04	126,777	2.31	SMT	2.74	0.04	31,695	2.69	JMT	33.00	0.50	68,150	33.22
DCON	0.34	0.01	10,760	0.34	SVI	5.40	0.30	379,257	5.49	KCAR	7.50	-	260	7.48
DRT	5.90	-	3,988	5.87	TEAM	0.85	0.01	1,530	0.83	KGI	2.76	-	15,727	2.76
EPG	4.38	(0.02)	62,981	4.46	W	0.21	0.01	1,040,149	0.20	KTC	37.00	-	91,615	36.86
GEL	0.17	-	3,008	0.17	Energy & Utilities	-	-	-	-	MBKET	6.90	-	68	6.90
PPP	2.08	0.04	10	2.08	7UP	0.30	0.01	23,182	0.30	MFC	13.60	-	74	13.41
Q-CON	-	-	-	-	ABPIF	2.92	(0.04)	667	2.92	MICRO	4.74	0.64	978,116	4.52
RCI	3.72	0.02	17	3.72	ACE	2.68	(0.06)	78,525	2.68	ML	0.77	-	299	0.76
SCC	339.00	5.00	44,759	342.04	AI	1.92	-	173,067	1.92	MTC	51.50	0.50	53,911	50.70
SCCC	116.50	(0.50)	576	117.16	AKR	0.47	0.01	1,993	0.47	PE	-	-	-	-
SCP	5.80	-	717	5.83	BAFS	18.90	0.30	1,687	18.81	PL	1.99	0.01	286	1.98
SKN	2.32	(0.04)	4,011	2.33	BANPU	6.50	0.35	545,969	6.37	S11	6.25	0.05	2,587	6.24
TASCO	14.70	0.40	145,967	14.57	BCP	14.40	(0.20)	25,270	14.43	SAWAD	46.25	(0.50)	111,633	46.37
TCMC	1.04	(0.03)	71,038	1.05	BCPG	11.70	0.10	23,499	11.69	THANI	3.20	(0.04)	273,224	3.24
TOA	33.75	1.00	21,177	33.64	BGRIM	41.25	(1.00)	77,183	41.54	TK	6.85	(0.05)	576	6.88
TPIPL	1.37	(0.01)	56,014	1.37	BPP	13.30	-	13,544	13.26	TNITY	-	-	-	-
UMI	0.57	(0.01)	5,290	0.56	BRRGIF	6.05	(0.10)	32	6.06	UOBKH	2.90	(0.10)	128	2.90
VNG	3.00	(0.02)	78	3.00	CKP	4.40	(0.02)	215,178	4.39	ZMICO	0.58	0.01	2,185	0.57
WIJK	2.98	(0.06)	46,297	3.03	DEMCO	2.66	0.02	848	2.67	Food & Beverage	-	-	-	-
Petrochemicals & Ch	-	-	-	-	EA	40.50	(1.25)	68,447	41.05	APURE	1.97	0.05	19,535	1.96
BCT	42.75	1.75	2	42.63	EASTW	9.00	(0.15)	13,500	9.06	ASIAN	13.10	-	65,126	13.18
CMAN	1.15	(0.01)	4,694	1.16	EGATIF	11.90	0.10	3,691	11.84	BR	1.73	(0.01)	5,209	1.71
GC	5.20	-	1,163	5.16	EGCO	173.00	(5.00)	23,618	174.68	BRR	2.74	0.12	725	2.75
GCC	8.35	0.15	2,053	8.36	EP	3.72	0.04	8,201	3.70	CBG	115.50	3.00	88,741	114.18
GIFT	1.74	(0.04)	845	1.74	ESSO	5.95	-	116,003	5.89	CFRESH	3.50	(0.02)	9,039	3.52
IVL	23.20	(0.40)	489,558	23.27	GPSC	54.50	(2.00)	96,161	54.99	CHOTI	-	-	-	-
NFC	-	-	-	-	GREEN	1.09	(0.01)	258	1.07	CM	2.58	(0.02)	740	2.60
PATO	10.10	0.15	107	10.01	GULF	29.75	(0.25)	216,214	29.57	CPF	25.75	(0.25)	409,978	25.72
PMTA	-	-	-	-	GUNKUL	2.24	0.04	125,719	2.23	CPI	-	-	-	-
PTTGC	39.50	(0.75)	145,001	39.60	IFEC	-	-	-	-	F&D	18.70	(0.30)	2	18.70
SUTHA	-	-	-	-	IRPC	2.02	-	456,405	2.01	HTC	29.75	0.75	7,494	29.49
TCCC	23.00	(0.30)	170	23.01	KBSPIF	9.25	(0.10)	1,309	9.25	ICHI	10.70	0.70	166,043	10.39
TPA	5.05	-	71	5.00	LANNA	6.00	0.10	3,790	5.95	KBS	3.12	0.08	459	3.09
UAC	3.72	0.02	523	3.69	MDX	2.16	-	494	2.13	KSL	2.38	0.06	163,235	2.37
UP	12.20	-	40	12.20	PDI	7.75	0.10	3,402	7.73	KTIS	2.82	(0.02)	513	2.83
VNT	22.60	(0.20)	4,660	22.63	PRIME	0.46	-	47,342	0.46	LST	4.30	-	446	4.26
WG	186.00	-	7	186.00	PTG	18.20	0.50	95,770	18.03	M	43.75	(0.25)	5,916	44.08
YCI	-	-	-	-	PTT	32.25	(0.25)	540,145	31.95	MALEE	5.80	(0.20)	2,415	5.85
Commerce	-	-	-	-	PTTEP	77.75	(0.50)	136,859	77.36	MINT	18.40	0.60	532,870	18.28
BEAUTY	1.27	-	71,676	1.28	RATCH	50.00	(0.25)	20,954	50.11	NRF	5.50	0.35	286,184	5.08
BIG	0.44	-	49,699	0.45	RPC	0.49	0.01	4,691	0.48	OISHI	38.75	(0.25)	47	38.72
BJC	32.50	-	29,503	32.23	SCG	3.40	0.02	56	3.38	OSP	32.00	-	131,670	32.05
COL	18.70	-	837	18.63	SCI	1.24	-	2,800	1.22	PB	70.75	-	65	70.75
COM7	40.00	0.25	80,726	39.30	SCN	1.70	-	354	1.69	PM	7.55	0.15	7,272	7.48
CPALL	58.25	(0.25)	223,929	58.02	SGP	8.95	0.10	5,197	8.89	PRG	-	-	-	-
CPW	2.28	0.16	111,066	2.22	SKE	0.59	-	4,331	0.58	RBF	9.80	0.10	99,331	9.75
CRC	25.75	0.95	254,797	25.44	SOLAR	0.86	(0.01)	2,401	0.86	SAPPE	19.90	0.30	3,667	19.76
CSS	1.39	0.03	19,958	1.38	SPCG	19.70	0.60	22,937	19.42	SAUCE	24.90	-	10	24.90
DOHOME	14.20	0.10	88,508	14.18	SPRC	5.55	-	72,861	5.50	SFP	-	-	-	-

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Tuesday October 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KDH	-	-	-	-	AP	6.00	0.20	82,848	5.91	CWT	1.99	(0.01)	11,897	2.01
LPH	4.08	(0.06)	1,103	4.15	APEX	0.07	-	16,328	0.07	EASON	1.19	(0.06)	22	1.22
M-CHAI	-	-	-	-	AQ	0.02	0.01	23,145	0.01	GYT	-	-	-	-
NEW	-	-	-	-	AWC	3.10	(0.04)	395,619	3.12	HFT	3.56	(0.04)	7,719	3.58
NTV	40.50	0.25	64	40.27	BLAND	0.95	0.01	165,068	0.93	IHL	3.20	(0.12)	116,299	3.24
PR9	6.85	0.05	2,722	6.88	BROCK	1.44	0.01	10	1.46	INGRS	0.46	0.02	26,325	0.45
PRINC	2.60	0.06	10,406	2.55	CGD	0.66	0.02	109,670	0.65	IRC	11.60	(0.10)	49	11.64
RAM	138.00	(1.50)	6	138.67	CI	0.68	-	507	0.68	PCSGH	4.40	-	575	4.40
RJH	22.10	(0.10)	3,926	21.88	CPN	38.25	-	101,628	38.44	SAT	13.70	0.50	101,311	13.84
RPH	5.20	0.05	2,987	5.15	ESTAR	0.32	(0.01)	3,762	0.32	SPG	13.00	0.10	45	12.91
SKR	6.05	(0.05)	563	6.05	EVER	0.20	-	21,651	0.20	STANLY	145.00	-	166	144.98
SVH	391.00	-	37	391.68	FPT	9.95	-	1,322	10.04	TKT	0.89	-	1	0.89
THG	18.20	0.30	3,621	18.04	GLAND	2.16	-	4	2.15	TNPC	0.66	(0.01)	16	0.66
VIBHA	1.51	0.01	2,135	1.51	J	1.22	(0.02)	15,166	1.24	TRU	3.50	-	230	3.39
VIH	6.00	-	5,951	6.01	JCK	1.39	-	19,374	1.40	TSC	9.00	(0.25)	2	9.00
WPH	1.53	0.02	666	1.52	KC	-	-	-	-	Industrial Materials	-	-	-	-
Tourism & Leisure	-	-	-	-	KWG	0.69	(0.01)	171	0.69	ALLA	1.12	0.01	3,184	1.12
ASIA	-	-	-	-	LALIN	5.35	0.05	5,980	5.24	ASEFA	3.12	0.08	2,042	3.09
CENTEL	19.60	0.10	52,101	19.71	LH	6.55	(0.05)	381,465	6.57	CPT	0.82	0.02	1,265	0.80
CSR	-	-	-	-	LPN	3.80	0.10	84,886	3.80	CRANE	1.60	0.02	11,663	1.63
DTC	7.00	-	515	6.95	MBK	11.20	0.40	11,372	11.03	CTW	5.40	-	389	5.39
ERW	2.42	0.06	184,498	2.42	MJD	1.45	(0.02)	3,325	1.47	FMT	18.40	0.10	11	18.38
GRAND	0.52	-	1,968	0.52	MK	2.88	-	721	2.88	HTECH	3.16	(0.02)	7,483	3.19
LRH	-	-	-	-	NCH	0.85	(0.02)	218	0.85	KKC	0.56	0.01	14	0.54
MANRIN	-	-	-	-	NNCL	1.85	(0.02)	935	1.86	PK	1.56	0.07	783	1.52
OHTL	310.00	(8.00)	11	311.18	NOBLE	18.90	0.60	61,059	19.03	SNC	9.75	0.10	941	9.67
ROH	38.50	-	12	38.50	NUSA	0.26	-	26,247	0.26	STARK	1.97	0.01	43,586	1.98
SHANG	49.50	(1.75)	70	48.51	NVD	1.07	0.02	137	1.06	TCJ	3.18	-	356	3.06
SHR	1.79	-	13,763	1.79	ORI	6.65	0.10	72,955	6.60	VARO	3.88	0.04	1	3.88
VRANDA	5.50	-	947	5.50	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
Home & Office Produ	-	-	-	-	PF	0.35	0.01	47,925	0.35	AIMCG	5.90	0.05	699	5.90
ACC	0.59	-	951	0.60	PLAT	2.02	(0.02)	8,346	2.02	AIMIRT	12.20	-	594	12.20
AJA	0.11	-	2,879	0.12	POLAR	-	-	-	-	AMATAR	10.00	-	27	9.93
DTCI	-	-	-	-	PRECHA	0.84	0.01	111	0.85	B-WORK	11.50	-	3	11.50
FANCY	0.50	-	254	0.50	PRIN	1.64	-	7,138	1.64	BKER	5.60	-	1,468	5.55
KYE	306.00	(1.00)	6	305.50	PSH	10.00	(0.10)	11,594	9.95	BKCCP	11.70	-	154	11.55
L&E	1.62	-	4	1.62	QH	2.10	0.06	131,467	2.07	BOFFICE	9.95	(0.15)	1,152	10.00
MODERN	2.40	-	1,406	2.36	RICHY	0.68	-	468	0.67	CPNCG	9.45	(0.10)	2,909	9.49
OGC	-	-	-	-	RML	0.57	0.01	12,326	0.57	CPNREIT	20.00	(0.50)	5,475	20.08
ROCK	-	-	-	-	ROJNA	3.82	0.02	4,852	3.80	CPTGF	9.50	(0.10)	614	9.54
SIAM	1.39	0.01	169	1.38	S	1.24	(0.01)	5,230	1.25	CTARAF	4.90	-	1,101	4.89
TSR	3.40	0.04	24,435	3.41	SAMCO	1.19	-	131	1.17	DREIT	3.76	(0.02)	566	3.76
Insurance	-	-	-	-	SC	2.22	-	31,820	2.22	ERWPF	-	-	-	-
AYUD	-	-	-	-	SENA	2.64	0.02	9,168	2.61	FTREIT	13.00	(0.40)	8,146	13.02
BKI	275.00	-	25	274.36	SF	4.30	(0.02)	8,308	4.30	FUTUREPF	18.60	(0.10)	94	18.50
BLA	16.90	(0.30)	27,365	17.03	SIRI	0.59	0.01	243,519	0.59	GAHREIT	-	-	-	-
BUI	8.90	-	24	8.90	SPALI	16.40	0.40	25,042	16.24	GOLDPF	5.25	-	2	5.25
CHARAN	-	-	-	-	U	1.09	0.02	40,573	1.10	GVREIT	10.50	0.10	551	10.23
INSURE	-	-	-	-	UV	2.38	(0.02)	9,850	2.40	HPF	4.68	-	40	4.68
MTI	86.00	0.25	7	86.07	WHA	2.56	0.02	721,785	2.54	HREIT	7.70	(0.10)	344	7.71
NKI	-	-	-	-	WIN	0.36	-	661	0.35	IMPACT	16.80	(0.50)	4,652	16.85
NSI	66.75	(0.25)	11	66.98	Paper & Printing Mat	-	-	-	-	KNPF	-	-	-	-
SEG	24.60	(1.40)	27	25.98	UTP	13.90	0.70	31,539	13.54	LHHOTEL	9.25	(0.10)	1,364	9.32
SMK	37.00	1.00	31	36.73	Fashion	-	-	-	-	LHPF	5.25	0.15	18	5.18
THRE	1.14	0.16	614,284	1.09	AFC	-	-	-	-	LHSC	10.90	-	206	10.95
THREL	2.50	0.08	25,617	2.50	B52	0.14	-	36,834	0.14	LUXF	6.15	(0.15)	17	6.18
TIP	23.40	(0.30)	8,987	23.58	BTNC	10.00	-	2	10.00	M-II	-	-	-	-
TQM	115.50	0.50	11,904	116.62	CPH	-	-	-	-	M-PAT	2.70	-	1	2.70
TSI	0.28	-	761	0.27	CPL	1.03	(0.02)	62	1.06	M-STOR	-	-	-	-
TVI	3.30	(0.04)	1,144	3.30	ICC	28.00	0.50	1	28.00	MIPF	-	-	-	-
Mining	-	-	-	-	NC	-	-	-	-	MIT	2.90	(0.04)	295	2.91
THL	-	-	-	-	PAF	0.47	(0.02)	169	0.47	MLF	6.00	(0.30)	208	6.14
Packaging	-	-	-	-	PDJ	1.36	(0.03)	253	1.36	MNIT	1.45	0.05	55	1.42
AJ	17.50	0.20	9,662	17.58	PG	-	-	-	-	MNIT2	-	-	-	-
ALUCON	154.00	(1.00)	4	154.25	SABINA	19.70	0.30	2,297	19.59	MNRF	2.88	0.18	181	2.64
BGC	8.80	(0.55)	127,210	9.07	SAWANG	-	-	-	-	POPF	10.00	-	379	10.09
CSC	49.50	-	53	48.88	SUC	33.75	0.25	2,517	33.51	PPF	11.30	-	1	11.30
GLOCON	0.92	(0.01)	18,977	0.92	TNL	-	-	-	-	PROSPECT	9.00	(0.15)	394	9.06
NEP	0.22	0.01	626	0.23	TPCORP	-	-	-	-	QHHR	5.50	-	164	5.51
PTL	24.00	0.30	22,896	23.96	TR	21.00	(0.20)	57	21.01	QHOP	-	-	-	-
SFLEX	5.55	(0.05)	16,932	5.57	TTI	-	-	-	-	QHPF	8.85	-	4,804	8.90
SITHAI	0.61	0.01	3,928	0.59	TTT	-	-	-	-	SBPF	2.50	(0.24)	106	2.60
SLP	0.40	-	1,141	0.40	UPF	-	-	-	-	SHREIT	4.08	0.34	1,425	3.77
SMPC	9.75	(0.75)	40,900	9.96	UT	-	-	-	-	SIRIP	8.40	-	19	8.40
SPACK	3.04	(0.02)	44,299	3.13	WACOAL	-	-	-	-	SPF	11.60	(0.20)	6,542	11.65
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	7.20	(0.20)	525	7.24
TFI	0.10	-	752	0.10	AAV	1.57	0.02	121,136	1.56	SRIPANWA	7.70	-	314	7.69
THIP	25.00	-	130	25.03	AOT	54.25	0.75	242,056	53.88	SSPF	9.10	0.05	1	9.10
TMD	21.90	-	18	21.82	ASIMAR	1.37	0.02	206	1.36	SSTRT	-	-	-	-
TOPP	-	-	-	-	B	0.28	(0.01)	4,975	0.29	TIF1	8.40	-	360	8.33
TPBI	5.15	-	448	5.14	BA	5.05	-	8,338	5.00	TLGF	15.90	-	12,434	15.79
TPP	12.60	(0.30)	1,037	11.71	BEM	8.15	-	406,635	8.18	TLHPF	8.90	(0.10)	16	8.88
Personal Products &	-	-	-	-	BTS	9.05	0.05	546,760	9.08	TNPF	-	-	-	-
APCO	3.78	0.04	998	3.79	BTSIGIF	5.20	0.24	40,103	5.02	TPRIME	11.00	(0.40)	408	11.07
DDD	14.30	0.30	766	14.27	III	4.10	0.04	478	4.07	TTLPF	22.20	(0.10)	6	21.45
JCT	-	-	-	-	JUTHA	0.40	(0.01)	5	0.40	TU-PF	0.73	(0.14)	5	0.73
OCC	-	-	-	-	JWD	7.10	0.20	33,917	7.10	URBNPF	-	-	-	-
S & J	-	-	-	-	KWC	-	-	-	-	WHABT	-	-	-	-
STGT	91.75	3.25	340,583	91.01	NOK	0.59	(0.01)	293	0.60	WHART	12.30	(0.40)	7,490	12.38
STHAI	-	-	-	-	NYT	3.56	-	220,823	3.62	Steel	-	-	-	-
TNR	11.00	0.10	106	10.84	PORT	1.99	-	11,493	2.01	AMC	1.38	-	1	1.38
TOG	-	-	-	-	PRM	7.80	0.20	241,166	7.75	BSBM	0.83	-	1,756	0.83
Professional Service	-	-	-	-	PSL	4.88	0.10	76,827	4.85	CEN	0.67	0.02	5	0.67
BWG	0.44	0.01	138,193	0.44	RCL	5.25	(0.10)	25,090	5.25	CITY	1.82	(0.03)	200	1.82
GENCO	0.47	(0.01)	3,814	0.47	TFIF	9.50	0.05	50,406	9.52	CSP	0.53	0.02	120	0.51
PRO	-	-	-	-	THAI	3.02	0.02	9,099	3.02	GJS	0.08	-	2,114	0.08
SISB	8.15	0.15	5,852	8.08	TSTE	-	-	-	-	GSTEEL	-	-	-	-
SO	5.65	0.10	23,803	5.64	TTA	2.78	0.02	11,664	2.77	INOX	0.41	0.01	1,843	0.40
Property Developer	-	-	-	-	WICE	4.64	0.16	76,708	4.60	LHK	2.20			

## Main Board Quotation

Issue Date :

Tuesday October 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	ABM	0.92	0.01	1,282	-	ADVA01P2012A	0.60	0.01	33,888	-
ABICO	5.45	0.30	5,219	5.00	AGE	1.25	-	25,397	1.00	ADVA06C2010A	-	-	-	-
AU	9.00	(0.15)	15,795	9.00	AIE	0.64	0.03	133,639	-	ADVA06C2103A	0.54	(0.02)	39,830	-
JCKH	0.31	-	6	-	ETC	1.81	-	139,376	1.00	ADVA06P2011A	0.05	-	1	-
KASET	1.30	-	738	1.00	PSTC	1.64	(0.01)	36,727	1.00	ADVA08C2012A	0.15	(0.02)	2,006	-
MM	1.88	0.04	225	1.00	QTC	3.90	-	2,025	3.00	ADVA08C2103A	0.54	(0.02)	33,328	-
SUN	3.28	0.04	7,295	3.00	SAAM	1.01	0.05	2,352	-	ADVA08P2101A	0.78	0.01	13,463	-
TACC	6.10	0.05	102,209	6.00	SEAOIL	2.24	(0.02)	2,952	2.00	ADVA11C2011A	0.13	(0.01)	2	-
TMILL	3.16	-	361	3.00	SR	0.58	-	209	-	ADVA11P2011A	0.35	-	43,615	-
XO	9.65	0.25	39,518	9.00	TAKUNI	0.36	(0.01)	10,390	-	ADVA13C2012A	0.18	(0.02)	94,056	-
Consumer Products	-	-	-	-	TPCH	10.70	0.10	2,536	10.00	ADVA13C2101A	0.43	(0.02)	171,849	-
BGT	0.99	(0.01)	101	-	TRT	1.60	(0.01)	103	1.00	ADVA13P2012A	0.67	0.01	44,810	-
BIZ	3.34	-	2,299	3.00	UMS	0.28	(0.01)	1	-	ADVA19C2010A	-	-	-	-
DOD	8.30	0.25	45,741	8.00	UPA	0.17	-	3,241	-	ADVA19C2010B	-	-	-	-
ECF	1.33	0.03	149,737	1.00	UWC	0.05	-	30,802	-	ADVA19C2012A	0.18	(0.01)	92,260	-
HPT	0.81	-	539	-	Services (MAI)	-	-	-	-	ADVA19C2101A	0.34	(0.03)	13,019	-
IP	10.80	(0.10)	11,691	10.00	AS	-	-	-	-	ADVA19P2010A	-	-	-	-
JUBILE	17.10	-	232	17.00	AKP	0.75	(0.03)	4,300	-	ADVA19P2012A	0.56	0.01	136,091	-
MOONG	3.90	0.04	694	3.00	AMA	4.30	(0.02)	16,902	4.00	ADVA24C2101A	0.23	(0.01)	5,574	-
NPK	-	-	-	-	ARIP	0.40	(0.02)	709	-	ADVA28C2011A	-	-	-	-
OCEAN	0.78	-	1,389	-	ATP30	0.79	(0.01)	4,709	-	ADVA28C2012A	-	-	-	-
TM	2.28	0.02	1,824	2.00	AUCT	12.20	0.70	31,256	11.00	ADVA28C2012B	-	-	-	-
Financials (MAI)	-	-	-	-	BOL	5.45	0.15	14,514	5.00	ADVA28C2101A	0.20	(0.01)	6,085	-
ACAP	0.68	-	1,005	-	CMO	0.87	(0.01)	184	-	ADVA28C2102L	0.16	(0.01)	1,002	-
AF	0.59	(0.01)	60	-	D	3.18	0.02	482	3.00	ADVA28P2012A	0.14	-	21,294	-
AIRA	0.81	(0.02)	790	-	DV8	0.31	-	51	-	ADVA41C2010A	-	-	-	-
ASN	4.18	(0.04)	1	4.00	EFORL	0.02	(0.01)	83,952	-	ADVA41C2011A	0.10	-	51,470	-
BROOK	0.39	-	3,832	-	ETE	0.92	-	1,968	-	ADVA41C2101A	0.38	(0.01)	114,180	-
CHAYO	7.50	0.25	65,768	7.00	FSMART	7.05	0.05	11,026	7.00	ADVA41P2011A	0.29	0.01	13,872	-
GCAP	1.30	-	3,062	1.00	FVC	0.39	0.01	2,738	-	ADVA41P2101A	0.40	-	69,836	-
LIT	3.08	(0.04)	2,072	3.00	GSC	1.21	(0.01)	5,867	1.00	ADVA42C2102T	0.26	(0.01)	60	-
MITTSIB	1.03	-	620	1.00	HARN	2.08	0.02	1,838	2.00	AEON01C2102A	0.41	(0.06)	27,310	-
SGF	0.44	-	23,272	-	IMH	2.06	0.02	199	2.00	AEON13C2010A	-	-	-	-
Industrials (MAI)	-	-	-	-	JKN	9.30	0.30	98,717	9.00	AEON13C2011A	0.21	(0.09)	49,094	-
ZS	3.32	0.04	1,378	3.00	KIAT	0.54	0.01	139,917	-	AEON13C2012A	0.90	(0.13)	18,126	-
ADB	0.76	0.02	734	-	KK	1.21	0.03	44,398	1.00	AEON13C2101A	0.37	(0.10)	196,843	-
BM	2.04	0.02	330	2.00	KOOL	0.93	0.03	50,794	-	AEON19C2010A	0.02	(0.01)	55,125	-
CHO	0.48	0.01	19,839	0.48	LDC	1.16	(0.04)	2,161	1.00	AEON19C2010B	0.16	(0.10)	153,247	-
CHOW	1.48	(0.02)	20	1.00	MORE	0.76	(0.02)	181,597	-	AEON19C2011A	-	-	-	-
CIG	0.21	-	5,019	-	MPG	0.24	(0.01)	5,771	-	AEON19C2012A	0.78	(0.01)	160	-
COLOR	1.25	0.04	100	1.00	MVP	1.18	0.01	193	1.00	AEON19C2101A	0.46	(0.13)	166,583	-
CPR	2.24	0.02	420	2.00	NBC	0.52	(0.02)	229	-	AEON19C2102A	0.36	(0.10)	92,959	-
FPI	1.44	0.03	7,004	1.00	NCL	0.62	0.02	269	-	AEON28C2012A	0.65	(0.13)	37	-
GTB	0.72	-	7,457	-	NEWS	0.01	-	6,990	-	AEON28C2101A	-	-	-	-
KCM	0.43	-	278	-	NINE	1.65	0.01	40	1.00	AEON42C2101T	0.32	(0.04)	4,255	-
KUMWEL	1.22	0.02	5,300	1.00	OTO	3.16	0.12	601	3.00	AMAT01C2101A	0.14	(0.01)	21,483	-
KWM	1.10	0.01	3,526	1.00	PHOL	2.30	0.02	1,303	2.00	AMAT06C2102A	0.12	(0.01)	67,100	-
MBAX	7.00	0.15	16,312	6.00	PICO	-	-	-	-	AMAT08C2010A	-	-	-	-
MGT	2.38	-	9,743	2.00	QLT	4.00	0.12	26	3.00	AMAT08C2101A	0.17	(0.01)	19,500	-
NDR	1.34	(0.03)	8,634	1.00	RP	1.19	-	770	1.00	AMAT13C2012A	0.07	-	323	-
PDG	3.52	0.04	200	3.00	SE	1.19	(0.03)	618	1.00	AMAT19C2011A	-	-	-	-
PIMO	2.42	0.08	112,884	2.00	SLM	-	-	-	-	AMAT19C2012A	0.06	(0.01)	8,000	-
PJW	1.27	0.03	7	1.00	SONIC	1.20	0.01	1,614	1.00	AMAT19C2101A	0.13	(0.01)	104,247	-
PPM	0.77	0.05	66	-	SPA	5.65	0.05	4,727	5.00	AMAT24C2010A	-	-	-	-
PRAPAT	1.46	(0.04)	4,508,343	1.00	THMUJ	0.69	0.01	3,688	-	AMAT28C2012A	-	-	-	-
RWI	1.32	0.02	563	1.00	TNDT	2.88	-	73	2.00	AMAT28C2101A	0.08	-	14,250	-
SALEE	0.67	0.02	583	-	TNH	31.25	(0.50)	1	31.00	AMAT28C2102L	0.06	-	2,000	-
SANKO	0.96	(0.01)	366	-	TNP	3.28	0.08	14,137	3.00	AMAT28C2103A	0.17	(0.01)	21,294	-
SELIC	2.00	0.01	2,210	2.00	TSF	-	-	-	-	AMAT42C2101T	0.05	-	1,000	-
SWC	4.34	-	332	4.00	TVD	0.94	(0.01)	13,605	-	AOT01C2012A	0.39	0.02	102,909	-
TMC	0.65	(0.01)	641	-	TVT	0.67	-	697	-	AOT01C2102A	0.36	0.02	109,472	-
TMI	0.61	-	50	-	VL	1.00	-	12,121	-	AOT01C2102T	0.27	0.01	83,690	-
TMW	29.00	0.25	89	28.00	WINNER	2.42	(0.04)	3,023	2.00	AOT01P2012A	0.17	(0.02)	93,880	-
TPAC	13.00	-	3,912	13.00	YGG	11.30	0.30	3,525	11.00	AOT01P2012B	0.56	(0.06)	72,037	-
TPLAS	1.54	0.01	1,557	1.00	Technology (MAI)	-	-	-	-	AOT01P2102T	0.52	(0.03)	49,834	-
UBIS	5.00	0.10	350	4.00	APP	2.44	0.08	38,745	2.00	AOT06C2011A	0.04	-	24,351	-
UEC	0.84	-	1,597	-	COMAN	2.00	-	346	2.00	AOT06C2102A	0.32	0.03	98,592	-
UKEM	0.50	-	54,513	-	ICN	2.02	0.02	13,100	2.00	AOT06P2011A	0.48	(0.10)	19,391	-
UREKA	0.79	-	1,549	-	IIG	19.70	0.30	13,127	19.00	AOT08C2101A	0.29	0.02	42,111	-
YUASA	14.40	0.10	147	14.00	INSET	3.42	0.04	71,287	3.00	AOT08P2102A	0.68	(0.03)	58,633	-
ZIGA	2.06	0.04	41,401	2.00	IRCP	0.69	(0.02)	12,214	-	AOT11C2011A	0.14	0.01	58,575	-
Property & Construc	-	-	-	-	ITEL	2.92	0.12	23,987	2.00	AOT11P2101A	0.37	(0.02)	80,520	-
ALL	2.98	-	22,690	2.00	NETBAY	25.75	(0.25)	1,970	25.00	AOT13C2011A	0.03	0.01	16,840	-
ARIN	0.93	-	836	-	PLANET	1.18	0.03	4,541	1.00	AOT13C2012A	0.25	0.03	240,686	-
ARROW	6.85	(0.10)	105	6.00	SICT	4.02	0.02	26,144	3.00	AOT13C2101A	0.20	0.01	487,154	-
BC	0.84	0.03	267	-	SIMAT	3.90	0.14	3,543	3.00	AOT13P2010A	0.02	(0.04)	1,342	-
BSM	0.26	-	1,038	-	SKY	12.50	0.20	624	12.00	AOT13P2011A	0.08	(0.03)	90,363	-
BTW	0.78	(0.01)	491	-	SPVI	3.30	0.16	186,069	3.00	AOT13P2101A	0.52	(0.04)	867,450	-
CAZ	1.47	0.05	910	1.00	TPS	2.40	0.08	27,383	2.00	AOT16C2012A	0.29	0.02	27,498	-
CHEWA	0.48	0.01	31,243	-	VCOM	5.20	0.05	21,948	5.00	AOT19C2011A	-	-	-	-
CMC	0.68	0.01	2,483	-	Unit Trust	-	-	-	-	AOT19C2011B	0.06	-	86,890	-
CRD	0.42	0.01	14	-	SCBSET	-	-	-	-					

## Main Board Quotation

## Issue Date :

Tuesday October 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP08C2101A	0.18	0.02	24,946	-	BCPG19C2011A	-	-	-	-	BTS13C2011A	0.01	(0.02)	1,999	-
AP13C2011A	0.07	-	14,585	-	BCPG19C2012A	0.11	0.01	60,109	-	BTS13C2012A	0.06	-	5,123	-
AP19C2010A	-	-	-	-	BCPG19C2101A	0.22	-	101,586	-	BTS13C2102A	0.29	0.02	137,414	-
AP19C2011A	0.10	-	30,001	-	BCPG28C2012A	-	-	-	-	BTS13P2011A	0.12	(0.01)	136,939	-
AP28C2012A	-	-	-	-	BCPG28C2012B	-	-	-	-	BTS13P2102A	0.33	(0.67)	158,458	-
AP28C2012B	0.10	0.01	16,084	-	BCPG28C2012C	-	-	-	-	BTS19C2010A	-	-	-	-
AWC01C2101A	0.18	-	10,976	-	BCPG28C2010A	0.09	-	2,004	-	BTS19C2011A	-	-	-	-
AWC06C2011A	-	-	-	-	BCPG28C2103L	0.13	-	12,090	-	BTS19C2012A	0.17	0.01	35,936	-
AWC06C2103A	0.22	(0.02)	11,445	-	BDMS01C2010A	0.17	(0.02)	49,330	-	BTS19P2012A	0.14	(0.02)	31,706	-
AWC06P2012A	0.65	(0.02)	15,366	-	BDMS06C2102A	0.14	(0.01)	47,615	-	BTS24C2012A	-	-	-	-
AWC08C2012A	-	-	-	-	BDMS08C2011A	-	-	-	-	BTS41C2010A	-	-	-	-
AWC11C2102A	0.19	-	10,200	-	BDMS08C2101A	-	-	-	-	BTS41C2012A	-	-	-	-
AWC13C2010B	-	-	-	-	BDMS11C2011A	0.13	(0.01)	44,840	-	CBG01C2012A	0.21	0.02	85,778	-
AWC13C2011A	0.02	-	7	-	BDMS13C2011A	0.02	(0.01)	5,900	-	CBG01C2102A	0.54	0.05	135,504	-
AWC13C2101A	0.09	-	21,284	-	BDMS13C2012A	0.07	(0.01)	57,824	-	CBG01P2012A	0.41	(0.06)	89,199	-
AWC13P2011A	0.33	(0.01)	67,122	-	BDMS13C2101A	0.24	(0.01)	138,605	-	CBG01P2102A	0.75	(0.06)	59,611	-
AWC19C2010A	-	-	-	-	BDMS13P2102A	0.39	0.02	130,025	-	CBG06C2011A	0.16	0.01	65,147	-
AWC19C2010B	-	-	-	-	BDMS19C2010A	-	-	-	-	CBG08C2012A	0.39	0.04	44,353	-
AWC19C2010C	-	-	-	-	BDMS19C2011A	-	-	-	-	CBG11C2101A	0.42	0.03	29,527	-
AWC19C2010A	0.12	-	10,000	-	BDMS19C2012A	0.07	(0.01)	12,680	-	CBG13C2011A	0.21	0.03	41,775	-
AWC19C2012A	0.20	-	31,921	-	BDMS19C2102A	0.19	(0.01)	74,075	-	CBG13C2012A	0.17	0.02	168,032	-
AWC19P2011A	0.29	(0.02)	46,817	-	BDMS19P2010A	-	-	-	-	CBG13C2101A	0.44	0.04	351,462	-
AWC24C2010A	-	-	-	-	BDMS19P2102A	0.41	0.02	47,162	-	CBG13P2011A	0.14	(0.02)	4,206	-
AWC24C2103A	0.28	(0.72)	6,400	-	BDMS24C2010A	0.17	-	522	-	CBG13P2101A	0.71	(0.06)	178,402	-
AWC28C2012A	-	-	-	-	BDMS28C2011A	-	-	-	-	CBG16C2101A	0.47	0.04	39,598	-
AWC28C2012B	-	-	-	-	BDMS28C2012A	0.01	(0.02)	8,000	-	CBG19C2010A	0.79	(0.41)	18	-
AWC28C2101A	0.08	0.01	2,000	-	BDMS28C2012B	-	-	-	-	CBG19C2011A	0.37	0.04	99,034	-
AWC28C2103L	-	-	-	-	BDMS28C2101A	0.06	(0.02)	4,000	-	CBG19C2011B	0.09	0.01	93,434	-
AWC41C2010A	-	-	-	-	BDMS28C2102A	0.10	(0.01)	25,336	-	CBG19C2101A	0.34	0.02	355,626	-
AWC41C2011A	-	-	-	-	BDMS41C2012A	-	-	-	-	CBG19P2010A	-	-	-	-
AWC41C2102A	0.07	(0.01)	19,916	-	BDMS41P2011A	0.75	0.03	7,896	-	CBG19P2011A	0.05	(0.02)	126	-
AWC42C2101T	-	-	-	-	BDMS42C2101T	-	-	-	-	CBG19P2012A	0.53	(0.06)	261,394	-
BANP01C2101A	0.38	0.05	59,065	-	BEM01C2101A	-	-	-	-	CBG41C2010A	-	-	-	-
BANP01P2101A	0.31	(0.05)	57,438	-	BEM08C2102A	-	-	-	-	CBG41C2011A	-	-	-	-
BANP06C2010A	-	-	-	-	BEM11C2011A	-	-	-	-	CBG41C2011B	0.22	0.04	57,186	-
BANP06C2101A	0.39	0.07	106,347	-	BEM13C2010A	-	-	-	-	CBG41C2012A	0.09	0.02	4,205	-
BANP06P2011A	0.10	(0.05)	39,175	-	BEM13C2011A	-	-	-	-	CBG41P2010A	-	-	-	-
BANP08C2102A	0.37	0.05	24,050	-	BEM13C2101A	0.19	(0.01)	151,906	-	CBG41P2012A	0.74	(0.09)	39,037	-
BANP08P2102A	0.33	(0.07)	27,928	-	BEM13P2102A	0.32	(0.68)	55,601	-	CBG42C2101T	0.59	0.05	58,340	-
BANP13C2011A	0.11	-	2	-	BEM19C2010A	-	-	-	-	CENT01C2103A	0.44	-	13,772	-
BANP13C2012A	0.28	0.06	441,834	-	BEM19C2011A	-	-	-	-	CENT08C2012A	0.12	-	4,675	-
BANP13P2012A	0.15	(0.04)	35,986	-	BEM19C2101A	0.17	(0.01)	7,410	-	CENT11C2012A	-	-	-	-
BANP16C2101A	0.27	0.03	13,681	-	BEM19P2010A	-	-	-	-	CENT13C2010A	-	-	-	-
BANP19C2010A	-	-	-	-	BEM28C2012A	-	-	-	-	CENT13C2011A	0.05	(0.02)	1,050	-
BANP19C2012A	0.31	0.06	52,209	-	BEM28C2103A	0.17	-	30,420	-	CENT13C2101A	0.29	-	114,714	-
BANP19C2102A	0.24	0.05	84,477	-	BEM28C2104L	0.17	0.01	9,126	-	CENT13P2011A	0.30	(0.02)	116,752	-
BANP19P2010A	-	-	-	-	BGR101C2012A	0.06	(0.01)	5,000	-	CENT19C2010A	-	-	-	-
BANP19P2010B	0.08	(0.04)	2	-	BGR101C2102A	0.35	(0.03)	61,192	-	CENT19C2011A	-	-	-	-
BANP19P2012A	0.08	(0.03)	9,307	-	BGR101P2012A	0.39	0.03	48,369	-	CENT19C2011B	0.08	(0.01)	1,203	-
BANP24C2011A	-	-	-	-	BGR106C2102A	0.29	(0.04)	69,395	-	CENT19C2101A	0.25	-	14,293	-
BANP28C2012A	0.14	0.02	26,336	-	BGR106P2011A	0.39	0.04	46,425	-	CENT19P2011A	0.28	(0.02)	7,503	-
BANP28C2012B	0.13	0.03	45,760	-	BGR108C2101A	0.22	(0.04)	41,000	-	CENT24C2011A	0.08	(0.01)	31	-
BANP28C2101A	0.33	0.05	47,200	-	BGR111C2010A	0.12	(0.01)	1,220	-	CENT28C2012A	-	-	-	-
BANP41C2010A	-	-	-	-	BGR113C2011A	-	-	-	-	CENT28C2012B	0.03	(0.05)	10,000	-
BANP42C2012T	0.09	-	100	-	BGR113C2012A	0.14	(0.03)	76,487	-	CENT28C2101A	0.10	(0.01)	16,274	-
BBL06C2101A	0.28	0.02	79,029	-	BGR113C2101A	0.22	(0.03)	72,354	-	CENT28C2101B	0.04	-	50	-
BBL06P2011A	0.48	(0.08)	53,943	-	BGR113P2011A	-	-	-	-	CENT28C2103L	0.15	-	28,396	-
BBL08C2101A	0.14	0.01	3,917	-	BGR113P2101A	0.27	0.02	159,720	-	CHG06C2102A	0.17	0.03	21,202	-
BBL08P2102A	0.98	(0.07)	17,723	1.00	BGR119C2011A	0.02	-	2	-	CHG13C2010A	-	-	-	-
BBL11C2011A	0.13	0.02	15,330	-	BGR119C2012A	0.08	(0.03)	24,103	-	CHG13C2012A	0.12	0.02	32,819	-
BBL11P2102A	0.71	(0.05)	33,815	-	BGR119C2101A	0.26	(0.04)	131,642	-	CHG19C2011A	-	-	-	-
BBL13C2010B	-	-	-	-	BGR119P2010A	0.14	0.01	125,456	-	CK01C2101A	0.12	-	30,879	-
BBL13C2012A	0.10	-	110,636	-	BGR124C2010A	0.28	(0.04)	25,632	-	CK01P2101A	0.68	(0.02)	51,999	-
BBL13C2012B	0.29	0.03	588,021	-	BGR127C2101A	-	-	-	-	CK06C2102A	0.13	-	47,078	-
BBL13P2012A	0.64	(0.05)	107,227	-	BGR127P2012A	0.27	0.02	8,314	-	CK06P2012A	-	-	-	-
BBL19C2010A	-	-	-	-	BGR141C2010A	-	-	-	-	CK11C2012A	-	-	-	-
BBL19C2011A	0.02	-	500	-	BGR141C2012A	0.26	(0.06)	21,734	-	CK13C2010A	-	-	-	-
BBL19C2011B	-	-	-	-	BGR141C2101A	0.09	(0.03)	11,914	-	CK13C2012A	-	-	-	-
BBL19C2012A	0.24	0.02	210,542	-	BGR142C2101T	0.03	(0.03)	1,000	-	CK19C2010A	-	-	-	-
BBL19C2101A	0.17	0.01	278,954	-	BH01C2103A	0.20	(0.02)	14,619	-	CK19C2011A	-	-	-	-
BBL19C2101B	0.41	0.03	212,537	-	BH13C2012A	0.04	(0.01)	10,850	-	CK19C2012A	0.10	0.01	37,325	-
BBL19P2010A	-	-	-	-	BH13C2101A	0.30	(0.03)	37,600	-	CK19C2103A	0.25	(0.75)	54,342	-
BBL19P2011A	0.57	(0.06)	134,628	-	BH13P2101A	0.54	0.03	212,660	-	CK19P2011A	-	-	-	-
BBL19P2012A	0.42	(0.05)	216,235	-	BH19C2012A	0.06	(0.02)	12,850	-	CK24C2102A	0.11	-	6,705	-
BBL24C2102A	0.52	(0.48)	29,184	-	BH19C2101A	0.46	(0.06)	111,608	-	CK41C2011A	-	-	-	-
BBL28C2011A	-	-	-	-	BH19P2012A	0.60	0.03	143,635	-	CK41C2012A	0.06	0.01	3,800	-
BBL28C2012A	-	-	-	-	BH24C2102A	0.12	(0.02)	5,543	-	CK42C2101T	-	-	-	-
BBL28C2101A	0.07	-	1	-	BH41C2012A	-	-	-	-	CKP01C2101A	-	-	-	-
BBL28C2103A	0.53	0.02	94,723	-	BJC01C2101A	0.14	(0.01)	4,760	-	CKP01P2101A	0.73	0.01	15,284	-
BBL28C2104L	0.10	-	4,342	-	BJC01P2101A	0.54	0.02	32,554	-	CKP06C2012A	0.05	(0.01)	28,170	-
BBL41C2011A	-	-	-	-	BJC06C2102A	0.09	-	20,440	-	CKP08C2010A	-	-	-	-
BBL41C2012A	0.24	0.01	95,000	-	BJC11C2102A	0.13	(0.01)	8,540	-	CKP08C2012A	-	-	-	-
BBL41C2012B	-	-	-	-	BJC13C2011A	-	-	-	-	CKP11C2102A	0.10	(0.01)	92	-
BBL41P2010A	-	-	-	-	BJC13C2012A	-	-	-	-	CKP13C2011A	0.03	-	100	-
BBL41P2011A	0.29	(0.05)	10,588	-	BJC13C2101A	0.15	(0.01)	46,380	-	CKP13C2101A	0.09	(0.01)	890	-
BBL41P2102A	1.09	0.09	148,720	1.00	BJC13P2012A	0.34	0.02	22,963	-	CKP16C2012A	0.02	(0.01)	1,030	-
BBL42C2101T	0.04	-	1,999	-	BJC19C2010A	-	-	-	-	CKP19C2010A	-	-	-	-
BBL42P2102T	0.42	(0.03)	8,014	-	BJC19C2010B	-	-	-	-	CKP19C2011A	0.11	(0.01)	24,769	-
BCH01C2101A	0.21	0.01	17,734	-	BJC19C2012A	-	-	-	-	CKP19C2011B	-	-	-	-
BCH06C2011A	-	-	-	-	BJC19C2103A	0.20	-	37,579	-	CKP19C2101A</				

## Main Board Quotation

## Issue Date :

Tuesday October 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM713C2010B	-	-	-	-	CRC19C2012A	0.06	0.01	9,000	-	ESSO19C2010A	-	-	-	-
COM713C2011A	0.24	-	10,231	-	CRC19C2010A	0.15	0.03	42,935	-	ESSO19C2011A	0.02	(0.01)	1,056	-
COM713C2101A	0.26	-	104,100	-	CRC19P2011A	0.16	(0.03)	75,112	-	ESSO19C2012A	0.09	(0.01)	18,900	-
COM716C2101A	0.30	(0.01)	22,507	-	CRC24C2101A	0.08	0.01	5,318	-	ESSO19C2103A	0.25	(0.01)	9,714	-
COM719C2010A	-	-	-	-	CRC28C2011A	-	-	-	-	ESSO19P2012A	0.30	(0.01)	215,917	-
COM719C2011A	-	-	-	-	CRC28C2012A	0.03	0.01	52,901	-	ESSO24C2012A	0.05	(0.02)	200	-
COM719C2011B	0.34	(0.01)	49,559	-	CRC28C2010A	0.09	-	8,414	-	ESSO28C2010A	0.06	(0.01)	70	-
COM719C2012A	0.23	-	209,277	-	CRC41C2010A	-	-	-	-	ESSO28C2101B	0.08	(0.01)	4,000	-
COM719P2011A	-	-	-	-	CRC41C2012A	-	-	-	-	ESSO41C2010A	-	-	-	-
COM719P2012A	0.11	0.01	194,072	-	DEL13C2011A	8.70	0.05	9	8.00	ESSO41C2011A	-	-	-	-
COM719P2101A	0.32	(0.01)	299,304	-	DOHO06C2012A	0.26	(0.01)	54,403	-	ESSO42C2101T	0.10	-	4	-
COM724C2012A	0.28	0.01	29,540	-	DOHO08C2012A	0.35	0.01	45,138	-	GFPT08C2011A	-	-	-	-
COM741C2101A	0.21	(0.01)	59,645	-	DOHO11C2101A	0.35	0.01	36,375	-	GFPT13C2101A	-	-	-	-
CPAL01C2101A	0.17	-	21,384	-	DOHO13C2011A	0.14	(0.01)	33,831	-	GFPT19C2101A	0.01	-	70	-
CPAL01P2101A	0.59	0.01	33,199	-	DOHO13C2101A	0.18	-	118,016	-	GFPT19C2101B	-	-	-	-
CPAL06C2011A	0.01	(0.01)	2	-	DOHO19C2011A	0.19	(0.01)	109,809	-	GFPT19C2102A	0.10	(0.01)	7,094	-
CPAL06C2102A	0.14	(0.01)	48,355	-	DOHO19C2101A	0.21	-	73,570	-	GFPT24C2012A	-	-	-	-
CPAL06P2012A	0.60	(0.02)	62,617	-	DOHO28C2012A	0.19	-	64,679	-	GFPT42C2101T	-	-	-	-
CPAL08C2011A	-	-	-	-	DOHO28C2102L	0.20	-	52,086	-	GLOB01C2012A	0.07	(0.03)	25	-
CPAL08C2102A	0.23	-	17,000	-	DOHO42C2012T	0.18	(0.01)	24	-	GLOB13C2011A	0.11	0.01	47,189	-
CPAL08P2101A	-	-	-	-	DTAC01C2101A	0.13	-	29,408	-	GLOB19C2010A	0.19	0.03	35,108	-
CPAL11C2012A	-	-	-	-	DTAC01P2101A	0.32	-	46,373	-	GLOB19C2012A	0.15	0.01	114,338	-
CPAL13C2011A	-	-	-	-	DTAC06C2012A	-	-	-	-	GLOB24C2010A	0.10	0.01	500	-
CPAL13C2012A	0.08	(0.01)	20,216	-	DTAC06C2103A	0.26	(0.02)	49,024	-	GPSCO1C2012A	-	-	-	-
CPAL13C2101A	0.24	(0.01)	149,598	-	DTAC06P2012A	0.59	0.01	10	-	GPSCO1C2101A	0.26	(0.05)	47,282	-
CPAL13P2011A	0.36	-	41,500	-	DTAC08C2012A	-	-	-	-	GPSCO1P2012A	0.78	0.07	45,130	-
CPAL19C2010A	-	-	-	-	DTAC08C2101A	0.13	-	6,500	-	GPSCO6C2011A	-	-	-	-
CPAL19C2011A	-	-	-	-	DTAC13C2011A	-	-	-	-	GPSCO6C2101A	0.09	(0.03)	24,240	-
CPAL19C2012A	0.11	(0.01)	110,491	-	DTAC13C2012A	0.09	(0.01)	2,000	-	GPSCO6P2011A	-	-	-	-
CPAL19C2102A	0.22	(0.01)	91,656	-	DTAC13C2101A	0.13	-	167,215	-	GPSCO8C2101A	0.14	(0.02)	11,534	-
CPAL19P2010A	-	-	-	-	DTAC13P2011A	-	-	-	-	GPSC11C2102A	0.23	(0.03)	12,000	-
CPAL19P2010B	0.27	(0.01)	24,122	-	DTAC13P2101A	0.24	-	102,930	-	GPSC13C2011A	-	-	-	-
CPAL19P2101A	0.46	-	109,418	-	DTAC19C2010A	-	-	-	-	GPSC13C2012A	0.05	(0.02)	11,944	-
CPAL24C2103A	0.34	(0.66)	18,953	-	DTAC19C2011A	-	-	-	-	GPSC13C2012B	0.11	(0.03)	41,802	-
CPAL27C2101A	-	-	-	-	DTAC19C2012A	0.07	-	34,310	-	GPSC13C2101A	0.30	(0.06)	523,337	-
CPAL28C2012A	-	-	-	-	DTAC19C2101A	0.15	-	22,335	-	GPSC13P2011A	-	-	-	-
CPAL28C2012B	-	-	-	-	DTAC19P2011A	0.29	(0.01)	91,675	-	GPSC13P2011B	0.33	0.05	115,108	-
CPAL28C2012C	-	-	-	-	DTAC24C2012A	-	-	-	-	GPSC19C2010A	-	-	-	-
CPAL28C2102A	0.10	(0.01)	17,968	-	DTAC28C2012A	-	-	-	-	GPSC19C2012A	0.08	(0.03)	31,988	-
CPAL28C2104L	0.13	-	21,353	-	DTAC28C2102A	-	-	-	-	GPSC19C2101A	0.16	(0.05)	210,445	-
CPAL41C2010A	-	-	-	-	DTAC28C2103A	0.18	-	47,725	-	GPSC19C2101B	0.27	(0.06)	270,636	-
CPAL41C2011A	-	-	-	-	DTAC28C2104L	0.15	-	15,210	-	GPSC19P2010A	0.05	(0.02)	55,000	-
CPAL41C2101A	0.19	(0.01)	86,000	-	DTAC41C2010A	-	-	-	-	GPSC19P2011A	-	-	-	-
CPAL41P2011A	0.60	0.01	18,572	-	DTAC41P2011A	-	-	-	-	GPSC19P2012A	0.54	0.07	151,510	-
CPAL41P2101A	0.57	(0.01)	112,234	-	DTAC41C2012A	0.06	(0.04)	1,000	-	GPSC24C2011A	-	-	-	-
CPAL42C2101T	-	-	-	-	DTAC42C2101T	-	-	-	-	GPSC28C2011A	0.01	(0.02)	500	-
CPF01C2012A	-	-	-	-	EA06C2010A	0.01	-	4,894	-	GPSC28C2101A	0.11	(0.03)	18,252	-
CPF01C2101A	0.12	-	6,361	-	EA06C2102A	0.30	(0.06)	93,208	-	GPSC28C2103A	0.38	(0.05)	79,966	-
CPF01P2012A	0.51	0.03	19,809	-	EA06P2012A	0.35	0.03	48,265	-	GPSC28C2104L	0.15	(0.02)	39,548	-
CPF06C2010A	-	-	-	-	EA08C2101A	0.31	(0.03)	18,968	-	GPSC41C2011A	-	-	-	-
CPF06C2102A	0.11	(0.01)	92,776	-	EA11C2101A	0.10	-	620	-	GPSC41C2012A	-	-	-	-
CPF06P2011A	0.17	(0.01)	56,031	-	EA13C2011A	0.04	(0.01)	411,827	-	GPSC41P2010A	0.91	0.15	1	-
CPF08C2010A	-	-	-	-	EA13C2012A	0.14	(0.02)	208,269	-	GPSC42C2101T	-	-	-	-
CPF08C2102A	0.12	-	4,000	-	EA13C2101A	0.30	(0.05)	190,892	-	GULF01C2012A	0.09	(0.01)	1,040	-
CPF11C2010A	-	-	-	-	EA13P2011A	0.46	0.06	57,228	-	GULF01C2102A	0.23	(0.01)	26,379	-
CPF13C2011A	-	-	-	-	EA13P2101A	0.22	0.01	71,347	-	GULF01P2012A	0.18	(0.01)	11,777	-
CPF13C2012A	0.04	(0.01)	6,101	-	EA16C2012A	0.08	(0.02)	103,963	-	GULF01P2102A	0.33	(0.01)	30,582	-
CPF13C2101A	0.09	-	49,266	-	EA19C2010A	0.01	(0.03)	235	-	GULF06C2101A	0.15	(0.01)	7,400	-
CPF13P2012A	-	-	-	-	EA19C2012A	0.14	(0.03)	87,607	-	GULF08C2012A	0.05	(0.02)	1,911	-
CPF13P2101A	0.26	0.01	139,320	-	EA19C2101A	0.31	(0.05)	78,537	-	GULF08C2102A	0.22	(0.01)	19,000	-
CPF16C2012A	-	-	-	-	EA19P2011A	0.18	0.01	89,136	-	GULF11C2011A	-	-	-	-
CPF19C2010A	-	-	-	-	EA19P2011B	0.24	0.02	147,744	-	GULF13C2011A	-	-	-	-
CPF19C2012A	0.03	(0.01)	30,200	-	EA24C2101A	0.24	(0.03)	21,406	-	GULF13C2012A	0.05	(0.01)	1,006	-
CPF19C2102A	0.13	-	120,888	-	EA28C2011A	-	-	-	-	GULF13C2012B	0.11	(0.01)	187,364	-
CPF19P2010A	-	-	-	-	EA28C2012A	0.11	(0.02)	14,196	-	GULF13P2011A	0.13	0.01	36,619	-
CPF19P2012A	0.50	0.02	60	-	EA28C2101A	0.11	(0.01)	22,280	-	GULF13P2101A	0.23	0.01	183,149	-
CPF19P2101A	0.29	0.01	79,088	-	EA28C2102A	0.19	(0.03)	49,272	-	GULF16C2012A	-	-	-	-
CPF24C2012A	-	-	-	-	EA28C2103L	0.11	(0.01)	8,302	-	GULF19C2010A	-	-	-	-
CPF28C2011A	-	-	-	-	EA41C2011A	-	-	-	-	GULF19C2010B	-	-	-	-
CPF28C2012A	0.03	-	1,511	-	EA41C2101A	0.10	(0.01)	6,958	-	GULF19C2012A	0.07	(0.01)	1,500	-
CPF28C2012B	0.01	(0.02)	373	-	EA42C2101T	0.14	(0.02)	9	-	GULF19C2101A	0.13	(0.01)	347,810	-
CPF28C2102A	-	-	-	-	EGCO01C2101A	0.08	(0.03)	15,183	-	GULF19P2010A	0.03	-	103,700	-
CPF28C2103A	0.11	(0.01)	9,126	-	EGCO01P2101A	0.94	0.08	59,406	-	GULF19P2010B	0.18	0.01	155	-
CPF28C2103L	-	-	-	-	EGCO06C2010A	0.01	-	4,965	-	GULF19P2012A	0.27	-	211,078	-
CPF41C2010A	-	-	-	-	EGCO13C2011A	-	-	-	-	GULF24C2101A	0.12	(0.01)	3,875	-
CPF41C2101A	-	-	-	-	EGCO13C2012A	0.07	(0.02)	12,390	-	GULF28C2012A	0.01	(0.01)	8,501	-
CPF41P2011A	0.43	-	741	-	EGCO13C2012B	0.11	(0.03)	16,676	-	GULF28C2012B	-	-	-	-
CPF42C2101T	0.02	(0.01)	41,002	-	EGCO13C2101A	0.40	(0.08)	68,961	-	GULF28C2101A	-	-	-	-
CPN01C2012A	-	-	-	-	EGCO13P2011A	0.91	0.09	75,083	-	GULF28C2102A	0.09	(0.01)	18,150	-
CPN01C2101A	0.22	(0.01)	64,943	-	EGCO19C2010A	-	-	-	-	GULF41C2011A	-	-	-	-
CPN01P2012A	0.59	(0.01)	49,397	-	EGCO19C2011A	-	-	-	-	GULF41C2012A	0.07	(0.01)	3,958	-
CPN11C2101A	0.07	-	400	-	EGCO19C2012A	0.03	(0.02)	6,779	-	GULF41C2102A	-	-	-	-
CPN13C2011A	-	-	-	-	EGCO19C2012B	0.23	(0.08)	141,350	-	GULF41P2011A	0.34	0.05	12,872	-
CPN13C2012A	0.07	(0.03)	13,848	-	EGCO19P2011A	1.09	0.10	35,536	1.00	GULF41P2012A	0.26	0.01	52,850	-
CPN19C2010A	-	-	-	-	EGCO19P2012A	0.74	0.07	63,760	-	GULF42C2101M	-	-	-	-
CPN19C2011A	0.02	0.01	400	-	EGCO41C2101A	0.06	(0.02)	515	-	GULF42C2101T	-	-	-	-
CPN19C2012A	-	-	-	-	EGCO42C2101T	-	-	-	-	GULF42P2101T	0.26	0.01	1,252	-
CPN19C2102A	0.18	-	103,007	-	EPG13C2011A	0.06	(0.01)	72,030	-	GUNKO1C2012A	0.10	0.02	10	-
CPN19P2010A	0.16	(0.01)	657	-	EPG13C2012A	0.05	-	24,000	-	GUNK13C2011A	-	-	-	-
CPN24C2011A	-	-	-	-	EPG19C2010A	-	-	-	-	GUNK13C2101A				

## Main Board Quotation

Issue Date :

Tuesday October 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HANA19C2012A	0.41	(0.02)	312,999	-	IVL01P2012A	0.51	0.01	44,715	-	KBAN28C2101A	0.13	0.03	34,921	-
HANA19C2101A	0.34	(0.02)	830,068	-	IVL06C2101A	0.22	(0.03)	188,038	-	KBAN28C2103A	0.46	0.09	195,027	-
HANA19P2011A	0.02	0.01	100	-	IVL06C2103A	0.60	(0.06)	192,675	-	KBAN28C2104L	0.18	0.03	44,325	-
HANA24C2012A	0.70	-	8,848	-	IVL06P2011A	0.33	0.02	140,804	-	KBAN28P2012A	0.33	(0.08)	51,414	-
HANA27P2012X	0.07	-	352	-	IVL08C2101A	0.28	(0.03)	30,535	-	KBAN41C2011A	-	-	-	-
HANA28C2012A	-	-	-	-	IVL08P2011A	0.13	-	16,446	-	KBAN41C2012A	0.10	0.02	19,884	-
HANA41C2012A	0.51	-	6,485	-	IVL08P2102A	0.60	0.03	52,708	-	KBAN41C2101A	0.24	0.06	91,526	-
HANA42C2101T	0.48	0.01	1,195	-	IVL11C2012A	-	-	-	-	KBAN41P2010A	-	-	-	-
HMPRO1C2012A	0.07	0.02	4	-	IVL13C2011A	-	-	-	-	KBAN41P2011A	-	-	-	-
HMPRO1P2012A	0.44	(0.04)	61,806	-	IVL13C2012A	0.15	(0.04)	528,555	-	KBAN41P2101B	0.68	(0.32)	86,860	-
HMPRO6C2010A	-	-	-	-	IVL13C2012B	0.04	(0.02)	20	-	KBAN42C2101T	0.12	0.02	12	-
HMPRO6C2102A	0.23	0.02	145,320	-	IVL13C2101A	0.43	(0.04)	200,122	-	KBAN42P2101T	0.90	(0.13)	6,575	-
HMPRO6P2011A	0.08	(0.04)	39,171	-	IVL13P2012A	0.27	0.03	344,663	-	KCE01C2012A	0.53	-	60,912	-
HMPR11C2011A	0.15	0.01	34,280	-	IVL19C2010A	-	-	-	-	KCE01C2101A	0.58	-	47,627	-
HMPR13C2012A	0.12	0.01	255,731	-	IVL19C2010B	-	-	-	-	KCE01P2011A	0.08	(0.01)	490	-
HMPR19C2010A	0.02	(0.07)	500	-	IVL19C2011A	0.08	(0.01)	30,519	-	KCE01P2101A	0.33	(0.01)	73,911	-
HMPR19C2102A	0.20	0.03	101,750	-	IVL19C2012A	0.24	(0.04)	673,994	-	KCE06C2012A	-	-	-	-
HMPR19P2011A	0.25	(0.04)	90,183	-	IVL19C2012B	0.44	(0.05)	129,414	-	KCE06C2012B	0.93	0.01	40,327	-
HMPR41C2010A	-	-	-	-	IVL19P2010A	-	-	-	-	KCE08C2012A	0.76	0.01	375	-
HSI28C2010A	0.10	(0.03)	266,082	-	IVL19P2010B	0.06	-	31,030	-	KCE11C2101A	0.71	0.02	41,475	-
HSI28C2010B	0.02	(0.01)	525	-	IVL19P2011A	0.35	0.02	275,529	-	KCE13C2101A	0.62	0.03	3	-
HSI28C2010C	0.01	-	23	-	IVL19P2012A	0.27	0.01	192,288	-	KCE13C2012A	0.51	0.02	376,053	-
HSI28C2010L	0.01	-	4,022	-	IVL24C2012A	0.23	(0.03)	17,890	-	KCE13P2010A	-	-	-	-
HSI28C2010E	0.97	(0.05)	314,082	-	IVL28C2011A	-	-	-	-	KCE13P2012A	0.06	-	4,640	-
HSI28C2011B	0.50	(0.04)	365,748	-	IVL28C2012A	-	-	-	-	KCE13P2101A	0.13	(0.01)	38,311	-
HSI28C2011C	0.11	(0.01)	10,368	-	IVL28C2012B	-	-	-	-	KCE16C2012A	0.61	0.03	5,604	-
HSI28C2011L	0.17	(0.01)	1,692	-	IVL28C2101A	0.19	(0.02)	30,592	-	KCE19C2010A	-	-	-	-
HSI28C2012L	0.12	-	4,046	-	IVL28C2103A	0.48	(0.04)	73,999	-	KCE19C2010B	-	-	-	-
HSI28C2101L	0.15	-	7,247	-	IVL28C2104L	0.24	(0.02)	30,720	-	KCE19C2011A	0.60	0.09	2	-
HSI28C2102L	0.36	(0.01)	10,055	-	IVL41C2010A	-	-	-	-	KCE19C2012A	0.46	-	103,642	-
HSI28P2010A	0.02	(0.01)	2,400	-	IVL41C2011A	-	-	-	-	KCE19C2102A	0.42	-	366,302	-
HSI28P2010B	0.10	(0.01)	80,946	-	IVL41C2012A	0.26	(0.03)	49,188	-	KCE19P2010A	-	-	-	-
HSI28P2010C	0.41	-	215,952	-	IVL41P2010A	-	-	-	-	KCE19P2012A	0.05	-	300	-
HSI28P2010L	0.01	-	22	-	IVL41P2012A	0.47	0.01	56,232	-	KCE19P2101A	0.13	-	141,744	-
HSI28P2011A	0.66	0.01	368,159	-	IVL41P2012B	0.22	0.02	32,712	-	KCE19P2102A	0.31	(0.01)	229,644	-
HSI28P2011B	0.35	-	63,996	-	IVL42C2101T	-	-	-	-	KCE24C2010A	-	-	-	-
HSI28P2011C	0.19	(0.01)	30,285	-	JAS08C2011A	-	-	-	-	KCE27C2101X	1.12	0.04	7,604	1.00
HSI28P2011L	-	-	-	-	JAS08P2103A	0.64	(0.01)	6,573	-	KCE41C2012A	0.50	0.04	26,712	-
HSI28P2012L	0.27	-	2,001	-	JAS13C2011A	0.01	-	361	-	KCE42C2012T	1.46	0.06	1,620	1.00
HSI28P2101L	-	-	-	-	JAS13C2012A	0.10	0.02	3,462	-	KKP13C2012A	0.10	0.01	41,768	-
HSI28P2102L	0.28	-	400	-	JAS13C2101A	0.18	-	21,351	-	KKP19C2010A	-	-	-	-
HSI41C2010A	0.13	(0.04)	91,209	-	JAS19C2010A	-	-	-	-	KKP19C2011A	-	-	-	-
HSI41C2010B	-	-	-	-	JAS19C2010B	-	-	-	-	KKP19C2012A	0.12	0.02	61,400	-
HSI41C2010C	0.01	-	3,600	-	JAS19C2012A	0.07	0.01	12,000	-	KTB13C2010A	-	-	-	-
HSI41C2011A	-	-	-	-	JAS19C2101A	0.19	-	6,271	-	KTB13C2012A	0.07	-	2	-
HSI41C2011B	0.91	(0.05)	86,763	-	JAS19P2010A	0.15	(0.02)	26,210	-	KTB13C2101A	0.21	0.01	139,517	-
HSI41C2011C	0.47	(0.01)	1,373,253	-	JAS28C2011A	-	-	-	-	KTB19C2010A	-	-	-	-
HSI41C2011D	-	-	-	-	JAS28C2012A	0.03	0.02	1	-	KTB19C2011A	-	-	-	-
HSI41C2011E	-	-	-	-	JAS28C2012B	0.03	-	30,000	-	KTB19C2012A	-	-	-	-
HSI41C2012A	0.12	(0.01)	4,678	-	JAS28C2101A	0.06	-	120	-	KTB19C2101A	0.21	0.01	34,001	-
HSI41C2101A	0.13	-	2	-	JAS28C2102A	0.13	-	5,577	-	KTB19P2012A	0.54	(0.02)	34,272	-
HSI41P2010A	0.56	(1.30)	2	-	JAS41C2011A	-	-	-	-	KTB24C2101A	0.16	-	6,966	-
HSI41P2010B	0.15	(0.03)	1,280	-	JAS41C2102A	0.18	-	9,958	-	KTB28C2011A	-	-	-	-
HSI41P2010C	-	-	-	-	JMT06C2012A	0.33	0.02	77,420	-	KTB28C2012A	-	-	-	-
HSI41P2011A	0.37	(0.01)	2,813	-	JMT06C2103A	0.32	0.02	55,856	-	KTB28C2012B	-	-	-	-
HSI41P2011B	0.65	(0.02)	786,566	-	JMT08C2101A	0.25	-	26,927	-	KTB28C2101C	-	-	-	-
HSI41P2011C	0.35	(0.01)	7,280	-	JMT11C2102A	0.28	-	47,042	-	KTB28C2102A	0.12	-	12,126	-
HSI41P2011D	-	-	-	-	JMT13C2011A	-	-	-	-	KTC01C2012A	0.34	(0.02)	96,556	-
HSI41P2011E	-	-	-	-	JMT13C2011B	0.29	0.02	12,240	-	KTC01P2012A	-	-	-	-
HSI41P2012A	-	-	-	-	JMT13C2012A	0.17	-	269,416	-	KTC08C2011A	0.21	(0.01)	24,000	-
HSI41P2101A	-	-	-	-	JMT19C2010A	-	-	-	-	KTC11P2011A	-	-	-	-
INTU01C2101A	0.23	-	26,214	-	JMT19C2011A	-	-	-	-	KTC13C2010B	-	-	-	-
INTU01P2101A	0.62	(0.01)	4,922	-	JMT19C2012A	0.18	0.01	486,577	-	KTC13C2011A	0.32	(0.02)	205,632	-
INTU06C2103A	0.36	(0.02)	20,800	-	JMT24C2011A	0.32	0.02	22,793	-	KTC13C2101A	0.29	-	555,560	-
INTU06P2011A	0.17	(0.01)	21,500	-	JMT28C2101A	0.24	-	59,646	-	KTC13P2010A	-	-	-	-
INTU11C2103A	0.39	(0.01)	10,310	-	JMT41C2012A	0.17	0.01	68,264	-	KTC13P2012A	-	-	-	-
INTU13C2011A	-	-	-	-	JMT42C2101T	0.20	0.01	430	-	KTC13P2101A	0.35	(0.01)	176,092	-
INTU13C2011A	0.32	-	101,065	-	KBAN01C2012A	0.33	0.05	56,055	-	KTC19C2010A	-	-	-	-
INTU19C2012A	0.13	(0.01)	14,000	-	KBAN01C2012B	0.19	0.03	59,589	-	KTC19C2010B	0.15	(0.02)	20,000	-
INTU19C2101A	0.31	(0.01)	16,532	-	KBAN01C2102A	0.53	0.09	67,293	-	KTC19C2012A	0.34	(0.02)	23,243	-
INTU19P2010A	-	-	-	-	KBAN01C2102T	0.42	0.04	42,803	-	KTC19C2101A	0.27	(0.01)	137,324	-
INTU19P2012A	0.47	(0.01)	45,022	-	KBAN01P2012A	0.70	(0.19)	62,578	-	KTC19P2010A	-	-	-	-
INTU23C2111A	-	-	-	-	KBAN01P2101A	0.78	(0.13)	56,229	-	KTC19P2012A	0.13	-	203,742	-
INTU28C2012A	0.04	(0.01)	4,000	-	KBAN01P2102T	0.71	(0.08)	44,128	-	KTC19P2101A	0.38	(0.01)	285,251	-
INTU28C2102A	0.16	(0.01)	24,336	-	KBAN06C2011A	0.01	-	3,899	-	KTC24C2011A	0.32	(0.02)	10,000	-
INTU41C2012A	-	-	-	-	KBAN06C2012A	0.05	0.03	200	-	KTC28C2011A	0.01	-	1,000	-
INTU42C2101T	-	-	-	-	KBAN06C2103A	0.46	0.08	126,515	-	KTC28C2012A	0.11	-	8,212	-
IRPC01C2101A	0.11	-	13,691	-	KBAN06P2011A	0.61	(0.24)	109,854	-	KTC28C2012B	0.26	(0.01)	42,588	-
IRPC01P2101A	0.34	0.01	14,491	-	KBAN08C2011A	-	-	-	-	KTC28C2101A	-	-	-	-
IRPC06C2103A	0.22	-	20,390	-	KBAN08C2101A	0.13	0.02	14,040	-	KTC28C2103L	0.26	(0.01)	85,176	-
IRPC06P2010A	-	-	-	-	KBAN08C2103A	0.62	0.11	46,937	-	KTC41C2011A	-	-	-	-
IRPC11C2102A	0.10	(0.01)	15,740	-	KBAN08P2101A	1.12	(0.15)	4,254	1.00	KTC41C2012A	0.32	(0.02)	39,580	-
IRPC13C2011A	-	-	-	-	KBAN13C2010B	-	-	-	-	KTC42C2012T	0.15	(0.02)	3,505	-
IRPC13C2012A	-	-	-	-	KBAN13C2011A	-	-	-	-	LH01C2101A	0.14	(0.01)	23,932	-
IRPC13C2012B	0.07	(0.01)	32,023	-	KBAN13C2012A	0.08	0.02	41,886	-	LH06C2012A	0.04	(0.01)	26,500	-
IRPC13C2101A	0.34	(0.01)	5	-	KBAN13C2102B	0.17	0.04	125,144	-	LH11C2012A	0.09	-	4,040	-
IRPC13P2011A	0.36	0.02	500	-	KBAN13C2101A	0.32	0.07	698,394	-	LH13C2101A	0.13	(0.01)	92,476	-
IRPC13P2012A	0.22	-	91,896	-	KBAN13P2011A	0.87	(0.23)	12,872	-	LH19C2010A	-	-	-	-
IRPC19C2010A	-	-	-	-	KBAN13P2012A	0.73	(0.12)							

## Main Board Quotation

## Issue Date :

Tuesday October 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT01P2012B	0.78	(0.10)	72,899	-	PRM13C2012A	0.14	0.01	76,973	-	PTTE41P2011A	0.85	0.02	21,830	-
MINT01P2102T	0.64	(0.05)	58,133	-	PRM16C2012A	0.08	-	6,108	-	PTTE41P2101A	0.67	0.01	329,232	-
MINT06C2012A	0.19	0.03	158,949	-	PRM19C2010A	0.16	(0.08)	7,634	-	PTTE42C2101T	0.16	(0.01)	112	-
MINT06P2012A	0.26	(0.06)	123,096	-	PRM19C2011A	0.07	-	14,722	-	PTTE42P2101T	0.74	0.01	4,212	-
MINT06P2102A	-	-	-	-	PRM19C2101A	0.20	0.02	29,834	-	PTTG01C2102A	0.18	(0.01)	55,538	-
MINT08C2010A	0.02	-	1,000	-	PRM28C2012A	0.05	-	8,000	-	PTTG01C2102A	0.36	(0.03)	65,610	-
MINT08C2102A	0.41	0.04	68,918	-	PRM42C2101T	0.11	-	713	-	PTTG01P2012A	0.76	0.01	36,864	-
MINT08P2011A	0.30	(0.07)	26,290	-	PTG01C2101A	0.25	0.02	25,931	-	PTTG01P2102A	0.50	0.01	30,695	-
MINT08P2102A	-	-	-	-	PTG01P2012A	0.45	(0.05)	30,634	-	PTTG08C2101A	0.15	(0.01)	12,100	-
MINT11C2011A	0.21	0.03	80,111	-	PTG06C2101A	0.09	0.01	26,679	-	PTTG08P2101A	0.01	(0.06)	200	-
MINT11P2011A	0.22	(0.04)	40,560	-	PTG06C2103A	0.47	0.05	36,163	-	PTTG08P2102A	0.49	0.02	24,066	-
MINT13C2010A	-	-	-	-	PTG08C2011A	0.25	0.04	23,400	-	PTTG11C2010A	-	-	-	-
MINT13C2011A	0.06	0.02	72,885	-	PTG11C2011A	0.33	0.04	21,220	-	PTTG13C2011A	-	-	-	-
MINT13C2101A	0.29	0.04	360,178	-	PTG13C2012A	0.17	0.01	38,969	-	PTTG13C2012A	0.11	(0.01)	39,589	-
MINT13P2011A	0.20	(0.04)	103,692	-	PTG13C2012B	0.26	0.04	162,803	-	PTTG13C2101A	0.23	(0.03)	211,330	-
MINT13P2012A	0.52	(0.09)	227,444	-	PTG16C2101A	0.33	0.04	14,049	-	PTTG13P2010A	-	-	-	-
MINT16C2012A	0.16	0.03	14,527	-	PTG19C2010A	0.20	0.04	13,740	-	PTTG13P2011A	0.42	0.04	2,406	-
MINT19C2010A	-	-	-	-	PTG19C2011A	0.13	0.02	66,758	-	PTTG13P2012A	0.37	0.02	295,712	-
MINT19C2011A	0.28	0.04	422,482	-	PTG19C2012A	0.26	0.04	154,131	-	PTTG19C2011A	0.04	(0.01)	500	-
MINT19C2011B	0.06	0.01	2,217	-	PTG19P2010A	-	-	-	-	PTTG19C2012A	0.13	(0.01)	53,501	-
MINT19C2102A	0.40	(0.60)	256,173	-	PTG19P2011A	0.18	(0.04)	92,156	-	PTTG19C2101A	0.28	(0.03)	213,023	-
MINT19P2010A	0.05	(0.05)	2,576	-	PTG19P2101A	0.51	(0.06)	175,114	-	PTTG19P2010A	0.10	0.01	28,666	-
MINT19P2011A	0.15	(0.05)	222,330	-	PTG24C2102A	0.29	0.04	17,659	-	PTTG19P2011A	0.22	0.02	321,220	-
MINT19P2012A	0.66	(0.01)	31	-	PTG41C2101A	0.28	0.04	55,285	-	PTTG19P2011B	-	-	-	-
MINT19P2101A	0.46	(0.06)	254,756	-	PTG42C2101T	0.22	0.03	282	-	PTTG24C2101A	0.20	(0.01)	14,205	-
MINT24C2011A	0.12	0.02	7,557	-	PTT01C2012A	0.07	(0.01)	2,046	-	PTTG28C2011A	-	-	-	-
MINT28C2012A	-	-	-	-	PTT01C2102A	0.24	(0.02)	36,678	-	PTTG28C2012A	0.08	(0.01)	18,015	-
MINT28C2012B	-	-	-	-	PTT01P2012A	0.27	0.01	61,920	-	PTTG28C2102L	0.09	-	200	-
MINT28C2012C	0.08	0.02	22,100	-	PTT01P2102A	0.33	0.01	50,494	-	PTTG28C2103A	0.25	(0.01)	58,784	-
MINT28C2104L	0.15	0.02	30,421	-	PTT06C2012A	-	-	-	-	PTTG41C2010A	-	-	-	-
MINT41C2010A	-	-	-	-	PTT06C2102A	0.10	(0.01)	23,632	-	PTTG41C2011A	-	-	-	-
MINT41C2012A	0.28	0.04	68,073	-	PTT08C2101A	0.09	-	4,000	-	PTTG41C2101A	0.09	(0.01)	18,500	-
MINT42C2101T	0.15	0.02	2,019	-	PTT08P2101A	0.47	0.03	1,250	-	PTTG41C2102A	0.29	(0.71)	170,636	-
MINT42P2102T	0.62	(0.06)	5,356	-	PTT11C2101A	0.07	(0.01)	38	-	PTTG41P2011A	0.62	0.04	2,548	-
MTC01C2012A	0.34	0.01	59,238	-	PTT13C2012A	0.03	(0.01)	4,218	-	PTTG41P2102A	0.38	0.02	84,559	-
MTC01C2102A	0.53	0.02	48,948	-	PTT13C2012B	0.10	0.02	608	-	PTTG42C2012T	-	-	-	-
MTC06C2010A	-	-	-	-	PTT13C2101A	0.15	(0.01)	239,911	-	QH19C2012A	-	-	-	-
MTC06C2102A	0.50	0.03	67,572	-	PTT13P2010A	-	-	-	-	QH27C2101A	-	-	-	-
MTC08C2011A	0.18	-	5,800	-	PTT13P2011A	0.29	0.04	220	-	RATC01C2101A	0.22	-	828	-
MTC08C2102A	0.51	0.03	15,760	-	PTT13P2101A	0.18	-	338,157	-	RATC01P2101A	0.62	-	8,543	-
MTC11C2102A	0.47	0.02	19,320	-	PTT16C2012A	-	-	-	-	RATC06C2102A	0.19	(0.01)	6,666	-
MTC13C2010A	-	-	-	-	PTT19C2011A	-	-	-	-	RATC06P2010A	-	-	-	-
MTC13C2011A	0.21	0.01	246,346	-	PTT19C2012A	-	-	-	-	RATC11C2103A	0.45	(0.02)	14,330	-
MTC13C2101A	0.40	0.01	134,583	-	PTT19C2012B	-	-	-	-	RATC13C2012A	-	-	-	-
MTC13P2011A	0.13	(0.02)	113,876	-	PTT19C2101A	0.14	(0.01)	143,685	-	RATC13C2101A	0.22	(0.01)	32,294	-
MTC19C2010A	-	-	-	-	PTT19P2010A	-	-	-	-	RATC13P2011A	0.30	(0.01)	38,020	-
MTC19C2012A	0.28	0.01	94,747	-	PTT19P2010B	0.10	(0.01)	34,222	-	RATC19C2011A	-	-	-	-
MTC19P2010A	-	-	-	-	PTT19P2101A	0.21	0.01	163,619	-	RATC19C2012A	-	-	-	-
MTC19P2012A	0.22	(0.02)	333,611	-	PTT24C2101A	-	-	-	-	RATC19C2101A	0.20	(0.01)	6,272	-
MTC28C2011A	-	-	-	-	PTT28C2011A	-	-	-	-	RATC19P2011A	0.47	-	20,032	-
MTC28C2012A	0.13	0.01	15,210	-	PTT28C2012A	0.01	(0.03)	100	-	RATC24C2012A	0.10	-	1,442	-
MTC28C2012B	0.27	0.01	62,379	-	PTT28C2101A	-	-	-	-	RATC41C2010A	-	-	-	-
MTC28C2102L	0.19	0.01	20,280	-	PTT28C2103A	0.15	(0.03)	26,136	-	RATC41C2012A	-	-	-	-
MTC41C2010A	-	-	-	-	PTT28C2103L	0.12	(0.01)	12,168	-	RATC42C2102T	-	-	-	-
MTC41C2012A	0.34	0.01	27,516	-	PTT41C2010A	-	-	-	-	RS06C2010A	-	-	-	-
MTC42C2101T	0.13	0.01	3	-	PTT41C2012A	-	-	-	-	RS06C2012A	0.25	0.01	42,465	-
ORI13C2011A	0.14	0.01	28,379	-	PTT41C2101A	-	-	-	-	RS08C2011A	-	-	-	-
ORI19C2010A	-	-	-	-	PTT41C2101B	0.14	(0.01)	103,368	-	RS08C2103A	0.43	0.01	44,123	-
ORI19C2011A	0.30	0.02	18,330	-	PTT41P2010A	-	-	-	-	RS13C2010A	-	-	-	-
ORI19C2012A	0.14	0.01	16,344	-	PTT41P2011A	0.95	0.12	4	-	RS13C2011A	0.16	0.01	2,454	-
ORI28C2011A	-	-	-	-	PTT41P2012A	0.49	0.03	16,040	-	RS13C2101A	0.30	0.01	220,893	-
ORI28C2012A	-	-	-	-	PTT41P2101A	0.27	0.01	84,206	-	RS19C2010A	-	-	-	-
ORI28C2012B	0.25	-	37,454	-	PTT42C2010M	-	-	-	-	RS19C2010B	0.22	0.01	1,000	-
ORI28C2101A	0.10	-	35,472	-	PTT42C2012T	-	-	-	-	RS19C2011A	-	-	-	-
ORI28C2103L	0.20	0.02	30,927	-	PTT42P2101T	0.23	0.01	10,014	-	RS19C2011B	0.13	-	119,336	-
OSP01C2012A	-	-	-	-	PTTE01C2012A	0.33	(0.01)	21,850	-	RS19C2102A	0.32	(0.68)	81,290	-
OSP01C2102A	0.18	(0.01)	37,424	-	PTTE01C2102A	0.81	-	53,014	-	RS19P2012A	0.34	(0.02)	191,072	-
OSP01P2012A	0.58	(0.01)	46,826	-	PTTE01P2012A	1.04	(0.01)	34,934	1.00	RS28C2012A	-	-	-	-
OSP06C2011A	-	-	-	-	PTTE01P2102A	0.62	-	73,873	-	RS28C2101A	0.24	0.02	35,294	-
OSP06C2102A	0.09	(0.01)	26,319	-	PTTE06C2011A	-	-	-	-	RS28C2101L	0.37	0.02	35,276	-
OSP06P2102A	0.70	(0.01)	23,066	-	PTTE06C2101A	0.27	(0.02)	92,685	-	RS41C2011A	0.32	0.02	38,998	-
OSP08C2102A	0.21	(0.01)	25,400	-	PTTE06P2011A	0.22	(0.02)	94,468	-	RS42C2101T	0.23	0.01	222	-
OSP11C2012A	0.11	(0.01)	12,430	-	PTTE08C2011A	0.10	(0.01)	5,030	-	S10001C2011A	0.02	-	152	-
OSP13C2012A	-	-	-	-	PTTE08P2101A	1.05	0.01	57,888	1.00	S5001C2012F	0.20	(0.01)	91,136	-
OSP13C2101A	0.08	(0.02)	37,018	-	PTTE11C2011A	0.20	(0.01)	24,034	-	S5001C2012G	0.33	(0.01)	183,550	-
OSP13C2102A	0.19	(0.01)	134,015	-	PTTE11P2102A	0.75	0.01	97,674	-	S5001C2101A	0.62	(0.01)	464,708	-
OSP13P2011A	0.41	0.01	37,630	-	PTTE13C2010B	-	-	-	-	S5001P2012F	1.08	(0.02)	424,670	1.00
OSP19C2010A	-	-	-	-	PTTE13C2011A	0.05	-	1,250	-	S5001P2012G	0.61	(0.01)	396,178	-
OSP19C2012A	-	-	-	-	PTTE13C2012A	0.23	(0.02)	144,290	-	S5001P2101A	0.94	(0.01)	730,732	-
OSP19C2101A	0.09	(0.01)	124,624	-	PTTE13C2101A	0.50	(0.03)	122,039	-	S5006C2012A	0.06	(0.01)	83,648	-
OSP19C2103A	0.22	(0.01)	72,980	-	PTTE13P2010A	-	-	-	-	S5006C2012B	0.19	-	237,947	-
OSP19P2010A	0.18	(0.09)	330	-	PTTE13P2012A	0.53	0.01	183,730	-	S5006P2012A	1.22	(0.04)	768,476	1.00
OSP19P2102A	0.29	0.01	10,076	-	PTTE19C2010A	-	-	-	-	S5006P2012B	0.64	(0.04)	149,630	-
OSP24C2101A	0.09	-	26,383	-	PTTE19C2010B	-	-	-	-	S5008C2012A	0.07	-	12,782	-
OSP28C2101A	-	-	-	-	PTTE19C2011A	-	-	-	-	S5008C2012B	0.11	-	16,807	-
OSP28C2101B	-	-	-	-	PTTE19C2011B	-	-	-	-	S5008C2012C	0.21	(0.01)	106,958	-
OSP41C2010A	-	-	-	-	PTTE19C2012A	0.20	(0.02)	140,179	-	S5008P2012A	1.13	(0.01)	318,647	1.00
OSP41C2012A	-	-	-											

## Main Board Quotation

## Issue Date :

Tuesday October 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5013P2012D	0.48	(0.02)	13,697,381	-	SCB19P2011B	0.51	(0.04)	83,262	-	STA19C2011A	1.08	0.22	2,053	1.00
S5013P2012E	0.37	(0.01)	11,887,738	-	SCB24C2012A	0.09	-	11,142	-	STA19C2011B	0.27	0.07	910,316	-
S5013P2101A	0.73	-	39,516	-	SCB28C2012A	-	-	-	-	STA19C2012A	0.37	0.08	951,407	-
S5016C2012A	0.06	-	100	-	SCB28C2012B	0.06	-	10,230	-	STA19P2010A	-	-	-	-
S5016C2012B	0.07	(0.05)	250	-	SCB28C2013A	0.27	0.01	70,410	-	STA19P2012A	0.06	(0.04)	13,680	-
S5016C2012C	0.28	(0.01)	91,781	-	SCB28C2014L	0.15	0.01	33,462	-	STA19P2101A	0.14	(0.03)	121,031	-
S5016P2012A	1.01	(0.02)	27,040	1.00	SCB41C2011A	-	-	-	-	STA24C2011A	0.17	0.05	116,082	-
S5016P2012B	0.94	(0.02)	31,448	-	SCB41C2011B	-	-	-	-	STA28C2011A	-	-	-	-
S5016P2103Z	-	-	-	-	SCB41C2012A	0.13	(0.01)	138,388	-	STA28C2012B	0.20	0.07	120,840	-
S5019C2012A	0.06	(0.01)	2,550	-	SCB41P2011A	0.51	(0.08)	21,307	-	STA28C2012A	1.82	0.18	290	1.00
S5019C2012B	0.04	(0.01)	26,831	-	SCB41P2102A	0.89	(0.11)	225,718	-	STA28C2102L	0.21	0.03	77,358	-
S5019C2012C	0.13	(0.01)	36,559	-	SCB42C2101T	-	-	-	-	STA41C2010A	0.15	0.07	3,346	-
S5019C2102D	0.21	(0.01)	4,332,100	-	SCC01C2101A	0.47	0.03	79,238	-	STA42C2101T	0.19	0.04	280	-
S5019C2012E	0.38	(0.01)	6,321,384	-	SCC01P2012A	0.62	(0.06)	72,783	-	STEC01C2101A	0.09	-	4,237	-
S5019P2012A	1.06	(0.01)	1,112,987	1.00	SCC06C2012A	0.10	0.01	168,414	-	STEC01P2101A	0.62	0.01	51,767	-
S5019P2012B	0.92	(0.03)	1,172,793	-	SCC08C2011A	0.07	-	6,921	-	STEC06C2101A	-	-	-	-
S5019P2012C	0.65	(0.01)	6,013,612	-	SCC11C2011A	0.25	-	58,800	-	STEC08C2012A	-	-	-	-
S5024C2012A	0.01	-	856	-	SCC13C2011A	0.08	-	221,582	-	STEC11C2102A	0.12	-	30,481	-
S5024C2012B	0.03	-	340	-	SCC13C2012A	0.21	0.03	519,850	-	STEC13C2010A	-	-	-	-
S5024C2012C	0.04	(0.06)	360	-	SCC13P2011A	0.57	(0.06)	144,399	-	STEC13C2012A	-	-	-	-
S5024C2012D	0.06	(0.01)	349	-	SCC13P2101A	0.27	(0.03)	125,941	-	STEC13C2101A	0.11	-	45,954	-
S5024C2012E	0.11	-	3,600	-	SCC19C2010A	-	-	-	-	STEC13P2011A	0.29	0.01	65,540	-
S5024C2012F	0.24	(0.01)	210,186	-	SCC19C2012A	0.24	0.02	622,636	-	STEC19C2011A	0.01	(0.01)	1	-
S5024C2012G	0.40	(0.01)	655,158	-	SCC19C2101A	0.48	0.04	440,532	-	STEC19C2012A	0.04	(0.01)	2	-
S5024C2103A	0.39	(0.01)	84,484	-	SCC19P2010A	-	-	-	-	STEC19C2101A	0.09	-	138,100	-
S5024P2012A	0.13	-	5,064	-	SCC19P2011A	0.16	(0.03)	263,180	-	STEC19P2011A	-	-	-	-
S5024P2012B	0.49	(0.01)	20,842	-	SCC19P2101A	0.61	(0.06)	190,916	-	STEC19P2012A	-	-	-	-
S5024P2012C	1.62	(0.02)	205,968	1.00	SCC24C2012A	0.13	0.03	38,270	-	STEC19P2101A	0.26	0.01	266,768	-
S5024P2012D	1.11	(0.04)	723,153	1.00	SCC28C2102A	0.21	0.01	91,466	-	STEC28C2011A	-	-	-	-
S5024P2012E	0.65	(0.02)	929,090	-	SCC28C2104L	0.23	0.02	57,824	-	STEC28C2012A	-	-	-	-
S5024P2103A	0.82	(0.01)	186,568	-	SCC41C2010A	-	-	-	-	STEC28C2101A	0.06	-	10,000	-
S5028C2010A	-	-	-	-	SCC41C2011A	-	-	-	-	STEC28C2104L	0.11	-	24,336	-
S5028C2012A	-	-	-	-	SCC41C2101A	0.22	0.02	225,568	-	STEC41C2012A	-	-	-	-
S5028C2012B	-	-	-	-	SCC41P2011A	0.57	(0.07)	7,341	-	STEC42P2102T	0.33	0.01	5,427	-
S5028C2012C	0.13	(0.01)	204,317	-	SCG41P2102A	0.52	(0.03)	142,005	-	SUPE08C2012A	-	-	-	-
S5028C2012D	0.16	(0.01)	947,514	-	SCG13C2011A	0.03	(0.01)	500	-	SUPE08C2102A	0.19	-	11,350	-
S5028C2103L	0.17	-	146,295	-	SGP19C2011A	0.12	(0.01)	1,133	-	SUPE08P2102A	0.33	(0.01)	5,283	-
S5028P2010A	0.20	(0.04)	1,069	-	SGP42C2101T	0.16	0.01	8	-	SUPE19C2010A	0.12	(0.03)	2,750	-
S5028P2012A	1.38	-	571,811	1.00	SIR19C2011A	-	-	-	-	SUPE19C2011A	0.04	-	13,803	-
S5028P2012B	0.50	-	81,560	-	SIR19C2103A	0.12	-	14,471	-	SUPE19C2011B	-	-	-	-
S5028P2012C	0.67	-	258,857	-	SIR14C2101T	-	-	-	-	SUPE19C2012A	0.16	-	48,202	-
S5028P2103L	0.83	0.01	664,619	-	SPAL06C2010A	-	-	-	-	SUPE19P2011A	0.08	-	1,000	-
S5041C2012A	0.05	(0.01)	3,520	-	SPAL06C2103A	0.40	0.02	59,509	-	SUPE19P2012A	0.19	-	5,000	-
S5041C2012B	0.02	-	2,582	-	SPAL13C2010A	-	-	-	-	SUPE42C2101T	-	-	-	-
S5041C2012C	0.03	(0.05)	1,000	-	SPAL13C2102A	0.32	0.01	214,659	-	SUPE42P2102T	-	-	-	-
S5041C2012D	0.05	(0.04)	1,990	-	SPAL19C2011A	0.27	0.02	145,127	-	TASC01C2012A	0.04	-	9,099	-
S5041C2012E	0.12	-	2,629	-	SPAL19C2011B	-	-	-	-	TASC01C2012B	0.20	0.01	10,338	-
S5041C2012F	0.25	(0.01)	2,369,777	-	SPAL27C2101A	0.11	-	7	-	TASC01P2012A	0.62	(0.04)	24,814	-
S5041C2012U	0.27	(0.01)	2,526,382	-	SPRC01C2101A	0.14	-	1,090	-	TASC06C2012A	0.02	-	701	-
S5041C2103T	0.73	(0.02)	577,540	-	SPRC01P2101A	0.55	(0.02)	15,146	-	TASC06C2102A	0.30	0.02	36,560	-
S5041P2012A	1.00	(0.02)	507,209	-	SPRC06C2102A	0.11	(0.01)	34,846	-	TASC08C2011A	0.03	-	62	-
S5041P2012B	0.93	(0.01)	3,296,945	-	SPRC06P2011A	0.17	(0.02)	40,241	-	TASC08C2012A	0.01	(0.01)	444	-
S5041P2012C	1.01	(0.02)	5,050	1.00	SPRC08C2011A	-	-	-	-	TASC11C2102A	0.05	0.01	14,770	-
S5041P2012E	1.10	(0.02)	103,612	1.00	SPRC11C2102A	0.17	-	19,380	-	TASC13C2011A	0.01	-	1	-
S5041P2012F	0.88	(0.02)	139,228	-	SPRC13C2012A	0.05	(0.01)	5,080	-	TASC13C2012A	0.02	0.01	17,505	-
S5041P2012G	-	-	-	-	SPRC13C2012B	0.09	-	50	-	TASC13C2012B	0.11	0.02	243,132	-
S5041P2012U	1.09	-	109,181	1.00	SPRC19C2010A	-	-	-	-	TASC13C2101A	0.23	0.02	146,941	-
S5041P2103T	1.85	-	101,751	1.00	SPRC19C2012A	0.07	-	16,000	-	TASC13P2011A	-	-	-	-
S5042C102T	0.43	-	101,728	-	SPRC19C2101A	0.17	-	117,256	-	TASC13P2012A	0.36	(0.04)	16,274	-
SAWA01C2012A	0.32	(0.02)	45,602	-	SPRC19P2011A	0.29	(0.01)	29,286	-	TASC19C2010A	-	-	-	-
SAWA01C2102A	0.40	(0.02)	102,855	-	SPRC28C2011A	-	-	-	-	TASC19C2011A	0.01	-	250	-
SAWA01P2012A	0.47	0.01	52,154	-	SPRC28C2101A	-	-	-	-	TASC19C2012A	0.08	0.01	105,724	-
SAWA01P2102A	0.81	0.02	41,927	-	SPRC42C2101T	-	-	-	-	TASC19C2101A	0.22	0.02	179,815	-
SAWA06C2010A	0.01	-	10,833	-	SPX28C2012A	1.12	(0.17)	15,890	1.00	TASC19P2010A	1.23	(0.04)	10	1.00
SAWA06C2101A	0.38	(0.02)	119,583	-	SPX28C2012B	0.51	(0.13)	3,102	-	TASC19P2011A	-	-	-	-
SAWA08C2011A	-	-	-	-	SPX28C2012C	0.82	(0.25)	869	-	TASC19P2012A	-	-	-	-
SAWA08C2101A	0.32	-	35,500	-	SPX28C2012D	0.36	(0.09)	4,730	-	TASC19P2012B	0.27	(0.03)	85,744	-
SAWA11C2103A	0.48	(0.01)	77,676	-	SPX28C2103L	0.40	(0.07)	3,125	-	TASC19P2012C	0.37	(0.05)	79,984	-
SAWA13C2010A	-	-	-	-	SPX28P2012A	0.26	0.03	49,748	-	TASC24C2011A	-	-	-	-
SAWA13C2011A	0.12	(0.01)	201,665	-	SPX28P2012B	0.14	0.02	256,551	-	TASC28C2012A	0.05	-	7	-
SAWA13C2101A	0.26	(0.01)	254,250	-	SPX28P2012C	0.77	0.11	1,955	-	TASC28C2012B	-	-	-	-
SAWA16C2101A	0.29	-	10,872	-	SPX28P2012D	0.46	0.06	1,344	-	TASC28C2012C	-	-	-	-
SAWA19C2011A	0.04	(0.04)	110	-	SPX28P2103L	0.35	0.03	1,066	-	TASC28C2101A	-	-	-	-
SAWA19C2012A	0.23	(0.02)	533,363	-	SPX41C2012A	0.85	(0.22)	2,431	-	TASC28C2103L	0.02	(0.01)	1,631	-
SAWA19P2011A	0.18	(0.01)	183,164	-	SPX41C2012B	0.46	(0.16)	21,232	-	TASC41C2010A	-	-	-	-
SAWA28C2011A	-	-	-	-	SPX41C2012C	0.24	(0.01)	4	-	TASC41C2011A	-	-	-	-
SAWA28C2012A	0.15	-	79,348	-	SPX41C2012T	0.96	(0.17)	12,530	-	TASC41C2012A	0.11	0.01	3,958	-
SAWA28C2012B	-	-	-	-	SPX41C2012U	1.49	(0.21)	202	1.00	TASC42C2101T	0.02	0.01	868	-
SAWA28C2101A	0.23	-	51,659	-	SPX41C2103T	0.91	(0.13)	4,640	-	TCAP01C2101A	0.13	(0.01)	2,578	-
SAWA28C2102L	-	-	-	-	SPX41P2012A	0.57	0.06	9,064	-	TCAP13C2012A	-	-	-	-
SAWA41C2010A	-	-	-	-	SPX41P2012B	0.38	0.03	484	-	TCAP19C2010A	-	-	-	-
SAWA41C2012A	0.16	(0.04)	26,148	-	SPX41P2012C	-	-	-	-	TCAP19C2012A	-	-	-	-
SAWA42C2101T	0.07	(0.01)	100	-	SPX41P2012T	-	-	-	-	TCAP19C2102A	0.15	(0.01)	21,640	-
SCB01C2101A	0.21	0.01	60,227	-	SPX41P2012U	0.38	0.05	1,519	-	TCAP19P2012A	0.34	0.01	19,999	-
SCB01C2103A	0.44	0.02	65,837	-	SPX41P2103T	0.78	0.08	30	-	TCAP42C2101T	-	-	-	-
SCB01P2101A	0.95	(0.04)	69,098	-	STA01C2101A	0.45	0.08	164,400	-	THAN01C2012A	0.42	(0.03)	42,716	-
SCB06C2010A	-	-	-	-	STA06C2012A	0.32								



## Main Board Quotation

## Issue Date :

Tuesday October 20, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISC19C2012A	0.34	0.01	75,015	-	TRUE42C2101T	-	-	-	-	MINT-W6	0.22	(0.01)	54,008	-
TISC24C2102A	0.60	0.02	16,105	-	TTW19C2011A	-	-	-	-	MINT-W7	6.30	-	16,341	6.00
TISC41C2010A	-	-	-	-	TTW24C2012A	-	-	-	-	NER-W1	2.60	(0.04)	290,183	2.00
TISC41C2012A	0.34	0.02	29,685	-	TU01C2101A	0.32	(0.02)	20,344	-	NEX-W2	4.20	(0.02)	9,755	4.00
TISC42C2101T	0.12	-	2	-	TU01P2101A	0.21	-	36,614	-	NFC-W1	0.46	(0.04)	138	-
TKN01C2101A	0.22	0.01	58,727	-	TU06C2102A	0.43	(0.04)	30,790	-	NVD-W1	0.06	-	103	-
TKN06C2011A	-	-	-	-	TU06P2010A	-	-	-	-	PACE-W2	-	-	-	-
TKN06C2101A	-	-	-	-	TU06P2103A	0.20	0.01	17,994	-	PACE-W3	-	-	-	-
TKN08C2011A	0.07	(0.01)	810	-	TU08C2011A	0.21	(0.03)	9,900	-	PDI-W1	0.42	(0.01)	10,751	-
TKN08C2102A	0.29	(0.01)	10,930	-	TU11C2102A	0.30	(0.01)	27,265	-	PDJ-W4	0.43	0.03	26	-
TKN13C2010B	0.01	-	10	-	TU13C2012A	0.25	(0.02)	219,578	-	PERM-W1	0.08	(0.01)	16,501	-
TKN13C2012A	0.09	0.01	207,332	-	TU13P2101A	0.18	0.01	32,910	-	PORT-W1	0.53	0.01	964	-
TKN13C2101A	0.18	0.04	654,046	-	TU19C2010A	0.08	(0.02)	3,900	-	PPPM-W4	0.11	-	364	-
TKN19C2010A	0.55	(0.50)	2	-	TU19C2012A	0.26	(0.02)	58,252	-	PRIME-W1	-	-	-	-
TKN19C2011A	-	-	-	-	TU19C2101A	0.20	(0.02)	31,665	-	PRIME-W2	0.01	(0.01)	5,006	-
TKN19C2011B	0.08	-	15,420	-	TU19P2012A	-	-	-	-	SAMART-W2	0.15	0.01	7,098	-
TKN19C2101A	0.18	0.01	34,166	-	TU19P2012A	0.11	-	23,900	-	SAWAD-W2	8.35	(0.30)	3,894	8.00
TKN19C2102A	0.27	(0.73)	349,461	-	TU24C2011A	0.30	(0.02)	11,964	-	SDC-W1	0.10	0.01	1	-
TKN19P2101A	0.45	(0.07)	11,595	-	TU28C2011A	0.09	(0.02)	15,168	-	SINGER-W1	7.50	0.10	977	7.00
TKN28C2012A	0.56	(0.20)	380	-	TU28C2012A	0.10	(0.01)	10,028	-	SINGER-W2	4.74	0.34	152	4.00
TKN28C2012B	0.09	0.01	2,619	-	TU28C2103A	0.31	(0.01)	18,811	-	SST-W2	0.67	(0.04)	271	-
TKN28C2101A	-	-	-	-	TU28C2103L	0.24	(0.01)	18,759	-	TCC-W3	0.03	-	33	-
TKN42C2012T	0.06	(0.03)	200	-	TU41C2010A	-	-	-	-	TCC-W4	0.04	-	590	-
TMB13C2011A	-	-	-	-	TU41C2101A	0.20	(0.01)	25,748	-	TCC-W5	0.10	-	37	-
TMB19C2011A	0.03	-	1,500	-	TU42C2101T	0.21	(0.02)	417	-	TGPRO-W3	0.01	-	2,000	-
TMB19C2011B	-	-	-	-	TVO13C2011A	0.27	0.06	84,023	-	TNITY-W1	0.07	-	919	-
TMB19C2012A	0.05	(0.01)	30,015	-	TVO13C2012A	0.31	0.05	265,446	-	TRITN-W3	0.13	-	5,769	-
TMB19P2011A	0.30	0.01	400	-	TVO19C2011A	0.29	0.01	800	-	TTCL-W1	0.36	0.01	4,234	-
TMB41C2010A	-	-	-	-	TVO19C2012A	0.28	0.04	232,166	-	U-W4	-	-	-	-
TOA13C2011A	-	-	-	-	TVO19C2101A	0.20	0.03	337,799	-	VGI-W2	0.73	0.02	285,979	-
TOA13C2102A	0.25	0.03	78,674	-	VGI01C2012A	0.16	0.02	50,951	-	VIBHA-W3	0.10	-	5,670	-
TOA19C2010A	-	-	-	-	VGI06C2010A	-	-	-	-	W-W3	0.06	-	106	-
TOA19C2012A	0.12	0.01	134,167	-	VGI06C2101A	0.13	0.02	69,220	-	WIJK-W2	0.29	(0.01)	14,704	-
TOA42C2101T	0.06	(0.02)	10	-	VGI11C2101A	0.11	0.01	24,310	-	ZMICO-W4	0.08	-	163	-
TOP01C2012A	0.10	(0.01)	30,435	-	VGI13C2012A	0.07	-	20,960	-	Preferred Shares	-	-	-	-
TOP01C2102A	0.43	-	34,914	-	VGI13C2101A	0.14	0.03	147,662	-	BH-P	-	-	-	-
TOP01P2012A	0.41	(0.02)	31,024	-	VGI19C2010A	-	-	-	-	CSC-P	-	-	-	-
TOP01P2101A	0.35	0.01	39,165	-	VGI19C2012A	0.12	0.02	40,166	-	JUTHA-P	-	-	-	-
TOP06C2011A	0.01	-	7,198	-	VGI19C2012B	0.18	0.03	56,974	-	KTB-P	-	-	-	-
TOP06C2102A	0.12	(0.01)	16,390	-	VGI19C2012C	0.05	0.01	16,000	-	SCB-P	-	-	-	-
TOP06C2102B	0.36	0.01	25,536	-	VGI24C2012A	0.09	0.01	7,348	-	TCAP-P	-	-	-	-
TOP06P2102A	0.57	(0.02)	32,485	-	VGI28C2101A	0.07	-	6,000	-	TISCO-P	-	-	-	-
TOP08C2010A	-	-	-	-	VGI28C2103A	0.20	0.01	71,966	-	U-P	1.51	0.03	232	1.00
TOP08C2102A	0.28	(0.01)	7,600	-	VGI28C2103L	0.13	0.01	21,294	-	Warrant (MAI)	-	-	-	-
TOP11C2011A	-	-	-	-	VGI41C2011A	0.04	0.03	2	-	ALL-W1	0.55	-	3,160	-
TOP13C2011A	-	-	-	-	VGI42C2101T	-	-	-	-	BROOK-W5	0.13	0.01	21	-
TOP13C2012A	0.03	(0.01)	9,312	-	WHA01C2101A	0.11	0.01	26,925	-	CHAYO-W1	2.18	0.04	6,058	2.00
TOP13C2012B	0.08	(0.01)	32,000	-	WHA01P2101A	0.81	(0.02)	32,728	-	CHO-W2	0.01	-	1	-
TOP13C2101A	0.23	-	105,987	-	WHA06C2010A	-	-	-	-	CIG-W8	-	-	-	-
TOP13P2010A	-	-	-	-	WHA06C2103A	0.23	0.01	51,091	-	D-W1	-	-	-	-
TOP13P2012A	-	-	-	-	WHA06P2012A	0.61	(0.04)	36,954	-	DIMET-W3	-	-	-	-
TOP13P2101A	0.17	-	58,325	-	WHA08C2011A	0.04	(0.01)	460	-	DOD-W1	0.49	0.01	14,262	-
TOP19C2010A	-	-	-	-	WHA11C2101A	0.11	-	34,207	-	ECF-W3	0.08	-	3,813	-
TOP19C2010B	-	-	-	-	WHA13C2011A	-	-	-	-	HPT-W1	0.21	-	955	-
TOP19C2012A	-	-	-	-	WHA13C2101A	0.14	0.01	102,683	-	HYDRO-W1	-	-	-	-
TOP19C2101A	0.15	(0.01)	47,549	-	WHA13P2011A	0.41	(0.03)	2,529	-	ITEL-W1	0.11	-	15,854	-
TOP19C2101B	0.28	-	60,806	-	WHA19C2010A	-	-	-	-	ITEL-W2	0.36	-	106,027	-
TOP19P2010A	0.15	(0.03)	68,431	-	WHA19C2011A	0.01	(0.01)	1,400	-	LIT-W1	0.38	0.01	2,085	-
TOP19P2011A	-	-	-	-	WHA19C2101A	0.15	-	42,912	-	META-W4	-	-	-	-
TOP19P2101A	0.19	(0.01)	144,198	-	WHA19P2011A	0.45	(0.01)	100	-	NEWS-W6	-	-	-	-
TOP24C2101A	0.15	-	12,955	-	WHA28C2011A	-	-	-	-	OCEAN-W3	-	-	-	-
TOP41C2010A	-	-	-	-	WHA28C2012A	0.10	-	4,228	-	RWI-W2	0.10	(0.01)	12,046	-
TOP41C2011A	-	-	-	-	WHA28C2102A	0.13	-	26,346	-	SANKO-W1	-	-	-	-
TOP41C2102A	0.13	-	15,718	-	WHA28C2102L	-	-	-	-	SIMAT-W3	0.45	-	330	-
TOP41P2010A	-	-	-	-	WHA42C2101T	-	-	-	-	SIMAT-W4	2.30	0.12	773	2.00
TOP41P2011A	-	-	-	-	WHAU13C2012A	0.13	(0.01)	14,314	-	SMART-W2	0.16	-	1,758	-
TOP42C2011T	-	-	-	-	WHAU19C2012A	0.19	(0.01)	152,760	-	SWC-W1	-	-	-	-
TP113C2011A	0.10	-	15,850	-	Preferred/Foreign	-	-	-	-	TAKUNI-W	0.01	(0.01)	7,100	-
TP119C2012A	0.19	-	5,000	-	BH-Q	-	-	-	-	TAPAC-W4	0.19	0.01	2,663	-
TQM11C2102A	0.42	0.01	6,038	-	CSC-Q	-	-	-	-	TVD-W2	0.18	0.01	6,159	-
TQM13C2011A	0.06	(0.01)	77,987	-	JUTHA-Q	-	-	-	-	UREKA-W2	0.24	-	2,118	-
TQM13C2101A	0.20	0.01	40,979	-	KTB-Q	-	-	-	-	Preferred Shares	-	-	-	-
TQM19C2010A	1.55	(0.73)	1	1.00	SCB-Q	-	-	-	-	SGF-P1	-	-	-	-
TQM19C2010B	-	-	-	-	TCAP-Q	-	-	-	-	-	-	-	-	-
TQM19C2011A	0.27	-	36,395	-	TISCO-Q	-	-	-	-	-	-	-	-	-
TQM19C2101A	0.24	-	9,163	-	U-Q	-	-	-	-	-	-	-	-	-
TQM24C2011A	0.10	0.01	2	-	Warrant	-	-	-	-	-	-	-	-	-
TQM28C2012A	0.10	-	13,366	-	7UP-W4	0.11	-	2,702	-	-	-	-	-	-
TQM28C2102A	0.40	0.01	41,936	-	AEC-W6	0.13	(0.01)	287,167	-	-	-	-	-	-
TQM28C2104L	0.29	0.01	24,618	-	AKR-W1	0.03	-	135	-	-	-	-	-	-
TQM41C2011A	0.12	0.02	178	-	ALT-W1	0.66	0.01	25,723	-	-	-	-	-	-
TQM42C2101T	0.27	-	46	-	APEX-W1	-	-	-	-	-	-	-	-	-
TRUE01C2101A	0.12	(0.02)	4,853	-	APURE-W2	0.24	0.01	3,504	-	-	-	-	-	-
TRUE01P2101A	0.67	0.05	32,967	-	B-W3	-	-	-	-	-	-	-	-	-
TRUE06C2103A	0.22	(0.06)	16,931	-	B-W4	0.04	-	6	-	-	-	-	-	-
TRUE06P2011A	0.20	0.03	42,840	-	B-W5	0.04	(0.01)	240	-	-	-	-	-	-
TRUE08C2012A	-	-	-	-	BKD-W2	0.07	-	600	-	-	-	-	-	-
TRUE08P2010A	-	-	-	-	BTS-W5	0.50	(0.01)	134,598	-	-	-	-	-	-
TRUE11C2101A	0.07	(0.03)	7,020	-	CGD-W4	0.04	(0.01)	5,034	-	-	-	-	-	-
TRUE11P2101A	0.62	0.04	25,255	-	CGH-W3	0.02	-	7,001	-	-	-	-	-	-
TRUE13C2011A	0.01	(0.03)	8	-	CWT-W5	0.45	0.01	26,594	-	-	-	-	-	-
TRUE13C2101A	0.11	(0.02)	18,609	-	DCC-W1	0.93	-	12,438	-	-	-	-	-	-
TRUE19C2011A	-	-	-	-	ECL-W3	0.02	(0.01)	14,403	-	-	-	-	-	-
TRUE19C2012A	0.05	(0.02)	4,200	-	EMC-W6	0.03	-	26,173	-	-	-	-	-	-
TRUE19C2101A	0.13	(0.02)	3,438	-	EP-W3	0.03	-	1,714	-	-	-	-	-	-
TRUE19P2011A	0.30	0.03	25,185	-	GLOCON-W4	0.41	-	13,733	-	-	-	-	-	-
TRUE28C2011A	-	-	-	-	III-W1	0.50	0.01	1,961	-	-	-	-	-	-
TRUE28C2012A	-	-	-	-	J-W1	0.62	-	596	-	-	-	-	-	-
TRUE28C2012B	-	-	-	-	JMART-W3	5.35	0.05							