

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

## Issue Date :

Friday October 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.80	(0.06)	107,338	3.82	MACO	0.58	(0.02)	125,034	0.59
SAFARI	-	-	-	-	BLISS	-	-	-	-	MAJOR	12.90	(0.40)	41,696	13.09
VI	-	-	-	-	DIF	12.70	-	74,020	12.70	MATCH	1.58	(0.01)	3	1.58
WORLD	-	-	-	-	DTAC	30.75	(0.25)	40,525	30.84	MATI	4.00	0.10	29	4.00
WR	-	-	-	-	FORTH	5.65	-	45	5.62	MCOT	2.82	(0.06)	2,016	2.81
Agribusiness	-	-	-	-	HUMAN	8.05	(0.10)	3,073	8.09	MONO	2.68	(0.04)	14,485	2.68
EE	0.69	0.01	54,357	0.69	ILINK	4.96	(0.14)	17,219	5.02	MPIC	1.57	(0.07)	2	1.56
GPPT	11.40	(0.10)	25,274	11.36	INET	3.68	(0.08)	113,534	3.77	NMG	-	-	-	-
LEE	2.22	-	10,008	2.22	INTUCH	53.50	0.50	75,055	53.13	PLANB	5.40	-	63,442	5.43
MAX	0.01	-	53,124	0.01	JAS	2.58	-	136,273	2.58	POST	1.28	(0.01)	1	1.28
NER	4.74	(0.20)	1,944,786	4.81	JASIF	9.45	0.05	106,228	9.41	PRAKIT	7.20	(0.05)	51	7.20
PPPM	0.40	0.01	16,633	0.40	JMART	15.70	(0.40)	122,353	15.92	SE-ED	-	-	-	-
STA	35.75	0.75	531,832	35.23	JTS	2.20	(0.04)	931	2.21	TBSP	12.50	-	1	12.50
TRUBB	2.04	(0.08)	274,186	2.05	MFEF	4.72	(0.02)	280	4.73	TH	0.49	-	35	0.49
TPWC	3.40	0.02	4,421	3.40	MSC	6.15	-	856	6.20	TKS	5.55	(0.05)	1,639	5.54
UPOIC	3.20	0.14	14	3.12	PT	5.15	-	389	5.15	VGI	6.00	-	167,024	6.02
UVAN	4.88	0.10	200	4.81	SAMART	4.88	(0.02)	3,669	4.86	WAVE	0.73	0.01	1	0.73
VPO	0.41	(0.01)	178	0.41	SAMTEL	4.86	(0.02)	2,729	4.87	WORK	9.85	(0.10)	34,647	9.91
Banking	-	-	-	-	SDC	0.18	(0.02)	6,341	0.19	Finance & Securities	-	-	-	-
BAY	18.90	(0.10)	1,524	18.97	SIS	19.80	(0.30)	10,043	20.06	AEC	0.23	(0.01)	162,014	0.23
BBL	96.75	(1.00)	105,021	96.72	SVOA	1.44	0.01	46,621	1.44	AEONTS	130.00	3.00	14,067	129.80
CIMBT	0.54	-	3,855	0.53	SYMC	4.10	0.06	249	4.00	AMANA	2.58	-	55,106	2.61
KBANK	76.25	(0.25)	201,993	75.93	SYNEX	14.80	(0.60)	33,366	15.09	ASAP	2.00	0.03	3,336	1.99
KKP	39.50	(1.00)	56,466	39.67	THCOM	5.50	(0.15)	83,254	5.47	ASK	18.00	(0.10)	3,721	18.07
KTB	8.65	(0.10)	306,866	8.62	TRUE	2.72	(0.02)	776,506	2.70	ASP	1.66	(0.01)	10,741	1.66
LHFG	0.89	0.03	31,627	0.88	TWZ	0.06	-	93,465	0.06	BAM	20.20	-	167,089	20.35
SCB	65.00	(1.50)	173,002	64.72	Electronic Componer	-	-	-	-	BFIT	27.25	0.25	5,533	27.34
TCAP	27.50	(0.25)	49,699	27.30	CCET	2.30	-	56,274	2.31	CGH	0.65	(0.01)	457	0.65
TISCO	70.75	(0.75)	72,376	70.56	DELTA	179.00	(1.50)	13,723	179.92	ECL	0.71	(0.01)	2,222	0.72
TMB	0.81	(0.02)	3,391,546	0.82	HANA	45.00	1.00	158,015	44.78	FNS	2.88	0.02	188	2.87
Construction Materia	-	-	-	-	KCE	39.00	0.25	139,998	39.43	FSS	1.46	0.01	1,700	1.44
CCP	0.46	(0.01)	29,089	0.46	METCO	169.00	(1.00)	11	168.27	GBX	0.40	(0.02)	4,951	0.40
COTTO	1.19	-	7,480	1.18	NEX	4.16	(0.02)	68,417	4.20	GL	1.83	(0.01)	302,388	1.88
DCC	2.30	(0.02)	59,377	2.31	SMT	2.80	(0.06)	31,617	2.83	IFS	2.36	0.02	10	2.33
DCON	0.33	-	63,967	0.32	SVI	5.15	0.10	36,355	5.11	JMT	34.50	(0.50)	63,132	34.56
DRT	5.80	(0.05)	3,474	5.83	TEAM	0.85	-	150	0.84	KCAR	7.60	-	409	7.58
EPG	4.94	(0.11)	103,206	4.99	W	0.20	(0.01)	304,196	0.20	KGI	2.78	0.02	14,441	2.77
GEL	0.18	(0.01)	17,214	0.18	Energy & Utilities	-	-	-	-	KTC	39.50	0.75	91,981	39.47
PPP	2.06	(0.02)	100	2.05	7UP	0.30	-	107,303	0.29	MBKET	6.85	-	221	6.86
Q-CON	4.98	0.36	4	4.91	ABPIF	2.94	0.02	1,232	2.92	MFC	13.50	(0.10)	30	13.50
RCI	3.70	-	46	3.68	ACE	2.50	(0.02)	40,695	2.49	MICRO	4.66	0.22	287,901	4.60
SCC	338.00	(8.00)	38,300	340.35	AGE	1.32	0.04	103,901	1.31	ML	0.77	(0.03)	618	0.77
SCCC	118.50	1.00	1,378	117.96	AI	2.02	-	130,537	2.01	MTC	54.75	1.50	112,709	55.03
SCP	5.75	(0.05)	1,453	5.80	AKR	0.46	(0.01)	3,310	0.47	PE	-	-	-	-
SKN	2.50	0.02	2,637	2.51	BAFS	19.80	-	1,329	19.95	PL	1.98	(0.01)	134	1.98
TASCO	15.20	(0.30)	184,182	15.30	BANPU	6.55	(0.15)	1,020,937	6.63	S11	6.25	-	3,636	6.26
TCMC	1.04	(0.01)	15,989	1.05	BCP	14.50	(0.20)	22,024	14.55	SAWAD	49.50	0.50	116,923	49.85
TOA	32.25	(0.75)	9,937	32.51	BCPG	11.50	-	49,707	11.58	THANI	3.48	0.04	692,807	3.55
TPIPL	1.38	(0.01)	120,386	1.37	BGRIM	39.25	(0.75)	56,173	39.44	TK	6.95	-	587	6.94
UMI	0.59	0.01	1,466	0.59	BPP	13.30	(0.20)	28,602	13.37	TNITY	3.48	(0.04)	234	3.48
VNG	-	-	-	-	BRRGIF	6.15	-	16	6.10	UOBKH	-	-	-	-
WIJK	3.00	-	23,443	3.03	CKP	4.12	(0.14)	213,089	4.20	ZMICO	0.59	0.01	403	0.58
Petrochemicals & Ch	-	-	-	-	DEMCO	2.70	0.08	2,567	2.64	Food & Beverage	-	-	-	-
BCT	42.00	-	406	41.98	EA	38.00	(1.25)	86,386	38.47	APURE	2.14	(0.16)	157,279	2.20
CMAN	1.27	0.07	7,770	1.28	EASTW	9.00	(0.20)	13,582	9.06	ASIAN	13.20	(0.10)	63,149	13.37
GC	5.25	0.05	21	5.21	EGATIF	11.80	(0.10)	9,581	11.80	BR	1.69	(0.01)	1,073	1.68
GCC	7.25	(0.05)	2,531	7.23	EGCO	166.00	(2.50)	21,320	165.33	BRR	2.60	(0.06)	3,156	2.62
GIFT	1.75	-	210	1.75	EP	3.88	-	14,120	3.92	CBG	109.50	(1.50)	42,883	110.35
IVL	22.10	(0.70)	316,156	22.38	ESSO	6.05	0.05	67,894	6.00	CFRESH	3.32	(0.12)	9,428	3.40
NFC	1.50	0.09	5	1.50	GPSC	51.75	(0.25)	55,087	51.55	CHOTI	69.00	0.50	1	69.00
PATO	10.20	0.10	85	10.11	GREEN	1.10	(0.01)	2,172	1.10	CM	2.64	-	516	2.61
PMTA	8.60	(0.20)	20	8.63	GULF	28.50	(0.25)	200,680	28.39	CPF	25.25	(0.25)	175,528	25.27
PTTGC	40.00	(0.25)	140,333	39.72	GUNKUL	2.04	-	77,240	2.04	CPI	1.28	-	762	1.28
SUTHA	3.10	-	4	3.10	IFEC	-	-	-	-	F&D	-	-	-	-
TCCC	23.30	0.20	99	23.11	IRPC	2.02	(0.04)	939,551	2.02	HTC	34.75	3.50	34,129	33.37
TPA	5.15	0.05	1	5.15	KBSPIF	8.95	0.05	467	8.95	ICHI	10.20	(0.20)	91,323	10.29
UAC	3.68	(0.04)	1,558	3.63	LANNA	5.80	(0.25)	3,618	5.83	KBS	3.00	(0.02)	16	3.00
UP	12.80	(0.20)	45	13.16	MDX	2.16	0.04	648	2.14	KSL	2.28	(0.02)	63,766	2.30
VNT	24.10	(0.50)	21,179	24.25	PDI	8.00	(0.15)	4,556	8.03	KTIS	2.74	-	771	2.71
WG	186.00	-	81	186.00	PRIME	0.46	-	35,012	0.46	LST	4.34	0.06	101	4.32
YCI	-	-	-	-	PTG	19.00	0.20	96,344	18.90	M	45.50	(0.75)	1,783	45.81
Commerce	-	-	-	-	PTT	31.00	-	567,322	30.84	MALEE	5.55	-	1,106	5.51
BEAUTY	1.23	(0.02)	70,514	1.23	PTTEP	78.75	(0.25)	99,290	78.26	MINT	16.70	(0.30)	479,667	16.83
BIG	0.45	(0.01)	36,095	0.45	RATCH	46.50	(0.25)	32,367	46.58	NRF	6.10	-	101,771	6.05
BJC	28.75	(1.00)	79,035	28.92	RPC	0.50	0.02	4,050	0.49	OISHI	39.00	-	85	38.89
COL	18.80	-	8,216	18.80	SCG	3.38	0.10	177	3.38	OSP	32.00	(0.25)	60,970	32.07
COM7	41.00	(0.50)	68,223	41.45	SCI	1.25	-	1,373	1.24	PB	70.00	-	25	69.96
CPALL	53.75	(0.50)	304,154	54.05	SCN	1.62	(0.06)	3,362	1.65	PM	7.40	(0.10)	4,798	7.44
CPW	2.24	(0.08)	34,198	2.27	SGP	9.05	(0.05)	13,615	9.08	PRG	10.80	(0.20)	10	10.80
CRG	26.75	-	80,086	26.76	SKE	0.53	(0.03)	26,583	0.54	RBF	9.95	(0.15)	42,074	10.00
CSS	1.41	-	21,087	1.41	SOLAR	0.86	-	3,052	0.85	SAPPE	21.90	-	5,210	21.63
DOHOME	14.30	(0.60)	100,328	14.44	SPG	19.80	(0.20)	8,621	19.95	SAUCE	25.00	-	5	25.00
FN	1.17	(0.01)	26,365	1.16	SPRC	5.30	(0.05)	133,450	5.29	SFP	-	-	-	-
FTE	1.53	(0.01)	620	1.52	SSP	6.90	0.15	1,706	6.84	SNP	9.40	(0.10)	164	9.42
GLOBAL	15.90	(1.30)	435,611	16.12	SUPER	0.83	0.01	1,240,974	0.82	SORKON	5.70	0.10	46	5.69
HMPRO	14.00	-	249,849	14.01	SUPEREIF	10.80	0.10	987	10.70	SSC	32.25	0.25	1	32.25
ILM	11.30	(0.20)	31,506	11.42	SUSCO	2.60	-	2,102	2.61	SSF	6.10	-	5	6.10
IT	2.52	0.02	122	2.49	TAE	2.24	-	2,781	2.21	SST	2.20	(0.04)	22	2.21
KAMART	3.20	(0.08)	50,959	3.21	TCC	0.17	-	15,836	0.17	TC	4.42	(0.04)	7,753	4.49
LOXLEY	1.30	-	143	1.29	TOP	34.25	(0.25)	76,231	33.92	TFG	4.02	-	39,602	4.03
MAKRO	39.75	(0.50)	2,680	39.84	TPIPP	4.20	(0.02)	46,011	4.20	TFMAMA	196.00	(1.00)	59	196.13
MC	10.20	(0.10)	15,771	10.39	TSE	2.50	(0.04)	35,535	2.51	TIPCO	5.60	(0.1		

## Asia Plus Securities Company Limited

## Daily Quotation

## Main Board Quotation

Issue Date :

Friday October 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EKH	4.12	0.02	3,611	4.11	AMATAV	4.90	0.06	56	4.85	ACG	1.25	(0.01)	11,656	1.27
KDH	-	-	-	-	ANAN	1.42	0.01	13,947	1.42	AH	12.00	(0.30)	5,724	12.05
LPH	4.18	(0.02)	1,329	4.16	AP	6.25	(0.20)	216,949	6.35	CWT	1.98	(0.04)	9,251	2.00
M-CHAI	182.00	-	1	182.00	APEX	0.08	0.01	3,000	0.08	EASON	1.20	-	6	1.20
NEW	-	-	-	-	AQ	0.02	-	20,993	0.02	GYT	-	-	-	-
NTV	40.25	-	75	39.96	AWC	2.92	-	382,667	2.92	HFT	3.66	-	18,004	3.66
PR9	8.45	(0.05)	20,860	8.45	BLAND	0.97	(0.02)	70,614	0.98	IHL	3.18	(0.08)	39,058	3.20
PRINC	2.58	-	12,174	2.57	BROCK	1.41	-	85	1.63	INGRS	0.43	0.01	30,923	0.44
RAM	140.00	-	47	140.00	CGD	0.64	(0.01)	73,070	0.64	IRC	11.90	0.10	71	11.70
RJH	21.50	0.20	839	21.42	CI	0.65	-	1	0.65	PCSGH	4.40	-	389	4.40
RPH	5.25	(0.05)	2,842	5.33	CPN	38.50	(0.25)	91,276	38.27	SAT	13.30	(0.60)	20,323	13.52
SKR	6.60	-	1,373	6.54	ESTAR	0.33	-	10,144	0.32	SPG	13.20	0.20	20	13.20
SVH	388.00	(4.00)	41	388.68	EVER	0.20	0.01	29,793	0.20	STANLY	144.50	(1.00)	215	144.14
THG	18.10	0.10	1,760	18.10	FPT	9.65	(0.25)	2,261	9.75	TKT	0.89	(0.01)	300	0.90
VIBHA	1.45	0.01	47,887	1.46	GLAND	2.16	-	1,646	2.12	TNPC	0.69	-	70	0.69
VIH	6.00	(0.05)	7,774	5.98	J	1.22	(0.02)	11,756	1.22	TRU	3.60	0.08	39	3.57
WPH	1.51	0.01	159	1.51	JCK	1.41	-	43,721	1.40	TSC	8.90	(0.05)	22	8.90
Tourism & Leisure	-	-	-	-	KC	-	-	-	-	Industrial Materials	-	-	-	-
ASIA	4.36	(0.02)	30	4.36	KWG	0.69	-	498	0.67	ALLA	1.12	(0.01)	4,442	1.13
CENDEL	19.70	(0.30)	23,392	19.90	LALIN	5.70	0.20	35,080	5.69	ASEFA	3.12	0.02	38	3.11
CSR	69.25	(0.75)	5	68.85	LH	6.40	-	245,698	6.41	CPT	0.82	(0.01)	250	0.82
DTC	6.95	(0.10)	621	6.95	LPN	3.80	(0.02)	31,204	3.83	CRANE	1.55	(0.01)	9,658	1.55
ERW	2.26	(0.04)	134,507	2.28	MBK	10.80	(0.20)	15,327	10.93	CTW	5.50	0.10	522	5.36
GRAND	0.51	-	2,382	0.49	MJD	1.52	0.01	10,180	1.54	FMT	18.40	-	10	18.40
LRH	27.75	(0.25)	13	27.69	MK	2.92	-	2,838	2.92	HTECH	3.16	-	9,435	3.19
MANRIN	22.00	0.10	5	21.56	NCH	0.89	(0.01)	594	0.85	KKC	0.57	0.01	1	0.57
OHTL	309.00	(9.00)	5	309.00	NNCL	1.84	(0.02)	1,494	1.84	PK	1.53	0.02	435	1.52
ROH	-	-	-	-	NOBLE	19.90	(0.30)	26,495	20.11	SNC	9.90	0.05	600	9.88
SHANG	-	-	-	-	NUSA	0.25	(0.01)	142,606	0.25	STARK	1.54	0.12	6,313,794	1.52
SHR	1.78	-	13,421	1.77	NVD	1.06	0.02	748	1.03	TCJ	3.26	(0.02)	559	3.17
VRANDA	5.50	-	60	5.49	ORI	6.60	(0.20)	59,659	6.68	VARO	4.20	0.18	1	4.20
Home & Office Produ	-	-	-	-	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
ACC	0.57	(0.01)	251	0.58	PF	0.33	(0.01)	71,767	0.33	AIMCG	5.95	-	64	5.93
AJA	0.12	0.01	14,703	0.12	PLAT	2.02	-	20,208	2.00	AIMIRT	12.20	(0.10)	2,176	12.19
DTCI	-	-	-	-	POLAR	-	-	-	-	AMATAR	10.00	0.15	17	9.90
FANCY	0.48	-	10	0.48	PRECHA	0.81	(0.01)	5,581	0.78	B-WORK	11.40	0.20	1	11.40
KYE	308.00	7.00	1	308.00	PRIN	1.64	-	4,731	1.65	BKER	5.50	(0.05)	1,271	5.55
L&E	-	-	-	-	PSH	9.80	(0.10)	23,465	9.85	BKCP	11.70	(0.10)	643	11.70
MODERN	2.42	0.04	2,406	2.40	QH	2.08	(0.02)	238,411	2.08	BOFFICE	9.90	(0.05)	847	9.91
OGC	20.70	(0.10)	6	20.78	RICHY	0.68	-	45	0.68	CPNCG	9.45	-	1,264	9.52
ROCK	-	-	-	-	RML	0.56	-	11,133	0.56	CPNREIT	18.20	0.10	3,290	18.20
SIAM	1.41	0.01	60	1.40	ROJNA	3.84	-	1,702	3.84	CPTGF	9.05	(0.15)	556	9.06
TSR	3.84	-	35,044	3.87	S	1.11	0.01	15,077	1.11	CTARAF	4.96	0.02	201	4.90
Insurance	-	-	-	-	SAMCO	1.18	0.01	78	1.17	DREIT	3.74	-	3	3.74
AYUD	33.00	-	290	33.00	SC	2.30	0.02	47,596	2.29	ERWPP	4.26	0.04	142	4.26
BKI	270.00	(4.00)	162	271.41	SENA	2.68	(0.02)	1,603	2.70	FTREIT	12.70	(0.10)	8,115	12.76
BLA	17.90	(0.30)	13,226	18.13	SF	4.26	(0.02)	1,977	4.25	FUTUREPF	17.10	(0.20)	477	17.15
BUI	-	-	-	-	SIRI	0.58	(0.01)	562,016	0.58	GAHREIT	8.10	(0.15)	30	8.03
CHARAN	-	-	-	-	SPALI	15.70	(0.30)	22,323	15.80	GOLDPPF	5.50	(0.20)	1	5.50
INSURE	-	-	-	-	U	1.09	(0.01)	21,976	1.08	GVREIT	10.20	(0.20)	1,764	10.30
MTI	85.25	2.25	1	85.25	UV	2.26	-	14,556	2.24	HPF	4.70	-	319	4.68
NKI	46.00	0.50	3	45.67	WHA	2.38	(0.06)	575,136	2.40	HREIT	7.40	-	3,235	7.43
NSI	68.00	-	4	68.00	WIN	0.35	(0.01)	503	0.35	IMPACT	17.50	0.10	3,234	17.54
SEG	26.50	0.50	14	26.50	Paper & Printing Mat	-	-	-	-	KPNPF	-	-	-	-
SMK	36.50	0.50	11	36.50	UTP	13.50	(0.10)	27,595	13.68	LHHOTEL	9.20	-	156	9.20
THRE	1.34	(0.07)	1,452,475	1.41	Fashion	-	-	-	-	LHPF	5.30	0.10	105	5.11
THREL	2.70	0.02	375,373	2.78	AFC	-	-	-	-	LHSC	10.50	0.20	308	10.30
TIP	23.20	(0.30)	9,287	23.37	B52	0.13	(0.01)	1,374	0.14	LUXF	6.25	0.05	11	6.20
TQM	118.00	3.50	11,667	116.04	BTNC	-	-	-	-	M-II	-	-	-	-
TSI	0.28	0.01	735	0.27	CPH	3.28	0.34	2	3.23	M-PAT	-	-	-	-
TVI	3.36	0.02	621	3.34	CPL	1.11	0.07	91	1.08	M-STOR	-	-	-	-
Mining	-	-	-	-	ICC	27.50	0.25	32	27.36	MIPF	15.00	-	1	15.00
THL	-	-	-	-	NC	-	-	-	-	MIT	3.00	0.20	4	2.90
Packaging	-	-	-	-	PAF	0.49	-	416	0.48	MJLF	5.80	(0.15)	89	5.82
AJ	18.60	-	385,941	19.57	PDJ	1.38	0.02	9,943	1.39	MNIT	1.25	(0.02)	755	1.25
ALUCON	153.00	-	16	153.31	PG	4.70	-	6	4.70	MNIT2	4.38	0.38	2	4.19
BGC	8.30	-	12,358	8.28	SABINA	20.80	0.10	3,367	21.05	MNRF	-	-	-	-
CSC	51.00	(0.50)	9	51.47	SAWANG	11.30	0.60	1	11.30	POPF	9.85	(0.10)	1,872	9.83
GLOCON	0.92	-	5,643	0.92	SUC	33.75	0.25	6	33.79	PPF	11.40	0.10	11	11.31
NEP	0.23	-	508	0.22	TNL	-	-	-	-	PROSPECT	9.05	-	916	9.01
PTL	24.10	0.20	66,287	24.08	TPCORP	9.00	-	9	8.87	QHHR	5.35	-	22	5.35
SCGP	35.25	0.75	969,886	35.02	TR	21.70	-	26	21.75	QHOP	-	-	-	-
SFLEX	5.80	0.05	16,254	5.70	TTI	-	-	-	-	QHPP	8.90	-	1,324	8.88
SITHAI	0.61	-	5,576	0.60	TTT	53.00	1.00	107	52.06	SBPF	3.20	0.20	352	3.17
SLP	0.40	-	603	0.39	UPF	54.00	-	4	54.00	SHREIT	3.80	(0.06)	1,160	3.81
SMPC	11.30	-	13,486	11.30	UT	-	-	-	-	SIRIP	-	-	-	-
SPACK	3.42	0.04	91,764	3.49	WACOAL	-	-	-	-	SPF	11.30	(0.20)	1,787	11.34
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	7.00	0.05	762	6.98
TFI	0.11	(0.01)	6,848	0.11	AAV	1.43	(0.05)	142,312	1.45	SRIPANWA	7.60	0.15	108	7.56
THIP	26.50	(0.50)	415	26.78	AOT	51.75	0.50	414,472	51.31	SSPF	-	-	-	-
TMD	21.80	(0.10)	3	21.80	ASIMAR	1.39	0.01	474	1.37	SSTRT	-	-	-	-
TOPP	-	-	-	-	B	0.27	(0.01)	11,985	0.28	TIFI	8.40	-	7	8.36
TPBI	5.20	0.10	1,695	5.15	BA	4.98	(0.02)	3,592	5.00	TLGF	14.90	0.10	2,436	14.76
TPP	11.70	(0.10)	3	11.73	BEM	8.20	-	330,804	8.15	TLHPF	8.40	0.20	3	8.20
Personal Products &	-	-	-	-	BTS	8.90	0.05	538,730	8.83	TNPF	1.99	-	10	1.99
APCO	3.78	-	2,324	3.71	BTSIGIF	4.88	0.02	14,612	4.85	TPRIME	-	-	-	-
DDD	14.00	(0.20)	871	14.10	III	4.36	(0.06)	31,828	4.42	TTLPF	22.50	0.20	150	22.45
JCT	-	-	-	-	JUTHA	-	-	-	-	TU-PF	0.79	-	22	0.77
OCC	8.95	0.05	1	8.95	JWD	6.90	(0.05)	9,959	6.95	URBNPF	2.98	0.02	10	2.98
S & J	25.00	0.90	1	25.00	KWC	-	-	-	-	WHART	-	-	-	-
STGT	91.50	(1.75)	108,614	92.38	NOK	0.57	0.02	1,386	0.54	WHART	12.70	(0.10)	3,768	12.66
STHAI	-	-	-	-	NYT	3.20	(0.12)	45,005	3.26	Steel	-	-	-	-
TNR	11.50	0.60	1,294	11.48	PORT	2.16	(0.02)	23,497	2.16	AMC	1.33	(0.03)	19	1.34
TOG	3.38	(0.12)	364	3.40	PRM	7.75	(0.10)	63,623	7.80	BSBM	0.84	0.01	1	0.84
Professional Service	-	-	-	-	PSL	4.86	(0.14)	74,059	4.90	CEN	0.65	0.02	396	0.66
BWG	0.43	-	175,198	0.43	RCL	6.45	-	31,367	6.35	CITY	1.79	(0.02)	1,091	1.80
GENCO	0.48	-	1,408	0.47	TFFIF	9.40	-	36,562	9.36	CSP	0.50	(0.01)	145	0.51
PRO	-	-	-											

## Main Board Quotation

Issue Date :

Friday October 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	TITLE	2.88	-	21,568	2.00	ADVA01C2101A	0.47	(0.04)	42,007	-
ABICO	5.40	0.10	127	5.00	Resources (MAI)	-	-	-	-	ADVA01P2012A	0.48	-	52,396	-
AU	8.75	(0.05)	6,109	8.00	ABM	0.94	(0.01)	3,640	-	ADVA06C2010A	-	-	-	-
JCKH	0.32	-	848	-	AIE	0.66	-	74,318	-	ADVA06C2103A	0.48	(0.04)	49,291	-
KASET	1.21	0.01	277	1.00	ETC	1.77	-	258,209	1.00	ADVA06P2011A	-	-	-	-
MM	1.90	(0.10)	28	1.00	PSTC	1.53	-	14,521	1.00	ADVA08C2012A	0.11	(0.02)	2,000	-
SUN	3.86	(0.16)	53,428	3.00	QTC	3.92	0.06	2,491	3.00	ADVA08C2103A	0.50	(0.03)	38,150	-
TACC	6.60	(0.05)	54,340	6.00	SAAM	1.00	0.01	1,030	-	ADVA08P2101A	0.69	0.02	17,736	-
TMILL	3.20	0.02	931	3.00	SEAOIL	2.24	-	2,544	2.00	ADVA11C2011A	0.09	(0.01)	2,826	-
XO	10.30	(0.30)	24,203	10.00	SR	0.57	(0.06)	1,050	-	ADVA11C2104A	0.58	(0.03)	33,600	-
Consumer Products	-	-	-	-	TAKUNI	0.37	-	6,730	-	ADVA11P2011A	0.26	-	18,702	-
BGT	1.06	(0.11)	2,545	1.00	TPCH	10.30	(0.10)	1,499	10.00	ADVA13C2012A	0.15	(0.01)	152,361	-
BIZ	3.36	-	287	3.00	TRT	1.67	-	2	1.00	ADVA13C2101A	0.38	(0.04)	160,113	-
DOD	8.75	(0.05)	19,087	8.00	UMS	0.33	0.05	414	-	ADVA13P2012A	0.57	0.02	46,531	-
ECF	1.31	(0.05)	118,843	1.00	UPA	0.18	-	82,403	-	ADVA19C2010A	-	-	-	-
HPT	0.74	(0.01)	250	-	UWC	0.06	0.01	34,544	-	ADVA19C2010B	-	-	-	-
IP	11.40	(0.10)	3,738	11.00	Services (MAI)	-	-	-	-	ADVA19C2012A	0.14	(0.02)	68,022	-
JUBILE	17.00	(0.20)	83	17.00	A5	-	-	-	-	ADVA19C2101A	0.29	(0.03)	266,053	-
MOONG	3.92	-	85	3.00	AKP	0.74	0.02	1,187	-	ADVA19P2010A	-	-	-	-
NPK	14.20	-	1	14.00	AMA	4.80	0.18	58,178	4.00	ADVA19P2012A	0.46	0.01	288,807	-
OCEAN	0.72	-	1,552	-	ARIP	0.44	0.01	589	-	ADVA24C2101A	0.20	(0.01)	9,644	-
TM	2.26	-	825	2.00	ATP30	0.82	0.01	13,368	-	ADVA28C2011A	-	-	-	-
Financials (MAI)	-	-	-	-	AUCT	11.90	-	13,660	11.00	ADVA28C2012A	0.02	-	576	-
ACAP	0.67	(0.01)	3,025	-	BOL	5.90	0.05	7,594	5.00	ADVA28C2012B	-	-	-	-
AF	0.57	(0.03)	310	-	CMO	0.85	-	41	-	ADVA28C2101A	0.16	(0.01)	13,838	-
AIRA	0.81	(0.02)	1	-	D	3.30	0.02	175	3.00	ADVA28C2102L	0.14	(0.01)	4,912	-
ASN	4.18	(0.32)	62	4.00	DV8	0.30	-	600	-	ADVA28P2012A	0.11	-	10,401	-
BROOK	0.39	0.01	9,944	-	EFORL	0.03	-	87,250	-	ADVA41C2010A	-	-	-	-
CHAYO	7.90	0.30	212,142	7.00	ETE	1.05	(0.04)	53,735	1.00	ADVA41C2011A	-	-	-	-
GCAP	1.29	-	2,767	1.00	FSMART	6.80	(0.05)	10,913	6.00	ADVA41C2101A	0.34	(0.02)	133,330	-
LIT	3.04	0.02	557	3.00	FVC	0.40	0.01	5,275	-	ADVA41P2011A	-	-	-	-
MITSI	1.02	0.01	879	1.00	GSC	1.18	0.01	1,090	1.00	ADVA41P2101A	0.33	0.01	46,568	-
SGF	0.45	-	10,900	-	HARN	2.08	-	423	2.00	ADVA42C102T	0.24	-	5,714	-
Industrials (MAI)	-	-	-	-	IMH	1.98	0.01	201	1.00	AEON01C2102A	0.42	0.02	30,974	-
ZS	3.24	(0.08)	1,191	3.00	JKN	9.00	(0.15)	76,335	9.00	AEON13C2011A	0.17	0.02	105,761	-
ADB	0.80	0.01	5,752	-	KIAT	0.68	0.01	929,382	-	AEON13C2012A	0.92	0.06	4,392	-
BM	2.30	(0.02)	2,055	2.00	KK	1.21	(0.06)	83,457	1.00	AEON13C2101A	0.37	0.03	146,647	-
CHO	0.49	(0.01)	18,523	-	KOOL	0.92	0.01	22,682	-	AEON19C2010A	-	-	-	-
CHOW	1.80	0.23	2,210	1.00	LDC	1.18	(0.01)	593	1.00	AEON19C2010B	-	-	-	-
CIG	0.21	-	373	-	MORE	0.80	(0.01)	250,167	-	AEON19C2011A	-	-	-	-
COLOR	-	-	-	-	MPG	0.22	-	150	-	AEON19C2012A	0.77	0.06	3,049	-
CPR	2.28	0.04	820	2.00	MVP	1.17	(0.03)	585	1.00	AEON19C2101A	0.47	0.05	423,304	-
FPI	1.41	-	703	1.00	NBC	0.52	-	150	-	AEON19C2102A	0.38	0.03	213,893	-
GTB	0.70	-	2,248	-	NCL	0.61	(0.01)	500	-	AEON28C2012A	-	-	-	-
KCM	0.43	-	694	-	NEWS	0.01	-	87,365	-	AEON28C2101A	-	-	-	-
KUMWEL	1.18	(0.01)	16,657	1.00	NINE	1.68	-	104	1.00	AEON28C2103A	0.40	0.02	168,348	-
KWM	1.12	-	925	1.00	OTO	3.24	(0.02)	1,875	3.00	AEON28C2104L	0.28	0.01	72,566	-
MBAX	8.10	0.10	104,737	8.00	PHOL	2.30	-	2,092	2.00	AEON42C2101T	0.33	0.02	82	-
MGT	2.70	-	127,817	2.00	PICO	3.80	0.08	2	3.00	AMAT01C2101A	0.13	(0.01)	3,194	-
NDR	1.59	0.01	9,743	1.00	QLT	4.06	0.02	3	4.00	AMAT06C2102A	0.11	(0.01)	12,000	-
PDG	3.54	-	47	3.00	RP	1.13	(0.04)	1,056	1.00	AMAT08C2010A	-	-	-	-
PIMO	2.58	(0.04)	90,118	2.00	SE	1.15	(0.03)	1,090	1.00	AMAT08C2101A	0.16	(0.02)	2,000	-
PJW	1.26	(0.02)	633	1.00	SLM	-	-	-	-	AMAT13C2012A	0.06	-	498	-
PPM	0.71	(0.02)	4	-	SONIC	1.26	-	979	1.00	AMAT13C2102A	0.20	(0.02)	44,835	-
PRAPAT	1.21	(0.03)	95,408	1.00	SPA	5.65	(0.05)	10,128	5.00	AMAT19C2011A	-	-	-	-
RWI	1.30	(0.02)	900	1.00	THMUJ	0.64	(0.03)	3,932	-	AMAT19C2012A	-	-	-	-
SALEE	0.72	0.06	381	-	TNDT	2.88	(0.02)	39	2.00	AMAT19C2101A	0.12	(0.02)	9,193	-
SANKO	0.95	(0.03)	558	-	TNH	33.00	0.50	799	33.00	AMAT24C2010A	-	-	-	-
SELIC	1.94	(0.03)	3,253	1.00	TNP	3.52	0.08	92,036	3.00	AMAT24C2103A	0.29	(0.01)	4,659	-
SFT	4.06	0.40	1,542,472	4.00	TSF	-	-	-	-	AMAT28C2012A	-	-	-	-
SWC	4.38	0.02	405	4.00	TVD	0.96	(0.04)	54,145	1.00	AMAT28C2101A	-	-	-	-
TMC	0.67	0.02	10,553	-	TVT	0.67	-	365	-	AMAT28C2102L	0.05	(0.01)	6,000	-
TMI	0.62	(0.01)	18,753	-	VL	0.99	-	90,594	-	AMAT28C2103A	0.16	(0.01)	6,084	-
TMW	30.00	0.50	18	29.00	WINNER	2.38	(0.02)	803	2.00	AMAT42C2101T	-	-	-	-
TPAC	12.80	(0.20)	463	12.00	YGG	11.30	(0.10)	1,514	11.00	AOT01C2012A	0.27	(0.01)	48,464	-
TPLAS	1.48	-	5,362	1.00	Technology (MAI)	-	-	-	-	AOT01C2102A	0.25	-	66,428	-
UBIS	4.96	(0.04)	5	4.00	APP	2.46	0.02	21,619	2.00	AOT01C2102T	0.21	-	78,802	-
UEC	0.82	(0.03)	4,102	-	COMAN	2.12	(0.02)	2,438	2.00	AOT01P2012A	0.16	-	35,977	-
UKEM	0.51	-	17,519	-	ICN	2.12	(0.02)	7,071	2.00	AOT01P2012B	0.60	(0.03)	34,613	-
UREKA	0.86	0.04	5,984	-	IIG	20.80	-	20,502	21.00	AOT01P2102T	0.57	-	21,878	-
YUASA	14.30	-	251	14.00	INSET	3.66	0.02	62,149	3.00	AOT06C2011A	0.01	-	200	-
ZIGA	2.32	0.02	132,764	2.00	IRCP	0.67	-	494	-	AOT06C2102A	0.21	0.01	60,287	-
Property & Construc	-	-	-	-	ITEL	2.94	(0.06)	43,656	2.00	AOT06P2011A	0.61	-	50	-
ALL	3.06	-	608,794	3.00	NETBAY	24.90	(0.10)	4,407	25.00	AOT06P2103A	0.64	(0.36)	50,764	-
ARIN	0.92	0.01	250	-	PLANET	1.18	0.01	3,673	1.00	AOT08C2101A	0.21	0.02	26,975	-
ARROW	6.85	(0.10)	523	6.00	SICT	4.38	(0.02)	15,191	4.00	AOT08P2102A	0.75	(0.02)	116,921	-
BC	0.85	0.02	74	-	SIMAT	3.52	0.02	45,984	3.00	AOT11C2011A	-	-	-	-
BSM	0.26	0.01	1,428	-	SKY	11.70	-	4,039	11.00	AOT11P2101A	0.39	(0.02)	72,140	-
BTW	0.76	(0.01)	1,191	-	SPVI	3.26	(0.08)	37,557	3.00	AOT13C2011A	-	-	-	-
CAZ	1.50	-	709	1.00	TPS	2.36	-	11,963	2.00	AOT13C2012A	0.13	0.01	274,463	-
CHEWA	0.49	(0.01)	4,176	-	VCOM	5.40	0.05	10,876	5.00	AOT13C2101A	0.12	-	431,564	-
CMC	0.69	-	650	-	Unit Trust	-	-	-	-	AOT13P2011A	0.07	(0.01)	3,603	-
CRD	0.41	(0.01)	201	-	SCB									

## Main Board Quotation

Issue Date :

Friday October 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT42P2012T	0.42	-	14,226	-	BCP13C2011A	-	-	-	-	BJC19P2012A	0.45	0.04	6,592	-
AP01C2012A	0.09	(0.01)	27,632	-	BCP13C2012A	-	-	-	-	BJC28C2012A	-	-	-	-
AP06C2103A	0.35	(0.05)	29,970	-	BCP13C2102A	0.24	(0.02)	123,443	-	BJC28C2012B	-	-	-	-
AP08C2101A	0.19	(0.03)	31,880	-	BCP19C2011A	-	-	-	-	BJC28C2101A	-	-	-	-
AP13C2011A	0.09	(0.01)	8,794	-	BCP19C2012A	0.03	(0.02)	1,200	-	BJC28C2102L	-	-	-	-
AP19C2010A	-	-	-	-	BCP19C2102A	0.18	(0.02)	79,860	-	BJC28C2103A	0.10	(0.02)	17,320	-
AP19C2011A	0.10	(0.03)	88,602	-	BCPG13C2012A	-	-	-	-	BJC41C2011A	-	-	-	-
AP28C2012A	-	-	-	-	BCPG13C2012B	-	-	-	-	BJC41C2012A	-	-	-	-
AP28C2012B	0.10	(0.03)	18,252	-	BCPG13C2102A	0.18	-	22,713	-	BPP13C2011A	-	-	-	-
AWC01C2101A	0.12	-	1	-	BCPG19C2010A	-	-	-	-	BPP13C2012A	0.10	(0.01)	6,400	-
AWC06C2011A	-	-	-	-	BCPG19C2011A	-	-	-	-	BPP19C2010A	-	-	-	-
AWC06C2103A	0.14	(0.01)	18,712	-	BCPG19C2012A	-	-	-	-	BPP19C2012A	0.10	(0.02)	8,001	-
AWC06P2012A	-	-	-	-	BCPG19C2101A	0.17	(0.01)	47,192	-	BTS01C2101A	-	-	-	-
AWC08C2012A	-	-	-	-	BCPG28C2012A	-	-	-	-	BTS01C2103A	0.34	-	22,876	-
AWC11C2102A	0.13	(0.01)	22,550	-	BCPG28C2012B	-	-	-	-	BTS01P2103A	0.55	0.01	22,055	-
AWC13C2011A	-	-	-	-	BCPG28C2102C	-	-	-	-	BTS06P2103A	0.49	(0.51)	30,900	-
AWC13C2101A	0.04	(0.01)	7,000	-	BCPG28C2101A	-	-	-	-	BTS11C2011A	-	-	-	-
AWC13C2102A	0.22	(0.01)	59,617	-	BCPG28C2103L	0.11	(0.01)	6,085	-	BTS13C2011A	-	-	-	-
AWC13P2011A	-	-	-	-	BDM501C2101A	0.14	(0.01)	6,730	-	BTS13C2012A	-	-	-	-
AWC19C2010A	-	-	-	-	BDM506C2102A	0.09	-	12,550	-	BTS13C2102A	0.23	0.01	125,100	-
AWC19C2010B	-	-	-	-	BDM508C2011A	-	-	-	-	BTS13P2011A	0.08	(0.01)	2,881	-
AWC19C2010C	-	-	-	-	BDM508C2101A	-	-	-	-	BTS13P2102A	0.31	-	201,656	-
AWC19C2101A	0.05	(0.01)	560	-	BDM511C2011A	-	-	-	-	BTS19C2010A	-	-	-	-
AWC19C2102A	0.13	(0.01)	1,970	-	BDM511P2104A	0.52	0.01	11,890	-	BTS19C2011A	-	-	-	-
AWC19C2103A	0.28	-	26,306	-	BDM513C2011A	-	-	-	-	BTS19C2012A	0.12	-	108,100	-
AWC19P2011A	0.28	(0.02)	17,609	-	BDM513C2012A	0.04	(0.01)	2,000	-	BTS19C2102A	0.25	(0.01)	102,240	-
AWC24C2010A	-	-	-	-	BDM513C2101A	0.18	-	31,874	-	BTS19P2012A	0.14	-	42,468	-
AWC24C2103A	0.18	(0.01)	1,010	-	BDM513P2101A	0.38	-	42,416	-	BTS19P2102A	0.41	-	101,152	-
AWC28C2012A	-	-	-	-	BDM519C2010A	-	-	-	-	BTS24C2012A	-	-	-	-
AWC28C2012B	-	-	-	-	BDM519C2011A	-	-	-	-	BTS41C2010A	-	-	-	-
AWC28C2101A	-	-	-	-	BDM519C2012A	-	-	-	-	BTS41C2012A	-	-	-	-
AWC28C2103L	-	-	-	-	BDM519C2102A	0.13	(0.01)	10,401	-	CBG01C2012A	0.11	(0.02)	37,559	-
AWC41C2010A	-	-	-	-	BDM519P2010A	-	-	-	-	CBG01C2102A	0.41	(0.03)	86,066	-
AWC41C2011A	-	-	-	-	BDM519P2012A	0.41	0.01	7,796	-	CBG01C2103T	0.32	(0.01)	35,704	-
AWC41C2102A	-	-	-	-	BDM524C2101A	0.12	(0.01)	3,107	-	CBG01P2012A	0.40	0.01	66,803	-
AWC42C2101T	-	-	-	-	BDM528C2011A	-	-	-	-	CBG01P2102A	0.78	0.02	37,399	-
BANP01C2101A	0.36	(0.03)	74,432	-	BDM528C2012A	-	-	-	-	CBG06C2011A	0.05	(0.02)	1,562	-
BANP01P2101A	0.25	-	43,452	-	BDM528C2012B	-	-	-	-	CBG06C2102A	0.42	(0.04)	74,561	-
BANP06C2101A	0.38	(0.05)	92,222	-	BDM528C2101A	0.04	(0.02)	900	-	CBG08C2012A	0.27	(0.02)	36,478	-
BANP06P2011A	0.05	-	790	-	BDM528C2102A	0.07	(0.01)	300	-	CBG11C2101A	0.31	(0.02)	32,801	-
BANP06P2103A	0.38	(0.62)	56,110	-	BDM528C2103A	0.15	(0.02)	26,815	-	CBG13C2011A	0.07	(0.03)	6,905	-
BANP08C2102A	0.38	(0.02)	52,099	-	BDM541C2012A	-	-	-	-	CBG13C2012A	0.10	(0.02)	205,149	-
BANP08P2102A	0.29	0.03	54,250	-	BDM541P2011A	-	-	-	-	CBG13C2101A	0.32	(0.02)	131,489	-
BANP11C2104A	0.37	(0.04)	65,812	-	BDM542C2101T	-	-	-	-	CBG13P2011A	0.08	-	25	-
BANP13C2011A	0.07	(0.02)	10,525	-	BEM01C2101A	-	-	-	-	CBG13P2101A	0.75	0.02	137,650	-
BANP13C2012A	0.27	(0.04)	334,506	-	BEM08C2102A	-	-	-	-	CBG16C2101A	0.34	(0.02)	19,548	-
BANP13C2102A	0.22	(0.03)	326,226	-	BEM11C2011A	-	-	-	-	CBG19C2010A	-	-	-	-
BANP13P2012A	0.11	-	243,442	-	BEM13C2011A	-	-	-	-	CBG19C2011A	0.22	(0.02)	139,393	-
BANP13P2102A	0.41	(0.59)	176,377	-	BEM13C2101A	0.17	-	66,604	-	CBG19C2011B	0.04	(0.02)	7,546	-
BANP16C2101A	0.28	(0.03)	4,224	-	BEM13P2102A	0.28	(0.01)	31,652	-	CBG19C2101A	0.22	(0.03)	216,815	-
BANP19C2010A	-	-	-	-	BEM19C2010A	-	-	-	-	CBG19P2010A	-	-	-	-
BANP19C2011A	0.30	(0.03)	79,615	-	BEM19C2011A	-	-	-	-	CBG19P2011A	-	-	-	-
BANP19C2102A	0.23	(0.02)	197,571	-	BEM19C2101A	0.15	(0.01)	5,055	-	CBG19P2012A	0.55	0.02	210,583	-
BANP19P2010A	-	-	-	-	BEM19C2102A	0.28	-	12,136	-	CBG24C2102A	0.42	(0.03)	37,130	-
BANP19P2010B	-	-	-	-	BEM19P2010A	-	-	-	-	CBG41C2011A	-	-	-	-
BANP19P2012A	-	-	-	-	BEM19P2102A	0.37	(0.02)	12,460	-	CBG41C2011B	0.11	(0.02)	18,784	-
BANP19P2102A	0.32	0.01	62,756	-	BEM28C2012A	-	-	-	-	CBG41C2012A	-	-	-	-
BANP24C2011A	-	-	-	-	BEM28C2103A	0.16	-	12,168	-	CBG41P2010A	-	-	-	-
BANP28C2012A	0.13	(0.02)	39,584	-	BEM28C2104L	0.16	-	9,126	-	CBG41P2012A	0.78	0.03	26,672	-
BANP28C2012B	0.10	(0.03)	60,678	-	BGR101C2012A	-	-	-	-	CBG42C2101T	0.43	(0.04)	23,868	-
BANP28C2101A	-	-	-	-	BGR101C2102A	0.25	(0.03)	49,413	-	CENT01C2103A	0.43	(0.02)	9,648	-
BANP42C2012T	0.10	-	162	-	BGR101P2012A	0.38	0.01	24,006	-	CENT08C2012A	0.09	(0.02)	2,035	-
BBL06C2101A	0.33	(0.04)	84,610	-	BGR106C2102A	0.19	(0.03)	27,818	-	CENT11C2012A	-	-	-	-
BBL06P2011A	0.19	0.01	70,834	-	BGR106P2011A	0.37	0.03	20,851	-	CENT13C2010A	-	-	-	-
BBL08C2101A	0.16	(0.02)	2,970	-	BGR108C2101A	0.16	(0.01)	24,000	-	CENT13C2011A	0.03	(0.01)	150	-
BBL08C2103A	1.03	(0.06)	54,856	1.00	BGR111C2101A	-	-	-	-	CENT13C2101A	0.25	(0.03)	37,389	-
BBL08P2102A	0.78	0.03	68,549	-	BGR113C2011A	-	-	-	-	CENT13P2011A	0.20	-	61,979	-
BBL11C2011A	0.12	(0.02)	25,620	-	BGR113C2012A	0.08	(0.01)	1,613	-	CENT19C2010A	-	-	-	-
BBL11C2104A	0.78	(0.04)	58,940	-	BGR113C2101A	0.15	(0.01)	62,064	-	CENT19C2011A	0.02	-	100	-
BBL11P2102A	0.56	0.03	42,810	-	BGR113P2011A	-	-	-	-	CENT19C2011B	0.04	(0.01)	200	-
BBL13C2012A	0.12	(0.01)	185,403	-	BGR113P2101A	0.29	0.02	132,454	-	CENT19C2101A	0.22	(0.01)	35,530	-
BBL13C2012B	0.32	(0.05)	546,699	-	BGR119C2011A	-	-	-	-	CENT19P2011A	0.17	-	3,216	-
BBL13P2012A	0.45	0.01	147,143	-	BGR119C2012A	0.04	(0.01)	2,400	-	CENT24C2011A	-	-	-	-
BBL19C2010A	-	-	-	-	BGR119C2101A	0.18	(0.01)	137,316	-	CENT28C2012A	0.02	(0.01)	90	-
BBL19C2011A	0.02	-	200	-	BGR119P2010A	-	-	-	-	CENT28C2012B	-	-	-	-
BBL19C2011B	-	-	-	-	BGR124C2101A	0.19	(0.03)	28,385	-	CENT28C2101A	0.09	(0.01)	11	-
BBL19C2012A	0.26	(0.03)	222,693	-	BGR127C2101A	-	-	-	-	CENT28C2101B	-	-	-	-
BBL19C2101A	0.19	(0.03)	131,943	-	BGR127P2012A	0.28	0.01	6,678	-	CENT28C2103L	0.13	(0.02)	22,211	-
BBL19C2101B	0.50	(0.04)	222,317	-	BGR141C2010A	-	-	-	-	CHG06C2102A	0.18	(0.01)	10,200	-
BBL19P2010A	-	-	-	-	BGR141C2012A	0.20	(0.01)	4,026	-	CHG13C2012A	0.12	(0.01)	50,635	-
BBL19P2011A	0.34	0.02	144,488	-	BH01C2103A	-	-	-	-	CHG19C2011A	-	-	-	-
BBL19P2012A	0.29	0.02	272,860	-	BH13C2012A	0.03	-	20,433	-	CHG19C2103A	0.18	(0.01)	31,130	-
BBL24C2102A	0.66	(0.04)	43,260	-	BH13C2101A	0.25	(0.01)	72,236	-	CK01C2101A	0.10	0.01	8	-
BBL28C2011A	-	-	-	-	BH13P2101A	0.49	0.02	61,063	-	CK01P2101A	0.69	(0.01)	124,657	-
BBL28C2012A	-	-	-	-	BH19C2012A	-	-	-	-	CK06C2102A	0.09	-	3,206	-
BBL28C2101A	0.08	(0.02)	600	-	BH19C2101A	-	-	-	-	CK06P2012A	-	-	-	-
BBL28C2103A	0.63	(0.05)	123,071	-	BH19C2012A	-	-	-	-	CK11C2012A	0.03	(0.04)	5,000	-
BBL28C2104L	0.12	(0.01)	32,020	-	BH19C2101A	0.38	(0.03)	33,560	-	CK13C2012A	-	-	-	-
BBL41C2011A	-	-	-	-	BH19P2012A	0.57	0.02	38,271	-	CK13C2102A	0.25	-	307,795	-
BBL41C2012A	0.28	(0.05)	50,841	-	BH24C2102A	0.10	(0.01)	15,655	-	CK19C2010A	-	-	-	-
BBL41C2012B	-	-	-	-	BH41C2012A	-	-	-	-	CK19C2011A	-	-	-	-
BBL41C2102A	0.80	(0.06)	239,799	-	BJC01C2101A	-	-	-	-					

## Main Board Quotation

## Issue Date :

Friday October 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP08C2102A	-	-	-	-	CPF28C2103L	-	-	-	-	EA28C2103L	0.08	(0.01)	1,030	-
CKP08C2103A	0.33	(0.05)	16,535	-	CPF41C2010A	-	-	-	-	EA41C2011A	-	-	-	-
CKP11C2102A	-	-	-	-	CPF41C2010A	-	-	-	-	EA41C2101A	-	-	-	-
CKP13C2011A	-	-	-	-	CPF41C2102A	0.14	-	19,501	-	EA42C2101A	0.11	(0.01)	7	-
CKP13C2101A	0.06	(0.01)	1,865	-	CPF41P2011A	-	-	-	-	EGCO01C2101A	-	-	-	-
CKP13C2102A	0.35	(0.07)	272,610	-	CPF41P2102A	0.30	0.01	9,865	-	EGCO01C2103A	0.63	(0.05)	20,479	-
CKP16C2012A	-	-	-	-	CPF42C2101T	0.01	(0.01)	50,360	-	EGCO01P2101A	1.02	0.05	7,427	1.00
CKP19C2010A	-	-	-	-	CPN01C2012A	-	-	-	-	EGCO13C2011A	-	-	-	-
CKP19C2011A	-	-	-	-	CPN01C2101A	0.20	(0.01)	19,851	-	EGCO13C2012A	0.03	-	4,030	-
CKP19C2011B	-	-	-	-	CPN01P2012A	0.52	0.01	31,873	-	EGCO13C2012B	0.06	(0.01)	130	-
CKP19C2101A	-	-	-	-	CPN06C2103A	0.23	(0.01)	41,294	-	EGCO13C2101A	0.27	(0.04)	71,789	-
CKP19C2102A	0.26	(0.05)	42,760	-	CPN11C2101A	-	-	-	-	EGCO13P2011A	1.03	0.09	41,790	1.00
CKP19P2012A	0.57	0.05	54,767	-	CPN13C2011A	-	-	-	-	EGCO19C2010A	-	-	-	-
CKP24C2011A	0.01	-	2,300	-	CPN13C2012A	0.06	-	6	-	EGCO19C2011A	-	-	-	-
CKP28C2011A	-	-	-	-	CPN13C2102A	0.31	(0.02)	193,830	-	EGCO19C2012A	0.01	(0.01)	1,450	-
CKP28C2012A	-	-	-	-	CPN19C2010A	-	-	-	-	EGCO19C2012B	0.12	(0.03)	77,616	-
CKP28C2012B	-	-	-	-	CPN19C2011A	-	-	-	-	EGCO19C2102A	0.48	(0.04)	98,154	-
CKP28C2103A	-	-	-	-	CPN19C2012A	-	-	-	-	EGCO19P2011A	1.18	0.08	25,012	1.00
COM706C2012A	0.80	-	9	-	CPN19C2102A	0.15	(0.02)	56,340	-	EGCO19P2012A	0.81	0.05	59,578	-
COM708C2010A	-	-	-	-	CPN19P2010A	-	-	-	-	EGCO41C2101A	0.03	(0.02)	170	-
COM708C2011A	-	-	-	-	CPN19P2101A	0.35	0.02	57,272	-	EGCO42C2101T	0.01	(0.02)	600	-
COM708C2102A	0.35	(0.01)	65,684	-	CPN24C2011A	-	-	-	-	EPG13C2011A	0.08	(0.04)	252	-
COM711C2101A	0.42	(0.03)	24,100	-	CPN41C2012A	-	-	-	-	EPG13C2012A	0.08	(0.01)	4,890	-
COM711P2102A	0.53	-	4,400	-	CPN41C2101A	-	-	-	-	EPG13C2102A	0.53	(0.05)	63,503	-
COM713C2011A	0.22	(0.02)	1,652	-	CPN41P2011A	0.91	0.04	70	-	EPG19C2010A	-	-	-	-
COM713C2101A	0.27	(0.01)	212,145	-	CRC01C2101A	0.14	(0.01)	5,946	-	EPG19C2011A	0.05	-	1,500	-
COM716C2101A	0.31	(0.02)	146,962	-	CRC01P2101A	0.38	-	27,781	-	EPG19C2102A	0.55	(0.05)	29,296	-
COM719C2010A	-	-	-	-	CRC06C2102A	0.14	-	15,255	-	EPG42C2101T	0.22	(0.01)	27,180	-
COM719C2011A	-	-	-	-	CRC08C2101A	0.12	-	5,000	-	ERW19C2010A	-	-	-	-
COM719C2011B	-	-	-	-	CRC11P2104A	0.61	-	15,366	-	ERW19C2010B	-	-	-	-
COM719C2012A	0.23	(0.01)	264,400	-	CRC13C2011A	0.01	-	2,076	-	ESS001C2012A	-	-	-	-
COM719P2011A	0.01	-	1,000	-	CRC13C2012A	0.06	-	4,012	-	ESS001P2012A	0.35	(0.01)	13,064	-
COM719P2012A	0.05	-	500	-	CRC13C2101A	0.16	0.01	24,235	-	ESS006C2011A	0.01	-	1,014	-
COM719P2101A	0.25	0.01	194,862	-	CRC13P2012A	0.13	-	70,712	-	ESS006C2103A	0.26	-	5,600	-
COM719P2102A	0.55	(0.45)	92,865	-	CRC16C2102A	0.19	(0.81)	2,592	-	ESS008C2011A	-	-	-	-
COM724C2012A	0.28	(0.03)	46,225	-	CRC19C2010A	-	-	-	-	ESS008C2102A	0.23	(0.01)	3,145	-
COM741C2101A	0.22	(0.01)	9,132	-	CRC19C2011A	-	-	-	-	ESS013C2012A	0.09	(0.01)	250	-
CPAL01C2101A	0.08	-	26,803	-	CRC19C2012A	-	-	-	-	ESS013C2102A	0.25	-	17,036	-
CPAL01P2101A	0.76	0.04	34,451	-	CRC19C2101A	0.15	(0.01)	22,737	-	ESS019C2010A	-	-	-	-
CPAL06C2011A	-	-	-	-	CRC19P2011A	-	-	-	-	ESS019C2011A	0.02	0.01	1,000	-
CPAL06C2102A	0.05	(0.01)	5,650	-	CRC24C2101A	-	-	-	-	ESS019C2102A	0.07	(0.03)	300	-
CPAL06P2012A	0.82	0.01	5	-	CRC28C2011A	-	-	-	-	ESS019C2103A	0.26	0.01	22,146	-
CPAL08C2011A	-	-	-	-	CRC28C2012A	0.02	(0.01)	1,250	-	ESS019P2012A	0.24	(0.01)	194,091	-
CPAL08C2102A	0.13	(0.01)	13,757	-	CRC28C2101A	0.10	-	8,193	-	ESS024C2012A	0.05	(0.01)	11	-
CPAL08P2010A	0.95	0.12	2	-	CRC41C2012A	-	-	-	-	ESS028C2101A	0.05	(0.01)	110	-
CPAL11C2012A	-	-	-	-	DEL113C2011A	8.10	(0.40)	176	8.00	ESS028C2101B	0.07	(0.01)	100	-
CPAL13C2011A	-	-	-	-	DOHO06C2012A	0.22	(0.07)	45,783	-	ESS041C2011A	-	-	-	-
CPAL13C2012A	0.03	-	100	-	DOHO08C2012A	0.33	(0.04)	12,370	-	ESS042C2101T	-	-	-	-
CPAL13C2101A	0.12	(0.02)	188,241	-	DOHO11C2101A	0.34	(0.04)	17,920	-	GFPT08C2011A	0.03	(0.01)	737	-
CPAL13C2102A	0.26	(0.02)	219,505	-	DOHO13C2011A	0.10	(0.04)	77,192	-	GFPT13C2010A	-	-	-	-
CPAL13P2011A	0.47	0.04	804	-	DOHO13C2101A	0.15	(0.05)	114,566	-	GFPT13C2101A	-	-	-	-
CPAL13P2102A	0.49	(0.51)	270,146	-	DOHO19C2011A	0.15	(0.06)	100,958	-	GFPT19C2010B	-	-	-	-
CPAL19C2010A	-	-	-	-	DOHO19C2101A	0.19	(0.04)	128,176	-	GFPT19C2012A	-	-	-	-
CPAL19C2011A	-	-	-	-	DOHO28C2012A	0.17	(0.04)	20,932	-	GFPT24C2012A	-	-	-	-
CPAL19C2012A	0.03	(0.03)	18,057	-	DOHO28C2102L	0.20	(0.02)	6,641	-	GFPT42C2101T	-	-	-	-
CPAL19C2102A	0.10	(0.02)	44,771	-	DOHO42C2012T	0.17	(0.03)	7	-	GLOB01C2012A	-	-	-	-
CPAL19C2103A	0.23	(0.02)	259,487	-	DTAC01C2101A	0.10	-	48,121	-	GLOB13C2011A	0.01	(0.03)	4,000	-
CPAL19P2010A	-	-	-	-	DTAC01P2101A	0.30	-	18,355	-	GLOB13C2102A	0.21	(0.09)	249,259	-
CPAL19P2010B	0.16	(0.09)	5,760	-	DTAC06C2012A	-	-	-	-	GLOB19C2010A	-	-	-	-
CPAL19P2101A	0.58	0.03	77,014	-	DTAC06C2103A	0.21	(0.02)	33,880	-	GLOB19C2012A	0.05	(0.04)	168,955	-
CPAL24C2103A	0.19	(0.02)	23,700	-	DTAC06P2012A	-	-	-	-	GLOB24C2010A	-	-	-	-
CPAL27C2101A	-	-	-	-	DTAC08C2012A	-	-	-	-	GPSC01C2012A	-	-	-	-
CPAL28C2012A	-	-	-	-	DTAC08C2101A	0.10	-	4,000	-	GPSC01C2101A	0.18	-	34,805	-
CPAL28C2012B	-	-	-	-	DTAC13C2011A	-	-	-	-	GPSC01P2012A	0.82	0.01	13,112	-
CPAL28C2012C	-	-	-	-	DTAC13C2012A	0.06	(0.01)	6	-	GPSC06C2011A	-	-	-	-
CPAL28C2102A	-	-	-	-	DTAC13C2101A	0.09	(0.01)	57,353	-	GPSC06C2101A	0.04	(0.01)	600	-
CPAL28C2103A	0.11	(0.03)	4,047	-	DTAC13P2011A	-	-	-	-	GPSC06P2011A	-	-	-	-
CPAL28C2104L	-	-	-	-	DTAC13P2101A	0.23	0.02	18,522	-	GPSC08C2101A	-	-	-	-
CPAL41C2011A	0.02	-	500	-	DTAC19C2010A	-	-	-	-	GPSC08C2103A	0.42	(0.01)	26,816	-
CPAL41C2101A	0.08	(0.02)	40,000	-	DTAC19C2011A	-	-	-	-	GPSC11C2102A	0.16	-	12,000	-
CPAL41P2011A	0.80	0.03	1,770	-	DTAC19C2012A	-	-	-	-	GPSC13C2011A	-	-	-	-
CPAL41P2101A	0.75	0.05	97,433	-	DTAC19C2101A	0.11	(0.01)	142,490	-	GPSC13C2012A	0.04	-	9	-
CPAL42C2101T	-	-	-	-	DTAC19P2011A	0.26	-	24,088	-	GPSC13C2012B	0.05	(0.02)	11,868	-
CPF01C2012A	0.01	(0.01)	8	-	DTAC24C2012A	-	-	-	-	GPSC13C2101A	0.20	-	21,966	-
CPF01C2101A	-	-	-	-	DTAC28C2012A	-	-	-	-	GPSC13C2102A	0.33	(0.67)	190,456	-
CPF01P2012A	0.50	(0.02)	1,903	-	DTAC28C2102A	0.06	(0.01)	123	-	GPSC13P2011A	-	-	-	-
CPF06C2102A	0.08	(0.01)	91,820	-	DTAC28C2103A	0.15	-	3,063	-	GPSC13P2011B	0.31	(0.02)	55,668	-
CPF06P2011A	0.13	(0.01)	14,303	-	DTAC28C2104L	0.13	(0.01)	8,184	-	GPSC13P2102A	0.59	0.02	67,433	-
CPF08C2010A	-	-	-	-	DTAC41C2010A	-	-	-	-	GPSC19C2010A	-	-	-	-
CPF08C2102A	0.10	-	3,100	-	DTAC41C2011A	-	-	-	-	GPSC19C2012A	-	-	-	-
CPF08P2103A	-	-	-	-	DTAC41C2012A	0.03	(0.03)	2,000	-	GPSC19C2101A	0.10	-	39,564	-
CPF11C2010A	-	-	-	-	DTAC42C2101T	0.02	-	50	-	GPSC19C2101B	0.16	(0.01)	213,173	-
CPF11C2104A	0.21	(0.01)	2,200	-	EA06C2102A	0.18	(0.04)	77,320	-	GPSC19P2010A	-	-	-	-
CPF11P2104A	0.50	0.01	9,890	-	EA06P2012A	0.36	0.03	45,083	-	GPSC19P2011A	-	-	-	-
CPF13C2011A	-	-	-	-	EA08C2101A	0.22	(0.03)	13,024	-	GPSC19P2012A	0.58	-	20	-
CPF13C2012A	0.02	-	5,046	-	EA11C2101A	-	-	-	-	GPSC19P2102A	0.67	0.03	84,976	-
CPF13C2101A	0.07	-	7,874	-	EA13C2011A	0.01	(0.01)	3,040	-	GPSC24C2011A	-	-	-	-
CPF13C2102A	0.14	-	70,650	-	EA13C2012A	0.07	(0.01)	15,025	-	GPSC28C2011A	-	-	-	-
CPF13P2012A	-	-	-	-	EA13C2101A	0.19	(0.04)	178,384	-	GPSC28C2101A	-	-	-	-
CPF13P2101A	0.24	(0.01)	44,154	-	EA13P2011A	0.49	0.05	20,900	-	GPSC28C2103A	0.28	(0.01)	30,420	-
CPF16C2012A	-	-	-	-	EA13P2101A	0.25	0.02	144,021	-	GPSC28C2104L	0.11	(0.01)	18,731	-
CPF19C2010A	-	-	-	-	EA16C2012A	-	-							

## Main Board Quotation

Issue Date :

Friday October 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF11C2104A	0.26	0.01	18,752	-	HSI41C2011E	0.08	(0.09)	11,001	-	JAS13C2011A	-	-	-	-
GULF11P2104A	0.52	-	18,738	-	HSI41C2012A	0.06	(0.03)	12,007	-	JAS13C2012A	0.05	-	4,222	-
GULF13C2011A	-	-	-	-	HSI41C2012B	0.49	(0.51)	364,850	-	JAS13C2101A	0.14	-	35,352	-
GULF13C2012A	0.02	(0.01)	185,286	-	HSI41C2012C	-	-	-	-	JAS19C2010A	-	-	-	-
GULF13C2012B	0.07	-	18,501	-	HSI41C2012U	0.48	(0.52)	280	-	JAS19C2010B	-	-	-	-
GULF13C2102A	0.20	(0.01)	120,073	-	HSI41C2010A	0.07	(0.03)	57,411	-	JAS19C2012A	0.04	-	50	-
GULF13P2011A	0.05	(0.01)	120	-	HSI41P2010A	-	-	-	-	JAS19C2101A	0.15	(0.01)	13,190	-
GULF13P2101A	0.24	0.01	157,309	-	HSI41P2010B	-	-	-	-	JAS19P2010A	-	-	-	-
GULF16C2012A	-	-	-	-	HSI41P2010C	-	-	-	-	JAS19P2101A	0.38	(0.01)	23,840	-
GULF19C2010A	0.01	-	1	-	HSI41P2011A	0.42	0.11	1,410	-	JAS28C2011A	-	-	-	-
GULF19C2010B	-	-	-	-	HSI41P2011B	0.67	0.12	900,656	-	JAS28C2012A	0.03	0.02	10	-
GULF19C2012A	0.04	(0.01)	399	-	HSI41P2011C	0.38	0.07	8,052	-	JAS28C2012B	-	-	-	-
GULF19C2101A	0.09	(0.01)	169	-	HSI41P2011D	0.19	-	500	-	JAS28C2101A	0.04	-	10,000	-
GULF19C2103A	0.22	(0.01)	61,949	-	HSI41P2011E	-	-	-	-	JAS28C2102A	0.10	(0.01)	6,084	-
GULF19P2010A	-	-	-	-	HSI41P2012A	-	-	-	-	JAS41C2011A	-	-	-	-
GULF19P2010B	-	-	-	-	HSI41P2012B	1.19	0.19	20,002	1.00	JAS41C2102A	-	-	-	-
GULF19P2012A	0.30	0.01	61	-	HSI41P2012C	0.94	(0.06)	60,000	-	JMT06C2012A	0.36	(0.03)	44,862	-
GULF19P2102A	0.26	0.02	13,972	-	HSI41P2012T	1.04	0.04	340,000	-	JMT06C2103A	0.35	(0.02)	69,901	-
GULF24C2101A	-	-	-	-	HSI41P2101A	0.24	0.02	32	-	JMT08C2101A	0.28	(0.01)	36,286	-
GULF28C2012A	0.02	-	25,651	-	INTU01C2101A	0.24	0.01	52,602	-	JMT11C2102A	0.31	(0.02)	53,669	-
GULF28C2012B	-	-	-	-	INTU01P2101A	0.53	(0.02)	15,992	-	JMT13C2011A	-	-	-	-
GULF28C2101A	-	-	-	-	INTU06C2103A	0.40	0.04	37,490	-	JMT13C2011B	0.33	-	1,011	-
GULF28C2102A	0.06	-	110	-	INTU06P2011A	-	-	-	-	JMT13C2012A	0.19	(0.02)	505,551	-
GULF41C2011A	-	-	-	-	INTU11C2103A	0.42	0.02	34,280	-	JMT16C2102A	0.39	(0.01)	26,705	-
GULF41C2012A	-	-	-	-	INTU13C2011A	-	-	-	-	JMT19C2010A	-	-	-	-
GULF41C2102A	0.09	-	17,500	-	INTU13C2101A	0.31	-	212,216	-	JMT19C2011A	-	-	-	-
GULF41P2011A	0.38	0.02	1,770	-	INTU19C2012A	0.12	-	57,959	-	JMT19C2012A	0.19	(0.02)	451,324	-
GULF41P2012A	0.26	(0.01)	42,797	-	INTU19C2101A	0.34	0.02	166,101	-	JMT24C2011A	0.37	-	14,538	-
GULF42C2101T	0.04	-	300	-	INTU19P2010A	-	-	-	-	JMT28C2101A	0.26	(0.03)	78,850	-
GULF42P2101T	0.26	(0.01)	2,752	-	INTU19P2012A	0.36	(0.02)	110,290	-	JMT28C2104L	0.21	(0.01)	32,927	-
GUNK01C2012A	-	-	-	-	INTU23C2111A	-	-	-	-	JMT41C2012A	0.18	-	22,003	-
GUNK13C2011A	-	-	-	-	INTU28C2012A	-	-	-	-	JMT42C2101T	0.21	-	6,020	-
GUNK13C2101A	0.06	-	190	-	INTU28C2102A	0.16	0.01	9,126	-	KBAN01C2012A	0.33	(0.01)	39,966	-
GUNK19C2010A	-	-	-	-	INTU41C2012A	-	-	-	-	KBAN01C2012B	0.18	-	52,555	-
GUNK19C2012A	0.01	(0.03)	1	-	INTU42C2101T	-	-	-	-	KBAN01C2102A	0.58	(0.02)	54,035	-
GUNK19C2101A	-	-	-	-	IRPC01C2101A	0.09	(0.02)	9,145	-	KBAN01C2102T	0.45	-	26,215	-
GUNK19C2103A	0.14	0.01	150	-	IRPC01P2101A	0.31	0.02	13,922	-	KBAN01P2012A	0.46	-	42,726	-
GUNK24C2012A	0.02	-	2,000	-	IRPC06C2103A	0.20	(0.02)	20,105	-	KBAN01P2101A	0.62	0.01	32,321	-
GUNK28C2012A	-	-	-	-	IRPC11C2102A	0.10	(0.01)	5,100	-	KBAN01P2102T	0.63	-	21,232	-
GUNK28C2012B	-	-	-	-	IRPC13C2011A	-	-	-	-	KBAN06C2011A	0.01	-	1,630	-
GUNK28C2102A	-	-	-	-	IRPC13C2012A	0.03	-	109	-	KBAN06C2012A	-	-	-	-
GUNK28C2103A	0.08	(0.01)	10	-	IRPC13C2012B	0.05	(0.02)	4,671	-	KBAN06C2103A	0.52	(0.02)	131,321	-
HANA01C2012A	0.42	0.03	109,690	-	IRPC13C2101A	-	-	-	-	KBAN06P2011A	0.28	(0.02)	84,356	-
HANA01C2102A	0.22	-	68,017	-	IRPC13C2102A	0.17	(0.03)	74,430	-	KBAN06P2103A	0.54	-	63,558	-
HANA06C2102A	0.34	0.03	298,510	-	IRPC13P2011A	-	-	-	-	KBAN08C2011A	-	-	-	-
HANA11C2103A	0.58	0.04	37,745	-	IRPC13P2012A	0.19	0.02	81,636	-	KBAN08C2101A	0.14	(0.01)	7,000	-
HANA13C2011A	0.45	0.09	17	-	IRPC19C2010A	-	-	-	-	KBAN08C2103A	0.66	(0.03)	39,204	-
HANA13C2012A	0.19	0.02	1,604,129	-	IRPC19C2011A	-	-	-	-	KBAN08P2101A	0.92	0.02	1,015	-
HANA13P2101A	0.53	(0.06)	469,685	-	IRPC19C2012A	-	-	-	-	KBAN13C2011A	0.02	-	102	-
HANA16C2101A	0.39	0.01	13,330	-	IRPC19C2101A	0.08	(0.01)	11,300	-	KBAN13C2012A	0.07	(0.01)	37,407	-
HANA19C2010A	-	-	-	-	IRPC19C2103A	0.18	(0.02)	134,928	-	KBAN13C2012B	0.18	(0.01)	107,944	-
HANA19C2012A	0.25	0.01	583,055	-	IRPC19P2011A	-	-	-	-	KBAN13C2101A	0.36	(0.01)	460,515	-
HANA19C2101A	0.21	0.02	987,144	-	IRPC19P2012A	0.22	0.03	855	-	KBAN13P2011A	0.60	(0.12)	10	-
HANA19P2011A	-	-	-	-	IRPC24C2012A	-	-	-	-	KBAN13P2012A	0.53	0.01	465,090	-
HANA19P2101A	0.55	(0.04)	178,188	-	IRPC28C2012A	-	-	-	-	KBAN16C2101A	0.43	(0.01)	13,834	-
HANA24C2012A	0.48	0.04	23,875	-	IRPC28C2101A	-	-	-	-	KBAN19C2010A	-	-	-	-
HANA27P2012X	0.05	-	829	-	IRPC28C2103A	0.09	(0.02)	5,942	-	KBAN19C2010B	-	-	-	-
HANA28C2012A	-	-	-	-	IRPC41C2010A	-	-	-	-	KBAN19C2011A	0.01	-	20	-
HANA28C2104L	0.21	0.02	78,740	-	IRPC41C2101A	-	-	-	-	KBAN19C2012A	0.14	(0.02)	9,450	-
HANA41C2012A	0.32	0.02	12,058	-	IVL01C2012A	-	-	-	-	KBAN19C2012B	0.05	(0.01)	3,500	-
HANA42C2101T	0.34	0.01	11,788	-	IVL01C2012B	0.20	(0.04)	43,574	-	KBAN19C2101A	0.39	(0.01)	535,579	-
HMPR01C2012A	0.06	(0.01)	103	-	IVL01C2102A	0.09	(0.01)	43,823	-	KBAN19P2010A	-	-	-	-
HMPR01C2103A	0.39	-	33,926	-	IVL01C2102B	0.42	(0.06)	33,931	-	KBAN19P2010P	-	-	-	-
HMPR01P2012A	0.34	-	37,802	-	IVL01C2103T	0.34	(0.03)	29,522	-	KBAN19P2012A	0.39	(0.01)	286,875	-
HMPR06C2102A	0.26	-	39,040	-	IVL01P2012A	0.48	0.02	36,940	-	KBAN24C2012A	0.06	(0.01)	370	-
HMPR06P2011A	0.01	(0.03)	3,000	-	IVL01P2102A	0.72	0.04	26,234	-	KBAN24C2103A	0.63	-	33,695	-
HMPR06P2103A	0.35	(0.65)	24,150	-	IVL06C2101A	0.13	(0.03)	2,363	-	KBAN28C2012A	0.01	(0.02)	183	-
HMPR11C2011A	0.15	(0.01)	38,400	-	IVL06C2103A	0.43	(0.08)	193,345	-	KBAN28C2012B	-	-	-	-
HMPR13C2012A	0.12	-	45,539	-	IVL06P2011A	0.32	0.02	1,701	-	KBAN28C2101A	0.13	(0.01)	30,420	-
HMPR13C2102A	0.30	-	99,811	-	IVL08C2101A	0.20	(0.03)	10,200	-	KBAN28C2103A	0.50	(0.02)	71,966	-
HMPR19C2010A	-	-	-	-	IVL08P2011A	0.12	0.01	16,004	-	KBAN28C2104L	0.19	(0.01)	39,546	-
HMPR19C2102A	0.22	-	55,456	-	IVL08P2102A	0.63	0.04	41,630	-	KBAN28P2012A	0.20	-	34,886	-
HMPR19P2011A	0.14	(0.01)	54,860	-	IVL11C2012A	-	-	-	-	KBAN41C2011A	-	-	-	-
HMPR41C2010A	-	-	-	-	IVL13C2011A	-	-	-	-	KBAN41C2012A	0.11	(0.01)	5,129	-
HSI28C2010A	-	-	-	-	IVL13C2012A	0.07	(0.04)	89,971	-	KBAN41C2101A	0.26	(0.02)	249,370	-
HSI28C2010B	-	-	-	-	IVL13C2012B	-	-	-	-	KBAN41P2011A	1.23	0.08	25	1.00
HSI28C2010C	-	-	-	-	IVL13C2101A	0.27	(0.09)	585,137	-	KBAN41P2101B	0.52	(0.02)	117,418	-
HSI28C2010L	-	-	-	-	IVL13P2012A	0.25	0.03	355,676	-	KBAN42C2101T	0.12	-	6	-
HSI28C2011A	0.58	(0.21)	3,265,802	-	IVL16C2102A	0.38	(0.62)	13,824	-	KBAN42P2101T	0.75	(0.01)	3,929	-
HSI28C2011B	0.26	(0.11)	1,076,040	-	IVL19C2010A	-	-	-	-	KCE01C2012A	0.49	-	57,888	-
HSI28C2011C	0.03	(0.03)	39,605	-	IVL19C2010B	-	-	-	-	KCE01C2101A	0.57	-	180,377	-
HSI28C2011L	0.07	(0.04)	67,592	-	IVL19C2011A	-	-	-	-	KCE01P2011A	0.03	-	101	-
HSI28C2012L	0.06	(0.03)	53,828	-	IVL19C2012A	0.14	(0.05)	126,484	-	KCE01P2101A	0.27	(0.01)	54,100	-
HSI28C2101L	0.08	(0.03)	27,423	-	IVL19C2012B	0.29	(0.07)	409,155	-	KCE06C2012A	-	-	-	-
HSI28C2102L	0.27	(0.06)	22,000	-	IVL19P2010A	-	-	-	-	KCE06C2012B	-	-	-	-
HSI28P2010A	-	-	-	-	IVL19P2010B	-	-	-	-	KCE06C2102A	0.53	0.01	41,910	-
HSI28P2010B	-	-	-	-	IVL19P2011A	0.34	0.04	86,172	-	KCE08C2012A	-	-	-	-
HSI28P2010C	-	-	-	-	IVL19P2012A	0.28	0.04	181,631	-	KCE08C2103A	0.47	0.01	50,150	-
HSI28P2010L	-	-	-	-	IVL24C2012A	0.13	(0.03)	8,310	-	KCE11C2101A	0.71	-	37,200	-
HSI28P2011A	0.62	0.13	3,189,914											

## Main Board Quotation

Issue Date :

Friday October 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE19P2010A	-	-	-	-	MINT19P2010A	0.58	0.02	162,505	-	PTG41C2101A	0.32	0.02	15,784	-
KCE19P2012A	-	-	-	-	MINT24C2011A	0.04	(0.01)	1,500	-	PTG42C2101T	0.23	0.01	3,950	-
KCE19P2101A	0.09	-	19,116	-	MINT28C2012A	-	-	-	-	PTT01C2012A	0.07	0.01	2	-
KCE19P2102A	0.25	(0.01)	110,754	-	MINT28C2012B	-	-	-	-	PTT01C2102A	0.18	(0.01)	27,061	-
KCE24C2010A	-	-	-	-	MINT28C2012C	-	-	-	-	PTT01C2103T	0.14	(0.01)	11	-
KCE27C2101X	1.14	0.03	2,216	1.00	MINT28C2103A	0.26	(0.01)	35,462	-	PTT01P2012A	0.24	(0.01)	30,220	-
KCE41C2012A	-	-	-	-	MINT28C2104L	0.10	(0.01)	3,042	-	PTT01P2102A	0.34	(0.01)	28,346	-
KCE42C2012T	1.49	0.04	2,606	1.00	MINT41C2012A	0.14	(0.03)	15,784	-	PTT01P2103T	0.26	-	18,690	-
KKP13C2012A	0.12	(0.04)	40,144	-	MINT42C2101T	0.10	-	8	-	PTT06C2012A	-	-	-	-
KKP13C2102A	0.35	(0.05)	355,666	-	MINT42P2101T	0.73	0.02	12,142	-	PTT06C2102A	0.06	-	502	-
KKP19C2010A	-	-	-	-	MTCO1C2012A	0.36	0.03	66,180	-	PTT08C2101A	0.06	(0.03)	790	-
KKP19C2011A	-	-	-	-	MTCO1C2102A	0.62	0.06	65,864	-	PTT08C2103A	0.23	(0.01)	12,000	-
KKP19C2012A	0.15	(0.03)	298,355	-	MTC06C2102A	0.60	0.06	102,798	-	PTT08P2101A	-	-	-	-
KTB13C2010A	-	-	-	-	MTC08C2011A	0.18	0.02	12,800	-	PTT11C2101A	-	-	-	-
KTB13C2012A	0.05	0.01	10	-	MTC08C2102A	0.59	0.05	47,357	-	PTT13C2012A	0.01	(0.01)	1,505	-
KTB13C2101A	0.20	(0.02)	83,993	-	MTC11C2102A	0.55	0.05	38,680	-	PTT13C2101B	0.04	(0.01)	12	-
KTB19C2010A	-	-	-	-	MTC13C2011A	0.26	0.05	273,971	-	PTT13C2101A	0.09	(0.01)	43,347	-
KTB19C2011A	-	-	-	-	MTC13C2101A	0.48	0.05	382,757	-	PTT13C2102A	0.20	(0.80)	63,855	-
KTB19C2012A	-	-	-	-	MTC13P2011A	-	-	-	-	PTT13P2011A	0.35	0.05	38	-
KTB19C2101A	0.19	(0.02)	40,000	-	MTC19C2010A	-	-	-	-	PTT13P2101A	0.19	(0.01)	203,575	-
KTB19P2012A	0.45	0.01	9,349	-	MTC19C2012A	0.34	0.05	323,030	-	PTT16C2012A	-	-	-	-
KTB24C2101A	0.16	-	2,868	-	MTC19P2010A	-	-	-	-	PTT19C2011A	-	-	-	-
KTB28C2011A	-	-	-	-	MTC19P2012A	0.12	(0.02)	103,814	-	PTT19C2012A	0.02	-	105	-
KTB28C2012A	-	-	-	-	MTC28C2011A	-	-	-	-	PTT19C2012B	-	-	-	-
KTB28C2012B	-	-	-	-	MTC28C2012A	0.14	0.01	45,825	-	PTT19C2101A	0.09	-	11,012	-
KTB28C2101C	-	-	-	-	MTC28C2012B	0.33	0.05	88,591	-	PTT19P2010A	-	-	-	-
KTB28C2102A	0.11	(0.01)	12,168	-	MTC28C2102L	0.22	0.02	40,904	-	PTT19P2010B	-	-	-	-
KTB28C2103A	0.27	(0.01)	20,252	-	MTC41C2012A	0.44	0.05	41,616	-	PTT19P2101A	0.22	-	28,068	-
KTC01C2012A	0.39	0.02	36,751	-	MTC42C2101T	0.14	-	20	-	PTT24C2101A	0.05	(0.02)	30	-
KTC01P2012A	-	-	-	-	ORI13C2011A	0.10	(0.03)	42,409	-	PTT28C2011A	-	-	-	-
KTC08C2011A	0.24	0.02	27,881	-	ORI19C2010A	-	-	-	-	PTT28C2012A	0.01	-	10	-
KTC11C2104A	0.50	0.03	46,053	-	ORI19C2011A	0.25	(0.04)	19,018	-	PTT28C2101A	-	-	-	-
KTC11P2011A	-	-	-	-	ORI19C2012A	0.10	(0.02)	17,454	-	PTT28C2103A	0.11	-	22,815	-
KTC11P2104A	0.52	(0.02)	26,015	-	ORI28C2011A	-	-	-	-	PTT28C2103L	-	-	-	-
KTC13C2010B	-	-	-	-	ORI28C2012A	-	-	-	-	PTT41C2010A	-	-	-	-
KTC13C2011A	0.40	0.04	128,074	-	ORI28C2012B	0.22	(0.04)	26,173	-	PTT41C2012A	-	-	-	-
KTC13C2101A	0.36	0.03	472,161	-	ORI28C2101A	-	-	-	-	PTT41C2101A	-	-	-	-
KTC13P2010A	-	-	-	-	ORI28C2103L	0.18	(0.02)	3,042	-	PTT41C2101B	0.10	-	30,000	-
KTC13P2012A	-	-	-	-	OSP01C2012A	-	-	-	-	PTT41P2011A	-	-	-	-
KTC13P2101A	0.24	(0.02)	257,067	-	OSP01C2102A	0.16	(0.01)	21,897	-	PTT41P2012A	-	-	-	-
KTC19C2010A	-	-	-	-	OSP01P2012A	0.54	0.01	10,578	-	PTT41P2101A	0.28	-	50,269	-
KTC19C2010B	0.14	-	400	-	OSP06C2011A	-	-	-	-	PTT42C2012T	-	-	-	-
KTC19C2012A	0.42	0.03	29,226	-	OSP06C2102A	0.08	(0.01)	51	-	PTT42P2101T	0.24	(0.01)	7,494	-
KTC19C2101A	0.33	0.03	277,413	-	OSP06P2102A	0.62	(0.09)	60	-	PTTE01C2012A	0.26	(0.01)	22,641	-
KTC19P2010A	-	-	-	-	OSP08C2102A	0.20	-	11,000	-	PTTE01C2102A	0.78	(0.01)	23,542	-
KTC19P2012A	0.07	(0.01)	127	-	OSP11C2102A	0.10	-	13,200	-	PTTE01C2103T	0.50	(0.01)	21,402	-
KTC19P2101A	0.27	(0.02)	271,437	-	OSP13C2012A	-	-	-	-	PTTE01P2012A	0.78	(0.02)	34,207	-
KTC24C2011A	0.41	0.04	5,866	-	OSP13C2101A	-	-	-	-	PTTE01P2102A	0.53	-	42,116	-
KTC28C2011A	-	-	-	-	OSP13C2102A	0.17	(0.01)	138,520	-	PTTE01P2103T	0.71	(0.01)	23,542	-
KTC28C2012A	0.13	-	18,252	-	OSP13P2011A	-	-	-	-	PTTE06C2011A	0.01	(0.01)	350	-
KTC28C2012B	0.31	0.02	33,941	-	OSP13P2102A	0.23	(0.01)	13,786	-	PTTE06C2101A	0.24	(0.02)	70,654	-
KTC28C2101A	-	-	-	-	OSP19C2010A	-	-	-	-	PTTE06P2011A	0.08	(0.01)	2,995	-
KTC28C2103L	0.30	0.01	32,927	-	OSP19C2012A	-	-	-	-	PTTE06P2102A	0.70	0.01	67,223	-
KTC41C2011A	-	-	-	-	OSP19C2101A	0.07	(0.01)	6,000	-	PTTE08C2011A	-	-	-	-
KTC41C2012A	0.42	0.04	10,660	-	OSP19C2103A	0.20	(0.01)	59,703	-	PTTE08P2101A	0.92	(0.01)	39,550	-
KTC42C2012T	0.19	0.01	6,518	-	OSP19P2010A	-	-	-	-	PTTE11C2011A	0.16	(0.01)	14,746	-
LH01C2101A	0.11	(0.01)	17,980	-	OSP19P2102A	0.26	(0.01)	12,918	-	PTTE11P2102A	0.65	(0.01)	46,000	-
LH06C2012A	-	-	-	-	OSP24C2011A	0.08	-	1	-	PTTE13C2011A	0.02	(0.01)	931	-
LH11C2012A	-	-	-	-	OSP28C2101A	-	-	-	-	PTTE13C2012A	0.19	(0.01)	254,578	-
LH13C2101A	0.10	(0.01)	17,995	-	OSP28C2101B	-	-	-	-	PTTE13C2101A	0.48	(0.01)	98,303	-
LH19C2010A	-	-	-	-	OSP28C2103B	0.20	-	34,913	-	PTTE13P2012A	0.38	(0.01)	127,248	-
LH19C2011A	-	-	-	-	OSP28C2104L	0.21	-	18,210	-	PTTE19C2010A	-	-	-	-
LH19C2101A	0.11	-	10,000	-	OSP41C2012A	-	-	-	-	PTTE19C2010B	-	-	-	-
LH19P2010A	-	-	-	-	OSP42C2101T	-	-	-	-	PTTE19C2011A	-	-	-	-
MAJ013C2011A	-	-	-	-	PLAN06C2102A	0.17	-	41,555	-	PTTE19C2011B	-	-	-	-
MAJ013C2101A	0.14	(0.03)	17,984	-	PLAN11C2103A	0.29	-	44,869	-	PTTE19C2012A	0.17	(0.01)	55,098	-
MAJ019C2011A	-	-	-	-	PLAN13C2011A	0.06	-	4,810	-	PTTE19C2101A	0.51	(0.02)	181,158	-
MAJ019C2103A	0.27	(0.03)	189,915	-	PLAN13C2101A	0.12	0.01	29,125	-	PTTE19P2010A	-	-	-	-
MEGA13C2011A	-	-	-	-	PLAN19C2010A	-	-	-	-	PTTE19P2010B	-	-	-	-
MEGA13C2101A	0.19	0.02	91,419	-	PLAN19C2010B	-	-	-	-	PTTE19P2012A	0.47	-	348,427	-
MEGA19C2011A	-	-	-	-	PLAN19C2012A	0.10	(0.01)	70,826	-	PTTE19P2101A	0.41	-	178,048	-
MEGA19C2101A	0.18	0.03	320,878	-	PLAN19C2102A	0.21	-	101,319	-	PTTE24C2011A	-	-	-	-
MEGA42C2101T	0.07	(0.03)	53,009	-	PLAN27C2101A	-	-	-	-	PTTE28C2011A	-	-	-	-
MINT01C2012A	0.10	-	985	-	PLAN28C2012A	-	-	-	-	PTTE28C2011B	-	-	-	-
MINT01C2102A	0.26	(0.02)	37,332	-	PLAN28C2012B	0.08	-	6,000	-	PTTE28C2012A	0.10	(0.01)	6,084	-
MINT01C2102T	0.17	(0.01)	27,080	-	PLAN42C2101T	-	-	-	-	PTTE28C2101A	0.13	(0.01)	42,588	-
MINT01P2012A	0.31	0.01	34,936	-	PRM08C2101A	0.15	-	1,000	-	PTTE28C2102L	0.14	-	12,256	-
MINT01P2012B	0.90	0.03	18,794	-	PRM11C2102A	0.25	(0.01)	6,930	-	PTTE28C2103A	0.56	(0.01)	75,036	-
MINT01P2102T	0.74	0.02	18,290	-	PRM13C2010A	-	-	-	-	PTTE41C2010A	-	-	-	-
MINT06C2012A	0.07	(0.03)	6,886	-	PRM13C2012A	0.11	(0.01)	17,433	-	PTTE41C2011A	-	-	-	-
MINT06P2012A	0.34	0.02	83,302	-	PRM13C2102A	0.27	(0.73)	37,111	-	PTTE41C2012A	-	-	-	-
MINT06P2102A	-	-	-	-	PRM16C2012A	-	-	-	-	PTTE41C2101A	0.16	(0.01)	16,611	-
MINT08C2010A	-	-	-	-	PRM19C2010A	0.03	(0.06)	150	-	PTTE41C2101B	0.49	(0.01)	70,180	-
MINT08C2102A	0.27	(0.02)	34,856	-	PRM19C2011A	0.04	(0.01)	100	-	PTTE41P2011A	0.69	0.03	1,293	-
MINT08P2011A	0.36	0.02	35,010	-	PRM19C2101A	0.16	(0.02)	60,700	-	PTTE41P2101A	0.57	(0.02)	67,142	-
MINT08P2102A	-	-	-	-	PRM28C2012A	-	-	-	-	PTTE42C2101T	0.14	(0.01)	16	-
MINT11C2011A	0.09	(0.02)	20,240	-	PRM42C2101T	0.10	-	4	-	PTTE42P2101T	0.66	0.01	15,658	-
MINT11P2011A	0.24	0.01	24,018	-	PTG01C2012A	0.24	-	23,369	-	PTTG01C2012A	0.14	(0.01)	30,418	-
MINT11P2104A	0.76	0.02	59,191	-	PTG01P2012A	0.31	(0.04)	27,206	-	PTTG01C2102A	0.34	(0.02)	35,292	-
MINT13C2011A	0.01	-	21,816	-	PTG06C2010A	-	-	-	-	PTTG01P2012A	0.63	(0.01)	23,993	-
MINT13C2101A	0.15	(0.02)	84,738	-	PTG06C2103A	0.52	0.01	36,569						

## Main Board Quotation

Issue Date :

Friday October 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG19C2011A	0.03	-	500	-	S5019C2012F	0.27	(0.04)	4,632,654	-	SCB28C2103A	0.33	(0.06)	79,106	-
PTTG19C2012A	0.10	(0.02)	49,775	-	S5019P2012A	1.09	0.02	475,840	1.00	SCB28C2104L	0.16	(0.03)	19,773	-
PTTG19C2101A	0.26	(0.02)	65,980	-	S5019P2012B	0.91	0.03	464,067	-	SCB41C2011A	-	-	-	-
PTTG19P2010A	-	-	-	-	S5019P2012C	0.69	0.03	2,354,514	-	SCB41C2011B	-	-	-	-
PTTG19P2011A	0.14	-	29,028	-	S5019P2012D	0.43	0.03	3,251,011	-	SCB41C2012A	0.17	(0.04)	45,416	-
PTTG19P2011B	-	-	-	-	S5024C2012A	0.01	-	700	-	SCB41C2102A	0.57	(0.09)	251,906	-
PTTG19P2102A	0.42	-	77,428	-	S5024C2012B	-	-	-	-	SCB41P2011A	-	-	-	-
PTTG24C2101A	0.18	-	16,834	-	S5024C2012C	-	-	-	-	SCB41P2102A	0.71	0.05	87,233	-
PTTG28C2011A	-	-	-	-	S5024C2012D	0.03	-	20	-	SCB42C2101T	-	-	-	-
PTTG28C2012A	-	-	-	-	S5024C2012E	0.05	(0.01)	1,300	-	SCC01C2101A	0.41	(0.07)	22,342	-
PTTG28C2102L	0.07	(0.01)	10	-	S5024C2012F	0.11	(0.03)	7,647	-	SCC01P2012A	0.51	0.04	20,703	-
PTTG28C2103A	0.23	(0.02)	23,080	-	S5024C2012G	0.20	(0.04)	245,433	-	SCC06C2012A	0.06	(0.03)	1,025	-
PTTG41C2011A	-	-	-	-	S5024C2012H	0.37	(0.06)	537,571	-	SCC08C2011A	-	-	-	-
PTTG41C2101A	-	-	-	-	S5024C2012I	0.67	(0.09)	492,449	-	SCC11C2011A	0.19	(0.04)	19,240	-
PTTG41C2102A	0.29	(0.02)	137,530	-	S5024C2103A	0.29	(0.03)	63,738	-	SCC13C2011A	0.05	(0.02)	200	-
PTTG41P2011A	0.53	0.03	2	-	S5024P2012A	0.12	0.01	6,490	-	SCC13C2012A	0.15	(0.04)	145,192	-
PTTG41P2102A	0.36	0.02	62,652	-	S5024P2012B	0.53	0.05	2,370	-	SCC13C2102A	0.47	(0.08)	100,781	-
PTTG42C2012T	-	-	-	-	S5024P2012C	1.76	0.11	176,904	1.00	SCC13P2011A	-	-	-	-
QH19C2012A	0.05	(0.04)	80	-	S5024P2012D	1.19	0.06	244,424	1.00	SCC13P2101A	0.22	0.02	74,835	-
QH27C2101A	-	-	-	-	S5024P2012E	0.67	0.05	994,370	-	SCC13P2102A	0.55	0.06	40,403	-
RATC01C2101A	0.11	(0.03)	8,010	-	S5024P2103A	0.91	0.04	327,803	-	SCC19C2010A	-	-	-	-
RATC01P2101A	0.72	-	17,134	-	S5028C2010A	-	-	-	-	SCC19C2012A	0.18	(0.05)	224,260	-
RATC06C2102A	0.10	(0.01)	2,329	-	S5028C2012A	-	-	-	-	SCC19C2101A	0.42	(0.08)	158,664	-
RATC11C2103A	0.32	(0.02)	12,260	-	S5028C2012B	-	-	-	-	SCC19P2010A	-	-	-	-
RATC13C2012A	-	-	-	-	S5028C2012C	0.07	(0.01)	22,142	-	SCC19P2011A	-	-	-	-
RATC13C2101A	0.10	(0.01)	2,910	-	S5028C2012D	0.07	(0.02)	144,408	-	SCC19P2101A	0.56	0.07	245,934	-
RATC13P2011A	0.35	-	30,122	-	S5028C2103L	0.12	(0.02)	404,159	-	SCC24C2012A	0.09	(0.02)	5,358	-
RATC19C2011A	-	-	-	-	S5028P2010A	-	-	-	-	SCC28C2102A	0.18	(0.03)	20,220	-
RATC19C2012A	-	-	-	-	S5028P2012A	1.47	0.05	273,153	1.00	SCC28C2103A	0.41	(0.07)	32,179	-
RATC19C2101A	0.10	(0.04)	20,000	-	S5028P2012B	0.48	0.01	75,801	-	SCC28C2104L	0.22	(0.01)	8,093	-
RATC19C2102A	0.21	(0.01)	20,000	-	S5028P2012C	0.70	0.04	916,282	-	SCC41C2010A	-	-	-	-
RATC19P2011A	-	-	-	-	S5028P2103L	0.86	0.03	453,922	-	SCC41C2011A	-	-	-	-
RATC24C2012A	-	-	-	-	S5041C2012A	0.01	(0.01)	17,205	-	SCC41C2101A	0.17	(0.05)	23,700	-
RATC41C2012A	-	-	-	-	S5041C2012B	0.01	-	24	-	SCC41C2101B	0.45	(0.08)	218,578	-
RATC42C2102T	-	-	-	-	S5041C2012C	-	-	-	-	SCC41P2011A	0.48	0.07	8,656	-
RS06C2101A	-	-	-	-	S5041C2012D	0.04	(0.01)	516	-	SCC41P2102A	0.49	0.06	99,334	-
RS06C2012A	0.20	(0.03)	40,440	-	S5041C2012E	-	-	-	-	SCGP13C2102A	-	0.02	598,257	-
RS08C2011A	0.38	(0.26)	6	-	S5041C2012F	0.11	(0.04)	110,274	-	SCGP13P2102A	0.37	(0.03)	278,556	-
RS08C2103A	0.41	-	30,000	-	S5041C2012U	0.14	(0.04)	91,512	-	SCGP19C2102A	0.20	0.01	744,798	-
RS13C2011A	0.07	(0.03)	220	-	S5041C2012V	0.37	(0.06)	1,344,201	-	SCGP19P2102A	0.30	(0.70)	130,144	-
RS13C2101A	0.27	(0.03)	178,286	-	S5041C2103T	0.54	(0.06)	1,080,270	-	SCGP28C2103A	0.26	0.03	72,262	-
RS19C2010A	-	-	-	-	S5041C2103U	0.52	(0.07)	104,344	-	SCGP28C2104L	0.17	0.01	13,130	-
RS19C2101A	-	-	-	-	S5041P2012A	1.02	0.04	931,303	1.00	SCGP41C2101A	0.26	0.01	137,457	-
RS19C2011A	-	-	-	-	S5041P2012B	0.92	0.04	312,307	-	SGP13C2011A	-	-	-	-
RS19C2011B	0.09	(0.01)	14,000	-	S5041P2012C	1.08	0.11	14,364	1.00	SGP13C2102A	-	-	-	-
RS19C2102A	0.29	(0.01)	297,252	-	S5041P2012E	1.12	0.08	49,334	1.00	SGP19C2011A	0.10	-	5,513	-
RS19P2012A	0.26	0.01	151,821	-	S5041P2012F	-	-	-	-	SGP19C2102A	0.40	-	77,168	-
RS28C2012A	-	-	-	-	S5041P2012G	-	-	-	-	SGP42C2101T	0.16	0.01	20	-
RS28C2101A	0.21	(0.02)	12,112	-	S5041P2012U	1.17	0.06	56,221	1.00	SIR19C2011A	-	-	-	-
RS28C2101L	0.36	0.01	21,226	-	S5041P2103T	1.98	0.06	36,578	2.00	SIR19C2103A	0.10	(0.01)	24,896	-
RS41C2011A	0.28	(0.01)	42,894	-	S5042C2101G	0.34	(0.04)	84,289	-	SIR14C2101T	-	-	-	-
RS42C2101T	0.22	0.01	32	-	S5042C2102T	0.34	(0.02)	27,225	-	SPAL06C2103A	0.32	(0.03)	1,706	-
S10001C2011A	0.01	(0.01)	344	-	S5042P2101G	0.73	0.05	219,261	-	SPAL13C2102A	0.26	(0.01)	1,502	-
S5001C2012F	0.11	(0.03)	30,904	-	S5042P2102T	0.65	0.03	105,945	-	SPAL19C2011A	0.18	(0.01)	4	-
S5001C2012G	0.22	(0.02)	46,359	-	SAWA01C2012A	0.35	0.01	64,743	-	SPAL19C2011B	-	-	-	-
S5001C2101A	0.47	(0.04)	555,133	-	SAWA01C2102A	0.47	0.01	65,748	-	SPAL27C2101A	-	-	-	-
S5001P2012F	1.05	0.02	336,425	1.00	SAWA01C2103T	0.36	-	36,305	-	SPRC01C2101A	0.10	(0.01)	21,718	-
S5001P2012G	0.64	0.02	337,679	-	SAWA01P2012A	0.31	(0.02)	35,561	-	SPRC01P2101A	0.54	(0.01)	24,222	-
S5001P2101A	0.98	0.04	405,951	-	SAWA01P2102A	0.62	(0.03)	39,698	-	SPRC06C2102A	0.07	(0.02)	2,560	-
S5006C2012A	0.03	(0.01)	31,780	-	SAWA06C2101A	0.47	0.02	84,874	-	SPRC06P2011A	0.11	-	10,254	-
S5006C2012B	0.08	-	28,085	-	SAWA08C2011A	0.05	0.01	1,000	-	SPRC06P2103A	0.35	(0.65)	21,856	-
S5006C2012C	0.29	(0.71)	190,612	-	SAWA08C2101A	0.37	-	33,230	-	SPRC08C2011A	-	-	-	-
S5006P2012A	1.39	0.19	37,977	1.00	SAWA11C2103A	0.56	0.01	53,228	-	SPRC11C2102A	0.13	(0.01)	17,260	-
S5006P2012B	0.61	0.04	462,370	-	SAWA13C2101A	0.12	(0.01)	183,143	-	SPRC13C2012A	-	-	-	-
S5006P2012C	0.74	(0.26)	294,924	-	SAWA13C2101A	0.31	0.01	569,305	-	SPRC13C2012B	0.05	-	500	-
S5008C2012A	0.04	-	56	-	SAWA16C2101A	0.34	-	29,515	-	SPRC19C2010A	-	-	-	-
S5008C2012B	-	-	-	-	SAWA19C2011A	0.05	-	1	-	SPRC19C2012A	-	-	-	-
S5008C2012C	0.11	(0.02)	984	-	SAWA19C2012A	0.28	0.01	583,314	-	SPRC19C2101A	0.11	(0.01)	112,297	-
S5008C2012D	0.24	(0.04)	192,396	-	SAWA19P2011A	0.07	(0.01)	10,498	-	SPRC19P2011A	0.27	-	14,766	-
S5008P2012A	1.16	0.04	274,361	1.00	SAWA19P2010A	0.47	(0.01)	66,312	-	SPRC28C2011A	-	-	-	-
S5008P2012B	0.53	0.04	472,709	-	SAWA28C2011A	-	-	-	-	SPRC28C2101A	-	-	-	-
S5011C2012A	-	-	-	-	SAWA28C2012A	0.17	-	22,308	-	SPRC42C2101T	-	-	-	-
S5011P2012A	0.70	0.03	29,640	-	SAWA28C2012B	-	-	-	-	SPX28C2012A	0.52	(0.07)	68,890	-
S5013C2010A	-	-	-	-	SAWA28C2101A	0.27	0.01	101,082	-	SPX28C2012B	0.17	(0.04)	7,396	-
S5013C2012A	0.03	-	307,626	-	SAWA28C2102L	0.11	-	4,056	-	SPX28C2012C	0.17	(0.05)	98,376	-
S5013C2012B	0.04	-	15,762	-	SAWA41C2010A	-	-	-	-	SPX28C2012D	0.10	(0.02)	20,150	-
S5013C2012C	0.06	(0.01)	31,412	-	SAWA41C2012A	0.20	0.02	14,418	-	SPX28C2103L	0.19	(0.02)	17,549	-
S5013C2012D	0.04	-	79,520	-	SAWA42C2101T	0.09	-	100	-	SPX28P2012A	0.48	0.03	8,847	-
S5013C2012E	0.07	(0.02)	237,544	-	SCB01C2101A	0.24	(0.04)	25,772	-	SPX28P2012B	0.26	0.02	66,134	-
S5013C2012F	0.12	(0.03)	1,155,361	-	SCB01C2103A	0.53	(0.07)	33,758	-	SPX28P2012C	1.27	0.11	1,817	1.00
S5013C2012G	0.14	(0.02)	2,422,223	-	SCB01C2103T	0.37	(0.04)	13,183	-	SPX28P2012D	0.83	0.04	1,047	-
S5013C2012H	0.23	(0.05)	8,534,220	-	SCB01P2101A	0.72	0.05	29,278	-	SPX28P2103L	0.51	0.02	2,198	-
S5013C2101A	0.44	(0.01)	167,170	-	SCB01P2103T	0.55	0.03	17,770	-	SPX41C2012A	0.27	(0.07)	84,220	-
S5013P2010A	-	-	-	-	SCB06C2010A	-	-	-	-	SPX41C2012B	0.11	(0.03)	39,294	-
S5013P2012A	1.13	0.04	476,426	1.00	SCB06C2103A	0.45	(0.08)	287,051	-	SPX41C2012C	0.07	(0.03)	12,031	-
S5013P2012B	1.23	0.07	5,180	1.00	SCB08C2101A	0.18	(0.04)							



## Main Board Quotation

Issue Date :

Friday October 30, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STA13C2101A	0.39	0.03	1,518,723	-	THAN13C2012A	0.32	0.01	850,169	-	TRUE06P2011A	0.11	0.01	6,022	-
STA13P2012A	-	-	-	-	THAN13C2012B	0.08	-	54,958	-	TRUE08C2012A	-	-	-	-
STA13P2012B	0.04	(0.02)	9,658	-	THAN19C2010A	0.07	(0.10)	218	-	TRUE08P2010A	-	-	-	-
STA13P2011A	0.21	(0.79)	667,657	-	THAN19C2011A	0.59	0.07	4,590	-	TRUE11C2101A	-	-	-	-
STA16C2102A	0.49	0.03	183,023	-	THAN19C2012A	0.22	0.01	169,392	-	TRUE11P2101A	0.67	0.02	24,195	-
STA19C2010A	-	-	-	-	THAN19C2012B	0.10	0.01	70,351	-	TRUE13C2011A	-	-	-	-
STA19C2010B	2.42	0.58	1	2.00	THAN19C2102A	0.46	0.01	247,150	-	TRUE13C2101A	-	-	-	-
STA19C2010C	0.04	0.01	3,484	-	THAN19P2102A	0.41	(0.03)	166,841	-	TRUE19C2011A	-	-	-	-
STA19C2011A	1.36	(0.01)	1	1.00	THAN42C2102T	0.14	0.01	58	-	TRUE19C2012A	-	-	-	-
STA19C2011B	0.35	0.02	135,111	-	TISC01C2101A	0.50	(0.03)	33,097	-	TRUE19C2101A	-	-	-	-
STA19C2012A	0.47	0.02	28,303	-	TISC11C2012A	0.28	(0.02)	13,310	-	TRUE19C2103A	0.21	(0.02)	13,309	-
STA19C2102A	0.40	0.03	978,696	-	TISC13C2012A	0.34	(0.04)	146,648	-	TRUE19P2011A	0.32	0.02	25,164	-
STA19P2010A	-	-	-	-	TISC19C2010A	-	-	-	-	TRUE19P2101A	0.34	0.02	93,998	-
STA19P2012A	0.03	(0.01)	2,500	-	TISC19C2010B	-	-	-	-	TRUE28C2011A	-	-	-	-
STA19P2101A	0.08	-	1,540	-	TISC19C2012A	0.36	(0.02)	105,693	-	TRUE28C2012A	-	-	-	-
STA24C2011A	0.22	0.02	29,165	-	TISC24C2102A	0.65	(0.03)	14,409	-	TRUE28C2012B	-	-	-	-
STA28C2011A	-	-	-	-	TISC41C2010A	-	-	-	-	TRUE28C2101A	0.04	(0.01)	200	-
STA28C2011B	0.31	0.03	59	-	TISC41C2012A	0.36	-	57,803	-	TRUE28C2103L	-	-	-	-
STA28C2012A	2.10	0.13	1	2.00	TISC42C2101T	0.12	(0.01)	9	-	TRUE41C2101A	0.03	-	450	-
STA28C2102L	0.27	0.02	41,628	-	TKN01C2101A	0.25	0.01	321,853	-	TRUE42C2101T	-	-	-	-
STA28C2103A	0.45	0.03	196,267	-	TKN06C2011A	-	-	-	-	TTW19C2011A	-	-	-	-
STA41C2010A	-	-	-	-	TKN06C2101A	-	-	-	-	TTW24C2012A	-	-	-	-
STA42C2101T	0.23	0.02	899	-	TKN08C2011A	0.09	0.01	77	-	TU01C2101A	0.28	(0.02)	32,655	-
STEC01C2101A	-	-	-	-	TKN08C2102A	0.35	0.01	1,210	-	TU01P2101A	0.19	(0.01)	15,975	-
STEC01P2101A	0.65	0.03	63,064	-	TKN13C2012A	0.11	0.01	397,437	-	TU06C2102A	0.38	(0.02)	53,251	-
STEC06C2101A	-	-	-	-	TKN13C2101A	0.22	0.02	404,925	-	TU06P2103A	0.17	(0.01)	5,150	-
STEC08C2012A	-	-	-	-	TKN13C2102A	0.27	0.02	745,166	-	TU08C2011A	0.16	(0.01)	16,889	-
STEC08C2103A	0.25	(0.02)	31,439	-	TKN19C2010A	-	-	-	-	TU11C2102A	0.26	(0.02)	14,540	-
STEC11C2102A	0.09	(0.01)	2,520	-	TKN19C2011A	0.34	0.04	500	-	TU13C2012A	0.21	(0.01)	151,166	-
STEC13C2012A	0.02	-	3	-	TKN19C2011B	0.09	0.01	56,185	-	TU13P2101A	0.16	-	8,740	-
STEC13C2101A	0.07	(0.01)	800	-	TKN19C2101A	0.23	-	6,203	-	TU19C2010A	-	-	-	-
STEC13C2102A	0.17	(0.01)	192,188	-	TKN19C2102A	0.33	0.03	250,427	-	TU19C2012A	0.21	(0.02)	25,161	-
STEC13P2011A	0.30	0.04	26,015	-	TKN19P2101A	0.31	(0.03)	95,582	-	TU19C2102A	0.18	(0.01)	57,006	-
STEC19C2011A	-	-	-	-	TKN28C2012A	-	-	-	-	TU19P2011A	-	-	-	-
STEC19C2012A	0.02	-	52	-	TKN28C2012B	-	-	-	-	TU19P2012A	-	-	-	-
STEC19C2101A	0.06	-	30	-	TKN28C2101A	-	-	-	-	TU19P2102A	0.34	-	20,000	-
STEC19C2103A	0.18	(0.01)	337,081	-	TKN42C2012T	0.06	(0.01)	815	-	TU24C2011A	0.25	(0.03)	6,732	-
STEC19P2011A	-	-	-	-	TMB13C2011A	-	-	-	-	TU28C2011A	-	-	-	-
STEC19P2012A	-	-	-	-	TMB13C2102A	0.13	(0.02)	53,824	-	TU28C2012A	0.07	(0.03)	5,164	-
STEC19P2101A	0.28	0.01	257,247	-	TMB19C2011A	0.01	(0.01)	10,160	-	TU28C2103A	0.28	-	16,535	-
STEC28C2011A	-	-	-	-	TMB19C2011B	-	-	-	-	TU28C2103L	0.22	(0.01)	9,166	-
STEC28C2012A	-	-	-	-	TMB19C2012A	0.04	(0.01)	220	-	TU41C2101A	0.16	-	15,984	-
STEC28C2101A	-	-	-	-	TMB19C2103A	0.17	(0.02)	113,540	-	TU42C2101T	0.19	(0.02)	206	-
STEC28C2103A	0.12	(0.01)	9,126	-	TMB19P2011A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
STEC28C2104L	-	-	-	-	TMB41C2010A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
STEC41C2012A	-	-	-	-	TOA13C2011A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
STEC42P2102T	0.36	0.03	5,361	-	TOA13C2102A	0.19	(0.02)	20,386	-	TU42C2101T	0.19	(0.02)	206	-
SUPE08C2012A	-	-	-	-	TOA19C2010A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
SUPE08C2102A	0.16	-	4,000	-	TOA19C2012A	0.07	(0.01)	5,800	-	TU42C2101T	0.19	(0.02)	206	-
SUPE08P2102A	0.33	-	7,000	-	TOA19C2103A	0.26	(0.02)	7,572	-	TU42C2101T	0.19	(0.02)	206	-
SUPE19C2010A	0.04	(0.03)	4,000	-	TOA42C2101T	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
SUPE19C2011A	0.02	-	129,262	-	TOP01C2012A	0.06	(0.02)	160	-	TU42C2101T	0.19	(0.02)	206	-
SUPE19C2011B	-	-	-	-	TOP01C2102A	0.37	(0.03)	28,663	-	TU42C2101T	0.19	(0.02)	206	-
SUPE19C2012A	0.13	-	58,984	-	TOP01P2012A	0.37	0.03	9,192	-	TU42C2101T	0.19	(0.02)	206	-
SUPE19P2011A	-	-	-	-	TOP01P2102A	0.32	(0.01)	14,255	-	TU42C2101T	0.19	(0.02)	206	-
SUPE19P2012A	0.16	(0.01)	80	-	TOP06C2011A	0.01	-	2,650	-	TU42C2101T	0.19	(0.02)	206	-
SUPE42C2101T	0.05	-	1,900	-	TOP06C2102A	0.09	-	7,440	-	TU42C2101T	0.19	(0.02)	206	-
SUPE42P2102T	-	-	-	-	TOP06C2102B	0.30	0.01	23,340	-	TU42C2101T	0.19	(0.02)	206	-
TASC01C2012A	0.02	(0.01)	3,022	-	TOP06P2102A	0.58	0.02	13,410	-	TU42C2101T	0.19	(0.02)	206	-
TASC01C2012B	0.18	(0.04)	25,935	-	TOP08C2010A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC01P2012A	0.48	-	18,938	-	TOP08C2102A	0.24	(0.01)	400	-	TU42C2101T	0.19	(0.02)	206	-
TASC06C2012A	-	-	-	-	TOP11C2011A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC06C2102A	0.32	(0.03)	65,678	-	TOP11P2104A	0.59	-	12,700	-	TU42C2101T	0.19	(0.02)	206	-
TASC08C2011A	-	-	-	-	TOP13C2011A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC08C2012A	0.01	-	29	-	TOP13C2012A	0.05	(0.01)	500	-	TU42C2101T	0.19	(0.02)	206	-
TASC11C2102A	-	-	-	-	TOP13C2101A	0.19	(0.02)	238,939	-	TU42C2101T	0.19	(0.02)	206	-
TASC13C2011A	0.01	-	2,002	-	TOP13P2012A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC13C2012A	0.02	-	19,317	-	TOP13P2101A	0.15	0.01	15,891	-	TU42C2101T	0.19	(0.02)	206	-
TASC13C2012B	0.10	(0.01)	150,298	-	TOP19C2010A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC13C2101A	0.24	(0.03)	337,949	-	TOP19C2010B	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC13P2011A	-	-	-	-	TOP19C2012A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC13P2012A	0.27	0.01	57,134	-	TOP19C2101A	0.13	0.01	61,052	-	TU42C2101T	0.19	(0.02)	206	-
TASC19C2010A	-	-	-	-	TOP19C2101B	0.24	(0.01)	55,213	-	TU42C2101T	0.19	(0.02)	206	-
TASC19C2011A	0.01	-	20	-	TOP19P2010A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC19C2012A	0.08	(0.01)	20	-	TOP19P2011A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC19C2101A	0.23	(0.02)	242,522	-	TOP19P2101A	0.18	-	176,437	-	TU42C2101T	0.19	(0.02)	206	-
TASC19P2010A	-	-	-	-	TOP19P2102A	0.41	0.02	21,595	-	TU42C2101T	0.19	(0.02)	206	-
TASC19P2011A	-	-	-	-	TOP24C2101A	0.12	-	10,420	-	TU42C2101T	0.19	(0.02)	206	-
TASC19P2012A	1.69	(0.30)	100	1.00	TOP41C2010A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC19P2012B	0.20	-	27,174	-	TOP41C2011A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC19P2012C	0.27	0.01	68,755	-	TOP41C2102A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC24C2011A	-	-	-	-	TOP41P2011A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC28C2012A	0.02	(0.07)	1,438	-	TOP42C2011T	0.01	-	5,050	-	TU42C2101T	0.19	(0.02)	206	-
TASC28C2012B	-	-	-	-	TP113C2011A	-	-	-	-	TU42C2101T	0.19	(0.02)	206	-
TASC28C2012C	-	-	-	-	TP119C2012A	0.14	(0.01)	6,255	-	TU42C2101T	0.19	(0.02)	206	-
TASC28C2101A	-	-	-	-	TQM11C2102A	0.42	0.04	16,790	-	TU42C2101T	0.19	(0.02)	206	-
TASC28C2103L	-	-	-	-	TQM13C2011A	0.01	-	2,262	-	TU42C2101T	0.19	(0.02)	206	-
TASC41C2010A	-	-	-	-	TQM13C2101A	0.18	0.02	32,757	-	TU42C2101T	0.19	(0.02)	206	-
TASC41C2011A	-	-	-	-	TQM13C2102A	0.42	(0.58)	55,942	-	TU42C2101T	0.19	(0.02)	206	-
TASC41C2012A	-	-	-	-	TQM19C2010A	1.57	0.08	40	1.00	TU42C2101T	0.19	(0.02)	206	-
TASC42C2101T	0.01	(0.01)	2	-	TQM19C2010B	-	-	-	-	TU42C2				

