

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Monday November 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPUI	-	-	-	-	ALT	3.76	(0.04)	22,854	3.80	MACO	0.59	0.01	17,865	0.58
SAFARI	-	-	-	-	BLISS	-	-	-	-	MAJOR	12.90	-	25,635	12.87
VI	-	-	-	-	DIF	13.10	0.40	171,277	12.96	MATCH	1.59	0.01	1	1.59
WORLD	-	-	-	-	DTAC	30.50	(0.25)	36,556	30.36	MATI	-	-	-	-
WR	-	-	-	-	FORTH	5.65	-	258	5.64	MCOT	2.82	-	667	2.82
Agribusiness	-	-	-	-	HUMAN	8.20	0.15	2,796	8.12	MONO	2.66	(0.02)	4,768	2.67
EE	0.69	-	27,571	0.69	ILINK	4.90	(0.06)	7,574	4.89	MPIC	-	-	-	-
GPPT	11.10	(0.30)	25,502	11.09	INET	3.56	(0.12)	89,733	3.59	NMG	-	-	-	-
LEE	2.22	-	105	2.22	INTUCH	53.50	-	59,009	53.15	PLANB	5.65	0.25	150,858	5.59
MAX	0.01	-	442,763	0.01	JAS	2.60	0.02	144,058	2.58	POST	-	-	-	-
NER	4.52	(0.22)	1,341,294	4.66	JASIF	9.70	0.25	160,713	9.64	PRAKIT	7.25	0.05	30	7.23
PPPM	0.40	-	1,037	0.40	JMART	15.60	(0.10)	78,043	15.67	SE-ED	-	-	-	-
STA	33.50	(2.25)	559,581	34.28	JTS	2.18	(0.02)	317	2.19	TBSP	12.50	-	1	12.50
TRUBB	1.86	(0.18)	165,424	1.89	MFEK	4.80	0.08	699	4.77	TH	0.48	(0.01)	2,101	0.48
TPWC	3.44	0.04	10,115	3.50	MSC	6.15	-	172	6.11	TKS	5.45	(0.10)	3,229	5.48
UPOIC	3.06	(0.14)	1,127	3.09	PT	5.20	0.05	857	5.26	VGI	6.50	0.50	365,142	6.29
UVAN	4.88	-	12,444	4.90	SAMART	4.84	(0.04)	6,467	4.84	WAVE	0.71	(0.02)	631	0.73
VPO	0.46	0.05	6,121	0.44	SAMTEL	4.88	0.02	537	4.87	WORK	9.55	(0.30)	19,169	9.61
Banking	-	-	-	-	SDC	0.19	0.01	21,632	0.18	Finance & Securities	-	-	-	-
BAY	19.00	0.10	841	18.99	SIS	20.90	1.10	25,102	20.62	AEC	0.24	0.01	112,767	0.24
BBL	98.00	1.25	64,658	97.27	SVOA	1.45	0.01	33,616	1.44	AEONTS	136.00	6.00	13,269	133.81
CIMBT	0.53	(0.01)	2,170	0.53	SYMC	4.18	0.08	133	4.00	AMANAHA	2.68	0.10	1,013,269	2.79
KBANK	76.50	0.25	121,136	75.99	SYNEX	14.70	(0.10)	35,111	14.72	ASAP	1.95	(0.05)	1,240	1.96
KKP	41.00	1.50	52,277	40.58	THCOM	5.50	-	31,024	5.46	ASK	18.10	0.10	1,461	18.01
KTB	8.65	-	167,775	8.60	TRUE	2.72	-	148,831	2.71	ASP	1.68	0.02	10,221	1.68
LHFG	0.88	(0.01)	4,997	0.89	TWZ	0.06	-	274,551	0.06	BAM	20.90	0.70	142,576	20.62
SCB	64.75	(0.25)	61,080	64.47	Electronic Componer	-	-	-	-	BFIT	27.50	0.25	3,036	27.29
TCAP	27.50	-	60,804	27.50	CCET	2.20	(0.10)	80,130	2.22	CGH	0.65	-	2,391	0.65
TISCO	73.00	2.25	74,172	72.01	DELTA	181.00	2.00	27,644	177.23	ECL	0.72	0.01	4,206	0.71
TMB	0.82	0.01	1,170,693	0.82	HANA	42.25	(2.75)	160,153	42.93	FNS	2.86	(0.02)	725	2.90
Construction Materia	-	-	-	-	KCE	38.50	(0.50)	178,332	37.99	FSS	1.44	(0.02)	492	1.47
CCP	0.46	-	39,439	0.46	METCO	168.50	(0.50)	6	168.08	GBX	0.40	-	4,549	0.40
COTTO	1.19	-	16,846	1.20	NEX	4.16	-	65,633	4.18	GL	1.73	(0.10)	243,898	1.82
DCC	2.30	-	25,055	2.30	SMT	2.86	0.06	27,951	2.82	IFS	2.34	(0.02)	74	2.33
DCON	0.32	(0.01)	58,141	0.32	SVI	4.88	(0.27)	93,753	4.91	JMT	34.25	(0.25)	54,989	34.40
DRT	5.80	-	3,268	5.85	TEAM	0.84	(0.01)	35	0.85	KCAR	7.65	0.05	291	7.61
EPG	5.10	0.16	68,121	5.03	W	0.20	-	63,954	0.20	KGI	2.78	-	15,873	2.78
GEL	0.19	0.01	5,094	0.18	Energy & Utilities	-	-	-	-	KTC	39.50	-	27,260	39.54
PPP	2.06	-	28	2.04	7UP	0.30	-	122,689	0.29	MBKET	6.80	(0.05)	1,536	6.77
Q-CON	-	-	-	-	ABPIF	2.92	(0.02)	838	2.92	MFC	13.50	-	76	13.48
RCI	-	-	-	-	ACE	2.38	(0.12)	197,741	2.42	MICRO	4.96	0.30	639,117	4.84
SCC	337.00	(1.00)	20,927	336.80	AGE	1.31	(0.01)	25,688	1.31	ML	0.78	0.01	51	0.78
SCCC	118.00	(0.50)	473	118.14	AI	2.00	(0.02)	143,034	2.01	MTC	56.75	2.00	109,910	56.07
SCP	5.80	0.05	123	5.77	AKR	0.46	-	501	0.46	PE	-	-	-	-
SKN	2.48	(0.02)	1,663	2.50	BAFS	19.60	(0.20)	953	19.68	PL	1.98	-	1,788	1.99
TASCO	15.70	0.50	402,148	15.49	BANPU	7.05	0.50	1,453,153	6.92	S11	6.40	0.15	1,711	6.31
TCMC	1.06	0.02	56,842	1.06	BCP	14.60	0.10	13,042	14.49	SAWAD	50.75	1.25	65,406	50.13
TOA	32.50	0.25	9,239	32.14	BCPG	12.10	0.60	168,360	11.95	THANI	3.58	0.10	578,496	3.56
TPIPL	1.39	0.01	65,505	1.38	BGRIM	39.50	0.25	40,071	39.18	TK	6.85	(0.10)	530	6.87
UMI	0.58	(0.01)	380	0.59	BPP	13.40	0.10	20,205	13.26	TNITY	3.48	-	200	3.48
VNG	3.02	-	623	3.01	BRRGIF	6.20	0.05	140	6.11	UOBKH	3.00	-	12	2.91
WIJK	3.02	0.02	23,662	3.04	CKP	4.52	0.40	516,082	4.36	ZMICO	0.59	-	300	0.58
Petrochemicals & Ch	-	-	-	-	DEMCO	2.64	(0.06)	1,239	2.65	Food & Beverage	-	-	-	-
BCT	42.00	-	739	42.00	EA	38.50	0.50	78,633	38.29	APURE	2.14	-	33,180	2.15
CMAN	1.26	(0.01)	4,429	1.27	EASTW	9.10	0.10	2,521	9.07	ASIAN	13.30	0.10	38,189	13.22
GC	5.20	(0.05)	425	5.20	EGATIF	12.00	0.20	11,122	11.87	BR	1.70	0.01	1,926	1.69
GCC	7.25	-	1,757	7.24	EGCO	167.50	1.50	8,867	166.55	BRR	2.68	0.08	416	2.68
GIFT	1.77	0.02	313	1.77	EP	3.90	0.02	7,617	3.89	CBG	110.50	1.00	27,071	110.02
IVL	22.40	0.30	203,182	22.26	ESSO	5.95	(0.10)	42,764	5.99	CFRESH	3.28	(0.04)	5,811	3.31
NFC	1.50	-	3	1.50	GPSC	51.75	-	110,767	51.41	CHOTI	-	-	-	-
PATO	10.20	-	120	10.11	GREEN	1.08	(0.02)	2,095	1.09	CM	2.64	-	118	2.64
PMTA	8.65	0.05	23	8.65	GULF	28.75	0.25	111,441	28.57	CPF	25.50	0.25	157,685	25.46
PTTGC	39.00	(1.00)	123,723	39.27	GUNKUL	2.08	0.04	241,625	2.06	CPI	1.28	-	160	1.28
SUTHA	3.20	0.10	531	3.17	IFEC	-	-	-	-	F&D	-	-	-	-
TCCC	23.10	(0.20)	158	23.18	IRPC	2.02	-	208,262	2.02	HTC	37.75	3.00	29,927	36.21
TPA	4.98	(0.17)	64	5.01	KBSPIF	8.90	(0.05)	804	8.91	ICHI	10.00	(0.20)	96,709	10.05
UAC	3.72	0.04	6,269	3.73	LANNA	5.95	0.15	876	5.93	KBS	3.00	-	173	3.00
UP	12.90	0.10	44	13.13	MDX	2.16	-	34	2.17	KSL	2.22	(0.06)	55,688	2.22
VNT	23.60	(0.50)	11,733	23.78	PDI	8.00	-	3,673	8.01	KTIS	2.76	0.02	366	2.74
WG	186.00	-	38	185.92	PRIME	0.47	0.01	32,893	0.46	LST	4.28	(0.06)	336	4.30
YCI	-	-	-	-	PTG	18.60	(0.40)	67,379	18.71	M	44.50	(1.00)	7,691	44.66
Commerce	-	-	-	-	PTT	31.00	-	308,575	30.93	MALEE	5.50	(0.05)	329	5.52
BEAUTY	1.23	-	67,522	1.21	PTTEP	78.00	(0.75)	46,808	78.03	MINT	17.20	0.50	510,426	16.88
BIG	0.45	-	152,433	0.46	RATCH	46.75	0.25	23,304	46.71	NRF	6.00	(0.10)	74,166	6.02
BIC	29.25	0.50	36,415	29.06	RPC	0.49	(0.01)	2,090	0.48	OISHI	39.00	-	266	38.77
COL	18.90	0.10	1,190	18.81	SCG	3.34	(0.04)	102	3.38	OSP	32.50	0.50	56,829	32.19
COM7	41.00	-	60,919	41.19	SCI	1.24	(0.01)	1,378	1.23	PB	70.00	-	33	70.00
CPALL	54.25	0.50	267,613	54.15	SCN	1.66	0.04	2,380	1.64	PM	7.40	-	3,927	7.35
CPW	2.24	-	20,166	2.23	SGP	9.55	0.50	54,943	9.38	PRG	10.80	-	6	10.90
CRG	26.50	(0.25)	58,579	26.50	SKE	0.53	-	20,904	0.53	RBF	9.90	(0.05)	76,367	9.92
CSS	1.41	-	17,147	1.39	SOLAR	0.88	0.02	3,512	0.86	SAPPE	22.10	0.20	7,156	22.03
DOHOME	14.70	0.40	94,668	14.45	SPG	20.10	0.30	5,938	20.10	SAUCE				

## Main Board Quotation

Issue Date :

Monday November 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EKH	4.18	0.06	3,326	4.14	AMATAV	4.96	0.06	101	4.94	ACG	1.26	0.01	6,589	1.24
KDH	-	-	-	-	ANAN	1.43	0.01	7,151	1.42	AH	11.80	(0.20)	7,779	11.75
LPH	4.16	(0.02)	1,112	4.15	AP	6.35	0.10	57,623	6.35	CWT	1.98	-	3,092	1.98
M-CHAI	181.00	(1.00)	6	181.33	APEX	0.08	-	1,340	0.08	EASON	1.20	-	6	1.20
NEW	-	-	-	-	AQ	0.02	-	71,559	0.01	GYT	-	-	-	-
NTV	40.25	-	32	40.23	AWC	3.20	0.28	2,180,370	3.14	HFT	3.66	-	5,395	3.65
PR9	8.35	(0.10)	4,812	8.41	BLAND	0.98	0.01	41,295	0.98	IHL	3.30	0.12	18,466	3.21
PRINC	2.60	0.02	3,013	2.57	BROCK	1.53	0.12	32	1.49	INGRS	0.44	0.01	7,415	0.43
RAM	-	-	-	-	CGD	0.64	-	109,789	0.65	IRC	12.00	0.10	212	11.85
RJH	21.40	(0.10)	565	21.41	CI	0.65	-	19	0.65	PCSGH	4.40	-	124	4.40
RPH	5.25	-	4,348	5.24	CPN	38.50	-	75,618	38.39	SAT	13.20	(0.10)	14,458	13.22
SKR	6.60	-	334	6.57	ESTAR	0.33	-	2,179	0.32	SPG	13.00	(0.20)	10	13.00
SVH	389.00	1.00	33	388.88	EVER	0.21	0.01	23,912	0.20	STANLY	150.00	5.50	860	149.07
THG	18.30	0.20	1,279	18.20	FPT	9.85	0.20	633	9.69	TKT	0.90	0.01	502	0.88
VIBHA	1.45	-	36,230	1.45	GLAND	2.16	-	8	2.16	TNPC	0.69	-	7	0.69
VIH	5.95	(0.05)	1,904	5.91	J	1.22	-	5,972	1.22	TRU	3.50	(0.10)	143	3.50
WPH	1.50	(0.01)	157	1.51	JCK	1.38	(0.03)	43,998	1.39	TSC	8.80	(0.10)	7	8.80
Tourism & Leisure	-	-	-	-	KC	-	-	-	-	Industrial Materials	-	-	-	-
ASIA	4.36	-	23	4.34	KWG	0.67	(0.02)	659	0.68	ALLA	1.13	0.01	6,705	1.13
CENTEL	20.40	0.70	40,661	20.23	LALIN	6.20	0.50	37,973	6.05	ASEFA	3.14	0.02	5,228	3.11
CSR	68.00	(1.25)	11	68.00	LH	6.45	0.05	134,954	6.43	CPT	0.82	-	2,621	0.82
DTC	7.00	0.05	261	6.99	LPN	3.78	(0.02)	19,559	3.79	CRANE	1.56	0.01	8,636	1.56
ERW	2.34	0.08	138,331	2.34	MBK	11.00	0.20	14,289	10.91	CTW	5.45	(0.05)	95	5.45
GRAND	0.51	-	6,898	0.48	MJD	1.53	0.01	3,927	1.51	FMT	-	-	-	-
LRH	26.50	(1.25)	3	26.50	MK	2.92	-	4,111	2.92	HTECH	3.20	0.04	3,881	3.20
MANRIN	-	-	-	-	NCH	0.86	(0.03)	130	0.88	KKC	0.56	(0.01)	615	0.55
OHTL	-	-	-	-	NNCL	1.88	0.04	1,600	1.89	PK	1.57	0.04	868	1.56
ROH	-	-	-	-	NOBLE	20.00	0.10	10,379	19.97	SNC	9.95	0.05	558	9.93
SHANG	45.50	(2.00)	85	45.32	NUSA	0.25	-	9,689	0.25	STARK	1.66	0.12	7,903,979	1.64
SHR	1.78	-	5,516	1.79	NVD	1.07	0.01	34	1.05	TCJ	3.26	-	1,398	3.17
VRANDA	5.50	-	311	5.46	ORI	6.75	0.15	40,451	6.70	VARO	3.40	(0.80)	146	3.27
Home & Office Produ	-	-	-	-	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
ACC	0.58	0.01	53	0.58	PF	0.33	-	92,731	0.33	AIMCG	5.95	-	528	5.93
AJA	0.11	(0.01)	14,308	0.11	PLAT	2.02	-	6,073	2.01	AJMIRT	12.20	-	698	12.19
DTCI	-	-	-	-	POLAR	-	-	-	-	AMATAR	10.00	-	1	10.00
FANCY	0.48	-	30	0.48	PRECHA	-	-	-	-	B-WORK	11.20	(0.20)	221	11.20
KYE	-	-	-	-	PRIN	1.65	0.01	1,751	1.65	BKER	5.55	0.05	29	5.52
L&E	1.61	(0.01)	41	1.61	PSH	9.80	-	8,089	9.86	BKCP	11.70	-	4	11.70
MODERN	2.36	(0.06)	783	2.40	QH	2.10	0.02	120,967	2.09	BOFFICE	9.70	(0.20)	1,740	9.79
OGC	21.00	0.30	5	20.76	RICHY	0.69	0.01	1,639	0.68	CPNCG	9.60	0.15	1,551	9.54
ROCK	-	-	-	-	RML	0.56	-	14,092	0.56	CPNREIT	18.70	0.50	11,904	18.81
SIAM	1.43	0.02	1,215	1.42	ROJNA	3.86	0.02	3,607	3.86	CPTGF	9.05	-	891	9.05
TSR	3.80	(0.04)	20,447	3.85	S	1.12	0.01	13,784	1.11	CTARAF	-	-	-	-
Insurance	-	-	-	-	SAMCO	1.17	(0.01)	18	1.17	DREIT	3.76	0.02	13	3.74
AYUD	33.00	-	380	33.00	SC	2.36	0.06	43,202	2.33	ERWPF	4.40	0.14	91	4.20
BKI	272.00	2.00	62	272.00	SENA	2.72	0.04	8,366	2.72	FTREIT	12.80	0.10	1,954	12.74
BLA	18.10	0.20	5,333	18.11	SF	4.26	-	3,459	4.27	FUTUREPF	18.00	0.90	74	17.32
BUI	-	-	-	-	SIRI	0.58	-	300,344	0.58	GAHREIT	8.10	-	1	8.10
CHARAN	-	-	-	-	SPALI	15.90	0.20	25,742	15.75	GOLDPPF	5.80	0.30	1	5.80
INSURE	-	-	-	-	U	1.10	0.01	31,289	1.08	GVREIT	10.50	0.30	461	10.39
MTI	85.25	-	1	85.25	UV	2.24	(0.02)	8,450	2.24	HPF	4.68	(0.02)	391	4.68
NKI	-	-	-	-	WHA	2.42	0.04	464,351	2.40	HREIT	7.45	0.05	5,611	7.43
NSI	69.75	1.75	10	69.30	WIN	0.30	(0.05)	9,957	0.29	IMPACT	18.00	0.50	4,193	17.91
SEG	26.25	(0.25)	12	25.25	Paper & Printing Mat	-	-	-	-	KPNPF	-	-	-	-
SMK	37.00	0.50	37	36.76	UTP	13.70	0.20	10,077	13.67	LHHOTEL	9.10	(0.10)	344	9.22
THRE	1.34	-	766,593	1.37	Fashion	-	-	-	-	LHPF	5.20	(0.10)	11	5.20
THREL	2.78	0.08	221,818	2.80	AFC	5.80	(0.20)	3	5.80	LHSC	10.50	-	369	10.48
TIP	23.30	0.10	1,616	23.38	B52	0.14	0.01	8,852	0.14	LUXF	-	-	-	-
TQM	115.00	(3.00)	8,539	115.83	BTNC	-	-	-	-	M-II	7.00	-	2	7.00
TSI	0.28	-	18	0.27	CPH	-	-	-	-	M-PAT	2.98	-	15	2.98
TVI	3.38	0.02	683	3.35	CPL	1.11	-	1	1.11	M-STOR	-	-	-	-
Mining	-	-	-	-	ICC	-	-	-	-	MIPF	-	-	-	-
THL	-	-	-	-	NC	9.00	(0.90)	45	9.01	MIT	2.98	(0.02)	1	2.98
Packaging	-	-	-	-	PAF	0.49	-	36	0.48	MJLF	-	-	-	-
AJ	18.00	(0.60)	111,824	18.32	PDJ	1.39	0.01	5,228	1.39	MNIT	1.26	0.01	543	1.26
ALUCON	-	-	-	-	PG	-	-	-	-	MNIT2	-	-	-	-
BGC	8.90	0.60	62,729	8.70	SABINA	20.80	-	3,098	20.83	MNRF	-	-	-	-
CSC	50.25	(0.75)	27	48.63	SAWANG	11.20	(0.10)	1	11.20	POPF	9.85	-	8,838	9.89
GLOCON	0.92	-	8,580	0.91	SUC	33.50	(0.25)	1	33.50	PPF	11.30	(0.10)	1	11.30
NEP	0.23	-	1,734	0.23	TNL	-	-	-	-	PROSPECT	9.35	0.30	237	9.17
PTL	24.00	(0.10)	17,218	24.06	TPCORP	-	-	-	-	QHHR	5.35	-	101	5.36
SCGP	35.00	(0.25)	309,495	35.07	TR	21.70	-	28	21.64	QHOP	2.34	0.06	1	2.34
SFLEX	5.80	-	9,449	5.75	TTI	-	-	-	-	QHPP	9.00	0.10	1,120	8.95
SITHAI	0.61	-	16,471	0.60	TTT	53.00	-	36	52.13	SBPF	-	-	-	-
SLP	0.39	(0.01)	1,098	0.39	UPF	54.00	-	5	54.00	SHREIT	3.24	(0.56)	7,481	3.57
SMPC	11.40	0.10	5,020	11.32	UT	-	-	-	-	SIRIP	8.30	-	100	8.30
SPACK	3.40	(0.02)	31,281	3.42	WACOAL	44.50	-	2	44.50	SPF	11.40	0.10	1,459	11.44
TCOAT	-	-	-	-	Transportation & Log	-	-	-	-	SPRIME	7.05	0.05	183	7.00
TFI	0.12	0.01	4,725	0.12	AAV	1.47	0.04	119,175	1.43	SRIPANWA	7.60	-	130	7.51
THIP	26.75	0.25	123	26.82	AOT	52.75	1.00	246,849	52.31	SSPF	-	-	-	-
TMD	21.80	-	10	21.87	ASIMAR	1.39	-	205	1.39	SSTRT	5.20	(0.05)	20	5.20
TOPP	-	-	-	-	B	0.28	0.01	1,905	0.28	TIFI	8.40	-	162	8.35
TPBI	5.25	0.05	1,078	5.18	BA	5.10	0.12	2,413	5.06	TLGF	15.00	0.10	3,135	15.22
TPP	-	-	-	-	BEM	8.30	0.10	107,797	8.24	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BTS	9.00	0.10	184,112	8.94	TNPF	-	-	-	-
APCO	3.78	-	719	3.72	BTSGIF	4.94	0.06	14,500	4.91	TPRIME	10.50	(0.10)	3	10.53
DDD	14.40	0.40	538	14.21	III	4.50	0.14	27,250	4.41	TLPF	22.40	(0.10)	11	21.76
JCT	-	-	-	-	JUTHA	0.44	0.01	1	0.44	TU-PF	0.65	(0.14)	21	0.65
OCC	9.20	0.25	1	9.20	JWD	6.80	(0.10)	23,302	6.78	URBNPF	2.96	(0.02)	31	2.69
S & J	25.00	-	20	25.00	KWC	273.00	(2.00)	3	273.67	WHART	8.45	0.15	3	8.42
STGT	89.25	(2.25)	129,755	89.89	NOK	0.58	0.01	491	0.57	WHART	12.80	0.10	12,256	12.77
STHAI	-	-	-	-	NYT	3.14	(0.06)	73,387	3.13	Steel	-	-	-	-
TNR	11.60	0.10	90	11.53	PORT	2.24	0.08	60,786	2.22	AMC	1.33	-	128	1.33
TOG	3.30	(0.08)	866	3.33	PRM	7.75	-	195,205	7.70	BSBM	0.84	-	41	0.83
Professional Service	-	-	-	-	PSL	5.05	0.19	73,222	4.99	CEN	0.63	(0.02)	326	0.64
BWG	0.43	-	163,866	0.43	RCL	6.65	0.20	40,597	6.65	CITY	1.80	0.01	269	1.79
GENCO	0.47	(0.01)	1,852	0.47	TFHF	9.40	-	14,330	9.39	CSP	0.49	(0.01)	378	0.51
PRO	-	-	-	-	THAI	2.90	0.02	8,887	2.90	GJS	0.09	-	2,912	0.09
SISB	8.45	0.15	6,908	8.36	TSTE	-								

## Main Board Quotation

Issue Date :

Monday November 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	TITLE	2.90	0.02	37,936	2.00	ADVA01C2101A	0.44	(0.03)	21,885	-
ABICO	5.80	0.40	5,238	5.00	Resources (MAI)	-	-	-	-	ADVA01P2012A	0.50	0.02	14,308	-
AU	8.75	-	6,106	8.00	ABM	0.95	0.01	1,957	-	ADVA06C2010A	-	-	-	-
JCKH	0.30	(0.02)	883	-	AIE	0.66	-	54,377	-	ADVA06C2103A	0.44	(0.04)	36,030	-
KASET	1.20	(0.01)	165	1.00	ETC	1.92	0.15	584,615	1.00	ADVA06P2011A	-	-	-	-
MM	1.95	0.05	883	1.00	PSTC	1.53	-	12,607	1.00	ADVA08C2012A	0.10	(0.01)	5,000	-
SUN	3.92	0.06	33,744	3.00	QTC	3.88	(0.04)	289	3.00	ADVA08C2103A	0.47	(0.03)	13,200	-
TACC	6.60	-	22,101	6.00	SAAM	1.01	0.01	4,485	-	ADVA08P2101A	0.70	0.01	4,800	-
TMILL	3.20	-	3,121	3.00	SEAOIL	2.22	(0.02)	2,168	2.00	ADVA11C2011A	0.08	(0.01)	5,651	-
XO	10.90	0.60	48,908	10.00	SR	0.63	0.06	605	-	ADVA11C2104A	0.56	(0.02)	15,990	-
Consumer Products	-	-	-	-	TAKUNI	0.37	-	5,677	-	ADVA11P2011A	0.27	0.01	18,520	-
BGT	1.05	(0.01)	2,135	1.00	TPCH	10.40	0.10	2,380	10.00	ADVA13C2012A	0.12	(0.03)	24,088	-
BIZ	3.30	(0.06)	1,813	3.00	TRT	1.63	(0.04)	65	1.00	ADVA13C2101A	0.35	(0.03)	111,455	-
DOD	8.30	(0.45)	43,715	8.00	UMS	0.32	(0.01)	86	-	ADVA13P2012A	0.58	0.01	23,743	-
ECF	1.32	0.01	19,932	1.00	UPA	0.23	0.05	1,139,872	-	ADVA19C2010A	-	-	-	-
HPT	0.72	(0.02)	2,552	-	UWC	0.05	(0.01)	20,241	-	ADVA19C2010B	-	-	-	-
IP	11.50	0.10	6,068	11.00	Services (MAI)	-	-	-	-	ADVA19C2012A	0.12	(0.02)	16,346	-
JUBILE	17.00	-	152	16.00	A5	-	-	-	-	ADVA19C2101A	0.26	(0.03)	201,330	-
MOONG	3.88	(0.04)	492	3.00	AKP	0.73	(0.01)	668	-	ADVA19P2010A	-	-	-	-
NPK	-	-	-	-	AMA	4.84	0.04	26,764	4.00	ADVA19P2012A	0.48	0.02	84,218	-
OCEAN	0.72	-	2,425	-	ARIP	0.44	-	201	-	ADVA24C2101A	0.17	(0.03)	19,612	-
TM	2.28	0.02	386	2.00	ATP30	0.84	0.02	1,682	-	ADVA28C2011A	-	-	-	-
Financials (MAI)	-	-	-	-	AUCT	11.40	(0.50)	34,117	11.00	ADVA28C2012A	0.01	(0.01)	178	-
ACAP	0.66	(0.01)	6,523	-	BOL	6.00	0.10	10,666	6.00	ADVA28C2012B	-	-	-	-
AF	0.57	-	10	-	CMO	0.85	-	219	-	ADVA28C2101A	0.15	(0.01)	6,056	-
AIRA	0.94	0.13	9	-	D	3.32	0.02	310	3.00	ADVA28C2102L	0.14	-	5,070	-
ASN	4.38	0.20	73	4.00	DV8	0.29	(0.01)	1,447	-	ADVA28P2012A	0.10	(0.01)	2,129	-
BROOK	0.39	-	15,673	-	EFORL	0.03	-	34,453	-	ADVA41C2010A	-	-	-	-
CHAYO	7.95	0.05	91,662	7.00	ETE	1.08	0.03	3,878	1.00	ADVA41C2011A	-	-	-	-
GCAP	1.29	-	4,116	1.00	FSMART	6.65	(0.15)	26,417	6.00	ADVA41C2101A	0.31	(0.03)	99,222	-
LIT	3.10	0.06	2,625	3.00	FVC	0.38	(0.02)	7,889	-	ADVA41P2011A	-	-	-	-
MITSI	1.01	(0.01)	1,374	1.00	GSC	1.18	-	126	1.00	ADVA41P2101A	0.32	(0.01)	40,478	-
SGF	0.46	0.01	4,019	-	HARN	2.06	(0.02)	2,004	2.00	ADVA42C102T	0.23	(0.01)	1,050	-
Industrials (MAI)	-	-	-	-	IMH	1.99	0.01	546	1.00	AEON01C2102A	0.48	0.06	43,482	-
ZS	3.20	(0.04)	2,023	3.00	JKN	8.95	(0.05)	64,786	9.00	AEON13C2011A	0.21	0.04	78,992	-
ADB	0.79	(0.01)	414	-	KIAT	0.69	0.01	230,780	-	AEON13C2012A	1.05	0.13	3,105	1.00
BM	2.42	0.12	4,806	2.00	KK	1.30	0.09	61,885	1.00	AEON13C2101A	0.45	0.08	209,193	-
CHO	0.50	0.01	18,226	-	KOOL	0.93	0.01	6,179	-	AEON19C2010A	-	-	-	-
CHOW	1.92	0.12	6,829	1.00	LDC	1.20	0.02	4,249	1.00	AEON19C2010B	-	-	-	-
CIG	0.22	0.01	3,401	-	MORE	0.80	-	88,580	-	AEON19C2011A	-	-	-	-
COLOR	1.23	-	250	1.00	MPG	0.23	0.01	4,860	-	AEON19C2012A	0.88	0.11	270	-
CPR	2.26	(0.02)	134	2.00	MVP	1.17	-	135	1.00	AEON19C2101A	0.59	0.12	121,502	-
FPI	1.40	(0.01)	281	1.00	NBC	0.53	0.01	1,805	-	AEON19C2102A	0.46	0.08	94,493	-
GTB	0.70	-	1,102	-	NCL	0.57	(0.04)	2,637	-	AEON28C2012A	-	-	-	-
KCM	0.42	(0.01)	1,258	-	NEWS	0.01	-	3,562	-	AEON28C2101A	-	-	-	-
KUMWEL	1.19	0.01	10,500	1.00	NINE	1.62	(0.06)	120	1.00	AEON28C2103A	0.49	0.09	84,801	-
KWM	1.13	0.01	1,940	1.00	OTO	3.28	0.04	3,258	3.00	AEON28C2104L	0.31	0.03	65,637	-
MBAX	8.60	0.50	57,865	8.00	PHOL	2.30	-	1,081	2.00	AEON42C2101T	0.36	0.03	1,400	-
MGT	2.74	0.04	38,133	2.00	PICO	-	-	-	-	AMAT01C2101A	0.13	-	9,938	-
NDR	1.59	-	6,268	1.00	QLT	4.06	-	13	4.00	AMAT06C2102A	0.11	-	13,827	-
PDG	3.60	0.06	108	3.00	RP	1.18	0.05	85	1.00	AMAT08C2010A	-	-	-	-
PIMO	2.64	0.06	61,724	2.00	SE	1.19	0.04	297	1.00	AMAT08C2101A	0.16	-	3,000	-
PJW	1.26	-	1,701	1.00	SLM	-	-	-	-	AMAT13C2012A	0.04	(0.02)	963	-
PPM	0.74	0.03	79	-	SONIC	1.24	(0.02)	1,600	1.00	AMAT13C2102A	0.22	0.02	111,771	-
PRAPAT	1.23	0.02	73,203	1.00	SPA	5.75	0.10	2,439	5.00	AMAT19C2011A	-	-	-	-
RWI	1.30	-	2,401	1.00	THMUJ	0.62	(0.02)	3,841	-	AMAT19C2012A	-	-	-	-
SALEE	0.70	(0.02)	102	-	TNDT	2.88	-	36	2.00	AMAT19C2101A	0.13	0.01	84,884	-
SANKO	0.94	(0.01)	252	-	TNH	32.50	(0.50)	30	33.00	AMAT24C2010A	-	-	-	-
SELIC	1.83	(0.11)	20,065	1.00	TNP	3.56	0.04	78,868	3.00	AMAT24C2103A	0.31	0.02	10,097	-
SFT	4.04	(0.02)	1,413,952	4.00	TSF	-	-	-	-	AMAT28C2012A	-	-	-	-
SWC	4.40	0.02	1,242	4.00	TVD	0.98	0.02	5,438	-	AMAT28C2101A	0.06	(0.01)	660	-
TMC	-	-	-	-	TVT	0.68	0.01	333	-	AMAT28C2102L	0.05	-	4,000	-
TMI	0.62	-	7,960	-	VL	1.00	0.01	307,445	1.00	AMAT28C2103A	0.16	-	8,619	-
TMW	29.50	(0.50)	23	29.00	WINNER	2.40	0.02	1,610	2.00	AMAT42C2101T	-	-	-	-
TPAC	13.00	0.20	195	12.00	YGG	11.30	-	1,624	11.00	AOT01C2012A	0.30	0.03	47,494	-
TPLAS	1.48	-	903	1.00	Technology (MAI)	-	-	-	-	AOT01C2102A	0.28	0.03	69,363	-
UBIS	-	-	-	-	APP	2.54	0.08	12,163	2.00	AOT01C2102T	0.23	0.02	59,930	-
UEC	0.82	-	3,838	-	COMAN	2.14	0.02	665	2.00	AOT01P2012A	0.14	(0.02)	53,786	-
UKEM	0.50	(0.01)	31,613	-	ICN	2.14	0.02	7,018	2.00	AOT01P2012B	0.54	(0.06)	94,803	-
UREKA	0.86	-	4,726	-	IIG	20.20	(0.60)	9,236	20.00	AOT01P2102T	0.53	(0.04)	30,497	-
YUASA	14.20	(0.10)	656	14.00	INSET	3.86	0.20	391,495	3.00	AOT06C2011A	-	-	-	-
ZIGA	2.28	(0.04)	41,714	2.00	IRCP	0.69	0.02	1,119	-	AOT06C2102A	0.23	0.02	36,664	-
Property & Construc	-	-	-	-	ITEL	2.96	0.02	5,792	2.00	AOT06P2011A	-	-	-	-
ALL	3.06	-	44,147	3.00	NETBAY	25.50	0.60	1,922	25.00	AOT06P2103A	0.57	(0.07)	39,725	-
ARIN	0.93	0.01	432	-	PLANET	1.19	0.01	1,283	1.00	AOT08C2101A	0.24	0.03	25,809	-
ARROW	6.90	0.05	483	6.00	SICT	4.40	0.02	11,155	4.00	AOT08P2102A	0.69	(0.06)	5,322	-
BC	-	-	-	-	SIMAT	3.48	(0.04)	10,375	3.00	AOT11C2011A	0.07	(0.02)	1,050	-
BSM	0.26	-	1,812	-	SKY	11.60	(0.10)	1,220	11.00	AOT11P2101A	0.35	(0.04)	54,602	-
BTW	0.76	-	370	-	SPVI	3.24	(0.02)	29,493	3.00	AOT13C2011A	0.01	-	10,000	-
CAZ	1.50	-	2,545	1.00	TPS	2.42	0.06	7,942	2.00	AOT13C2012A	0.14	0.01	364,990	-
CHEWA	0.50	0.01	24,033	-	VCOM	5.40	-	10,024	5.00	AOT13C2101A	0.13	0.01	211,129	-
CMC	0.69	-	152	-	Unit Trust	-	-	-	-	AOT13C2102A	0.42	(0.58)	395,318	-

## Main Board Quotation

Issue Date :

Monday November 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AOT41C2012A	0.15	0.03	140,329	-	BCH06C2103A	0.30	(0.01)	39,932	-	BJC13P2012A	0.40	(0.04)	22,578	-
AOT41P2012A	0.15	(0.02)	67,477	-	BCH13C2012A	0.12	(0.02)	25,302	-	BJC19C2010A	-	-	-	-
AOT41P2102A	-	-	-	-	BCH13C2102A	0.25	(0.01)	191,088	-	BJC19C2010B	-	-	-	-
AOT42C2011T	-	-	-	-	BCH19C2011A	-	-	-	-	BJC19C2012A	0.01	(0.01)	14	-
AOT42P2012T	0.37	(0.05)	6,866	-	BCH19C2103A	0.27	(0.02)	193,039	-	BJC19C2103A	0.10	-	7,029	-
AP01C2012A	0.08	(0.01)	2	-	BCP13C2011A	-	-	-	-	BJC19P2012A	-	-	-	-
AP06C2103A	0.38	0.03	50,000	-	BCP13C2012A	-	-	-	-	BJC28C2012A	-	-	-	-
AP08C2101A	0.20	0.01	3,851	-	BCP13C2102A	0.24	-	33,126	-	BJC28C2012B	-	-	-	-
AP13C2011A	0.07	(0.02)	88,000	-	BCP19C2011A	-	-	-	-	BJC28C2101A	-	-	-	-
AP19C2010A	-	-	-	-	BCP19C2012A	-	-	-	-	BJC28C2102L	-	-	-	-
AP19C2011A	0.11	0.01	1	-	BCP19C2102A	0.19	0.01	14,004	-	BJC28C2103A	0.11	0.01	13,168	-
AP28C2012A	-	-	-	-	BCPG13C2012A	-	-	-	-	BJC41C2011A	-	-	-	-
AP28C2012B	0.09	(0.01)	89,368	-	BCPG13C2012B	-	-	-	-	BJC41C2012A	-	-	-	-
AWC01C2101A	0.16	0.04	37,338	-	BCPG13C2102A	0.22	0.04	163,296	-	BPP13C2011A	-	-	-	-
AWC06C2011A	-	-	-	-	BCPG19C2010A	-	-	-	-	BPP13C2012A	-	-	-	-
AWC06C2103A	0.23	0.09	90,838	-	BCPG19C2011A	-	-	-	-	BPP19C2010A	-	-	-	-
AWC06P2012A	0.46	(0.28)	26,587	-	BCPG19C2012A	0.10	0.03	42,133	-	BPP19C2012A	0.10	-	4,006	-
AWC08C2012A	-	-	-	-	BCPG19C2101A	0.22	0.05	185,705	-	BTS01C2101A	-	-	-	-
AWC11C2102A	0.19	0.06	37,940	-	BCPG28C2012A	0.02	(0.01)	1	-	BTS01C2103A	0.37	0.03	30,768	-
AWC13C2011A	-	-	-	-	BCPG28C2012B	-	-	-	-	BTS01P2103A	0.51	(0.04)	9,823	-
AWC13C2101A	0.08	0.04	60,902	-	BCPG28C2012C	-	-	-	-	BTS06P2103A	0.45	(0.04)	15,900	-
AWC13C2102A	0.35	0.13	926,974	-	BCPG28C2101A	-	-	-	-	BTS11C2011A	-	-	-	-
AWC13P2011A	0.20	(0.20)	23,228	-	BCPG28C2103L	0.13	0.02	32,721	-	BTS13C2011A	-	-	-	-
AWC19C2010A	-	-	-	-	BDM501C2101A	0.13	(0.01)	6,718	-	BTS13C2012A	0.03	(0.01)	6,800	-
AWC19C2010B	-	-	-	-	BDM506C2102A	0.09	-	3,054	-	BTS13C2102A	0.23	-	107,491	-
AWC19C2010C	-	-	-	-	BDM508C2011A	-	-	-	-	BTS13P2011A	0.06	(0.02)	19	-
AWC19C2101A	0.10	0.05	313,790	-	BDM508C2101A	0.09	(0.02)	4,000	-	BTS13P2102A	0.30	(0.01)	118,112	-
AWC19C2102A	0.21	0.08	182,519	-	BDM511C2011A	-	-	-	-	BTS19C2010A	-	-	-	-
AWC19C2103A	0.40	0.12	269,757	-	BDM511P2104A	0.52	-	34,186	-	BTS19C2011A	-	-	-	-
AWC19P2011A	0.15	(0.13)	378,348	-	BDM513C2011A	-	-	-	-	BTS19C2012A	0.13	0.01	58,126	-
AWC24C2010A	-	-	-	-	BDM513C2012A	0.03	(0.01)	100	-	BTS19C2102A	0.28	0.03	41,301	-
AWC24C2103A	0.28	0.10	17,505	-	BDM513C2101A	0.16	(0.02)	189,861	-	BTS19P2012A	0.13	(0.01)	1,000	-
AWC28C2012A	0.02	-	100	-	BDM513P2102A	0.38	-	114,824	-	BTS19P2102A	0.40	(0.01)	40,000	-
AWC28C2012B	-	-	-	-	BDM519C2010A	-	-	-	-	BTS24C2012A	-	-	-	-
AWC28C2010A	-	-	-	-	BDM519C2011A	-	-	-	-	BTS41C2010A	-	-	-	-
AWC28C2103L	-	-	-	-	BDM519C2012A	-	-	-	-	BTS41C2012A	-	-	-	-
AWC41C2010A	-	-	-	-	BDM519C2102A	0.12	(0.01)	5,592	-	CBG01C2012A	0.11	-	19,907	-
AWC41C2011A	-	-	-	-	BDM519P2010A	-	-	-	-	CBG01C2102A	0.41	-	13,193	-
AWC41C2102A	-	-	-	-	BDM519P2102A	0.43	0.02	29,694	-	CBG01C2103T	0.32	-	55,055	-
AWC42C2101T	-	-	-	-	BDM524C2101A	0.11	(0.01)	24,446	-	CBG01P2012A	0.38	(0.02)	34,352	-
BANP01C2101A	0.44	0.08	51,262	-	BDM528C2011A	-	-	-	-	CBG01P2102A	0.78	-	46,859	-
BANP01C2103A	0.34	(0.66)	33,556	-	BDM528C2012A	-	-	-	-	CBG06C2011A	0.05	-	501	-
BANP01P2101A	0.20	(0.05)	58,841	-	BDM528C2012B	-	-	-	-	CBG06C2102A	0.43	0.01	79,416	-
BANP06C2101A	0.52	0.14	121,285	-	BDM528C2101A	-	-	-	-	CBG08C2012A	0.25	(0.02)	9,299	-
BANP06P2011A	-	-	-	-	BDM528C2102A	0.07	-	150	-	CBG11C2101A	0.31	-	23,482	-
BANP06P2103A	0.29	(0.09)	37,568	-	BDM528C2103A	0.15	-	1,042	-	CBG13C2011A	0.07	-	6,359	-
BANP08C2102A	0.46	0.08	49,992	-	BDM541C2012A	-	-	-	-	CBG13C2012A	0.10	-	16,404	-
BANP08P2102A	0.22	(0.07)	24,904	-	BDM541P2011A	-	-	-	-	CBG13C2101A	0.32	-	101,617	-
BANP11C2104A	0.45	0.08	56,244	-	BDM542C2101T	-	-	-	-	CBG13P2011A	-	-	-	-
BANP13C2011A	0.13	0.06	92,460	-	BEM01C2101A	-	-	-	-	CBG13P2101A	0.72	(0.03)	107,595	-
BANP13C2012A	0.39	0.12	435,902	-	BEM08C2102A	-	-	-	-	CBG16C2101A	0.34	-	2,456	-
BANP13C2102A	0.30	0.08	412,232	-	BEM11C2011A	-	-	-	-	CBG19C2010A	-	-	-	-
BANP13P2012A	0.07	(0.04)	37,570	-	BEM13C2011A	-	-	-	-	CBG19C2011A	0.22	-	83,202	-
BANP13P2102A	0.32	(0.09)	160,384	-	BEM13C2101A	0.18	0.01	20,000	-	CBG19C2011B	0.22	-	-	-
BANP16C2101A	0.36	0.08	8,704	-	BEM13P2102A	0.26	(0.02)	13,848	-	CBG19C2101A	0.23	0.01	31,098	-
BANP19C2010A	-	-	-	-	BEM19C2010A	-	-	-	-	CBG19P2010A	-	-	-	-
BANP19C2011A	0.40	0.10	129,932	-	BEM19C2011A	-	-	-	-	CBG19P2011A	-	-	-	-
BANP19C2102A	0.30	0.07	338,479	-	BEM19C2101A	0.16	0.01	1,479	-	CBG19P2012A	0.51	(0.04)	200,670	-
BANP19P2010A	-	-	-	-	BEM19C2102A	0.30	0.02	16,270	-	CBG24C2102A	0.42	-	31,034	-
BANP19P2010B	-	-	-	-	BEM19P2010A	-	-	-	-	CBG41C2011A	-	-	-	-
BANP19P2012A	0.04	(0.02)	2,450	-	BEM19P2102A	-	-	-	-	CBG41C2011B	0.11	-	9,852	-
BANP19P2102A	0.25	(0.07)	121,604	-	BEM28C2012A	-	-	-	-	CBG41C2012A	-	-	-	-
BANP24C2011A	-	-	-	-	BEM28C2103A	0.16	-	3,042	-	CBG41P2010A	-	-	-	-
BANP28C2012A	0.18	0.05	44,639	-	CBG28C2104L	0.16	-	3,042	-	CBG41P2012A	0.78	-	18,757	-
BANP28C2012B	0.16	0.06	58,228	-	BGR101C2012A	-	-	-	-	CBG42C2101T	0.42	(0.01)	7,125	-
BANP28C2101A	0.39	0.01	94	-	BGR101C2102A	0.25	-	28,771	-	CENT01C2103A	0.47	0.04	21,206	-
BANP42C2012T	0.12	0.02	26,150	-	BGR101P2012A	0.35	(0.03)	26,556	-	CENT08C2012A	0.10	0.01	1,732	-
BBL06C2101A	0.35	0.02	68,941	-	BGR106C2102A	0.20	0.01	78,880	-	CENT11C2012A	0.04	(0.01)	20	-
BBL06P2011A	0.14	(0.05)	29,735	-	BGR106P2011A	-	-	-	-	CENT13C2010A	-	-	-	-
BBL08C2101A	0.17	0.01	3,094	-	BGR108C2101A	0.15	(0.01)	17,000	-	CENT13C2011A	-	-	-	-
BBL08C2103A	1.07	0.04	47,111	1.00	BGR111C2101A	-	-	-	-	CENT13C2101A	0.29	0.04	160,944	-
BBL08P2102A	0.71	(0.07)	20,683	-	BGR113C2011A	-	-	-	-	CENT13P2011A	0.14	(0.06)	81,181	-
BBL11C2011A	0.13	0.01	30,500	-	BGR113C2012A	0.07	(0.01)	24,000	-	CENT19C2010A	-	-	-	-
BBL11C2104A	0.82	0.04	43,522	-	BGR113C2101A	0.14	(0.01)	190,465	-	CENT19C2011A	0.01	(0.01)	50	-
BBL11P2102A	0.51	(0.05)	43,141	-	BGR113P2011A	-	-	-	-	CENT19C2011B	0.04	-	2	-
BBL13C2012A	0.12	-	61,505	-	BGR113P2101A	0.28	(0.01)	63,395	-	CENT19C2101A	0.26	0.04	67,668	-
BBL13C2012B	0.34	0.02	228,108	-	BGR19C2011A	0.01	-	1	-	CENT19P2011A	0.13	(0.04)	23,734	-
BBL13P2012A	0.40	(0.05)	107,855	-	BGR19C2012A	0.04	-	1,019	-	CENT24C2011A	-	-	-	-
BBL19C2010A	-	-	-	-	BGR19C2101A	0.17	(0.01)	62,220	-	CENT28C2012A	0.03	0.01	50	-
BBL19C2011A	0.02	-	300	-	BGR19P2010A	-	-	-	-	CENT28C2012B	-	-	-	-
BBL19C2011B	-	-	-	-	BGR124C2101A	0.18	(0.01)	7,852	-	CENT28C2101A	0.10	0.01	34,406	-
BBL19C2012A	0.28	0.02	94,927	-	BGR127C2101A	-	-	-	-	CENT28C2101B	-	-	-	-
BBL19C2101A	0.21	0.02	154,636	-	BGR127P2012A	0.26	(0.02)	7,006	-	CENT28C2103L	0.15	0.02	24,337	-
BBL19C2101B	0.53	0.03	137,275	-	BGR141C2010A	-	-	-	-	CHG06C2102A	0.17	(0.01)	21,494	-
BBL19P2010A	-	-	-	-	BGR141C2011A	0.19	(0.01)	40	-	CHG13C2012A	0.11	(0.01)	111,235	-
BBL19P2011A	0.29	(0.05)	64,520	-	BGR141C2101A	-	-	-	-	CHG19C2011A	-	-	-	-
BBL19P2012A	0.26	(0.03)	115,825	-	BGR142C2101T	-	-	-	-	CHG19C2103A	0.17	(0.01)	92,400	-
BBL24C2102A	0.69	0.03	31,981	-	BH01C2103A	-	-	-	-	CK01C2101A	0.10	-	286	-
BBL28C2011A	-	-	-	-	BH13C2012A	0.03	-	2,300	-	CK01P2101A	0.63	(0.06)	41,188	-
BBL28C2012A	-	-	-	-	BH13C2101A	0.24	(0.01)	154,940	-	CK06C2102A	0.11	0.02	45,712	-
BBL28C2101A	-	-	-	-	BH13P2101A	0.46	(0.03)	98,906	-	CK06P2012A	-	-	-	-
BBL28C2103A	0.67	0.04	118,263	-	BH19C2012A	-	-	-	-					

## Main Board Quotation

Issue Date :

Monday November 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CK42C2101T	-	-	-	-	CPF28C2011A	-	-	-	-	EA24C2101A	0.14	(0.01)	10,976	-
CKP01C2101A	0.04	0.01	350	-	CPF28C2012A	-	-	-	-	EA28C2011A	0.01	-	6	-
CKP01P2101A	0.67	(0.13)	39,738	-	CPF28C2012B	-	-	-	-	EA28C2012A	-	-	-	-
CKP06C2012A	0.04	0.01	5,550	-	CPF28C2102A	-	-	-	-	EA28C2101A	-	-	-	-
CKP08C2010A	-	-	-	-	CPF28C2103A	-	-	-	-	EA28C2102A	0.11	(0.01)	16,155	-
CKP08C2012A	-	-	-	-	CPF28C2103L	-	-	-	-	EA28C2103L	-	-	-	-
CKP08C2103A	0.45	0.12	82,700	-	CPF41C2010A	-	-	-	-	EA41C2011A	-	-	-	-
CKP11C2101A	0.10	0.01	1,280	-	CPF41C2011A	-	-	-	-	EA41C2011A	-	-	-	-
CKP13C2011A	-	-	-	-	CPF41C2102A	0.13	(0.01)	10,000	-	EA42C2101T	-	-	-	-
CKP13C2101A	0.09	0.03	2,720	-	CPF41P2011A	-	-	-	-	EGCO01C2101A	0.08	0.03	30	-
CKP13C2102A	0.51	0.16	445,628	-	CPF41P2102A	0.29	(0.01)	66,956	-	EGCO01C2103A	0.65	0.02	22,806	-
CKP16C2012A	-	-	-	-	CPF42C2101T	-	-	-	-	EGCO01P2101A	0.96	(0.06)	14,866	-
CKP19C2010A	-	-	-	-	CPN01C2012A	-	-	-	-	EGCO13C2011A	-	-	-	-
CKP19C2011A	0.05	(0.02)	600	-	CPN01C2101A	0.19	(0.01)	34,258	-	EGCO13C2012A	-	-	-	-
CKP19C2011B	-	-	-	-	CPN01P2012A	0.50	(0.02)	61,294	-	EGCO13C2012B	0.06	-	160	-
CKP19C2101A	-	-	-	-	CPN06C2103A	0.23	-	96,398	-	EGCO13C2101A	0.28	0.01	145,112	-
CKP19C2102A	0.40	0.14	121,670	-	CPN11C2101A	-	-	-	-	EGCO13P2011A	0.93	(0.10)	51,340	-
CKP19P2012A	0.42	(0.15)	248,131	-	CPN13C2011A	-	-	-	-	EGCO19C2010A	-	-	-	-
CKP24C2011A	0.01	-	1,500	-	CPN13C2012A	-	-	-	-	EGCO19C2011A	-	-	-	-
CKP28C2011A	-	-	-	-	CPN13C2102A	0.32	0.01	216,215	-	EGCO19C2012A	0.02	0.01	1,715	-
CKP28C2012A	0.36	0.02	1,700	-	CPN19C2010A	-	-	-	-	EGCO19C2012B	0.13	0.01	25,563	-
CKP28C2012B	-	-	-	-	CPN19C2011A	-	-	-	-	EGCO19C2102A	0.50	0.02	77,818	-
CKP28C2103A	0.11	0.02	19,182	-	CPN19C2012A	0.03	(0.02)	10	-	EGCO19P2011A	1.09	(0.09)	19,016	1.00
COM706C2012A	-	-	-	-	CPN19C2102A	0.16	0.01	54,160	-	EGCO19P2012A	0.75	(0.06)	32,017	-
COM708C2010A	-	-	-	-	CPN19P2010A	-	-	-	-	EGCO41C2101A	-	-	-	-
COM708C2011A	0.41	(0.19)	1,501	-	CPN19P2101A	0.33	(0.02)	85,972	-	EGCO42C2101T	0.02	0.01	5	-
COM708C2102A	0.34	(0.01)	82,251	-	CPN24C2011A	-	-	-	-	EPG13C2011A	0.07	(0.01)	352	-
COM711C2101A	0.42	-	24,984	-	CPN41C2012A	-	-	-	-	EPG13C2012A	0.08	-	180	-
COM711P2102A	0.51	(0.02)	265	-	CPN41C2101A	-	-	-	-	EPG13C2102A	0.61	0.08	68,799	-
COM713C2011A	0.20	(0.02)	630	-	CPN41P2011A	0.90	(0.01)	3,548	-	EPG13C2102B	0.19	(0.81)	67,122	-
COM713C2101A	0.25	(0.02)	160,752	-	CR001C2101A	0.12	(0.02)	23,613	-	EPG19C2010A	-	-	-	-
COM716C2101A	0.30	(0.01)	32,940	-	CRC01P2101A	0.38	-	14,037	-	EPG19C2011A	0.05	-	10	-
COM719C2010A	-	-	-	-	CRC06C2102A	0.13	(0.01)	26,550	-	EPG19C2102A	0.61	0.06	17,478	-
COM719C2011A	0.70	(0.14)	50	-	CRC08C2101A	0.10	(0.02)	10,000	-	EPG42C2101T	0.23	0.01	10,100	-
COM719C2011B	0.34	(0.05)	164	-	CRC11P2104A	0.61	-	15,744	-	ERW19C2010A	-	-	-	-
COM719C2012A	0.21	(0.02)	179,258	-	CRC13C2011A	-	-	-	-	ERW19C2010B	-	-	-	-
COM719P2011A	0.01	-	6,500	-	CRC13C2012A	0.05	(0.01)	4,504	-	ESS001C2012A	0.10	(0.01)	17	-
COM719P2012A	0.05	-	205	-	CRC13C2101A	0.14	(0.02)	104,680	-	ESS001P2012A	0.35	-	5,696	-
COM719P2101A	0.24	(0.01)	162,604	-	CRC13P2012A	0.13	-	40,746	-	ESS006C2011A	0.01	-	381	-
COM719P2102A	0.57	0.02	75,031	-	CRC16C2102A	-	-	-	-	ESS006C2103A	0.25	(0.01)	9,050	-
COM724C2012A	0.27	(0.01)	35,041	-	CRC19C2010A	-	-	-	-	ESS008C2011A	-	-	-	-
COM741C2101A	0.21	(0.01)	26,912	-	CRC19C2011A	-	-	-	-	ESS008C2102A	-	-	-	-
CPAL01C2101A	0.09	0.01	808	-	CRC19C2012A	0.06	-	4	-	ESS013C2012A	0.08	(0.01)	6,042	-
CPAL01P2101A	0.72	(0.04)	30,730	-	CRC19C2101A	0.15	-	67,018	-	ESS013C2102A	0.23	(0.02)	28,300	-
CPAL06C2011A	-	-	-	-	CRC19P2011A	-	-	-	-	ESS019C2010A	-	-	-	-
CPAL06C2102A	0.05	-	7,569	-	CRC24C2101A	0.08	(0.02)	100	-	ESS019C2011A	0.01	(0.01)	43	-
CPAL06P2012A	-	-	-	-	CRC28C2011A	-	-	-	-	ESS019C2012A	0.07	-	580	-
CPAL08C2011A	-	-	-	-	CRC28C2012A	0.03	0.01	518	-	ESS019C2103A	0.24	(0.02)	35,123	-
CPAL08C2102A	0.13	-	4,968	-	CRC28C2101A	0.09	(0.01)	30	-	ESS019P2012A	0.25	0.01	13,532	-
CPAL08P2010A	0.89	(0.06)	14	-	CRC41C2012A	-	-	-	-	ESS024C2012A	0.04	(0.01)	834	-
CPAL11C2012A	0.02	(0.04)	20	-	DEL11C2011A	8.35	0.25	440	8.00	ESS028C2101A	-	-	-	-
CPAL13C2011A	-	-	-	-	DOH006C2012A	0.25	0.03	82,894	-	ESS028C2101B	-	-	-	-
CPAL13C2012A	0.03	-	104	-	DOH008C2012A	0.35	0.02	31,420	-	ESS041C2011A	-	-	-	-
CPAL13C2101A	0.12	-	142,238	-	DOH011C2101A	0.37	0.03	31,148	-	ESS042C2101T	-	-	-	-
CPAL13C2102A	0.27	0.01	235,544	-	DOH013C2011A	0.11	0.01	134,389	-	GFPT08C2011A	-	-	-	-
CPAL13P2011A	0.41	(0.06)	15	-	DOH013C2101A	0.18	0.03	199,649	-	GFPT13C2010A	-	-	-	-
CPAL13P2102A	0.46	(0.03)	166,740	-	DOH019C2011A	0.18	0.03	89,004	-	GFPT19C2010A	-	-	-	-
CPAL19C2010A	-	-	-	-	DOH019C2011A	0.18	0.03	89,004	-	GFPT19C2010B	-	-	-	-
CPAL19C2011A	-	-	-	-	DOH019C2101A	0.21	0.02	237,622	-	GFPT19C2010B	-	-	-	-
CPAL19C2012A	0.04	0.01	20,132	-	DOH028C2012A	0.17	-	50,922	-	GFPT19C2012A	0.06	(0.03)	1	-
CPAL19C2102A	0.10	-	179,796	-	DOH028C2102L	0.20	-	19,794	-	GFPT24C2012A	-	-	-	-
CPAL19C2103A	0.23	-	111,990	-	DOH042C2012T	0.15	(0.02)	1	-	GFPT42C2101T	0.03	(0.01)	800	-
CPAL19P2010A	-	-	-	-	DTAC01C2101A	-	-	-	-	GLOB01C2012A	0.01	(0.03)	7	-
CPAL19P2011A	-	-	-	-	DTAC01P2101A	0.32	0.02	33,240	-	GLOB01C2011A	0.03	0.02	1,162	-
CPAL19P2012A	-	-	-	-	DTAC06C2012A	0.01	(0.01)	2,000	-	GLOB01C2102A	0.23	0.02	498,851	-
CPAL19P2101A	0.56	(0.02)	55,416	-	DTAC06C2103A	0.20	(0.01)	30,020	-	GLOB19C2010A	-	-	-	-
CPAL24C2103A	0.19	-	10,120	-	DTAC06P2012A	-	-	-	-	GLOB19C2012A	0.05	-	113,149	-
CPAL27C2010A	-	-	-	-	DTAC08C2012A	-	-	-	-	GLOB19C2102A	0.28	(0.72)	609,276	-
CPAL28C2012A	0.01	(0.01)	385	-	DTAC08C2101A	-	-	-	-	GLOB24C2010A	-	-	-	-
CPAL28C2012B	-	-	-	-	DTAC13C2011A	-	-	-	-	GPSC01C2012A	-	-	-	-
CPAL28C2012C	-	-	-	-	DTAC13C2012A	0.05	(0.01)	201	-	GPSC01C2101A	0.16	(0.02)	63,038	-
CPAL28C2102A	-	-	-	-	DTAC13C2101A	0.08	(0.01)	16,552	-	GPSC01P2012A	0.81	(0.01)	56,790	-
CPAL28C2103A	0.12	0.01	18,262	-	DTAC13P2011A	-	-	-	-	GPSC06C2011A	0.01	-	8,000	-
CPAL28C2104L	-	-	-	-	DTAC13P2101A	0.23	-	49,312	-	GPSC06C2101A	0.04	-	5,579	-
CPAL41C2011A	-	-	-	-	DTAC19C2010A	-	-	-	-	GPSC06P2011A	-	-	-	-
CPAL41C2011A	-	-	-	-	DTAC19C2011A	-	-	-	-	GPSC08C2101A	-	-	-	-
CPAL41P2011A	0.81	0.01	1,176	-	DTAC19C2012A	0.03	(0.01)	4,000	-	GPSC08C2103A	0.40	(0.02)	57,312	-
CPAL41P2101A	0.72	(0.03)	127,750	-	DTAC19C2101A	0.10	(0.01)	16,436	-	GPSC11C2102A	0.15	(0.01)	14,001	-
CPAL42C2101T	-	-	-	-	DTAC19P2011A	0.28	0.02	20,614	-	GPSC13C2011A	-	-	-	-
CPF01C2012A	0.01	-	240	-	DTAC24C2012A	-	-	-	-	GPSC13C2012A	-	-	-	-
CPF01C2101A	0.10	0.01	40,608	-	DTAC28C2012A	-	-	-	-	GPSC13C2012B	0.05	-	1,019	-
CPF01P2012A	0.49	(0.01)	10,999	-	DTAC28C2102A	0.05	(0.01)	702	-	GPSC13C2101A	0.18	(0.02)	61,099	-
CPF06C2102A	0.08	-	3,500	-	DTAC28C2103A	0.13	(0.02)	15,441	-	GPSC13C2102A	0.32	(0.01)	847,149	-
CPF06P2011A	0.12	(0.01)	17,304	-	DTAC28C2104L	0.12	(0.01)	12,286	-	GPSC13P2011A	-	-	-	-
CPF08C2010A	-	-	-	-	DTAC41C2010A	-	-	-	-	GPSC13P2011B	0.29	(0.02)	137,255	-
CPF08C2102A	0.10	-	3,000	-	DTAC41C2011A	-	-	-	-	GPSC13P2102A	0.58	(0.01)	216,612	-
CPF08P2103A	-	-	-	-	DTAC41C2012A	-	-	-	-	GPSC19C2010A	-	-	-	-
CPF11C2010A	-	-	-	-	DTAC42C2101T	-	-	-	-	GPSC19C2012A	-	-	-	-
CPF11C2104A	0.21	-	33,185	-	EA06C2102A	-	-	-	-	GPSC19C2101A	0.09	(0.01)	16,100	-
CPF11P2104A	0.48	(0.02)	25,668	-	EA06P2012A	0.34	(0.02)	34,607	-	GPSC19C2101B	0.16	-	110,714	-
CPF13C2011A	-	-	-	-	EA08C2101A	0.21	(0.01)	23,580	-	GPSC19C2102A	0.35	(0.65)	520,596	-
CPF13C2012A	0.02	-	3,640	-	EA11C2101A	-	-	-	-	GPSC19P2010A	-	-	-	-

## Main Board Quotation

Issue Date :

Monday November 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF01C2012A	0.04	(0.01)	120	-	HSI28P2101L	0.19	(0.05)	776	-	IVL28C2104L	0.20	-	52,221	-
GULF01C2102A	0.18	0.02	35,360	-	HSI28P2102L	0.25	(0.03)	5,235	-	IVL41C2011A	-	-	-	-
GULF01P2012A	0.17	(0.01)	34,080	-	HSI41C2010A	-	-	-	-	IVL41C2012A	0.15	(0.01)	27,482	-
GULF01P2102A	0.34	(0.02)	31,084	-	HSI41C2010B	-	-	-	-	IVL41P2010A	-	-	-	-
GULF06C2101A	0.10	-	3,260	-	HSI41C2010C	-	-	-	-	IVL41P2012A	0.48	(0.04)	21,313	-
GULF08C2012A	-	-	-	-	HSI41C2011A	-	-	-	-	IVL41P2012B	0.24	0.01	1,472	-
GULF08C2102A	0.18	0.01	9,527	-	HSI41C2011B	0.76	0.14	428,612	-	IVL42C2101T	-	-	-	-
GULF11C2011A	-	-	-	-	HSI41C2011C	0.32	0.06	71,555	-	JAS08C2011A	-	-	-	-
GULF11C2104A	0.26	-	7,264	-	HSI41C2011D	0.05	(0.06)	1	-	JAS08P2103A	0.63	(0.01)	8,000	-
GULF11P2104A	0.52	-	8,588	-	HSI41C2011E	0.09	0.01	1,975	-	JAS13C2011A	0.01	-	6,892	-
GULF13C2011A	-	-	-	-	HSI41C2012A	0.06	-	32,053	-	JAS13C2012A	0.05	-	31,167	-
GULF13C2012A	0.02	-	46,720	-	HSI41C2012B	0.57	0.08	784,087	-	JAS13C2101A	0.14	-	6,764	-
GULF13C2012B	0.07	-	14,470	-	HSI41C2012C	-	-	-	-	JAS19C2010A	-	-	-	-
GULF13C2102A	0.20	-	167,754	-	HSI41C2012D	0.47	(0.01)	180	-	JAS19C2010B	-	-	-	-
GULF13P2011A	-	-	-	-	HSI41C2010A	0.09	0.02	13,974	-	JAS19C2011A	0.04	-	50	-
GULF13P2101A	0.23	(0.01)	162,348	-	HSI41P2010A	-	-	-	-	JAS19C2012A	0.16	0.01	26,612	-
GULF16C2012A	-	-	-	-	HSI41P2010B	-	-	-	-	JAS19P2010A	-	-	-	-
GULF19C2010A	-	-	-	-	HSI41P2010C	-	-	-	-	JAS19P2101A	0.38	-	15,209	-
GULF19C2010B	-	-	-	-	HSI41P2011A	0.33	(0.09)	1,500	-	JAS28C2011A	0.01	-	20,610	-
GULF19C2012A	0.04	-	142	-	HSI41P2011B	0.56	(0.11)	1,474,621	-	JAS28C2012A	-	-	-	-
GULF19C2101A	0.09	-	10,547	-	HSI41P2011C	0.33	(0.05)	5,052	-	JAS28C2012B	-	-	-	-
GULF19C2103A	0.23	0.01	164,347	-	HSI41P2011D	-	-	-	-	JAS28C2101A	0.04	-	5,210	-
GULF19P2010A	-	-	-	-	HSI41P2011E	-	-	-	-	JAS28C2102A	0.10	-	700	-
GULF19P2010B	-	-	-	-	HSI41P2012A	0.25	0.01	2	-	JAS41C2011A	-	-	-	-
GULF19P2012A	0.28	(0.02)	7,836	-	HSI41P2012B	1.19	-	1	1.00	JAS41C2102A	0.15	(0.01)	3,927	-
GULF19P2102A	-	-	-	-	HSI41P2012C	0.80	(0.14)	23	-	JMT06C2012A	0.33	(0.03)	54,425	-
GULF24C2101A	-	-	-	-	HSI41P2012T	0.86	(0.18)	640,315	-	JMT06C2103A	0.33	(0.02)	44,399	-
GULF28C2012A	0.02	-	16,715	-	HSI41P2101A	0.27	0.03	6	-	JMT08C2101A	0.27	(0.01)	24,260	-
GULF28C2012B	-	-	-	-	INTU01C2101A	0.22	(0.02)	23,576	-	JMT11C2102A	0.30	(0.01)	56,566	-
GULF28C2101A	-	-	-	-	INTU01P2101A	0.51	(0.02)	22,209	-	JMT13C2011A	1.23	(0.40)	2	1.00
GULF28C2102A	-	-	-	-	INTU06C2103A	0.39	(0.01)	34,948	-	JMT13C2011B	0.28	(0.05)	63	-
GULF41C2011A	0.01	-	17,200	-	INTU06P2011A	-	-	-	-	JMT13C2012A	0.17	(0.02)	273,883	-
GULF41C2012A	0.03	(0.04)	5,791	-	INTU11C2103A	0.41	(0.01)	51,640	-	JMT16C2102A	0.39	-	7,109	-
GULF41C2102A	-	-	-	-	INTU13C2011A	-	-	-	-	JMT19C2010A	-	-	-	-
GULF41P2011A	-	-	-	-	INTU13C2101A	0.32	0.01	173,353	-	JMT19C2011A	-	-	-	-
GULF41P2012A	0.26	-	87,021	-	INTU19C2012A	0.12	-	48,637	-	JMT19C2012A	0.18	(0.01)	424,642	-
GULF42C2101T	-	-	-	-	INTU19C2101A	0.33	(0.01)	95,682	-	JMT24C2011A	0.33	(0.04)	10,623	-
GULF42P2101T	0.26	-	2,850	-	INTU19P2010A	-	-	-	-	JMT28C2101A	0.25	(0.01)	25,632	-
GUNK01C2012A	-	-	-	-	INTU19P2012A	0.34	(0.02)	112,448	-	JMT28C2104L	0.20	(0.01)	50,151	-
GUNK13C2011A	-	-	-	-	INTU23C2111A	0.63	0.05	1	-	JMT41C2012A	0.17	(0.01)	27,436	-
GUNK13C2101A	0.07	0.01	4,511	-	INTU28C2012A	-	-	-	-	JMT42C2101T	-	-	-	-
GUNK19C2010A	-	-	-	-	INTU28C2102A	0.16	-	23,294	-	KBAN01C2012A	0.31	(0.02)	23,864	-
GUNK19C2012A	0.01	-	5,000	-	INTU41C2012A	-	-	-	-	KBAN01C2012B	0.17	(0.01)	29,565	-
GUNK19C2101A	-	-	-	-	INTU42C2101T	-	-	-	-	KBAN01C2102A	0.58	-	55,143	-
GUNK19C2103A	0.15	0.01	5,503	-	IRPC01C2101A	-	-	-	-	KBAN01C2102T	0.45	-	33,521	-
GUNK24C2012A	-	-	-	-	IRPC01P2101A	0.31	-	5,046	-	KBAN01P2012A	0.43	(0.03)	39,357	-
GUNK28C2012A	0.01	(0.02)	2	-	IRPC06C2103A	0.19	(0.01)	9,194	-	KBAN01P2101A	0.60	(0.02)	29,061	-
GUNK28C2012B	-	-	-	-	IRPC11C2102A	-	-	-	-	KBAN01P2102T	0.62	(0.01)	20,422	-
GUNK28C2102A	0.03	(0.03)	1,100	-	IRPC13C2011A	-	-	-	-	KBAN06C2011A	0.02	0.01	11,601	-
GUNK28C2103A	0.09	0.01	5,042	-	IRPC13C2012A	-	-	-	-	KBAN06C2012A	0.06	-	4	-
HANA01C2012A	0.33	(0.09)	132,034	-	IRPC13C2012B	0.06	0.01	1,329	-	KBAN06C2103A	0.52	-	162,113	-
HANA01C2102A	0.18	(0.04)	63,787	-	IRPC13C2101A	-	-	-	-	KBAN06P2011A	0.26	(0.02)	51,559	-
HANA06C2102A	0.26	(0.08)	217,840	-	IRPC13C2102A	0.17	-	64,800	-	KBAN06P2103A	0.52	(0.02)	45,158	-
HANA11C2103A	0.49	(0.09)	48,325	-	IRPC13P2011A	-	-	-	-	KBAN08C2011A	-	-	-	-
HANA13C2011A	0.27	(0.18)	3,367	-	IRPC13P2012A	0.18	(0.01)	29,944	-	KBAN08C2101A	0.14	-	9,000	-
HANA13C2012A	0.11	(0.08)	892,947	-	IRPC19C2010A	-	-	-	-	KBAN08C2103A	0.66	-	25,600	-
HANA13C2102A	0.29	(0.71)	1,063,140	-	IRPC19C2011A	-	-	-	-	KBAN08P2101A	0.88	(0.04)	39,100	-
HANA13P2101A	0.64	0.11	566,380	-	IRPC19C2012A	0.21	(0.02)	1,000	-	KBAN13C2011A	0.01	(0.01)	90	-
HANA16C2101A	0.30	(0.09)	20,811	-	IRPC19C2101A	-	-	-	-	KBAN13C2012A	0.07	-	8,322	-
HANA19C2010A	-	-	-	-	IRPC19C2103A	0.18	-	124,950	-	KBAN13C2012B	0.17	(0.01)	40,650	-
HANA19C2012A	0.18	(0.07)	308,771	-	IRPC19P2011A	-	-	-	-	KBAN13C2101A	0.35	(0.01)	440,229	-
HANA19C2101A	0.15	(0.06)	357,991	-	IRPC19P2012A	0.21	(0.01)	11,801	-	KBAN13P2011A	0.53	(0.07)	30	-
HANA19P2011A	0.01	(0.01)	8	-	IRPC24C2012A	-	-	-	-	KBAN13P2012A	0.49	(0.04)	235,224	-
HANA19P2101A	0.65	0.10	143,527	-	IRPC28C2012A	-	-	-	-	KBAN16C2101A	0.42	(0.01)	7,434	-
HANA24C2012A	0.36	(0.12)	35,246	-	IRPC28C2101A	-	-	-	-	KBAN19C2010A	-	-	-	-
HANA27P2012X	0.04	(0.01)	10,314	-	IRPC28C2103A	-	-	-	-	KBAN19C2010B	-	-	-	-
HANA28C2012A	-	-	-	-	IRPC41C2010A	-	-	-	-	KBAN19C2011A	-	-	-	-
HANA28C2104L	0.17	(0.04)	46,689	-	IRPC41C2101A	-	-	-	-	KBAN19C2012A	0.13	(0.01)	72	-
HANA41C2012A	0.26	(0.06)	17,704	-	IVL01C2012A	-	-	-	-	KBAN19C2012B	0.05	-	201	-
HANA42C2101T	0.28	(0.06)	8,860	-	IVL01C2012B	0.20	-	29,412	-	KBAN19C2101A	0.39	-	229,740	-
HMPR01C2012A	0.05	(0.01)	8	-	IVL01C2102A	0.09	-	432	-	KBAN19P2010A	-	-	-	-
HMPR01C2103A	0.40	0.01	42,200	-	IVL01C2102B	0.43	0.01	34,796	-	KBAN19P2010P	-	-	-	-
HMPR01P2012A	0.32	(0.02)	48,866	-	IVL01C2103T	0.34	-	23,390	-	KBAN19P2012A	0.38	(0.01)	158,880	-
HMPR06C2102A	0.26	-	61,451	-	IVL01P2012A	0.45	(0.03)	33,176	-	KBAN24C2012A	-	-	-	-
HMPR06P2011A	-	-	-	-	IVL01P2102A	0.69	(0.03)	32,137	-	KBAN24C2103A	0.63	-	20,511	-
HMPR06P2103A	0.34	(0.01)	30,987	-	IVL06C2101A	0.12	(0.01)	4,232	-	KBAN28C2012A	-	-	-	-
HMPR11C2011A	0.15	-	55,740	-	IVL06C2103A	0.44	0.01	174,092	-	KBAN28C2012B	-	-	-	-
HMPR13C2012A	0.12	-	129,118	-	IVL06P2011A	0.28	(0.04)	801	-	KBAN28C2101A	0.13	-	18,592	-
HMPR13C2102A	0.30	-	187,010	-	IVL08C2101A	0.20	-	11,600	-	KBAN28C2103A	0.50	-	74,008	-
HMPR19C2010A	-	-	-	-	IVL08P2011A	0.10	(0.02)	6,060	-	KBAN28C2104L	0.19	-	6,084	-
HMPR19C2102A	0.22	-	213,603	-	IVL08P2102A	0.59	(0.04)	18,204	-	KBAN28P2012A	0.18	(0.02)	30,412	-
HMPR19P2011A	0.13	(0.01)	235,094	-	IVL11C2012A	-	-	-	-	KBAN41C2011A	-	-	-	-
HMPR41C2010A	-	-	-	-	IVL13C2011A	-	-	-	-	KBAN41C2012A	0.11	-	40	-
HSI28C2010A	-	-	-	-	IVL13C2012A	0.07	-	118,323	-	KBAN41C2101A	0.26	-	70,000	-
HSI28C2010B	-	-	-	-	IVL13C2012B	-	-	-	-	KBAN41P2011A	-	-	-	-
HSI28C2010C	-	-	-	-	IVL13C2101A	0.28	0.01	456,682	-	KBAN41P2101B	0.53	0.01	43,442	-
HSI28C2010L	-	-	-	-	IVL13P2012A	0.22	(0.03)	244,520	-	KBAN42C2101T	-	-	-	-
HSI28C2011A	0.69	0.11	2,187,675	-	IVL16C2102A	0.39	0.01	14,688	-	KBAN42P2101T	0.73	(0.02)	1,620	-
HSI28C2011B	0.31	0.05	404,706	-	IVL19C2010A	-	-	-	-	KCE01C2012A	0.47	(0.02)	42,819	-
HSI28C2011C	0.04	0.01	9,402	-	IVL19C2010B	-	-	-	-	KCE01C2101A	0.56	(0.01)	52,163	-
HSI28C2011L	0.08	0.01	15,257	-	IVL19C2011A	-	-</							

## Main Board Quotation

Issue Date :

Monday November 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE13P2012A	0.03	(0.01)	3,000	-	MINT13C2101A	0.17	0.02	155,850	-	PTG01P2012A	0.33	0.02	25,884	-
KCE13P2101A	0.10	-	177,852	-	MINT13C2102A	0.34	0.03	503,175	-	PTG06C2010A	-	-	-	-
KCE13P2102A	0.33	-	427,634	-	MINT13P2011A	0.17	(0.05)	91,745	-	PTG06C2103A	0.47	(0.05)	26,887	-
KCE16C2012A	0.54	(0.03)	7,640	-	MINT13P2012A	0.55	(0.10)	5,964	-	PTG08C2011A	0.20	(0.05)	10,725	-
KCE19C2010A	-	-	-	-	MINT13P2101A	0.45	(0.06)	478,596	-	PTG11C2101A	0.32	(0.04)	35,210	-
KCE19C2010B	-	-	-	-	MINT16C2012A	0.08	0.01	240	-	PTG13C2012A	0.08	(0.02)	37,035	-
KCE19C2011A	-	-	-	-	MINT19C2010A	-	-	-	-	PTG13C2012B	0.23	(0.05)	149,801	-
KCE19C2012A	0.42	(0.02)	73,522	-	MINT19C2011A	0.14	0.02	199,288	-	PTG16C2101A	0.33	(0.04)	8,924	-
KCE19C2102A	0.39	(0.02)	180,918	-	MINT19C2011B	0.01	-	10	-	PTG19C2010A	-	-	-	-
KCE19C2102B	0.29	(0.01)	39,992	-	MINT19C2102A	0.27	0.03	691,823	-	PTG19C2011A	0.09	(0.03)	8,000	-
KCE19P2010A	-	-	-	-	MINT19P2010A	-	-	-	-	PTG19C2012A	0.24	(0.04)	52,544	-
KCE19P2012A	0.03	(0.01)	100	-	MINT19P2011A	0.13	(0.04)	127,504	-	PTG19P2010A	-	-	-	-
KCE19P2101A	0.09	-	198,122	-	MINT19P2012A	-	-	-	-	PTG19P2011A	0.09	0.01	12,420	-
KCE19P2102A	0.26	0.01	392,933	-	MINT19P2101A	0.53	(0.05)	55,383	-	PTG19P2101A	0.41	0.02	125,367	-
KCE24C2010A	-	-	-	-	MINT19P2102A	0.35	(0.65)	152,757	-	PTG24C2102A	0.28	(0.04)	8,604	-
KCE27C2101X	1.08	(0.06)	4,073	1.00	MINT24C2011A	0.04	-	100	-	PTG41C2101A	0.28	(0.04)	29,659	-
KCE41C2012A	0.46	(0.02)	14,778	-	MINT28C2012A	-	-	-	-	PTG42C2101T	-	-	-	-
KCE42C2012T	1.44	(0.05)	1,661	1.00	MINT28C2012B	-	-	-	-	PTT01C2012A	0.05	(0.02)	874	-
KKP13C2012A	0.16	0.04	78,856	-	MINT28C2012C	-	-	-	-	PTT01C2102A	0.18	-	34,471	-
KKP13C2102A	0.41	0.06	298,434	-	MINT28C2103A	0.27	0.01	38,003	-	PTT01C2103T	0.15	0.01	24,718	-
KKP19C2010A	-	-	-	-	MINT28C2104L	0.10	-	4,443	-	PTT01P2012A	0.24	-	17,000	-
KKP19C2011A	0.01	-	10,000	-	MINT41C2012A	0.16	0.02	23,704	-	PTT01P2102A	0.34	-	18,326	-
KKP19C2012A	0.18	0.03	142,791	-	MINT42C2101T	-	-	-	-	PTT01P2103T	0.27	0.01	6,370	-
KTB13C2010A	-	-	-	-	MINT42P2102T	0.68	(0.05)	4,317	-	PTT06C2012A	0.03	(0.01)	50	-
KTB13C2012A	-	-	-	-	MTC01C2012A	0.41	0.05	42,012	-	PTT06C2102A	0.05	(0.01)	4	-
KTB13C2101A	0.19	(0.01)	20,786	-	MTC01C2102A	0.69	0.07	30,092	-	PTT08C2101A	-	-	-	-
KTB19C2010A	-	-	-	-	MTC06C2102A	0.70	0.10	72,500	-	PTT08C2103A	0.22	(0.01)	11,000	-
KTB19C2011A	-	-	-	-	MTC08C2011A	0.20	0.02	15,800	-	PTT08P2101A	-	-	-	-
KTB19C2012A	-	-	-	-	MTC08C2102A	0.66	0.07	35,714	-	PTT11C2101A	-	-	-	-
KTB19C2101A	0.19	-	48,000	-	MTC11C2102A	0.62	0.07	34,682	-	PTT13C2012A	-	-	-	-
KTB19P2012A	0.43	(0.02)	61,444	-	MTC13C2011A	0.31	0.05	211,520	-	PTT13C2012B	0.04	-	253	-
KTB24C2101A	0.14	(0.02)	2,502	-	MTC13C2101A	0.56	0.08	269,066	-	PTT13C2101A	0.09	-	49,640	-
KTB28C2011A	-	-	-	-	MTC13P2011A	-	-	-	-	PTT13C2102A	0.19	(0.01)	158,418	-
KTB28C2012A	-	-	-	-	MTC19C2010A	-	-	-	-	PTT13P2012A	0.26	(0.09)	100	-
KTB28C2012B	-	-	-	-	MTC19C2012A	0.40	0.06	185,071	-	PTT13P2101A	0.19	-	185,705	-
KTB28C2101C	-	-	-	-	MTC19P2010A	-	-	-	-	PTT16C2012A	-	-	-	-
KTB28C2102A	0.11	-	3,042	-	MTC19P2012A	0.09	(0.03)	71,713	-	PTT19C2011A	0.02	-	1,190	-
KTB28C2103A	0.26	(0.01)	13,828	-	MTC28C2011A	-	-	-	-	PTT19C2012A	0.02	-	6,002	-
KTC01C2012A	0.38	(0.01)	21,263	-	MTC28C2012A	0.16	0.02	34,808	-	PTT19C2012B	0.03	(0.02)	2,900	-
KTC01C2103A	0.42	(0.58)	19,372	-	MTC28C2012B	0.39	0.06	79,830	-	PTT19C2101A	-	-	-	-
KTC01P2012A	-	-	-	-	MTC28C2102L	0.24	0.02	20,288	-	PTT19C2103A	0.18	(0.82)	96,474	-
KTC01P2102A	0.37	(0.63)	7,000	-	MTC41C2012A	0.50	0.06	1,180	-	PTT19P2010A	-	-	-	-
KTC08C2011A	0.23	(0.01)	5,020	-	MTC42C2101T	0.16	0.02	140	-	PTT19P2010B	-	-	-	-
KTC11C2104A	0.49	(0.01)	16,000	-	ORI13C2011A	0.10	-	15,588	-	PTT19P2101A	0.22	-	74,000	-
KTC11P2011A	-	-	-	-	ORI19C2010A	-	-	-	-	PTT24C2101A	-	-	-	-
KTC11P2104A	0.51	(0.01)	9,300	-	ORI19C2011A	0.27	0.02	14,258	-	PTT28C2011A	0.01	-	200	-
KTC13C2010B	-	-	-	-	ORI19C2012A	0.11	0.01	18,360	-	PTT28C2012A	0.01	-	5	-
KTC13C2011A	0.38	(0.02)	37,366	-	ORI28C2011A	-	-	-	-	PTT28C2101A	-	-	-	-
KTC13C2101A	0.35	(0.01)	115,483	-	ORI28C2012A	-	-	-	-	PTT28C2103A	0.11	-	13,667	-
KTC13P2010A	-	-	-	-	ORI28C2012B	0.24	0.02	23,932	-	PTT28C2103L	-	-	-	-
KTC13P2012A	-	-	-	-	ORI28C2101A	-	-	-	-	PTT41C2101A	-	-	-	-
KTC13P2101A	0.23	(0.01)	103,960	-	ORI28C2103L	0.19	0.01	16,424	-	PTT41C2012A	-	-	-	-
KTC19C2010A	-	-	-	-	OSP01C2012A	-	-	-	-	PTT41C2101A	-	-	-	-
KTC19C2010B	-	-	-	-	OSP01C2102A	0.17	0.01	16,885	-	PTT41C2101B	0.09	(0.01)	20,000	-
KTC19C2012A	0.41	(0.01)	2,521	-	OSP01P2012A	0.53	(0.01)	13,248	-	PTT41P2011A	-	-	-	-
KTC19C2101A	0.33	-	53,421	-	OSP06C2011A	0.01	-	450	-	PTT41P2012A	0.53	(0.01)	1,764	-
KTC19P2010A	-	-	-	-	OSP06C2102A	0.09	0.01	2,600	-	PTT41P2101A	0.28	-	74,363	-
KTC19P2012A	0.07	-	2,400	-	OSP06P2102A	-	-	-	-	PTT42C2012T	-	-	-	-
KTC19P2101A	0.26	(0.01)	46,647	-	OSP08C2102A	0.19	(0.01)	11,400	-	PTT42P2101T	0.23	(0.01)	1,070	-
KTC24C2011A	0.38	(0.03)	2,600	-	OSP11C2102A	0.10	-	9,300	-	PTTE01C2012A	0.24	(0.02)	33,079	-
KTC28C2011A	-	-	-	-	OSP13C2012A	-	-	-	-	PTTE01C2102A	0.74	(0.04)	49,902	-
KTC28C2012A	0.12	(0.01)	2,029	-	OSP13C2101A	0.07	(0.01)	7,500	-	PTTE01C2103T	0.49	(0.01)	28,313	-
KTC28C2012B	0.30	(0.01)	12,675	-	OSP13C2102A	0.18	0.01	13,176	-	PTTE01P2012A	0.77	(0.01)	35,304	-
KTC28C2101A	0.38	0.06	10	-	OSP13P2011A	-	-	-	-	PTTE01P2102A	0.53	-	57,603	-
KTC28C2103L	0.30	-	16,703	-	OSP13P2102A	0.22	(0.01)	35,730	-	PTTE01P2103T	0.72	0.01	29,678	-
KTC41C2011A	-	-	-	-	OSP19C2010A	-	-	-	-	PTTE06C2011A	0.01	-	180	-
KTC41C2012A	-	-	-	-	OSP19C2012A	-	-	-	-	PTTE06C2101A	0.22	(0.02)	41,705	-
KTC42C2012T	0.18	(0.01)	500	-	OSP19C2101A	0.08	0.01	4,000	-	PTTE06P2011A	0.06	(0.02)	871	-
LH01C2101A	-	-	-	-	OSP19C2103A	0.22	0.02	95,938	-	PTTE06P2102A	0.70	-	39,752	-
LH06C2012A	-	-	-	-	OSP19P2010A	-	-	-	-	PTTE08C2011A	0.04	(0.02)	1	-
LH11C2012A	-	-	-	-	OSP19P2102A	0.25	(0.01)	33,245	-	PTTE08P2101A	0.91	(0.01)	46,223	-
LH13C2101A	0.10	-	5,079	-	OSP24C2101A	0.08	-	5	-	PTTE11C2011A	0.14	(0.02)	18,636	-
LH19C2010A	-	-	-	-	OSP28C2010A	-	-	-	-	PTTE11P2102A	0.66	0.01	33,760	-
LH19C2011A	-	-	-	-	OSP28C2101B	-	-	-	-	PTTE13C2011A	0.01	(0.01)	50	-
LH19C2101A	0.11	-	476	-	OSP28C2103B	0.20	-	5,080	-	PTTE13C2012A	0.17	(0.02)	163,296	-
LH19P2010A	-	-	-	-	OSP28C2104L	0.21	-	21,252	-	PTTE13C2101A	0.44	(0.04)	98,696	-
MAJ013C2011A	-	-	-	-	OSP41C2012A	-	-	-	-	PTTE13P2012A	0.38	-	176,821	-
MAJ013C2101A	0.14	-	22,110	-	OSP42C2101T	0.03	-	50	-	PTTE19C2010A	-	-	-	-
MAJ019C2011A	-	-	-	-	PLAN06C2102A	0.21	0.04	51,297	-	PTTE19C2010B	-	-	-	-
MAJ019C2103A	0.26	(0.01)	65,713	-	PLAN11C2103A	0.32	0.03	23,686	-	PTTE19C2011A	-	-	-	-
MEGA13C2011A	-	-	-	-	PLAN13C2011A	0.07	0.01	6,000	-	PTTE19C2011B	-	-	-	-
MEGA13C2101A	0.18	(0.01)	124,709	-	PLAN13C2101A	0.13	0.01	62,077	-	PTTE19C2012A	0.15	(0.02)	111,291	-
MEGA19C2011A	0.02	(0.02)	190	-	PLAN13C2102A	0.24	(0.76)	169,076	-	PTTE19C2101A	0.48	(0.03)	231,475	-
MEGA19C2101A	0.16	(0.02)	121,190	-	PLAN19C2010A	-	-	-	-	PTTE19P2010A	-	-	-	-
MEGA42C2101T	0.07	-	46,600	-	PLAN19C2010B	-	-	-	-	PTTE19P2010B	-	-	-	-
MINT01C2012A	0.09	(0.01)	909	-	PLAN19C2012A	0.12	0.02	14,997	-	PTTE19P2012A	0.48	0.01	251,112	-
MINT01C2102A	0.29	0.03	50,829	-	PLAN19C2102A	0.25	0.04	60,279	-	PTTE19P2101A	0.42	0.01	531,543	-
MINT01C2102T	0.19	0.02	42,641	-	PLAN27C2101A	0.11	-	3,600	-	PTTE24C2011A	-	-	-	-
MINT01P2012A	0.26	(0.05)	34,383	-	PLAN28C2012A	-	-	-	-	PTTE28C2011A	-	-	-	-
MINT01P2012B	0.81	(0.09)	19,720	-	PLAN28C2012B	0.10	0.02	14,140	-	PTTE28C2012A	0.08	(0.02)	3	-
MINT01P2102A	0.51	(0.49)												

## Main Board Quotation

Issue Date :

Monday November 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG01C2012A	0.13	(0.01)	18,000	-	S5013P2012C	0.66	(0.09)	2,918,487	-	SCB08C2101A	0.18	-	11,000	-
PTTG01C2012A	0.31	(0.03)	36,680	-	S5013P2012D	0.39	(0.07)	5,333,743	-	SCB08P2012A	0.36	(0.03)	31,001	-
PTTG01P2012A	0.65	0.02	26,750	-	S5013P2012E	0.28	(0.06)	8,896,039	-	SCB11C2102A	0.25	0.01	18,200	-
PTTG01P2102A	0.47	0.02	36,844	-	S5013P2012F	0.38	(0.08)	11,596,692	-	SCB11P2012A	0.44	-	35,680	-
PTTG08C2101A	0.12	(0.01)	9,000	-	S5013P2010A	0.74	(0.03)	25,036	-	SCB13C2011A	-	-	-	-
PTTG08C2103A	0.42	(0.03)	13,150	-	S5016C2012A	0.03	-	1	-	SCB13C2012A	0.21	(0.01)	83,757	-
PTTG08P2010A	-	-	-	-	S5016C2012B	-	-	-	-	SCB13C2102A	0.40	(0.02)	205,767	-
PTTG08P2102A	0.44	-	15,000	-	S5016C2012C	0.13	0.02	600	-	SCB13P2012A	0.35	(0.01)	93,538	-
PTTG11C2010A	-	-	-	-	S5016C2012D	0.30	0.02	29,586	-	SCB19C2010A	-	-	-	-
PTTG11C2104A	0.43	(0.02)	49,280	-	S5016P2012A	1.03	(0.07)	5,655	1.00	SCB19C2010B	-	-	-	-
PTTG11P2104A	0.68	0.02	56,853	-	S5016P2012B	0.85	(0.09)	46,715	-	SCB19C2012A	0.10	(0.02)	46,182	-
PTTG13C2011A	0.01	(0.01)	330	-	S5016P2103Z	-	-	-	-	SCB19C2101A	0.28	(0.02)	122,378	-
PTTG13C2012A	-	-	-	-	S5019C2012A	-	-	-	-	SCB19P2010A	-	-	-	-
PTTG13C2101A	0.19	(0.03)	103,262	-	S5019C2012B	0.02	-	136	-	SCB19P2011A	-	-	-	-
PTTG13P2011A	0.32	0.02	1	-	S5019C2012C	0.07	(0.01)	6,810	-	SCB19P2011B	0.26	(0.01)	176,917	-
PTTG13P2012A	0.31	0.01	181,736	-	S5019C2012D	0.11	0.01	3,502	-	SCB24C2012A	-	-	-	-
PTTG19C2011A	0.02	(0.01)	300	-	S5019C2012E	0.24	0.03	1,781,897	-	SCB28C2012A	-	-	-	-
PTTG19C2012A	0.09	(0.01)	20,102	-	S5019C2012F	0.30	0.03	2,717,205	-	SCB28C2012B	-	-	-	-
PTTG19C2101A	0.23	(0.03)	51,462	-	S5019P2012A	1.05	(0.04)	1,220,255	1.00	SCB28C2103A	0.34	0.01	83,984	-
PTTG19P2010A	-	-	-	-	S5019P2012B	0.83	(0.08)	392,457	-	SCB28C2104L	0.16	-	18,252	-
PTTG19P2011A	0.15	0.01	103,229	-	S5019P2012C	0.64	(0.05)	2,266,407	-	SCB41C2011A	-	-	-	-
PTTG19P2011B	-	-	-	-	S5019P2012D	0.39	(0.04)	1,906,480	-	SCB41C2011B	-	-	-	-
PTTG19P2102A	0.45	0.03	89,900	-	S5024C2012A	-	-	-	-	SCB41C2012A	0.16	(0.01)	5,005	-
PTTG24C2101A	0.16	(0.02)	16,204	-	S5024C2012B	-	-	-	-	SCB41C2102A	0.57	-	61,000	-
PTTG28C2011A	-	-	-	-	S5024C2012C	-	-	-	-	SCB41P2011A	-	-	-	-
PTTG28C2012A	0.05	(0.03)	5	-	S5024C2012D	0.03	-	20	-	SCB41P2102A	0.70	(0.01)	54,018	-
PTTG28C2102L	-	-	-	-	S5024C2012E	0.04	(0.01)	2,400	-	SCB42C2101T	-	-	-	-
PTTG28C2103A	0.22	(0.01)	28,592	-	S5024C2012F	0.11	-	964	-	SCC01C2101A	0.40	(0.01)	31,190	-
PTTG41C2011A	-	-	-	-	S5024C2012G	0.20	-	16,083	-	SCC01P2012A	0.50	(0.01)	23,391	-
PTTG41C2101A	-	-	-	-	S5024C2012H	0.37	-	412,350	-	SCC06C2012A	0.06	-	4,430	-
PTTG41C2102A	0.27	(0.02)	250,872	-	S5024C2012I	0.68	0.01	329,738	-	SCC08C2011A	-	-	-	-
PTTG41P2011A	-	-	-	-	S5024C2103A	0.29	-	71,338	-	SCC11C2011A	0.18	(0.01)	45,300	-
PTTG41P2102A	0.36	-	60,580	-	S5024P2012A	0.11	(0.01)	610	-	SCC13C2011A	0.03	(0.02)	6,843	-
PTTG42C2012T	-	-	-	-	S5024P2012B	0.49	(0.04)	10,000	-	SCC13C2012A	0.13	(0.02)	117,860	-
QH19C2012A	-	-	-	-	S5024P2012C	1.55	(0.21)	149,605	1.00	SCC13C2102A	0.45	(0.02)	53,792	-
QH27C2101A	-	-	-	-	S5024P2012D	1.01	(0.18)	451,699	1.00	SCC13P2011A	0.43	(0.01)	2,156	-
RATC01C2101A	0.11	-	5,075	-	S5024P2012E	0.55	(0.12)	725,686	-	SCC13P2101A	0.21	(0.01)	112,190	-
RATC01P2101A	0.70	(0.02)	21,158	-	S5024P2103A	0.86	(0.05)	234,037	-	SCC13P2102A	0.55	-	49,869	-
RATC06C2102A	0.09	(0.01)	6	-	S5028C2010A	-	-	-	-	SCC19C2010A	-	-	-	-
RATC11C2103A	0.32	-	13,265	-	S5028C2012A	-	-	-	-	SCC19C2012A	0.17	(0.01)	38,214	-
RATC13C2012A	0.02	(0.02)	1,1	-	S5028C2012B	-	-	-	-	SCC19C2101A	0.40	(0.02)	302,910	-
RATC13C2101A	0.10	-	10,977	-	S5028C2012C	0.06	(0.01)	11,149	-	SCC19P2010A	-	-	-	-
RATC13P2011A	0.30	(0.05)	72,592	-	S5028C2012D	0.07	-	66,238	-	SCC19P2011A	-	-	-	-
RATC19C2011A	-	-	-	-	S5028C2012E	0.22	(0.78)	537,844	-	SCC19P2101A	0.55	(0.01)	223,004	-
RATC19C2012A	-	-	-	-	S5028C2103L	0.12	-	190,945	-	SCC24C2012A	0.08	(0.01)	314	-
RATC19C2101A	-	-	-	-	S5028P2010A	-	-	-	-	SCC28C2102A	0.16	(0.02)	41,556	-
RATC19C2102A	-	-	-	-	S5028P2012A	1.42	(0.05)	290,527	1.00	SCC28C2103A	0.40	(0.01)	61,617	-
RATC19P2011A	-	-	-	-	S5028P2012B	0.44	(0.04)	82,251	-	SCC28C2104L	0.21	(0.01)	23,797	-
RATC24C2012A	-	-	-	-	S5028P2012C	0.63	(0.07)	935,846	-	SCC41C2010A	-	-	-	-
RATC41C2012A	-	-	-	-	S5028P2103L	0.82	(0.04)	523,667	-	SCC41C2011A	-	-	-	-
RATC42C2102T	-	-	-	-	S5041C2012A	0.01	-	15	-	SCC41C2101A	0.17	-	7,852	-
RS06C2010A	-	-	-	-	S5041C2012B	-	-	-	-	SCC41C2101B	0.43	(0.02)	59,718	-
RS06C2012A	0.22	0.02	3,675	-	S5041C2012C	-	-	-	-	SCC41P2011A	0.46	(0.02)	2,944	-
RS08C2011A	-	-	-	-	S5041C2012D	-	-	-	-	SCC41P2102A	0.48	(0.01)	98,896	-
RS08C2103A	0.39	(0.02)	12,077	-	S5041C2012E	-	-	-	-	SCGP13C2102A	0.26	(0.01)	172,986	-
RS13C2011A	0.05	(0.02)	20	-	S5041C2012F	0.13	0.02	35,220	-	SCGP13P2102A	0.37	-	197,079	-
RS13C2101A	0.29	0.02	184,749	-	S5041C2012U	0.17	0.03	33,928	-	SCGP19C2102A	0.19	(0.01)	311,612	-
RS19C2010A	-	-	-	-	S5041C2012V	0.40	0.03	906,868	-	SCGP19P2102A	0.29	(0.01)	89,112	-
RS19C2010B	-	-	-	-	S5041C2103T	0.57	0.03	1,685,986	-	SCGP28C2103A	0.24	(0.02)	37,366	-
RS19C2011A	-	-	-	-	S5041C2103U	0.57	0.05	141,856	-	SCGP28C2104L	0.17	-	3,052	-
RS19C2011B	0.09	-	353	-	S5041P2012A	0.93	(0.09)	1,193,393	-	SCGP41C2101A	0.26	-	105,132	-
RS19C2102A	0.30	0.01	16,943	-	S5041P2012B	0.84	(0.08)	639,045	-	SGP13C2011A	-	-	-	-
RS19P2012A	0.25	(0.01)	8,042	-	S5041P2012C	0.88	(0.20)	2,110	-	SGP13C2102A	0.45	0.06	96,627	-
RS28C2012A	-	-	-	-	S5041P2012E	-	-	-	-	SGP19C2011A	0.13	0.03	6,846	-
RS28C2101A	0.20	(0.01)	5,056	-	S5041P2012F	-	-	-	-	SGP19C2102A	0.47	0.07	33,213	-
RS28C2101L	0.34	(0.02)	50,767	-	S5041P2012G	-	-	-	-	SGP42C2101T	-	-	-	-
RS41C2011A	0.27	(0.01)	9,052	-	S5041P2012J	1.09	(0.08)	1,456	1.00	SIR119C2011A	-	-	-	-
RS42C2101T	-	-	-	-	S5041P2103T	1.88	(0.10)	68,318	1.00	SIR119C2103A	0.10	-	8,776	-
S10001C2011A	0.02	0.01	1,093	-	S5042C2101G	0.34	-	58,385	-	SIR142C2101T	-	-	-	-
S5001C2012F	0.12	0.01	11,688	-	S5042C2102T	0.34	-	23,943	-	SPAL06C2103A	0.33	0.01	15,578	-
S5001C2012G	0.22	-	14,843	-	S5042P2101G	0.63	(0.10)	166,128	-	SPAL13C2102A	0.25	(0.01)	8,168	-
S5001C2101A	0.48	0.01	495,540	-	S5042P2102T	0.63	(0.02)	103,968	-	SPAL19C2011A	0.16	(0.02)	4	-
S5001P2012F	0.99	(0.06)	259,639	1.00	SAWA01C2012A	0.38	0.03	37,924	-	SPAL19C2011B	-	-	-	-
S5001P2012G	0.59	(0.05)	210,492	-	SAWA01C2102A	0.50	0.03	35,554	-	SPAL27C2101A	-	-	-	-
S5001P2101A	0.93	(0.05)	370,358	-	SAWA01C2103T	0.37	0.01	8,942	-	SPRC01C2101A	0.10	-	5,000	-
S5006C2012A	0.03	-	1,558	-	SAWA01P2012A	0.28	(0.03)	9,600	-	SPRC01P2101A	0.59	0.05	12,219	-
S5006C2012B	0.10	0.02	34,769	-	SAWA01P2102A	0.59	(0.03)	10,612	-	SPRC06C2102A	0.06	(0.01)	4,275	-
S5006C2012C	0.31	0.02	236,400	-	SAWA06C2101A	0.52	0.05	119,239	-	SPRC06P2011A	0.15	0.04	23,888	-
S5006P2012A	1.25	(0.14)	420	1.00	SAWA08C2011A	-	-	-	-	SPRC06P2103A	0.39	0.04	18,965	-
S5006P2012B	0.50	(0.11)	581,516	-	SAWA08C2101A	0.41	0.04	19,280	-	SPRC08C2011A	-	-	-	-
S5006P2012C	0.64	(0.10)	373,538	-	SAWA11C2103A	0.60	0.04	26,239	-	SPRC11C2102A	0.11	(0.02)	16,820	-
S5008C2012A	0.04	-	3,042	-	SAWA13C2011A	0.13	0.01	172,526	-	SPRC13C2012A	-	-	-	-
S5008C2012B	-	-	-	-	SAWA13C2101A	0.34	0.03	279,786	-	SPRC13C2012B	-	-	-	-
S5008C2012C	-	-	-	-	SAWA16C2101A	0.38	0.04	13,344	-	SPRC19C2010A	-	-	-	-
S5008C2012D	0.25	0.01	151,990	-	SAWA19C2011A	0.05	-	50	-	SPRC19C2012A	-	-	-	-
S5008P2012A	1.08	(0.08)	258,721	1.00	SAWA19C2012A	0.31	0.03	235,937	-	SPRC19C2101A	0.09	(0.02)	65,223	-
S5008P2012B	0.46	(0.07)	261,003	-	SAWA19P2011A	0.06	(0.01)	8,010	-	SPRC19P2011A	0.29	0.02	10,154	-
S5011C2012A	-	-	-	-										



## Main Board Quotation

## Issue Date :

Monday November 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPX41C2012T	0.48	0.08	1,688	-	TASC28C2012C	-	-	-	-	TP113C2011A	-	-	-	-
SPX41C2012U	0.95	0.09	3,513	-	TASC28C2010A	-	-	-	-	TP119C2012A	0.14	-	13,894	-
SPX41C2103T	0.57	0.05	4,605	-	TASC28C2103L	-	-	-	-	TQM11C2102A	0.37	(0.05)	16,387	-
SPX41P2012A	0.82	(0.11)	18,885	-	TASC41C2010A	-	-	-	-	TQM13C2011A	-	-	-	-
SPX41P2012B	0.65	(0.08)	2,981	-	TASC41C2011A	-	-	-	-	TQM13C2101A	0.15	(0.03)	47,755	-
SPX41P2012C	-	-	-	-	TASC41C2012A	0.12	-	3,926	-	TQM13C2102A	0.38	(0.04)	80,054	-
SPX41P2012T	0.71	(0.10)	36,648	-	TASC42C2010T	0.02	0.01	4,902	-	TQM19C2010A	-	-	-	-
SPX41P2012U	0.58	(0.06)	1,106	-	TCAP01C2010A	0.11	(0.01)	20,147	-	TQM19C2010B	-	-	-	-
SPX41P2103T	0.97	(0.07)	25,056	1.00	TCAP13C2012A	-	-	-	-	TQM19C2011A	0.18	(0.05)	12,874	-
STA01C2101A	0.44	(0.11)	123,193	-	TCAP19C2010A	-	-	-	-	TQM19C2101A	0.19	(0.03)	33,321	-
STA01C2102A	0.31	(0.69)	76,061	-	TCAP19C2012A	0.04	(0.01)	5	-	TQM24C2011A	0.05	-	40	-
STA06C2012A	0.29	(0.13)	182,355	-	TCAP19C2102A	0.14	-	91,700	-	TQM28C2012A	0.06	(0.01)	300	-
STA08C2010A	-	-	-	-	TCAP19P2010A	0.28	(0.01)	35,096	-	TQM28C2102A	0.33	(0.05)	78,063	-
STA08C2011A	0.17	(0.09)	45,367	-	TCAP42C2101T	-	-	-	-	TQM28C2104L	0.26	(0.02)	29,432	-
STA08C2101A	0.54	(0.12)	57,173	-	THAN01C2012A	0.58	0.05	37,793	-	TQM41C2011A	-	-	-	-
STA13C2010D	-	-	-	-	THAN01C2012B	0.16	0.01	48,659	-	TQM42C2010T	0.23	(0.02)	50	-
STA13C2011A	0.18	(0.42)	1,590	-	THAN06C2102A	0.29	0.03	55,647	-	TRUE01C2101A	-	-	-	-
STA13C2011B	0.11	(0.09)	616,253	-	THAN08C2101A	0.56	0.05	12,328	-	TRUE01P2101A	0.72	-	1,592	-
STA13C2011C	0.30	(0.15)	522,968	-	THAN08C2102A	0.28	0.02	37,251	-	TRUE06C2103A	0.16	0.01	7,200	-
STA13C2101A	0.29	(0.10)	1,351,134	-	THAN13C2012A	0.36	0.04	407,376	-	TRUE06P2011A	0.04	(0.07)	2,040	-
STA13P2012A	0.03	(0.01)	759	-	THAN13C2012B	0.08	-	14,581	-	TRUE08C2012A	-	-	-	-
STA13P2012B	0.05	0.01	16,368	-	THAN19C2010A	-	-	-	-	TRUE08P2010A	-	-	-	-
STA13P2101A	0.27	0.06	1,223,101	-	THAN19C2011A	0.62	0.03	3,420	-	TRUE11C2101A	-	-	-	-
STA16C2102A	0.38	(0.11)	133,862	-	THAN19C2012A	0.25	0.03	71,600	-	TRUE11P2101A	0.65	(0.02)	5,100	-
STA19C2010A	-	-	-	-	THAN19C2012B	0.11	0.01	68,894	-	TRUE13C2011A	-	-	-	-
STA19C2010B	-	-	-	-	THAN19C2102A	0.51	0.05	136,817	-	TRUE13C2101A	-	-	-	-
STA19C2010C	-	-	-	-	THAN19P2102A	0.39	(0.02)	28,587	-	TRUE19C2011A	-	-	-	-
STA19C2011A	1.16	(0.20)	120	1.00	THAN42C2102T	-	-	-	-	TRUE19C2012A	-	-	-	-
STA19C2011B	0.25	(0.10)	170,870	-	TISCO1C2101A	0.57	0.07	79,991	-	TRUE19C2101A	-	-	-	-
STA19C2012A	0.35	(0.12)	57,310	-	TISCI1C2012A	0.32	0.04	17,300	-	TRUE19C2103A	0.22	0.01	29,305	-
STA19C2102A	0.31	(0.09)	790,228	-	TISCI3C2012A	0.41	0.07	249,237	-	TRUE19P2011A	0.31	(0.01)	1	-
STA19P2010A	-	-	-	-	TISCI9C2010A	-	-	-	-	TRUE19P2101A	0.31	(0.03)	73,434	-
STA19P2012A	0.04	0.01	3,432	-	TISCI9C2010B	-	-	-	-	TRUE28C2011A	-	-	-	-
STA19P2011A	0.09	0.01	44,088	-	TISCI9C2012A	0.42	0.06	109,535	-	TRUE28C2012A	-	-	-	-
STA24C2011A	0.13	(0.09)	29,818	-	TISC24C2102A	0.74	0.09	19,949	-	TRUE28C2012B	-	-	-	-
STA28C2011A	1.31	(0.23)	61	1.00	TISC41C2010A	-	-	-	-	TRUE28C2101A	-	-	-	-
STA28C2011B	0.18	(0.13)	100	-	TISC41C2012A	0.43	0.07	32,931	-	TRUE28C2103L	-	-	-	-
STA28C2012A	1.96	(0.14)	59	2.00	TISC42C2101T	0.13	0.01	27,272	-	TRUE41C2101A	-	-	-	-
STA28C2102L	0.21	(0.06)	51,947	-	TKN01C2101A	0.22	(0.03)	39,600	-	TRUE42C2101T	-	-	-	-
STA28C2103A	0.37	(0.08)	109,102	-	TKN06C2011A	-	-	-	-	TTW19C2011A	-	-	-	-
STA41C2010A	-	-	-	-	TKN06C2101A	-	-	-	-	TTW42C2012A	-	-	-	-
STA42C2101T	0.18	(0.05)	286	-	TKN08C2011A	0.08	(0.01)	461	-	TU01C2101A	0.27	(0.01)	24,009	-
STEC01C2101A	-	-	-	-	TKN08C2102A	-	-	-	-	TU01P2101A	0.20	0.01	53,316	-
STEC01P2101A	0.57	(0.08)	14,676	-	TKN13C2012A	0.09	(0.02)	297,853	-	TU06C2102A	0.36	(0.02)	22,643	-
STEC06C2010A	-	-	-	-	TKN13C2101A	0.20	(0.02)	75,840	-	TU06P2103A	0.18	0.01	16,740	-
STEC08C2012A	-	-	-	-	TKN13C2102A	0.24	(0.03)	501,806	-	TU08C2011A	0.14	(0.02)	16,115	-
STEC08C2103A	0.27	0.02	24,897	-	TKN19C2010A	-	-	-	-	TU11C2102A	0.24	(0.02)	16,590	-
STEC11C2102A	-	-	-	-	TKN19C2011A	-	-	-	-	TU13C2012A	0.19	(0.02)	128,459	-
STEC13C2012A	0.02	-	400	-	TKN19C2011B	0.08	(0.01)	18,231	-	TU13P2101A	0.15	(0.01)	26,610	-
STEC13C2101A	0.08	0.01	26,000	-	TKN19C2101A	0.21	(0.02)	1,147	-	TU19C2010A	-	-	-	-
STEC13C2102A	0.20	0.03	103,040	-	TKN19C2102A	0.30	(0.03)	35,601	-	TU19C2012A	0.20	(0.01)	39,547	-
STEC13P2011A	-	-	-	-	TKN19P2101A	0.33	0.02	96,094	-	TU19C2102A	0.17	(0.01)	35,539	-
STEC19C2011A	-	-	-	-	TKN28C2012A	-	-	-	-	TU19P2011A	0.02	-	100	-
STEC19C2012A	-	-	-	-	TKN28C2012B	-	-	-	-	TU19P2012A	-	-	-	-
STEC19C2101A	0.07	0.01	720	-	TKN28C2101A	-	-	-	-	TU19P2102A	0.33	(0.01)	506	-
STEC19C2103A	0.20	0.02	76,686	-	TKN42C2012T	-	-	-	-	TU24C2011A	0.23	(0.02)	6,360	-
STEC19P2011A	0.68	0.03	10	-	TMB13C2011A	-	-	-	-	TU28C2011A	-	-	-	-
STEC19P2012A	-	-	-	-	TMB13C2102A	0.14	0.01	61,887	-	TU28C2012A	0.06	(0.01)	100	-
STEC19P2101A	0.25	(0.03)	41,194	-	TMB19C2011A	0.02	0.01	6,400	-	TU28C2103A	0.27	(0.01)	33,218	-
STEC28C2011A	-	-	-	-	TMB19C2011B	-	-	-	-	TU28C2103L	0.22	-	9,126	-
STEC28C2012A	-	-	-	-	TMB19C2012A	-	-	-	-	TU41C2101A	0.16	-	750	-
STEC28C2101A	0.05	-	1,901	-	TMB19C2103A	0.18	0.01	22,780	-	TU42C2101T	-	-	-	-
STEC28C2103A	0.14	0.02	17,126	-	TMB19P2011A	-	-	-	-	TVO13C2011A	0.20	(0.04)	2	-
STEC28C2104L	0.09	(0.01)	5	-	TMB41C2010A	-	-	-	-	TVO13C2012A	0.24	(0.01)	123,757	-
STEC41C2012A	-	-	-	-	TOA13C2011A	0.01	-	1,000	-	TVO19C2011A	-	-	-	-
STEC42P2102T	0.31	(0.05)	3,120	-	TOA13C2102A	0.19	-	30,816	-	TVO19C2012A	0.22	-	163,156	-
SUPE08C2012A	0.06	-	1	-	TOA19C2010A	-	-	-	-	TVO19C2101A	0.16	-	272,093	-
SUPE08C2102A	0.17	0.01	37,970	-	TOA19C2012A	0.07	-	93	-	VGI01C2012A	0.17	0.04	49,163	-
SUPE08P2102A	0.30	(0.03)	27,000	-	TOA19C2103A	0.26	-	63,002	-	VGI01C2103A	0.37	0.08	121,252	-
SUPE19C2010A	-	-	-	-	TOA42C2101T	-	-	-	-	VGI06C2010A	-	-	-	-
SUPE19C2011A	0.02	-	20,992	-	TOP01C2012A	-	-	-	-	VGI06C2101A	0.16	0.07	80,971	-
SUPE19C2011B	-	-	-	-	TOP01C2102A	0.38	0.01	52,174	-	VGI08C2103A	0.42	0.08	94,868	-
SUPE19C2012A	0.14	0.01	165,897	-	TOP01P2012A	0.32	(0.05)	85,549	-	VGI11C2101A	0.12	0.03	21,340	-
SUPE19P2011A	-	-	-	-	TOP01P2102A	0.31	(0.01)	56,152	-	VGI13C2012A	0.08	0.03	78,389	-
SUPE19P2012A	0.15	(0.01)	20,000	-	TOP06C2011A	0.01	-	1,800	-	VGI13C2101A	0.16	0.06	241,495	-
SUPE42C2101T	0.04	(0.01)	1,235	-	TOP06C2102A	0.09	-	18,550	-	VGI19C2010A	-	-	-	-
SUPE42P2102T	-	-	-	-	TOP06C2102B	0.30	-	36,500	-	VGI19C2012A	0.12	0.04	107,312	-
TASC01C2012A	0.02	-	13,002	-	TOP06P2102A	0.54	(0.04)	27,050	-	VGI19C2012B	0.22	0.08	106,047	-
TASC01C2012B	0.20	0.02	106,258	-	TOP08C2010A	-	-	-	-	VGI19C2012C	0.06	0.03	14,004	-
TASC01P2012A	0.42	(0.06)	54,590	-	TOP08C2102A	0.24	-	10,400	-	VGI24C2012A	-	-	-	-
TASC06C2012A	0.02	-	10	-	TOP11C2011A	-	-	-	-	VGI28C2101A	0.06	(0.01)	500	-
TASC06C2102A	0.36	0.04	206,867	-	TOP11P2104A	0.58	(0.01)	22,590	-	VGI28C2103A	0.23	0.06	167,733	-
TASC08C2011A	0.02	-	8	-	TOP13C2011A	-	-	-	-	VGI28C2103L	0.14	0.03	79,092	-
TASC08C2012A	0.01	-	521	-	TOP13C2012A	0.01	(0.01)	90	-	VGI41C2011A	-	-	-	-
TASC11C2102A	0.04	(0.01)	508	-	TOP13C2012B	-	-	-	-	VGI42C2101T	0.04	0.01	25,083	-
TASC13C2011A	-	-	-	-	TOP13C2101A	0.18	(0.01)	48,047	-	WHA01C2101A	0.09	-	17	-
TASC13C2012A	0.02	-	11,271	-	TOP13P2012A	-	-	-	-	WHA01C2103A	0.28	(0.72)	6,180	-
TASC13C2012B	0.11	0.01	306,013	-	TOP13P2101A	0.14	(0.01)	29,707	-	WHA01P2101A	0.84	(0.04)	33,201	-
TASC13C2101A	0.27	0.03	605,020	-	TOP19C2010A	-	-	-	-	WHA06C2010A	-	-	-	-
TASC13P2011A	-	-	-	-	TOP19C2010B	-	-	-	-	WHA06C2103A	0.15	0.01	24,971	-
TASC13P2012A	0.24	(0.03)	93,661	-	TOP19C2012A	-</								

## Main Board Quotation

Issue Date :

Monday November 02, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
WHA28C2102L	-	-	-	-	SIMAT-W4	-	-	-	-	-	-	-	-	-
WHA42C2101T	-	-	-	-	SMART-W2	0.17	0.02	5,180	-	-	-	-	-	-
WHAU13C2012A	0.20	0.04	51,364	-	SWC-W1	3.10	(0.10)	700	3.00	-	-	-	-	-
WHAU19C2012A	0.31	0.06	138,993	-	TAKUNI-W	0.01	-	5,221	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TAPAC-W4	0.20	-	184	-	-	-	-	-	-
BH-Q	-	-	-	-	TVD-W2	0.14	-	63,424	-	-	-	-	-	-
CSC-Q	-	-	-	-	UREKA-W2	0.27	0.01	2,737	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	Preferred Shares	-	-	-	-	-	-	-	-	-
KTB-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.10	0.01	17	-	-	-	-	-	-	-	-	-	-	-
AEC-W6	0.10	-	29,411	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.03	-	4,221	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	0.64	(0.02)	19,427	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.25	-	11,715	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.04	-	505	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.05	-	186	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.07	-	243	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	0.48	0.01	43,732	-	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.04	(0.01)	5,202	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.01	(0.01)	33,673	-	-	-	-	-	-	-	-	-	-	-
CWT-W5	0.43	(0.01)	4,745	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.94	0.01	9,756	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.03	-	1,956	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.03	-	1,450	-	-	-	-	-	-	-	-	-	-	-
EP-W3	0.08	(0.01)	40,277	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.41	0.02	14,495	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.55	0.02	7,470	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.58	(0.02)	421	-	-	-	-	-	-	-	-	-	-	-
JMART-W3	5.55	(0.05)	3,562	5.00	-	-	-	-	-	-	-	-	-	-
JMART-W4	3.92	0.02	328	3.00	-	-	-	-	-	-	-	-	-	-
JMT-W2	14.40	(0.20)	5,557	14.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.06	0.01	13,162	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	0.28	0.04	421,540	-	-	-	-	-	-	-	-	-	-	-
MINT-W7	6.20	-	19,250	6.00	-	-	-	-	-	-	-	-	-	-
NER-W1	2.60	(0.14)	156,744	2.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	4.18	-	2,354	4.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.72	0.08	12	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.07	-	504	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.39	(0.01)	6,978	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.41	(0.02)	468	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.09	0.02	5	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.56	0.01	10,548	-	-	-	-	-	-	-	-	-	-	-
PPPM-W4	0.10	(0.01)	1,717	-	-	-	-	-	-	-	-	-	-	-
PRIME-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PRIME-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAMART-W2	0.12	(0.01)	3,355	-	-	-	-	-	-	-	-	-	-	-
SAWAD-W2	8.25	0.05	4,539	8.00	-	-	-	-	-	-	-	-	-	-
SDC-W1	0.07	-	4,002	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	8.55	0.20	733	8.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	4.52	(0.04)	345	4.00	-	-	-	-	-	-	-	-	-	-
SST-W2	0.62	0.01	57	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.04	-	107	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	0.05	0.01	21	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	0.01	-	1,000	-	-	-	-	-	-	-	-	-	-	-
TNITY-W1	0.07	-	1,231	-	-	-	-	-	-	-	-	-	-	-
TRITN-W3	0.14	0.01	76,961	-	-	-	-	-	-	-	-	-	-	-
TTCL-W1	0.36	(0.01)	7,802	-	-	-	-	-	-	-	-	-	-	-
U-W4	0.01	-	7	-	-	-	-	-	-	-	-	-	-	-
VGI-W2	0.77	0.05	285,261	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.10	-	40,690	-	-	-	-	-	-	-	-	-	-	-
W-W3	0.07	-	104	-	-	-	-	-	-	-	-	-	-	-
WIJK-W2	0.33	0.02	9,184	-	-	-	-	-	-	-	-	-	-	-
ZMICO-W4	0.07	-	4,005	-	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUTHA-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KTB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-P	1.38	0.01	3	1.00	-	-	-	-	-	-	-	-	-	-
Warrant (MAI)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALL-W1	0.57	-	27,079	-	-	-	-	-	-	-	-	-	-	-
BROOK-W5	0.12	0.01	20,108	-	-	-	-	-	-	-	-	-	-	-
CHAYO-W1	2.30	(0.02)	15,445	2.00	-	-	-	-	-	-	-	-	-	-
CHO-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CIG-W8	0.01	-	5,000	-	-	-	-	-	-	-	-	-	-	-
D-W1	0.71	-	2	-	-	-	-	-	-	-	-	-	-	-
DIMET-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DOD-W1	0.50	-	3,442	-	-	-	-	-	-	-	-	-	-	-
ECF-W3	0.07	-	12,167	-	-	-	-	-	-	-	-	-	-	-
HPT-W1	0.20	0.01	300	-	-	-	-	-	-	-	-	-	-	-
HYDRO-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ITEL-W1	0.11	-	3,621	-	-	-	-	-	-	-	-	-	-	-
ITEL-W2	0.40	0.01	23,014	-	-	-	-	-	-	-	-	-	-	-
LIT-W1	0.38	-	3,990	-	-	-	-	-	-	-	-	-	-	-
META-W4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEWS-W6	0.01	-	25,000	-	-	-	-	-	-	-	-	-	-	-
OCEAN-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RWI-W2	0.12	0.01	370	-	-	-	-	-	-	-	-	-	-	-
SIMAT-W3	0.46	0.01	34	-	-	-	-	-	-	-	-	-	-	-