

Main Board Quotation

Issue Date :

Friday November 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.96	(0.10)	65,381	3.98	MACO	0.61	0.02	11,381	0.60
SAFARI	-	-	-	-	BLISS	-	-	-	-	MAJOR	13.30	(0.30)	5,891	13.39
VI	-	-	-	-	DIF	13.10	(0.10)	98,586	13.18	MATCH	1.59	(0.01)	70	1.53
WORLD	-	-	-	-	DTAC	31.75	(1.25)	64,495	32.11	MATI	-	-	-	-
WR	-	-	-	-	FORTH	5.80	-	391	5.85	MCOT	2.80	0.06	748	2.77
Agribusiness	-	-	-	-	HUMAN	8.45	0.05	8,889	8.46	MONO	2.74	(0.02)	6,586	2.74
EE	0.69	(0.01)	13,676	0.69	ILINK	5.15	(0.15)	9,398	5.21	MPIC	-	-	-	-
GFPT	11.40	(0.30)	10,923	11.50	INET	3.46	(0.16)	60,483	3.55	NMG	-	-	-	-
LEE	2.20	(0.02)	4,761	2.20	INTUCH	53.75	(1.00)	88,667	53.93	PLANB	5.45	(0.10)	180,535	5.52
MAX	0.01	-	906,360	0.01	JAS	2.74	(0.04)	186,674	2.77	POST	1.27	0.03	6	1.24
NER	4.62	(0.12)	512,275	4.68	JASIF	9.75	-	47,050	9.75	PRAKIT	7.30	-	10	7.30
PPPM	0.40	-	5,007	0.39	JMART	15.90	(0.20)	256,452	16.25	SE-ED	-	-	-	-
STA	33.50	(0.75)	238,097	33.63	JTS	2.28	(0.04)	1,769	2.31	TBSP	12.70	(3.50)	34	12.61
TRUBB	1.89	(0.02)	21,368	1.88	MFEK	4.76	-	2,299	4.84	TH	0.47	(0.02)	333	0.48
TWPC	3.52	(0.06)	23,690	3.54	MSC	6.50	0.25	555	6.33	TKS	5.60	(0.10)	1,968	5.62
UPOIC	3.10	0.02	107	3.10	PT	5.55	(0.10)	3,279	5.62	VGI	6.50	-	458,714	6.52
UVAN	4.90	0.02	5,766	4.90	SAMART	4.94	(0.02)	3,907	4.93	WAVE	0.66	(0.04)	30,800	0.65
VPO	0.44	(0.01)	3,300	0.45	SAMTEL	5.00	-	641	4.95	WORK	10.00	-	11,606	9.98
Banking	-	-	-	-	SDC	0.17	(0.01)	7,865	0.18	Finance & Securities	-	-	-	-
BAY	20.10	0.20	5,943	20.09	SIS	19.40	(0.90)	22,417	19.75	AEC	0.24	-	74,765	0.24
BBL	106.50	5.00	203,064	103.72	SVOA	1.41	(0.02)	117,730	1.44	AEONTS	129.00	(3.50)	12,644	129.29
CIMBT	0.54	-	10,441	0.55	SYMC	4.06	0.14	17	4.04	AMANA	2.68	(0.02)	76,872	2.69
KBANK	80.25	1.75	525,249	79.47	SYNEX	14.40	(0.50)	101,417	14.41	ASAP	1.96	(0.02)	3,713	1.97
KKP	41.75	-	53,961	41.65	THCOM	5.70	-	51,413	5.75	ASK	18.70	-	4,668	18.66
KTB	9.15	0.25	702,247	9.01	TRUE	2.90	(0.04)	433,915	2.90	ASP	1.72	-	9,603	1.72
LHFG	0.91	0.01	17,192	0.90	TWZ	0.06	-	38,180	0.06	BAM	21.40	(0.20)	211,820	21.56
SCB	70.00	2.25	279,492	69.59	Electronic Comp	-	-	-	-	BFIT	28.00	(0.25)	13,012	28.17
TCAP	28.50	-	96,255	28.38	CCET	2.20	(0.06)	84,581	2.24	CGH	0.67	(0.02)	1,777	0.68
TISCO	73.25	(0.50)	72,528	72.99	DELTA	189.50	(9.50)	36,999	192.73	ECL	0.76	(0.03)	8,476	0.77
TMB	0.92	0.03	6,224,576	0.91	HANA	41.50	(3.50)	203,206	42.88	FNS	2.96	-	390	2.94
Construction Materia	-	-	-	-	KCE	39.00	(1.75)	226,238	39.64	FSS	1.48	0.01	262	1.46
CCP	0.48	0.01	72,517	0.47	METCO	175.50	(1.00)	20	176.20	GBX	0.41	(0.01)	1,161	0.41
COTTO	1.17	(0.04)	40,413	1.19	NEX	4.36	0.08	295,021	4.38	GL	1.27	0.02	331,015	1.27
DCC	2.38	(0.02)	182,354	2.39	SMT	3.02	(0.12)	98,841	3.01	IFS	2.26	(0.14)	44,310	2.26
DCON	0.30	-	2,779	0.30	SVI	4.92	(0.23)	78,132	4.98	JMT	34.25	-	72,742	34.11
DRT	5.95	(0.05)	1,119	5.97	TEAM	0.86	(0.01)	14	0.86	KCAR	7.65	-	80	7.65
EPG	5.25	(0.15)	56,945	5.31	W	0.22	(0.01)	1,131,336	0.23	KGI	3.18	0.02	43,576	3.20
GEL	0.18	(0.01)	67,728	0.18	Energy & Utilitie	-	-	-	-	KTC	41.50	0.50	61,652	41.21
PPP	2.04	-	296	2.02	7UP	0.31	-	11,936	0.31	MBKET	7.10	0.10	2,252	7.10
Q-CON	4.70	-	2	4.70	ABPIF	2.96	-	467	2.94	MFC	13.40	(0.10)	265	13.41
RCI	3.66	-	277	3.66	ACE	2.84	0.12	429,045	2.85	MICRO	4.76	(0.10)	177,431	4.85
SCC	350.00	-	33,355	350.18	AGE	1.32	(0.02)	29,309	1.33	ML	0.80	-	625	0.79
SCCC	128.50	2.00	2,555	127.82	AI	2.16	0.14	751,324	2.14	MTC	55.50	(0.75)	49,527	55.60
SCP	5.85	(0.05)	1,151	5.82	AKR	0.48	-	72	0.49	PE	-	-	-	-
SKN	2.50	-	1,956	2.48	BAFS	20.00	(0.10)	816	20.00	PL	1.99	(0.01)	1,201	1.99
TASCO	16.30	(0.40)	1,162,443	16.55	BANPU	6.85	(0.05)	582,955	6.90	S11	6.45	(0.10)	3,729	6.48
TCMC	1.13	(0.02)	11,798	1.14	BCP	15.10	(0.30)	35,413	15.19	SAWAD	52.75	(0.25)	98,574	52.84
TOA	33.50	(1.00)	15,084	34.10	BCPG	12.80	-	84,299	12.85	THANI	3.46	(0.12)	478,556	3.50
TPPIPL	1.38	(0.02)	50,669	1.39	BGRIM	46.00	0.50	338,305	46.66	TK	6.95	-	4,579	6.93
UMI	0.59	(0.01)	105	0.60	BPP	13.70	(0.10)	75,697	13.85	TNITY	3.64	0.08	32	3.64
VNG	3.40	0.18	693	3.34	BRRGIF	6.15	(0.05)	43	6.15	UOBKH	3.02	0.04	242	2.99
WIJK	3.02	0.04	82,383	3.06	CKP	5.05	0.05	471,130	5.14	ZMICO	0.58	0.01	1,773	0.58
Petrochemicals & Ch	-	-	-	-	DEMCO	2.70	0.02	994	2.70	Food & Beverage	-	-	-	-
BCT	42.00	-	80	42.00	EA	43.25	(0.25)	184,469	43.45	APURE	2.16	(0.04)	71,585	2.15
CMAN	1.28	(0.05)	3,497	1.28	EASTW	9.35	(0.05)	4,550	9.33	ASIAN	13.20	(0.10)	70,746	13.32
GC	5.40	0.05	1,595	5.42	EGATIF	12.00	-	819	11.95	BR	1.78	0.01	6,209	1.80
GCC	7.90	(0.20)	8,224	7.96	EGCO	178.00	(6.00)	56,676	180.30	BRR	2.72	0.04	1,347	2.67
GIFT	1.84	0.01	2,227	1.84	EP	3.94	-	12,013	3.95	CBG	119.50	(0.50)	48,526	120.26
IVL	25.25	(0.50)	562,832	25.40	ESSO	6.30	(0.10)	103,293	6.33	CFRESH	3.30	(0.06)	5,547	3.35
NFC	1.61	0.01	115	1.62	GPSC	63.50	3.50	574,632	63.44	CHOTI	-	-	-	-
PATO	10.20	0.10	69	10.09	GREEN	1.09	(0.01)	616	1.10	CM	2.66	(0.02)	202	2.67
PMTA	8.70	0.10	40	8.75	GULF	32.25	1.00	1,041,217	32.54	CPF	26.50	(0.50)	508,459	26.61
PTTGC	44.50	0.25	316,980	44.44	GUNKUL	2.22	0.04	283,715	2.20	CPI	1.35	-	4,909	1.34
SUTHA	3.38	(0.02)	153	3.43	IFEC	-	-	-	-	F&D	19.80	0.80	3	19.80
TCCC	23.60	0.10	141	23.54	IRPC	2.12	(0.04)	1,051,486	2.12	HTC	37.00	(1.50)	16,169	37.92
TPA	-	-	-	-	KBSPIF	9.15	0.05	1,943	9.06	ICHI	10.30	(0.20)	58,644	10.52
UAC	3.98	(0.04)	6,921	3.90	LANNA	5.95	0.05	304	5.91	KBS	3.06	0.06	773	3.06
UP	12.80	(0.10)	44	12.80	MDX	2.24	(0.02)	746	2.24	KSL	2.28	(0.04)	16,125	2.28
VNT	24.00	(0.90)	24,782	24.39	PDI	8.00	(0.15)	20,841	8.23	KTIS	2.80	-	734	2.79
WG	113.00	(4.50)	17	111.15	PRIME	0.51	-	30,692	0.51	LST	4.32	-	242	4.33
YCI	-	-	-	-	PTG	19.20	(0.20)	91,118	19.22	M	47.25	1.25	15,172	46.51
Commerce	-	-	-	-	PTT	34.00	-	600,232	33.87	MALEE	5.80	-	886	5.71
BEAUTY	1.26	(0.03)	120,132	1.27	PTTEP	82.75	-	117,775	82.91	MINT	17.90	-	338,626	17.99
BIG	0.45	(0.02)	28,123	0.46	RATCH	51.50	0.25	64,298	51.68	NRF	5.60	(0.20)	109,831	5.58
BJC	31.25	(1.00)	88,019	31.67	RPC	0.48	0.01	837	0.48	OISHI	39.00	-	2,090	39.00
COL	18.90	0.10	55,297	18.80	SCG	3.40	(0.02)	121	3.30	OSP	35.25	(0.50)	92,129	35.29
COM7	41.75	(0.75)	66,119	41.97	SCI	1.23	-	4,264	1.25	PB	69.75	(1.00)	34	69.99
CPALL	59.25	0.25	356,241	59.05	SCN	1.66	-	3,400	1.67	PM	8.05	-	10,397	8.09
CPW	2.26	(0.02)	63,295	2.29	SGP	9.35	(0.10)	19,799	9.37	PRG	10.90	0.10	25	10.84
CRC	27.00	(0.25)	139,375	27.48	SKE	0.52	(0.02)	47,400	0.53	RBF	9.75	(0.15)	191,777	9.78
CSS	1.42	(0.01)	31,886	1.41	SOLAR	0.89	(0.02)	1,724	0.90	SAPPE	20.70	(0.80)	3,846	21.01
DOHOME	14.30	(0.30)	103,457	14.39	SPCG	20.00	0.10	16,311	19.98	SAUCE	25.50	0.50	20	25.19
FN	1.17	0.01	12,535	1.18	SPRC	5.55	(0.20)	111,016	5.64	SFP	-	-	-	-
FTE	1.54	(0.02)	1,506	1.54	SSP	7.15	-	4,347	7.14	SNP	9.40	0.10	241	9.28
GLOBAL	16.20	(0.70)	118,910	16.37	SUPER	0.87	-	2,653,636	0.87	SORKON	5.55	0.05	70	5.52
HMPRO	14.20	0.10	320,469	14.22	SUPEREIF	11.10	-	1,296	11.08	SSC	-	-	-	-
ILM	12.30	0.30	55,450	12.31	SUSCO	2.70	0.06	16,189	2.67	SSF	6.20	-	148	6.20
IT	2.50	0.02	175	2.46	TAE	2.26	-	4,237	2.26	SST	2.26	0.02	186	2.24
KAMART	3.30	(0.06)	32,178	3.32	TCC	0.17	-	2,417	0.17	TC	4.66	-	5,501	4.64
LOXLEY	1.33	-	5,342	1.34	TOP	37.00	0.25	137,217	37.14	TFG	4.24	(0.04)	33,285	4.27
MAKRO	41.00	(0.50)	6,120	41.03	TPIPP	4.26	(0.02)	130,458	4.23	TFMAMA	195.50	(0.50)	139	195.24
MC	9.85	-	9,987	9.82	TSE	2.52	-	70,753	2.52					

Main Board Quotation

Issue Date :

Friday November 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
EKH	4.24	0.02	1,491	4.23	AMATAV	4.90	(0.10)	61	4.92	ACG	1.23	(0.02)	14,910	1.23
KDH	-	-	-	-	ANAN	1.46	(0.02)	12,526	1.46	AH	12.50	-	18,174	12.62
LPH	4.24	0.04	446	4.22	AP	6.55	0.10	306,140	6.61	CWT	2.02	-	7,046	2.02
M-CHAI	182.50	-	1	182.50	APEX	0.07	-	8,137	0.07	EASON	1.21	(0.02)	265	1.21
NEW	-	-	-	-	AQ	0.02	0.01	89,214	0.01	GYT	-	-	-	-
NTV	40.00	(0.75)	406	40.01	AWC	3.24	(0.02)	703,418	3.24	HFT	4.28	(0.06)	112,169	4.28
PR9	8.20	(0.20)	7,503	8.25	BLAND	1.00	(0.01)	47,594	1.01	IHL	3.22	(0.08)	19,276	3.25
PRINC	2.64	(0.04)	10,479	2.64	BROCK	1.49	0.01	430	1.40	INGRS	0.42	-	9,972	0.42
RAM	140.50	-	203	140.63	CGD	0.64	(0.02)	30,591	0.65	IRC	12.30	0.10	239	12.20
RJH	21.60	(0.10)	1,296	21.50	CI	0.66	0.01	1	0.66	PCSGH	-	-	-	-
RPH	5.30	0.05	879	5.26	CPN	39.50	(0.50)	164,761	39.86	SAT	13.30	(0.50)	34,858	13.28
SKR	6.45	-	3,641	6.39	ESTAR	0.33	-	6,740	0.32	SPG	-	-	-	-
SVH	388.00	(4.00)	27	390.22	EVER	0.21	-	20,596	0.21	STANLY	147.50	(1.00)	145	147.51
THG	18.50	-	1,177	18.46	FPT	10.20	0.20	996	10.10	TKT	0.91	(0.02)	23	0.91
VIBHA	1.45	-	36,977	1.44	GLAND	2.16	-	310	2.12	TNPC	0.68	(0.01)	2	0.68
VIH	5.95	-	2,354	5.93	J	1.28	-	4,968	1.28	TRU	3.56	0.02	117	3.49
WPH	1.51	-	790	1.51	JCK	1.13	(0.05)	33,323	1.15	TSC	8.85	(0.05)	96	8.85
Tourism & Leisure	-	-	-	-	KC	-	-	-	-	Industrial Materials	-	-	-	-
ASIA	-	-	-	-	KWG	0.68	-	356	0.68	ALLA	1.14	-	2,893	1.14
CENTEL	21.00	(0.10)	32,381	21.01	LALIN	6.10	(0.05)	4,365	6.13	ASEFA	3.22	(0.02)	3,308	3.19
CSR	69.75	0.25	7	69.14	LH	6.70	(0.05)	422,643	6.69	CPT	0.81	(0.02)	3,073	0.82
DTC	7.00	(0.05)	123	6.99	LPN	3.90	(0.04)	92,262	3.90	CRANE	1.59	0.01	14,794	1.60
ERW	2.50	(0.02)	75,962	2.50	MBK	11.30	(0.30)	10,762	11.36	CTW	5.45	0.10	211	5.39
GRAND	0.50	(0.01)	1,714	0.50	MJD	1.50	(0.01)	1,162	1.49	FMT	19.20	0.10	37	19.10
LRH	27.50	(0.25)	4	27.63	MK	2.98	0.02	782	2.98	HTECH	3.10	(0.14)	4,898	3.14
MANRIN	-	-	-	-	NCH	0.89	-	77	0.87	KKC	0.57	0.01	49	0.57
OHTL	-	-	-	-	NNCL	1.90	0.01	5,597	1.90	PK	1.59	0.05	748	1.55
ROH	-	-	-	-	NOBLE	20.10	(0.10)	29,934	19.93	SNC	10.10	-	870	10.08
SHANG	45.00	-	41	45.00	NUSA	0.25	-	50,105	0.25	STARK	1.77	0.11	4,503,420	1.77
SHR	1.81	(0.02)	23,968	1.82	NVD	1.05	-	523	1.05	TCJ	2.98	0.08	640	2.92
VRANDA	5.40	(0.10)	351	5.41	ORI	6.95	0.15	150,925	7.00	VARO	-	-	-	-
Home & Office Produ	-	-	-	-	PACE	-	-	-	-	Property Fund & REI	-	-	-	-
ACC	0.59	0.01	7	0.59	PF	0.34	0.01	193,062	0.34	AIMCG	5.90	(0.05)	933	5.90
AJA	0.12	-	12,922	0.12	PLAT	2.10	0.06	26,792	2.08	AIMIRT	12.40	0.10	66	12.35
DTCI	-	-	-	-	POLAR	-	-	-	-	AMATAR	10.00	-	17	9.94
FANCY	0.48	-	36	0.48	PRECHA	0.84	-	60	0.83	B-WORK	11.30	(0.10)	65	11.38
KYE	305.00	(9.00)	30	310.20	PRIN	1.68	0.01	2,554	1.68	BKER	5.60	-	27	5.55
L&E	1.62	0.02	68	1.62	PSH	10.30	0.10	3,038	10.28	BKKCP	11.80	-	12	11.71
MODERN	2.44	-	1,130	2.44	QH	2.12	-	170,604	2.14	BOFFICE	9.80	0.15	682	9.78
OGC	21.20	-	14	21.12	RICHY	0.66	(0.02)	3,238	0.68	CPNCG	10.00	0.10	3,310	9.99
ROCK	-	-	-	-	RML	0.55	-	38,800	0.55	CPNREIT	18.60	(0.10)	14,687	18.60
SIAM	1.44	-	73	1.41	ROJNA	3.96	(0.06)	7,065	3.98	CPTGF	9.30	-	572	9.28
TSR	3.68	(0.20)	26,237	3.84	S	1.17	0.01	12,176	1.16	CTARAF	4.98	-	201	4.92
Insurance	-	-	-	-	SAMCO	1.19	-	117	1.18	DREIT	3.72	(0.08)	7	3.74
AYUD	33.00	0.50	48	33.00	SC	2.44	0.04	64,018	2.43	ERWPF	4.20	(0.06)	242	4.18
BKI	274.00	-	60	273.93	SENA	2.78	-	11,394	2.79	FTREIT	13.10	0.30	2,279	12.92
BLA	17.80	0.10	4,335	17.87	SF	4.44	0.04	19,825	4.47	FUTUREPF	17.50	0.20	14	17.73
BUI	-	-	-	-	SIRI	0.61	-	635,258	0.61	GAHREIT	8.00	(0.05)	49	8.00
CHARAN	-	-	-	-	SPALI	16.00	(0.20)	17,608	16.08	GOLDFP	5.10	(0.45)	3	5.10
INSURE	-	-	-	-	U	1.12	-	21,510	1.12	GVREIT	10.80	-	406	10.81
MTI	-	-	-	-	UV	2.32	(0.04)	12,135	2.35	HPF	4.70	-	58	4.68
NKI	-	-	-	-	WHA	2.48	(0.02)	1,631,869	2.50	HREIT	7.55	0.05	2,494	7.53
NSI	69.00	2.25	7	68.39	WIN	0.31	-	1,293	0.30	IMPACT	18.20	(0.10)	3,520	18.21
SEG	28.75	1.75	20	27.60	Paper & Printing	-	-	-	-	KPNPF	6.80	0.05	35	6.84
SMK	37.25	0.25	23	37.37	UTP	13.70	(0.10)	20,349	13.71	LHHOTEL	9.20	-	353	9.16
THRE	1.37	(0.01)	341,446	1.39	Fashion	-	-	-	-	LHPF	5.35	(0.10)	381	5.32
THREL	2.64	(0.02)	48,206	2.68	AFC	-	-	-	-	LHSC	10.90	0.10	172	10.82
TIP	24.10	0.40	7,865	23.99	B52	0.14	(0.01)	17,654	0.13	LUXF	6.35	0.15	65	6.26
TQM	125.50	5.00	26,961	124.75	BTNC	-	-	-	-	M-II	-	-	-	-
TSI	0.27	(0.01)	412	0.27	CPH	3.02	0.06	9	2.99	M-PAT	2.98	-	2	2.99
TVI	3.34	(0.04)	1,423	3.30	CPL	1.04	-	146	1.04	M-STOR	5.95	-	20	5.95
Mining	-	-	-	-	ICC	28.00	-	3	28.33	MIPF	15.00	-	1	15.00
THL	-	-	-	-	NC	9.10	0.10	20	9.10	MIT	2.82	(0.04)	723	2.83
Packaging	-	-	-	-	PAF	0.50	0.01	529	0.49	MJLF	5.85	0.05	116	5.83
AJ	17.80	(0.50)	33,105	18.15	PDJ	1.38	-	1,009	1.42	MNIT	1.29	(0.01)	12	1.29
ALUCON	158.00	0.50	3	158.00	PG	4.52	(0.18)	5	4.52	MNIT2	4.80	0.80	46	4.80
BGC	8.85	(0.10)	26,429	8.90	SABINA	21.40	(0.10)	4,132	21.38	MNRF	2.96	0.02	20	2.96
CSC	50.00	(0.50)	77	50.03	SAWANG	-	-	-	-	POPF	10.00	-	5,053	10.02
GLOCON	0.93	(0.01)	6,609	0.93	SUC	34.00	0.50	10	34.00	PPF	11.40	-	20	11.40
NEP	0.23	-	1,733	0.23	TNL	-	-	-	-	PROSPECT	9.10	-	2,470	9.12
PTL	24.10	-	7,199	24.13	TPCORP	9.30	-	83	9.28	QHHR	5.60	0.05	374	5.60
SCGP	35.00	(0.50)	246,302	35.17	TR	31.50	7.20	3,513	26.70	QHOP	2.16	(0.16)	36	2.21
SFLEX	5.80	0.05	6,435	5.78	TTI	-	-	-	-	QHFP	9.15	-	2,977	9.15
SITHAI	0.62	(0.02)	2,651	0.62	TTT	53.00	(1.00)	71	53.00	SBPF	-	-	-	-
SLP	0.43	-	172	0.42	UPF	56.00	2.00	5	56.00	SHREIT	3.34	-	4	3.32
SMPC	11.10	(0.30)	7,249	11.23	UT	-	-	-	-	SIRIP	-	-	-	-
SPACK	3.40	-	15,651	3.43	WACOAL	-	-	-	-	SPF	11.70	0.10	1,619	11.70
TCOAT	-	-	-	-	Transportation &	-	-	-	-	SPRIME	7.15	(0.05)	1,160	7.20
TFI	0.15	(0.01)	6,630	0.15	AAV	1.57	0.02	290,032	1.57	SRIPANWA	7.60	0.05	91	7.55
THIP	27.00	0.25	121	26.74	AOT	55.75	(1.00)	303,612	55.82	SSPF	9.05	(0.10)	107	9.10
TMD	22.00	-	186	22.01	ASIMAR	1.40	-	406	1.38	SSTRT	5.25	0.05	81	5.20
TOPP	-	-	-	-	B	0.29	-	3,367	0.29	TIF1	8.45	0.10	46	8.40
TPBI	5.05	(0.25)	397	5.16	BA	5.25	0.05	5,824	5.26	TLGF	15.50	-	13,653	15.49
TPP	11.60	-	16	11.64	BEM	8.55	(0.15)	318,946	8.55	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BTS	9.30	(0.05)	421,620	9.34	TNPF	1.99	(0.13)	20	2.03
APCO	3.76	(0.02)	303	3.74	BTSGIF	5.05	-	23,781	5.05	TPRIME	-	-	-	-
DDD	14.80	-	1,864	14.90	III	4.30	(0.04)	7,306	4.31	TTLPF	22.50	0.10	1	22.50
JCT	76.75	(2.75)	2	77.63	JUTHA	0.40	0.01	50	0.42	TU-PF	0.70	(0.02)	1	0.70
OCC	8.70	(0.50)	5	8.70	JWD	7.55	-	20,337	7.56	URBNPF	-	-	-	-
S & J	25.00	-	5	25.00	KWC	-	-	-	-	WHABT	8.50	-	16	8.54
STGT	88.75	(1.25)	85,448	89.32	NOK	0.57	(0.01)	903	0.58	WHART	13.40	0.40	20,942	13.17
STHAI	-	-	-	-	NYT	3.36	0.08	62,999	3.33	Steel	-	-	-	-
TNR	11.50	0.10	79	11.43	PORT	2.36	(0.04)	43,841	2.37	AMC	1.35	(0.05)	6,026	1.35
TOG	3.42	(0.04)	341	3.44	PRM	7.65	(0.35)	240,804	7.80	BSBM	0.86	-	14	0.86
Professional Service	-	-	-	-	PSL	4.92	(0.06)	68,836	4.94	CEN	0.58	(0.01)	1,721	0.59
BWG	0.45	(0.01)	258,248	0.45	RCL	7.60	0.30	107,526	7.36	CITY	1.86	0.03	7	1.85
GENCO	0.48	-	7,855	0.48	TFEIF	9.70	-	20,264	9.68	CSP	0.51	0.01	13	0.51
PRO	-	-	-	-	THAI									

Main Board Quotation

Issue Date :

Friday November 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TITLE	2.84	(0.08)	25,406	2.00	ADVA06P2011A	-	-	-	-
ABICO	5.65	(0.20)	903	5.00	Resources (MAI)	-	-	-	-	ADVA08C2012A	0.10	(0.03)	5,010	-
AU	8.90	(0.15)	6,886	9.00	ABM	0.95	-	6,327	-	ADVA08C2103A	0.51	(0.08)	57,410	-
JCKH	0.33	0.01	275	-	AIE	0.68	0.03	308,394	-	ADVA08P2101A	0.62	0.07	42,650	-
KASET	1.20	0.01	209	1.00	ETC	1.90	0.03	748,532	1.00	ADVA11C2011A	-	-	-	-
MM	2.00	(0.02)	297	2.00	PSTC	1.55	(0.01)	37,688	1.00	ADVA11C2104A	0.58	(0.10)	63,967	-
SUN	4.06	(0.08)	44,634	4.00	QTC	3.90	-	1,985	3.00	ADVA11P2011A	0.19	0.01	58,900	-
TACC	6.35	(0.55)	310,453	6.00	SAAM	1.01	0.01	808	1.00	ADVA13C2012A	0.13	(0.04)	7,322	-
TMILL	3.22	0.02	929	3.00	SEAOIL	2.32	(0.02)	6,660	2.00	ADVA13C2101A	0.37	(0.09)	225,889	-
XO	10.50	(0.10)	14,827	10.00	SR	0.60	0.02	760	-	ADVA13P2012A	0.48	0.07	7,703	-
Consumer Products														
BGT	1.14	0.02	520	1.00	TAKUNI	0.37	-	3,299	-	ADVA19C2012A	0.12	(0.04)	189,846	-
BIZ	3.32	(0.02)	841	3.00	TPCH	10.80	0.10	7,925	10.00	ADVA19C2101A	0.28	(0.10)	335,207	-
DOD	8.50	(0.05)	14,279	8.00	TRT	-	-	-	-	ADVA19P2012A	0.39	0.06	477,037	-
ECF	1.31	(0.04)	150,753	1.00	UMS	0.28	(0.03)	11	-	ADVA24C2101A	0.20	(0.04)	11,324	-
HPT	0.74	-	1,495	-	UPA	0.19	-	335,698	-	ADVA28C2011A	-	-	-	-
IP	12.00	(0.30)	8,100	12.00	UWC	0.05	-	8,331	-	ADVA28C2012A	0.01	(0.01)	1,003	-
JUBILE	17.00	(0.10)	213	16.00	Services (MAI)	-	-	-	-	ADVA28C2012B	-	-	-	-
MOONG	3.94	0.04	734	3.00	A5	-	-	-	-	ADVA28C2101A	0.15	(0.04)	54,489	-
NPK	14.30	(0.60)	1	14.00	AKP	0.74	(0.02)	557	-	ADVA28C2102L	0.15	(0.01)	6,119	-
OCEAN	0.74	0.01	2,616	-	AMA	5.15	0.23	106,787	5.00	ADVA28P2012A	0.07	(0.03)	360	-
TM	2.30	-	476	2.00	ARIP	0.49	0.04	6,727	-	ADVA41C2011A	-	-	-	-
Financials (MAI)														
ACAP	0.68	(0.01)	1,539	-	AUT30	0.82	(0.01)	4,829	-	ADVA41C2101A	0.32	(0.10)	92,102	-
AF	0.61	-	198	-	AUCT	12.20	(0.30)	20,929	12.00	ADVA41P2011A	-	-	-	-
AIRA	0.87	(0.03)	105	-	BOL	6.20	0.05	7,991	6.00	ADVA41P2101A	0.27	0.04	82,132	-
ASN	4.14	(0.04)	80	4.00	CMO	0.84	(0.01)	426	-	ADVA42C2102T	-	-	-	-
BROOK	0.40	0.02	13,116	-	D	3.28	(0.02)	287	3.00	AEON01C2102A	0.39	(0.04)	19,338	-
CHAYO	7.85	(0.10)	29,789	7.00	DV8	0.30	0.01	1,072	-	AEON13C2011A	0.09	(0.05)	5,261	-
GCAP	1.29	(0.01)	4,637	1.00	EFORL	0.02	(0.01)	161,970	-	AEON13C2102A	0.85	(0.12)	609	-
LIT	3.18	-	1,164	3.00	ETE	1.02	(0.01)	7,849	1.00	AEON13C2101A	0.32	(0.06)	150,499	-
MITSIB	0.99	-	3,250	-	FSMART	6.80	0.05	38,574	6.00	AEON19C2011A	-	-	-	-
SGF	0.46	(0.01)	9,726	-	FVC	0.40	0.01	810	-	AEON19C2012A	0.70	(0.22)	65	-
Industrials (MAI)														
ZS	3.50	0.04	1,737	3.00	GSC	1.18	(0.03)	551	1.00	AEON19C2101A	0.41	(0.08)	94,414	-
ADB	0.80	0.01	784	-	HARN	2.08	-	2,834	2.00	AEON19C2102A	0.33	(0.06)	122,827	-
BM	2.60	(0.18)	3,593	2.00	IMH	2.02	0.02	356	2.00	AEON28C2012A	-	-	-	-
CHO	0.49	-	5,720	-	JKN	9.15	(0.05)	126,616	9.00	AEON28C2101A	-	-	-	-
CHOW	2.06	0.02	123	2.00	KIAT	0.66	(0.01)	248,555	-	AEON28C2103A	0.37	(0.06)	88,392	-
CIG	0.21	-	80	-	KK	1.27	(0.03)	24,853	1.00	AEON28C2104L	0.26	(0.03)	55,214	-
COLOR	1.24	0.01	29	1.00	KOOL	0.93	0.01	13,761	-	AEON42C2101T	0.30	(0.04)	15	-
CPR	2.26	-	778	2.00	LDC	1.28	-	6,553	1.00	AMAT01C2101A	0.13	(0.01)	29,696	-
FPI	1.38	(0.03)	1,590	1.00	LEO	3.48	(0.02)	429,715	3.00	AMAT06C2102A	0.12	(0.01)	15,352	-
GTB	0.71	(0.01)	219	-	MORE	0.81	(0.02)	150,970	-	AMAT08C2101A	0.17	(0.01)	5,020	-
KCM	0.45	0.02	1,736	-	MPG	0.24	-	320	-	AMAT13C2012A	0.05	-	14,361	-
KUMWEL	1.22	-	3,315	1.00	MVP	1.20	0.01	260	1.00	AMAT13C2102A	0.23	(0.01)	304,357	-
KWM	1.11	-	2,207	1.00	NBC	0.51	(0.01)	2,768	-	AMAT19C2011A	-	-	-	-
MBAX	8.20	(0.20)	46,227	8.00	NCL	0.60	(0.01)	4	-	AMAT19C2012A	0.05	(0.02)	22,587	-
MGT	2.84	0.14	127,908	2.00	NEWS	0.01	-	54	-	AMAT19C2101A	0.14	(0.01)	146,862	-
NDR	1.42	(0.07)	5,487	1.00	NINE	1.60	-	10	1.00	AMAT24C2103A	0.32	(0.02)	14,217	-
PDG	3.74	-	1,772	3.00	OTO	3.62	(0.02)	27,003	3.00	AMAT28C2012A	-	-	-	-
PIMO	2.68	0.04	49,093	2.00	PHOL	2.40	-	2,647	2.00	AMAT28C2101A	-	-	-	-
PJW	1.26	-	1,564	1.00	PICO	3.70	(0.12)	88	3.00	AMAT28C2102L	0.05	-	5,000	-
PPM	0.74	(0.02)	8	-	QLT	4.04	(0.04)	116	3.00	AMAT28C2103A	0.18	-	24,361	-
PRAPAT	1.28	(0.02)	185,661	1.00	RP	1.18	-	43	1.00	AMAT42C2101T	-	-	-	-
RWI	1.31	0.01	606	1.00	SE	1.19	-	278	1.00	AOT01C2012A	0.36	(0.04)	75,304	-
SALEE	0.63	-	34	-	SLM	-	-	-	-	AOT01C2102A	0.35	(0.04)	82,707	-
SANKO	0.96	(0.02)	232	-	SONIC	1.23	(0.01)	8,860	1.00	AOT01C2102T	0.26	(0.03)	70,229	-
SELIC	1.78	(0.02)	1,723	1.00	SPA	5.80	(0.10)	3,143	5.00	AOT01P2012A	0.09	0.01	1,681	-
SFT	3.92	(0.14)	55,970	3.00	THMUI	0.66	-	11,335	-	AOT01P2012B	0.38	0.03	91,642	-
SWC	4.42	0.02	3,965	4.00	TNDT	2.96	(0.04)	14	2.00	AOT01P2102T	0.45	0.02	58,167	-
TMC	0.67	-	6,132	-	TNH	34.25	0.75	1,093	34.00	AOT06C2011A	-	-	-	-
TMI	0.65	-	48,916	-	TNP	3.72	0.02	62,108	3.00	AOT06C2102A	0.31	(0.05)	79,552	-
TMW	30.50	0.25	79	30.00	TSD	-	-	-	-	AOT06P2011A	-	-	-	-
TPAC	13.00	(0.10)	415	13.00	TVD	1.00	-	8,086	1.00	AOT06P2103A	0.42	0.03	102,960	-
TPLAS	1.48	(0.02)	6,089	1.00	TVT	0.66	(0.01)	167	-	AOT08C2101A	0.28	(0.03)	74,500	-
UBIS	5.10	0.05	1	5.00	VL	1.02	(0.01)	25,978	1.00	AOT08P2102A	0.53	0.03	49,499	-
UEC	0.85	-	669	-	WINNER	2.46	(0.04)	687	2.00	AOT11C2011A	-	-	-	-
UKEM	0.51	(0.01)	10,122	-	YGG	12.40	(0.20)	7,848	12.00	AOT11P2101A	0.25	0.02	103,900	-
UREKA	0.83	(0.01)	944	-	Technology (MAI)	-	-	-	-	AOT13C2011A	-	-	-	-
YUASA	14.90	0.50	8,161	15.00	APP	2.56	(0.06)	26,816	2.00	AOT13C2012A	0.21	(0.04)	475,532	-
ZIGA	2.84	0.04	295,372	2.00	COMAN	2.12	-	444	2.00	AOT13C2101A	0.18	(0.03)	458,985	-
Property & Construc														
ALL	3.32	(0.04)	65,434	3.00	ICN	2.14	-	6,227	2.00	AOT13C2102A	0.52	(0.06)	45,312	-
ARIN	0.94	-	348	-	IIG	21.20	(0.40)	17,244	21.00	AOT13P2011A	0.01	(0.01)	410	-
ARROW	7.00	-	354	6.00	INSET	3.68	0.04	70,029	3.00	AOT13P2101A	0.37	0.03	142,308	-
BC	0.80	(0.01)	303	-	IRCP	0.70	0.01	1,032	-	AOT13P2102A	0.32	0.03	228,598	-
BSM	0.26	-	1,405	-	ITEL	3.02	(0.06)	21,850	3.00	AOT16C2012A	0.25	(0.05)	8,866	-
BTW	0.77	(0.02)	1,242	-	NETBAY	25.75	(0.50)	1,298	26.00	AOT19C2011A	-	-	-	-
CAZ	1.56	0.03	3,224	1.00	PLANET	1.17	(0.01)	1,280	1.00	AOT19C2011B	-	-	-	-
CHEWA	0.48	(0.01)	17,366	-	SICT	4.58	0.06	26,753	4.00	AOT19C2012A	0.22	(0.03)	934,627	-
CMC	0.71	(0.01)	507	-	SIMAT	3.60	(0.10)	6,780	3.00	AOT19C2102A	0.44	(0.06)	133,007	-
CRD	0.41	-	104	-	SKY	12.60	0.10	679	12.00	AOT19P2011A	0.16	0.01	78,999	-
DHOUSE	0.56	(0.01)	72,129	-	SPVI	3.34	0.04	107,807	3.00	AOT19P2011B	-	-	-	-
DIMET	0.15	-	408,858	-	TPS	2.38	(0.06)	12,957	2.00	AOT19P2102A	0.26	0.02	152,553	

Main Board Quotation

Issue Date :

Friday November 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AWC06C2011A	-	-	-	-	BDMS01C2101A	0.14	(0.02)	27,936	-	BTS19P2102A	0.32	(0.05)	20,014	-
AWC06C2103A	0.23	(0.02)	31,592	-	BDMS06C2102A	0.10	(0.02)	30,739	-	BTS24C2012A	-	-	-	-
AWC06P2012A	0.35	-	35,577	-	BDMS08C2011A	-	-	-	-	BTS41C2012A	-	-	-	-
AWC08C2012A	-	-	-	-	BDMS08C2101A	0.10	(0.01)	5,000	-	CBG01C2012A	0.15	(0.01)	67,974	-
AWC11C2102A	0.19	(0.01)	23,560	-	BDMS11C2011A	-	-	-	-	CBG01C2102A	0.53	(0.02)	182,446	-
AWC13C2011A	-	-	-	-	BDMS11P2104A	0.46	0.02	45,700	-	CBG01C2103T	0.40	(0.01)	32,446	-
AWC13C2101A	0.09	(0.01)	26,622	-	BDMS13C2011A	-	-	-	-	CBG01P2012A	0.21	(0.01)	51,873	-
AWC13C2102A	0.37	-	407,934	-	BDMS13C2102A	0.04	-	10,151	-	CBG01P2102A	0.59	(0.01)	33,325	-
AWC13P2011A	0.13	(0.02)	62,773	-	BDMS19C2101A	0.19	(0.02)	105,485	-	CBG06C2011A	0.06	(0.02)	265	-
AWC13P2102A	0.25	(0.01)	204,336	-	BDMS13P2102A	0.32	0.02	70,372	-	CBG06C2102A	0.58	(0.02)	59,051	-
AWC19C2101A	0.10	(0.01)	49,878	-	BDMS19C2011A	-	-	-	-	CBG08C2012A	0.37	(0.01)	31,753	-
AWC19C2102A	0.22	(0.01)	102,231	-	BDMS19C2102A	-	-	-	-	CBG11C2101A	0.40	(0.01)	25,412	-
AWC19C2103A	0.42	(0.02)	22,257	-	BDMS19C2102A	0.15	(0.02)	142,734	-	CBG13C2011A	0.10	-	6,040	-
AWC19P2011A	0.09	(0.01)	15,432	-	BDMS19P2102A	0.35	0.02	111,642	-	CBG13C2012A	0.13	(0.01)	35,646	-
AWC19P2102B	0.32	0.01	75,041	-	BDMS24C2101A	0.13	(0.02)	9,412	-	CBG13C2101A	0.42	(0.02)	69,014	-
AWC24C2103A	0.30	(0.02)	9,198	-	BDMS28C2011A	-	-	-	-	CBG13C2102A	0.58	(0.02)	472,642	-
AWC28C2012A	-	-	-	-	BDMS28C2012A	-	-	-	-	CBG13P2011A	0.02	(0.06)	801	-
AWC28C2012B	-	-	-	-	BDMS28C2012E	-	-	-	-	CBG13P2101A	0.52	(0.01)	188,770	-
AWC28C2101A	-	-	-	-	BDMS28C2101A	-	-	-	-	CBG16C2101A	0.45	(0.03)	6,264	-
AWC28C2103L	-	-	-	-	BDMS28C2102A	-	-	-	-	CBG19C2011A	0.31	(0.01)	59,414	-
AWC41C2011A	-	-	-	-	BDMS28C2103A	0.17	(0.02)	9,626	-	CBG19C2011B	0.05	(0.01)	2	-
AWC41C2102A	0.09	0.02	23,540	-	BDMS41C2012A	-	-	-	-	CBG19C2101A	0.33	(0.01)	251,286	-
AWC42C2101T	-	-	-	-	BDMS41P2011A	-	-	-	-	CBG19C2102A	0.58	(0.01)	78,114	-
BANP01C2101A	0.39	(0.01)	41,488	-	BDMS42C2101T	0.03	-	200	-	CBG19P2011A	-	-	-	-
BANP01C2103A	0.30	-	58,240	-	BEM01C2101A	-	-	-	-	CBG19P2012A	0.32	(0.01)	149,473	-
BANP01P2101A	0.20	-	23,322	-	BEM08C2102A	0.11	-	1,000	-	CBG24C2102A	0.58	-	14,381	-
BANP06C2101A	0.42	(0.02)	39,037	-	BEM11C2011A	-	-	-	-	CBG41C2011A	-	-	-	-
BANP06P2011A	-	-	-	-	BEM13C2011A	-	-	-	-	CBG41C2011B	0.18	-	634	-
BANP06P2103A	0.32	0.02	29,250	-	BEM13C2101A	0.20	(0.02)	55,758	-	CBG41C2012A	-	-	-	-
BANP08C2102A	0.41	-	19,572	-	BEM13P2102A	0.21	0.02	61,719	-	CBG41P2012A	0.48	(0.03)	30,001	-
BANP08P2102A	0.23	-	10,000	-	BEM19C2011A	-	-	-	-	CBG42C2101T	0.59	(0.03)	8,521	-
BANP11C2104A	0.41	(0.01)	12,300	-	BEM19C2101A	0.17	(0.03)	6,656	-	CENT01C2103A	0.50	(0.01)	7,738	-
BANP13C2011A	0.06	(0.01)	27,060	-	BEM19C2102A	0.33	(0.03)	42,189	-	CENT08C2012A	0.11	-	2,400	-
BANP13C2012A	0.32	(0.01)	21,201	-	BEM19P2102A	0.31	0.02	26,063	-	CENT11C2012A	-	-	-	-
BANP13C2102A	0.25	(0.01)	282,199	-	BEM28C2012A	-	-	-	-	CENT13C2011A	0.02	-	590	-
BANP13P2012A	0.07	-	25,000	-	BEM28C2103A	0.18	(0.02)	21,594	-	CENT13C2101A	0.30	(0.02)	58,333	-
BANP13P2102A	0.34	0.01	93,204	-	BEM28C2104L	0.17	(0.01)	21,294	-	CENT13P2011A	0.09	-	960	-
BANP16C2101A	0.31	(0.02)	1,644	-	BGR101C2012A	-	-	-	-	CENT19C2011A	-	-	-	-
BANP19C2012A	0.33	(0.02)	10,764	-	BGR101C2102A	0.46	0.01	152,285	-	CENT19C2011B	-	-	-	-
BANP19C2102A	0.26	(0.01)	157,762	-	BGR101P2012A	0.13	(0.02)	156,902	-	CENT19C2101A	0.28	(0.01)	18,576	-
BANP19P2012A	-	-	-	-	BGR106C2102A	0.40	0.01	180,130	-	CENT19P2011A	0.08	0.01	8,406	-
BANP19P2102A	0.27	0.01	24	-	BGR106P2011A	-	-	-	-	CENT24C2011A	-	-	-	-
BANP24C2011A	-	-	-	-	BGR108C2101A	0.28	(0.02)	74,995	-	CENT28C2012A	0.03	-	2,387	-
BANP28C2012A	0.14	(0.01)	35,569	-	BGR111C2101A	0.13	(0.01)	63,805	-	CENT28C2012B	-	-	-	-
BANP28C2012B	0.12	(0.01)	46,858	-	BGR113C2011A	-	-	-	-	CENT28C2101A	0.11	-	19,168	-
BANP28C2101A	0.37	(0.01)	30,978	-	BGR113C2012A	0.17	(0.01)	559,578	-	CENT28C2101B	-	-	-	-
BANP42C2012T	-	-	-	-	BGR113C2101A	0.31	0.01	817,794	-	CENT28C2103L	0.16	(0.01)	12,168	-
BBL06C2101A	0.58	0.17	172,384	-	BGR113P2011A	-	-	-	-	CHG06C2102A	0.16	(0.03)	29,922	-
BBL06P2011A	0.04	(0.03)	120	-	BGR113P2101A	0.13	-	101,636	-	CHG13C2012A	0.10	(0.01)	25,020	-
BBL08C2101A	0.25	0.06	36,037	-	BGR19C2011A	0.01	-	4,263	-	CHG19C2011A	0.04	(0.01)	2,132	-
BBL08C2103A	1.35	0.14	2,860	1.00	BGR19C2012A	0.11	-	94,030	-	CHG19C2103A	0.17	(0.02)	97,171	-
BBL08P2102A	0.51	(0.11)	28,667	-	BGR19C2101A	0.37	0.01	721,430	-	CK01C2101A	0.10	(0.02)	1,407	-
BBL11C2011A	0.16	0.03	52,281	-	BGR19P2102A	0.24	(0.01)	179,332	-	CK01P2101A	0.54	0.03	78,229	-
BBL11C2104A	1.05	0.14	35,192	1.00	BGR124C2101A	0.41	(0.02)	46,398	-	CK06C2102A	0.12	(0.02)	11,272	-
BBL11P2102A	0.34	(0.08)	63,246	-	BGR127C2101A	0.09	(0.02)	688	-	CK06C2103A	0.37	(0.63)	45,410	-
BBL13C2012A	0.21	0.06	474,671	-	BGR127P2012A	0.14	(0.01)	6,448	-	CK06P2012A	0.52	(0.23)	12,536	-
BBL13C2012B	0.55	0.14	5,638	-	BGR141C2012A	0.43	0.03	3,340	-	CK11C2012A	0.05	(0.01)	1,801	-
BBL13P2012A	0.23	(0.09)	315,410	-	BGR141C2101A	0.17	0.03	28,492	-	CK13C2012A	-	-	-	-
BBL19C2011A	-	-	-	-	BGR142C2101T	0.05	-	200	-	CK13C2102A	0.32	(0.02)	205,803	-
BBL19C2011B	-	-	-	-	BH01C2103A	0.19	-	18,298	-	CK19C2011A	-	-	-	-
BBL19C2012A	0.40	0.08	68,085	-	BH13C2012A	0.03	-	800	-	CK19C2012A	0.08	(0.01)	4,250	-
BBL19C2101A	0.33	0.09	235,846	-	BH13C2101A	0.25	(0.01)	227,571	-	CK19C2103A	0.25	(0.02)	95,014	-
BBL19C2101B	0.76	0.13	63,851	-	BH13P2101A	0.37	-	108,097	-	CK19P2011A	-	-	-	-
BBL19P2011A	0.12	(0.07)	68,414	-	BH19C2012A	-	-	-	-	CK19P2102A	0.32	0.01	117,261	-
BBL19P2012A	0.15	(0.04)	102,382	-	BH19C2101A	0.41	(0.02)	267,136	-	CK24C2102A	0.10	(0.02)	22	-
BBL24C2102A	1.01	0.19	15,258	-	BH19P2012A	0.45	(0.01)	34,090	-	CK41C2011A	0.01	-	10,000	-
BBL28C2011A	-	-	-	-	BH24C2102A	0.10	(0.01)	9,371	-	CK41C2012A	-	-	-	-
BBL28C2012A	-	-	-	-	BH41C2012A	-	-	-	-	CK42C2101T	-	-	-	-
BBL28C2101A	0.15	0.05	38,903	-	BJ01C2101A	0.10	(0.01)	39,922	-	CKP01C2101A	0.07	(0.05)	349	-
BBL28C2103A	0.74	(0.05)	6,084	-	BJ01P2101A	0.49	0.03	30,122	-	CKP01P2101A	0.48	(0.01)	9,083	-
BBL28C2104L	0.17	0.02	44,025	-	BJ06C2102A	0.05	(0.01)	24,698	-	CKP06C2012A	0.09	0.01	10,175	-
BBL41C2011A	-	-	-	-	BJC11C2102A	0.10	-	16,220	-	CKP06C2103A	1.09	0.09	11,200	1.00
BBL41C2012A	0.51	0.15	19,015	-	BJC13C2011A	-	-	-	-	CKP08C2012A	0.08	-	1,806	-
BBL41C2012B	0.19	0.07	194,908	-	BJC13C2012A	-	-	-	-	CKP08C2103A	-	-	-	-
BBL41C2102A	1.16	0.19	17,493	1.00	BJC13C2101A	0.10	(0.01)	66,666	-	CKP11C2102A	0.16	0.01	3,548	-
BBL41P2011A	-	-	-	-	BJC13P2012A	0.26	0.01	73,865	-	CKP13C2011A	0.01	-	9,440	-
BBL41P2102A	0.61	(0.09)	37,644	-	BJC19C2012A	-	-	-	-	CKP13C2101A	0.13	-	172,409	-
BBL42C2101T	0.06	0.01	600	-	BJC19C2103A	0.15	(0.02)	60,293	-	CKP13C2102A	0.78	0.03	94,284	-
BBL42P2102T	-	-	-	-	BJC19P2012A	0.29	(0.16)	17,190	-	CKP16C2012A	0.04	0.02	2,200	-
BCH01C2101A	-	-	-	-	BJC28C2012A	-	-	-	-	CKP19C2011A	0.15	-	16,672	-
BCH06C2011A	-	-	-	-	BJC28C2012B	-	-	-	-	CKP19C2011B	-	-	-	-
BCH06C2103A	0.28	(0.02)	16,720	-	BJC28C2101A	0.04	(0.03)	4,500	-	CKP19C2101A	0.13	0.01	178,221	-
BCH13C2012A	0.12	-	2,066	-	BJC28C2102L	0.05	(0.01)	100	-	CKP19C2102A	0.61	0.01	34,707	-
BCH13C2102A	0.24	(0.01)	54,129	-	BJC28C2103A	0.15	(0.01)	15,210	-	CKP19P2012A	0.26	(0.02)	64,816	-
BCH19C2011A	-	-	-	-	BJC41C2011A	-	-	-	-	CKP24C2011A	-	-	-	-
BCH19C2103A	0.26	(0.02)	20,196	-	BJC41C2012A	-	-	-	-	CKP28C2011A	-	-	-	-
BCP13C2011A	-	-	-	-	BPP13C2011A	-	-	-	-	CKP28C2012A	-	-	-	-
BCP13C2012A	-	-	-	-	BPP13C2012A	0.10	-	21,394	-	CKP28C2012B	-	-	-	-
BCP13C2102A	0.29	(0.02)	16,315	-</										

Main Board Quotation

Issue Date :

Friday November 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM719P2102A	0.51	0.02	154,239	-	CRC19P2011A	-	-	-	-	ESSO19P2012A	0.17	0.01	74,401	-
COM724C2012A	0.29	(0.03)	26,721	-	CRC24C2010A	0.09	-	3,024	-	ESSO24C2012A	0.05	(0.01)	3	-
COM741C2101A	0.20	(0.03)	16,813	-	CRC28C2011A	-	-	-	-	ESSO28C2010A	-	-	-	-
CPAL01C2101A	0.13	-	48,506	-	CRC28C2012A	0.03	-	2,257	-	ESSO28C2011A	-	-	-	-
CPAL01P2101A	0.45	(0.02)	78,492	-	CRC28C2101A	0.10	-	10,240	-	ESSO41C2011A	-	-	-	-
CPAL06C2011A	-	-	-	-	CRC41C2012A	-	-	-	-	ESSO42C2101T	-	-	-	-
CPAL06C2102A	0.11	-	43,662	-	DEL13C2011A	8.95	(0.70)	160	9.00	GFPT08C2011A	-	-	-	-
CPAL06P2012A	0.36	(0.22)	68,233	-	DOHO06C2012	0.18	(0.04)	47,545	-	GFPT19C2012A	0.07	(0.01)	6,439	-
CPAL08C2011A	-	-	-	-	DOHO08C2012	0.30	(0.04)	25,894	-	GFPT19C2103A	0.25	(0.01)	26,233	-
CPAL08C2102A	0.21	-	17,360	-	DOHO11C2101	0.31	(0.04)	21,704	-	GFPT24C2012A	-	-	-	-
CPAL08P2101A	0.57	(0.03)	28	-	DOHO13C2011	0.05	(0.03)	28,544	-	GFPT42C2101T	-	-	-	-
CPAL11C2012A	-	-	-	-	DOHO13C2101	0.14	(0.02)	124,274	-	GLOB01C2012A	-	-	-	-
CPAL13C2011A	-	-	-	-	DOHO19C2011	0.12	(0.03)	28,281	-	GLOB13C2011A	0.01	(0.02)	100	-
CPAL13C2012A	0.05	(0.01)	5,654	-	DOHO19C2101	0.17	(0.02)	205,548	-	GLOB13C2102A	0.22	(0.03)	23,162	-
CPAL13C2101A	0.21	-	64,881	-	DOHO28C2012	0.13	(0.03)	23,563	-	GLOB19C2012A	0.04	(0.02)	15,752	-
CPAL13C2102A	0.45	-	218,988	-	DOHO28C2102	0.18	(0.02)	40,193	-	GLOB19C2102A	0.25	(0.05)	75,217	-
CPAL13P2011A	0.12	(0.01)	180	-	DOHO42C2012	-	-	-	-	GPSC01C2012A	0.11	0.01	1,200	-
CPAL13P2102A	0.29	(0.01)	75,520	-	DTAC01C2101A	0.10	(0.02)	63,529	-	GPSC01C2101A	0.42	0.09	12,844	-
CPAL19C2011A	-	-	-	-	DTAC01P2101A	0.26	0.03	71,825	-	GPSC01P2012A	0.25	(0.10)	10,056	-
CPAL19C2012A	0.09	-	182	-	DTAC06C2012A	0.01	-	2,000	-	GPSC06C2011A	-	-	-	-
CPAL19C2102A	0.19	(0.01)	154,242	-	DTAC06C2103A	0.24	(0.04)	79,263	-	GPSC06C2101A	0.16	0.05	132,447	-
CPAL19C2103A	0.41	0.02	186,894	-	DTAC06P2012A	0.41	(0.10)	24,270	-	GPSC06C2103A	1.16	0.16	73,486	1.00
CPAL19P2101A	0.34	(0.01)	241,791	-	DTAC08C2012A	-	-	-	-	GPSC06P2011A	0.14	(0.93)	39,988	-
CPAL24C2103A	0.34	0.02	13,945	-	DTAC08C2101A	0.11	(0.02)	3,000	-	GPSC08C2011A	0.22	0.06	47,325	-
CPAL27C2101A	-	-	-	-	DTAC13C2011A	0.01	-	1	-	GPSC08C2103A	0.83	0.14	183,196	-
CPAL28C2012A	0.01	-	3,000	-	DTAC13C2012A	0.06	-	250	-	GPSC11C2102A	0.37	0.09	140,932	-
CPAL28C2012B	-	-	-	-	DTAC13C2101A	0.10	(0.03)	146,017	-	GPSC13C2011A	-	-	-	-
CPAL28C2012C	-	-	-	-	DTAC13C2103A	0.23	(0.03)	62,030	-	GPSC13C2012A	0.07	0.02	42,331	-
CPAL28C2102A	-	-	-	-	DTAC13P2011A	-	-	-	-	GPSC13C2012B	0.20	0.07	198,277	-
CPAL28C2103A	0.22	-	45,654	-	DTAC13P2101A	0.16	0.01	42,928	-	GPSC13C2101A	0.52	0.13	1,450,793	-
CPAL28C2104L	0.12	(0.01)	9,168	-	DTAC19C2011A	-	-	-	-	GPSC13C2102A	0.83	0.18	582,958	-
CPAL41C2011A	-	-	-	-	DTAC19C2012A	-	-	-	-	GPSC13P2011A	-	-	-	-
CPAL41C2101A	0.16	(0.01)	9,864	-	DTAC19C2101A	0.13	(0.03)	47,191	-	GPSC13P2011B	0.05	(0.02)	14	-
CPAL41C2101B	0.37	(0.01)	88,147	-	DTAC19C2103A	0.27	(0.05)	54,991	-	GPSC13P2102A	0.26	(0.07)	574,846	-
CPAL41P2011A	-	-	-	-	DTAC19P2011A	0.17	0.03	7,023	-	GPSC19C2012A	0.14	0.04	568,500	-
CPAL41P2101A	0.47	(0.01)	32,520	-	DTAC24C2012A	-	-	-	-	GPSC19C2101A	0.31	0.09	600,226	-
CPAL41P2101B	0.21	(0.03)	8,844	-	DTAC28C2012A	-	-	-	-	GPSC19C2101B	0.53	0.14	404,370	-
CPAL42C2101T	0.02	0.01	1,798	-	DTAC28C2102A	-	-	-	-	GPSC19C2102A	0.85	0.17	172,702	-
CPF01C2012A	0.03	-	110	-	DTAC28C2103A	0.16	(0.03)	9,503	-	GPSC19P2011A	0.25	(0.18)	466,299	-
CPF01C2101A	0.11	(0.02)	32,355	-	DTAC28C2104L	0.14	(0.01)	3,042	-	GPSC19P2012A	0.15	(0.10)	265,996	-
CPF01P2012A	-	-	-	-	DTAC41C2011A	-	-	-	-	GPSC19P2102A	0.30	(0.08)	447,223	-
CPF06C2102A	0.10	(0.01)	33,500	-	DTAC41C2012A	-	-	-	-	GPSC24C2011A	-	-	-	-
CPF06P2011A	-	-	-	-	DTAC42C2101T	-	-	-	-	GPSC28C2011A	-	-	-	-
CPF08C2102A	0.12	-	5,600	-	EA06C2102A	0.34	(0.02)	159,025	-	GPSC28C2101A	0.18	0.03	93,041	-
CPF08P2103A	-	-	-	-	EA06P2012A	0.14	(0.01)	49,256	-	GPSC28C2103A	0.59	0.09	236,430	-
CPF11C2104A	0.24	(0.02)	78,671	-	EA08C2101A	0.33	-	54,938	-	GPSC28C2104L	0.22	0.04	80,648	-
CPF11P2104A	0.41	0.01	50,604	-	EA11C2101A	-	-	-	-	GPSC41C2011A	-	-	-	-
CPF13C2011A	0.01	-	1,600	-	EA13C2011A	0.02	(0.01)	6,377	-	GPSC41C2012A	-	-	-	-
CPF13C2012A	0.03	0.01	6	-	EA13C2012A	0.12	(0.02)	453,032	-	GPSC42C2101T	0.05	0.02	11,212	-
CPF13C2101A	0.08	(0.01)	16,228	-	EA13C2101A	0.35	(0.03)	330,027	-	GULF01C2012A	0.10	0.03	78,054	-
CPF13C2102A	0.16	(0.02)	173,716	-	EA13P2011A	0.18	(0.16)	61,816	-	GULF01C2102A	0.28	0.03	199,547	-
CPF13P2012A	-	-	-	-	EA13P2101A	0.12	-	144,766	-	GULF01P2012A	0.08	(0.02)	5,022	-
CPF13P2101A	0.18	0.01	108,534	-	EA16C2012A	-	-	-	-	GULF01P2102A	0.21	(0.03)	251,058	-
CPF16C2012A	-	-	-	-	EA16C2102A	0.40	(0.02)	53,463	-	GULF06C2101A	0.19	0.03	138,950	-
CPF19C2012A	0.02	(0.01)	1,555	-	EA19C2012A	0.14	(0.01)	613,724	-	GULF08C2012A	0.07	0.03	2,200	-
CPF19C2102A	0.12	(0.02)	301,989	-	EA19C2101A	0.36	(0.02)	136,708	-	GULF08C2102A	0.26	0.03	42,589	-
CPF19C2103A	0.22	(0.78)	45,330	-	EA19P2011A	-	-	-	-	GULF11C2011A	-	-	-	-
CPF19P2012A	-	-	-	-	EA19P2011B	-	-	-	-	GULF11C2014A	0.38	0.04	87,231	-
CPF19P2101A	0.21	-	3,003	-	EA19P2102A	0.33	-	273,929	-	GULF11P2104A	0.37	(0.04)	72,338	-
CPF24C2012A	-	-	-	-	EA24C2101A	0.27	(0.01)	16,931	-	GULF13C2011A	-	-	-	-
CPF28C2011A	-	-	-	-	EA28C2011A	-	-	-	-	GULF13C2012A	0.04	-	69,914	-
CPF28C2012A	0.01	(0.01)	370	-	EA28C2012A	0.11	-	39,124	-	GULF13C2012B	0.14	0.02	608,948	-
CPF28C2012B	0.01	-	470	-	EA28C2101A	0.10	-	15,210	-	GULF13C2102A	0.34	0.05	1,467,457	-
CPF28C2102A	-	-	-	-	EA28C2102A	0.21	-	110,357	-	GULF13P2011A	-	-	-	-
CPF28C2103A	0.10	(0.02)	15,210	-	EA28C2103L	0.12	-	21,364	-	GULF13P2101A	0.11	(0.03)	379,484	-
CPF28C2103L	-	-	-	-	EA41C2011A	-	-	-	-	GULF16C2012A	-	-	-	-
CPF41C2101A	-	-	-	-	EA41C2101A	0.10	0.01	24,592	-	GULF19C2012A	0.08	0.01	40,645	-
CPF41C2102A	0.16	(0.02)	30,744	-	EA42C2101T	-	-	-	-	GULF19C2101A	0.17	0.03	829,764	-
CPF41P2011A	-	-	-	-	EGCO01C2101A	0.09	(0.01)	1,075	-	GULF19C2103A	0.35	0.03	509,713	-
CPF41P2102A	0.24	-	13,815	-	EGCO01C2103A	0.87	(0.06)	803	-	GULF19P2012A	0.14	(0.03)	341,590	-
CPF42C2101T	0.01	(0.01)	949	-	EGCO1P2101A	0.75	0.04	1,042	-	GULF19P2102A	0.15	(0.02)	199,859	-
CPN01C2012A	-	-	-	-	EGCO13C2011A	-	-	-	-	GULF24C2101A	0.15	0.02	21,294	-
CPN01C2101A	0.20	(0.01)	40,377	-	EGCO13C2012A	0.05	-	2,005	-	GULF28C2012A	0.02	(0.01)	1,000	-
CPN01P2012A	0.41	-	37,045	-	EGCO13C212E	0.09	(0.01)	163,528	-	GULF28C2012B	0.03	(0.01)	20	-
CPN06C2103A	0.25	(0.02)	101,841	-	EGCO13C2101A	0.38	(0.11)	411,643	-	GULF28C2101A	0.11	0.03	21,594	-
CPN11C2101A	0.06	0.01	50	-	EGCO13P2011A	0.67	0.12	3,500	-	GULF28C2102A	0.12	0.02	69,720	-
CPN13C2011A	-	-	-	-	EGCO19C2011A	-	-	-	-	GULF41C2011A	0.01	-	500	-
CPN13C2012A	-	-	-	-	EGCO19C2012A	0.02	(0.01)	2,300	-	GULF41C2012A	-	-	-	-
CPN13C2102A	0.34	(0.03)	152,727	-	EGCO19C2012E	0.18	(0.07)	256,849	-	GULF41C2102A	0.16	0.02	36,832	-
CPN19C2011A	-	-	-	-	EGCO19C2102A	0.65	(0.13)	479,736	-	GULF41C2102B	0.41	0.03	16,593	-
CPN19C2012A	-	-	-	-	EGCO19P2011A	0.83	0.07	26,402	-	GULF41P2011A	-	-	-	-
CPN19C2102A	0.16	(0.02)	163,664	-	EGCO19P2012A	0.56	0.07	474,690	-	GULF41P2012A	0.13	(0.03)	27,664	-
CPN19P2101A	0.28	-	95,136	-	EGCO41C2101A	0.06	-	599	-	GULF41P2102A	0.16	(0.02)	8,367	-
CPN24C2011A	-	-	-	-	EGCO42C2101T	0.02	-	500	-	GULF42C2101T	0.06	0.01	4,400	-
CPN24C2102A	0.31	(0.01)	13,190	-	EPG13C2011A	-	-	-	-	GULF42P2101T	0.16	(0.02)	530	-
CPN41C2012A	-	-	-	-	EPG13C2012A	0.10	(0.01)	23,018	-	GUNK01C2012A	-	-	-	-
CPN41C2101A	-	-	-	-	EPG13C2102A	-	-	-	-	GUNK13C2011A	-	-	-	-
CPN41C2102A	0.37	(0.01)	77,882	-	EPG13C2102B	0.20	(0.03)	96,085	-	GUNK13C2101A	0.09	-	16,820	-
CPN41P2011A	-	-	-	-	EPG19C20									

Main Board Quotation

Issue Date :

Friday November 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HANA13C2102A	0.25	(0.12)	1,220,486	-	IRPC28C2012A	0.02	(0.01)	200	-	KBAN24C2103A	0.77	0.07	59,832	-
HANA13P2101A	0.63	0.16	1,088,083	-	IRPC28C2101A	-	-	-	-	KBAN28C2012A	-	-	-	-
HANA16C2101A	0.25	(0.13)	18,852	-	IRPC28C2103A	0.10	(0.01)	12,168	-	KBAN28C2012B	-	-	-	-
HANA19C2012A	0.14	(0.09)	76,083	-	IRPCA41C2101A	-	-	-	-	KBAN28C2101A	0.17	0.03	75,912	-
HANA19C2101A	0.12	(0.07)	297,452	-	IVL01C2012A	0.05	(0.05)	2,380	-	KBAN28C2103A	0.61	0.04	243,919	-
HANA19C2102A	0.27	(0.13)	763,418	-	IVL01C2012B	0.34	(0.02)	8,000	-	KBAN28C2104L	0.23	0.03	49,558	-
HANA19P2011A	-	-	-	-	IVL01C2102A	0.14	(0.03)	56,809	-	KBAN28P2012A	0.10	(0.05)	37,568	-
HANA19P2101A	0.62	0.14	104,078	-	IVL01C2102B	0.70	(0.04)	3,340	-	KBAN41C2011A	-	-	-	-
HANA24C2012A	0.31	(0.16)	24,932	-	IVL01C2103T	0.50	(0.03)	10,955	-	KBAN41C2012A	0.14	0.03	26,392	-
HANA27P2012X	0.04	0.01	2,795	-	IVL01P2012A	0.25	0.01	90,879	-	KBAN41C2101A	0.36	0.07	73,447	-
HANA28C2012A	0.20	(0.46)	87,914	-	IVL01P2102A	0.46	0.04	59,426	-	KBAN41P2011A	-	-	-	-
HANA28C2104L	0.15	(0.06)	52,078	-	IVL06C2101A	0.25	(0.05)	74,240	-	KBAN41P2101B	0.40	(0.05)	50,306	-
HANA41C2012A	0.20	(0.11)	107,860	-	IVL06C2103A	0.80	(0.09)	7,365	-	KBAN42C2101T	0.15	0.02	124	-
HANA42C2101T	0.23	(0.10)	7,000	-	IVL06P2011A	-	-	-	-	KBAN42P2101T	0.59	(0.07)	9,130	-
HMPRO1C2012A	0.04	(0.01)	150	-	IVL08C201A	0.40	0.01	70	-	KCE01C2012A	0.44	(0.09)	90,216	-
HMPRO1C2103A	0.38	(0.02)	18,515	-	IVL08P2011A	-	-	-	-	KCE01C2101A	0.54	(0.09)	63,474	-
HMPRO1P2012A	0.29	(0.01)	30,526	-	IVL08P2102A	0.39	0.02	49,273	-	KCE01C2102A	0.33	(0.07)	84,121	-
HMPRO6C2102A	0.25	(0.01)	30,101	-	IVL11C2012A	0.09	(0.01)	27,000	-	KCE01P2011A	0.03	0.01	2	-
HMPRO6P2011A	-	-	-	-	IVL13C2011A	-	-	-	-	KCE01P2101A	0.23	0.02	106,756	-
HMPRO6P2103A	0.31	(0.01)	20,360	-	IVL13C2012A	0.16	(0.04)	258,860	-	KCE06C2012A	-	-	-	-
HMPR11C2011A	0.12	(0.01)	15,120	-	IVL13C2012B	0.05	(0.01)	5,492	-	KCE06C2012B	-	-	-	-
HMPR13C2012A	0.11	(0.01)	1,184	-	IVL13C2101A	0.55	(0.07)	69,377	-	KCE06C2102A	0.49	(0.10)	68,625	-
HMPR13C2102A	0.30	0.01	119,450	-	IVL13C2103A	0.20	(0.80)	522,914	-	KCE08C2012A	0.73	(0.16)	50	-
HMPR19C2102A	0.21	-	57,005	-	IVL13P2012A	0.08	0.01	205,752	-	KCE08C2103A	0.44	(0.07)	93,445	-
HMPR19P2011A	0.09	(0.01)	23,120	-	IVL16C2102A	0.65	(0.11)	5,589	-	KCE11C2101A	0.70	(0.08)	66,271	-
HSI28C2011A	1.48	(0.17)	4,127,089	1.00	IVL19C2011A	0.06	(0.03)	49,248	-	KCE13C2012A	0.45	(0.11)	5,557	-
HSI28C2011B	0.74	(0.12)	2,901,074	-	IVL19C2012A	0.27	(0.07)	6,553	-	KCE13C2102A	0.34	(0.07)	677,771	-
HSI28C2011C	0.12	(0.04)	104,192	-	IVL19C2012B	0.54	(0.11)	20,125	-	KCE13P2012A	0.02	-	207	-
HSI28C2011L	0.23	(0.05)	38,596	-	IVL19P2011A	0.09	0.02	62,873	-	KCE13P2011A	0.08	0.01	18,287	-
HSI28C2012A	1.79	(0.14)	2,224,996	1.00	IVL19P2012A	0.10	0.01	87,899	-	KCE13P2102A	0.29	0.04	545,815	-
HSI28C2012B	1.04	(0.14)	391,002	1.00	IVL24C2012A	0.27	(0.05)	22,051	-	KCE16C2012A	0.50	(0.14)	12,610	-
HSI28C2012C	0.62	(0.09)	1,165,613	-	IVL28C2011A	-	-	-	-	KCE19C2011A	-	-	-	-
HSI28C2012D	0.35	(0.65)	509,310	-	IVL28C2012A	-	-	-	-	KCE19C2012A	0.42	(0.11)	71,897	-
HSI28C2012L	0.16	(0.03)	38,129	-	IVL28C2012B	0.03	-	91	-	KCE19C2102A	0.39	(0.07)	282,651	-
HSI28C2101L	0.18	(0.03)	18,799	-	IVL28C2101A	0.23	(0.02)	7,228	-	KCE19C2102B	0.28	(0.06)	89,924	-
HSI28C2102L	0.49	(0.06)	1,998	-	IVL28C2103A	-	-	-	-	KCE19P2011A	0.03	0.01	1	-
HSI28C2103L	0.53	0.07	804	-	IVL28C2104L	0.28	(0.03)	111,507	-	KCE19P2101A	0.08	0.02	3,177	-
HSI28P2011A	0.10	-	1,004,455	-	IVL41C2011A	-	-	-	-	KCE19P2102A	0.22	0.03	208,686	-
HSI28P2011B	0.05	-	88,303	-	IVL41C2012A	0.35	(0.02)	25,216	-	KCE27C2101X	1.08	(0.13)	6,290	1.00
HSI28P2011C	0.04	-	102	-	IVL41P2012A	0.24	(0.01)	22,613	-	KCE41C2012A	-	-	-	-
HSI28P2011L	-	-	-	-	IVL41P2012B	0.11	0.01	30,090	-	KCE42C2012T	1.43	(0.18)	4,362	1.00
HSI28P2012A	0.61	0.03	2,461,797	-	IVL42C2101T	0.04	-	1,100	-	KKP13C2012A	0.16	-	2,660	-
HSI28P2012B	0.37	0.01	8,119	-	JAS08C2011A	-	-	-	-	KKP13C2102A	0.43	-	146,124	-
HSI28P2012C	0.25	0.01	5,216	-	JAS08P2103A	0.53	-	10,200	-	KKP13P2012A	0.35	-	103,902	-
HSI28P2012L	0.10	-	11,028	-	JAS13C2011A	-	-	-	-	KKP19C2011A	-	-	-	-
HSI28P2101L	0.12	-	1,054	-	JAS13C2012A	0.06	(0.01)	52	-	KKP19C2012A	0.19	-	190,817	-
HSI28P2102L	0.15	(0.01)	8,793	-	JAS13C2101A	0.18	(0.02)	116,137	-	KTB13C2012A	-	-	-	-
HSI28P2103L	-	-	-	-	JAS19C2012A	-	-	-	-	KTB13C2101A	0.26	0.04	234,273	-
HSI41C2011A	-	-	-	-	JAS19C2101A	0.20	(0.01)	7,759	-	KTB19C2011A	-	-	-	-
HSI41C2011B	-	-	-	-	JAS19P2010A	0.29	(0.01)	38,054	-	KTB19C2012A	0.07	0.02	3,850	-
HSI41C2011C	0.72	(0.13)	68,204	-	JAS28C2011A	0.01	-	500	-	KTB19C2101A	0.25	0.03	279,948	-
HSI41C2011D	0.10	0.02	4,000	-	JAS28C2012A	0.03	0.02	318	-	KTB19P2012A	0.32	(0.04)	192,214	-
HSI41C2011E	0.15	0.02	22,000	-	JAS28C2012B	-	-	-	-	KTB24C2101A	0.19	0.02	25,495	-
HSI41C2012A	0.15	(0.03)	34,065	-	JAS28C2101A	0.05	-	2,546	-	KTB28C2011A	-	-	-	-
HSI41C2012B	1.11	(0.12)	41,056	1.00	JAS28C2102A	0.13	-	100	-	KTB28C2012A	0.01	-	99	-
HSI41C2012C	0.53	(0.11)	1,128,775	-	JAS41C2011A	-	-	-	-	KTB28C2101B	-	-	-	-
HSI41C2012U	0.99	(0.05)	2,140	-	JAS41C2102A	0.21	(0.01)	11,796	-	KTB28C2101C	-	-	-	-
HSI41C2012V	-	-	-	-	JMT06C2012A	0.30	(0.01)	51,394	-	KTB28C2102A	0.14	0.02	40,820	-
HSI41C2101A	0.16	(0.02)	14,104	-	JMT06C2103A	0.32	-	28,527	-	KTB28C2103A	0.33	0.03	104,638	-
HSI41P2011A	0.07	(0.01)	3,307	-	JMT08C2101A	0.24	(0.01)	16,545	-	KTC01C2012A	0.43	0.01	31,994	-
HSI41P2011B	0.14	-	42,281	-	JMT11C2102A	0.29	-	39,454	-	KTC01C2103A	0.48	0.02	33,843	-
HSI41P2011C	0.07	(0.01)	324	-	JMT13C2011A	-	-	-	-	KTC01P2012A	-	-	-	-
HSI41P2011D	-	-	-	-	JMT13C2011B	-	-	-	-	KTC01P2102A	0.29	(0.02)	14,727	-
HSI41P2011E	-	-	-	-	JMT13C2012A	0.15	(0.01)	850,230	-	KTC08C2011A	0.28	0.02	14,021	-
HSI41P2012A	0.11	0.01	101	-	JMT13C2102A	0.31	-	99,720	-	KTC11C2104A	0.56	0.01	23,401	-
HSI41P2012B	0.52	0.01	81,347	-	JMT16C2102A	0.35	(0.02)	3,394	-	KTC11P2011A	-	-	-	-
HSI41P2012C	0.34	-	8,284	-	JMT19C2011A	-	-	-	-	KTC11P2104A	0.45	(0.01)	26,040	-
HSI41P2012T	0.42	0.01	1,332	-	JMT19C2012A	0.16	(0.01)	40,238	-	KTC13C2011A	0.48	0.03	69,040	-
HSI41P2012V	0.64	0.04	850,654	-	JMT19C2102A	0.25	(0.75)	238,794	-	KTC13C2101A	0.42	0.02	254,101	-
HSI41P2101A	0.14	-	52	-	JMT24C2011A	0.30	(0.02)	870	-	KTC13P2012A	0.02	(0.02)	200	-
INTU01C2101A	0.22	(0.03)	104,086	-	JMT28C2101A	0.23	-	25,272	-	KTC13P2101A	0.16	(0.02)	91,716	-
INTU01P2101A	0.46	0.02	48,059	-	JMT28C2104L	0.20	-	3,521	-	KTC19C2012A	-	-	-	-
INTU06C2103A	0.38	(0.04)	35,400	-	JMT41C2012A	0.16	0.01	786	-	KTC19C2101A	0.39	0.02	76,595	-
INTU06P2011A	-	-	-	-	JMT42C2101T	-	-	-	-	KTC19P2012A	-	-	-	-
INTU11C2103A	0.41	(0.03)	39,760	-	KBAN01C2012A	0.37	0.03	66,481	-	KTC19P2101A	0.21	(0.01)	7	-
INTU13C2011A	-	-	-	-	KBAN01C2012B	0.20	0.03	88,618	-	KTC42C2011A	0.48	0.02	200	-
INTU13C2101A	0.31	(0.04)	267,572	-	KBAN01C2102A	0.70	0.07	141,039	-	KTC28C2011A	0.01	-	1,310	-
INTU19C2012A	0.11	(0.03)	29,633	-	KBAN01C2102T	0.52	0.04	43,179	-	KTC28C2012A	0.16	0.01	18,538	-
INTU19C2101A	0.32	(0.05)	48,412	-	KBAN01P2012A	0.26	(0.06)	102,616	-	KTC28C2012B	0.37	0.02	23,238	-
INTU19P2012A	0.30	0.02	330,026	-	KBAN01P2101A	0.45	(0.07)	65,265	-	KTC28C2101A	-	-	-	-
INTU23C2111A	0.63	(0.01)	4	-	KBAN01P2102T	0.53	(0.05)	34,863	-	KTC28C2103L	0.34	-	33,462	-
INTU28C2012A	-	-	-	-	KBAN06C2011A	0.02	-	6,023	-	KTC41C2011A	-	-	-	-
INTU28C2102A	0.15	(0.03)	35,095	-	KBAN06C2012A	0.07	-	707	-	KTC41C2012A	0.49	-	100	-
INTU41C2012A	-	-	-	-	KBAN06C2103A	0.66	0.07	277,064	-	KTC42C2012T	0.23	0.02	500	-
INTU42C2101T	-	-	-	-	KBAN06P2011A	0.07	(0.06)	12,658	-	LH01C2101A	0.12	(0.01)	58,188	-
IRPC01C2101A	0.11	-	5,422	-	KBAN06P2103A	0.37	(0.07)	97,985	-	LH06C2012A	-	-	-	-
IRPC01P210														

Main Board Quotation

Issue Date :

Friday November 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MINT01P2012B	0.59	(0.02)	18,955	-	PRM16C2012A	0.06	-	100	-	PTTG01P2102A	0.30	(0.01)	55,309	-
MINT01P2102A	0.42	-	22,895	-	PRM19C2011A	0.02	(0.01)	50	-	PTTG08C2101A	0.19	-	28,000	-
MINT01P2102T	0.62	(0.02)	28,323	-	PRM19C2101A	0.14	(0.03)	100,688	-	PTTG08C2103A	0.61	0.02	95,520	-
MINT06C2012A	0.10	-	105,101	-	PRM28C2012A	-	-	-	-	PTTG08P2102A	0.28	(0.01)	29,970	-
MINT06C2103A	0.51	(0.49)	54,094	-	PRM42C2101T	-	-	-	-	PTTG11C2104A	0.61	0.01	107,365	-
MINT06P2012A	0.18	(0.01)	39,743	-	PTG01C2012A	0.21	(0.02)	59,218	-	PTTG11P2104A	0.50	(0.01)	86,500	-
MINT06P2102A	-	-	-	-	PTG01P2012A	0.26	-	34,124	-	PTTG13C2011A	0.03	0.01	1,705	-
MINT08C2102A	0.33	(0.01)	38,900	-	PTG06C2103A	0.52	(0.03)	27,476	-	PTTG13C2012A	0.15	0.01	133,712	-
MINT08P2011A	0.16	(0.01)	13,600	-	PTG08C2011A	0.21	(0.04)	30,480	-	PTTG13C2101A	0.35	-	613,497	-
MINT08P2102A	-	-	-	-	PTG11C2101A	0.35	(0.01)	18,965	-	PTTG13P2011A	-	-	-	-
MINT11C2011A	0.10	(0.01)	33,658	-	PTG13C2012A	0.08	(0.01)	4,330	-	PTTG13P2012A	0.15	(0.02)	124,747	-
MINT11P2011A	0.12	(0.02)	30,202	-	PTG13C2012B	0.26	(0.02)	355,744	-	PTTG19C2011A	-	-	-	-
MINT11P2104A	0.63	(0.01)	43,130	-	PTG16C2101A	0.34	(0.03)	8,764	-	PTTG19C2012A	0.18	-	262,323	-
MINT13C2011A	0.01	-	1,329	-	PTG19C2011A	0.08	(0.02)	4,000	-	PTTG19C2101A	0.42	0.01	114,245	-
MINT13C2101A	0.19	-	125,497	-	PTG19C2012A	0.26	(0.02)	189,760	-	PTTG19P2011A	0.05	(0.04)	1,170	-
MINT13C2102A	0.39	-	398,990	-	PTG19P2011A	-	-	-	-	PTTG19P2011B	-	-	-	-
MINT13P2011A	-	-	-	-	PTG19P2011A	0.35	0.02	79,379	-	PTTG19P2102A	0.27	(0.02)	185,582	-
MINT13P2012A	0.39	(0.02)	15,705	-	PTG24C2102A	0.31	(0.02)	7,781	-	PTTG24C2101A	0.28	(0.01)	24,844	-
MINT13P2101A	0.37	(0.01)	165,295	-	PTG41C2101A	0.28	(0.03)	58,746	-	PTTG28C2011A	-	-	-	-
MINT16C2012A	0.09	-	1,137	-	PTG42C2101T	-	-	-	-	PTTG28C2012A	0.09	-	15,210	-
MINT19C2011A	0.14	(0.01)	12,438	-	PTT01C2012A	0.06	-	31	-	PTTG28C2102L	0.11	-	28,392	-
MINT19C2011B	-	-	-	-	PTT01C2102A	0.28	-	42,076	-	PTTG28C2103A	0.36	(0.01)	106,858	-
MINT19C2102A	0.30	-	454,262	-	PTT01C2103T	0.19	(0.01)	15,756	-	PTTG41C2011A	-	-	-	-
MINT19P2011A	0.05	(0.01)	500	-	PTT01P2012A	0.11	(0.02)	3,201	-	PTTG41C2101A	0.14	0.01	11,796	-
MINT19P2012A	-	-	-	-	PTT01P2102A	0.23	-	11,207	-	PTTG41C2102A	0.44	-	258,652	-
MINT19P2101A	0.42	(0.01)	162,978	-	PTT01P2103T	0.20	-	720	-	PTTG41P2011A	-	-	-	-
MINT19P2102A	0.28	(0.01)	184,596	-	PTT06C2012A	0.02	(0.01)	120	-	PTTG41P2102A	0.21	(0.01)	30,480	-
MINT24C2011A	-	-	-	-	PTT06C2102A	0.11	(0.01)	49,700	-	PTTG42C2012T	0.07	(0.01)	837	-
MINT28C2012A	0.01	-	702	-	PTT08C2101A	-	-	-	-	QH19C2012A	0.04	(0.01)	80	-
MINT28C2012B	0.04	(0.05)	230	-	PTT08C2103A	0.33	0.01	38,500	-	QH27C2101A	-	-	-	-
MINT28C2102C	-	-	-	-	PTT08P2101A	0.28	(0.15)	60	-	RATC01C2101A	0.18	-	66,747	-
MINT28C2103A	0.32	-	70,122	-	PTT11C2101A	-	-	-	-	RATC01P2101A	0.47	(0.03)	105,949	-
MINT28C2104L	0.11	(0.01)	14,868	-	PTT13C2012A	0.01	(0.01)	215	-	RATC06C2102A	0.18	-	24,140	-
MINT41C2012A	0.19	(0.01)	41,320	-	PTT13C2012B	-	-	-	-	RATC11C2103A	0.45	0.01	51,990	-
MINT42C2101T	-	-	-	-	PTT13C2101A	0.17	-	240,065	-	RATC13C2012A	0.04	0.01	1,000	-
MINT42P2102T	0.60	(0.01)	6,400	-	PTT13C2102A	0.31	-	237,581	-	RATC13C2101A	0.20	-	186,936	-
MTC01C2012A	0.32	(0.04)	48,678	-	PTT13P2011A	0.11	(0.02)	80	-	RATC13P2011A	0.10	(0.03)	115,804	-
MTC01C2102A	0.61	(0.04)	23,585	-	PTT13P2101A	0.09	-	65,577	-	RATC19C2011A	-	-	-	-
MTC06C2102A	0.59	(0.04)	28,448	-	PTT16C2012A	-	-	-	-	RATC19C2012A	-	-	-	-
MTC08C2011A	0.14	(0.02)	2,600	-	PTT19C2011A	-	-	-	-	RATC19C2101A	0.20	0.02	31,871	-
MTC08C2102A	0.59	(0.04)	31,600	-	PTT19C2012A	-	-	-	-	RATC19C2102A	0.36	-	376,922	-
MTC11C2102A	0.55	(0.04)	9,240	-	PTT19C2012B	-	-	-	-	RATC19P2011A	-	-	-	-
MTC13C2011A	0.22	(0.04)	29,007	-	PTT19C2101A	0.16	0.01	249,140	-	RATC24C2012A	-	-	-	-
MTC13C2101A	0.48	(0.04)	98,756	-	PTT19C2103A	0.28	(0.02)	51,144	-	RATC41C2012A	0.11	-	3,932	-
MTC13P2011A	-	-	-	-	PTT19P2011A	0.12	(0.01)	6,612	-	RATC42C2102T	-	-	-	-
MTC19C2012A	0.32	(0.04)	186,219	-	PTT24C2101A	0.09	(0.01)	5,718	-	RS06C2012A	0.16	(0.04)	18,261	-
MTC19P2012A	0.08	(0.01)	217	-	PTT28C2011A	-	-	-	-	RS08C2011A	0.31	(0.07)	490	-
MTC28C2011A	-	-	-	-	PTT28C2012A	-	-	-	-	RS08C2103A	0.37	(0.05)	19,000	-
MTC28C2012A	0.13	(0.01)	11,154	-	PTT28C2101A	-	-	-	-	RS13C2011A	-	-	-	-
MTC28C2012B	0.32	(0.03)	28,782	-	PTT28C2103A	0.18	(0.01)	32,515	-	RS13C2101A	0.25	(0.04)	81,117	-
MTC28C2102L	0.21	(0.01)	9,126	-	PTT28C2103L	0.12	(0.01)	6,084	-	RS19C2011A	-	-	-	-
MTC41C2012A	0.46	0.02	150	-	PTT41C2012A	-	-	-	-	RS19C2011B	0.05	(0.04)	1,376	-
MTC42C2101T	-	-	-	-	PTT41C2101A	-	-	-	-	RS19C2102A	0.26	(0.05)	71,306	-
OR113C2011A	0.11	0.01	25,384	-	PTT41C2101B	0.16	-	19,074	-	RS19P2012A	0.23	0.03	16,317	-
OR113C2102A	0.34	0.01	213,107	-	PTT41P2011A	-	-	-	-	RS28C2012A	-	-	-	-
OR119C2011A	0.29	0.02	34,470	-	PTT41P2012A	0.33	(0.01)	588	-	RS28C2101A	0.17	(0.05)	16,156	-
OR119C2012A	0.12	0.01	59,762	-	PTT41P2101A	0.18	-	6,537	-	RS28C2101L	0.32	(0.05)	22,168	-
OR119C2102A	0.34	0.01	38,304	-	PTT42C2012T	0.02	-	200	-	RS41C2011A	0.22	(0.06)	4,620	-
OR128C2011A	-	-	-	-	PTT42P2101T	-	-	-	-	RS42C2101T	-	-	-	-
OR128C2012A	-	-	-	-	PTTE01C2012A	0.26	(0.01)	48,990	-	S10001C2011A	0.02	-	1,966	-
OR128C2012B	0.27	0.04	53,877	-	PTTE01C2102A	0.88	(0.03)	46,825	-	S5001C2012F	0.16	(0.02)	41,047	-
OR128C2101A	0.10	0.02	15,568	-	PTTE01C2103T	0.57	-	29,916	-	S5001C2012G	0.38	(0.02)	334,241	-
OR128C2103L	0.20	0.01	27,378	-	PTTE01P2012A	0.52	(0.02)	46,586	-	S5001C2101A	0.74	(0.03)	1,095,810	-
OSP01C2012A	0.10	-	390	-	PTTE01P2102A	0.40	(0.01)	66,950	-	S5001P2012F	0.61	(0.01)	517,648	-
OSP01C2102A	0.24	(0.02)	9,650	-	PTTE01P2103T	0.61	-	24,837	-	S5001P2012G	0.32	0.01	202,721	-
OSP01P2012A	0.36	0.01	26,958	-	PTTE06C2011A	-	-	-	-	S5001P2101A	0.57	-	486,602	-
OSP06C2011A	-	-	-	-	PTTE06C2101A	0.29	(0.02)	68,080	-	S5006C2012A	0.06	(0.01)	6,179	-
OSP06C2102A	0.13	(0.03)	15,030	-	PTTE06P2011A	-	-	-	-	S5006C2012B	0.19	(0.04)	447,951	-
OSP06C2103A	0.35	(0.65)	4,400	-	PTTE06P2102A	0.47	-	107,523	-	S5006C2012C	0.70	(0.07)	702,614	-
OSP06P2102A	0.42	0.01	15,736	-	PTTE08C2011A	-	-	-	-	S5006P2012A	0.38	0.01	551,641	-
OSP08C2102A	0.27	-	3,000	-	PTTE08P2101A	0.70	-	96,516	-	S5006P2012B	0.15	(0.01)	38,696	-
OSP11C2102A	0.15	(0.01)	11,160	-	PTTE11C2011A	0.16	(0.01)	37,188	-	S5006P2012C	0.18	(0.01)	83,758	-
OSP13C2012A	-	-	-	-	PTTE11P2102A	0.50	(0.01)	66,716	-	S5008C2012A	0.06	(0.01)	2,054	-
OSP13C2101A	0.11	(0.03)	43,504	-	PTTE13C2011A	-	-	-	-	S5008C2012B	0.11	0.02	2,406	-
OSP13C2102A	0.27	(0.02)	56,722	-	PTTE13C2012A	0.23	(0.02)	336,396	-	S5008C2012C	0.27	(0.02)	594,613	-
OSP13P2011A	0.13	(0.04)	10,342	-	PTTE13C2101A	0.57	-	197,517	-	S5008C2012D	0.62	(0.04)	763,989	-
OSP13P2102A	0.14	0.01	8,272	-	PTTE13P2012A	0.23	(0.01)	317,120	-	S5008P2012A	0.62	0.02	323,642	-
OSP19C2012A	0.04	(0.01)	125	-	PTTE13P2102A	0.50	(0.50)	222,018	-	S5008P2012B	0.21	0.01	118,285	-
OSP19C2101A	0.13	(0.01)	11,308	-	PTTE19C2011A	-	-	-	-	S5011C2012A	0.39	(0.02)	19,125	-
OSP19C2103A	0.31	(0.03)	5,435	-	PTTE19C2011B	-	-	-	-	S5011P2012A	0.37	(0.01)	22,776	-
OSP19P2102A	0.16	0.01	1,878	-	PTTE19C2012A	0.21	(0.01)	56,158	-	S5013C2012A	0.06	-	234,151	-
OSP24C2101A	0.12	(0.02)	1,974	-	PTTE19C2101A	0.61	(0.02)	261,246	-	S5013C2012B	0.07	(0.02)	37,306	-
OSP28C2101A	-	-	-	-	PTTE19P2012A	0.27	(0.01)	105,138	-	S5013C2012C	0.12	-	157,630	-
OSP28C2101B	-	-	-	-	PTTE19P2101A	0.27	-	123,512	-	S5013C2012D	0.09	(0.01)	130,729	-
OSP28C2103B	0.31	(0.01)	15,168	-	PTTE24C2011A	-	-	-	-	S5013C2012E	0.20	(0.01)	3,747,433	-
OSP28C2104L	0.27	-	6,084	-	PTTE24C2103A	0.79	(0.01)	29,971	-	S5013C2012F	0.31	(0.02)	11,074,945	-
OSP41C2012A	-	-	-	-	PTTE28C2011A	-	-	-	-	S5013C2012G	0.39			

Main Board Quotation

Issue Date :

Friday November 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5016P2012A	0.56	-	54,944	-	SCB19P2011B	0.11	(0.05)	109,938	-	STA13C2011B	0.08	(0.02)	26,759	-
S5016P2012B	0.34	-	124,836	-	SCB24C2012A	0.18	0.03	28,999	-	STA13C2012A	0.26	(0.05)	92,094	-
S5016P2103Z	3.80	(0.06)	5	3.00	SCB28C2012A	-	-	-	-	STA13C2101A	0.27	(0.03)	897,788	-
S5019C2012A	0.07	(0.01)	11,477	-	SCB28C2012B	0.11	0.01	48,672	-	STA13P2012A	-	-	-	-
S5019C2012B	0.04	(0.01)	9,141	-	SCB28C2103A	0.49	0.09	284,543	-	STA13P2012B	0.04	-	2,000	-
S5019C2012C	0.19	0.02	487,099	-	SCB28C2104L	0.23	0.04	55,756	-	STA13P2101A	0.23	0.01	484,576	-
S5019C2012D	0.31	(0.02)	4,014,647	-	SCB41C2011A	0.02	(0.01)	101	-	STA16C2102A	0.35	(0.05)	9,446	-
S5019C2012E	0.52	(0.05)	2,841,429	-	SCB41C2011B	-	-	-	-	STA19C2011A	1.10	(0.22)	53	1.00
S5019C2012F	0.70	(0.04)	3,010,915	-	SCB41C2012A	0.24	0.04	28,117	-	STA19C2011B	0.22	(0.04)	75,194	-
S5019P2012A	0.64	(0.01)	3,764,573	-	SCB41C2102A	0.79	0.13	157,616	-	STA19C2012A	0.32	(0.04)	9,764	-
S5019P2012B	0.34	-	2,776,764	-	SCB41P2011A	-	-	-	-	STA19C2102A	0.29	(0.03)	1,054,501	-
S5019P2012C	0.26	-	3,506,924	-	SCB41P2102A	0.52	(0.08)	80,257	-	STA19P2012A	0.04	0.01	256	-
S5019P2012D	0.14	-	608,387	-	SCB42C2101T	0.06	0.02	2,000	-	STA19P2101A	0.08	-	50	-
S5024C2012A	0.01	-	4,016	-	SCC01C2101A	0.46	(0.01)	45,115	-	STA19P2102A	0.36	0.02	475,374	-
S5024C2012B	0.03	-	1,100	-	SCC01P2012A	0.34	(0.02)	24,900	-	STA24C2011A	0.11	(0.05)	21,204	-
S5024C2012C	0.03	(0.01)	81	-	SCC06C2012A	0.05	(0.02)	6,160	-	STA28C2011A	1.18	(0.27)	4,989	1.00
S5024C2012D	0.07	0.01	535	-	SCC06C2103A	0.53	(0.47)	49,550	-	STA28C2011B	0.16	(0.06)	5	-
S5024C2012E	0.12	(0.02)	18,500	-	SCC08C2011A	0.04	(0.01)	510	-	STA28C2012A	1.94	(0.03)	10	1.00
S5024C2012F	0.29	(0.04)	143,472	-	SCC11C2011A	0.20	0.01	27,120	-	STA28C2102L	0.20	(0.03)	15,784	-
S5024C2012G	0.49	(0.03)	213,167	-	SCC13C2011A	-	-	-	-	STA28C2103A	0.35	(0.04)	65,682	-
S5024C2012H	0.85	(0.06)	588,408	-	SCC13C2012A	0.16	(0.01)	156,409	-	STA42C2101T	0.17	(0.02)	120	-
S5024C2012I	1.40	(0.09)	529,283	1.00	SCC13C2102A	0.54	(0.01)	47,215	-	STEC01C2101A	-	-	-	-
S5024C2103A	0.53	(0.02)	270,261	-	SCC13P2011A	-	-	-	-	STEC01P2101A	0.49	0.03	30,655	-
S5024P2012A	0.05	-	2,092	-	SCC13P2101A	0.14	(0.01)	93,503	-	STEC08C2012A	-	-	-	-
S5024P2012B	0.28	-	20,400	-	SCC13P2102A	0.43	0.01	62,866	-	STEC08C2103A	0.31	(0.01)	16,030	-
S5024P2012C	0.60	-	930,536	-	SCC19C2012A	0.20	(0.02)	99,292	-	STEC11C2102A	0.12	-	45,180	-
S5024P2012D	0.31	0.01	420,039	-	SCC19C2101A	0.50	(0.01)	223,656	-	STEC13C2012A	0.02	(0.01)	2,002	-
S5024P2012E	0.16	-	396,842	-	SCC19P2011A	-	-	-	-	STEC13C2101A	0.10	(0.01)	218,390	-
S5024P2103A	0.50	0.01	152,378	-	SCC19P2101A	0.41	(0.01)	393,043	-	STEC13C2102A	0.23	(0.02)	101,811	-
S5028C2012A	0.02	(0.01)	4,101	-	SCC24C2012A	0.11	-	31,750	-	STEC13P2011A	-	-	-	-
S5028C2012B	0.03	-	400	-	SCC28C2102A	0.21	0.01	38,614	-	STEC19C2011A	-	-	-	-
S5028C2012C	0.16	0.01	375,286	-	SCC28C2103A	0.48	(0.02)	56,976	-	STEC19C2012A	-	-	-	-
S5028C2012D	0.22	(0.02)	989,824	-	SCC28C2104L	0.24	0.01	17,268	-	STEC19C2101A	0.09	0.01	1,200	-
S5028C2012E	0.64	(0.05)	1,758,242	-	SCC41C2011A	-	-	-	-	STEC19C2103A	0.23	(0.02)	37,709	-
S5028C2103L	0.21	-	3,574	-	SCC41C2101A	0.20	-	11,024	-	STEC19P2011A	-	-	-	-
S5028P2012A	1.02	0.02	1,156,451	1.00	SCC41C2101B	0.51	-	91,900	-	STEC19P2012A	-	-	-	-
S5028P2012B	0.21	-	2,895	-	SCC41P2011A	0.29	(0.11)	1,474	-	STEC19P2101A	0.19	(0.02)	40,982	-
S5028P2012C	0.24	-	827,162	-	SCC41P2102A	0.37	-	49,820	-	STEC28C2011A	-	-	-	-
S5028P2103L	0.63	0.01	146,113	-	SCGP13C2102A	0.25	(0.02)	24,994	-	STEC28C2012A	0.03	-	200	-
S5041C2012A	0.05	(0.01)	2,762	-	SCGP13P2102A	0.36	0.01	53,439	-	STEC28C2101A	0.05	-	1,900	-
S5041C2012B	-	-	-	-	SCGP19C2102A	0.18	(0.02)	3,140	-	STEC28C2103A	0.16	(0.01)	67,336	-
S5041C2012C	0.05	-	830	-	SCGP19P2102A	0.28	-	4,926	-	STEC28C2104L	0.11	-	12,168	-
S5041C2012D	0.12	0.01	8	-	SCGP28C2103A	0.23	(0.02)	2,063	-	STEC41C2012A	0.03	(0.08)	2,000	-
S5041C2012E	0.18	0.10	1,224,464	-	SCGP28C2104L	-	-	-	-	STEC42P2102T	0.26	0.01	2,800	-
S5041C2012F	0.29	(0.06)	1,667,904	-	SCGP41C2101A	-	-	-	-	SUPE08C2012A	0.06	-	370	-
S5041C2012G	0.39	(0.04)	792,014	-	SGP13C2011A	-	-	-	-	SUPE08C2102A	0.17	(0.02)	30,478	-
S5041C2012V	0.81	(0.07)	162,277	-	SGP13C2102A	0.39	(0.04)	50,545	-	SUPE08P2102A	0.27	-	11,535	-
S5041C2103T	0.99	(0.04)	486,525	1.00	SGP19C2011A	0.09	(0.02)	22	-	SUPE19C2011A	0.02	-	63,167	-
S5041C2103U	0.93	(0.03)	1,229,655	-	SGP19C2102A	0.42	(0.02)	57,204	-	SUPE19C2011B	-	-	-	-
S5041P2012A	0.46	(0.01)	956,830	-	SGP42C2101T	-	-	-	-	SUPE19C2012A	0.15	-	185,827	-
S5041P2012B	0.40	-	119,588	-	SIRI19C2011A	-	-	-	-	SUPE19P2011A	-	-	-	-
S5041P2012C	0.40	(0.02)	203,040	-	SIRI19C2103A	0.12	-	15,199	-	SUPE19P2012A	0.11	(0.01)	85,000	-
S5041P2012E	0.38	(0.01)	142,160	-	SIRI42C2101T	-	-	-	-	SUPE42C2101T	-	-	-	-
S5041P2012F	-	-	-	-	SPAL06C2103A	0.32	(0.03)	3,710	-	SUPE42P2102T	-	-	-	-
S5041P2012G	-	-	-	-	SPAL13C2102A	0.25	(0.01)	15,356	-	TASC01C2012A	0.03	(0.01)	13,535	-
S5041P2012U	0.58	0.01	938,814	-	SPAL19C2011A	0.15	(0.03)	18,893	-	TASC01C2012B	0.21	(0.03)	117,455	-
S5041P2103T	1.25	-	60,676	1.00	SPAL19C2011B	-	-	-	-	TASC01P2012A	0.32	(0.01)	111,332	-
S5041P2103U	0.68	0.01	677,749	-	SPAL19C2102A	0.29	(0.02)	50,065	-	TASC06C2012A	0.02	-	640	-
S5042C2101G	0.81	(0.08)	112,354	-	SPAL27C2101A	-	-	-	-	TASC06C2102A	0.40	(0.04)	261,933	-
S5042C2102T	0.55	(0.02)	73,053	-	SPRC01C2101A	0.10	(0.02)	13,384	-	TASC08C2011A	-	-	-	-
S5042P2101G	0.20	0.01	259,625	-	SPRC01P2101A	0.46	0.04	16,958	-	TASC08C2012A	0.01	-	4,106	-
S5042P2102T	0.40	0.01	96,566	-	SPRC06C2102A	0.09	(0.02)	6,504	-	TASC11C2102A	-	-	-	-
SAWA01C2012A	0.39	(0.01)	42,334	-	SPRC06P2011A	-	-	-	-	TASC13C2011A	0.01	-	2	-
SAWA01C2102A	0.56	(0.02)	71,149	-	SPRC06P2103A	0.27	0.03	25,550	-	TASC13C2012A	0.01	(0.01)	726,677	-
SAWA01C2103T	0.42	-	25,218	-	SPRC08C2011A	-	-	-	-	TASC13C2012B	0.12	(0.02)	282,841	-
SAWA01P2012A	0.20	(0.01)	46,960	-	SPRC11C2102A	0.14	(0.03)	16,210	-	TASC13C2101A	0.30	(0.05)	1,084,372	-
SAWA01P2102A	0.49	(0.01)	31,975	-	SPRC13C2012A	0.04	-	400	-	TASC13P2011A	-	-	-	-
SAWA06C2101A	0.58	(0.02)	83,664	-	SPRC13C2012B	-	-	-	-	TASC13P2012A	0.17	0.01	215,492	-
SAWA08C2011A	-	-	-	-	SPRC13C2102A	0.25	(0.05)	278,399	-	TASC19C2011A	-	-	-	-
SAWA08C2101A	0.45	(0.01)	23,540	-	SPRC19C2012A	-	-	-	-	TASC19C2012A	0.10	(0.01)	64,299	-
SAWA11C2103A	0.64	(0.01)	55,210	-	SPRC19C2101A	0.13	(0.03)	19,326	-	TASC19C2101A	0.29	(0.04)	1,152,510	-
SAWA13C2011A	0.15	(0.02)	236,150	-	SPRC19P2011A	0.17	0.02	20,791	-	TASC19P2011A	-	-	-	-
SAWA13C2101A	0.39	(0.01)	407,594	-	SPRC28C2011A	-	-	-	-	TASC19P2012A	1.25	(0.01)	175	1.00
SAWA16C2101A	0.41	(0.03)	12,506	-	SPRC28C2101A	-	-	-	-	TASC19P2012B	0.12	(0.01)	100,055	-
SAWA19C2011A	-	-	-	-	SPRC42C2101T	-	-	-	-	TASC19P2012C	0.17	0.01	61,573	-
SAWA19C2012A	0.35	(0.02)	413,124	-	SPX28C2011A	1.04	(0.03)	91,871	1.00	TASC24C2011A	-	-	-	-
SAWA19P2011A	0.02	-	200	-	SPX28C2012B	0.44	(0.02)	68,999	-	TASC28C2012A	0.05	(0.02)	1,000	-
SAWA19P2101A	0.35	(0.01)	142,164	-	SPX28C2012C	0.51	(0.05)	41,142	-	TASC28C2012B	-	-	-	-
SAWA24C2103A	0.53	(0.02)	17,520	-	SPX28C2012D	0.26	(0.01)	15,331	-	TASC28C2012C	-	-	-	-
SAWA28C2011A	0.01	(0.09)	300	-	SPX28C2103L	0.38	(0.02)	5,743	-	TASC28C2101A	0.04	(0.01)	50	-
SAWA28C2012A	0.20	(0.01)	151,106	-	SPX28P2012A	0.19	(0.01)	57,575	-	TASC28C2103L	0.04	-	8	-
SAWA28C2012B	0.07	(0.01)	150	-	SPX28P2012B	0.10	(0.01)	22,616	-	TASC41C2011A	-	-	-	-
SAWA28C2101A	0.32	(0.03)	64,244	-	SPX28P2012C	0.64	(0.01)	93,544	-	TASC41C2012A	0.13	(0.01)	24,382	-
SAWA28C2102L	0.12	-	26,731	-	SPX28P2012D	0.39	-	13,097	-	TASC42C2101T	0.03	-	39,780	-
SAWA41C2012A	0.23	(0.01)	35,388	-	SPX28P2103L	0.32	(0.01)	1,847	-	TCAP01C2101A	0.12	(0.01)	42,406	-
SAWA42C2101T	-	-												

Main Board Quotation

Issue Date :

Friday November 06, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TISC01C2101A	0.55	(0.03)	80,358	-	TRUE41C2101A	-	-	-	-	MILL-W4	0.04	-	10,003	-
TISC11C2102A	0.29	(0.03)	18,325	-	TRUE42C2101T	0.03	-	15,000	-	MINT-W6	0.28	-	52,062	-
TISC13C2102A	0.39	(0.02)	113,674	-	TTW19C2011A	-	-	-	-	MINT-W7	6.45	(0.10)	14,474	6.00
TISC19C2102A	0.39	(0.03)	151,779	-	TTW24C2012A	-	-	-	-	NER-W1	2.54	(0.16)	57,559	2.00
TISC24C2102A	0.74	(0.03)	13,990	-	TU01C2101A	0.33	0.03	104,513	-	NEX-W2	4.36	0.06	23,037	4.00
TISC41C2102A	0.40	(0.04)	34,852	-	TU01P2101A	0.14	(0.03)	65,384	-	NFC-W1	0.55	(0.05)	1	-
TISC42C2101T	-	-	-	-	TU06C2102A	0.45	0.05	150,808	-	NVD-W1	0.07	-	3,333	-
TKN01C2101A	0.19	(0.01)	23,198	-	TU06P2103A	0.12	(0.03)	31,147	-	PACE-W2	-	-	-	-
TKN06C2101A	-	-	-	-	TU08C2011A	0.19	0.03	139,580	-	PACE-W3	-	-	-	-
TKN06C2101A	-	-	-	-	TU11C2102A	0.31	0.04	91,149	-	PDI-W1	0.38	-	30,222	-
TKN08C2101A	0.04	(0.01)	363	-	TU13C2102A	0.24	0.03	580,348	-	PDJ-W4	0.40	(0.04)	2,906	-
TKN08C2102A	-	-	-	-	TU13P2101A	0.10	(0.02)	79,518	-	PERM-W1	0.10	-	131	-
TKN13C2102A	0.08	(0.01)	17,169	-	TU19C2102A	0.26	0.04	161,484	-	PORT-W1	0.56	(0.01)	5,137	-
TKN13C2101A	0.17	(0.02)	88,518	-	TU19C2102A	0.21	0.02	572,037	-	PPPM-W4	0.12	-	72	-
TKN13C2102A	0.22	(0.02)	116,134	-	TU19P2011A	-	-	-	-	PRIME-W1	0.01	-	1,000	-
TKN13P2101A	0.27	-	184,320	-	TU19P2012A	-	-	-	-	PRIME-W2	-	-	-	-
TKN19C2011A	-	-	-	-	TU19P2102A	0.27	(0.04)	65,748	-	SAMART-W2	0.12	-	5,273	-
TKN19C2011B	0.05	(0.01)	515,625	-	TU24C2011A	0.35	0.08	7,024	-	SAWAD-W2	8.15	(0.10)	2,738	8.00
TKN19C2101A	0.18	(0.02)	82,956	-	TU24C2103A	0.40	0.04	64,028	-	SDC-W1	-	-	-	-
TKN19C2102A	0.28	(0.02)	2,752	-	TU28C2011A	-	-	-	-	SINGER-W1	8.65	(0.10)	2,149	8.00
TKN19P2101A	0.31	-	10,294	-	TU28C2012A	0.09	0.01	1,002	-	SINGER-W2	4.50	-	787	4.00
TKN28C2012A	-	-	-	-	TU28C2103A	0.33	0.04	106,332	-	SST-W2	0.57	(0.03)	40	-
TKN28C2012B	0.08	(0.06)	507	-	TU28C2103L	0.24	0.02	41,613	-	TCC-W3	0.03	-	302	-
TKN28C2101A	-	-	-	-	TU41C2101A	0.19	0.03	72,198	-	TCC-W4	-	-	-	-
TKN42C2012T	0.05	-	500	-	TU42C2101T	0.22	0.02	6,720	-	TCC-W5	0.10	(0.01)	20	-
TMB13C2011A	-	-	-	-	TVO13C2011A	0.11	(0.03)	2,464	-	TGPRO-W3	-	-	-	-
TMB13C2102A	0.21	0.03	263,704	-	TVO13C2012A	0.20	(0.02)	77,043	-	TNITY-W1	0.07	-	2,849	-
TMB19C2011A	0.03	-	26,651	-	TVO19C2011A	0.26	0.03	4,000	-	TRITN-W3	0.13	-	99,254	-
TMB19C2011B	-	-	-	-	TVO19C2012A	0.18	(0.02)	80,747	-	TTCL-W1	0.37	-	4,845	-
TMB19C2012A	0.06	-	1,100	-	TVO19C2101A	0.13	(0.01)	22,193	-	U-W4	-	-	-	-
TMB19C2103A	0.26	0.04	143,105	-	VGI01C2012A	0.16	(0.01)	59,896	-	VGI-W2	0.75	(0.01)	87,285	-
TMB19P2011A	-	-	-	-	VGI01C2103A	0.36	-	102,626	-	VIBHA-W3	0.11	-	10,023	-
TOA13C2011A	-	-	-	-	VGI06C2101A	0.13	-	70,046	-	W-W3	0.08	(0.01)	77	-
TOA13C2102A	-	-	-	-	VGI08C2103A	0.41	(0.01)	69,520	-	WIJK-W2	0.32	0.01	17,151	-
TOA19C2102A	0.09	(0.01)	5,000	-	VGI11C2101A	0.11	(0.01)	32,240	-	ZMICO-W4	0.08	-	23,364	-
TOA19C2103A	0.30	(0.04)	14,619	-	VGI13C2012A	0.07	-	10,069	-	Preferred Shares	-	-	-	-
TOA42C2101T	-	-	-	-	VGI13C2101A	0.15	-	368,228	-	BH-P	-	-	-	-
TOP01C2012A	-	-	-	-	VGI19C2012A	0.11	-	19,116	-	CSC-P	-	-	-	-
TOP01C2102A	0.48	0.01	75,907	-	VGI19C2012B	0.21	-	94,966	-	JUTHA-P	-	-	-	-
TOP01P2012A	0.18	(0.02)	59,329	-	VGI19C2012C	-	-	-	-	KTBP	-	-	-	-
TOP01P2102A	0.23	(0.01)	25,582	-	VGI24C2012A	0.09	-	892	-	SCB-P	68.75	2.25	1	68.00
TOP06C2011A	-	-	-	-	VGI28C2101A	-	-	-	-	TCAP-P	-	-	-	-
TOP06C2102A	0.14	-	36,638	-	VGI28C2103A	0.22	-	65,358	-	TISCO-P	-	-	-	-
TOP06C2102B	0.42	0.01	46,852	-	VGI28C2103L	0.14	-	36,504	-	U-P	1.36	0.03	21	1.00
TOP06P2102A	0.36	(0.02)	50,330	-	VGI41C2011A	-	-	-	-	Warrant (MAI)	-	-	-	-
TOP08C2102A	0.31	(0.01)	14,400	-	VGI42C2101T	-	-	-	-	ALL-W1	0.61	(0.02)	61,633	-
TOP11C2011A	-	-	-	-	WHA01C2101A	0.07	-	100	-	BROOK-W5	0.12	-	12,662	-
TOP11P2104A	0.46	(0.01)	25,622	-	WHA01C2103A	0.30	(0.01)	62,015	-	CHAYO-W1	2.24	(0.02)	1,816	2.00
TOP13C2011A	-	-	-	-	WHA01P2101A	0.78	(0.01)	27,180	-	CHO-W2	0.01	-	10	-
TOP13C2102A	0.02	-	8,560	-	WHA06C2103A	0.16	(0.01)	52,481	-	CIG-W8	-	-	-	-
TOP13C2102B	0.08	-	1,030	-	WHA06P2012A	-	-	-	-	D-W1	0.72	-	83	-
TOP13C2101A	0.27	-	282,925	-	WHA08C2011A	-	-	-	-	DIMET-W3	-	-	-	-
TOP13P2012A	-	-	-	-	WHA11C2101A	-	-	-	-	DOD-W1	0.47	(0.02)	26,746	-
TOP13P2101A	0.07	(0.01)	1	-	WHA13C2011A	-	-	-	-	ECF-W3	0.06	-	7,650	-
TOP13P2103A	0.27	(0.73)	158,522	-	WHA13C2101A	0.08	(0.01)	72,700	-	HPT-W1	0.19	(0.01)	1,204	-
TOP19C2012A	-	-	-	-	WHA13C2103A	0.26	(0.01)	169,318	-	HYDRO-W1	0.03	-	18	-
TOP19C2101A	0.17	-	233,448	-	WHA13P2011A	-	-	-	-	ITEL-W1	0.10	-	3,576	-
TOP19C2101B	0.34	0.02	122,237	-	WHA19C2011A	-	-	-	-	ITEL-W2	0.38	(0.01)	20,138	-
TOP19P2011A	-	-	-	-	WHA19C2101A	0.09	(0.01)	15,340	-	LIT-W1	0.36	(0.02)	5,368	-
TOP19P2101A	0.11	(0.01)	87,742	-	WHA19C2103A	0.28	(0.01)	280,235	-	META-W4	-	-	-	-
TOP19P2102A	0.29	(0.01)	85,342	-	WHA19P2011A	-	-	-	-	NEWS-W6	0.01	-	1	-
TOP24C2101A	0.16	-	6,996	-	WHA28C2011A	-	-	-	-	OCEAN-W3	0.23	0.01	9,901	-
TOP41C2011A	-	-	-	-	WHA28C2012A	-	-	-	-	RWI-W2	0.12	-	4,577	-
TOP41C2102A	0.14	(0.01)	29,342	-	WHA28C2102A	0.09	-	60	-	SIMAT-W3	0.45	-	10	-
TOP41P2011A	-	-	-	-	WHA28C2102L	-	-	-	-	SIMAT-W4	2.64	(0.20)	3	2.00
TOP42C2011T	-	-	-	-	WHA42C2101T	-	-	-	-	SMART-W2	0.14	-	13,232	-
TPI13C2011A	-	-	-	-	WHAU13C2012	0.15	(0.04)	9,530	-	SWC-W1	-	-	-	-
TPI19C2012A	0.13	(0.01)	9,080	-	WHAU19C2012	0.24	(0.06)	105,131	-	TAKUNI-W	0.01	(0.01)	410	-
TQM11C2102A	0.47	0.05	26,227	-	Preferred/Foreign	-	-	-	-	TAPAC-W4	0.19	(0.01)	13,479	-
TQM13C2011A	-	-	-	-	BH-Q	-	-	-	-	TVD-W2	0.15	-	27,060	-
TQM13C2101A	0.21	0.03	695,565	-	CSC-Q	-	-	-	-	UREKA-W2	0.26	0.01	4,102	-
TQM13C2102A	0.50	0.07	226,560	-	JUTHA-Q	-	-	-	-	Preferred Shares	-	-	-	-
TQM19C2011A	0.25	0.03	36,397	-	KTBP	-	-	-	-	SGF-P1	-	-	-	-
TQM19C2101A	0.27	0.05	188,199	-	SCB-Q	-	-	-	-	-	-	-	-	-
TQM19C2102A	0.64	0.10	97,364	-	TCAP-Q	-	-	-	-	-	-	-	-	-
TQM24C2011A	0.07	0.02	7,116	-	TISCO-Q	-	-	-	-	-	-	-	-	-
TQM24C2103A	0.82	0.09	52,684	-	U-Q	-	-	-	-	-	-	-	-	-
TQM28C2012A	0.08	0.01	1,036	-	Warrant	-	-	-	-	-	-	-	-	-
TQM28C2102A	0.46	0.07	103,384	-	7UP-W4	0.10	-	1,688	-	-	-	-	-	-
TQM28C2104L	0.31	0.02	58,254	-	AEC-W6	0.10	-	68,850	-	-	-	-	-	-
TQM41C2011A	0.07	-	389	-	AKR-W1	0.02	(0.01)	2,504	-	-	-	-	-	-
TQM42C2101T	0.29	0.04	3	-	ALT-W1	0.63	(0.04)	37,836	-	-	-	-	-	-
TRUE01C2101A	0.10	(0.01)	27,190	-	APEX-W1	0.03	0.02	111	-	-	-	-	-	-
TRUE01P2101A	0.56	0.02	26,296	-	APURE-W2	0.22	(0.01)	31,837	-	-	-	-	-	-
TRUE06C2103A	0.21	(0.02)	19,733	-	B-W3	-	-	-	-	-	-	-	-	-
TRUE06P2011A	-	-	-	-	B-W4	0.04	-	3	-	-	-	-	-	-
TRUE08C2012A	-	-	-	-	B-W5	0.04	-	222	-	-	-	-	-	-
TRUE11C2101A	-	-	-	-	BKD-W2	0.07	(0.01)	200	-	-	-	-	-	-
TRUE11P2101A	0.49	-	20,400	-	BTS-W5	0.48	(0.01)	105,322	-	-	-	-	-	-
TRUE13C2011A	-	-	-	-	CGD-W4	0.04	-	2,981	-	-	-	-	-	-
TRUE13C2101A	-	-	-	-	CGH-W3	0.02	-	11,558	-	-	-	-	-	-
TRUE13C2103A	0.26	(0.02)	56,752	-	CWT-W5	0.43	(0.01)	7,251	-	-	-	-	-	-
TRUE19C2011A	-	-	-	-	DCC-W1	0.92	(0.02)	85,107	-	-	-	-	-	-
TRUE19C2012A	0.03	(0.01)	400	-	ECL-W3	0.03	-	12,137	-	-	-	-	-	-
TRUE19C2101A	0.11	-	4,476	-	EMC-W6	0.03	-	1,347	-	-	-	-	-	-
TRUE19C2103A	0.29	(0.01)	48,768	-	EP-W3	0.04	(0.02)	61,609	-	-	-	-	-	-
TRUE19P2011A	0.15	(0.01)	32,517	-	GLOCON-W4	0.40	(0.02)	24,711	-	-	-	-	-	-
TRUE19P2101A	0.24	0.01	24,963	-	III-W1	0.53	-	586	-	-	-	-	-	-
TRUE28C2011A	-	-	-	-	J-W1	0.61	0.01	207	-</					