

Main Board Quotation

Issue Date :

Monday November 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.86	(0.10)	63,633	3.89	MACO	0.61	-	10,714	0.61
SAFARI	-	-	-	-	BLISS	-	-	-	-	MAJOR	13.80	0.50	16,217	13.82
VI	-	-	-	-	DIF	13.20	0.10	170,879	13.20	MATCH	1.52	(0.07)	35	1.58
WORLD	-	-	-	-	DTAC	33.50	1.75	97,070	33.11	MATI	4.28	0.16	1	4.28
WR	-	-	-	-	FORTH	5.70	(0.10)	351	5.79	MCOT	2.90	0.10	1,563	2.97
Agribusiness	-	-	-	-	HUMAN	8.35	(0.10)	5,519	8.37	MONO	2.74	-	14,847	2.76
EE	0.70	0.01	21,036	0.69	ILINK	5.25	0.10	7,745	5.24	MPIC	1.62	(0.01)	1	1.62
GFPT	11.50	0.10	12,580	11.57	INET	3.30	(0.16)	53,164	3.39	NMG	-	-	-	-
LEE	2.24	0.04	3,645	2.21	INTUCH	54.00	0.25	194,050	53.89	PLANB	5.50	0.05	69,893	5.53
MAX	0.01	-	356,538	0.01	JAS	2.78	0.04	524,189	2.79	POST	1.26	(0.01)	11	1.07
NER	4.26	(0.36)	1,230,807	4.33	JASIF	9.90	0.15	95,847	9.85	PRAKIT	7.30	-	53	7.27
PPPM	0.39	(0.01)	1,503	0.39	JMART	16.00	0.10	86,243	15.99	SE-ED	1.40	(0.01)	93	1.34
STA	31.25	(2.25)	416,933	32.13	JTS	2.30	0.02	1,774	2.31	TBSP	12.80	0.10	20	12.69
TRUBB	1.79	(0.10)	76,019	1.77	MFEK	4.74	(0.02)	1,261	4.80	TH	0.48	0.01	7	0.48
TPWC	3.54	0.02	24,314	3.52	MSC	6.55	0.05	801	6.54	TKS	5.60	-	3,124	5.64
UPOIC	3.06	(0.04)	676	3.08	PT	5.65	0.10	3,102	5.65	VGI	6.55	0.05	759,237	6.57
UVAN	5.25	0.35	13,009	5.17	SAMART	4.94	-	7,616	4.91	WAVE	0.66	-	6,557	0.65
VPO	0.45	0.01	2,527	0.46	SAMTEL	4.94	(0.06)	725	4.97	WORK	10.20	0.20	21,866	10.12
Banking	-	-	-	-	SDC	0.17	-	22,731	0.17	Finance & Securities	-	-	-	-
BAY	20.70	0.60	5,530	20.59	SIS	19.20	(0.20)	13,764	19.27	AEC	0.23	(0.01)	68,325	0.23
BBL	106.00	(0.50)	124,772	107.49	SVOA	1.40	(0.01)	35,675	1.41	AEONTS	129.50	0.50	10,057	129.75
CIMBT	0.55	0.01	22,417	0.56	SYMC	4.06	-	108	4.01	AMANA	2.70	0.02	103,496	2.72
KBANK	80.50	0.25	306,614	80.85	SYNES	14.10	(0.30)	57,727	14.30	ASAP	1.94	(0.02)	8,096	1.97
KKP	42.25	0.50	32,865	42.22	THCOM	5.45	(0.25)	121,951	5.34	ASK	19.20	0.50	9,014	19.06
KTB	9.30	0.15	576,351	9.28	TRUE	2.96	0.06	1,028,739	2.97	ASP	1.75	0.03	29,709	1.74
LHFG	0.92	0.01	15,906	0.92	TRWZ	0.06	-	28,099	0.06	BAM	22.50	1.10	795,812	22.27
SCB	71.00	1.00	216,765	71.32	Electronic Comp	-	-	-	-	BFIT	27.25	(0.75)	20,101	27.56
TCAP	29.50	1.00	126,139	29.46	CCET	2.38	0.18	130,357	2.32	CGH	0.67	-	1,393	0.68
TISCO	74.75	1.50	64,481	74.57	DELTA	193.50	4.00	22,663	192.50	ECL	0.77	0.01	7,116	0.77
TMB	0.93	0.01	3,586,961	0.93	HANA	39.50	(2.00)	181,653	39.90	FNS	2.96	-	880	2.92
Construction Materia	-	-	-	-	KCE	37.25	(1.75)	221,389	37.88	FSS	1.43	(0.05)	7,886	1.41
CCP	0.46	(0.02)	82,545	0.47	METCO	174.00	(1.50)	12	174.08	GBX	0.41	-	1,044	0.41
COTTO	1.18	0.01	9,170	1.18	NEX	4.78	0.42	459,225	4.56	GL	1.13	(0.14)	355,650	1.15
DCC	2.38	-	163,035	2.39	SMT	2.90	(0.12)	91,812	2.99	IFS	2.28	0.02	5,873	2.26
DCON	0.30	-	53,141	0.30	SVI	4.78	(0.14)	81,810	4.88	JMT	33.50	(0.75)	49,947	33.54
DRT	6.00	0.05	3,003	6.00	TEAM	0.86	-	251	0.89	KCAR	7.80	0.15	1,002	7.75
EPG	5.35	0.10	46,978	5.32	W	0.22	-	276,006	0.22	KGI	3.24	0.06	31,998	3.24
GEL	0.18	-	3,905	0.19	Energy & Utilitie	-	-	-	-	KTC	42.25	0.75	54,935	42.15
PPP	2.04	-	198	2.02	7UP	0.30	(0.01)	81,550	0.30	MBKET	7.45	0.35	828	7.39
Q-CON	4.62	(0.08)	212	4.65	ABPIF	2.96	-	85	2.95	MFC	13.70	0.30	44	13.60
RCI	3.76	0.10	16	3.76	ACE	2.96	0.12	312,857	2.94	MICRO	4.80	0.04	160,728	4.81
SCC	361.00	11.00	59,686	360.32	AGE	1.31	(0.01)	37,901	1.31	ML	0.80	-	985	0.80
SCCC	128.50	-	3,059	129.31	AI	2.24	0.08	586,517	2.25	MTC	56.00	0.50	58,430	55.95
SCP	5.90	0.05	2,361	5.90	AKR	0.48	-	4,290	0.48	NCAP	3.06	0.86	3,104,811	3.37
SKN	2.54	0.04	3,428	2.56	BAFS	20.50	0.50	1,622	20.50	PE	-	-	-	-
TASCO	18.80	2.50	2,653,204	18.12	BANPU	6.90	0.05	532,439	6.92	PL	2.00	0.01	2,874	2.01
TCMC	1.14	0.01	7,986	1.13	BCP	15.80	0.70	37,874	15.58	S11	6.65	0.20	4,032	6.58
TOA	34.25	0.75	25,740	34.53	BPCG	13.00	0.20	85,449	13.00	SAWAD	52.75	-	70,600	52.87
TPPIPL	1.38	-	37,836	1.39	BGRIM	48.00	2.00	209,161	47.62	THANI	3.54	0.08	374,663	3.53
UMI	0.59	-	330	0.59	BPP	14.10	0.40	83,176	14.09	TK	6.95	-	2,777	6.96
VNG	3.42	0.02	2,049	3.48	BRRGIF	6.25	0.10	1,150	6.20	TNITY	3.70	0.06	14	3.67
WIJK	2.84	(0.18)	56,835	2.97	CKP	5.15	0.10	255,356	5.17	UOBKH	3.02	-	6	3.05
Petrochemicals & Ch	-	-	-	-	DEMCO	2.72	0.02	2,178	2.72	ZMICO	0.59	0.01	2,295	0.59
BCT	42.00	-	1,100	42.00	EA	44.00	0.75	128,210	44.25	Food & Beverage	-	-	-	-
CMAN	1.29	0.01	5,209	1.28	EASTW	9.45	0.10	4,292	9.44	APURE	2.22	0.06	52,007	2.21
GC	5.50	0.10	2,081	5.51	EGATIF	12.00	-	11,615	12.00	ASIAN	12.80	(0.40)	114,488	12.92
GGC	8.25	0.35	8,143	8.31	EGCO	186.50	8.50	38,362	184.28	BR	1.79	0.01	2,400	1.79
GIFT	1.85	0.01	888	1.84	EP	3.94	-	11,266	3.95	BRR	2.70	(0.02)	580	2.69
IVL	25.75	0.50	889,453	25.97	ESSO	6.50	0.20	273,321	6.51	CBG	125.00	5.50	63,903	124.22
NFC	1.62	0.01	52	1.62	GPSC	64.50	1.00	259,147	64.68	CFRESH	3.22	(0.08)	8,507	3.26
PATO	10.40	0.20	413	10.19	GREEN	1.11	0.02	284	1.10	CHOTI	-	-	-	-
PMTA	8.70	-	61	8.68	GULF	33.75	1.50	662,098	33.50	CM	2.70	0.04	1,425	2.70
PTTGC	46.25	1.75	358,972	46.38	GUNKUL	2.30	0.08	382,440	2.28	CPF	27.50	1.00	530,466	27.43
SUTHA	3.50	0.12	465	3.45	IFEC	-	-	-	-	CPI	1.33	(0.02)	2,014	1.36
TCCC	23.80	0.20	93	23.84	IRPC	2.24	0.12	2,092,079	2.21	F&D	-	-	-	-
TPA	5.10	0.05	46	5.02	KBSPIF	9.25	0.10	4,910	9.17	HTC	36.00	(1.00)	12,057	36.49
UAC	3.98	-	833	3.95	LANNA	6.00	0.05	733	5.97	ICHI	11.50	1.20	338,402	11.12
UP	13.10	0.30	89	12.94	MDX	2.24	-	976	2.23	KBS	3.08	0.02	853	3.08
VNT	24.20	0.20	12,630	24.09	PDI	8.10	0.10	4,821	8.06	KSL	2.30	0.02	34,768	2.29
WG	113.00	-	2	113.00	PRIME	0.51	-	84,685	0.52	KTIS	2.90	0.10	1,339	2.85
YCI	-	-	-	-	PTG	19.30	0.10	125,602	19.40	LST	4.36	0.04	6,698	4.38
Commerce	-	-	-	-	PTT	34.75	0.75	935,986	34.85	M	48.75	1.50	14,361	48.41
BEAUTY	1.30	0.04	103,641	1.28	PTTEP	84.00	1.25	185,499	84.40	MALEE	5.75	(0.05)	1,634	5.76
BIG	0.47	0.02	61,178	0.46	RATCH	52.00	0.50	49,253	52.15	MINT	18.30	0.40	638,782	18.42
BJC	33.00	1.75	164,099	32.86	RPC	0.48	-	4,262	0.49	NRF	6.00	0.40	158,137	5.73
COL	18.80	(0.10)	12,893	18.80	SCG	3.44	0.04	222	3.42	OISHI	39.00	-	806	39.10
COM7	41.25	(0.50)	55,720	41.81	SCI	1.22	(0.01)	10,292	1.21	OSP	36.00	0.75	120,695	35.72
CPALL	60.25	1.00	397,195	60.61	SCN	1.66	-	3,190	1.66	PB	70.75	1.00	215	70.01
CPW	2.26	-	26,905	2.27	SGP	9.20	(0.15)	23,245	9.27	PM	8.25	0.20	9,022	8.17
CRC	28.50	1.50	300,081	28.16	SKE	0.54	0.02	34,524	0.53	PRG	10.90	-	14	10.96
CSS	1.42	-	19,860	1.41	SOLAR	0.91	0.02	4,670	0.90	RBF	9.70	(0.05)	110,192	9.75
DOHOME	13.90	(0.40)	211,986	14.18	SPCG	21.20	1.20	79,795	20.88	SAPPE	21.20	0.50	9,209	20.94
FN	1.19	0.02	15,393	1.18	SPRC	5.85	0.30	162,609	5.77	SAUCE	25.50	-	4	25.31
FTE	1.55	0.01	1,494	1.55	SSP	7.15	-	1,228	7.17	SFP	-	-	-	-
GLOBAL	16.40	0.20	88,293	16.49	SUPER	0.91	0.04	5,622,666	0.90	SNP	9.10	(0.30)	671	9.18
HMPRO	14.40	0.20	367,675	14.57	SUPEREIF	11.00	(0.10)	7,291	11.01	SORKON	5.60	0.05	80	5.59
ILM	12.50	0.20	18,952	12.48	SUSCO	2.68	(0.02)	4,093	2.69	SSC	-	-	-	-
IT	2.54	0.04	674	2.49	TAE	2.30	0.04	7,912	2.29	SSF	6.25	0.05	2	6.25
KAMART	3.30	-	22,650	3.30	TCC	0.17	-	3,717	0.17	SST	2.24	(0.02)	132	2.24
LOXLEY	1.34	0.01	1,619	1.34	TOP	38.50	1.50	174,057	38.23	TC	4.64	(0.02)	12,648	4.61
MAKRO	40.75	(0.25)	2,337	40.96	TPIPP	4.24	(0.02)	183,652	4.25	TFG	4.34	0.10		

Main Board Quotation

Issue Date :

Monday November 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CMR	1.78	(0.01)	397	1.78	AMATA	12.80	0.70	165,706	12.70	3K-BAT	130.00	30.00	472	121.39
EKH	4.24	-	4,544	4.23	AMATAV	5.05	0.15	1,053	5.00	ACG	1.23	-	7,083	1.23
KDH	82.00	(0.75)	2	82.00	ANAN	1.50	0.04	58,053	1.50	AH	12.30	(0.20)	9,695	12.25
LPH	4.26	0.02	422	4.24	AP	6.65	0.10	166,165	6.61	CWT	2.02	-	9,633	2.02
M-CHAI	182.50	-	1	182.50	APEX	0.07	-	33,362	0.06	EASON	1.21	-	142	1.19
NEW	-	-	-	-	AQ	0.02	-	81,286	0.02	GYT	-	-	-	-
NTV	41.75	1.75	144	41.33	AWC	3.40	0.16	1,278,814	3.41	HFT	4.08	(0.20)	97,447	4.09
PR9	8.25	0.05	5,040	8.23	BLAND	1.01	0.01	27,577	1.01	IHL	3.18	(0.04)	22,202	3.21
PRINC	2.66	0.02	9,761	2.64	BROCK	1.49	-	41	1.49	INGRS	0.42	-	28,488	0.42
RAM	141.50	1.00	140	141.11	CGD	0.67	0.03	146,251	0.66	IRC	12.50	0.20	453	12.43
RJH	21.90	0.30	747	21.83	CI	0.65	(0.01)	2	0.65	PCSGH	4.40	-	50	4.39
RPH	5.25	(0.05)	12,916	5.23	CPN	44.00	4.50	302,441	43.26	SAT	13.20	(0.10)	16,587	13.22
SKR	6.50	0.05	2,297	6.47	ESTAR	0.33	-	7,478	0.33	SPG	13.40	0.40	8	13.40
SVH	391.00	3.00	32	391.88	EVER	0.21	-	14,900	0.20	STANLY	148.00	0.50	553	148.52
THG	18.80	0.30	7,016	18.51	FPT	10.80	0.60	6,768	10.81	TKT	0.92	0.01	501	0.90
VIBHA	1.45	-	75,393	1.44	GLAND	2.14	(0.02)	70	2.14	TNPC	-	-	-	-
VIH	5.95	-	4,482	5.90	J	1.33	0.05	61,616	1.30	TRU	3.50	(0.06)	104	3.53
WPH	1.53	0.02	104	1.53	JCK	1.07	(0.06)	83,876	1.06	TSC	8.85	-	134	8.82
Tourism & Leisure					KC	-	-	-	-	Industrial Materials				
ASIA	-	-	-	-	KWG	0.68	-	184	0.68	ALLA	1.13	(0.01)	21,432	1.13
CENTEL	21.50	0.50	63,936	21.43	LALIN	6.20	0.10	8,888	6.13	ASEFA	3.34	0.12	5,935	3.27
CSR	70.00	0.25	4	69.50	LH	6.95	0.25	458,044	6.92	CPT	0.82	0.01	3,331	0.82
DTC	7.25	0.25	1,014	7.12	LPN	3.98	0.08	47,938	3.95	CRANE	1.61	0.02	9,961	1.61
ERW	2.58	0.08	98,301	2.57	MBK	11.40	0.10	39,129	11.51	CTW	5.35	(0.10)	1,420	5.32
GRAND	0.49	(0.01)	3,892	0.50	MJD	1.52	0.02	6,491	1.52	FMT	18.50	(0.70)	45	18.62
LRH	-	-	-	-	MK	3.04	0.06	2,662	3.01	HTECH	3.04	(0.06)	3,977	3.06
MANRIN	-	-	-	-	NCH	0.91	0.02	1	0.91	KKC	0.57	-	204	0.56
OHTL	-	-	-	-	NNCL	1.93	0.03	2,350	1.91	PK	1.55	(0.04)	681	1.57
ROH	-	-	-	-	NOBLE	20.00	(0.10)	21,469	20.00	SNC	10.80	0.70	15,929	10.52
SHANG	45.00	-	17	45.00	NUSA	0.25	-	47,469	0.25	STARK	1.80	0.03	2,666,190	1.80
SHR	1.82	0.01	23,906	1.83	NVD	1.02	(0.03)	13,918	1.02	TCJ	2.96	(0.02)	106	2.95
VRANDA	5.50	0.10	1,328	5.40	ORI	7.05	0.10	74,071	7.02	VARO	4.02	0.08	4	3.86
Home & Office Produ					PACE	-	-	-	-	Property Fund & REIT				
ACC	0.60	0.01	2	0.60	PF	0.34	-	84,323	0.35	AIMCG	6.05	0.15	1,826	5.97
AJA	0.11	(0.01)	2,952	0.11	PLAT	2.16	0.06	26,189	2.16	AIMIRT	12.80	0.40	631	12.48
DTCI	-	-	-	-	POLAR	-	-	-	-	AMATAR	10.00	-	31	9.96
FANCY	0.49	0.01	26	0.50	PRECHA	0.85	0.01	377	0.83	B-WORK	11.40	0.10	79	11.40
KYE	314.00	9.00	3	312.33	PRIN	1.70	0.02	42	1.67	BKER	5.55	(0.05)	742	5.54
L&E	1.62	-	257	1.69	PSH	10.80	0.50	15,794	10.74	BKKCP	11.80	-	480	11.80
MODERN	2.44	-	607	2.46	QH	2.22	0.10	332,733	2.19	BOFFICE	10.10	0.30	908	10.09
OGC	21.20	-	3	21.17	RICHY	0.68	0.02	4,310	0.66	CPNCG	10.10	0.10	2,208	10.05
ROCK	-	-	-	-	RML	0.56	0.01	85,482	0.56	CPNREIT	19.40	0.80	63,030	18.76
SIAM	1.43	(0.01)	260	1.41	ROJNA	4.00	0.04	9,201	4.01	CPTGF	9.30	-	1,086	9.41
TSR	3.70	0.02	28,074	3.58	S	1.19	0.02	22,637	1.19	CTARAF	4.96	(0.02)	601	4.94
Insurance					SAMCO	1.17	(0.02)	865	1.16	DREIT	3.86	0.14	2,758	3.88
AYUD	32.75	(0.25)	1	32.75	SC	2.46	0.02	36,131	2.46	ERWPF	4.30	0.10	506	4.30
BKI	274.00	-	159	274.01	SENA	2.82	0.04	19,481	2.80	FTREIT	12.80	(0.30)	15,546	12.78
BLA	17.80	-	4,972	17.98	SF	4.52	0.08	16,490	4.52	FUTUREPF	17.80	0.30	41	17.73
BUI	-	-	-	-	SIRI	0.64	0.03	632,859	0.63	GAHREIT	8.00	-	37	8.05
CHARAN	-	-	-	-	SPALI	16.50	0.50	49,898	16.39	GOLDFP	5.75	0.65	49	5.48
INSURE	-	-	-	-	U	1.11	(0.01)	31,996	1.12	GVREIT	10.80	-	268	10.82
MTI	85.50	-	84	85.68	UV	2.42	0.10	18,001	2.41	HPF	4.70	-	1,602	4.70
NKI	47.00	(1.00)	1	47.00	WHA	2.56	0.08	1,786,670	2.55	HREIT	7.60	0.05	624	7.56
NSI	67.50	(1.50)	8	69.25	WIN	0.31	-	1,588	0.30	IMPACT	18.50	0.30	4,358	18.25
SEG	27.00	(1.75)	58	27.26	Paper & Printing					KPNPF	-	-	-	-
SMK	36.50	(0.75)	48	36.06	UTP	13.70	-	24,398	13.79	LHHOTEL	9.20	-	139	9.20
THRE	1.32	(0.05)	272,423	1.33	Fashion	-	-	-	-	LHPF	5.35	-	351	5.38
THREL	2.64	-	32,005	2.64	AFC	-	-	-	-	LHSC	10.90	-	371	10.92
TIP	24.60	0.50	6,619	24.38	B52	0.14	-	2,168	0.14	LUXF	6.35	-	172	6.33
TQM	128.00	2.50	14,018	126.76	BTNC	-	-	-	-	M-II	-	-	-	-
TSI	0.27	-	5,281	0.27	CPH	3.14	0.12	17	3.15	M-PAT	2.80	(0.18)	150	2.43
TVI	3.32	(0.02)	59	3.33	CPL	1.09	0.05	254	1.08	M-STOR	-	-	-	-
Mining					ICC	28.50	0.50	8	28.50	MIPF	15.00	-	1	15.00
THL	-	-	-	-	NC	9.10	-	6	9.10	MIT	2.82	-	454	2.85
Packaging					PAF	0.49	(0.01)	1,009	0.49	MJLF	6.00	0.15	503	6.00
AJ	18.00	0.20	29,924	17.72	PDJ	1.39	0.01	255	1.38	MNIT	1.30	0.01	20	1.30
ALUCON	165.00	7.00	40	165.66	PG	-	-	-	-	MNIT2	4.78	(0.02)	1	4.78
BGC	9.10	0.25	30,394	9.00	SABINA	21.00	(0.40)	3,003	21.16	MNRF	-	-	-	-
CSC	50.00	-	50	49.60	SAWANG	11.10	(0.10)	1	11.10	POPF	10.20	0.20	26,394	10.10
GLOCON	0.93	-	40,892	0.92	SUC	33.75	(0.25)	10	33.80	PPF	-	-	-	-
NEP	0.23	-	510	0.23	TNL	-	-	-	-	PROSPECT	9.15	0.05	1,942	9.11
PTL	24.20	0.10	22,851	23.93	TPCORP	9.40	0.10	29	9.33	QHHR	5.65	0.05	859	5.66
SCGP	35.00	-	280,192	35.06	TR	29.00	(2.50)	422	28.39	QHOP	-	-	-	-
SFLEX	5.75	(0.05)	8,779	5.73	TTI	-	-	-	-	QHPP	9.15	-	2,292	9.12
SITHAI	0.64	0.02	952	0.63	TTT	53.00	-	101	53.01	SBPF	3.20	0.04	460	3.20
SLP	0.43	-	802	0.41	UPF	55.00	(1.00)	7	55.32	SHREIT	3.28	(0.06)	164	3.24
SMPC	11.10	-	2,905	11.16	UT	-	-	-	-	SIRIP	8.50	-	50	8.50
SPACK	2.94	(0.46)	64,666	3.07	WACOAL	-	-	-	-	SPF	11.60	(0.10)	4,839	11.56
TCOAT	-	-	-	-	Transportation 8					SPRIME	7.25	0.10	14	7.21
TFI	0.14	(0.01)	8,238	0.14	AAV	1.59	0.02	260,797	1.59	SRIPANWA	7.45	(0.15)	1,197	7.40
THIP	27.25	0.25	868	27.11	AOT	57.25	1.50	348,162	57.24	SSPF	9.05	-	252	9.05
TMD	22.40	0.40	68	22.18	ASIMAR	1.42	0.02	3,044	1.41	SSTRT	5.25	-	275	5.24
TOPP	-	-	-	-	B	0.29	-	5,277	0.29	TIF1	8.40	(0.05)	94	8.40
TPBI	5.20	0.15	8,588	5.30	BA	5.20	(0.05)	7,213	5.27	TLGF	15.60	0.10	10,207	15.57
TPP	11.70	0.10	1	11.70	BEM	8.85	0.30	462,948	8.82	TLHPF	8.40	-	1	8.40
Personal Products &					BTS	9.70	0.40	518,303	9.65	TNPF	2.00	0.01	401	2.00
APCO	3.76	-	3,483	3.71	BTSGIF	5.05	-	30,342	5.09	TPRIME	10.90	(0.50)	32	10.90
DDD	15.10	0.30	1,099	15.01	III	4.32	0.02	4,744	4.30	TTLPF	22.50	-	1	22.50
JCT	79.25	2.50	1	79.25	JUTHA	0.39	(0.01)	14	0.39	TU-PF	0.71	0.01	1	0.71
OCC	-	-	-	-	JWD	7.55	-	17,223	7.56	URBNPF	2.96	-	1	2.96
S & J	26.00	1.00	552	26.00	KWC	-	-	-	-	WHABT	8.65	0.15	11	8.65
STGT	87.50	(1.25)	84,253	88.71	NOK	0.58	0.01	2,734	0.57	WHART	12.70	(0.70)	18,503	12.80
STHAI	-	-	-	-	NYT	3.40	0.04	51,091	3.41	Steel	-	-	-	-
TNR	11.50	-	233	11.23	PORT	2.36	-	77,549	2.37	AMC	1.38	0.03	129	1.37
TOG	3.40	(0.02)	501	3.40	PRM	7.60	(0.05)	218,735	7.66	BSBM	0.87	0.01	1,530	0.87
Professional Service					PSL	5.15	0.23	236,660	5.10	CEN	0.59	0.01	691	0.59
BWG	0.45	-	58,716	0.45	RCL	8.70	1.10	206,074						

Main Board Quotation

Issue Date :

Monday November 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TITLE	2.82	(0.02)	3,174	2.00	ADVA06P2011A	-	-	-	-
ABICO	5.65	-	1,507	5.00	Resources (MAI)	-	-	-	-	ADVA08C2012A	0.12	0.02	10,015	-
AU	9.00	0.10	7,513	9.00	ABM	0.94	(0.01)	5,536	-	ADVA08C2103A	0.58	0.07	88,596	-
JCKH	0.28	(0.05)	2,113	-	AIE	0.72	0.04	455,619	-	ADVA08P2101A	0.51	(0.11)	34,282	-
KASET	1.18	(0.02)	1,142	1.00	ETC	1.86	(0.04)	299,202	1.00	ADVA11C2011A	-	-	-	-
MM	2.04	0.04	1,001	2.00	PSTC	1.59	0.04	126,307	1.00	ADVA11C2104A	0.66	0.08	90,518	-
SUN	4.66	0.60	199,734	4.00	QTC	3.92	0.02	2,143	3.00	ADVA11P2011A	0.15	(0.04)	35,001	-
TACC	6.40	0.05	61,530	6.00	SAAM	1.04	0.03	3,836	1.00	ADVA13C2012A	0.16	0.03	243,957	-
TMILL	3.26	0.04	3,772	3.00	SEAOIL	2.30	(0.02)	2,037	2.00	ADVA13C2101A	0.44	0.07	378,562	-
XO	10.60	0.10	32,790	10.00	SR	0.63	0.03	151	-	ADVA13P2012A	0.39	(0.09)	4,998	-
Consumer Products														
BGT	1.14	-	101	1.00	TAKUNI	0.37	-	6,506	-	ADVA19C2012A	0.16	0.04	191,427	-
BIZ	3.40	0.08	758	3.00	TPCH	11.10	0.30	12,212	10.00	ADVA19C2101A	0.36	0.08	633,753	-
DOD	8.55	0.05	10,243	8.00	TRT	1.62	(0.03)	2,920	1.00	ADVA19P2012A	0.30	(0.09)	423,866	-
ECF	1.32	0.01	15,863	1.00	UMS	0.30	0.02	1	-	ADVA24C2101A	0.23	0.03	26,727	-
HPT	0.75	0.01	2,807	-	UPA	0.19	-	272,849	-	ADVA28C2011A	-	-	-	-
IP	12.00	-	9,062	12.00	UWC	0.05	-	5,849	-	ADVA28C2012A	0.02	0.01	1,033	-
JUBILE	17.20	0.20	374	17.00	Services (MAI)	-	-	-	-	ADVA28C2012B	-	-	-	-
MOONG	4.00	0.06	1,929	3.00	A5	-	-	-	-	ADVA28C2101A	0.17	0.02	102,950	-
NPK	-	-	-	-	AMA	5.10	(0.05)	152,528	5.00	ADVA28C2102L	0.16	0.01	36,755	-
OCEAN	0.75	0.01	697	-	ARIP	0.50	0.01	15,864	-	ADVA28P2012A	-	-	-	-
TM	2.30	-	4,618	2.00	AUT30	0.83	0.01	9,177	-	ADVA41C2011A	0.06	(0.01)	1,000	-
Financials (MAI)														
ACAP	0.68	-	2,779	-	AUCT	12.10	(0.10)	24,250	12.00	ADVA41C2101A	0.40	0.08	262,740	-
AF	0.61	-	40	-	BOL	6.15	(0.05)	5,580	6.00	ADVA41P2011A	0.21	(0.06)	81,338	-
AIRA	0.82	(0.05)	123	-	CMO	0.85	0.01	935	-	ADVA42C2102T	0.26	-	2,022	-
ASN	4.48	0.34	221	4.00	D	3.28	-	520	3.00	AEON01C2102A	0.39	-	23,653	-
BROOK	0.40	-	5,970	-	DV8	0.31	0.01	2,153	-	AEON13C2011A	0.09	-	1,314	-
CHAYO	7.95	0.10	147,640	8.00	EFORL	0.03	0.01	29,936	-	AEON13C2012A	0.85	-	78	-
GCAP	1.30	0.01	7,824	1.00	ETE	1.03	0.01	3,791	1.00	AEON13C2101A	0.33	0.01	134,008	-
LIT	3.18	-	1,473	3.00	FSMART	7.05	0.25	54,494	6.00	AEON19C2011A	-	-	-	-
MITSIB	1.00	0.01	983	1.00	FVC	0.39	(0.01)	11,534	-	AEON19C2012A	-	-	-	-
SGF	0.49	0.03	31,189	-	GSC	1.18	-	2,339	1.00	AEON19C2101A	0.41	-	204,147	-
Industrials (MAI)														
ZS	3.46	(0.04)	2,410	3.00	HARN	2.12	0.04	8,435	2.00	AEON19C2102A	0.34	0.01	107,462	-
ADB	0.80	-	21	-	IMH	2.00	(0.02)	382	2.00	AEON28C2012A	-	-	-	-
BM	2.60	-	1,637	2.00	JKN	9.15	-	82,740	9.00	AEON28C2101A	-	-	-	-
CHO	0.50	0.01	14,038	-	KIAT	0.64	(0.02)	276,821	-	AEON28C2103A	0.37	-	83,815	-
CHOW	2.00	(0.06)	110	2.00	KK	1.23	(0.04)	39,530	1.00	AEON28C2104L	0.26	-	47,745	-
CIG	0.21	-	821	-	KOOL	0.92	(0.01)	7,547	-	AEON42C2101T	0.29	(0.01)	6,074	-
COLOR	1.23	(0.01)	1,508	1.00	LDC	1.29	0.01	2,718	1.00	AMAT01C2101A	0.16	0.03	61,337	-
CPR	2.26	-	914	2.00	LEO	3.74	0.26	945,774	3.00	AMAT06C2102A	0.16	0.04	40,473	-
FPI	1.39	0.01	5,077	1.00	MORE	0.81	-	245,518	-	AMAT08C2101A	0.20	0.03	20,000	-
GTB	0.71	-	1,709	-	MPG	0.25	0.01	11,742	-	AMAT13C2012A	0.07	0.02	5,165	-
KCM	0.44	(0.01)	1,526	-	MVP	1.17	(0.03)	717	1.00	AMAT13C2102A	0.30	0.07	557,902	-
KUMWEL	1.18	(0.04)	8,360	1.00	NBC	0.51	-	1,936	-	AMAT19C2011A	-	-	-	-
KWM	1.15	0.04	21,493	1.00	NCL	0.61	0.01	4	-	AMAT19C2012A	-	-	-	-
MBAX	7.80	(0.40)	25,344	7.00	NEWS	0.01	-	6,656	-	AMAT19C2101A	0.19	0.05	164,093	-
MGT	2.30	(0.54)	225,982	2.00	NINE	1.61	0.01	16	1.00	AMAT24C2103A	0.38	0.06	24,270	-
NDR	1.41	(0.01)	4,235	1.00	OTO	3.68	0.06	7,677	3.00	AMAT28C2012A	-	-	-	-
PDG	3.74	-	616	3.00	PHOL	2.40	-	3,290	2.00	AMAT28C2101A	-	-	-	-
PIMO	2.66	(0.02)	59,346	2.00	PICO	3.54	(0.16)	8	3.00	AMAT28C2102L	0.06	0.01	15,000	-
PJW	1.27	0.01	3,752	1.00	QLT	4.00	(0.04)	178	3.00	AMAT28C2103A	0.21	0.03	52,118	-
PPM	0.73	(0.01)	310	-	RP	1.19	0.01	357	1.00	AMAT42C2101T	0.05	0.01	100	-
PRAPAT	1.29	0.01	86,109	1.00	SE	1.19	-	403	1.00	AOT01C2012A	0.40	0.04	73,946	-
RWI	1.31	-	6	1.00	SLM	-	-	-	-	AOT01C2102A	0.40	0.05	65,594	-
SALEE	0.63	-	151	-	SONIC	1.29	0.06	8,119	1.00	AOT01C2102T	0.30	0.04	59,831	-
SANKO	0.95	(0.01)	27	-	SPA	5.90	0.10	3,075	5.00	AOT01P2012A	0.05	(0.04)	7,171	-
SELIC	1.81	0.03	2,996	1.00	THMUI	0.65	(0.01)	2,721	-	AOT01P2012B	0.32	(0.06)	58,721	-
SFT	4.08	0.16	95,897	4.00	TNDT	2.96	-	364	2.00	AOT01P2102T	0.42	(0.03)	36,807	-
SWC	4.40	(0.02)	913	4.00	TNH	34.25	-	152	34.00	AOT06C2011A	0.01	-	17	-
TMC	0.70	0.03	4,351	-	TNP	3.72	-	20,982	3.00	AOT06C2102A	0.37	0.06	71,306	-
TMI	0.65	-	39,104	-	TSF	-	-	-	-	AOT06P2011A	0.02	(0.59)	2,100	-
TMW	32.00	1.50	366	31.00	TVD	1.00	-	6,018	1.00	AOT06P2103A	0.37	(0.05)	71,978	-
TPAC	13.20	0.20	42	13.00	TVT	0.68	0.02	240	-	AOT08C2101A	0.32	0.04	109,024	-
TPLAS	1.48	-	5,809	1.00	VL	1.05	0.03	132,400	1.00	AOT08P2102A	0.46	(0.07)	64,867	-
UBIS	5.15	0.05	10,170	5.00	WINNER	2.52	0.06	2,082	2.00	AOT11C2011A	0.09	-	100	-
UEC	0.85	-	3,133	-	YGG	12.40	-	5,075	12.00	AOT11P2101A	0.21	(0.04)	72,403	-
UKEM	0.54	0.03	35,336	-	Technology (MAI)	-	-	-	-	AOT13C2011A	-	-	-	-
UREKA	0.83	-	388	-	APP	2.44	(0.12)	17,264	2.00	AOT13C2012A	0.25	0.04	385,898	-
YUASA	15.10	0.20	1,524	15.00	COMAN	2.18	0.06	1,317	2.00	AOT13C2101A	0.21	0.03	456,652	-
ZIGA	2.80	(0.04)	115,048	2.00	ICN	2.18	0.04	9,221	2.00	AOT13C2102A	0.57	0.05	15,216	-
Property & Construc														
ALL	3.30	(0.02)	637,426	3.00	IIG	20.60	(0.60)	13,514	20.00	AOT13P2011A	0.01	-	1,821	-
ARIN	0.89	(0.05)	1,833	-	INSET	3.64	(0.04)	60,509	3.00	AOT13P2101A	0.30	(0.07)	54,296	-
ARROW	7.00	-	1,726	7.00	IRCP	0.70	-	423	-	AOT13P2102A	0.27	(0.05)	201,390	-
BC	0.81	0.01	3,816	-	ITEL	3.00	(0.02)	12,834	3.00	AOT16C2012A	0.31	0.06	5,520	-
BSM	0.27	0.01	3,377	-	NETBAY	26.25	0.50	2,490	26.00	AOT19C2011A	-	-	-	-
BTW	0.80	0.03	215	-	PLANET	1.19	0.02	2,540	1.00	AOT19C2011B	0.04	-	1,000	-
CAZ	1.60	0.04	22,433	1.00	SICT	4.24	(0.34)	74,222	4.00	AOT19C2012A	0.25	0.03	723,600	-
CHEWA	0.48	-	22,622	-	SIMAT	3.68	0.08	2,934	3.00	AOT19C2102A	0.52	0.08	39,042	-
CMC	0.72	0.01	1,072	-	SKY	12.60	-	1,102	12.00	AOT19P2011A	0.12	(0.04)	73,954	-
CRD	0.42	0.01	27	-	SPVI	3.26	(0.08)	53,708	3.00	AOT19P2011B	-	-	-	-
DHOUSE	0.56	-	90,194	-	TPS	2.40	0.02	6,057	2.00	AOT19P2102A	0.22	(0.04)	413,668	-
DIMET	0.14	(0.01)	831,180	-	VCOM	5.30								

Main Board Quotation

Issue Date :

Monday November 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AWC06C2011A	-	-	-	-	BPCG28C2103L	0.16	-	26,500	-	BTS19P2012A	-	-	-	-
AWC06C2103A	0.28	0.05	78,151	-	BDM501C2101A	0.15	0.01	113,349	-	BTS19P2102A	0.26	(0.06)	61,898	-
AWC06P2012A	0.25	(0.10)	44,380	-	BDM506C2102A	0.12	0.02	38,494	-	BTS24C2012A	-	-	-	-
AWC08C2012A	0.04	-	30	-	BDM508C2011A	-	-	-	-	BTS41C2012A	-	-	-	-
AWC11C2102A	0.22	0.03	27,341	-	BDM508C2101A	0.12	0.02	10,000	-	CBG01C2102A	0.17	0.02	40,338	-
AWC13C2011A	-	-	-	-	BDM511C2011A	-	-	-	-	CBG01C2102A	0.62	0.09	114,771	-
AWC13C2101A	0.11	0.02	84,154	-	BDM511P2104A	0.41	(0.05)	50,606	-	CBG01C2103T	0.46	0.06	52,989	-
AWC13C2102A	0.44	0.07	521,788	-	BDM513C2011A	-	-	-	-	CBG01P2101A	0.16	(0.05)	33,478	-
AWC13P2011A	0.09	(0.04)	18,188	-	BDM513C2012A	0.05	0.01	9,844	-	CBG01P2102A	0.51	(0.08)	49,406	-
AWC13P2102A	0.20	(0.05)	230,865	-	BDM513C2101A	0.21	0.02	168,125	-	CBG06C2101A	0.07	0.01	2	-
AWC19C2101A	0.13	0.03	85,141	-	BDM513P2102A	0.28	(0.04)	124,749	-	CBG06C2102A	0.70	0.12	57,293	-
AWC19C2102A	0.26	0.04	113,926	-	BDM519C2011A	-	-	-	-	CBG08C2012A	0.44	0.07	46,688	-
AWC19C2103A	0.48	0.06	49,221	-	BDM519C2012A	0.05	-	750	-	CBG11C2101A	0.46	0.06	32,273	-
AWC19P2011A	0.06	(0.03)	18,450	-	BDM519C2102A	0.17	0.02	92,743	-	CBG13C2011A	0.10	-	8,794	-
AWC19P2102B	0.26	(0.06)	139,771	-	BDM519P2102A	0.30	(0.05)	117,493	-	CBG13C2102A	0.17	0.04	178,793	-
AWC24C2101A	0.36	0.06	10,962	-	BDM524C2101A	0.15	0.02	8,954	-	CBG13C2101A	0.50	0.08	76,346	-
AWC28C2012A	-	-	-	-	BDM528C2011A	-	-	-	-	CBG13C2102A	0.69	0.11	258,396	-
AWC28C2012B	-	-	-	-	BDM528C2012A	-	-	-	-	CBG13P2011A	0.01	(0.01)	7,150	-
AWC28C2101A	0.09	0.02	81	-	BDM528C2012E	-	-	-	-	CBG13P2101A	0.42	(0.10)	97,690	-
AWC28C2103L	0.09	0.03	3,724	-	BDM528C2101A	-	-	-	-	CBG16C2101A	0.54	0.09	10,716	-
AWC41C2011A	-	-	-	-	BDM528C2102A	-	-	-	-	CBG19C2011A	0.39	0.08	35,540	-
AWC41C2102A	0.11	0.02	200	-	BDM528C2103A	0.20	0.03	54,674	-	CBG19C2011B	0.06	0.01	954	-
AWC42C2101T	-	-	-	-	BDM541C2012A	-	-	-	-	CBG19C2101A	0.40	0.07	259,110	-
BANP01C2101A	0.39	-	32,724	-	BDM541P2011A	-	-	-	-	CBG19C2102A	0.69	0.11	104,873	-
BANP01C2103A	0.30	-	27,346	-	BDM542C2101T	0.03	-	3,300	-	CBG19P2011A	-	-	-	-
BANP01P2101A	0.19	(0.01)	9,905	-	BEM01C2101A	-	-	-	-	CBG19P2102A	0.25	(0.07)	134,729	-
BANP06C2101A	0.44	0.02	26,631	-	BEM08C2102A	0.12	0.01	11,660	-	CBG24C2102A	0.67	0.09	19,711	-
BANP06P2011A	-	-	-	-	BEM11C2011A	-	-	-	-	CBG41C2011A	1.10	0.28	70	1.00
BANP06P2103A	0.29	(0.03)	10,300	-	BEM13C2011A	-	-	-	-	CBG41C2011B	-	-	-	-
BANP08C2102A	0.42	0.01	18,102	-	BEM13C2101A	0.24	0.04	135,450	-	CBG41C2012A	0.09	0.04	6,400	-
BANP08P2102A	0.22	(0.01)	2,000	-	BEM13P2102A	0.16	(0.05)	17,747	-	CBG41P2012A	0.38	(0.10)	43,669	-
BANP11C2104A	0.41	-	9,970	-	BEM19C2011A	-	-	-	-	CBG42C2101T	0.68	0.09	8,218	-
BANP13C2011A	0.05	(0.01)	21,100	-	BEM19C2101A	0.21	0.04	34,504	-	CENT01C2103A	0.52	0.02	14,001	-
BANP13C2102A	0.31	(0.01)	45,943	-	BEM19C2102A	0.38	0.05	40,914	-	CENT08C2012A	0.11	-	761	-
BANP13C2102A	0.26	0.01	72,451	-	BEM19P2102A	0.26	(0.05)	49,056	-	CENT11C2012A	-	-	-	-
BANP13P2012A	0.07	-	7,010	-	BEM28C2012A	-	-	-	-	CENT13C2011A	0.01	(0.01)	500	-
BANP13P2102A	0.32	(0.02)	45,454	-	BEM28C2103A	0.21	0.03	30,733	-	CENT13C2101A	0.32	0.02	122,984	-
BANP16C2101A	0.32	0.01	10,940	-	BEM28C2104L	0.19	0.02	8,084	-	CENT13P2011A	0.08	(0.01)	40	-
BANP19C2012A	0.34	0.01	7,594	-	BGR101C2012A	-	-	-	-	CENT19C2011A	-	-	-	-
BANP19C2102A	0.26	-	102,086	-	BGR101C2102A	0.54	0.08	95,290	-	CENT19C2011B	-	-	-	-
BANP19P2012A	-	-	-	-	BGR101P2012A	0.10	(0.03)	50,015	-	CENT19C2101A	0.31	0.03	29,837	-
BANP19P2102A	0.25	(0.02)	26,352	-	BGR106C2102A	0.49	0.09	140,402	-	CENT19P2011A	0.05	(0.03)	16,103	-
BANP24C2011A	-	-	-	-	BGR106P2011A	-	-	-	-	CENT24C2011A	-	-	-	-
BANP28C2012A	0.13	(0.01)	15,410	-	BGR108C2101A	0.33	0.05	60,528	-	CENT28C2012A	-	-	-	-
BANP28C2012B	0.10	(0.02)	14,526	-	BGR111C2101A	0.17	0.04	53,735	-	CENT28C2012B	-	-	-	-
BANP28C2101A	0.38	0.01	5,142	-	BGR113C2011A	-	-	-	-	CENT28C2101A	0.11	-	24,224	-
BANP42C2012T	-	-	-	-	BGR113C2012A	0.21	0.04	366,225	-	CENT28C2101B	0.03	-	400	-
BBL06C2101A	0.57	(0.01)	68,812	-	BGR113C2101A	0.39	0.08	462,960	-	CENT28C2103L	0.16	-	42,600	-
BBL06P2011A	-	-	-	-	BGR113P2011A	-	-	-	-	CHG06C2102A	0.17	0.01	11,703	-
BBL08C2101A	0.23	(0.02)	29,122	-	BGR113P2101A	0.09	(0.04)	64,797	-	CHG13C2012A	-	-	-	-
BBL08C2103A	1.38	0.03	1,154	1.00	BGR19C2011A	0.02	0.01	812	-	CHG19C2011A	-	-	-	-
BBL08P2102A	0.48	(0.03)	97,895	-	BGR19C2012A	0.15	0.04	365,488	-	CHG19C2103A	0.18	0.01	66,838	-
BBL11C2011A	0.18	0.02	51,945	-	BGR19C2101A	0.45	0.08	357,108	-	CK01C2101A	0.11	0.01	1,001	-
BBL11C2104A	1.10	0.05	14,524	1.00	BGR19P2102A	0.21	(0.03)	46,265	-	CK01P2101A	0.47	(0.07)	22,837	-
BBL11P2102A	0.33	(0.01)	60,567	-	BGR124C2101A	0.50	0.09	24,477	-	CK06C2102A	0.14	0.02	9,804	-
BBL13C2012A	0.20	(0.01)	159,860	-	BGR127C2101A	-	-	-	-	CK06C2103A	0.42	0.05	39,641	-
BBL13C2012B	0.53	(0.02)	250	-	BGR127P2012A	0.11	(0.03)	5,630	-	CK06P2012A	0.42	(0.10)	14,515	-
BBL13C2103A	0.42	(0.58)	241,964	-	BGR141C2012A	-	-	-	-	CK11C2012A	0.05	-	500	-
BBL13P2012A	0.22	(0.01)	158,841	-	BGR141C2101A	0.19	0.02	13,876	-	CK13C2012A	-	-	-	-
BBL19C2011A	0.02	-	615	-	BGR142C2101T	-	-	-	-	CK13C2102A	0.35	0.03	225,406	-
BBL19C2011B	-	-	-	-	BH01C2103A	0.20	0.01	19,102	-	CK19C2011A	-	-	-	-
BBL19C2012A	0.47	0.07	200	-	BH13C2012A	0.03	-	3,329	-	CK19C2012A	-	-	-	-
BBL19C2101A	0.32	(0.01)	110,300	-	BH13C2101A	0.28	0.03	235,477	-	CK19C2103A	0.28	0.03	87,144	-
BBL19C2101B	0.86	0.10	10	-	BH13P2101A	0.32	(0.05)	50,277	-	CK19P2011A	-	-	-	-
BBL19P2011A	0.10	(0.02)	15,642	-	BH19C2012A	-	-	-	-	CK19P2102A	0.29	(0.03)	2,136	-
BBL19P2012A	0.13	(0.02)	56,121	-	BH19C2101A	0.49	0.08	264,527	-	CK24C2102A	0.12	0.02	100	-
BBL24C2102A	1.07	0.06	3,114	1.00	BH19P2012A	0.40	(0.05)	61,689	-	CK41C2011A	-	-	-	-
BBL28C2011A	-	-	-	-	BH24C2102A	0.12	0.02	28,203	-	CK41C2012A	-	-	-	-
BBL28C2012A	-	-	-	-	BH41C2012A	-	-	-	-	CK42C2101T	-	-	-	-
BBL28C2101A	0.14	(0.01)	53,699	-	BJ01C2101A	0.12	0.02	42,256	-	CKP01C2101A	0.07	-	475	-
BBL28C2103A	-	-	-	-	BJ01P2101A	0.39	(0.10)	57,372	-	CKP01P2101A	0.42	(0.06)	10,830	-
BBL28C2104L	0.18	0.01	36,788	-	BJ06C2102A	0.07	0.02	33,084	-	CKP06C2012A	0.10	0.01	6,910	-
BBL41C2011A	-	-	-	-	BJC11C2102A	0.12	0.02	85,560	-	CKP06C2103A	1.22	0.13	20,101	1.00
BBL41C2012A	-	-	-	-	BJC13C2011A	-	-	-	-	CKP08C2012A	0.10	0.02	45	-
BBL41C2012B	0.22	0.03	47,000	-	BJC13C2012A	-	-	-	-	CKP08C2103A	-	-	-	-
BBL41C2102A	-	-	-	-	BJC13C2101A	0.12	0.02	416,511	-	CKP11C2012A	0.17	0.01	7,463	-
BBL41P2011A	-	-	-	-	BJC13P2012A	0.18	(0.08)	43,850	-	CKP13C2011A	0.02	0.01	987	-
BBL41P2102A	0.53	(0.08)	86,968	-	BJC19C2012A	0.04	0.01	450	-	CKP13C2101A	0.15	0.02	42,182	-
BBL42C2101T	0.07	0.01	30	-	BJC19C2103A	0.19	0.04	159,279	-	CKP13C2102A	0.83	0.05	58,527	-
BBL42P2102T	0.20	(0.06)	20	-	BJC19P2012A	0.22	(0.07)	24,953	-	CKP16C2012A	0.04	-	1,100	-
BCH01C2101A	0.20	0.01	7,384	-	BJC28C2012A	-	-	-	-	CKP19C2011A	0.19	0.04	3,254	-
BCH06C2011A	-	-	-	-	BJC28C2012B	-	-	-	-	CKP19C2011B	-	-	-	-
BCH06C2103A	0.32	0.04	29,334	-	BJC28C2101A	-	-	-	-	CKP19C2101A	0.15	0.02	4,408	-
BCH13C2012A	0.12	-	27,812	-	BJC28C2102L	0.04	(0.01)	100	-	CKP19C2102A	0.66	0.05	7,810	-
BCH13C2102A	0.27	0.03	179,628	-	BJC28C2103A	0.19	0.04	44,188	-	CKP19P2012A	0.23	(0.03)	23,982	-
BCH19C2011A	0.04	-	4,500	-	BJC41C2011A	-	-	-	-	CKP24C2011A	-	-	-	-
BCH19C2103A	0.29	0.03	68,207	-	BJC41C2012A	-	-	-	-	CKP28C2011A	-	-	-	-
BCP13C2011A	-	-	-	-	BPP13C2011A	0.02	-	11	-	CKP28C2012A	0.66	0.30	80	-
BCP13C2012A	-	-	-</											

Main Board Quotation

Issue Date :

Monday November 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM719P2101A	0.19	(0.01)	149,423	-	CRC19C2012A	0.07	0.01	4	-	ESSO19C2012A	-	-	-	-
COM719P2102A	0.51	-	59,934	-	CRC19C2010A	0.20	0.04	229,416	-	ESSO19C2103A	0.32	0.04	18,857	-
COM724C2012A	0.25	(0.04)	27,252	-	CRC19P2011A	-	-	-	-	ESSO19P2012A	0.14	(0.03)	21,270	-
COM741C2101A	0.20	-	45,073	-	CRC24C2101A	0.11	0.02	14,332	-	ESSO24C2012A	0.05	-	1	-
CPAL01C2101A	0.15	0.02	126,678	-	CRC28C2011A	-	-	-	-	ESSO28C2101A	0.06	-	50	-
CPAL01C2103A	0.52	(0.48)	26,729	-	CRC28C2012A	-	-	-	-	ESSO28C2101B	-	-	-	-
CPAL01P2101A	0.40	(0.05)	135,559	-	CRC28C2101A	0.11	0.01	30,726	-	ESSO41C2011A	-	-	-	-
CPAL06C2011A	-	-	-	-	CRC41C2012A	0.07	0.01	70	-	ESSO42C2101T	0.10	-	6	-
CPAL06C2102A	0.13	0.02	41,072	-	DELT13C2011A	9.25	0.30	173	9.00	GFPT08C2011A	-	-	-	-
CPAL06P2012A	0.30	(0.06)	99,441	-	DOHO06C2012	0.14	(0.04)	60,034	-	GFPT19C2012A	0.07	-	25,228	-
CPAL08C2011A	0.01	-	10	-	DOHO08C2012	0.26	(0.04)	50,622	-	GFPT19C2103A	0.26	0.01	18,592	-
CPAL08C2102A	0.24	0.03	25,170	-	DOHO11C2101	0.29	(0.02)	46,263	-	GFPT24C2012A	0.03	(0.09)	920	-
CPAL08P2101A	0.49	(0.08)	176	-	DOHO13C2011	0.04	(0.01)	35,802	-	GFPT42C2101T	-	-	-	-
CPAL11C2012A	-	-	-	-	DOHO13C2101	0.11	(0.03)	132,265	-	GLOB01C2012A	-	-	-	-
CPAL13C2011A	-	-	-	-	DOHO19C2011	0.08	(0.04)	82,916	-	GLOB13C2011A	0.01	-	1,250	-
CPAL13C2012A	0.06	0.01	1,822	-	DOHO19C2101	0.15	(0.02)	357,817	-	GLOB13C2102A	0.21	(0.01)	57,459	-
CPAL13C2101A	0.24	0.03	161,948	-	DOHO28C2012	0.11	(0.02)	52,868	-	GLOB19C2012A	0.04	-	1,753	-
CPAL13C2102A	0.48	0.03	217,907	-	DOHO28C2102	0.16	(0.02)	9,191	-	GLOB19C2102A	0.25	-	27,425	-
CPAL13P2011A	0.04	(0.08)	1	-	DOHO42C2012	0.13	(0.04)	56	-	GPSC01C2012A	0.16	0.05	1,288	-
CPAL13P2102A	0.26	(0.03)	113,458	-	DTAC01C2101A	0.13	0.03	52,377	-	GPSC01C2101A	0.44	0.02	36,114	-
CPAL19C2011A	-	-	-	-	DTAC01P2101A	0.21	(0.05)	48,902	-	GPSC01C2103A	1.33	0.33	10,670	1.00
CPAL19C2012A	0.11	0.02	29,014	-	DTAC06C2012A	-	-	-	-	GPSC01P2012A	0.21	(0.04)	22,082	-
CPAL19C2102A	0.23	0.04	416,473	-	DTAC06C2103A	0.32	0.08	86,308	-	GPSC06C2011A	0.01	-	435	-
CPAL19C2103A	0.45	0.04	33,115	-	DTAC06P2012A	0.30	(0.11)	35,015	-	GPSC06C2101A	0.18	0.02	57,891	-
CPAL19P2101A	0.30	(0.04)	435,215	-	DTAC08C2012A	-	-	-	-	GPSC06C2103A	1.21	0.05	58,930	1.00
CPAL24C2103A	0.36	0.02	19,366	-	DTAC08C2101A	0.13	0.02	10,000	-	GPSC06P2011A	0.09	(0.05)	4,548	-
CPAL27C2101A	-	-	-	-	DTAC13C2011A	0.01	-	1	-	GPSC08C2101A	0.23	0.01	17,350	-
CPAL28C2012A	-	-	-	-	DTAC13C2012A	0.07	0.01	300	-	GPSC08C2103A	0.86	0.03	48,746	-
CPAL28C2012B	-	-	-	-	DTAC13C2101A	0.14	0.04	271,782	-	GPSC11C2102A	0.39	0.02	49,474	-
CPAL28C2012C	-	-	-	-	DTAC13C2103A	0.29	0.06	237,007	-	GPSC13C2011A	-	-	-	-
CPAL28C2102A	0.09	0.02	24,376	-	DTAC13P2011A	-	-	-	-	GPSC13C2012A	0.08	0.01	7,488	-
CPAL28C2103A	0.25	0.03	70,139	-	DTAC13P2101A	0.13	(0.03)	59,402	-	GPSC13C2012B	0.20	-	126,538	-
CPAL28C2104L	0.13	0.01	12,168	-	DTAC19C2011A	-	-	-	-	GPSC13C2101A	0.54	0.02	1,029,597	-
CPAL41C2011A	0.02	-	6,500	-	DTAC19C2012A	0.05	0.02	150	-	GPSC13C2102A	0.89	0.06	165,283	-
CPAL41C2101A	0.19	0.03	3,958	-	DTAC19C2101A	0.17	0.04	141,250	-	GPSC13P2011A	-	-	-	-
CPAL41C2101B	0.44	0.07	61,938	-	DTAC19C2103A	0.33	0.06	151,602	-	GPSC13P2011B	0.02	(0.03)	1,000	-
CPAL41P2011A	-	-	-	-	DTAC19P2011A	0.12	(0.05)	3,056	-	GPSC13P2101A	0.24	(0.02)	86,091	-
CPAL41P2101A	0.43	(0.04)	105,669	-	DTAC24C2012A	0.02	(0.04)	1,000	-	GPSC13P2102B	0.65	(0.35)	263,765	-
CPAL41P2101B	0.19	(0.02)	4,472	-	DTAC28C2012A	-	-	-	-	GPSC19C2012A	0.15	0.01	154,700	-
CPAL42C2101T	-	-	-	-	DTAC28C2102A	-	-	-	-	GPSC19C2101A	0.33	0.02	187,954	-
CPF01C2012A	0.04	0.01	86	-	DTAC28C2103A	0.19	0.03	38,811	-	GPSC19C2101B	0.57	0.04	192,499	-
CPF01C2101A	0.14	0.03	83,786	-	DTAC28C2104L	0.16	0.02	21,294	-	GPSC19C2102A	0.91	0.06	44,570	-
CPF01P2012A	0.33	(0.10)	34,532	-	DTAC41C2011A	-	-	-	-	GPSC19P2011A	0.20	(0.05)	181,902	-
CPF06C2102A	0.13	0.03	54,903	-	DTAC41C2012A	-	-	-	-	GPSC19P2012A	0.12	(0.03)	292,173	-
CPF06P2011A	-	-	-	-	DTAC42C2101T	0.02	(0.01)	30	-	GPSC19P2102A	0.28	(0.02)	127,537	-
CPF08C2102A	0.13	0.01	16,500	-	EA06C2102A	0.37	0.03	81,019	-	GPSC24C2011A	-	-	-	-
CPF08P2103A	-	-	-	-	EA06P2012A	0.11	(0.03)	15,300	-	GPSC28C2011A	-	-	-	-
CPF11C2104A	0.30	0.06	93,930	-	EA08C2101A	0.36	0.03	26,015	-	GPSC28C2101A	0.20	0.02	45,866	-
CPF11P2104A	0.35	(0.06)	79,748	-	EA11C2101A	0.09	0.02	20,980	-	GPSC28C2103A	0.65	0.06	129,668	-
CPF13C2011A	-	-	-	-	EA13C2011A	0.02	-	600	-	GPSC28C2104L	0.24	0.02	47,287	-
CPF13C2012A	0.04	0.01	3,300	-	EA13C2012A	0.13	0.01	92,286	-	GPSC41C2011A	-	-	-	-
CPF13C2101A	0.10	0.02	137,676	-	EA13C2101A	0.38	0.03	249,401	-	GPSC41C2012A	-	-	-	-
CPF13C2102A	0.19	0.03	194,866	-	EA13P2011A	0.12	(0.06)	12,189	-	GPSC42C2101T	-	-	-	-
CPF13P2012A	-	-	-	-	EA13P2101A	0.10	(0.02)	71,098	-	GULF01C2012A	0.11	0.01	91,576	-
CPF13P2101A	0.13	(0.05)	178,324	-	EA16C2012A	-	-	-	-	GULF01C2102A	0.34	0.06	87,152	-
CPF16C2012A	-	-	-	-	EA16C2102A	0.43	0.03	13,373	-	GULF01P2012A	-	-	-	-
CPF19C2012A	0.03	0.01	34,299	-	EA19C2012A	0.15	0.01	227,064	-	GULF01P2102A	0.17	(0.04)	83,905	-
CPF19C2102A	0.15	0.03	272,077	-	EA19C2101A	0.39	0.03	68,398	-	GULF06C2101A	0.25	0.06	79,790	-
CPF19C2103A	0.26	0.04	62,014	-	EA19P2011A	-	-	-	-	GULF08C2012A	0.07	-	1,110	-
CPF19P2012A	-	-	-	-	EA19P2011B	0.04	(0.04)	200	-	GULF08C2101A	0.30	0.04	46,568	-
CPF19P2101A	0.17	(0.04)	79,580	-	EA19P2102A	0.30	(0.03)	55,904	-	GULF11C2012A	0.02	-	2,300	-
CPF24C2012A	0.01	(0.01)	1,429	-	EA24C2101A	0.29	0.02	17,074	-	GULF11C2104A	0.43	0.05	43,374	-
CPF28C2011A	-	-	-	-	EA28C2011A	-	-	-	-	GULF11P2104A	0.32	(0.05)	62,184	-
CPF28C2012A	0.03	0.02	63	-	EA28C2012A	0.12	0.01	24,294	-	GULF13C2011A	-	-	-	-
CPF28C2012B	-	-	-	-	EA28C2101A	0.11	0.01	12,368	-	GULF13C2012A	0.06	0.02	69,790	-
CPF28C2102A	0.04	-	6,000	-	EA28C2102A	0.23	0.02	55,349	-	GULF13C2012B	0.19	0.05	416,855	-
CPF28C2103A	0.13	0.03	27,578	-	EA28C2103L	0.13	0.01	10,566	-	GULF13C2102A	0.40	0.06	808,825	-
CPF28C2103L	-	-	-	-	EA41C2011A	-	-	-	-	GULF13P2011A	-	-	-	-
CPF41C2101A	-	-	-	-	EA41C2101A	0.12	0.02	3,979	-	GULF13P2101A	0.08	(0.03)	3,071	-
CPF41C2102A	0.20	0.04	20,849	-	EA42C2101T	0.17	0.01	20,052	-	GULF16C2012A	-	-	-	-
CPF41P2011A	-	-	-	-	EGC001C2101A	0.09	-	2,125	-	GULF19C2012A	0.10	0.02	53,392	-
CPF41P2102A	0.20	(0.04)	14,842	-	EGC001C2103A	0.99	0.12	3,843	-	GULF19C2101A	0.22	0.05	672,370	-
CPF42C2101T	0.02	0.01	62,147	-	EGC001P2101A	0.68	(0.07)	2,430	-	GULF19C2103A	0.42	0.07	106,640	-
CPN01C2012A	-	-	-	-	EGC013C2011A	-	-	-	-	GULF19P2012A	0.10	(0.04)	1,268	-
CPN01C2101A	0.34	0.14	126,858	-	EGC013C2012P	-	-	-	-	GULF19P2102A	0.11	(0.04)	238,999	-
CPN01P2012A	0.26	(0.15)	137,961	-	EGC013C2012E	0.12	0.03	348,378	-	GULF24C2101A	0.19	0.04	10,421	-
CPN06C2103A	0.43	0.18	153,132	-	EGC013C2101A	0.49	0.11	528,969	-	GULF28C2012A	-	-	-	-
CPN11C2101A	0.10	0.04	32,578	-	EGC013P2011A	0.47	(0.20)	1,100	-	GULF28C2012B	-	-	-	-
CPN13C2011A	-	-	-	-	EGC019C2011A	-	-	-	-	GULF28C2101A	0.12	0.01	59,985	-
CPN13C2012A	0.12	0.06	143,191	-	EGC019C2012P	0.02	-	1,570	-	GULF28C2102A	0.15	0.03	28,857	-
CPN13C2102A	0.56	0.22	153,682	-	EGC019C2012E	0.26	0.08	241,783	-	GULF41C2011A	-	-	-	-
CPN19C2011A	-	-	-	-	EGC019C2102A	0.82	0.17	386,147	-	GULF41C2012A	-	-	-	-
CPN19C2012A	-	-	-	-	EGC019P2011A	0.63	(0.20)	50,230	-	GULF41C2102A	0.20	0.04	22,250	-
CPN19C2102A	0.30	0.14	360,329	-	EGC019P2012A	0.44	(0.12)	230,847	-	GULF41C2102B	0.50	0.09	13,001	-
CPN19P2101A	0.18	(0.10)	85,764	-	EGC041C2011P	0.07	0.01	12,413	-	GULF41P2011A	-	-	-	-
CPN24C2011A	-	-	-	-	EGC042C2101T	-	-	-	-	GULF41P2012A	0.09	(0.04)	22,789	-
CPN24C2102A	0.50	0.19	26,606	-	EPG13C2011A	-	-	-	-	GULF41P2102A	0.			

Main Board Quotation

Issue Date :

Monday November 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
HANA01C2102B	0.30	(0.70)	92,880	-	IRPC19C2012A	-	-	-	-	KBAN13P2011A	-	-	-	-
HANA01P2102A	0.94	(0.06)	41,856	-	IRPC19C2101A	0.13	0.03	119,853	-	KBAN13P2012A	0.31	(0.04)	209,456	-
HANA06C2102A	0.16	(0.05)	151,772	-	IRPC19C2103A	0.28	0.06	159,882	-	KBAN16C2101A	0.57	0.02	25,606	-
HANA11C2103A	0.36	(0.07)	17,450	-	IRPC19P2011A	-	-	-	-	KBAN19C2011A	-	-	-	-
HANA13C2011A	0.04	(0.26)	7,700	-	IRPC19P2012A	0.11	(0.04)	11,886	-	KBAN19C2012A	0.19	(0.01)	29,835	-
HANA13C2012A	0.04	(0.04)	723,802	-	IRPC24C2012A	0.03	-	1,900	-	KBAN19C2012B	0.07	-	18,759	-
HANA13C2102A	0.19	(0.06)	566,714	-	IRPC28C2012A	-	-	-	-	KBAN19C2101A	0.50	-	918,833	-
HANA13P2101A	0.73	0.10	345,382	-	IRPC28C2101A	-	-	-	-	KBAN19P2012A	0.23	(0.01)	106,430	-
HANA16C2101A	0.19	(0.06)	19,756	-	IRPC28C2103A	0.14	0.04	29,584	-	KBAN24C2012A	0.10	0.02	11,984	-
HANA19C2012A	0.09	(0.05)	152,668	-	IRPC41C2101A	-	-	-	-	KBAN24C2103A	0.77	-	30,520	-
HANA19C2101A	0.09	(0.03)	60,956	-	IVL01C2012A	0.10	0.05	1,140	-	KBAN28C2012A	0.03	-	1	-
HANA19C2102A	0.21	(0.06)	786,494	-	IVL01C2012B	0.34	-	50,241	-	KBAN28C2012B	-	-	-	-
HANA19P2011A	-	-	-	-	IVL01C2102A	0.16	0.02	168,456	-	KBAN28C2101A	0.17	-	50,788	-
HANA19P2101A	0.74	0.12	820	-	IVL01C2102B	0.72	0.02	35,345	-	KBAN28C2103A	0.64	0.03	118,348	-
HANA24C2012A	0.23	(0.08)	23,946	-	IVL01C2103T	0.52	0.02	38,762	-	KBAN28C2104L	0.22	(0.01)	39,514	-
HANA27P2012X	0.05	0.01	267	-	IVL01P2012A	0.21	(0.04)	89,815	-	KBAN28P2012A	-	-	-	-
HANA28C2012A	0.12	(0.08)	156,163	-	IVL01P2102A	0.42	(0.04)	168,901	-	KBAN41C2011A	-	-	-	-
HANA28C2104L	0.12	(0.03)	75,554	-	IVL06C2101A	0.30	0.05	346,045	-	KBAN41C2012A	0.14	-	30,800	-
HANA41C2012A	0.15	(0.05)	20,782	-	IVL06C2103A	0.87	0.07	4,399	-	KBAN41C2101A	0.37	0.01	233,647	-
HANA42C2101T	0.17	(0.06)	6,863	-	IVL06P2011A	0.01	(0.03)	499	-	KBAN41P2011A	-	-	-	-
HMPRO1C2012A	0.05	0.01	25	-	IVL08C2101A	0.34	(0.06)	9,473	-	KBAN41P2101B	0.37	(0.03)	53,942	-
HMPRO1C2103A	0.41	0.03	31,576	-	IVL08P2011A	-	-	-	-	KBAN42C2101T	0.14	(0.01)	10	-
HMPRO1P2012A	0.26	(0.03)	61,166	-	IVL08P2102A	0.34	(0.05)	46,835	-	KBAN42P2101T	0.55	(0.04)	3,815	-
HMPRO6C2102A	0.27	0.02	69,116	-	IVL11C2012A	0.10	0.01	111,500	-	KCE01C2012A	0.37	(0.07)	72,820	-
HMPRO6P2011A	-	-	-	-	IVL13C2011A	-	-	-	-	KCE01C2101A	0.48	(0.06)	51,805	-
HMPRO6P2103A	0.28	(0.03)	36,352	-	IVL13C2012A	0.17	0.01	373,297	-	KCE01C2102A	0.28	(0.05)	82,064	-
HMPR11C2011A	0.14	0.02	48,560	-	IVL13C2012B	0.04	(0.01)	29,590	-	KCE01P2011A	0.03	-	38	-
HMPR13C2012A	0.11	-	4,638	-	IVL13C2101A	0.59	0.04	64,409	-	KCE01P2101A	0.26	0.03	43,789	-
HMPR13C2102A	0.32	0.02	217,518	-	IVL13C2103A	0.22	0.02	801,506	-	KCE06C2012A	-	-	-	-
HMPR19C2102A	0.23	0.02	45,405	-	IVL13P2012A	0.06	(0.02)	144,061	-	KCE06C2012B	-	-	-	-
HMPR19P2011A	0.07	(0.02)	4,026	-	IVL13P2102A	0.31	(0.69)	366,906	-	KCE06C2102A	0.43	(0.06)	57,945	-
HSI28C2011A	1.82	0.34	623,058	1.00	IVL16C2102A	0.74	0.09	11,332	-	KCE08C2012A	0.64	(0.09)	400	-
HSI28C2011B	0.95	0.21	655,397	-	IVL19C2011A	0.07	0.01	148,202	-	KCE08C2103A	0.38	(0.06)	69,476	-
HSI28C2011C	0.15	0.03	276,178	-	IVL19C2012A	0.32	0.05	27,149	-	KCE11C2010A	0.61	(0.09)	56,503	-
HSI28C2011L	0.29	0.06	105,194	-	IVL19C2012B	0.60	0.06	14,811	-	KCE13C2012A	0.40	(0.05)	4,353	-
HSI28C2012A	2.06	0.27	74	2.00	IVL19C2103A	0.17	(0.83)	423,243	-	KCE13C2102A	0.27	(0.07)	650,520	-
HSI28C2012B	1.28	0.24	39,398	1.00	IVL19P2011A	0.06	(0.03)	84,539	-	KCE13P2012A	0.02	-	1,510	-
HSI28C2012C	0.76	0.14	778,238	-	IVL19P2012A	0.08	(0.02)	72,298	-	KCE13P2101A	0.09	0.01	5,299	-
HSI28C2012D	0.45	0.10	8,887	-	IVL19P2103A	0.24	(0.76)	131,749	-	KCE13P2102A	0.33	0.04	285,771	-
HSI28C2012L	0.19	0.03	87,585	-	IVL24C2012A	0.31	0.04	36,046	-	KCE16C2012A	0.43	(0.09)	7,825	-
HSI28C2101L	0.21	0.03	17,073	-	IVL28C2011A	-	-	-	-	KCE19C2011A	0.43	(0.15)	1	-
HSI28C2102L	0.57	0.08	6,956	-	IVL28C2012A	0.01	-	1,000	-	KCE19C2012A	0.33	(0.07)	30,660	-
HSI28C2103L	0.59	0.06	1,131	-	IVL28C2012B	0.03	-	4	-	KCE19C2102A	0.32	(0.07)	116,506	-
HSI28P2011A	0.05	(0.05)	225,429	-	IVL28C2101A	0.23	-	19,185	-	KCE19C2102B	0.23	(0.05)	144,066	-
HSI28P2011B	0.03	(0.02)	15,156	-	IVL28C2103A	-	-	-	-	KCE19P2012A	-	-	-	-
HSI28P2011C	0.02	(0.02)	1,040	-	IVL28C2104L	0.29	0.01	184,786	-	KCE19P2101A	0.08	-	2	-
HSI28P2011L	0.01	-	2,817	-	IVL41C2011A	0.06	0.02	10,676	-	KCE19P2102A	0.26	0.04	123,663	-
HSI28P2012A	0.45	(0.16)	254,695	-	IVL41C2012A	-	-	-	-	KCE27C2101X	1.00	(0.08)	6,087	1.00
HSI28P2012B	0.27	(0.10)	13,652	-	IVL41P2012A	-	-	-	-	KCE41C2012A	-	-	-	-
HSI28P2012C	0.18	(0.07)	10,684	-	IVL41P2012B	0.09	(0.02)	19,008	-	KCE42C2012T	1.32	(0.11)	4,420	1.00
HSI28P2012L	0.08	(0.02)	8,490	-	IVL42C2101T	-	-	-	-	KKP13C2010A	0.15	(0.01)	74,780	-
HSI28P2101L	0.09	(0.03)	17,842	-	JAS08C2011A	0.02	-	9,490	-	KKP13C2102A	0.45	0.02	87,528	-
HSI28P2102L	0.12	(0.03)	13,968	-	JAS08P2103A	0.50	(0.03)	38,192	-	KKP13P2102A	0.32	(0.03)	34,784	-
HSI28P2103L	0.26	(0.74)	446	-	JAS13C2011A	0.01	-	500	-	KKP19C2011A	-	-	-	-
HSI41C2011A	-	-	-	-	JAS13C2012A	0.06	-	11,720	-	KKP19C2012A	0.20	0.01	106,154	-
HSI41C2011B	1.87	0.19	30	1.00	JAS13C2101A	0.19	0.01	231,712	-	KTB13C2010A	0.04	(0.01)	13	-
HSI41C2011C	0.98	0.26	33,071	-	JAS13C2012A	-	-	-	-	KTB13C2101A	0.27	0.01	104,951	-
HSI41C2011D	-	-	-	-	JAS19C2010A	0.20	-	74,943	-	KTB19C2011A	-	-	-	-
HSI41C2011E	0.19	0.04	1,199,948	-	JAS19P2010A	0.27	(0.02)	41,423	-	KTB19C2012A	-	-	-	-
HSI41C2012A	0.20	0.05	23,692	-	JAS28C2011A	-	-	-	-	KTB19C2101A	0.26	0.01	1,601	-
HSI41C2012B	1.36	0.25	35,213	1.00	JAS28C2102A	-	-	-	-	KTB19P2012A	0.28	(0.04)	22,531	-
HSI41C2012C	0.69	0.16	632,602	-	JAS28C2012B	-	-	-	-	KTB24C2101A	0.20	0.01	24,656	-
HSI41C2012U	1.14	0.15	840	1.00	JAS28C2101A	0.05	-	3,000	-	KTB28C2011A	-	-	-	-
HSI41C2012V	-	-	-	-	JAS28C2102A	0.12	(0.01)	17,568	-	KTB28C2012A	-	-	-	-
HSI41C2101A	0.20	0.04	38,799	-	JAS41C2011A	-	-	-	-	KTB28C2012B	-	-	-	-
HSI41P2011A	0.04	(0.03)	2,108	-	JAS41C2102A	0.21	-	38,622	-	KTB28C2102C	0.03	(0.02)	500	-
HSI41P2011B	0.08	(0.06)	3,670	-	JMT06C2012A	0.25	(0.05)	29,135	-	KTB28C2102A	0.15	0.01	32,984	-
HSI41P2011C	-	-	-	-	JMT06C2103A	0.29	(0.03)	26,112	-	KTB28C2103A	0.35	0.02	39,164	-
HSI41P2011D	-	-	-	-	JMT08C2101A	0.22	(0.02)	17,000	-	KTC01C2012A	0.45	0.02	29,493	-
HSI41P2011E	-	-	-	-	JMT11C2102A	0.26	(0.03)	23,194	-	KTC01C2103A	0.49	0.01	28,526	-
HSI41P2012A	0.08	(0.03)	200	-	JMT13C2011A	-	-	-	-	KTC01P2012A	-	-	-	-
HSI41P2012B	0.40	(0.12)	23,181	-	JMT13C2011B	-	-	-	-	KTC01P2102A	0.27	(0.02)	24,696	-
HSI41P2012C	0.26	(0.08)	1,666	-	JMT13C2012A	0.13	(0.02)	82,788	-	KTC08C2011A	0.28	-	8,100	-
HSI41P2012T	0.32	(0.10)	200	-	JMT13C2102A	0.28	(0.03)	74,272	-	KTC11C2104A	0.58	0.02	16,030	-
HSI41P2012V	0.49	(0.15)	706,157	-	JMT16C2102A	0.33	(0.02)	16,201	-	KTC11P2011A	-	-	-	-
HSI41P2101A	0.12	(0.02)	2,753	-	JMT19C2011A	-	-	-	-	KTC11P2104A	0.43	(0.02)	19,422	-
INTU01C2101A	0.22	-	160,933	-	JMT19C2012A	0.14	(0.02)	15,425	-	KTC13C2011A	0.50	0.02	57,955	-
INTU01P2101A	0.46	-	66,551	-	JMT19C2102A	0.23	(0.02)	189,102	-	KTC13C2101A	0.45	0.03	178,473	-
INTU06C2103A	0.39	0.01	66,500	-	JMT24C2011A	-	-	-	-	KTC13P2012A	0.02	-	1,000	-
INTU06P2011A	-	-	-	-	JMT28C2101A	0.20	(0.03)	30,420	-	KTC13P2101A	0.15	(0.01)	76,699	-
INTU11C2103A	0.40	(0.01)	64,860	-	JMT28C2104L	0.19	(0.01)	13,126	-	KTC19C2012A	0.56	0.07	2	-
INTU13C2011A	-	-	-	-	JMT41C2012A	0.13	(0.03)	3,950	-	KTC19C2101A	0.42	0.03	11,363	-
INTU13C2101A	0.30	(0.01)	399,566	-	JMT42C2011T	0.17	(0.03)	2,010	-	KTC19P2012A	-	-	-	-
INTU19C2012A	0.11	-	134,653	-	KBAN01C2012A	0.37	-	60,933	-	KTC19P2101A	0.19	(0.02)	39,659	-
INTU19C2101A	0.33	0.01	78,820	-	KBAN01C2012B	0.20	-	69,888	-	KTC24C2011A	-	-	-	-
INTU19P2012A	0.28	(0.02)	114,490	-	KBAN01C2102A	0.70	-	62,						

Main Board Quotation

Issue Date :

Monday November 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MEGA13C2011A	-	-	-	-	PLAN19C2102A	0.21	-	28,162	-	PTTE41C2011A	-	-	-	-
MEGA13C2010A	0.15	-	25,502	-	PLAN27C2101A	-	-	-	-	PTTE41C2012A	-	-	-	-
MEGA19C2011A	-	-	-	-	PLAN28C2012A	-	-	-	-	PTTE41C2101A	0.22	0.02	49,576	-
MEGA19C2101A	0.13	(0.01)	10,100	-	PLAN28C2012B	-	-	-	-	PTTE41C2101B	0.63	0.05	188,490	-
MEGA42C2101T	-	-	-	-	PLAN42C2101T	0.06	(0.01)	13,042	-	PTTE41P2011A	0.17	(0.17)	11	-
MINT01C2012A	0.08	-	13,387	-	PRM01C2103A	0.43	(0.57)	20,118	-	PTTE41P2101A	0.39	(0.04)	110,368	-
MINT01C2102A	0.34	0.03	146,296	-	PRM01P2103A	0.59	(0.41)	45,505	-	PTTE42C2101T	0.18	-	6	-
MINT01C2102T	0.22	0.02	45,932	-	PRM08C2101A	0.11	(0.01)	12,910	-	PTTE42P2101T	0.45	(0.04)	4,898	-
MINT01P2012A	0.14	(0.04)	41,631	-	PRM11C2102A	0.21	(0.02)	12,380	-	PTTG01C2012A	0.23	0.03	82,203	-
MINT01P2012B	0.54	(0.05)	40,070	-	PRM13C2012A	0.07	(0.01)	15,442	-	PTTG01C2102A	0.57	0.08	90,563	-
MINT01P2102A	0.39	(0.03)	37,568	-	PRM13C2102A	0.23	(0.01)	148,303	-	PTTG01P2012A	0.31	(0.07)	52,648	-
MINT01P2102T	0.60	(0.02)	23,200	-	PRM16C2012A	0.04	(0.02)	18,446	-	PTTG01P2102A	0.25	(0.05)	58,038	-
MINT06C2012A	0.11	0.01	83,083	-	PRM19C2011A	0.02	-	100	-	PTTG08C2101A	0.23	0.04	23,620	-
MINT06C2103A	0.56	0.05	169,377	-	PRM19C2101A	0.13	(0.01)	51,298	-	PTTG08C2103A	0.67	0.06	61,000	-
MINT06P2012A	0.15	(0.03)	41,126	-	PRM28C2012A	-	-	-	-	PTTG08P2102A	0.22	(0.06)	16,900	-
MINT06P2101A	-	-	-	-	PRM42C2101A	-	-	-	-	PTTG11C2104A	0.68	0.07	105,110	-
MINT08C2102A	0.35	0.02	33,740	-	PTG01C2012A	0.22	0.01	34,399	-	PTTG11P2104A	0.44	(0.06)	104,483	-
MINT08P2011A	0.11	(0.05)	8,207	-	PTG01P2012A	0.24	(0.02)	62,763	-	PTTG13C2011A	0.03	-	1,900	-
MINT08P2102A	0.91	(0.33)	100	-	PTG06C2103A	0.52	-	71,349	-	PTTG13C2012A	0.18	0.03	120,607	-
MINT11C2011A	0.10	-	32,672	-	PTG08C2101A	0.20	(0.01)	78,841	-	PTTG13C2101A	0.42	0.07	799,963	-
MINT11P2011A	0.10	(0.02)	63,542	-	PTG11C2101A	0.35	-	49,214	-	PTTG13P2011A	0.04	(0.10)	1	-
MINT11P2104A	0.61	(0.02)	44,147	-	PTG13C2012A	0.08	-	12,810	-	PTTG13P2012A	0.11	(0.04)	78,914	-
MINT13C2011A	0.01	-	9,318	-	PTG13C2012B	0.25	(0.01)	580,110	-	PTTG13P2102A	0.38	(0.62)	449,551	-
MINT13C2101A	0.20	0.01	238,403	-	PTG16C2101A	0.35	0.01	23,990	-	PTTG19C2011A	0.06	0.02	9	-
MINT13C2102A	0.42	0.03	694,198	-	PTG19C2011A	0.09	0.01	11,572	-	PTTG19C2012A	0.22	0.04	119,282	-
MINT13P2011A	-	-	-	-	PTG19C2012A	0.27	0.01	111,602	-	PTTG19C2101A	0.50	0.08	51,244	-
MINT13P2012A	0.33	(0.06)	7,172	-	PTG19P2011A	0.03	(0.04)	1	-	PTTG19P2011A	-	-	-	-
MINT13P2101A	0.33	(0.04)	329,538	-	PTG19P2101A	0.32	(0.03)	86,657	-	PTTG19P2011B	0.19	(0.39)	100	-
MINT16C2012A	0.09	-	13,152	-	PTG24C2102A	0.32	0.01	8,393	-	PTTG19P2102A	0.23	(0.04)	238,667	-
MINT19C2011A	0.16	0.02	27,919	-	PTG41C2101A	0.31	0.03	53,989	-	PTTG24C2101A	0.33	0.05	30,568	-
MINT19C2011B	0.01	-	2,000	-	PTG42C2101T	0.23	(0.01)	48	-	PTTG28C2011A	-	-	-	-
MINT19C2102A	0.33	0.03	918,683	-	PTT01C2012A	0.08	0.02	1,480	-	PTTG28C2012A	0.11	0.02	42,483	-
MINT19P2011A	-	-	-	-	PTT01C2102A	0.30	0.02	66,677	-	PTTG28C2102L	0.12	0.01	15,210	-
MINT19P2012A	-	-	-	-	PTT01C2103T	0.22	0.03	18,394	-	PTTG28C2103A	0.42	0.06	116,880	-
MINT19P2101A	0.38	(0.04)	181,247	-	PTT01P2012A	0.09	(0.02)	5,227	-	PTTG41C2011A	-	-	-	-
MINT19P2102A	0.26	(0.02)	95,941	-	PTT01P2102A	0.20	(0.03)	31,529	-	PTTG41C2101A	0.18	0.04	49,765	-
MINT24C2011A	-	-	-	-	PTT01P2103T	0.18	(0.02)	570	-	PTTG41C2102A	0.53	0.09	175,820	-
MINT28C2012A	-	-	-	-	PTT06C2012A	0.03	0.01	7,028	-	PTTG41P2011A	-	-	-	-
MINT28C2012B	-	-	-	-	PTT06C2102A	0.12	0.01	106,117	-	PTTG41P2102A	0.17	(0.04)	36,090	-
MINT28C2102C	-	-	-	-	PTT08C2101A	0.10	0.03	20,130	-	PTTG42C2012T	0.07	-	4,202	-
MINT28C2103A	0.34	0.02	141,415	-	PTT08C2103A	0.36	0.03	39,565	-	QH19C2012A	-	-	-	-
MINT28C2104L	0.12	0.01	22,582	-	PTT08P2101A	0.25	(0.03)	6,101	-	QH27C2101A	0.09	(0.01)	742	-
MINT41C2012A	0.20	0.01	45,083	-	PTT11C2101A	-	-	-	-	RATC01C2101A	0.19	0.01	32,127	-
MINT41C2101T	0.11	-	2,240	-	PTT13C2012A	0.02	0.01	8,506	-	RATC01P2101A	0.45	(0.02)	38,874	-
MINT42P2102T	0.57	(0.03)	6,468	-	PTT13C2012B	0.09	0.01	165	-	RATC06C2102A	0.19	0.01	25,857	-
MTC01C2012A	0.32	-	29,547	-	PTT13C2101A	0.09	0.02	528,026	-	RATC11C2103A	0.47	0.02	32,865	-
MTC01C2102A	0.62	0.01	17,518	-	PTT13C2102A	0.34	0.03	295,113	-	RATC13C2011A	-	-	-	-
MTC06C2102A	0.62	0.03	31,348	-	PTT13P2011A	-	-	-	-	RATC13C2101A	0.21	0.01	149,555	-
MTC08C2011A	0.13	(0.01)	9,400	-	PTT13P2101A	0.08	(0.01)	6,002	-	RATC13P2011A	-	-	-	-
MTC08C2102A	0.60	0.01	27,400	-	PTT16C2012A	-	-	-	-	RATC19C2011A	-	-	-	-
MTC11C2102A	0.58	0.03	11,760	-	PTT19C2011A	0.01	(0.01)	5,099	-	RATC19C2012A	-	-	-	-
MTC13C2011A	0.22	-	9,100	-	PTT19C2012A	-	-	-	-	RATC19C2101A	0.20	-	68,331	-
MTC13C2101A	0.49	0.01	131,535	-	PTT19C2012B	0.08	0.02	30,002	-	RATC19C2102A	0.38	0.02	117,854	-
MTC13P2011A	-	-	-	-	PTT19C2101A	0.18	0.02	612,683	-	RATC19P2011A	0.20	(0.32)	2,000	-
MTC19C2012A	0.33	0.01	208,225	-	PTT19C2103A	0.33	0.05	21,426	-	RATC24C2012A	-	-	-	-
MTC19P2012A	-	-	-	-	PTT19P2101A	0.11	(0.01)	6,371	-	RATC41C2012A	-	-	-	-
MTC28C2011A	-	-	-	-	PTT24C2101A	0.12	0.03	8,018	-	RATC42C2102T	-	-	-	-
MTC28C2012A	0.12	(0.01)	27,378	-	PTT28C2011A	-	-	-	-	RS06C2012A	0.18	0.02	40,252	-
MTC28C2012B	0.31	(0.01)	48,839	-	PTT28C2012A	-	-	-	-	RS08C2011A	-	-	-	-
MTC28C2102L	0.21	-	27,558	-	PTT28C2101A	-	-	-	-	RS08C2103A	0.38	0.01	15,999	-
MTC41C2012A	-	-	-	-	PTT28C2103A	0.20	0.02	61,957	-	RS13C2011A	-	-	-	-
MTC42C2101T	0.14	(0.01)	10	-	PTT28C2103L	0.14	0.02	48,672	-	RS13C2101A	0.26	0.01	166,540	-
OR113C2011A	0.10	(0.01)	15,020	-	PTT41C2012A	-	-	-	-	RS19C2011A	-	-	-	-
OR113C2102A	0.34	-	42,390	-	PTT41C2101A	0.04	0.01	1	-	RS19C2011B	-	-	-	-
OR119C2011A	0.30	0.01	4,296	-	PTT41C2101B	0.20	0.04	71,784	-	RS19C2102A	0.28	0.02	13,818	-
OR119C2012A	0.12	-	14,162	-	PTT41P2011A	-	-	-	-	RS19P2012A	0.22	(0.01)	14,010	-
OR119C2102A	0.36	0.02	27,372	-	PTT41P2012A	0.28	(0.05)	618	-	RS28C2012A	-	-	-	-
OR128C2011A	-	-	-	-	PTT41P2101A	0.15	(0.03)	31,788	-	RS28C2101A	0.18	0.01	33,238	-
OR128C2012A	-	-	-	-	PTT42C2012T	-	-	-	-	RS28C2101L	0.34	0.02	59,288	-
OR128C2012B	0.26	(0.01)	40,009	-	PTT42P2101T	0.12	(0.02)	532	-	RS41C2011A	0.23	0.01	2,394	-
OR128C2101A	0.09	(0.01)	2,600	-	PTTE01C2012A	0.26	-	63,744	-	RS42C2101T	0.19	(0.03)	2	-
OR128C2103L	0.21	0.01	15,510	-	PTTE01C2102A	0.92	0.04	78,565	-	S10001C2011A	0.02	-	4,014	-
OSP01C2012A	0.10	-	10	-	PTTE01C2103T	0.59	0.02	64,035	-	S5001C2012F	0.20	0.04	51,125	-
OSP01C2102A	0.27	0.03	51,783	-	PTTE01P2012A	0.47	(0.05)	75,632	-	S5001C2012G	0.49	0.11	603,614	-
OSP01P2012A	0.33	(0.03)	121,628	-	PTTE01P2102A	0.37	(0.03)	68,130	-	S5001C2101A	0.89	0.15	617,017	-
OSP06C2011A	-	-	-	-	PTTE01P2103T	0.59	(0.02)	36,841	-	S5001C2101B	1.26	0.26	217,307	1.00
OSP06C2102A	0.16	0.03	36,860	-	PTTE06C2011A	0.01	-	200	-	S5001P2012F	0.48	(0.13)	295,249	-
OSP06C2103A	0.41	0.06	29,290	-	PTTE06C2101A	0.32	0.03	127,218	-	S5001P2012G	0.22	(0.10)	408,881	-
OSP06P2102A	0.38	(0.04)	29,000	-	PTTE06P2011A	-	-	-	-	S5001P2101A	0.46	(0.11)	361,920	-
OSP08C2102A	0.27	-	8,000	-	PTTE06P2102A	0.42	(0.05)	124,142	-	S5001P2101B	0.53	(0.47)	287,122	-
OSP11C2102A	0.16	0.01	25,600	-	PTTE08C2011A	-	-	-	-	S5006C2012A	0.12	0.06	29,381	-
OSP13C2012A	-	-	-	-	PTTE08P2101A	0.63	(0.07)	80,542	-	S5006C2012B	0.36	0.17	610,535	-
OSP13C2101A	0.13	0.02	100,888	-	PTTE11C2011A	0.17	0.01	50,274	-	S5006C2012C	1.05	0.35	1,014,021	1.00
OSP13C2102A	0.29	0.02	169,880	-	PTTE11P2102A	0.47	(0.03)	70,973	-	S5006P2012A	0.20	(0.18)	456,221	-
OSP13P2011A	0.10	(0.03)	42,557	-	PTTE13C2011A	0.02	-	401	-	S5006P2012B	0.09	(0.06)	46,702	-
OSP13P2102A	0.12	(0.02)	45,366	-	PTTE13C2012A	0.24	0.01	498,638	-	S5006P2012C	0.09	(0.09)	72,31	

Main Board Quotation

Issue Date :

Monday November 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5013C2012J	0.91	0.31	229,393	-	SCB01P2101A	0.46	(0.04)	74,667	-	SPX41C2012A	0.88	0.21	31,229	-
S5013C2010A	0.63	0.07	291,500	-	SCB01P2103T	0.42	(0.02)	41,738	-	SPX41C2012B	0.41	0.13	105,807	-
S5013P2012A	0.40	(0.15)	7,048,014	-	SCB06C2103A	0.70	0.05	296,495	-	SPX41C2012C	0.25	0.08	18,590	-
S5013P2012B	0.38	(0.12)	5,731,044	-	SCB08C2101A	0.28	0.01	42,310	-	SPX41C2012T	1.05	0.21	16,194	1.00
S5013P2012C	0.14	(0.10)	7,611,602	-	SCB08P2012A	0.18	(0.04)	25,998	-	SPX41C2012U	1.72	0.19	415	1.00
S5013P2012D	0.07	(0.06)	776,497	-	SCB11C2102A	0.36	0.03	96,721	-	SPX41C2102T	1.02	0.15	14,786	1.00
S5013P2012E	0.04	(0.04)	1,476,029	-	SCB11P2012A	0.23	(0.03)	101,230	-	SPX41P2012A	0.24	(0.12)	27,262	-
S5013P2012F	0.05	(0.05)	4,346,265	-	SCB13C2011A	0.03	(0.01)	1,743	-	SPX41P2012B	0.17	(0.09)	2,126	-
S5013P2012G	0.11	(0.09)	10,802,108	-	SCB13C2012A	0.35	0.02	638,106	-	SPX41P2012C	-	-	-	-
S5013P2010A	0.56	(0.05)	133,237	-	SCB13C2102A	0.63	0.03	382,182	-	SPX41P2012T	0.25	(0.12)	7,976	-
S5016C2012A	0.09	0.03	320	-	SCB13P2012A	0.16	(0.03)	173,353	-	SPX41P2012U	0.19	(0.08)	2,716	-
S5016C2012B	-	-	-	-	SCB19C2012A	0.21	0.02	224,682	-	SPX41P2103T	0.54	(0.12)	1,977	-
S5016C2012C	0.56	0.20	141,506	-	SCB19C2101A	0.48	0.04	107,749	-	STA01C2101A	0.32	(0.09)	104,343	-
S5016C2012D	1.13	0.44	59,669	1.00	SCB19P2011A	-	-	-	-	STA01C2102A	0.22	(0.06)	66,333	-
S5016P2012A	0.41	(0.15)	640	-	SCB19P2011B	0.08	(0.03)	200	-	STA01P2102A	0.47	(0.53)	62,597	-
S5016P2012B	0.22	(0.12)	95,948	-	SCB19P2103A	0.56	(0.44)	214,776	-	STA06C2012A	0.16	(0.10)	150,390	-
S5016P2103Z	3.70	(0.10)	51	3.00	SCB24C2012A	0.20	0.02	19,482	-	STA08C2011A	0.08	(0.08)	20,801	-
S5019C2012A	0.10	0.03	31,237	-	SCB28C2012A	0.03	-	1,000	-	STA08C2101A	0.41	(0.15)	34,050	-
S5019C2012B	0.06	0.02	56,082	-	SCB28C2012B	0.12	0.01	63,756	-	STA13C2011A	-	-	-	-
S5019C2012C	0.24	0.05	1,517,887	-	SCB28C2103A	0.53	0.04	170,049	-	STA13C2011B	0.05	(0.03)	102,068	-
S5019C2012D	0.47	0.16	2,682,142	-	SCB28C2104L	0.24	0.01	60,714	-	STA13C2012A	0.15	(0.11)	734,448	-
S5019C2012E	0.75	0.23	1,929,634	-	SCB41C2011A	-	-	-	-	STA13C2101A	0.19	(0.08)	1,118,291	-
S5019C2012F	1.02	0.32	229,482	1.00	SCB41C2011B	-	-	-	-	STA13P2012A	0.02	-	3,293	-
S5019P2012A	0.50	(0.14)	2,001,900	-	SCB41C2012A	0.26	0.02	59,433	-	STA13P2012B	0.05	0.01	81,250	-
S5019P2012B	0.21	(0.13)	1,513,690	-	SCB41C2102A	0.84	0.05	211,470	-	STA13P2101A	0.30	0.07	701,429	-
S5019P2012C	0.16	(0.10)	1,074,805	-	SCB41P2011A	-	-	-	-	STA16C2102A	0.27	(0.08)	18,460	-
S5019P2012D	0.09	(0.05)	412,160	-	SCB41P2102A	0.48	(0.04)	100,610	-	STA19C2011A	0.83	(0.27)	16,475	-
S5024C2012A	0.01	-	220	-	SCB42C2101T	-	-	-	-	STA19C2011B	0.14	(0.08)	33,206	-
S5024C2012B	0.04	0.01	150	-	SCC01C2101A	0.54	0.08	99,007	-	STA19C2012A	0.26	(0.06)	6,658	-
S5024C2012C	0.05	0.02	712	-	SCC01P2012A	0.26	(0.08)	55,950	-	STA19C2102A	0.22	(0.07)	722,445	-
S5024C2012D	0.10	0.03	101	-	SCC06C2012A	0.08	0.03	5,823	-	STA19P2012A	0.05	0.01	1,881	-
S5024C2012E	0.18	0.06	46,644	-	SCC06C2103A	0.68	0.15	108,583	-	STA19P2101A	0.10	0.02	60,240	-
S5024C2012F	0.42	0.13	159,109	-	SCC08C2011A	-	-	-	-	STA19P2102A	0.45	0.09	152,942	-
S5024C2012G	0.70	0.21	314,872	-	SCC11C2011A	0.23	0.03	51,280	-	STA24C2011A	0.07	(0.04)	52	-
S5024C2012H	1.17	0.32	142,600	1.00	SCC13C2011A	-	-	-	-	STA28C2011A	-	-	-	-
S5024C2012I	1.88	0.48	171,418	1.00	SCC13C2012A	0.21	0.05	472,382	-	STA28C2011B	-	-	-	-
S5024C2103A	0.67	0.14	299,864	-	SCC13C2102A	0.64	0.10	175,794	-	STA28C2012A	1.74	(0.20)	190	1.00
S5024P2012A	0.03	(0.02)	1,280	-	SCC13P2011A	0.16	(0.27)	8,627	-	STA28C2102L	0.16	(0.04)	76,395	-
S5024P2012B	0.19	(0.09)	11,148	-	SCC13P2101A	0.10	(0.04)	70,537	-	STA28C2103A	0.28	(0.07)	43,607	-
S5024P2012C	0.33	(0.27)	1,189,773	-	SCC13P2102A	0.33	(0.10)	98,344	-	STA42C2101T	0.14	(0.03)	21,134	-
S5024P2012D	0.15	(0.16)	260,066	-	SCC19C2012A	0.27	0.07	299,609	-	STEC01C2101A	-	-	-	-
S5024P2012E	0.07	(0.09)	124,124	-	SCC19C2101A	0.61	0.11	288,590	-	STEC01P2101A	0.44	(0.05)	27,801	-
S5024P2103A	0.36	(0.14)	159,589	-	SCC19P2011A	-	-	-	-	STEC08C2012A	-	-	-	-
S5028C2012A	0.02	-	498	-	SCC19P2101A	0.33	(0.08)	190,809	-	STEC08C2103A	0.32	0.01	19,200	-
S5028C2012B	0.03	-	100	-	SCC24C2012A	0.15	0.04	18,973	-	STEC11C2102A	0.12	-	5,960	-
S5028C2012C	0.22	0.06	312,962	-	SCC28C2102A	0.25	0.04	63,843	-	STEC13C2012A	-	-	-	-
S5028C2012D	0.36	0.14	2,695,379	-	SCC28C2103A	0.59	0.11	99,756	-	STEC13C2101A	0.11	0.01	287,800	-
S5028C2012E	0.97	0.33	347,454	-	SCC28C2104L	0.26	0.02	58,112	-	STEC13C2102A	0.26	0.03	112,825	-
S5028C2103L	0.26	0.05	591,072	-	SCC41C2011A	-	-	-	-	STEC13P2011A	-	-	-	-
S5028P2012A	0.84	(0.18)	1,345,151	-	SCC41C2101A	0.26	0.06	55,458	-	STEC19C2011A	-	-	-	-
S5028P2012B	0.14	(0.07)	385,201	-	SCC41C2101B	0.62	0.11	122,528	-	STEC19C2012A	-	-	-	-
S5028P2012C	0.13	(0.11)	425,291	-	SCC41P2011A	-	-	-	-	STEC19C2101A	0.09	-	1,200	-
S5028P2103L	0.54	(0.09)	532,039	-	SCC41P2102A	0.30	(0.07)	86,755	-	STEC19C2103A	0.26	0.03	275,175	-
S5041C2012A	0.09	0.04	4,903	-	SCGP01C2103A	-	-	-	-	STEC19P2011A	-	-	-	-
S5041C2012B	-	-	-	-	SCGP01P2103A	0.40	(0.60)	3,000	-	STEC19P2012A	-	-	-	-
S5041C2012C	0.08	0.03	200	-	SCGP13C2102A	0.24	(0.01)	30,893	-	STEC19P2101A	0.17	(0.02)	73,910	-
S5041C2012D	0.17	0.05	417,901	-	SCGP13P2102A	0.35	(0.01)	47,627	-	STEC28C2011A	-	-	-	-
S5041C2012E	0.30	0.12	606,756	-	SCGP19C2102A	0.18	-	6,400	-	STEC28C2012A	-	-	-	-
S5041C2012F	0.48	0.19	514,218	-	SCGP19P2102A	-	-	-	-	STEC28C2101A	-	-	-	-
S5041C2012G	0.61	0.22	622,073	-	SCGP28C2103A	0.23	-	2,521	-	STEC28C2103A	0.17	0.01	3,042	-
S5041C2012H	1.16	0.35	75,772	1.00	SCGP28C2104L	0.17	-	3,544	-	STEC28C2104L	0.11	-	100	-
S5041C2103T	1.29	0.30	172,826	1.00	SCGP41C2101A	0.23	(0.03)	21,748	-	STEC41C2012A	-	-	-	-
S5041C2103U	1.15	0.22	271,919	1.00	SGP13C2011A	-	-	-	-	STEC42P2102T	0.23	(0.03)	601	-
S5041P2012A	0.32	(0.14)	725,834	-	SGP13C2102A	0.37	(0.02)	70,032	-	SUPE08C2012A	0.05	(0.01)	5,771	-
S5041P2012B	0.27	(0.13)	145,335	-	SGP19C2011A	-	-	-	-	SUPE08C2102A	0.21	0.04	45,253	-
S5041P2012C	0.27	(0.13)	211,955	-	SGP19C2102A	0.40	(0.02)	43,016	-	SUPE08P2102A	0.24	(0.03)	2,095	-
S5041P2012E	0.24	(0.14)	25,388	-	SGP42C2101T	0.15	(0.02)	3,018	-	SUPE19C2011A	0.02	-	5,694	-
S5041P2012F	-	-	-	-	SIRI19C2011A	-	-	-	-	SUPE19C2011B	0.01	-	950	-
S5041P2012G	-	-	-	-	SIRI19C2103A	0.15	0.03	24,339	-	SUPE19C2012A	0.18	0.03	355,545	-
S5041P2012U	0.40	(0.18)	995,480	-	SIRI42C2101T	0.03	0.01	1	-	SUPE19P2011A	-	-	-	-
S5041P2103T	1.02	(0.23)	716,002	1.00	SPAL06C2103A	0.37	0.05	33,509	-	SUPE19P2012A	0.10	(0.01)	500	-
S5041P2103U	0.54	(0.14)	326,526	-	SPAL13C2102A	0.29	0.04	47,296	-	SUPE42C2101T	0.06	0.01	1,295	-
S5042C2101G	1.20	0.39	35,589	1.00	SPAL19C2011A	0.18	0.03	12,226	-	SUPE42P2102T	-	-	-	-
S5042C2102T	0.69	0.14	73,538	-	SPAL19C2011B	-	-	-	-	TASC01C2012A	0.09	0.06	124,682	-
S5042P2101G	0.10	(0.10)	200,997	-	SPAL27C2101A	0.34	0.05	44,079	-	TASC01C2012B	0.38	0.17	249,084	-
S5042P2102T	0.30	(0.10)	95,778	-	SPR01C2101A	-	-	-	-	TASC01C2102A	0.89	(0.11)	116,564	-
SAWA01C2012A	0.38	(0.01)	7,478	-	SPR01C2101A	0.13	0.03	23,703	-	TASC01P2012A	0.19	(0.13)	297,778	-
SAWA01C2102A	0.56	-	26,025	-	SPR01C2103A	0.31	(0.69)	25,434	-	TASC06C2012A	0.01	(0.01)	4,674	-
SAWA01C2103T	0.42	-	19,566	-	SPRC01P2101A	0.39	(0.07)	20,608	-	TASC06C2102A	0.65	0.25	966,805	-
SAWA01P2012A	0.19	(0.01)	7,104	-	SPRC06C2102A	0.11	0.02	24,291	-	TASC08C2011A	0.02	-	7,207	-
SAWA01P2102A	0.48	(0.01)	19,418	-	SPRC06P2011A	-	-	-	-	TASC08C2012A	0.02	0.01	32,552	-
SAWA06C2101A	0.57	(0.01)	26,361	-	SPRC06P2103A	0.22	(0.05)	19,982	-	TASC11C2102A	0.04	-	57,435	-
SAWA08C2011A	-	-	-	-	SPRC08C2011A	-	-	-	-	TASC13C2011A	0.01	-	1,010	-
SAWA08C2101A	0.44	(0.01)	9,000											

Main Board Quotation

Issue Date :

Monday November 09, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TASC42C2101T	0.05	0.02	36,529	-	TRUE01C2101A	0.11	0.01	15,244	-	APEX-W1	-	-	-	-
TCAP01C2101A	0.15	0.03	39,860	-	TRUE01P2101A	0.50	(0.06)	40,755	-	APURE-W2	0.22	-	16,680	-
TCAP13C2012A	0.04	0.01	230	-	TRUE06C2103A	0.24	0.03	50,313	-	B-W3	-	-	-	-
TCAP19C2012A	0.06	0.01	1,002	-	TRUE06P2011A	-	-	-	-	B-W4	0.04	-	19	-
TCAP19C2102A	0.19	0.03	83,675	-	TRUE08C2012A	-	-	-	-	B-W5	0.04	-	4,620	-
TCAP19P2012A	0.17	(0.05)	73,815	-	TRUE11C2101A	0.08	-	3,000	-	BKD-W2	0.07	-	654	-
TCAP42C2101T	0.02	-	50	-	TRUE11P2101A	0.45	(0.04)	38,270	-	BTS-W5	0.50	0.02	210,745	-
THAN01C2012A	0.52	0.06	18,716	-	TRUE13C2011A	-	-	-	-	CGD-W4	0.05	0.01	53,249	-
THAN01C2012B	0.12	0.01	24,396	-	TRUE13C2101A	-	-	-	-	CGH-W3	0.01	(0.01)	11,623	-
THAN06C2102A	0.25	0.02	74,021	-	TRUE13C2103A	0.29	0.03	166,465	-	CWT-W5	0.44	0.01	3,560	-
THAN08C2101A	0.52	0.05	540	-	TRUE19C2011A	-	-	-	-	DCC-W1	0.92	-	50,028	-
THAN08C2102A	0.25	0.01	57,266	-	TRUE19C2012A	0.04	0.01	7,500	-	ECL-W3	0.02	(0.01)	8,662	-
THAN13C2012A	0.31	0.02	265,831	-	TRUE19C2101A	0.12	0.01	3,523	-	EMC-W6	0.03	-	5,622	-
THAN13C2012B	0.05	0.01	19,581	-	TRUE19C2103A	0.31	0.02	82,178	-	EP-W3	0.02	(0.02)	63,173	-
THAN19C2011A	0.55	0.07	532	-	TRUE19P2011A	0.12	(0.03)	12,344	-	GLOCON-W4	0.39	(0.01)	19,302	-
THAN19C2012A	0.20	-	176,208	-	TRUE19P2101A	0.20	(0.04)	155,166	-	III-W1	0.51	(0.02)	20,458	-
THAN19C2012B	0.09	0.01	801	-	TRUE28C2011A	-	-	-	-	J-W1	0.61	-	3,504	-
THAN19C2102A	0.46	0.03	49,450	-	TRUE28C2012A	-	-	-	-	JMART-W3	5.85	0.15	6,018	5.00
THAN19P2102A	0.37	(0.03)	16,630	-	TRUE28C2012B	-	-	-	-	JMART-W4	3.86	(0.04)	9,270	3.00
THAN42C2102T	0.13	(0.01)	16	-	TRUE28C2101A	-	-	-	-	JMT-W2	14.40	0.20	2,365	14.00
TISC01C2101A	0.59	0.04	44,990	-	TRUE28C2103L	0.12	0.01	21,294	-	MACO-W2	0.05	(0.01)	13,708	-
TISC11C2012A	0.33	0.04	15,301	-	TRUE41C2101A	0.06	0.01	1,600	-	MILL-W4	0.04	-	1	-
TISC13C2012A	0.43	0.04	103,289	-	TRUE42C2101T	-	-	-	-	MINT-W6	0.30	0.02	81,968	-
TISC19C2012A	0.44	0.05	50,107	-	TTW19C2011A	-	-	-	-	MINT-W7	6.55	0.10	19,783	6.00
TISC24C2102A	0.77	0.03	13,198	-	TTW24C2012A	-	-	-	-	NER-W1	2.20	(0.34)	183,504	2.00
TISC41C2012A	0.46	0.06	42,179	-	TU01C2101A	0.33	-	62,638	-	NEX-W2	4.70	0.34	26,809	4.00
TISC42C2101T	0.15	-	6,018	-	TU01P2101A	0.13	(0.01)	22,552	-	NFC-W1	0.52	(0.03)	274	-
TKN01C2101A	0.22	0.03	168,894	-	TU06C2102A	0.46	0.01	109,483	-	NVD-W1	0.05	(0.02)	13,748	-
TKN06C2011A	0.08	0.01	1	-	TU06P2103A	0.11	(0.01)	35,000	-	PACE-W2	-	-	-	-
TKN06C2101A	-	-	-	-	TU08C2011A	0.17	(0.02)	25,598	-	PACE-W3	-	-	-	-
TKN08C2011A	0.06	0.02	1,689	-	TU11C2102A	0.31	-	19,140	-	PDI-W1	0.38	-	8,361	-
TKN08C2102A	-	-	-	-	TU13C2012A	0.24	-	91,286	-	PDJ-W4	0.43	0.03	3,055	-
TKN13C2012A	0.09	0.01	40,054	-	TU13P2101A	0.09	(0.01)	67,706	-	PERM-W1	0.09	(0.01)	30	-
TKN13C2101A	0.21	0.04	184,350	-	TU19C2012A	0.25	(0.01)	13,728	-	PORT-W1	0.55	(0.01)	5,030	-
TKN13C2102A	0.24	0.02	599,701	-	TU19C2101A	0.21	-	104,186	-	PPP-W4	-	-	-	-
TKN13P2101A	0.22	(0.05)	456,719	-	TU19P2011A	-	-	-	-	PRIME-W1	-	-	-	-
TKN19C2011A	-	-	-	-	TU19P2012A	-	-	-	-	PRIME-W2	0.01	-	3	-
TKN19C2011B	0.06	0.01	23,656	-	TU19P2102A	0.26	(0.01)	110,874	-	SAMART-W2	0.12	-	1,255	-
TKN19C2101A	0.21	0.03	101,400	-	TU24C2011A	0.31	(0.04)	1,300	-	SAWAD-W2	8.15	-	1,294	8.00
TKN19C2102A	0.31	0.03	223,256	-	TU24C2103A	0.40	-	12,983	-	SDC-W1	0.07	-	4,262	-
TKN19P2101A	0.27	(0.04)	27,514	-	TU28C2011A	-	-	-	-	SINGER-W1	8.60	(0.05)	578	8.00
TKN28C2012A	-	-	-	-	TU28C2012A	0.07	(0.02)	800	-	SINGER-W2	4.52	0.02	509	4.00
TKN28C2012B	-	-	-	-	TU28C2103A	0.33	-	42,597	-	SST-W2	0.57	-	138	-
TKN28C2101A	0.57	0.08	948	-	TU28C2103L	0.24	-	31,320	-	TCC-W3	0.02	(0.01)	12,704	-
TKN42C2012T	0.05	-	10	-	TU41C2101A	0.19	-	38,164	-	TCC-W4	-	-	-	-
TMB13C2011A	-	-	-	-	TU42C2101T	0.22	-	6,406	-	TCC-W5	0.11	0.01	74	-
TMB13C2102A	0.22	0.01	131,537	-	TVO13C2011A	0.12	0.01	40,000	-	TGPRO-W3	-	-	-	-
TMB19C2011A	-	-	-	-	TVO13C2012A	0.19	(0.01)	39,287	-	TNITY-W1	0.07	-	9	-
TMB19C2011B	-	-	-	-	TVO19C2011A	-	-	-	-	TRITH-W3	0.12	(0.01)	41,954	-
TMB19C2012A	0.08	0.02	2,003	-	TVO19C2012A	0.17	(0.01)	46,819	-	TTCL-W1	0.37	-	1,342	-
TMB19C2103A	0.27	0.01	119,694	-	TVO19C2101A	0.13	-	640	-	U-W4	-	-	-	-
TMB19P2011A	-	-	-	-	VGI01C2012A	0.16	-	84,054	-	VGI-W2	0.76	0.01	153,732	-
TOA13C2011A	-	-	-	-	VGI01C2103A	0.36	-	107,251	-	VIBHA-W3	0.10	(0.01)	10,522	-
TOA13C2102A	-	-	-	-	VGI06C2101A	0.13	-	124,367	-	W-W3	0.08	-	4,420	-
TOA19C2012A	0.09	-	15,964	-	VGI08C2103A	0.41	-	80,000	-	WIJK-W2	0.29	(0.03)	44,660	-
TOA19C2103A	0.32	0.02	59,434	-	VGI11C2101A	0.12	0.01	43,000	-	ZMICO-W4	0.08	-	93	-
TOA42C2101T	-	-	-	-	VGI13C2012A	0.08	0.01	24,325	-	Preferred Shares	-	-	-	-
TOP01C2012A	0.09	0.02	500	-	VGI13C2101A	0.16	0.01	128,178	-	BH-P	-	-	-	-
TOP01C2102A	0.54	0.06	63,998	-	VGI19C2012A	0.11	-	53,041	-	CSC-P	-	-	-	-
TOP01P2012A	0.15	(0.03)	29,732	-	VGI19C2012B	0.21	-	124,397	-	JUTHA-P	-	-	-	-
TOP01P2102A	0.20	(0.03)	57,252	-	VGI19C2012C	0.04	(0.01)	20,501	-	KTB-P	-	-	-	-
TOP06C2011A	0.01	-	1,500	-	VGI24C2012A	-	-	-	-	SCB-P	-	-	-	-
TOP06C2102A	0.18	0.04	52,270	-	VGI28C2101A	-	-	-	-	TCAP-P	-	-	-	-
TOP06C2102B	0.50	0.08	53,112	-	VGI28C2103A	0.23	0.01	110,805	-	TISCO-P	-	-	-	-
TOP06P2102A	0.30	(0.06)	56,245	-	VGI28C2103L	0.14	-	45,630	-	U-P	1.28	(0.08)	2,102	1.00
TOP08C2102A	0.34	0.03	21,400	-	VGI41C2011A	-	-	-	-	Warrant (MAI)	-	-	-	-
TOP11C2011A	-	-	-	-	VGI42C2101T	-	-	-	-	ALL-W1	0.59	(0.02)	363,618	-
TOP11P2104A	0.43	(0.03)	46,720	-	WHA01C2101A	-	-	-	-	BROOK-W5	0.13	0.01	3,885	-
TOP13C2011A	-	-	-	-	WHA01C2103A	0.33	0.03	114,205	-	CHAYO-W1	2.26	0.02	15,542	2.00
TOP13C2012A	-	-	-	-	WHA01P2101A	0.70	(0.08)	48,505	-	CHO-W2	-	-	-	-
TOP13C2012B	0.10	0.02	140,950	-	WHA06C2103A	0.19	0.03	101,263	-	CIG-W8	-	-	-	-
TOP13C2101A	0.33	0.06	236,368	-	WHA06P2012A	-	-	-	-	D-W1	0.71	(0.01)	10	-
TOP13P2012A	-	-	-	-	WHA08C2011A	-	-	-	-	DIMET-W3	-	-	-	-
TOP13P2101A	0.05	(0.02)	10,814	-	WHA11C2101A	0.08	-	1	-	DOD-W1	0.47	-	13,808	-
TOP13P2103A	0.24	(0.03)	66,018	-	WHA13C2011A	-	-	-	-	ECF-W3	0.06	-	2,405	-
TOP19C2012A	0.02	-	500	-	WHA13C2101A	0.10	0.02	254,160	-	HPT-W1	0.19	-	678	-
TOP19C2101A	0.21	0.04	134,989	-	WHA13C2103A	0.30	0.04	305,010	-	HYDRO-W1	0.03	-	9	-
TOP19C2101B	0.37	0.03	18,110	-	WHA13P2011A	-	-	-	-	ITEL-W1	0.11	0.01	4,121	-
TOP19P2011A	-	-	-	-	WHA19C2011A	-	-	-	-	ITEL-W2	0.39	0.01	22,002	-
TOP19P2101A	-	-	-	-	WHA19C2101A	0.11	0.02	34,520	-	LIT-W1	0.36	-	651	-
TOP19P2102A	0.26	(0.03)	53,650	-	WHA19C2103A	0.32	0.04	339,461	-	META-W4	-	-	-	-
TOP24C2101A	0.18	0.02	6,141	-	WHA19P2011A	-	-	-	-	NEWS-W6	-	-	-	-
TOP41C2011A	-	-	-	-	WHA28C2011A	-	-	-	-	OCEAN-W3	0.24	0.01	2,584	-
TOP41C2102A	0.17	0.03	26,432	-	WHA28C2012A	-	-	-	-	RWI-W2	0.12	-	2,218	-
TOP41P2011A	-	-	-	-	WHA28C2102A	0.10	0.01	3,952	-	SIMAT-W3	0.46	0.01	2,015	-
TOP42C2011T	0.01	-	3,000	-	WHA28C2102L	-	-	-	-	SIMAT-W4	2.66	0.02	22	2.00
TPI13C2011A	-	-	-	-	WHA42C2101T	0.04	(0.02)	1,300	-	SMART-W2	0.13	(0.01)	27,296	-
TPI19C2012A	0.13	-	22,332	-	WHAU13C2012	0.13	(0.02)	12,491	-	SWC-W1	-	-	-	-
TQM01C2103A	0.85	(0.15)	14,941	-	WHAU19C2012	0.21	(0.03)	152,057	-	TAKUNI-W	-	-	-	-
TQM11C2102A	0.51	0.04	10,619	-	Preferred/Foreign	-	-	-	-	TAPAC-W4	0.18	(0.01)	1,207	-
TQM13C2011A	-	-	-	-	BH-Q	-	-	-	-	TVD-W2	0.15	-	6,888	-
TQM13C2101A	0.22	0.01	119,520	-	CSC-Q	-	-	-	-	UREKA-W2	0.25	(0.01)	1,125	-
TQM13C2102A	0.54	0.04	90,096	-	JUTHA-Q	-	-	-	-	Preferred Shares	-	-	-	-
TQM19C2011A	0.28	0.03	26,197	-	KTB-Q	-	-	-	-	SGF-P1	-	-	-	-