

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday November 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.74	(0.02)	101,092	3.75	JKN	9.00	(0.15)	63,987	9.03
SAFARI	-	-	-	-	BLISS	-	-	-	-	MACO	0.61	(0.01)	16,285	0.61
VI	-	-	-	-	DIF	12.80	0.10	182,507	12.72	MAJOR	15.90	(0.30)	14,504	15.78
WORLD	-	-	-	-	DTAC	33.00	(1.25)	105,252	33.45	MATCH	1.59	0.07	5	1.59
WR	-	-	-	-	FORTH	5.80	-	332	5.80	MATI	-	-	-	-
Agribusiness	-	-	-	-	HUMAN	8.80	0.10	26,331	8.88	MCOT	2.82	(0.02)	1,332	2.83
EE	0.65	-	34,804	0.65	ILINK	5.15	-	2,232	5.13	MONO	2.70	(0.02)	5,838	2.71
GFPT	12.10	(0.10)	22,257	12.11	INET	3.28	0.06	59,680	3.30	MPIC	-	-	-	-
LEE	2.22	0.02	5,035	2.23	INTUCH	54.50	(0.75)	113,824	54.34	NMG	-	-	-	-
MAX	0.02	0.01	309,933	0.01	JAS	2.86	(0.06)	393,773	2.87	PLANB	6.15	0.15	156,889	6.01
NER	4.40	(0.02)	655,950	4.40	JASIF	9.90	0.05	124,830	9.85	POST	1.40	0.10	7	1.34
PPPM	0.39	0.02	687	0.38	JMART	16.30	0.20	404,623	16.53	PRAKIT	7.30	-	31	7.30
STA	26.50	0.25	286,436	26.67	JTS	2.26	-	44	2.25	SE-ED	1.54	0.19	13	1.54
TRUBB	1.66	0.03	30,015	1.66	MFE	4.82	-	691	4.79	TBSP	12.80	0.10	1	12.80
TWPC	3.44	(0.06)	29,344	3.42	MSC	6.40	0.15	220	6.31	TH	0.48	(0.01)	2,060	0.46
UPOIC	3.22	0.14	135	3.13	PT	5.45	-	2,997	5.42	TKS	5.60	-	3,547	5.62
UVAN	4.86	(0.04)	1,448	4.86	SAMART	4.92	-	3,466	4.92	VGI	6.75	(0.10)	1,072,455	6.89
VPO	0.45	(0.01)	729	0.45	SAMTEL	4.92	(0.02)	2,828	4.91	WAVE	0.65	-	13,104	0.65
Banking	-	-	-	-	SDC	0.18	-	94,117	0.18	WORK	10.10	-	14,663	10.18
BAY	22.90	0.50	7,502	22.41	SIS	19.00	1.10	21,413	18.94	Finance & Securities	-	-	-	-
BBL	113.00	-	105,554	112.06	SVOA	1.29	(0.01)	34,268	1.30	AEC	0.22	(0.01)	74,174	0.22
CIMBT	0.56	0.01	5,435	0.56	SYMC	3.86	0.04	279	3.83	AEONTS	143.00	(1.00)	12,686	142.68
KBANK	90.25	(2.75)	752,013	89.97	SYNEK	12.90	0.40	55,169	12.99	AMANAH	2.74	0.04	191,911	2.75
KKP	41.50	(1.25)	63,270	41.61	THCOM	5.30	0.15	68,722	5.30	ASAP	1.97	(0.03)	2,791	1.97
KTB	9.85	-	402,762	9.75	TRUE	3.08	0.02	492,933	3.08	ASK	19.50	(0.10)	2,809	19.44
LHFG	0.98	0.01	37,793	0.98	TWZ	0.06	(0.01)	138,658	0.06	ASP	1.78	(0.01)	13,132	1.78
SCB	79.50	-	209,124	78.13	Electronic Comp	-	-	-	-	BAM	22.30	-	284,962	22.40
TCAP	30.00	(0.75)	111,186	29.85	CCET	2.22	-	41,792	2.23	BFIT	28.25	0.75	20,581	27.96
TISCO	73.00	(1.25)	100,801	73.39	DELTA	173.50	6.50	44,587	172.99	CGH	0.67	(0.01)	78	0.68
TMB	0.98	(0.01)	2,735,945	0.97	HANA	37.25	1.00	180,975	37.33	ECL	0.75	-	15,369	0.74
Construction Materia	-	-	-	-	KCE	37.00	1.25	288,327	36.95	FNS	3.02	0.08	4,732	3.02
CCP	0.46	(0.01)	43,282	0.47	METCO	174.50	-	6	173.42	FSS	1.44	(0.08)	5,393	1.46
COTTO	1.19	(0.01)	6,612	1.18	NEX	4.50	0.04	309,811	4.55	GBX	0.41	(0.01)	1,026	0.41
DCC	2.32	0.02	180,585	2.32	SMT	2.92	0.14	71,256	2.91	GL	1.26	0.03	119,056	1.25
DCON	0.30	-	10,559	0.30	SVI	4.66	0.08	235,593	4.76	IFS	2.26	-	1,072	2.26
DRT	5.95	-	5,844	5.96	TEAM	0.87	-	2,671	0.90	JMT	33.50	0.50	89,556	33.81
EPG	5.30	-	22,975	5.31	W	0.22	(0.01)	188,773	0.22	KCAR	8.15	-	2,620	8.08
GEL	0.18	-	7,528	0.18	Energy & Utilitie	-	-	-	-	KGI	3.40	(0.04)	24,043	3.40
PPP	2.00	(0.04)	361	2.00	7UP	0.31	(0.01)	162,511	0.31	KTC	43.50	(0.50)	41,730	43.67
Q-CON	4.70	0.02	375	4.68	ABPIF	2.98	0.02	289	2.97	MBKET	7.60	(0.05)	608	7.61
RCI	3.68	-	21	3.67	ACE	3.02	0.02	310,800	3.00	MFC	13.80	-	211	13.80
SCC	358.00	(5.00)	29,214	358.75	AGE	1.29	(0.01)	20,905	1.29	MICRO	4.66	0.14	134,807	4.66
SCCC	127.00	-	2,416	126.72	AI	2.12	(0.10)	466,860	2.15	ML	0.80	0.01	115	0.79
SCP	5.95	-	1,770	5.91	AKR	0.50	0.01	10,111	0.50	MTC	57.75	(0.25)	119,225	57.62
SKN	2.42	-	3,885	2.42	BAFS	21.20	(0.60)	2,634	21.33	NCAP	3.72	0.60	1,943,160	3.59
TASCO	18.60	(0.20)	1,109,081	18.88	BANPU	7.25	(0.10)	735,415	7.27	PE	-	-	-	-
TCMC	1.12	0.01	68,464	1.13	BCP	16.80	(0.40)	35,020	16.82	PL	2.04	-	1,343	2.03
TOA	34.25	0.50	7,439	34.37	BCPU	13.00	0.10	155,879	12.95	S11	6.60	(0.05)	3,068	6.61
TPPI	1.40	0.01	32,892	1.40	BGRIM	47.50	(0.75)	113,191	48.00	SAWAD	54.00	(1.00)	237,248	55.25
UMI	0.62	-	1,506	0.62	BPP	14.60	0.40	111,796	14.45	THANI	3.62	0.18	933,206	3.59
VNG	3.22	(0.14)	1,306	3.22	BRRGIF	6.20	-	391	6.10	TK	7.00	(0.05)	2,872	7.01
WIJK	2.70	0.06	13,710	2.73	CKP	4.86	(0.14)	725,135	4.87	TNITY	3.72	(0.02)	117	3.72
Petrochemicals & Ch	-	-	-	-	DEMCO	2.72	0.02	2,124	2.73	UOBKH	-	-	-	-
BCT	42.00	-	503	42.00	EA	44.75	(0.25)	83,947	44.78	ZMICO	0.61	-	4,279	0.61
CMAN	1.22	(0.06)	11,119	1.21	EASTW	9.20	-	11,807	9.28	Food & Beverage	-	-	-	-
GC	5.50	0.10	486	5.48	EGATIF	11.90	(0.10)	5,407	12.00	APURE	2.08	0.02	19,298	2.10
GCC	8.40	(0.05)	4,565	8.38	EGCO	191.50	(6.50)	24,940	193.52	ASIAN	11.80	(0.10)	55,575	11.93
GIFT	1.74	(0.01)	2,517	1.75	EP	3.96	0.02	6,229	3.96	BR	1.82	-	6,567	1.83
IVL	27.00	0.50	436,965	26.95	ESSO	7.00	-	239,785	7.00	BRR	2.66	-	4,043	2.63
NFC	1.55	0.02	2	1.55	GPSC	67.25	(1.00)	147,392	67.59	CBG	118.00	4.00	68,918	117.72
PATO	10.50	0.20	214	10.40	GREEN	1.10	0.03	1,880	1.10	CFRESH	3.10	-	4,167	3.11
PMTA	8.90	0.10	188	8.91	GULF	34.50	(0.25)	220,914	34.56	CHOTI	-	-	-	-
PTTGC	50.50	0.50	293,297	50.18	GUNKUL	2.30	(0.04)	166,655	2.30	CM	2.62	(0.06)	2,294	2.62
SUTHA	3.54	0.02	10	3.54	IFEC	-	-	-	-	CPF	27.75	0.50	376,181	27.68
TCCC	23.80	0.20	43	23.47	IRPC	2.54	-	1,387,046	2.52	CPI	1.41	0.05	24,556	1.41
TPA	5.15	-	56	5.15	KBSPIF	9.15	0.05	2,057	9.06	F&D	19.90	(0.10)	11	19.99
UAC	3.80	(0.18)	16,056	3.74	LANNA	6.20	-	4,434	6.09	HTC	34.00	(1.50)	16,468	34.36
UP	13.00	(0.50)	1	13.00	MDX	2.16	(0.04)	1,338	2.17	ICHI	11.10	(0.20)	179,295	11.28
VNT	23.90	(0.40)	7,735	24.03	PDI	8.55	(0.10)	12,568	8.63	KBS	3.12	(0.04)	4,944	3.12
WG	129.50	-	2	129.50	PRIME	0.51	(0.01)	56,804	0.51	KSL	2.14	(0.08)	61,817	2.15
YCI	-	-	-	-	PTG	18.60	0.10	190,477	18.71	KTIS	2.84	(0.06)	2,135	2.85
Commerce	-	-	-	-	PTT	37.25	(1.00)	1,001,728	37.23	LST	4.40	0.04	418	4.40
BEAUTY	1.35	0.02	85,657	1.33	PTTEP	90.50	(1.00)	165,070	90.54	M	51.00	(0.25)	7,787	50.45
BIG	0.47	(0.01)	40,448	0.47	RATCH	53.00	(1.00)	27,730	53.26	MALEE	5.70	0.05	2,105	5.70
BJC	34.25	-	32,903	33.97	RPC	0.49	-	1,358	0.49	MINT	23.40	0.60	1,566,916	22.92
COL	18.70	-	2,601	18.88	SCG	3.50	0.06	101	3.49	NRF	6.00	(0.05)	73,151	6.01
COM7	40.00	1.25	126,609	40.21	SCI	1.23	-	885	1.22	OISHI	40.50	0.25	164	40.18
CPALL	62.75	(0.75)	414,481	62.76	SCN	1.68	0.01	9,595	1.67	OSP	37.75	1.50	188,165	37.15
CPW	2.12	0.04	31,618	2.11	SGP	9.45	0.10	41,157	9.55	PB	70.50	-	64	70.01
CRC	31.25	(0.25)	183,921	30.86	SKE	0.50	-	53,816	0.50	PM	8.30	-	8,464	8.23
CSS	1.42	-	16,620	1.41	SOLAR	0.91	-	1,905	0.91	PRG	11.00	0.10	10	11.00
DOHOME	13.20	(0.40)	103,795	13.36	SPCG	20.90	0.30	31,909	20.94	RBF	9.55	0.15	132,580	9.54
FN	1.15	(0.01)	12,107	1.15	SPRC	6.70	-	99,947	6.65	SAPPE	22.10	0.80	31,516	22.29
FTE	1.55	(0.01)	1,013	1.55	SSP	7.15	0.05	2,618	7.09	SAUCE	25.25	-	1,641	25.06
GLOBAL	16.30	(0.10)	86,702	16.28	SUPER	0.90	-	1,724,458	0.90	SFP	125.00	(5.00)	2	127.50
HMPRO	14.80	(0.40)	295,125	14.85	SUPEREIF	11.00	-	2,910	11.09	SNP	9.00	-	3,624	9.00
ILM	13.20	(0.10)	10,826	13.21	SUSCO	2.66	(0.02)	1,266	2.67	SORKON	5.40	(0.05)	42	5.50
IT	2.60	0.06	1,194	2.61	TAE	2.24	-	4,486	2.24	SSC	31.25	(1.25)	5	31.55
KAMART	3.28	(0.02)	22,075	3.29	TCC	0.18	-	7,093	0.17	SSF	6.30	-	2	6.30
LOXLEY	1.33	(0.01)	3,651	1.33	TOP	44.25	(1.00)	99,168	44.34	SST	2.18	(0.04)	293	2.18
MAKRO	40.25	(0.50)	9,139	40.74	TPIPP	4.28	-	61,387	4.28	TC	4.38	-	4,837	4.32

Main Board Quotation

Issue Date :

Thursday November 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHG	2.52	-	241,321	2.51	A	5.05	-	45	5.05	Automotive	-	-	-	-
CMR	1.78	-	204	1.77	AMATA	13.10	(0.20)	99,224	13.20	3K-BAT	83.00	(35.50)	599	84.60
EKH	4.36	-	17,046	4.35	AMATAV	5.00	-	41	5.02	ACG	1.18	(0.02)	11,018	1.18
KDH	-	-	-	-	ANAN	1.61	(0.01)	19,762	1.61	AH	12.60	0.20	11,913	12.36
LPH	4.44	0.14	5,305	4.44	AP	6.65	0.05	122,379	6.64	CWT	1.99	0.01	4,205	2.00
M-CHAI	-	-	-	-	APEX	0.07	-	33,015	0.06	EASON	1.22	-	824	1.21
NEW	-	-	-	-	AQ	0.02	0.01	1,731,546	0.01	GYT	219.00	10.00	4	218.25
NTV	42.00	-	29	42.03	AWC	4.00	(0.14)	1,194,057	4.03	HFT	4.16	0.16	32,153	4.11
PR9	8.85	0.20	34,735	8.76	BLAND	1.02	(0.01)	61,552	1.02	IHL	3.10	(0.02)	5,865	3.11
PRINC	2.70	(0.04)	4,955	2.71	BROCK	1.42	(0.06)	61	1.47	INGRS	0.43	-	12,452	0.42
RAM	141.00	(1.00)	143	141.82	CGD	0.65	-	5,391	0.64	IRC	12.80	-	118	12.56
RJH	22.60	-	945	22.53	CI	0.67	(0.01)	1,010	0.68	PCSGH	4.38	-	16	4.38
RPH	5.20	(0.10)	3,466	5.25	CPN	49.75	(1.75)	128,193	49.50	SAT	13.50	0.10	12,038	13.33
SKR	6.45	0.05	1,464	6.41	ESTAR	0.33	-	914	0.33	SPG	13.10	-	1	13.10
SVH	392.00	(1.00)	7	392.43	EVER	0.21	-	81,629	0.21	STANLY	152.50	(1.50)	482	152.76
THG	19.40	0.20	5,061	19.33	FPT	11.10	0.20	992	11.05	TKT	0.91	0.01	230	0.90
VIBHA	1.43	(0.01)	70,780	1.43	GLAND	2.14	(0.04)	27	2.12	TNPC	0.67	-	691	0.67
VIH	5.95	(0.05)	3,148	5.94	J	1.29	(0.03)	14,612	1.30	TRU	3.44	0.04	197	3.31
WPH	1.56	0.01	1,013	1.56	JCK	1.06	(0.03)	15,566	1.06	TSC	8.95	0.05	12	8.95
Tourism & Leisure	-	-	-	-	KC	-	-	-	-	Industrial Materials	-	-	-	-
ASIA	4.50	-	45	4.42	KWG	0.67	(0.01)	283	0.67	ALLA	1.14	(0.01)	7,192	1.15
CENTEL	23.70	(0.10)	100,416	23.35	LALIN	6.60	0.20	23,606	6.53	ASEFA	3.32	-	942	3.31
CSR	68.50	(0.50)	5	68.80	LH	7.30	(0.10)	606,391	7.34	CPT	0.82	0.01	574	0.81
DTC	7.35	0.20	3,923	7.39	LPN	4.12	0.02	41,964	4.11	CRANE	1.54	-	5,758	1.55
ERW	2.96	(0.08)	219,201	2.94	MBK	11.80	(0.10)	24,151	11.78	CTW	5.50	(0.10)	135	5.48
GRAND	0.65	0.01	33,102	0.66	MJD	1.50	(0.03)	6,232	1.49	FMT	-	-	-	-
LRH	28.75	1.00	2	28.88	MK	3.08	0.02	2,206	3.07	HTECH	2.86	-	3,104	2.88
MANRIN	-	-	-	-	NCH	0.88	0.04	514	0.85	KKC	0.56	0.01	62	0.56
OHTL	-	-	-	-	NNCL	1.91	0.02	3,494	1.89	PK	1.55	0.01	1,264	1.53
ROH	-	-	-	-	NOBLE	20.50	0.60	41,665	20.21	SNC	11.20	-	6,154	11.11
SHANG	46.00	0.25	4	46.00	NUSA	0.25	(0.02)	692,410	0.25	STARK	1.82	(0.09)	3,416,648	1.86
SHR	1.93	(0.03)	61,725	1.94	NVD	1.02	0.01	9,973	1.02	TCJ	2.96	-	37	2.91
VRANDA	5.60	-	491	5.54	ORI	7.35	(0.05)	71,934	7.33	VARO	3.98	0.02	11	3.59
Home & Office Produ	-	-	-	-	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
ACC	0.59	0.02	10	0.59	PF	0.35	(0.01)	61,724	0.36	AIMCG	6.05	(0.05)	2,912	5.99
AJA	0.12	-	17,762	0.12	PLAT	2.20	(0.08)	16,434	2.20	AIMIRT	13.00	(0.20)	1,159	13.00
DTCI	27.50	0.50	109	27.26	POLAR	-	-	-	-	AMATAR	10.10	0.10	360	10.00
FANCY	0.48	(0.02)	472	0.49	PRECHA	0.84	(0.01)	229	0.83	B-WORK	11.50	0.10	154	11.40
KYE	312.00	-	1	312.00	PRIN	1.66	-	96	1.66	BKER	5.65	-	21,266	5.66
L&E	1.64	0.01	192	1.65	PSH	11.00	(0.20)	14,178	11.06	BKKCP	11.80	-	134	11.70
MODERN	2.46	0.04	5,322	2.46	QH	2.22	(0.02)	277,173	2.23	BOFFICE	10.50	0.10	340	10.40
OGC	-	-	-	-	RICHY	0.68	-	2,071	0.67	CPNCG	10.20	-	3,196	10.20
ROCK	-	-	-	-	RML	0.57	0.01	11,776	0.56	CPNREIT	20.40	(0.20)	10,680	20.32
SIAM	1.42	(0.03)	573	1.41	ROJNA	4.00	(0.02)	4,138	4.00	CPTGF	9.40	-	149	9.40
TSR	3.58	-	3,351	3.58	S	1.27	0.01	15,430	1.26	CTARAF	5.00	0.02	680	5.00
Insurance	-	-	-	-	SAMCO	1.17	-	2,283	1.17	DREIT	4.32	(0.04)	637	4.38
AYUD	33.00	-	2,635	33.00	SC	2.44	(0.02)	95,037	2.42	ERWPF	-	-	-	-
BKI	273.00	(2.00)	127	273.54	SENA	2.88	(0.02)	14,139	2.87	FTREIT	12.40	(0.30)	13,439	12.47
BLA	17.70	(0.90)	42,314	17.95	SF	4.56	0.02	11,034	4.54	FUTUREPF	17.20	-	43	17.47
BUI	8.85	(0.20)	26	8.94	SIRI	0.67	-	424,560	0.67	GAHREIT	8.05	(0.20)	247	7.94
CHARAN	24.90	2.80	28	24.89	SPALI	17.10	(0.20)	31,106	17.12	GOLDFP	5.70	0.20	121	5.69
INSURE	-	-	-	-	U	1.16	(0.02)	41,167	1.17	GVREIT	11.60	(0.20)	504	11.66
MTI	86.50	0.50	14	86.52	UV	2.54	(0.04)	10,140	2.54	HPF	4.74	0.02	229	4.70
NKI	-	-	-	-	WHA	2.74	(0.08)	941,573	2.74	HREIT	7.55	(0.05)	6,386	7.58
NSI	-	-	-	-	WIN	0.30	(0.01)	1,243	0.30	IMPACT	19.10	(0.20)	1,546	19.14
SEG	39.00	9.00	48	34.79	Paper & Printing	-	-	-	-	KPNPF	6.75	(0.05)	130	6.75
SMK	37.25	(0.25)	25	37.47	UTP	13.90	0.30	48,524	13.76	LHHOTEL	10.20	(0.20)	190	10.20
THRE	1.23	(0.03)	166,767	1.24	Fashion	-	-	-	-	LHPF	5.40	-	1	5.40
THREL	2.58	0.02	19,318	2.60	AFC	-	-	-	-	LHSC	11.20	-	109	11.20
TIP	25.00	0.20	6,767	24.85	B52	0.14	(0.01)	10,375	0.14	LUXF	6.40	-	250	6.40
TQM	117.50	0.50	17,257	118.83	BTNC	-	-	-	-	M-II	-	-	-	-
TSI	-	-	-	-	CPL	3.34	0.14	57	3.27	M-PAT	2.72	(0.32)	7	3.08
TVI	3.40	(0.06)	129	3.40	CPL	0.99	(0.07)	1,922	1.00	M-STOR	5.95	-	2	5.95
Mining	-	-	-	-	ICC	27.25	(0.25)	6	27.46	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.80	(0.02)	2,372	2.80
Packaging	-	-	-	-	PAF	0.49	(0.01)	281	0.49	MJLF	6.15	(0.05)	168	6.12
AJ	17.80	0.20	51,674	17.94	PDJ	1.40	(0.01)	18,190	1.42	MNIT	1.33	0.02	22	1.31
ALUCON	165.00	2.00	9	163.67	PG	-	-	-	-	MNIT2	-	-	-	-
BGC	9.50	0.10	43,616	9.33	SABINA	21.00	-	812	21.01	MNRF	2.96	-	2	2.96
CSC	51.75	0.50	2	51.75	SAWANG	-	-	-	-	POPF	10.00	-	530	10.00
GLOCON	0.92	-	19,035	0.92	SUC	34.75	0.75	3	34.42	PPF	11.40	-	86	11.35
NEP	0.24	0.01	3,080	0.24	TNL	-	-	-	-	PROSPECT	9.15	-	1,445	9.13
PTL	22.20	(0.20)	12,806	22.31	TPCORP	9.25	0.20	1	9.25	QHHR	5.80	-	51	5.80
SCGP	37.25	2.75	2,142,321	36.75	TR	27.50	(0.75)	55	27.73	QHOP	2.34	-	2	2.34
SFLEX	5.75	0.05	3,116	5.70	TTI	-	-	-	-	QHPF	9.55	(0.05)	1,409	9.55
SITHAI	0.62	-	1,550	0.61	TTT	52.50	(1.25)	57	52.50	SBPF	-	-	-	-
SLP	0.43	0.01	62	0.42	UPF	58.00	-	28	59.02	SHREIT	3.30	-	73	3.24
SMPC	10.90	0.20	7,233	10.77	UT	-	-	-	-	SIRIP	-	-	-	-
SPACK	2.60	(0.04)	8,449	2.62	WACOAL	44.75	-	1	44.75	SPF	12.50	0.30	12,633	12.58
TCOAT	-	-	-	-	Transportation 8	-	-	-	-	SPRIME	7.20	0.10	43	7.12
TFI	0.14	(0.01)	3,862	0.14	AAV	1.80	(0.04)	388,281	1.79	SRIPANWA	7.55	-	90	7.55
THIP	27.75	(0.50)	304	28.25	AOT	65.50	(2.25)	595,576	65.68	SSPF	9.10	-	2	9.03
TMD	22.30	-	110	21.91	ASIMAR	1.38	-	873	1.37	SSTRT	5.25	-	97	5.21
TOPP	-	-	-	-	B	0.29	(0.01)	701	0.29	TIF1	8.40	(0.05)	287	8.42
TPBI	4.92	0.08	1,082	4.89	BA	5.30	(0.30)	19,050	5.37	TLGF	15.60	(0.20)	5,988	15.74
TPP	-	-	-	-	BEM	9.15	(0.05)	216,717	9.10	TLHPF	-	-	-	-
Personal Products &	-	-	-	-	BTS	10.10	(0.20)	532,633	10.02	TNPF	1.99	(0.01)	703	1.99
APCO	3.74	-	971	3.73	BTSGIF	5.30	-	19,659	5.30	TPRIME	11.90	0.40	1	11.90
DDD	15.10	0.10	2,769	15.15	III	4.44	0.04	16,524	4.42	TTLPF	22.90	1.30	153	21.33
JCT	79.00	(0.50)	4	79.56	JUTHA	0.44	-	14	0.42	TU-PF	0.99	0.14	421	0.89
OCC	-	-	-	-	JWD	7.35	0.05	11,965	7.29	URBNPF	-	-	-	-
S & J	25.00	(1.00)	2	26.00	KWC	-	-	-	-	WHABT	8.70	0.20	9	8.70
STGT	72.00	2.50	330,173	71.94	NOK	0.66	(0.01)	2,855	0.66	WHART	12.60	-	8,095	12.61
STHAI	-	-	-	-	NYT	3.26	-	26,171	3.25	Steel	-	-	-	-
TNR	11.60	-	74	11.44	PORT	2.30	-	103,030	2.33	AMC	1.38	-	723	1.36
TOG	3.42	(0.12)	214	3.44	PRM	7.40	(0.20)	293,130	7.52	BSBM	0.87	-	315	0.86
Professional Service	-	-	-											

Main Board Quotation

Issue Date :

Thursday November 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TITLE	2.88	-	4,698	2.00	ADVA06C2103A	0.49	(0.14)	103,627	-
ABICO	5.50	(0.10)	1,304	5.00	Resources (MAI)	-	-	-	-	ADVA08C2012A	-	-	-	-
AU	9.10	-	9,175	9.00	ABM	0.94	0.01	649	-	ADVA08C2103A	0.52	(0.11)	73,416	-
JCKH	0.29	0.01	1,971	-	AIE	0.67	(0.03)	516,205	-	ADVA08P2101A	0.53	0.09	29,742	-
KASET	1.15	-	11	1.00	ETC	1.83	0.03	243,269	1.00	ADVA11C2011A	-	-	-	-
MM	1.98	(0.01)	21	1.00	PSTC	1.62	0.04	118,833	1.00	ADVA11C2104A	0.59	(0.12)	75,320	-
SUN	4.38	(0.02)	16,666	4.00	QTC	3.88	-	1,937	3.00	ADVA11P2011A	0.13	0.02	24,600	-
TACC	6.60	0.15	67,095	6.00	SAAM	1.04	0.01	2,174	1.00	ADVA13C2011A	0.12	(0.06)	89,509	-
TMILL	3.12	0.04	1,348	3.00	SEAQIL	2.30	(0.02)	1,856	2.00	ADVA13C2101A	0.37	(0.11)	120,189	-
XO	9.70	(0.10)	27,624	9.00	SR	0.62	0.02	635	-	ADVA13P2012A	0.38	0.08	2,205	-
Consumer Products	-	-	-	-	TAKUNI	0.36	(0.01)	2,807	-	ADVA19C2012A	0.13	(0.05)	2,040	-
BGT	1.00	-	3,243	-	TPCH	10.60	(0.20)	7,449	10.00	ADVA19C2101A	0.29	(0.11)	394,479	-
BIZ	3.38	0.02	1,785	3.00	TRT	-	-	-	-	ADVA19P2012A	0.31	0.06	361,718	-
DOD	8.80	0.20	52,444	8.00	UMS	0.28	-	89	-	ADVA24C2101A	0.19	(0.08)	15,725	-
ECF	1.29	(0.02)	26,834	1.00	UPA	0.18	-	25,089	-	ADVA28C2012A	0.03	0.02	2,742	-
HPT	0.74	0.01	230	-	UWC	0.04	(0.01)	5,777	-	ADVA28C2012B	0.03	0.02	2,002	-
IP	11.80	(0.20)	12,153	11.00	Services (MAI)	-	-	-	-	ADVA28C2101A	0.14	(0.05)	34,966	-
JUBILE	19.40	0.10	675	19.00	A5	-	-	-	-	ADVA28C2102L	0.14	(0.03)	47,250	-
MOONG	3.78	(0.06)	2,020	3.00	AKP	0.83	0.07	16,579	-	ADVA28P2012A	-	-	-	-
NPK	-	-	-	-	AMA	5.25	(0.10)	18,479	5.00	ADVA41C2011A	-	-	-	-
OCEAN	0.73	-	1,354	-	ARIP	0.41	(0.04)	10,407	-	ADVA41C2101A	0.34	(0.10)	60,912	-
TM	2.30	-	3,644	2.00	ATP30	0.86	-	6,426	-	ADVA41P2011A	-	-	-	-
Financials (MAI)	-	-	-	-	AUCT	11.90	0.30	12,621	11.00	ADVA41P2101A	0.21	0.04	58,821	-
ACAP	0.70	-	3,033	-	BOL	5.90	0.05	11,900	5.00	ADVA42C2102T	0.23	(0.04)	2,078	-
AF	0.61	0.02	1,990	-	CMO	0.86	(0.01)	387	-	AEON01C2102A	0.53	(0.01)	26,841	-
AIRA	0.84	-	37	-	D	3.32	(0.02)	515	3.00	AEON13C2011A	0.17	0.03	457	-
ASN	4.56	(0.34)	135	4.00	DV8	0.31	0.01	825	-	AEON13C2012A	1.22	(0.05)	527	1.00
BROOK	0.40	0.01	3,314	-	EFORL	0.03	-	23,050	-	AEON13C2101A	0.51	(0.02)	52,240	-
CHAYO	7.65	(0.20)	107,806	7.00	ETE	0.98	(0.02)	2,382	-	AEON19C2011A	-	-	-	-
GCAP	1.29	0.03	730	1.00	FSMART	7.10	0.15	16,781	7.00	AEON19C2012A	-	-	-	-
LIT	3.16	(0.02)	12,851	3.00	FVC	0.41	0.01	82,739	-	AEON19C2101A	0.67	(0.04)	37,072	-
MITSI	0.96	-	3,297	-	GSC	1.12	(0.02)	2,281	1.00	AEON19C2102A	0.52	(0.03)	304,628	-
SGF	0.50	-	10,529	-	HARN	2.16	-	1,231	2.00	AEON28C2012A	-	-	-	-
Industrials (MAI)	-	-	-	-	IMH	2.04	-	162	2.00	AEON28C2101A	-	-	-	-
ZS	3.80	(0.04)	8,494	3.00	KIAT	0.65	0.04	275,567	-	AEON28C2103A	0.55	(0.03)	129,804	-
ADB	0.87	0.01	2,716	-	KK	1.31	0.09	161,734	1.00	AEON28C2104L	0.34	(0.01)	84,068	-
BM	2.42	(0.04)	551	2.00	KOOL	0.89	(0.01)	14,762	-	AEON42C2101T	0.41	-	144	-
CHO	0.49	-	37,673	-	LDC	1.29	0.05	11,253	1.00	AMAT01C2101A	0.16	(0.02)	30,168	-
CHOW	2.00	-	280	1.00	LEO	3.90	0.18	636,572	3.00	AMAT06C2102A	0.17	(0.03)	33,476	-
CIG	0.21	-	283	-	MORE	0.82	-	314,974	-	AMAT08C2101A	0.22	(0.03)	4,000	-
COLOR	1.23	-	2,504	1.00	MPG	0.23	(0.01)	1,878	-	AMAT13C2012A	0.08	(0.01)	14,000	-
CPR	2.28	(0.06)	1,830	2.00	MVP	1.20	-	74	1.00	AMAT13C2102A	0.32	(0.03)	138,398	-
FPI	1.42	0.01	818	1.00	NBC	0.51	-	1,270	-	AMAT19C2011A	-	-	-	-
GTB	0.70	0.01	1,527	-	NCL	0.54	(0.03)	7,070	-	AMAT19C2012A	0.09	(0.01)	19,414	-
KCM	0.43	-	260	-	NEWS	0.01	-	20,307	-	AMAT19C2101A	0.20	(0.04)	102,908	-
KUMWEL	1.14	0.03	18,581	1.00	NINE	1.62	0.02	71	1.00	AMAT24C2103A	0.41	(0.03)	9,670	-
KWM	1.11	(0.01)	2,192	1.00	OTO	3.64	0.06	13,454	3.00	AMAT28C2012A	-	-	-	-
MBAX	7.75	0.10	20,553	7.00	PHOL	2.28	(0.02)	6,430	2.00	AMAT28C2101A	0.10	(0.01)	6,185	-
MGT	2.24	0.04	29,298	2.00	PICO	-	-	-	-	AMAT28C2102L	-	-	-	-
NGR	1.32	0.10	5,793	1.00	QLT	4.00	(0.10)	83	4.00	AMAT28C2103A	0.23	(0.02)	31,450	-
PDG	3.54	0.04	1,482	3.00	RP	1.18	(0.02)	1,172	1.00	AMAT42C2101T	-	-	-	-
PIMO	2.58	0.10	74,907	2.00	SABUY	1.79	(0.08)	1,623,743	1.00	AOT01C2012A	0.72	(0.11)	4,067	-
PJW	1.26	(0.01)	1,902	1.00	SE	1.18	0.01	296	1.00	AOT01C2102A	0.77	(0.13)	1,375	-
PPM	0.82	(0.01)	392	-	SLM	-	-	-	-	AOT01C2102T	0.52	(0.01)	621	-
PRAPAT	1.26	-	26,091	1.00	SONIC	1.28	0.02	4,795	1.00	AOT01P2012A	0.05	-	9,176	-
RWI	1.30	-	372	1.00	SPA	6.40	-	5,563	6.00	AOT01P2012B	0.12	0.01	10,600	-
SALEE	0.61	(0.02)	864	-	THMUI	0.63	0.01	784	-	AOT01P2102T	0.27	0.03	19,125	-
SANKO	0.95	(0.01)	117	-	TNDT	2.96	0.04	72	2.00	AOT06C2011A	-	-	-	-
SELIC	1.83	-	1,477	1.00	TNH	33.50	0.50	247	33.00	AOT06C2102A	0.79	(0.15)	94,394	-
SFT	4.08	0.20	126,618	4.00	TNP	3.50	(0.04)	24,070	3.00	AOT06P2011A	-	-	-	-
SWC	4.36	(0.08)	992	4.00	TSF	-	-	-	-	AOT06P2103A	0.16	0.03	109,133	-
TMC	-	-	-	-	TVD	0.98	(0.01)	10,032	-	AOT08C2101A	0.64	(0.12)	653	-
TMI	0.65	-	3,164	-	TVT	0.65	(0.02)	536	-	AOT08P2102A	0.25	0.04	22,102	-
TMW	32.00	(0.50)	91	31.00	VL	1.09	0.02	704,332	1.00	AOT11C2011A	0.19	(0.06)	81,857	-
TPAC	13.50	0.30	6,716	13.00	WINNER	2.48	-	642	2.00	AOT11P2101A	0.10	0.02	9,091	-
TPLAS	1.45	0.01	9,573	1.00	YGG	11.90	(0.10)	2,037	12.00	AOT13C2012A	0.73	(0.14)	224	-
UBIS	5.45	0.45	2,482	5.00	Technology (M	-	-	-	-	AOT13C2101A	0.50	(0.12)	37,571	-
UEC	0.89	0.03	8,780	-	APP	2.36	0.02	3,840	2.00	AOT13C2102A	1.00	(0.12)	5,818	-
UKEM	0.53	-	16,580	-	COMAN	2.16	-	3,957	2.00	AOT13C2103A	0.48	(0.52)	654,291	-
UREKA	0.83	0.01	3,437	-	ICN	2.32	0.22	104,772	2.00	AOT13P2011A	-	-	-	-
YUASA	15.70	(1.10)	4,260	15.00	IIG	19.30	(0.60)	21,774	19.00	AOT13P2101A	0.13	0.02	321,355	-
ZIGA	2.66	(0.04)	29,990	2.00	INSET	3.50	(0.02)	35,062	3.00	AOT13P2102A	0.14	0.01	410,705	-
Property & Construc	-	-	-	-	IRCP	0.69	-	1,005	-	AOT16C2012A	0.82	(0.13)	232	-
ALL	3.08	(0.24)	241,254	3.00	ITEL	3.02	0.10	20,001	2.00	AOT19C2011A	0.01	(0.01)	2,021	-
ARIN	0.92	0.03	3,143	-	NETBAY	26.00	(0.75)	2,975	26.00	AOT19C2011B	0.17	(0.10)	38,779	-
ARROW	7.05	(0.10)	675	7.00	PLANET	1.20	0.02	2,395	1.00	AOT19C2012A	0.61	(0.15)	3,532	-
BC	0.83	-	771	-	SICT	4.10	(0.02)	21,358	4.00	AOT19C2102A	0.99	(0.18)	6,787	-
BSM	0.27	-	1,856	-	SIMAT	3.60	-	1,168	3.00	AOT19C2103A	0.34	(0.66)	192,231	-
BTW	0.77	-	811	-	SKY	12.40	(0.30)	1,673	12.00	AOT19P2011A	-	-	-	-
CAZ	1.64	0.01	3,066	1.00	SPVI	2.94	0.08	90,300	2.00	AOT19P2011B	-	-	-	-
CHEWA	0.47	-	9,366	-	TPS	2.30	(0.04)	3,151	2.00	AOT19P2102A	0.10	0.01	76,922	-
CMC	0.71	-	1,168	-	VCOM	4.52	(0.04)	14,435	4.00	AOT19P2103A	0.61	0.06	771,908	-
CRD	0.43	0.01	1,105	-	Unit Trust	-	-	-	-	AOT24C2012A	1.04	(0.19)	9,693	1.00
DHOUSE	0.52	-	46,754	-	SCBSET	-	-	-	-	AOT28C2012A	0.02	(0.02)	1,320	-
DIMET	0.12	(0.01)	47,214	-	ETF	-	-	-	-	AOT28C2012B	0.15	(0.08)	89,383	-
FLOYD	0.91	0.01	3,503	-	IDIV	8.35	(0.01)	461	8.00	AOT28C2101A	0.80	(0.12)	67,587	-
HYDRO	0.24	(0.01)	64	-	ABFTH	-	-	-	-	AOT28C2104L	0.36	(0.05)	82,862	-
JSP	0.21	-	9,166	-	BMSCG	7.50	-	39	7.00	AOT28P2012A	-	-	-	-
K	0.76	-	55	-	BMSCITH	9.66	(0.14)	2,341	9.00	AOT41C2011A	0.35	(0.13)	200	-
KUN	0.89	(0.01)	1,319	-	BSET100	8.65	(0.09)	1,117	8.00	AOT41C2012A	-	-	-	-
META	0.36	0.01	45,579	-	CHINA	7.20	(0.14)	571	7.00	AOT41P2012A	0.02	-	298	-
PPS	0.36	-	8,404	-	EBANK	3.48	(0.09)	35	3.00	AOT41P2102A	0.28	0.04	66,786	-

Main Board Quotation

Issue Date :

Thursday November 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AWC01C2101A	0.43	(0.02)	1,000	-	BCPG19C2101A	0.13	-	119,332	-	BTS13C2011A	-	-	-	-
AWC01C2103A	-	-	-	-	BCPG19C2101A	0.27	(0.06)	316	-	BTS13C2012A	-	-	-	-
AWC01P2103A	1.02	0.05	363	1.00	BCPG28C2012A	0.03	-	108	-	BTS13C2102A	0.41	(0.03)	700	-
AWC06C2011A	-	-	-	-	BCPG28C2012B	-	-	-	-	BTS13P2011A	-	-	-	-
AWC06C2103A	0.64	(0.09)	43,160	-	BCPG28C2012C	-	-	-	-	BTS13P2102A	0.13	0.01	33,043	-
AWC06P2012A	0.06	0.02	2,820	-	BCPG28C2101A	0.11	-	11,484	-	BTS19C2011A	-	-	-	-
AWC08C2012A	0.12	(0.03)	10,737	-	BCPG28C2103A	0.24	(0.02)	115,168	-	BTS19C2012A	-	-	-	-
AWC11C2102A	0.42	(0.07)	14,120	-	BCPG28C2103A	0.24	(0.02)	115,168	-	BTS19C2102A	-	-	-	-
AWC13C2011A	-	-	-	-	BDM01C2101A	0.38	0.05	1,844	-	BTS19P2011A	0.05	0.01	14	-
AWC13C2101A	0.30	(0.06)	35,250	-	BDM01C2101A	0.38	0.05	1,844	-	BTS19P2102A	0.22	0.02	40,028	-
AWC13C2102A	0.91	(0.10)	189	-	BDM06C2102A	0.36	0.05	123,803	-	BTS24C2011A	-	-	-	-
AWC13C2102B	0.46	(0.54)	359,986	-	BDM06C2102A	0.36	0.05	123,803	-	BTS41C2012A	-	-	-	-
AWC13P2011A	-	-	-	-	BDM08C2011A	0.30	0.05	17,205	-	CBG01C2012A	0.10	0.01	67,897	-
AWC13P2102A	0.09	0.02	8,457	-	BDM08C2011A	0.30	0.05	17,205	-	CBG01C2102A	0.48	0.06	69,871	-
AWC19C2101A	0.31	(0.06)	38,455	-	BDM11C2011A	0.18	0.02	83,500	-	CBG01C2103T	0.37	0.02	45,719	-
AWC19C2102A	-	-	-	-	BDM11P2104A	0.22	(0.03)	44,550	-	CBG01P2011A	0.19	(0.04)	30,641	-
AWC19C2103A	0.92	(0.08)	102	-	BDM13C2011A	0.03	0.01	860	-	CBG01P2102A	0.58	(0.06)	18,146	-
AWC19P2011A	-	-	-	-	BDM13C2012A	0.17	0.01	252	-	CBG06C2011A	-	-	-	-
AWC19P2102B	0.11	0.01	133,105	-	BDM13C2101A	0.48	0.05	348,328	-	CBG06C2102A	0.52	0.07	86,206	-
AWC24C2103A	0.74	(0.12)	11,140	-	BDM13P2102A	0.11	(0.03)	40,498	-	CBG08C2012A	0.31	0.05	41,404	-
AWC28C2012A	-	-	-	-	BDM13P2102A	0.11	(0.03)	40,498	-	CBG11C2101A	0.36	0.03	30,085	-
AWC28C2012B	-	-	-	-	BDM19C2012A	0.17	0.02	42,200	-	CBG12C2011A	0.01	(0.04)	3,690	-
AWC28C2101A	0.20	(0.04)	74,450	-	BDM19C2012A	0.17	0.02	42,200	-	CBG13C2012A	0.10	0.02	147,676	-
AWC28C2103L	0.17	(0.03)	21,294	-	BDM19C2102A	0.43	0.04	124,946	-	CBG13C2101A	0.37	0.05	163,826	-
AWC28C2104A	-	-	-	-	BDM19P2102A	0.12	(0.02)	35,568	-	CBG13C2102A	0.53	0.06	272,711	-
AWC41C2011A	-	-	-	-	BDM24C2101A	0.38	0.04	16,297	-	CBG13P2011A	-	-	-	-
AWC41C2102A	-	-	-	-	BDM28C2012A	-	-	-	-	CBG13P2101A	0.50	(0.07)	200,045	-
AWC42C2101T	0.04	(0.01)	4	-	BDM28C2101A	0.14	0.02	31,435	-	CBG16C2101A	0.39	0.03	59,105	-
BANP01C2101A	0.44	(0.02)	24,290	-	BDM28C2102A	0.23	0.03	98,818	-	CBG19C2011A	0.24	0.05	49,936	-
BANP01C2103A	0.35	(0.02)	75,145	-	BDM28C2102A	0.23	0.03	98,818	-	CBG19C2011B	0.03	0.01	1	-
BANP01P2101A	0.15	-	7,171	-	BDM28C2102E	-	-	-	-	CBG19C2101A	0.28	0.05	145,344	-
BANP06C2101A	0.52	(0.04)	50,933	-	BDM28C2102E	-	-	-	-	CBG19C2102A	0.52	0.07	121,457	-
BANP06P2011A	-	-	-	-	BDM28C2101A	0.14	0.02	31,435	-	CBG19P2011A	0.01	-	512	-
BANP06P2103A	0.24	0.01	26,948	-	BDM28C2102A	0.23	0.03	98,818	-	CBG19P2012A	0.30	(0.07)	80,780	-
BANP08C2102A	0.47	(0.01)	42,717	-	BDM28C2103A	0.48	0.05	188,887	-	CBG24C2102A	0.52	0.06	16,724	-
BANP08P2102A	0.18	(0.03)	10,262	-	BDM41C2012A	-	-	-	-	CBG41C2011A	-	-	-	-
BANP11C2104A	0.48	0.01	19,108	-	BDM41C2012A	-	-	-	-	CBG41C2011B	0.12	(0.06)	1,200	-
BANP13C2011A	0.03	(0.05)	1,043	-	BDM41P2011A	0.12	(0.64)	120	-	CBG41C2012A	0.04	-	1,000	-
BANP13C2012A	0.38	(0.04)	2,748	-	BDM41P2011A	0.12	(0.64)	120	-	CBG41P2012A	0.46	(0.08)	17,545	-
BANP13C2102A	0.31	(0.01)	207,450	-	BDM42C2101T	0.08	0.01	2,002	-	CBG42C2101T	0.52	0.06	11,821	-
BANP13P2012A	0.04	-	5,000	-	BEM01C2101A	-	-	-	-	CENT01C2103A	0.71	(0.01)	25,582	-
BANP13P2102A	0.26	(0.05)	40,845	-	BEM08C2102A	0.13	(0.01)	220	-	CENT01P2103A	0.66	0.02	27,643	-
BANP16C2101A	0.37	(0.03)	16,476	-	BEM08C2102A	0.13	(0.01)	220	-	CENT08C2012A	0.18	(0.02)	5,016	-
BANP19C2012A	-	-	-	-	BEM11C2011A	-	-	-	-	CENT11C2012A	-	-	-	-
BANP19C2102A	0.31	(0.02)	27,530	-	BEM13C2011A	-	-	-	-	CENT13C2011A	-	-	-	-
BANP19P2012A	0.02	-	250	-	BEM13C2101A	0.28	(0.02)	105,087	-	CENT13C2101A	0.51	(0.02)	12,248	-
BANP19P2102A	0.21	-	12,072	-	BEM19C2011A	0.13	-	4,049	-	CENT13P2011A	0.04	(0.01)	407	-
BANP24C2011A	0.07	0.01	60	-	BEM19C2101A	0.13	-	4,049	-	CENT19C2011A	0.02	-	9	-
BANP28C2012A	0.18	-	25,036	-	BEM19C2101A	0.24	-	9,266	-	CENT19C2011B	0.12	(0.01)	31,724	-
BANP28C2012B	0.14	(0.02)	15,542	-	BEM19C2101A	0.24	-	9,266	-	CENT19C2101A	0.47	(0.02)	73,323	-
BANP28C2101A	0.45	0.02	27,558	-	BEM19C2102A	0.43	(0.01)	16,467	-	CENT19P2011A	-	-	-	-
BANP28C2103A	0.30	-	27,036	-	BEM19P2102A	0.23	0.01	52,976	-	CENT24C2011A	-	-	-	-
BANP42C2012T	0.11	0.01	6	-	BEM28C2012A	-	-	-	-	CENT28C2012A	-	-	-	-
BBL06C2101A	0.90	(0.01)	969	-	BEM28C2103A	0.23	(0.01)	53,662	-	CENT28C2012B	-	-	-	-
BBL06P2011A	-	-	-	-	BEM28C2103B	0.39	-	37,113	-	CENT28C2101A	0.20	(0.02)	31,260	-
BBL08C2101A	0.32	-	44,047	-	BEM28C2104L	0.21	-	30,420	-	CENT28C2101B	0.06	(0.01)	3,302	-
BBL08C2103A	-	-	-	-	BGR101C2012A	-	-	-	-	CENT28C2103L	0.25	-	60,722	-
BBL08P2102A	0.35	-	45,962	-	BGR101C2102A	0.50	(0.03)	77,919	-	CHG06C2102A	0.15	(0.01)	41,057	-
BBL11C2011A	0.24	(0.01)	51,265	-	BGR101P2012A	0.09	-	1,050	-	CHG13C2012A	0.07	(0.02)	25,003	-
BBL11C2104A	1.35	0.01	27,133	1.00	BGR106C2102A	0.45	(0.03)	61,915	-	CHG19C2011A	-	-	-	-
BBL11P2102A	0.24	(0.01)	114,787	-	BGR106P2011A	-	-	-	-	CHG19C2103A	0.17	-	5,499	-
BBL13C2012A	0.29	(0.01)	136,136	-	BGR108C2101A	0.32	(0.01)	15,000	-	CK01C2101A	0.18	-	19,441	-
BBL13C2012B	0.82	0.04	269	-	BGR11C2101A	0.16	(0.01)	34,653	-	CK01P2101A	0.32	-	17,008	-
BBL13C2103A	0.55	(0.01)	16,945	-	BGR11C2101A	0.16	(0.01)	34,653	-	CK06C2102A	0.23	(0.01)	17,026	-
BBL13C2103B	0.40	(0.60)	716,495	-	BGR11C2102A	0.19	(0.02)	216,136	-	CK06C2103A	0.65	(0.03)	20,658	-
BBL13P2012A	0.13	-	219,155	-	BGR13C2010A	0.35	(0.04)	126,500	-	CK06P2012A	0.21	-	18,267	-
BBL19C2011A	-	-	-	-	BGR13C2011A	-	-	-	-	CK11C2012A	0.07	-	6,009	-
BBL19C2011B	-	-	-	-	BGR13P2011A	0.08	-	10,610	-	CK13C2012A	0.11	(0.01)	2,044	-
BBL19C2012A	-	-	-	-	BGR13P2101A	0.08	-	10,610	-	CK13C2102A	0.54	0.01	130,383	-
BBL19C2101A	0.43	(0.02)	77,856	-	BGR19C2011A	-	-	-	-	CK19C2011A	-	-	-	-
BBL19C2101B	-	-	-	-	BGR19C2011A	-	-	-	-	CK19C2012A	0.16	-	24,008	-
BBL19P2011A	-	-	-	-	BGR19C2101A	0.16	(0.01)	34,653	-	CK19C2103A	0.41	-	26,597	-
BBL19P2012A	0.08	-	70	-	BGR113C2010A	0.35	(0.04)	126,500	-	CK19P2011A	-	-	-	-
BBL24C2102A	1.41	0.01	1,712	1.00	BGR113P2011A	0.08	-	10,610	-	CK19P2102A	0.20	0.01	9,009	-
BBL28C2012A	-	-	-	-	BGR127P2012A	-	-	-	-	CK24C2102A	0.20	-	2,018	-
BBL28C2101A	0.22	0.01	103,005	-	BGR141C2012A	0.48	(0.03)	2,808	-	CK41C2011A	-	-	-	-
BBL28C2103A	1.26	0.02	200	1.00	BGR141C2101A	0.16	(0.03)	13,889	-	CK41C2012A	0.10	(0.02)	805	-
BBL28C2104L	0.24	0.01	134,991	-	BGR142C2101T	-	-	-	-	CK42C2101T	-	-	-	-
BBL41C2011A	-	-	-	-	BH01C2103A	0.33	(0.10)	2,120	-	CKP01C2101A	-	-	-	-
BBL41C2012A	-	-	-	-	BH13C2012A	0.06	(0.03)	11,508	-	CKP01P2101A	0.50	0.03	46,643	-
BBL41C2102A	0.30	-	275,253	-	BH13C2101A	0.48	(0.10)	150,970	-	CKP06C2012A	0.05	(0.02)	3,094	-
BBL41P2011A	-	-	-	-	BH13P2101A	0.15	0.03	197,903	-	CKP06C2103A	-	-	-	-
BBL41P2102A	0.38	(0.02)	67,858	-	BH19C2012A	0.10	(0.03)	48,992	-	CK06P2012A	0.65	-	18,267	-
BBL42C2101T	0.08	(0.02)	60	-	BH19C2101A	0.87	(0.16)	12	-	CK11C2012A	0.07	-	6,009	-
BBL42P2102T	0.15	(0.01)	40	-	BH19P2012A	0.19	0.03	92,732	-	CK13C2012A	0.11	(0.01)	2,044	-
BCH01C2101A	0.23	0.01	25,959	-	BH24C2102A	0.24	(0.07)	31,772	-	CK13C2102A	0.54	0.01	130,383	-
BCH06C2011A	-	-	-	-	BH41C2012A	-	-	-	-	CK19C2011A	-	-	-	-
BCH06C2103A	0.37	0.02	33,092	-	BH41C2012A	-	-	-	-	CK19C2012A	0.16	-	24,008	-
BCH13C2012A	0.14	0.02												

Main Board Quotation

Issue Date :

Thursday November 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
COM711P2102A	0.51	(0.04)	7,123	-	CRC06C2102A	0.28	(0.01)	71,704	-	EPG42C2101T	0.25	0.01	2,690	-
COM713C2011A	0.07	0.01	134	-	CRC08C2101A	0.20	(0.01)	6,800	-	ESSO01C2012A	0.11	-	52,144	-
COM713C2101A	0.20	0.03	294,456	-	CRC11P2104A	0.40	-	56,081	-	ESSO01P2012A	0.16	-	51,799	-
COM716C2101A	0.23	0.02	8,136	-	CRC13C2011A	-	-	-	-	ESSO06C2011A	-	-	-	-
COM719C2011A	-	-	-	-	CRC13C2012A	0.10	(0.06)	3,500	-	ESSO06C2103A	0.45	0.01	24,952	-
COM719C2011B	0.21	(0.11)	1,000	-	CRC13C2101A	0.26	(0.05)	1,613	-	ESSO08C2011A	-	-	-	-
COM719C2012A	0.16	0.03	154,309	-	CRC13P2012A	0.03	(0.07)	356	-	ESSO08C2102A	0.37	0.02	9,520	-
COM719P2011A	-	-	-	-	CRC16C2102A	0.34	(0.02)	10,496	-	ESSO13C2012A	0.15	-	105,032	-
COM719P2012A	0.03	(0.02)	240	-	CRC19C2011A	-	-	-	-	ESSO13C2102A	0.40	(0.01)	6,665	-
COM719P2101A	0.21	(0.04)	118,617	-	CRC19C2012A	0.13	(0.02)	49,959	-	ESSO19C2011A	-	-	-	-
COM719P2102A	0.55	(0.06)	32,571	-	CRC19C2101A	0.31	(0.04)	1,271	-	ESSO19C2012A	0.13	(0.02)	33,182	-
COM724C2012A	0.20	0.03	24,673	-	CRC19P2011A	-	-	-	-	ESSO19C2103A	0.40	-	122,514	-
COM741C2101A	0.15	0.02	22,798	-	CRC24C2101A	0.18	(0.01)	16,837	-	ESSO19P2012A	0.08	(0.01)	4,000	-
CPAL01C2101A	0.19	(0.03)	96,053	-	CRC28C2012A	0.03	(0.01)	303	-	ESSO24C2012A	0.08	-	7	-
CPAL01C2103A	0.61	(0.05)	42,567	-	CRC28C2101A	0.18	(0.01)	88,556	-	ESSO28C2101A	-	-	-	-
CPAL01P2101A	0.30	0.02	154,285	-	CRC28C2103A	0.38	(0.02)	103,953	-	ESSO28C2101B	0.13	0.01	96,825	-
CPAL06C2102A	0.18	(0.03)	78,980	-	CRC41C2012A	0.13	(0.01)	6,168	-	ESSO41C2011A	-	-	-	-
CPAL06P2012A	0.16	0.01	96,092	-	DELT11C2011A	7.85	0.60	125	8.00	ESSO42C2101T	0.12	(0.01)	2	-
CPAL08C2011A	-	-	-	-	DOHO01C2103	0.33	(0.05)	20,757	-	GFPT08C2011A	-	-	-	-
CPAL08C2102A	0.28	(0.03)	19,000	-	DOHO01P2103	0.64	0.03	22,171	-	GFPT19C2012A	-	-	-	-
CPAL08P2101A	0.38	0.03	5,375	-	DOHO06C2012	0.09	(0.03)	32,087	-	GFPT19C2103A	0.30	(0.01)	109,394	-
CPAL11C2012A	-	-	-	-	DOHO08C2012	0.19	(0.04)	61,526	-	GFPT24C2012A	0.04	-	17	-
CPAL13C2012A	0.08	(0.02)	1,230	-	DOHO11C2101	0.21	(0.04)	26,442	-	GFPT42C2101T	0.04	-	400	-
CPAL13C2101A	0.30	(0.03)	236,053	-	DOHO13C2011	0.01	(0.01)	9,609	-	GLOB01C2012A	-	-	-	-
CPAL13C2102A	0.59	(0.05)	12,339	-	DOHO13C2101	0.08	(0.02)	161,745	-	GLOB01C2102A	0.33	(0.01)	5,914	-
CPAL13P2011A	-	-	-	-	DOHO19C2011	0.04	(0.02)	47,000	-	GLOB13C2011A	-	-	-	-
CPAL13P2102A	0.20	0.01	46,599	-	DOHO19C2101	0.11	(0.02)	59,891	-	GLOB13C2102A	0.20	(0.01)	32,036	-
CPAL16C2103A	0.71	(0.08)	3,894	-	DOHO19C2103	0.28	(0.72)	43,515	-	GLOB19C2012A	-	-	-	-
CPAL19C2011A	-	-	-	-	DOHO28C2012	0.05	(0.02)	6,000	-	GLOB19C2102A	0.24	(0.01)	19,728	-
CPAL19C2012A	0.13	(0.03)	83,876	-	DOHO28C2102	0.12	(0.02)	24,344	-	GPSCO1C2012A	0.08	(0.01)	5,600	-
CPAL19C2102A	0.29	(0.03)	283,381	-	DOHO42C2012	0.10	(0.01)	6	-	GPSCO1C2101A	-	-	-	-
CPAL19C2103A	0.54	(0.10)	3,570	-	DTAC01C2101A	0.11	(0.03)	20,610	-	GPSCO1C2103A	1.46	(0.05)	27,653	1.00
CPAL19P2101A	0.24	0.03	249,499	-	DTAC01P2101A	0.20	0.02	48,318	-	GPSCO1P2012A	0.13	(0.01)	41,774	-
CPAL24C2103A	0.45	(0.06)	18,484	-	DTAC06C2012A	0.01	-	1,250	-	GPSCO6C2011A	-	-	-	-
CPAL27C2101A	-	-	-	-	DTAC06C2103A	0.27	(0.06)	63,172	-	GPSCO6C2101A	0.21	(0.03)	74,353	-
CPAL28C2012A	-	-	-	-	DTAC06P2012A	0.29	0.04	36,380	-	GPSCO6C2103A	-	-	-	-
CPAL28C2012B	-	-	-	-	DTAC08C2012A	-	-	-	-	GPSCO6P2011A	-	-	-	-
CPAL28C2012C	-	-	-	-	DTAC08C2101A	0.12	(0.03)	2,400	-	GPSCO8C2101A	0.28	(0.02)	19,000	-
CPAL28C2102A	0.13	(0.02)	18,262	-	DTAC13C2011A	0.01	-	2	-	GPSCO8C2103A	0.99	(0.04)	32,353	1.00
CPAL28C2103A	0.33	(0.04)	71,370	-	DTAC13C2012A	0.06	(0.02)	2,675	-	GPSC11C2102A	0.45	(0.03)	27,410	-
CPAL28C2103B	0.54	(0.08)	73,021	-	DTAC13C2101A	0.12	(0.03)	181,707	-	GPSC13C2012A	0.11	-	2,941	-
CPAL28C2104L	0.16	(0.02)	13,456	-	DTAC13C2103A	0.26	(0.05)	154,438	-	GPSC13C2012B	0.24	(0.04)	15,136	-
CPAL41C2011A	-	-	-	-	DTAC13P2011A	-	-	-	-	GPSC13C2101A	0.64	(0.06)	29,798	-
CPAL41C2101A	0.24	(0.04)	26,247	-	DTAC13P2101A	0.12	0.02	135,730	-	GPSC13C2102A	1.04	(0.08)	39,275	1.00
CPAL41C2101B	0.51	(0.08)	8,998	-	DTAC19C2011A	-	-	-	-	GPSC13C2103A	0.64	(0.36)	773,372	-
CPAL41P2011A	0.18	0.02	10	-	DTAC19C2012A	-	-	-	-	GPSC13P2011A	-	-	-	-
CPAL41P2101A	0.33	0.03	102,975	-	DTAC19C2101A	0.14	(0.04)	61,009	-	GPSC13P2011B	-	-	-	-
CPAL41P2101B	0.14	0.02	1,496	-	DTAC19C2103A	0.30	(0.06)	12,688	-	GPSC13P2102A	0.19	0.01	45,317	-
CPAL42C2101T	0.02	-	3,000	-	DTAC19P2011A	-	-	-	-	GPSC13P2102B	0.54	0.02	160,674	-
CPF01C2012A	-	-	-	-	DTAC24C2012A	-	-	-	-	GPSC16C2103A	1.03	(0.03)	3,838	1.00
CPF01C2101A	0.14	0.02	25,267	-	DTAC28C2012A	-	-	-	-	GPSC19C2012A	0.18	(0.02)	64,751	-
CPF01P2012A	0.29	(0.04)	6,886	-	DTAC28C2102A	-	-	-	-	GPSC19C2101A	0.39	(0.05)	279,567	-
CPF06C2102A	0.12	0.01	50,938	-	DTAC28C2103A	0.18	(0.04)	38,920	-	GPSC19C2101B	0.69	(0.05)	8,049	-
CPF06P2011A	-	-	-	-	DTAC28C2104L	0.15	(0.02)	27,378	-	GPSC19C2102A	1.07	(0.05)	1,905	1.00
CPF08C2102A	0.13	-	2,100	-	DTAC41C2011A	-	-	-	-	GPSC19P2011A	-	-	-	-
CPF08P2103A	-	-	-	-	DTAC41C2012A	-	-	-	-	GPSC19P2012A	0.08	-	3,001	-
CPF11C2104A	0.28	0.01	39,053	-	DTAC42C2101T	-	-	-	-	GPSC19P2102A	0.22	-	87,370	-
CPF11P2104A	0.34	(0.01)	29,280	-	EA06C2102A	0.38	(0.02)	79,083	-	GPSC24C2011A	-	-	-	-
CPF13C2011A	-	-	-	-	EA06P2012A	0.08	-	7,320	-	GPSC28C2101A	0.25	(0.02)	52,450	-
CPF13C2012A	0.04	0.01	104	-	EA08C2101A	0.37	(0.01)	5,803	-	GPSC28C2103A	0.76	(0.04)	167,515	-
CPF13C2101A	0.10	0.01	46,947	-	EA11C2101A	0.09	(0.01)	14,580	-	GPSC28C2104L	0.27	(0.01)	39,505	-
CPF13C2102A	0.20	0.02	152,774	-	EA13C2011A	0.02	(0.01)	2,500	-	GPSC41C2011A	-	-	-	-
CPF13P2012A	-	-	-	-	EA13C2012A	0.13	(0.02)	248,226	-	GPSC41C2012A	-	-	-	-
CPF13P2101A	0.13	(0.01)	124	-	EA13C2101A	0.40	(0.02)	90,899	-	GPSC42C2101T	-	-	-	-
CPF16C2012A	-	-	-	-	EA13P2011A	-	-	-	-	GULF01C2012A	0.13	(0.01)	23,608	-
CPF19C2012A	0.02	-	100	-	EA13P2101A	0.08	-	1,365	-	GULF01C2102A	0.35	(0.02)	58,619	-
CPF19C2102A	0.15	0.01	144,477	-	EA16C2012A	-	-	-	-	GULF01P2012A	0.07	(0.02)	200	-
CPF19C2103A	0.26	0.02	82,073	-	EA16C2102A	0.45	(0.02)	25,085	-	GULF01P2102A	0.15	-	60,485	-
CPF19P2012A	-	-	-	-	EA19C2012A	0.16	(0.01)	36,732	-	GULF06C2101A	0.26	(0.02)	37,044	-
CPF19P2101A	0.16	(0.01)	160	-	EA19C2101A	0.41	(0.02)	38,207	-	GULF08C2012A	-	-	-	-
CPF24C2012A	0.01	-	2,400	-	EA19P2011A	-	-	-	-	GULF08C2102A	0.31	(0.01)	7,504	-
CPF28C2012A	0.03	-	151	-	EA19P2011B	-	-	-	-	GULF11C2011A	-	-	-	-
CPF28C2012B	0.03	0.02	61	-	EA19P2102A	0.27	-	99,744	-	GULF11C2104A	0.46	(0.03)	19,144	-
CPF28C2102A	-	-	-	-	EA24C2101A	0.30	(0.03)	16,727	-	GULF11P2104A	0.29	-	11,110	-
CPF28C2103A	0.13	0.01	4,042	-	EA28C2012A	0.12	(0.01)	33,462	-	GULF13C2012A	0.06	(0.01)	11,118	-
CPF28C2103L	0.07	-	10	-	EA28C2101A	0.11	(0.01)	24,336	-	GULF13C2012B	0.20	(0.02)	4,223	-
CPF41C2101A	-	-	-	-	EA28C2102A	0.24	(0.01)	63,865	-	GULF13C2102A	0.43	(0.02)	14,045	-
CPF41C2102A	0.20	0.01	419	-	EA28C2103L	0.13	(0.01)	18,252	-	GULF13C2103A	0.37	(0.63)	298,328	-
CPF41P2011A	-	-	-	-	EA41C2011A	-	-	-	-	GULF13P2011A	0.06	(0.01)	1,980	-
CPF41P2102A	-	-	-	-	EA41C2101A	0.11	(0.01)	7,984	-	GULF13P2103A	0.28	0.01	160,524	-
CPF42C2101T	-	-	-	-	EA42C2101T	0.17	-	6,016	-	GULF16C2012A	0.18	(0.01)	5,452	-
CPN01C2012A	-	-	-	-	EGC001C2101A	0.10	(0.02)	53,194	-	GULF19C2012A	0.11	(0.01)	27,564	-
CPN01C2101A	0.56	(0.03)	502	-	EGC001C2103A	1.08	(0.18)	1,696	1.00	GULF19C2101A	0.23	(0.02)	129,397	-
CPN01P2012A	0.12	0.01	3,401	-	EGC001P2101A	0.57	(0.02)	170	-	GULF19C2103A	0.46	(0.01)	6,265	-
CPN06C2103A	0.74	(0.13)	52,617	-	EGC013C2011A	-	-	-	-	GULF19P2012A	0.08	-	2,994	-
CPN11C2101A	0.19	(0.04)	15,530	-	EGC013C2012A	0.08	(0.02)	1,000	-	GULF19P2102A	0.10	-	132,236	-
CPN13C2011A	-	-	-	-	EGC013C2012E	0.13	(0.05)	120,790	-	GULF19P2103A	0.25	-	224,642	-
CPN13C2012A	0.27	(0.08)	6,140	-	EGC013C2101A	0.55</								

Main Board Quotation

Issue Date :

Thursday November 12, 2020

Main Board Quotation					Main Board Quotation					Main Board Quotation				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GUNK13C2011A	-	-	-	-	INTU28C2102A	0.15	(0.01)	27,658	-	KBAN01C2102A	1.19	(0.16)	3,234	1.00
GUNK13C2101A	0.11	(0.01)	29,468	-	INTU28C2103A	0.35	(0.02)	52,733	-	KBAN01C2102T	0.75	(0.08)	29,948	-
GUNK13C2102A	0.27	(0.03)	11,610	-	INTU41C2101A	-	-	-	-	KBAN01P2012A	0.09	0.01	48,152	-
GUNK19C2012A	0.02	-	5,000	-	INTU42C2101T	-	-	-	-	KBAN01P2101A	0.22	0.02	100,555	-
GUNK19C2101A	0.08	(0.02)	105	-	IRPC01C2101A	0.24	-	63,882	-	KBAN01P2102T	0.35	0.02	47,795	-
GUNK19C2103A	0.22	(0.01)	27,320	-	IRPC01C2103A	0.45	0.01	38,216	-	KBAN06C2011A	-	-	-	-
GUNK24C2012A	-	-	-	-	IRPC01P2101A	0.10	-	19,698	-	KBAN06C2012A	0.12	(0.07)	158,983	-
GUNK28C2012A	-	-	-	-	IRPC06C2103A	0.50	-	55,880	-	KBAN06C2103A	1.26	(0.18)	3	1.00
GUNK28C2012B	-	-	-	-	IRPC11C2102A	0.23	0.01	47,960	-	KBAN06P2011A	-	-	-	-
GUNK28C2102A	0.06	0.03	150	-	IRPC13C2011A	-	-	-	-	KBAN06P2103A	0.16	0.02	90,232	-
GUNK28C2103A	0.16	-	420	-	IRPC13C2012A	0.10	(0.01)	500	-	KBAN08C2011A	-	-	-	-
HANA01C2012A	0.14	(0.04)	198	-	IRPC13C2012B	0.23	-	4,384	-	KBAN08C2101A	0.37	(0.08)	42,887	-
HANA01C2102A	0.11	0.02	15,059	-	IRPC13C2101A	-	-	-	-	KBAN08C2103A	1.22	(0.12)	673	1.00
HANA01C2102B	0.23	(0.06)	1,401	-	IRPC13C2102A	0.49	0.02	2,804	-	KBAN08P2101A	0.36	0.04	31,819	-
HANA01P2102A	1.04	(0.07)	52	1.00	IRPC13C2103A	0.29	(0.71)	355,700	-	KBAN13C2011A	0.05	(0.06)	1,610	-
HANA06C2102A	0.11	0.01	70,619	-	IRPC13P2011A	-	-	-	-	KBAN13C2012A	0.25	(0.09)	58,985	-
HANA11C2103A	0.28	0.02	26,180	-	IRPC13P2012A	-	-	-	-	KBAN13C2012B	0.56	(0.13)	2,798	-
HANA13C2011A	-	-	-	-	IRPC19C2011A	0.03	0.01	501	-	KBAN13C2101A	0.93	(0.14)	257,783	-
HANA13C2012A	0.02	(0.01)	158,237	-	IRPC19C2012A	-	-	-	-	KBAN13C2102A	0.65	(0.35)	1,030,768	-
HANA13C2102A	0.14	0.02	367,311	-	IRPC19C2101A	0.25	-	89,597	-	KBAN13P2011A	-	-	-	-
HANA13C2102B	0.24	0.03	1,157,781	-	IRPC19C2103A	0.43	(0.03)	30	-	KBAN13P2012A	0.13	0.02	329,865	-
HANA13P2101A	0.86	(0.09)	754	-	IRPC19P2011A	-	-	-	-	KBAN16C2101A	1.07	(0.19)	11,822	1.00
HANA16C2101A	0.12	0.01	22,410	-	IRPC19P2012A	-	-	-	-	KBAN19C2011A	-	-	-	-
HANA19C2011A	0.05	-	66,220	-	IRPC24C2012A	0.10	-	6,354	-	KBAN19C2012A	0.41	(0.11)	354,377	-
HANA19C2101A	0.06	0.02	43,567	-	IRPC28C2012A	0.02	-	116	-	KBAN19C2012B	0.21	(0.09)	432,559	-
HANA19C2102A	0.15	0.02	211,685	-	IRPC28C2101A	0.11	0.01	15,210	-	KBAN19C2101A	0.94	(0.19)	244,774	-
HANA19C2103A	0.36	(0.64)	202,597	-	IRPC28C2103A	0.24	0.01	58,864	-	KBAN19P2012A	0.08	0.01	60,382	-
HANA19P2011A	-	-	-	-	IRPC28C2103B	0.41	0.01	59,321	-	KBAN19P2103A	0.41	0.04	357,942	-
HANA19P2101A	0.85	(0.10)	110	-	IRPCA1C2101A	0.14	0.01	12,076	-	KBAN24C2012A	0.27	(0.10)	58,087	-
HANA24C2012A	0.15	0.02	40,130	-	IVL01C2012A	0.10	0.01	101	-	KBAN24C2103A	1.26	(0.18)	56,276	1.00
HANA27P2012X	0.06	(0.02)	107	-	IVL01C2012B	0.39	0.02	22,509	-	KBAN28C2012A	-	-	-	-
HANA28C2012A	0.06	-	28,110	-	IVL01C2102A	0.19	0.01	62,888	-	KBAN28C2012B	-	-	-	-
HANA28C2104L	0.10	-	19,753	-	IVL01C2102B	0.87	0.06	8,394	-	KBAN28C2101A	0.38	(0.08)	119,342	-
HANA41C2012A	0.10	0.03	3,992	-	IVL01C2103T	0.59	0.03	14,354	-	KBAN28C2103A	1.03	0.07	190	1.00
HANA42C2101T	0.14	0.02	131	-	IVL01P2012A	0.14	(0.02)	62,695	-	KBAN28C2104L	0.33	(0.04)	74,080	-
HMPR01C2012A	-	-	-	-	IVL01P2102A	0.32	(0.03)	58,993	-	KBAN28P2012A	-	-	-	-
HMPR01C2103A	0.43	(0.06)	21,833	-	IVL06C2101A	0.40	0.08	1,775	-	KBAN41C2011A	-	-	-	-
HMPR01P2012A	0.22	0.02	36,929	-	IVL06C2103A	1.11	0.13	1,201	1.00	KBAN41C2012A	0.36	(0.13)	89,004	-
HMPR06C2102A	0.30	(0.05)	23,115	-	IVL06P2011A	-	-	-	-	KBAN41C2101A	0.78	(0.14)	26,518	-
HMPR06P2103A	0.25	0.03	20,066	-	IVL08C2101A	-	-	-	-	KBAN41P2011A	-	-	-	-
HMPR11C2011A	0.13	(0.03)	8,160	-	IVL08P2011A	-	-	-	-	KBAN41P2101B	0.20	0.04	22,342	-
HMPR13C2012A	0.11	(0.04)	30,128	-	IVL08P2102A	0.27	(0.03)	49,204	-	KBAN42C2101T	0.24	(0.04)	54	-
HMPR13C2102A	0.40	(0.01)	405	-	IVL11C2012A	0.12	0.02	46,530	-	KBAN42P2101T	0.32	0.03	192	-
HMPR19C2102A	0.26	(0.04)	34,574	-	IVL13C2011A	-	-	-	-	KCE01C2012A	0.33	0.03	106,179	-
HMPR19P2011A	0.05	-	3,232	-	IVL13C2012A	0.24	0.04	171,283	-	KCE01C2101A	0.44	0.03	111,228	-
HSCF41C2101A	0.97	0.01	5,910	-	IVL13C2012B	0.06	0.01	101,474	-	KCE01C2102A	0.26	0.03	118,843	-
HSCF41P2101A	0.71	(0.02)	10	-	IVL13C2101A	0.74	0.06	19,268	-	KCE01P2011A	-	-	-	-
HSI28C2011A	1.97	(0.07)	187,092	-	IVL13C2103A	0.26	0.02	587,468	-	KCE01P2101A	0.25	(0.03)	49,642	-
HSI28C2011B	1.05	(0.06)	105,005	-	IVL13P2012A	0.04	-	1,200	-	KCE06C2012A	-	-	-	-
HSI28C2011C	0.14	(0.03)	91,107	-	IVL13P2102A	0.26	(0.02)	310,418	-	KCE06C2012B	0.72	0.08	60,510	-
HSI28C2011L	0.30	(0.04)	49,378	-	IVL16C2102A	0.89	0.02	2,578	-	KCE06C2102A	0.39	0.05	96,243	-
HSI28C2012A	2.14	(0.04)	1,410	2.00	IVL19C2011A	0.09	0.02	32,978	-	KCE08C2012A	0.59	0.07	580	-
HSI28C2012B	1.36	(0.08)	5,123	1.00	IVL19C2012A	0.40	0.03	600	-	KCE08C2103A	0.35	0.03	152,948	-
HSI28C2012C	0.82	(0.04)	1,061,662	-	IVL19C2012B	-	-	-	-	KCE11C2101A	0.58	0.05	72,102	-
HSI28C2012D	0.47	(0.03)	21,972	-	IVL19C2103A	0.21	0.02	672,584	-	KCE13C2012A	0.32	0.04	46,684	-
HSI28C2012L	0.21	(0.02)	42,267	-	IVL19C2103B	0.18	(0.82)	230,839	-	KCE13C2102A	0.25	0.03	719,036	-
HSI28C2101L	0.22	(0.02)	3,714	-	IVL19P2011A	0.02	-	71,638	-	KCE13P2012A	-	-	-	-
HSI28C2102L	0.59	(0.03)	1,333	-	IVL19P2012A	0.04	(0.02)	15,866	-	KCE13P2101A	0.08	(0.02)	1,500	-
HSI28C2103L	0.64	(0.01)	1,182	-	IVL19P2103A	0.20	(0.01)	111,061	-	KCE13P2102A	0.32	(0.05)	219,536	-
HSI28P2011A	0.02	(0.01)	52,064	-	IVL24C2012A	0.41	0.04	5,260	-	KCE16C2012A	0.38	0.05	17,778	-
HSI28P2011B	0.02	-	4,313	-	IVL28C2012A	0.01	(0.01)	7,500	-	KCE19C2011A	-	-	-	-
HSI28P2011C	0.01	-	1,040	-	IVL28C2012B	-	-	-	-	KCE19C2012A	0.29	0.04	168,654	-
HSI28P2011L	0.01	(0.01)	152	-	IVL28C2101A	0.31	0.02	300	-	KCE19C2102A	0.30	0.03	383,098	-
HSI28P2012A	0.36	0.01	1,108,051	-	IVL28C2103A	-	-	-	-	KCE19C2102B	0.21	0.03	61,096	-
HSI28P2012B	0.21	-	18,634	-	IVL28C2104L	0.35	0.02	68,270	-	KCE19P2012A	0.03	(0.01)	2,001	-
HSI28P2012C	0.14	-	11,096	-	IVL41C2011A	0.08	-	11,329	-	KCE19P2011A	0.09	(0.02)	105	-
HSI28P2012L	0.07	0.01	8,852	-	IVL41C2012A	-	-	-	-	KCE19P2102A	0.26	(0.03)	291,506	-
HSI28P2101L	0.07	(0.01)	17,354	-	IVL41P2012A	0.12	(0.03)	16,600	-	KCE27C2101X	0.92	0.10	20	-
HSI28P2102L	0.11	0.01	3,058	-	IVL41P2102B	0.07	-	4,000	-	KCE41C2012A	-	-	-	-
HSI28P2103L	0.23	-	256	-	IVL42C2101T	0.04	(0.01)	100	-	KCE42C2012T	1.24	0.14	3,402	1.00
HSI41C2011A	-	-	-	-	JAS08C2011A	-	-	-	-	KKP01C2103A	0.35	(0.04)	35,797	-
HSI41C2011B	-	-	-	-	JAS08P2103A	0.46	-	7,000	-	KKP01P2103A	0.51	0.03	16,192	-
HSI41C2011C	0.93	(0.18)	3	-	JAS13C2011A	-	-	-	-	KKP13C2012A	0.13	(0.02)	33,363	-
HSI41C2011D	-	-	-	-	JAS13C2012A	0.07	(0.01)	3,181	-	KKP13C2102A	0.41	(0.05)	2,218	-
HSI41C2011E	0.15	(0.05)	13,929	-	JAS13C2101A	0.21	(0.03)	137,172	-	KKP13P2102A	0.32	0.01	51,868	-
HSI41C2012A	0.18	(0.04)	5,568	-	JAS19C2012A	0.06	(0.01)	4,600	-	KKP19C2011A	-	-	-	-
HSI41C2012B	1.45	(0.07)	13,543	1.00	JAS19C2101A	0.23	(0.03)	77,974	-	KKP19C2012A	0.16	(0.05)	89,775	-
HSI41C2012C	0.73	(0.05)	1,039,299	-	JAS19P2101A	0.24	0.01	101,753	-	KTBI3C2012A	0.06	(0.02)	1,961	-
HSI41C2012U	-	-	-	-	JAS28C2012A	-	-	-	-	KTBI3C2101A	0.35	(0.02)	1,680	-
HSI41C2012V	1.75	(0.08)	16	1.00	JAS28C2012B	-	-	-	-	KTBI9C2011A	-	-	-	-
HSI41C2101A	0.21	(0.03)	25,693	-	JAS28C2101A	0.06	-	4,100	-	KTBI9C2012A	0.11	(0.01)	82,446	-
HSI41P2011A	0.01	(0.02)	100	-	JAS28C2102A	0.14	(0.02)	24,386	-	KTBI9C2101A	0.36	-	196,258	-
HSI41P2011B	0.04	(0.01)	304	-	JAS41C2011A	-	-	-	-	KTBI9P2012A	0.19	-	110,173	-
HSI41P2011C	-	-	-	-	JAS41C2102A	0.24	(0.02)	43,544	-	KTBI9P2011A	0.27	(0.01)	14,512	-
HSI41P2011D	-	-	-	-	JMT01C2102A	0.29	0.02	71,879	-	KTBI9P2101A	-	-	-	-
HSI41P2011E	-	-	-	-	JMT06C2012A	0.23</								

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday November 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTC19C2103A	0.33	(0.01)	59,448	-	OSP13C2101A	0.17	0.04	283,705	-	PTTE06P2011A	0.02	0.01	2	-
KTC19P2012A	-	-	-	-	OSP13C2102A	0.36	0.06	215,090	-	PTTE06P2102A	0.23	-	71,260	-
KTC19P2101A	0.16	0.02	10,134	-	OSP13P2011A	-	-	-	-	PTTE08C2011A	-	-	-	-
KTC24C2011A	-	-	-	-	OSP13P2102A	0.09	(0.03)	14,666	-	PTTE08P2101A	0.41	(0.01)	11,040	-
KTC28C2012A	0.18	(0.01)	23,915	-	OSP19C2012A	-	-	-	-	PTTE11C2011A	0.23	(0.01)	44,072	-
KTC28C2012B	-	-	-	-	OSP19C2101A	0.18	0.03	59,614	-	PTTE11P2102A	0.32	(0.01)	44,840	-
KTC28C2101A	-	-	-	-	OSP19C2103A	0.41	0.06	21,694	-	PTTE13C2011A	-	-	-	-
KTC28C2103L	0.40	-	13,168	-	OSP19P2102A	0.12	(0.02)	61,158	-	PTTE13C2012A	0.41	(0.02)	110,576	-
KTC41C2011A	-	-	-	-	OSP24C2101A	0.17	0.04	2,934	-	PTTE13C2101A	0.84	(0.02)	2,305	-
KTC41C2012A	-	-	-	-	OSP28C2101A	-	-	-	-	PTTE13C2102A	0.67	(0.33)	1,064,248	-
KTC42C2012T	0.27	(0.01)	1,904	-	OSP28C2101B	0.05	(0.04)	2	-	PTTE13P2012A	0.09	(0.01)	1,050	-
LH01C2101A	0.18	(0.02)	23,620	-	OSP28C2103B	0.39	0.07	65,530	-	PTTE13P2102A	0.26	-	258,288	-
LH06C2012A	-	-	-	-	OSP28C2104L	0.31	0.03	23,873	-	PTTE19C2011A	-	-	-	-
LH11C2012A	0.09	(0.02)	28,240	-	OSP41C2012A	-	-	-	-	PTTE19C2011B	-	-	-	-
LH13C2101A	0.18	(0.02)	136,739	-	OSP42C2101T	-	-	-	-	PTTE19C2012A	0.37	(0.03)	259,247	-
LH19C2011A	-	-	-	-	PLAN06C2102A	0.29	0.02	62,085	-	PTTE19C2101A	0.94	(0.03)	11,701	-
LH19C2101A	0.21	(0.02)	32,165	-	PLAN11C2103A	0.38	0.01	21,409	-	PTTE19P2012A	0.10	(0.01)	201,852	-
MAJ013C2101A	0.32	(0.04)	230	-	PLAN13C2011A	-	-	-	-	PTTE19P2101A	0.13	-	175,042	-
MAJ019C2011A	-	-	-	-	PLAN13C2101A	0.19	0.02	980	-	PTTE24C2011A	-	-	-	-
MAJ019C2103A	0.51	(0.04)	24,541	-	PLAN13C2102A	0.32	0.03	22,936	-	PTTE24C2103A	1.13	0.01	43,259	1.00
MEGA13C2011A	-	-	-	-	PLAN19C2012A	0.17	0.02	4,048	-	PTTE28C2012A	0.17	(0.02)	68,931	-
MEGA13C2101A	0.10	(0.01)	6,000	-	PLAN19C2102A	0.32	0.02	9,734	-	PTTE28C2101A	0.28	-	117,500	-
MEGA19C2011A	-	-	-	-	PLAN27C2101A	0.12	-	14	-	PTTE28C2102L	0.22	-	73,014	-
MEGA19C2101A	0.09	-	1	-	PLAN28C2012A	-	-	-	-	PTTE28C2103A	0.94	(0.03)	190,130	-
MEGA42C2101T	-	-	-	-	PLAN28C2012B	0.13	0.01	25,612	-	PTTE41C2011A	-	-	-	-
MINT01C2012A	0.30	0.04	5,999	-	PLAN42C2101T	-	-	-	-	PTTE41C2012A	0.22	(0.02)	15,620	-
MINT01C2102A	0.80	0.05	17,618	-	PRM01C2103A	0.38	(0.03)	191,011	-	PTTE41C2101A	0.36	(0.02)	119,744	-
MINT01C2102T	0.52	0.07	3,091	-	PRM01P2103A	0.62	0.04	28,118	-	PTTE41C2101B	0.95	0.02	20,748	-
MINT01P2012A	0.11	0.01	9,032	-	PRM08C2101A	0.09	(0.02)	1,427	-	PTTE41P2011A	-	-	-	-
MINT01P2012B	0.15	(0.02)	4,785	-	PRM11C2102A	0.19	(0.02)	12,331	-	PTTE41P2101A	0.24	0.01	18,966	-
MINT01P2102A	0.16	-	10,146	-	PRM13C2012A	0.05	(0.01)	2,838	-	PTTE42C2101T	0.24	(0.01)	6,042	-
MINT01P2102T	0.34	(0.03)	14,332	-	PRM13C2102A	0.19	(0.02)	136,069	-	PTTE42P2101T	0.30	(0.01)	56	-
MINT06C2012A	0.50	0.04	261,087	-	PRM16C2012A	0.03	(0.01)	117	-	PTTG01C2012A	0.30	-	39,974	-
MINT06C2103A	1.49	0.11	530	1.00	PRM19C2011A	-	-	-	-	PTTG01C2102A	0.77	0.03	33,980	-
MINT06P2012A	0.03	-	21,125	-	PRM19C2101A	0.10	(0.01)	19,269	-	PTTG01P2012A	0.18	(0.02)	9,818	-
MINT06P2102A	0.41	(0.06)	454,682	-	PRM19C2103A	0.26	(0.03)	113,122	-	PTTG01P2102A	0.18	(0.01)	17,932	-
MINT08C2102A	0.80	0.05	76,789	-	PRM28C2012A	0.03	-	500	-	PTTG08C2101A	0.31	0.01	10,700	-
MINT08P2011A	-	-	-	-	PRM42C2101T	0.07	(0.03)	50	-	PTTG08C2103A	0.86	0.04	13,700	-
MINT08P2102A	0.37	(0.02)	97,557	-	PTG01C2012A	0.16	-	53,616	-	PTTG08P2102A	0.14	(0.03)	2,882	-
MINT11C2011A	0.35	0.01	96,540	-	PTG01P2012A	0.25	(0.01)	59,220	-	PTTG11C2104A	0.88	-	31,056	-
MINT11P2011A	0.02	(0.01)	201	-	PTG06C2103A	0.42	-	82,239	-	PTTG11P2104A	0.34	(0.02)	41,042	-
MINT11P2104A	0.33	(0.02)	128,589	-	PTG08C2011A	0.13	-	25,770	-	PTTG13C2011A	0.05	-	5,900	-
MINT13C2011A	0.09	(0.01)	22,762	-	PTG11C2101A	0.28	-	45,210	-	PTTG13C2012A	0.29	0.01	291,703	-
MINT13C2101A	0.63	0.06	45,913	-	PTG13C2012A	0.04	(0.01)	4,501	-	PTTG13C2101A	0.61	0.02	135,428	-
MINT13C2102A	1.07	0.09	18,869	1.00	PTG13C2012B	0.18	-	180,237	-	PTTG13P2011A	-	-	-	-
MINT13C2103A	0.73	(0.27)	1,914,344	-	PTG13C2102A	0.30	-	421,174	-	PTTG13P2012A	0.10	(0.01)	150	-
MINT13P2011A	0.05	(0.05)	3,534	-	PTG16C2101A	0.28	0.01	12,978	-	PTTG13P2102A	0.25	(0.01)	197,045	-
MINT13P2012A	0.13	0.05	12,059	-	PTG19C2011A	-	-	-	-	PTTG16C2103A	0.81	0.04	5,020	-
MINT13P2101A	0.11	(0.02)	505,642	-	PTG19C2012A	0.18	-	250,123	-	PTTG19C2011A	-	-	-	-
MINT16C2012A	0.40	0.05	47,720	-	PTG19P2011A	0.04	(0.01)	10	-	PTTG19C2012A	0.35	0.01	85,711	-
MINT16C2103A	1.65	0.65	3,018	1.00	PTG19P2101A	0.35	(0.02)	100,255	-	PTTG19C2101A	0.71	0.02	215	-
MINT19C2011A	0.54	0.05	84,738	-	PTG24C2102A	0.26	-	9,328	-	PTTG19P2011A	-	-	-	-
MINT19C2011B	0.13	0.02	368,334	-	PTG41C2101A	0.24	0.01	56,144	-	PTTG19P2011B	-	-	-	-
MINT19C2102A	0.86	0.06	39,896	-	PTG42C2101T	0.19	0.01	24	-	PTTG19P2102A	0.15	(0.01)	17,104	-
MINT19P2011A	-	-	-	-	PTT01C2012A	0.10	-	2,090	-	PTTG24C2101A	0.49	0.01	12,774	-
MINT19P2012A	0.12	-	80	-	PTT01C2102A	0.41	(0.10)	5,110	-	PTTG28C2012A	0.19	0.02	96,288	-
MINT19P2101A	0.11	(0.01)	191,798	-	PTT01C2103T	0.30	(0.03)	419	-	PTTG28C2102L	0.18	0.01	34,336	-
MINT19P2102A	0.08	-	121,241	-	PTT01P2012A	0.09	0.05	2	-	PTTG28C2103A	0.61	0.02	46,230	-
MINT24C2011A	-	-	-	-	PTT01P2102A	0.14	0.01	1,072	-	PTTG41C2011A	-	-	-	-
MINT28C2012A	0.08	0.01	24,011	-	PTT01P2103T	0.15	0.01	3,050	-	PTTG41C2101A	0.30	0.01	21,619	-
MINT28C2012B	0.17	0.02	108,708	-	PTT06C2012A	0.04	(0.02)	190	-	PTTG41C2102A	0.75	0.04	12,592	-
MINT28C2012C	0.18	0.02	174,385	-	PTT06C2102A	0.22	(0.04)	101,900	-	PTTG41P2011A	-	-	-	-
MINT28C2103A	0.82	0.05	2,213	-	PTT08C2101A	0.14	(0.02)	5,000	-	PTTG41P2102A	0.11	-	18,066	-
MINT28C2104L	0.28	0.02	115,871	-	PTT08C2103A	0.46	(0.04)	28,215	-	PTTG42C2012T	0.11	0.01	2	-
MINT41C2012A	0.53	(0.10)	5,988	-	PTT08P2101A	0.17	0.01	17	-	QH19C2012A	-	-	-	-
MINT42C2101T	0.28	0.01	7,677	-	PTT11C2101A	0.11	(0.02)	19,580	-	QH19C2104A	0.23	(0.02)	16,004	-
MINT42P2102T	0.28	(0.02)	3,944	-	PTT13C2012A	0.03	(0.02)	6,273	-	QH27C2101A	-	-	-	-
MTC01C2012A	0.34	(0.01)	97,563	-	PTT13C2012B	0.14	(0.03)	6,735	-	RATC01C2101A	0.20	(0.01)	4,702	-
MTC01C2102A	0.68	(0.03)	54,899	-	PTT13C2101A	0.30	(0.06)	6,115	-	RATC01P2101A	0.39	0.01	40,245	-
MTC06C2102A	0.68	(0.05)	84,377	-	PTT13C2102A	0.48	(0.07)	1,054	-	RATC06C2102A	0.20	(0.04)	19,805	-
MTC08C2011A	0.13	(0.01)	5,426	-	PTT13C2103A	0.31	(0.69)	524,657	-	RATC11C2103A	0.50	(0.02)	22,516	-
MTC08C2102A	0.67	(0.01)	79,514	-	PTT13P2011A	-	-	-	-	RATC13C2012A	-	-	-	-
MTC11C2101A	0.58	(0.05)	28,750	-	PTT13P2101A	0.04	(0.01)	16,100	-	RATC13C2101A	0.23	(0.04)	113,699	-
MTC13C2011A	0.24	(0.03)	11,311	-	PTT13P2103A	0.18	0.02	371,665	-	RATC13P2011A	-	-	-	-
MTC13C2101A	0.53	(0.04)	288,408	-	PTT16C2012A	0.19	(0.03)	3,256	-	RATC19C2011A	-	-	-	-
MTC13P2011A	-	-	-	-	PTT19C2011A	-	-	-	-	RATC19C2012A	-	-	-	-
MTC19C2012A	0.36	(0.03)	326,707	-	PTT19C2012A	0.08	(0.03)	8,012	-	RATC19C2101A	0.22	(0.03)	81,592	-
MTC19P2012A	-	-	-	-	PTT19C2101A	0.12	(0.04)	280,907	-	RATC19C2102A	0.41	(0.05)	33,508	-
MTC24C2103A	0.54	(0.04)	108,691	-	PTT19C2103A	0.29	(0.04)	3,350	-	RATC19P2011A	-	-	-	-
MTC28C2012A	0.13	(0.01)	36,504	-	PTT19C2103A	0.47	(0.06)	70	-	RATC24C2012A	-	-	-	-
MTC28C2012B	0.36	(0.01)	105,577	-	PTT19P2101A	0.06	-	100	-	RATC41C2012A	-	-	-	-
MTC28C2102L	0.23	(0.01)	38,647	-	PTT19P2103A	0.15	(0.03)	220,269	-	RATC42C2102T	0.06	(0.01)	200	-
MTC41C2012A	0.50	(0.01)	798	-	PTT24C2101A	0.17	(0.03)	7,275	-	RS06C2012A	0.12	-	37,523	-
MTC42C2101T	0.15	-	212	-	PTT28C2012A	-	-	-	-	RS08C2011A	-	-	-	-
ORI13C2011A	0.12	(0.02)	2,464	-	PTT28C2101A	-	-	-	-	RS08C2103A	0.34	0.01	30,290	-
ORI13C2102A	0.39	(0.04)	41,859	-	PTT28C2103A	0.32	(0.02)	250	-	RS13C2101A	0.21	-	53,697	-
ORI19C2011A	0.35													

Main Board Quotation

Issue Date :

Thursday November 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
S5001P2101A	0.26	-	75,037	-	S5041P2012G	-	-	-	-	SJRI42C2101T	-	-	-	-
S5001P2101B	0.26	-	18,862	-	S5041P2012U	0.23	0.03	687,614	-	SPAL06C2103A	0.43	(0.04)	11,203	-
S5001P2102T	1.40	0.04	171,020	1.00	S5041P2103T	0.64	0.03	1,345,277	-	SPAL13C2102A	0.34	(0.02)	13,801	-
S5006C2012A	0.22	(0.06)	389,379	-	S5041P2103U	0.34	0.02	27,071	-	SPAL19C2011A	0.23	(0.03)	8	-
S5006C2012B	1.02	(0.36)	1,468,517	1.00	S5042C2101G	2.58	(0.46)	60,367	2.00	SPAL19C2011B	-	-	-	-
S5006C2012C	2.20	(0.32)	713	2.00	S5042C2102T	1.01	(0.05)	99,195	-	SPAL19C2102A	0.39	(0.02)	16,158	-
S5006P2012A	0.05	-	46,080	-	S5042P2101G	0.02	-	114,575	-	SPAL27C2101A	0.11	(0.01)	1,636	-
S5006P2012B	0.08	0.02	25,647	-	S5042P2102T	0.18	0.02	23,548	-	SPRC01C2101A	-	-	-	-
S5006P2012C	0.02	(0.02)	19,319	-	SAWA01C2012I	0.40	(0.03)	798,064	-	SPRC01C2103A	-	-	-	-
S5008C2012A	0.14	(0.04)	134,259	-	SAWA01C2102I	0.59	(0.05)	102,782	-	SPRC01P2101A	-	-	-	-
S5008C2012B	0.31	(0.06)	385,878	-	SAWA01C2103I	0.45	(0.01)	52,975	-	SPRC06C2102A	0.26	-	41,850	-
S5008C2012C	0.94	(0.11)	7,455	-	SAWA01P2012I	0.14	(0.01)	50,272	-	SPRC06P2103A	0.11	-	14,799	-
S5008C2012D	1.94	(0.28)	12,487	1.00	SAWA01P2102I	0.42	-	76,757	-	SPRC08C2011A	-	-	-	-
S5008P2012A	0.21	0.01	91,834	-	SAWA06C2101I	0.61	(0.07)	141,133	-	SPRC11C2102A	0.28	(0.01)	23,690	-
S5008P2012B	0.05	-	1,342	-	SAWA08C2011I	-	-	-	-	SPRC13C2012A	0.09	(0.01)	26,284	-
S5011C2012A	0.88	(0.04)	51,455	-	SAWA08C2101I	0.47	(0.04)	24,234	-	SPRC13C2012B	0.16	(0.02)	23,150	-
S5011P2012A	0.14	-	4,015	-	SAWA11C2103I	0.69	(0.02)	125,819	-	SPRC13C2102A	-	-	-	-
S5013C2012A	0.18	(0.03)	5,236,095	-	SAWA13C2011I	0.13	(0.04)	214,462	-	SPRC19C2012A	0.12	(0.01)	21,650	-
S5013C2012B	0.23	(0.04)	2,114,112	-	SAWA13C2101I	0.41	(0.04)	665,665	-	SPRC19C2101A	-	-	-	-
S5013C2012C	0.34	(0.06)	168,618	-	SAWA16C2101I	0.45	(0.04)	13,768	-	SPRC19P2011A	0.03	-	100	-
S5013C2012D	0.36	(0.08)	9,699,134	-	SAWA19C2011I	-	-	-	-	SPRC28C2101A	0.12	(0.01)	22,112	-
S5013C2012E	0.68	(0.11)	1,480,751	-	SAWA19C2012I	0.36	(0.05)	469,109	-	SPRC42C2101T	-	-	-	-
S5013C2012F	0.98	(0.14)	191,609	1.00	SAWA19P2011I	-	-	-	-	SPX28C2012A	1.26	(0.04)	26,575	1.00
S5013C2012G	1.41	(0.20)	111,555	1.00	SAWA19P2101I	0.29	0.01	37,956	-	SPX28C2012B	0.56	(0.03)	12,874	-
S5013C2012H	1.94	(0.24)	30,371	2.00	SAWA24C2103I	0.57	(0.05)	19,798	-	SPX28C2012C	0.66	(0.07)	24,841	-
S5013C2012I	3.04	(0.40)	4,125	3.00	SAWA28C2012I	0.23	-	66,341	-	SPX28C2012D	0.32	(0.03)	4,078	-
S5013C2012J	2.18	(0.38)	707	2.00	SAWA28C2012I	0.09	0.02	1,200	-	SPX28C2103I	0.45	(0.02)	2,138	-
S5013C2101A	0.76	(0.02)	68,820	-	SAWA28C2101I	0.35	(0.02)	131,896	-	SPX28P2012A	0.11	-	28,090	-
S5013C2103A	0.83	(0.08)	1,068,337	-	SAWA28C2102I	0.13	(0.01)	57,798	-	SPX28P2012B	0.06	0.01	17,150	-
S5013C2103B	0.57	(0.43)	4,385,505	-	SAWA41C2012I	0.27	-	19,968	-	SPX28P2012C	0.44	0.01	23,896	-
S5013P2012A	0.18	0.01	5,641,698	-	SAWA42C2101I	0.11	-	8,015	-	SPX28P2012D	0.24	(0.01)	5,023	-
S5013P2012B	0.16	0.01	1,278,009	-	SCB01C2101A	0.55	(0.01)	80,494	-	SPX28P2103I	0.25	-	2,463	-
S5013P2012C	0.04	-	521,542	-	SCB01C2103A	1.15	(0.02)	50,097	1.00	SPX41C2012A	0.79	(0.06)	23,898	-
S5013P2012D	0.03	0.01	388,260	-	SCB01C2103T	0.70	(0.01)	42,419	-	SPX41C2012B	0.32	(0.04)	47,875	-
S5013P2012E	0.02	(0.01)	331,153	-	SCB01P2101A	0.26	(0.01)	69,426	-	SPX41C2012C	0.17	(0.05)	200	-
S5013P2012F	0.02	-	793,208	-	SCB01P2103T	0.30	-	41,977	-	SPX41C2101T	0.98	(0.07)	1,261	-
S5013P2012G	0.03	-	461,567	-	SCB06C2103A	1.25	(0.01)	14,002	1.00	SPX41C2012U	1.64	(0.08)	178	1.00
S5013P2101A	0.42	0.01	71,336	-	SCB08C2101A	0.50	(0.02)	54,792	-	SPX41C2103T	0.97	(0.03)	13,017	-
S5013P2103A	0.61	0.04	18,401,927	-	SCB08P2012A	0.09	-	1,004	-	SPX41C2103U	1.11	(0.05)	36	1.00
S5013P2103B	1.04	0.04	10,273,000	1.00	SCB11C2102A	0.58	-	81,994	-	SPX41P2012A	0.19	-	5,660	-
S5016C2012A	0.20	(0.12)	50	-	SCB11P2012A	0.13	0.01	7,255	-	SPX41P2012B	0.12	(0.02)	92,456	-
S5016C2012B	-	-	-	-	SCB13C2011A	0.08	(0.06)	1,501	-	SPX41P2012C	-	-	-	-
S5016C2012C	-	-	-	-	SCB13C2012A	0.65	(0.03)	6	-	SPX41P2012T	0.21	-	3,191	-
S5016C2012D	-	-	-	-	SCB13C2102A	1.11	(0.01)	8,691	1.00	SPX41P2012U	0.15	(0.01)	2,440	-
S5016P2012A	-	-	-	-	SCB13C2103A	0.74	(0.26)	1,344,212	-	SPX41P2103T	0.51	-	2,535	-
S5016P2012B	-	-	-	-	SCB13P2012A	0.07	0.01	107	-	SPX41P2103U	1.15	-	28,155	1.00
S5016P2103Z	3.28	(0.10)	59	3.00	SCB19C2012A	0.47	(0.01)	364,175	-	STA01C2101A	0.16	-	28,882	-
S5019C2012A	0.21	(0.04)	265,878	-	SCB19C2101A	0.89	(0.01)	27,436	-	STA01C2102A	0.10	(0.02)	13,245	-
S5019C2012B	0.15	(0.04)	239,144	-	SCB19P2011A	-	-	-	-	STA01P2102A	0.78	0.03	30	-
S5019C2012C	0.54	(0.08)	358,619	-	SCB19P2011B	-	-	-	-	STA06C2012A	0.04	0.01	57,102	-
S5019C2012D	1.04	(0.16)	19,776	1.00	SCB19P2103A	0.36	-	206,710	-	STA08C2011A	-	-	-	-
S5019C2012E	1.46	(0.20)	17,774	1.00	SCB24C2012A	0.48	(0.01)	46,244	-	STA08C2101A	0.22	-	183,815	-
S5019C2012F	2.04	(0.18)	14,170	1.00	SCB28C2012A	-	-	-	-	STA13C2011B	-	-	-	-
S5019C2103A	0.72	(0.28)	3,384,599	-	SCB28C2012B	0.30	(0.04)	170,294	-	STA13C2012A	0.03	(0.01)	146,442	-
S5019P2012A	0.26	0.02	943,121	-	SCB28C2103A	-	-	-	-	STA13C2101A	0.09	(0.01)	113,980	-
S5019P2012B	0.07	0.01	40,800	-	SCB28C2104L	0.29	-	79,185	-	STA13C2102A	0.29	(0.71)	955,162	-
S5019P2012C	0.05	-	118,601	-	SCB41C2011A	-	-	-	-	STA13P2012A	0.04	(0.01)	1,501	-
S5019P2012D	0.03	0.01	227,026	-	SCB41C2011B	-	-	-	-	STA13P2012B	0.10	(0.03)	75,719	-
S5019P2103A	-	-	-	-	SCB41C2012A	0.50	(0.03)	346,704	-	STA13P2101A	0.68	0.08	193	-
S5019P2103B	1.11	0.11	2,647,582	1.00	SCB41C2102A	1.26	(0.02)	45,486	1.00	STA16C2102A	0.12	(0.01)	10,307	-
S5024C2012A	0.02	-	16,224	-	SCB41P2011A	-	-	-	-	STA19C2011A	0.24	0.01	700	-
S5024C2012B	0.09	-	87	-	SCB41P2102A	0.31	0.02	45,756	-	STA19C2011B	0.03	-	1,957	-
S5024C2012C	0.13	(0.05)	3,717	-	SCB42C2101T	0.13	(0.01)	34	-	STA19C2012A	0.08	-	105,668	-
S5024C2012D	0.26	(0.07)	126,488	-	SCC01C2101A	0.49	(0.05)	44,127	-	STA19C2102A	0.10	-	264,258	-
S5024C2012E	0.50	(0.12)	365,772	-	SCC01P2012A	0.24	0.01	55,301	-	STA19C2103A	0.30	(0.70)	388,335	-
S5024C2012F	1.03	(0.20)	145,513	1.00	SCC06C2012A	0.05	(0.03)	5,463	-	STA19P2012A	0.08	(0.03)	8,850	-
S5024C2012G	1.54	(0.24)	71,987	1.00	SCC06C2103A	0.63	(0.08)	67,921	-	STA19P2101A	0.18	(0.03)	201,602	-
S5024C2012H	2.38	(0.30)	33,025	2.00	SCC08C2011A	-	-	-	-	STA19P2102A	0.72	(0.05)	53,026	-
S5024C2012I	3.50	(0.38)	22,673	3.00	SCC11C2011A	0.18	(0.02)	18,280	-	STA24C2011A	-	-	-	-
S5024C2103A	1.12	(0.10)	156,737	1.00	SCC13C2011A	-	-	-	-	STA28C2012A	1.20	-	250	1.00
S5024P2012A	-	-	-	-	SCC13C2012A	0.17	(0.03)	93,336	-	STA28C2102L	0.09	0.01	1,576	-
S5024P2012B	-	-	-	-	SCC13C2102A	0.59	(0.06)	155,602	-	STA28C2103A	0.16	0.01	35,465	-
S5024P2012C	0.09	0.02	130,785	-	SCC13P2011A	0.13	(0.01)	24,716	-	STA42C2101T	-	-	-	-
S5024P2012D	0.04	0.02	41,381	-	SCC13P2101A	0.09	(0.01)	1	-	STEC01C2101A	0.11	-	25,874	-
S5024P2012E	0.02	-	28,194	-	SCC13P2102A	0.34	0.02	73,549	-	STEC01P2101A	0.34	-	36,376	-
S5024P2103A	0.19	0.01	213,529	-	SCC19C2012A	0.22	(0.06)	122,804	-	STEC08C2012A	-	-	-	-
S5028C2012A	0.04	-	4,869	-	SCC19C2101A	0.55	(0.06)	5,941	-	STEC08C2103A	0.38	(0.02)	12,410	-
S5028C2012B	0.05	(0.02)	11,238	-	SCC19P2011A	-	-	-	-	STEC11C2102A	0.15	(0.01)	9,660	-
S5028C2012C	0.48	(0.08)	1,072,776	-	SCC19P2101A	0.33	0.03	193,507	-	STEC13C2012A	0.03	(0.01)	900	-
S5028C2012D	0.91	(0.16)	598	-	SCC24C2012A	0.11	(0.03)	2,910	-	STEC13C2101A	0.15	(0.02)	150,645	-
S5028C2012E	-	-	-	-	SCC28C2102A	0.23	(0.02)	33,462	-	STEC13C2102A	0.32	(0.02)	11,355	-
S5028C2103A	2.12	(0.14)	717	2.00	SCC28C2103A	0.45	(0.03)	15,468	-	STEC13P2011A	-	-	-	-
S5028C2103L	0.40	(0.02)	515,335	-	SCC28C2104L	0.25	-	9,322	-	STEC19C2011A	-	-	-	-
S5028P2012A	0.53	0.02	972,627	-	SCC41C2011A	-	-							

Main Board Quotation

Issue Date :

Thursday November 12, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SUPE42C2101T	0.05	(0.01)	593	-	TOP13P2012A	0.12	0.01	61,836	-	WHA13C2101A	0.14	(0.03)	16,410	-
SUPE42P2102T	-	-	-	-	TOP13P2101A	0.03	-	200	-	WHA13C2103A	0.38	(0.05)	84,553	-
TASC01C2012A	0.06	(0.01)	15,824	-	TOP13P2103A	0.11	0.01	88,121	-	WHA13P2011A	-	-	-	-
TASC01C2012B	0.32	(0.03)	116,841	-	TOP19C2012A	-	-	-	-	WHA19C2011A	-	-	-	-
TASC01C2102A	0.81	(0.03)	88,401	-	TOP19C2101A	0.42	(0.03)	24,071	-	WHA19C2101A	0.16	(0.03)	32,275	-
TASC01P2012A	0.17	(0.01)	25,630	-	TOP19C2101B	-	-	-	-	WHA19C2103A	0.40	(0.05)	6,723	-
TASC06C2012A	0.03	-	43	-	TOP19P2011A	-	-	-	-	WHA19P2011A	-	-	-	-
TASC06C2102A	0.61	(0.03)	257,624	-	TOP19P2101A	-	-	-	-	WHA28C2012A	0.09	(0.02)	1	-
TASC08C2011A	0.01	(0.01)	13,478	-	TOP19P2102A	0.12	-	1,200	-	WHA28C2102A	0.13	(0.02)	36,780	-
TASC08C2012A	0.02	-	4,277	-	TOP24C2101A	0.36	(0.03)	8,934	-	WHA28C2102L	-	-	-	-
TASC11C2102A	0.04	-	1,620	-	TOP41C2011A	-	-	-	-	WHA28C2104A	0.37	(0.05)	41,117	-
TASC13C2011A	0.01	-	1	-	TOP41C2102A	0.37	(0.04)	11,977	-	WHA42C2101T	-	-	-	-
TASC13C2012A	0.03	-	470,205	-	TOP41P2011A	-	-	-	-	WHAU13C2012A	0.12	(0.02)	12,394	-
TASC13C2012B	0.21	(0.02)	394,703	-	TOP42C2011T	-	-	-	-	WHAU19C2012A	0.19	(0.02)	76,848	-
TASC13C2101A	0.50	(0.02)	1,522,588	-	TP13C2011A	-	-	-	-	Preferred/Foreign	-	-	-	-
TASC13P2011A	-	-	-	-	TP19C2012A	0.11	(0.01)	200	-	BH-Q	-	-	-	-
TASC13P2012A	0.07	(0.01)	46,463	-	TQM01C2103A	0.65	0.03	22,230	-	CSC-Q	-	-	-	-
TASC19C2011A	0.01	-	2,171	-	TQM11C2102A	0.37	0.01	4,717	-	JUTHA-Q	-	-	-	-
TASC19C2012A	0.18	(0.02)	417,289	-	TQM13C2101A	0.14	0.01	111,583	-	KTB-Q	-	-	-	-
TASC19C2101A	0.48	(0.02)	645,334	-	TQM13C2102A	0.36	0.01	110,562	-	SCB-Q	-	-	-	-
TASC19P2011A	-	-	-	-	TQM19C2011A	0.13	-	12,360	-	TCAP-Q	-	-	-	-
TASC19P2012A	0.76	0.02	5,850	-	TQM19C2101A	0.17	-	41,972	-	TISCO-Q	-	-	-	-
TASC19P2012B	0.05	-	2,098	-	TQM19C2102A	0.47	(0.01)	81,486	-	U-Q	-	-	-	-
TASC19P2012C	0.07	-	1,426	-	TQM24C2011A	-	-	-	-	Warrant	-	-	-	-
TASC24C2011A	-	-	-	-	TQM24C2103A	0.67	0.03	21,294	-	7UP-W4	0.10	-	21,992	-
TASC28C2012A	-	-	-	-	TQM28C2012A	0.03	-	419	-	AEC-W6	0.10	0.01	2,549	-
TASC28C2012B	-	-	-	-	TQM28C2102A	0.33	0.01	24,119	-	AKR-W1	0.03	-	79,610	-
TASC28C2012C	-	-	-	-	TQM28C2104L	0.27	0.01	27,376	-	ALT-W1	0.32	(0.01)	39,167	-
TASC28C2101A	0.03	-	30	-	TQM41C2011A	-	-	-	-	APEX-W1	-	-	-	-
TASC28C2103L	0.04	-	33	-	TQM42C2101T	0.22	0.01	40	-	APURE-W2	0.22	0.01	5,492	-
TASC41C2011A	-	-	-	-	TRU01C2101A	0.12	-	37,423	-	B-W3	-	-	-	-
TASC41C2012A	0.24	(0.01)	21,910	-	TRUE01P2101A	0.43	(0.01)	27,963	-	B-W4	0.04	-	12	-
TASC42C2101T	0.04	(0.01)	4,500	-	TRUE06C2103A	0.29	0.01	26,651	-	B-W5	0.04	-	58	-
TCAP01C2101A	0.15	(0.02)	21,200	-	TRUE08C2012A	-	-	-	-	BKD-W2	0.08	-	413	-
TCAP13C2012A	0.03	(0.02)	500	-	TRUE11C2101A	-	-	-	-	BTS-W5	0.51	(0.02)	134,398	-
TCAP19C2012A	-	-	-	-	TRUE11P2101A	0.36	(0.02)	17,223	-	CGD-W4	0.03	(0.01)	1,124	-
TCAP19C2102A	0.20	(0.03)	25,544	-	TRUE13C2011A	-	-	-	-	CGH-W3	0.01	(0.01)	35,961	-
TCAP19P2012A	0.15	0.02	35,796	-	TRUE13C2101A	0.11	0.01	35,584	-	CWT-W5	0.44	-	3,070	-
TCAP42C2101T	0.02	(0.01)	650	-	TRUE13C2103A	0.34	0.02	51,039	-	DCC-W1	0.94	0.02	19,622	-
THAN01C2012A	0.53	0.11	49,207	-	TRUE19C2011A	-	-	-	-	ECL-W3	0.02	-	63,421	-
THAN01C2012B	0.11	0.01	35,174	-	TRUE19C2012A	-	-	-	-	EMC-W6	0.03	-	5,629	-
THAN06C2102A	0.26	0.05	94,952	-	TRUE19C2101A	0.14	-	2,074	-	EP-W3	0.02	-	58,437	-
THAN08C2101A	0.54	0.11	24,235	-	TRUE19C2103A	0.36	0.01	29,722	-	GLOCON-W4	0.38	(0.01)	3,101	-
THAN08C2102A	0.26	0.04	39,060	-	TRUE19P2011A	0.07	(0.03)	380	-	III-W1	0.58	0.01	12,153	-
THAN13C2012A	0.33	0.08	320,748	-	TRUE19P2101A	0.16	(0.01)	3,135	-	J-W1	0.60	(0.01)	430	-
THAN13C2012B	0.04	0.01	1,521	-	TRUE28C2012A	-	-	-	-	JMART-W3	6.35	0.35	23,384	6.00
THAN19C2011A	0.55	0.11	120	-	TRUE28C2012B	-	-	-	-	JMART-W4	4.08	0.20	15,328	4.00
THAN19C2012A	0.21	0.04	171,339	-	TRUE28C2101A	-	-	-	-	JMT-W2	14.60	(0.10)	5,296	14.00
THAN19C2012B	0.08	0.01	59,724	-	TRUE28C2103A	0.31	-	18,530	-	MACO-W2	0.06	-	10,260	-
THAN19C2102A	0.49	0.08	128,904	-	TRUE28C2103L	0.14	0.01	3,042	-	MILL-W4	0.03	(0.01)	43,411	-
THAN19P2102A	0.33	(0.05)	95,865	-	TRUE41C2101A	0.06	-	450	-	MINT-W6	0.48	0.05	221,140	-
THAN42C2102T	0.13	0.02	57	-	TRUE42C2101T	0.04	0.01	2,000	-	MINT-W7	7.55	-	49,541	7.00
TISC01C2101A	0.52	(0.04)	67,583	-	TTW19C2011A	-	-	-	-	NER-W1	2.32	0.02	85,725	2.00
TISC11C2012A	0.26	(0.04)	19,340	-	TTW24C2012A	-	-	-	-	NEX-W2	4.52	0.08	35,190	4.00
TISC13C2012A	0.34	(0.05)	189,484	-	TU01C2101A	0.26	0.01	13,248	-	NFC-W1	0.68	0.13	19	-
TISC19C2012A	0.35	(0.05)	53,866	-	TU01P2101A	0.15	(0.02)	8,375	-	NVD-W1	0.05	(0.01)	11,800	-
TISC24C2102A	0.70	(0.06)	26,782	-	TU06C2102A	0.35	0.02	220,516	-	PACE-W2	-	-	-	-
TISC41C2012A	0.39	(0.04)	19,960	-	TU06P2103A	0.13	(0.03)	10,319	-	PACE-W3	-	-	-	-
TISC42C2101T	0.13	(0.01)	17	-	TU08C2011A	0.09	-	33,000	-	PDI-W1	0.37	(0.02)	31,328	-
TKN01C2101A	0.16	-	33,844	-	TU11C2102A	0.23	-	17,654	-	PDJ-W4	0.43	0.01	1,931	-
TKN06C2011A	0.02	-	1,375	-	TU13C2012A	0.17	0.01	74,350	-	PERM-W1	0.10	-	200	-
TKN06C2101A	-	-	-	-	TU13P2101A	0.11	(0.01)	37,736	-	PORT-W1	0.55	-	3,400	-
TKN08C2011A	-	-	-	-	TU19C2012A	0.18	0.01	26,532	-	PPPM-W4	0.11	-	1,254	-
TKN08C2102A	0.25	(0.03)	100	-	TU19C2102A	0.16	0.01	62,148	-	PRIME-W1	-	-	-	-
TKN13C2012A	0.05	0.01	5,674	-	TU19P2011A	-	-	-	-	PRIME-W2	-	-	-	-
TKN13C2101A	0.12	-	73,176	-	TU19P2012A	-	-	-	-	SAMART-W2	0.10	-	6,450	-
TKN13C2102A	0.19	0.01	251,464	-	TU19P2102A	0.30	(0.02)	15,924	-	SAWAD-W2	8.55	(0.20)	17,678	8.00
TKN13P2101A	0.25	(0.02)	63,648	-	TU24C2011A	-	-	-	-	SDC-W1	0.07	-	402	-
TKN19C2011A	-	-	-	-	TU24C2103A	0.34	0.03	8,857	-	SINGER-W1	8.15	0.10	407	8.00
TKN19C2011B	0.03	-	17,576	-	TU28C2012A	-	-	-	-	SINGER-W2	4.24	(0.04)	84	4.00
TKN19C2101A	0.15	0.01	75,802	-	TU28C2103A	0.26	0.01	14,970	-	SST-W2	0.60	0.01	15	-
TKN19C2102A	0.25	0.02	124,718	-	TU28C2103L	0.21	0.01	11,661	-	TCC-W3	0.03	-	745	-
TKN19P2101A	-	-	-	-	TU41C2101A	0.13	0.01	20	-	TCC-W4	0.04	-	235	-
TKN28C2012A	-	-	-	-	TU42C2101T	0.17	0.01	8	-	TCC-W5	0.12	0.01	24	-
TKN28C2012B	0.05	(0.03)	10,000	-	TVO13C2011A	0.08	0.01	14,000	-	TGPRO-W3	-	-	-	-
TKN28C2101A	0.46	-	4	-	TVO13C2012A	0.17	0.01	148,227	-	TNITY-W1	0.07	-	3,922	-
TKN42C2012T	-	-	-	-	TVO19C2011A	-	-	-	-	TRITN-W3	0.13	0.02	213,157	-
TMB13C2011A	-	-	-	-	TVO19C2012A	0.15	0.01	24,114	-	TTCL-W1	0.36	-	4,546	-
TMB13C2102A	0.26	(0.02)	23,157	-	TVO19C2101A	0.12	0.02	75,160	-	U-W4	-	-	-	-
TMB19C2011A	-	-	-	-	VGI01C2012A	0.17	(0.02)	66,242	-	VGI-W2	0.77	(0.02)	344,350	-
TMB19C2011B	0.01	-	560	-	VGI01C2103A	0.40	(0.03)	58,165	-	VIBHA-W3	0.10	-	9,917	-
TMB19C2012A	0.10	(0.01)	18,704	-	VGI06C2101A	0.15	(0.02)</							