

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Friday November 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.80	0.06	37,414	3.77	JKN	9.65	0.65	309,489	9.40
SAFARI	-	-	-	-	BLISS	-	-	-	-	MACO	0.60	(0.01)	34,569	0.60
VI	-	-	-	-	DIF	12.70	(0.10)	125,003	12.77	MAJOR	15.70	(0.20)	48,503	15.77
WORLD	-	-	-	-	DTAC	33.50	0.50	66,981	33.42	MATCH	1.55	(0.04)	1	1.55
WR	-	-	-	-	FORTH	5.80	-	1,402	5.80	MATI	-	-	-	-
Agribusiness	-	-	-	-	HUMAN	8.90	0.10	14,298	8.94	MCOT	2.80	(0.02)	3,299	2.81
EE	0.65	-	21,806	0.65	ILINK	5.20	0.05	2,526	5.19	MONO	2.72	-	14,916	2.73
GFPT	12.20	0.10	37,013	12.17	INET	3.28	-	49,096	3.30	MPIC	1.69	(0.01)	7	1.50
LEE	2.26	0.04	7,066	2.24	INTUCH	54.50	-	67,789	54.34	NMG	-	-	-	-
MAX	0.01	(0.01)	320,494	0.01	JAS	2.88	0.02	485,577	2.91	PLANB	6.05	(0.10)	96,636	6.07
NER	4.30	(0.10)	955,644	4.36	JASIF	9.85	(0.05)	129,471	9.85	POST	1.37	(0.03)	7	1.21
PPPM	0.38	(0.01)	1,000	0.38	JMART	16.50	0.20	76,426	16.47	PRAKIT	7.30	-	67	7.31
STA	26.75	0.25	239,669	26.76	JTS	2.26	-	1,428	2.27	SE-ED	1.49	(0.05)	160	1.50
TRUBB	1.67	0.01	37,925	1.64	MFEK	4.78	(0.04)	463	4.82	TBSP	-	-	-	-
TWPC	3.40	(0.04)	10,845	3.39	MSC	6.50	0.10	513	6.47	TH	0.49	0.01	2,235	0.46
UPOIC	3.36	0.14	642	3.19	PT	5.55	0.10	2,398	5.48	TKS	5.65	0.05	3,025	5.57
UVAN	4.88	0.02	2,070	4.88	SAMART	4.92	-	5,141	4.91	VGI	6.95	0.20	1,894,714	6.73
VPO	0.45	-	5,220	0.44	SAMTEL	4.90	(0.02)	2,419	4.89	WAVE	0.65	-	6,269	0.65
Banking	-	-	-	-	SDC	0.16	(0.02)	20,507	0.17	WORK	10.70	0.60	69,144	10.68
BAY	22.60	(0.30)	14,663	22.92	SIS	18.80	(0.20)	10,023	18.68	Finance & Securities	-	-	-	-
BBL	116.50	3.50	167,770	115.96	SVOA	1.25	(0.04)	67,747	1.26	AEC	0.24	0.02	232,086	0.24
CIMBT	0.57	0.01	48,448	0.57	SYMC	3.86	-	438	3.78	AEONTS	140.00	(3.00)	8,549	141.79
KBANK	94.25	4.00	764,120	93.08	SYNEX	12.90	-	34,889	12.96	AMANAH	2.72	(0.02)	64,163	2.73
KKP	43.50	2.00	104,946	42.94	THCOM	5.30	-	36,524	5.32	ASAP	1.95	(0.02)	5,861	1.97
KTB	10.10	0.25	633,247	10.07	TRUE	3.12	0.04	649,431	3.09	ASK	19.70	0.20	5,772	19.54
LHFG	0.98	-	38,965	0.98	TWZ	0.06	-	80,489	0.06	ASP	1.79	0.01	40,419	1.79
SCB	82.00	2.50	420,325	81.84	Electronic Comp	-	-	-	-	BAM	21.00	(1.30)	1,524,566	20.92
TCAP	31.00	1.00	72,475	30.90	CCET	2.28	0.06	47,775	2.28	BFIT	28.00	(0.25)	12,022	27.94
TISCO	75.00	2.00	197,668	74.13	DELTA	175.00	1.50	20,275	175.31	CGH	0.67	-	795	0.67
TMB	1.02	0.04	6,929,268	1.01	HANA	37.25	-	80,632	37.35	ECL	0.76	0.01	18,813	0.76
Construction Materia	-	-	-	-	KCE	38.00	1.00	84,290	37.53	FNS	3.10	0.08	12,611	3.08
CCP	0.47	0.01	31,291	0.46	METCO	175.00	0.50	6	174.25	FSS	1.45	0.01	987	1.45
COTTO	1.18	(0.01)	4,027	1.19	NEX	4.50	-	85,488	4.53	GBX	0.41	-	29,221	0.41
DCC	2.30	(0.02)	144,033	2.32	SMT	2.88	(0.04)	23,516	2.90	GL	1.19	(0.07)	122,382	1.18
DCON	0.30	-	35,443	0.29	SVI	4.70	0.04	70,223	4.68	IFS	2.26	-	9,150	2.26
DRT	6.05	0.10	3,605	6.00	TEAM	0.86	(0.01)	244	0.86	JMT	34.00	0.50	25,722	33.91
EPG	5.75	0.45	255,240	5.61	W	0.25	0.03	1,114,783	0.24	KCAR	8.15	-	850	8.15
GEL	0.18	-	5,236	0.18	Energy & Utilitie	-	-	-	-	KGI	3.42	-	37,216	3.42
PPP	2.00	-	1,158	1.99	7UP	0.31	-	124,190	0.31	KTC	43.25	(0.25)	111,481	43.64
Q-CON	4.62	(0.08)	59	4.62	ABPIF	2.98	-	457	2.96	MBKET	7.70	0.10	1,139	7.67
RCI	3.66	(0.02)	1	3.66	ACE	3.12	0.10	511,745	3.08	MFC	13.80	-	175	13.80
SCC	361.00	3.00	31,056	359.84	AGE	1.29	-	22,748	1.29	MICRO	4.74	0.08	107,069	4.76
SCCC	134.00	7.00	4,233	131.44	AI	2.12	-	93,229	2.12	ML	0.80	-	250	0.80
SCP	5.95	-	2,229	5.95	AKR	0.50	-	619	0.50	MTC	57.00	(0.75)	107,203	57.26
SKN	2.48	0.06	6,053	2.46	BAFS	21.60	0.40	1,935	21.55	NCAP	4.20	0.48	2,046,053	4.04
TASCO	18.70	0.10	428,704	18.78	BANPU	7.35	0.10	904,382	7.30	PE	-	-	-	-
TCMC	1.12	-	47,611	1.14	BCP	17.40	0.60	39,348	17.06	PL	2.06	0.02	563	2.05
TOA	34.00	(0.25)	15,899	34.19	BPCG	12.80	(0.20)	88,942	12.83	S11	6.30	(0.30)	19,317	6.39
TPPIPL	1.39	(0.01)	58,276	1.40	BGRIM	48.50	1.00	95,441	47.99	SAWAD	53.50	(0.50)	211,173	53.76
UMI	0.63	0.01	6,458	0.64	BPP	14.50	(0.10)	57,448	14.53	THANI	3.68	0.06	700,959	3.71
VNG	3.20	(0.02)	2,036	3.18	BRRGIF	6.20	-	7	6.20	TK	7.60	0.60	15,506	7.46
WIJK	2.60	(0.10)	43,769	2.66	CKP	4.94	0.08	353,358	4.93	TNITY	3.64	(0.08)	1,787	3.60
Petrochemicals & Ch	-	-	-	-	DEMCO	2.72	-	490	2.71	UOBKH	-	-	-	-
BCT	42.00	-	403	42.00	EA	45.00	0.25	78,305	44.87	ZMICO	0.62	0.01	6,040	0.61
CMAN	1.25	0.03	2,883	1.25	EASTW	9.10	(0.10)	31,053	9.15	Food & Beverage	-	-	-	-
GC	5.60	0.10	211	5.54	EGATIF	12.10	0.20	4,140	12.00	APURE	2.12	0.04	19,624	2.12
GCC	8.50	0.10	8,638	8.44	EGCO	193.00	1.50	28,218	191.16	ASIAN	11.80	-	35,778	11.77
GIFT	1.76	0.02	1,768	1.74	EP	4.12	0.16	46,068	4.06	BR	2.00	0.18	59,251	1.95
IVL	27.50	0.50	391,870	27.44	ESSO	7.00	-	190,709	6.96	BRR	2.74	0.08	604	2.73
NFC	1.47	(0.08)	13	1.47	GPSC	68.75	1.50	191,412	68.09	CBG	118.00	-	35,847	118.62
PATO	10.70	0.20	233	10.40	GREEN	1.12	0.02	2,802	1.12	CFRESH	3.14	0.04	3,642	3.14
PMTA	8.90	-	1	8.90	GULF	35.75	1.25	484,653	35.16	CHOTI	-	-	-	-
PTTGC	50.75	0.25	265,969	50.71	GUNKUL	2.32	0.02	388,383	2.30	CM	2.60	(0.02)	1,358	2.60
SUTHA	3.68	0.14	121	3.58	IFEC	-	-	-	-	CPF	27.50	(0.25)	553,820	27.77
TCCC	24.00	0.20	154	23.67	IRPC	2.56	0.02	966,208	2.53	CPI	1.40	(0.01)	5,483	1.40
TPA	5.30	0.15	912	5.47	KBSPIF	9.10	(0.05)	3,947	9.06	F&D	-	-	-	-
UAC	3.80	-	1,369	3.81	LANNA	6.10	(0.10)	7,614	6.02	HTC	36.25	2.25	18,356	35.92
UP	12.80	(0.20)	50	12.80	MDX	2.20	0.04	859	2.19	ICHI	11.40	0.30	145,159	11.50
VNT	23.10	(0.80)	31,094	23.21	PDI	8.55	-	4,557	8.54	KBS	3.22	0.10	3,791	3.25
WG	129.50	-	8	129.50	PRIME	0.51	-	30,161	0.52	KSL	2.14	-	36,711	2.14
YCI	-	-	-	-	PTG	18.60	-	166,375	18.63	KTIS	2.86	0.02	128	2.84
Commerce	-	-	-	-	PTT	37.50	0.25	711,867	37.37	LST	4.38	(0.02)	2,068	4.40
BEAUTY	1.34	(0.01)	82,143	1.33	PTTEP	90.25	(0.25)	116,066	89.79	M	53.00	2.00	35,002	52.73
BIG	0.47	-	27,766	0.47	RATCH	53.50	0.50	37,972	52.93	MALEE	5.85	0.15	3,098	5.82
BJC	34.50	0.25	81,234	34.50	RPC	0.49	-	1,399	0.48	MINT	23.20	(0.20)	733,874	23.18
COL	18.70	-	4,669	18.75	SCG	3.52	0.02	256	3.52	NRF	6.30	0.30	179,191	6.25
COM7	40.75	0.75	61,249	40.67	SCI	1.24	0.01	2,923	1.24	OISHI	40.75	0.25	523	40.95
CPALL	62.25	(0.50)	245,660	62.36	SCN	1.60	(0.08)	13,221	1.64	OSP	37.25	(0.50)	136,682	37.40
CPW	2.06	(0.06)	45,372	2.03	SGP	9.60	0.15	37,454	9.52	PB	70.50	-	93	70.24
CRC	32.50	1.25	259,105	32.40	SKE	0.50	-	48,782	0.50	PM	8.35	0.05	12,817	8.27
CSS	1.42	-	9,837	1.42	SOLAR	0.91	-	3,357	0.91	PRG	11.00	-	12	

Main Board Quotation

Issue Date :

Friday November 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHG	2.58	0.06	514,384	2.56	A	5.05	-	50	5.05	Automotive	-	-	-	-
CMR	1.77	(0.01)	1,356	1.77	AMATA	13.20	0.10	163,338	13.17	3K-BAT	99.25	16.25	878	97.84
EKH	4.36	-	23,901	4.35	AMATAV	5.10	0.10	154	4.99	ACG	1.16	(0.02)	21,502	1.17
KDH	-	-	-	-	ANAN	1.62	0.01	30,388	1.62	AH	12.90	0.30	18,873	12.72
LPH	4.50	0.06	842	4.47	AP	6.70	0.05	153,984	6.69	CWT	2.04	0.05	25,602	2.05
M-CHAI	192.50	8.50	2	188.25	APEX	0.07	-	10,151	0.07	EASON	1.21	(0.01)	442	1.21
NEW	-	-	-	-	AQ	0.01	(0.01)	72,842	0.01	GYT	-	-	-	-
NTV	41.00	(1.00)	66	41.52	AWC	4.10	0.10	928,713	4.05	HFT	4.24	0.08	34,928	4.22
PR9	8.55	(0.30)	33,668	8.60	BLAND	1.01	(0.01)	113,121	1.01	IHL	3.20	0.10	33,587	3.16
PRINC	2.72	0.02	4,438	2.71	BROCK	1.43	0.01	2	1.43	INGRS	0.43	-	1,108	0.42
RAM	141.00	-	13	141.00	CGD	0.65	-	90,199	0.65	IRC	13.10	0.30	327	13.09
RJH	22.30	(0.30)	2,989	22.40	CI	-	-	-	-	PCSGH	4.38	-	4	4.38
RPH	5.40	0.20	4,280	5.28	CPN	51.50	1.75	155,359	50.88	SAT	13.60	0.10	22,614	13.75
SKR	6.60	0.15	425	6.53	ESTAR	0.36	0.03	124,932	0.35	SPG	-	-	-	-
SVH	395.00	3.00	12	393.75	EVER	0.20	(0.01)	20,407	0.21	STANLY	152.50	-	696	152.20
THG	19.60	0.20	4,351	19.58	FPT	11.00	(0.10)	1,982	11.04	TKT	0.91	-	202	0.91
VIBHA	1.43	-	73,779	1.43	GLAND	2.14	-	179	2.15	TNPC	-	-	-	-
VIH	6.00	0.05	2,857	5.94	J	1.30	0.01	21,413	1.32	TRU	3.44	-	446	3.40
WPH	1.57	0.01	1,201	1.57	JCK	1.19	0.13	90,444	1.20	TSC	9.00	0.05	12	9.00
Tourism & Leisure	-	-	-	-	KC	-	-	-	-	Industrial Materials	-	-	-	-
ASIA	4.48	(0.02)	20	4.40	KWG	0.67	-	789	0.67	ALLA	1.16	0.02	6,115	1.15
CENTEL	23.70	-	88,096	23.62	LALIN	6.55	(0.05)	7,562	6.55	ASEFA	3.32	-	1,029	3.33
CSR	69.00	0.50	1	69.00	LH	7.40	0.10	419,499	7.39	CPT	0.83	0.01	9,513	0.83
DTC	7.40	0.05	1,951	7.35	LPN	4.16	0.04	43,872	4.15	CRANE	1.55	0.01	5,872	1.55
ERW	2.96	-	203,765	2.97	MBK	11.80	-	28,991	11.87	CTW	6.00	0.50	7,716	6.06
GRAND	0.65	-	8,972	0.66	MJD	1.50	-	2,973	1.48	FMT	-	-	-	-
LRH	28.00	(0.75)	134	27.62	MK	3.08	-	2,863	3.08	HTECH	3.00	0.14	1,634	2.98
MANRIN	-	-	-	-	NCH	0.90	0.02	2	0.89	KKC	0.54	(0.02)	2,267	0.53
OHTL	333.00	(5.00)	7	334.00	NNCL	1.90	(0.01)	3,090	1.91	PK	1.57	0.02	5,679	1.58
ROH	35.50	-	1	35.50	NOBLE	20.30	(0.20)	119,052	20.62	SNC	11.30	0.10	6,537	11.19
SHANG	47.50	1.50	60	47.10	NUSA	0.25	-	198,663	0.25	STARK	1.85	0.03	1,846,857	1.84
SHR	1.95	0.02	75,463	1.96	NVD	1.03	0.01	5,564	1.03	TCJ	2.88	(0.08)	502	2.89
VRANDA	5.65	0.05	1,309	5.60	ORI	7.10	(0.25)	231,721	7.06	VARO	3.50	(0.48)	54	3.51
Home & Office Produ	-	-	-	-	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
ACC	0.58	(0.01)	40	0.58	PF	0.35	-	73,794	0.35	AIMCG	6.00	(0.05)	4,861	5.98
AJA	0.12	-	29,398	0.12	PLAT	2.18	(0.02)	13,332	2.17	AIMIRT	13.00	-	68	13.01
DTCI	27.50	-	72	27.66	POLAR	-	-	-	-	AMATAR	10.10	-	361	10.03
FANCY	0.50	0.02	1,384	0.49	PRECHA	0.81	(0.03)	595	0.83	B-WORK	11.50	-	153	11.40
KYE	312.00	-	19	308.37	PRIN	1.68	0.02	1,559	1.67	BKER	5.60	(0.05)	26,211	5.66
L&E	1.64	-	317	1.64	PSH	11.30	0.30	12,036	11.25	BKKCP	11.80	-	14	11.80
MODERN	2.40	(0.06)	5,882	2.40	QH	2.26	0.04	145,072	2.24	BOFFICE	10.70	0.20	1,277	10.61
OGC	-	-	-	-	RICHY	0.68	-	3,944	0.67	CPNCG	10.20	-	9,281	10.20
ROCK	-	-	-	-	RML	0.56	(0.01)	19,091	0.56	CPNREIT	20.60	0.20	4,342	20.51
SIAM	1.42	-	172	1.41	ROJNA	4.00	-	28,439	4.00	CPTGF	9.40	-	44	9.40
TSR	3.60	0.02	8,250	3.58	S	1.30	0.03	41,576	1.27	CTARAF	5.05	0.05	139	4.98
Insurance	-	-	-	-	SAMCO	1.19	0.02	237	1.17	DREIT	4.30	(0.02)	259	4.30
AYUD	32.75	(0.25)	2	32.75	SC	2.46	0.02	20,451	2.45	ERWPF	4.30	-	254	4.30
BKI	274.00	1.00	66	273.62	SENA	2.90	0.02	10,727	2.90	FTREIT	12.80	0.40	9,043	12.43
BLA	18.20	0.50	19,463	18.05	SF	4.52	(0.04)	24,310	4.51	FUTUREPF	17.30	0.10	1,185	17.20
BUI	10.00	1.15	24	10.00	SIRI	0.68	0.01	287,948	0.67	GAHREIT	8.05	-	446	7.93
CHARAN	24.70	(0.20)	4	23.50	SPALI	17.10	-	25,741	17.24	GOLDFP	-	-	-	-
INSURE	-	-	-	-	U	1.16	-	32,124	1.17	GVREIT	11.60	-	584	11.60
MTI	86.00	(0.50)	17	86.26	UV	2.54	-	14,589	2.54	HPF	4.74	-	299	4.73
NKI	-	-	-	-	WHA	2.72	(0.02)	1,468,672	2.71	HREIT	7.60	0.05	3,226	7.63
NSI	70.75	1.00	19	70.36	WIN	0.31	0.01	711	0.30	IMPACT	19.30	0.20	511	19.14
SEG	32.00	(7.00)	129	36.27	Paper & Printing	-	-	-	-	KPNPF	-	-	-	-
SMK	37.25	-	71	36.30	UTP	14.00	0.10	54,872	14.07	LHHOTEL	10.20	-	331	10.14
THRE	1.27	0.04	365,270	1.26	Fashion	-	-	-	-	LHPF	5.40	-	187	5.36
THREL	2.64	0.06	24,492	2.61	AFC	-	-	-	-	LHSC	11.20	-	53	11.20
TIP	25.75	0.75	14,785	25.91	B52	0.14	-	1,583	0.14	LUXF	6.35	(0.05)	124	6.35
TQM	117.50	-	7,484	117.62	BTNC	-	-	-	-	M-II	7.10	0.10	130	6.97
TSI	0.28	-	230	0.28	CPH	3.30	(0.04)	44	3.26	M-PAT	-	-	-	-
TVI	3.44	0.04	1	3.44	CPL	1.02	0.03	173	1.01	M-STOR	5.95	-	10	5.95
Mining	-	-	-	-	ICC	28.00	0.75	1	28.00	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.80	-	1	2.80
Packaging	-	-	-	-	PAF	0.50	0.01	235	0.49	MJLF	6.15	-	34	6.23
AJ	17.80	-	15,410	17.65	PDJ	1.43	0.03	367	1.41	MNIT	1.33	-	28	1.33
ALUCON	167.50	2.50	11	167.32	PG	-	-	-	-	MNIT2	5.10	0.10	1	5.10
BGC	10.10	0.60	175,660	10.48	SABINA	21.20	0.20	1,005	21.09	MNRF	2.90	(0.06)	15	2.90
CSC	51.75	-	136	51.80	SAWANG	-	-	-	-	POPF	9.95	(0.05)	787	9.95
GLOCON	0.93	0.01	27,425	0.92	SUC	34.00	(0.75)	86	34.00	PPF	-	-	-	-
NEP	0.24	-	710	0.24	TNL	-	-	-	-	PROSPECT	9.15	-	475	9.14
PTL	22.50	0.30	9,837	22.45	TPCORP	9.25	-	20	9.25	QHHR	5.80	-	263	5.79
SCGP	37.25	-	717,622	36.97	TR	28.50	1.00	269	28.09	QHOP	-	-	-	-
SFLEX	5.85	0.10	32,203	5.79	TTI	-	-	-	-	QHPF	9.50	(0.05)	1,490	9.51
SITHAI	0.62	-	1,360	0.61	TTT	53.00	0.50	2	53.00	SBPF	3.18	0.06	472	3.16
SLP	0.42	(0.01)	1,165	0.43	UPF	60.50	2.50	151	59.70	SHREIT	3.20	(0.10)	112	3.23
SMPC	10.80	(0.10)	9,396	10.96	UT	-	-	-	-	SIRIP	-	-	-	-
SPACK	2.60	-	8,834	2.61	WACOAL	-	-	-	-	SPF	12.60	0.10	2,820	12.52
TCOAT	-	-	-	-	Transportation 8	-	-	-	-	SPRIME	7.55	0.35	1,399	7.42
TFI	0.15	0.01	4,334	0.14	AAV	1.80	-	192,740	1.79	SRIPANWA	7.60	0.05	151	7.55
THIP	28.25	0.50	535	27.93	AOT	65.50	-	366,794	65.41	SSPF	9.15	0.05	1	9.15
TMD	22.10	(0.20)	66	22.07	ASIMAR	1.36	(0.02)	651	1.36	SSTRT	5.25	-	330	5.24
TOPP	-	-	-	-	B	0.29	-	2,000	0.29	TIF1	8.40	-	2,569	8.40
TPBI	4.96	0.04	235	4.92	BA	5.30	-	6,937	5.31	TLGF	15.70	0.10	9,086	15.51
TPP	12.00	0.20												

Main Board Quotation

Issue Date :

Friday November 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TITLE	2.88	-	7,147	2.00	ADVA06C2103A	0.44	(0.05)	227,517	-
ABICO	5.60	0.10	359	5.00	Resources (MAI)	-	-	-	-	ADVA08C2012A	0.09	(0.04)	101	-
AU	9.10	-	26,792	9.00	ABM	0.82	(0.12)	32,897	-	ADVA08C2103A	0.49	(0.03)	73,300	-
JCKH	0.29	-	3,235	-	AIE	0.67	-	91,947	-	ADVA08P2101A	0.55	0.02	20,280	-
KASET	1.15	-	2,239	1.00	ETC	1.82	(0.01)	85,417	1.00	ADVA11C2011A	0.04	(0.03)	1	-
MM	1.98	-	21	1.00	PSTC	1.63	0.01	28,265	1.00	ADVA11C2104A	0.56	(0.03)	97,831	-
SUN	4.54	0.16	84,193	4.00	QTC	3.86	(0.02)	4,214	3.00	ADVA11P2011A	0.13	-	70,460	-
TACC	6.55	(0.05)	68,292	6.00	SAAM	1.04	-	4,082	1.00	ADVA13C2012A	0.10	(0.02)	72,228	-
TMILL	3.12	-	1,113	3.00	SEAOIL	2.30	-	5,314	2.00	ADVA13C2101A	0.34	(0.03)	189,697	-
XO	9.55	(0.15)	24,033	9.00	SR	0.60	(0.02)	1,023	-	ADVA13P2012A	0.40	0.02	103,757	-
Consumer Products					TAKUNI	0.36	-	15,620	-	ADVA19C2012A	0.10	(0.03)	61,755	-
BGT	1.00	-	137	1.00	TPCH	10.90	0.30	5,157	10.00	ADVA19C2101A	0.26	(0.03)	425,493	-
BIZ	3.38	-	1,498	3.00	TRT	1.63	-	269	1.00	ADVA19P2012A	0.32	0.01	344,051	-
DOD	8.80	-	90,970	8.00	UMS	0.25	(0.03)	54	-	ADVA24C2101A	0.17	(0.02)	13,101	-
ECF	1.33	0.04	229,557	1.00	UPA	0.18	-	118,813	-	ADVA28C2012A	0.03	-	5,101	-
HPT	0.71	(0.03)	5,739	-	UWC	0.05	0.01	464,909	-	ADVA28C2012B	0.03	-	402	-
IP	11.90	0.10	5,679	11.00	Services (MAI)	-	-	-	-	ADVA28C2101A	0.13	(0.01)	56,915	-
JUBILE	19.40	-	1,091	19.00	A5	-	-	-	-	ADVA28C2102L	0.13	(0.01)	37,256	-
MOONG	3.82	0.04	1,038	3.00	AKP	0.84	0.01	2,888	-	ADVA28P2012A	-	-	-	-
NPK	-	-	-	-	AMA	5.25	-	22,308	5.00	ADVA41C2011A	-	-	-	-
OCEAN	0.73	-	2,519	-	ARIP	0.41	-	2,734	-	ADVA41C2101A	0.31	(0.03)	158,311	-
TM	2.32	0.02	964	2.00	AUT30	0.89	0.03	15,251	-	ADVA41P2011A	-	-	-	-
Financials (MAI)					AUCT	11.70	(0.20)	17,184	11.00	ADVA41P2101A	0.22	0.01	79,358	-
ACAP	0.71	0.01	887	-	BOL	5.90	-	11,510	5.00	ADVA42C2102T	0.22	(0.01)	1,042	-
AF	0.61	-	166	-	CMO	0.86	-	1,653	-	AEON01C2102A	0.49	(0.04)	25,142	-
AIRA	0.95	0.11	33	-	D	3.32	-	370	3.00	AEON13C2011A	0.10	(0.07)	2,452	-
ASN	4.80	0.24	340	4.00	DV8	0.30	(0.01)	2,019	-	AEON13C2012A	1.22	-	11	1.00
BROOK	0.41	0.01	74,641	-	EFORL	0.03	-	47,997	-	AEON13C2101A	0.46	(0.05)	176,207	-
CHAYO	7.60	(0.05)	29,828	7.00	ETE	0.98	-	5,269	-	AEON19C2011A	-	-	-	-
GCAP	1.30	0.01	3,415	1.00	FSMART	6.95	(0.15)	30,667	6.00	AEON19C2012A	-	-	-	-
LIT	3.18	0.02	4,860	3.00	FVC	0.40	(0.01)	55,264	-	AEON19C2101A	0.59	(0.08)	27,972	-
MITTSIB	0.97	0.01	2,615	-	GSC	1.19	0.07	348	1.00	AEON19C2102A	0.47	(0.05)	230,314	-
SGF	0.54	0.04	91,823	-	HARN	2.14	(0.02)	3,162	2.00	AEON28C2012A	0.82	(0.08)	41	-
Industrials (MAI)					IMH	2.04	-	27	2.00	AEON28C2101A	-	-	-	-
ZS	3.80	-	4,675	3.00	KIAT	0.63	(0.02)	498,225	-	AEON28C2103A	0.52	(0.03)	131,707	-
ADB	0.90	0.03	15,752	-	KK	1.41	0.10	161,847	1.00	AEON28C2104L	0.32	(0.02)	76,182	-
BM	2.44	0.02	574	2.00	KOOL	0.89	-	8,252	-	AEON42C2101T	0.40	(0.01)	8,786	-
CHO	0.49	-	25,095	-	LDC	1.28	(0.01)	6,410	1.00	AMAT01C2101A	0.16	-	65,244	-
CHOW	2.02	0.02	914	1.00	LEO	4.04	0.14	583,797	3.00	AMAT06C2102A	0.18	0.01	54,182	-
CIG	0.21	-	465	-	MORE	0.81	(0.01)	199,139	-	AMAT08C2101A	0.22	-	4,600	-
COLOR	1.22	(0.01)	2,127	1.00	MPG	0.23	-	10,888	-	AMAT13C2012A	0.08	-	310	-
CPR	2.28	-	882	2.00	MVP	1.24	0.04	1,080	1.00	AMAT13C2102A	0.33	0.01	226,274	-
FPI	1.38	(0.04)	3,500	1.00	NBC	0.51	-	2,463	-	AMAT19C2011A	-	-	-	-
GTB	0.70	-	2,165	-	NCL	0.54	-	1,121	-	AMAT19C2012A	0.08	(0.01)	20,000	-
KCM	0.43	-	2,436	-	NEWS	0.01	-	35	-	AMAT19C2101A	0.21	0.01	164,727	-
KUMWEL	1.13	(0.01)	6,984	1.00	NINE	1.62	-	501	1.00	AMAT24C2103A	0.42	0.01	16,400	-
KWM	1.14	0.03	13,409	1.00	OTO	3.88	0.24	34,018	3.00	AMAT28C2012A	-	-	-	-
MBAX	7.35	(0.40)	42,837	7.00	PHOL	2.30	0.02	3,269	2.00	AMAT28C2101A	-	-	-	-
MGT	2.24	-	10,091	2.00	PICO	3.70	0.12	2	3.00	AMAT28C2102L	-	-	-	-
NDR	1.37	0.05	4,476	1.00	QLT	4.14	0.14	1	4.00	AMAT28C2103A	0.23	-	39,294	-
PDG	3.54	-	432	3.00	RP	1.17	(0.01)	926	1.00	AMAT42C2101T	-	-	-	-
PIMO	2.56	(0.02)	40,612	2.00	SABUY	1.83	0.04	1,137,735	1.00	AOT01C2012A	0.71	(0.01)	2,958	-
PJW	1.26	-	1,275	1.00	SE	1.19	0.01	309	1.00	AOT01C2102A	0.79	0.02	244	-
PPM	0.80	(0.02)	175	-	SLM	-	-	-	-	AOT01C2102T	0.47	(0.05)	736	-
PRAPAT	1.25	(0.01)	23,778	1.00	SONIC	1.29	0.01	2,535	1.00	AOT01P2012A	0.04	(0.01)	2,220	-
RWI	1.30	-	151	1.00	SPA	6.25	(0.15)	10,194	6.00	AOT01P2012B	0.14	0.02	5,590	-
SALEE	0.63	0.02	142	-	THMUI	0.63	-	1,251	-	AOT01P2102T	0.28	0.01	9,916	-
SANKO	0.96	0.01	498	-	TNDT	3.02	0.06	419	3.00	AOT06C2011A	0.06	(0.13)	200	-
SELIC	1.98	0.15	48,192	1.00	TNH	33.00	(0.50)	66	33.00	AOT06C2102A	0.77	(0.02)	81,920	-
SFT	4.10	0.02	342,380	4.00	TNP	3.52	0.02	8,220	3.00	AOT06P2011A	-	-	-	-
SWC	4.48	0.12	1,090	4.00	TSF	-	-	-	-	AOT06P2103A	0.15	(0.01)	85,090	-
TMC	0.68	0.01	1,524	-	TVD	0.99	0.01	2,995	-	AOT08C2101A	0.66	0.02	2,122	-
TMI	0.64	(0.01)	1,515	-	TVT	0.64	(0.01)	51	-	AOT08P2102A	0.24	(0.01)	17,185	-
TMW	32.50	0.50	102	32.00	VL	1.08	(0.01)	58,564	1.00	AOT11C2011A	0.18	(0.01)	70,634	-
TPAC	13.30	(0.20)	461	13.00	WINNER	2.56	0.08	6,928	2.00	AOT11P2101A	0.09	(0.01)	8,770	-
TPLAS	1.46	0.01	5,202	1.00	YGG	11.80	(0.10)	6,394	11.00	AOT13C2012A	0.72	(0.01)	163	-
UBIS	5.35	(0.10)	402	5.00	Technology (MAI)	-	-	-	-	AOT13C2101A	0.50	-	28,049	-
UEC	0.87	(0.02)	5,776	-	APP	2.28	(0.08)	12,375	2.00	AOT13C2102A	1.03	0.03	1,673	-
UKEM	0.56	0.03	63,333	-	COMAN	2.22	0.06	2,477	2.00	AOT13C2103A	0.48	-	765,759	-
UREKA	0.80	(0.03)	5,979	-	ICN	2.38	0.06	28,897	2.00	AOT13P2011A	-	-	-	-
YUASA	15.70	-	1,607	15.00	IIG	19.40	0.10	10,138	19.00	AOT13P2101A	0.12	(0.01)	216,935	-
ZIGA	2.76	0.10	59,187	2.00	INSET	3.54	0.04	42,667	3.00	AOT13P2102A	0.13	(0.01)	184,091	-
Property & Construc					IRCP	0.69	-	1,961	-	AOT13P2103A	0.66	(0.34)	574,604	-
ALL	3.16	0.08	288,147	3.00	ITEL	2.98	(0.04)	9,921	3.00	AOT16C2012A	1.11	0.29	1,312	1.00
ARIN	0.90	(0.02)	1,056	-	NETBAY	26.00	-	586	25.00	AOT19C2011A	0.01	-	300	-
ARROW	7.00	(0.05)	848	7.00	PLANET	1.15	(0.05)	6,389	1.00	AOT19C2011B	0.16	(0.01)	48,460	-
BC	0.82	(0.01)	788	-	SICT	4.02	(0.08)	47,188	3.00	AOT19C2012A	0.59	(0.02)	3,952	-
BSM	0.27	-	807	-	SIMAT	3.52	(0.08)	23,520	3.00	AOT19C2102A	1.00	0.01	3,000	1.00
BTW	0.76	(0.01)	50	-	SKY	12.30	(0.10)	1,833	12.00	AOT19C2103A	0.34	-	550,319	-
CAZ	1.61	(0.03)	5,201	1.00	SPVI	3.04	0.10	56,082	2.00	AOT19P2011A	0.01	(0.01)	20,067	-
CHEWA	0.50	0.03	73,334	-	TPS	2.32	0.02	17,992	2.00	AOT19P2011B	-	-	-	-
CMC	0.71	-	957											

Main Board Quotation

Issue Date :

Friday November 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP28C2012B	0.10	0.01	23,294	-	BCPG13C2012B	-	-	-	-	BPP19C2012A	0.14	-	69,020	-
AP28C2103A	0.27	0.02	38,482	-	BCPG13C2102A	0.26	(0.02)	77,454	-	BTS01C2101A	0.11	0.01	13,083	-
AWC01C2101A	0.35	(0.08)	200	-	BCPG19C2011A	-	-	-	-	BTS01C2103A	0.58	0.02	8,982	-
AWC01C2103A	-	-	-	-	BCPG19C2102A	0.11	(0.02)	48,072	-	BTS01P2103A	0.30	(0.02)	6,150	-
AWC01P2103A	-	-	-	-	BCPG19C2101A	0.26	(0.01)	1	-	BTS06P2103A	0.20	(0.03)	53,567	-
AWC06C2011A	-	-	-	-	BCPG28C2012A	0.03	-	4	-	BTS11C2011A	-	-	-	-
AWC06C2103A	0.69	0.05	27,300	-	BCPG28C2012B	-	-	-	-	BTS13C2011A	-	-	-	-
AWC06P2012A	0.04	(0.02)	1,920	-	BCPG28C2012C	0.01	(0.03)	50	-	BTS13C2012A	-	-	-	-
AWC08C2012A	0.13	0.01	5,600	-	BCPG28C2101A	0.10	(0.01)	288	-	BTS13C2102A	0.45	0.04	170	-
AWC11C2102A	0.43	0.01	34,810	-	BCPG28C2103A	0.24	-	35,408	-	BTS13C2103A	0.22	(0.78)	152,390	-
AWC13C2011A	-	-	-	-	BCPG28C2103L	0.15	0.01	6,085	-	BTS13P2011A	-	-	-	-
AWC13C2101A	0.33	0.03	6,656	-	BDM501C2101A	0.34	(0.04)	2,050	-	BTS13P2102A	0.12	(0.01)	27,081	-
AWC13C2102A	0.93	0.02	28	-	BDM506C2102A	0.34	(0.02)	65,442	-	BTS19C2011A	-	-	-	-
AWC13C2102B	0.49	0.03	271,169	-	BDM506C2103A	0.76	(0.24)	19,600	-	BTS19C2012A	-	-	-	-
AWC13P2011A	-	-	-	-	BDM508C2011A	-	-	-	-	BTS19C2102A	0.46	(0.05)	2	-
AWC13P2102A	0.08	(0.01)	11,974	-	BDM508C2101A	0.29	(0.01)	12,110	-	BTS19P2012A	0.05	-	8,000	-
AWC19C2101A	0.34	0.03	53,488	-	BDM511C2011A	0.17	(0.01)	48,660	-	BTS19P2102A	0.20	(0.02)	40,189	-
AWC19C2102A	-	-	-	-	BDM511P2104A	0.22	-	45,362	-	BTS24C2012A	-	-	-	-
AWC19C2103A	0.96	0.04	150	-	BDM513C2011A	-	-	-	-	BTS41C2012A	-	-	-	-
AWC19P2011A	-	-	-	-	BDM513C2012A	0.15	(0.02)	1,402	-	CBG01C2102A	0.10	-	9,010	-
AWC19P2102B	0.10	(0.01)	73,220	-	BDM513C2101A	0.45	(0.03)	163,423	-	CBG01C2102A	0.48	-	38,156	-
AWC24C2103A	0.77	0.03	6,151	-	BDM513P2102A	0.11	-	50,323	-	CBG01C2103T	0.38	0.01	25,913	-
AWC28C2012A	0.02	-	301	-	BDM519C2011A	-	-	-	-	CBG01P2012A	0.17	(0.02)	7,031	-
AWC28C2012B	-	-	-	-	BDM519C2012A	0.16	(0.01)	74,602	-	CBG01P2102A	0.57	(0.01)	30,311	-
AWC28C2101A	0.21	0.01	36,173	-	BDM519C2102A	0.41	(0.02)	22,137	-	CBG06C2101A	-	-	-	-
AWC28C2103L	0.18	0.01	9,128	-	BDM519P2102A	0.12	-	3,452	-	CBG06C2102A	0.51	(0.01)	46,616	-
AWC28C2104A	-	-	-	-	BDM524C2101A	0.37	(0.01)	10,038	-	CBG08C2012A	0.30	(0.01)	24,040	-
AWC41C2011A	-	-	-	-	BDM528C2012A	-	-	-	-	CBG11C2101A	0.35	(0.01)	11,646	-
AWC41C2102A	0.30	(0.02)	2	-	BDM528C2012E	-	-	-	-	CBG13C2011A	-	-	-	-
AWC42C2101T	0.06	0.02	300	-	BDM528C2101A	0.13	(0.01)	21,280	-	CBG13C2012A	0.10	-	28,173	-
BANP01C2101A	0.46	0.02	36,418	-	BDM528C2102A	0.22	(0.01)	33,559	-	CBG13C2101A	0.37	-	46,645	-
BANP01C2103A	0.38	0.03	106,366	-	BDM528C2103A	0.46	(0.02)	64,991	-	CBG13C2102A	0.52	(0.01)	195,107	-
BANP01P2101A	0.12	(0.03)	36,077	-	BDM541C2012A	-	-	-	-	CBG13P2011A	-	-	-	-
BANP06C2101A	0.57	0.05	72,347	-	BDM541P2011A	0.12	-	80	-	CBG13P2101A	0.49	(0.01)	69,126	-
BANP06P2011A	-	-	-	-	BDM542C2011T	-	-	-	-	CBG16C2101A	0.39	-	4,041	-
BANP06P2103A	0.21	(0.03)	26,184	-	BEM01C2101A	-	-	-	-	CBG19C2011A	0.23	(0.01)	26,293	-
BANP08C2102A	0.51	0.04	41,153	-	BEM08C2102A	0.13	-	200	-	CBG19C2011B	0.02	(0.01)	220	-
BANP08P2102A	0.17	(0.01)	2,800	-	BEM11C2011A	-	-	-	-	CBG19C2101A	0.27	(0.01)	45,426	-
BANP11C2104A	0.51	0.03	25,842	-	BEM13C2011A	-	-	-	-	CBG19C2102A	0.52	-	62,548	-
BANP13C2011A	-	-	-	-	BEM13C2101A	0.28	-	101,290	-	CBG19P2011A	0.02	0.01	38	-
BANP13C2012A	0.42	0.04	20,385	-	BEM13P2102A	0.12	(0.01)	10	-	CBG19P2102A	0.28	(0.02)	19,872	-
BANP13C2102A	0.32	0.01	228,792	-	BEM19C2011A	-	-	-	-	CBG24C2102A	0.52	-	10,869	-
BANP13P2012A	0.04	-	300	-	BEM19C2101A	0.24	-	5,300	-	CBG41C2011A	-	-	-	-
BANP13P2102A	0.25	(0.01)	47,124	-	BEM19C2102A	0.43	-	4,723	-	CBG41C2011B	-	-	-	-
BANP16C2101A	0.41	0.04	38,674	-	BEM19P2102A	0.22	(0.01)	55,630	-	CBG41C2012A	-	-	-	-
BANP19C2012A	-	-	-	-	BEM28C2012A	-	-	-	-	CBG41P2012A	0.44	(0.02)	36,122	-
BANP19C2102A	0.33	0.02	203,409	-	BEM28C2103A	0.23	-	3,042	-	CBG42C101T	0.54	0.02	4,850	-
BANP19P2012A	-	-	-	-	BEM28C2103B	0.40	0.01	35,962	-	CENT01C2103A	0.71	-	30,097	-
BANP19P2102A	0.19	(0.02)	50,681	-	BEM28C2104L	0.21	-	24,336	-	CENT01P2103A	0.66	-	45,997	-
BANP24C2011A	-	-	-	-	BGR101C2012A	-	-	-	-	CENT08C2012A	0.17	(0.01)	3,246	-
BANP28C2012A	0.19	0.01	32,909	-	BGR101C2102A	0.52	0.02	66,366	-	CENT11C2012A	-	-	-	-
BANP28C2012B	0.15	0.01	72,116	-	BGR101P2012A	0.06	(0.03)	2,190	-	CENT11C2011A	-	-	-	-
BANP28C2101A	0.47	0.02	60,765	-	BGR106C2102A	0.48	0.03	74,351	-	CENT13C2011A	0.50	(0.01)	237,282	-
BANP28C2103A	0.31	0.01	35,462	-	BGR106P2011A	-	-	-	-	CENT13C2101A	0.04	-	53	-
BANP42C2012T	0.13	0.02	1,759	-	BGR108C2101A	0.33	0.01	6,200	-	CENT13P2011A	0.02	-	1	-
BBL06C2101A	0.92	0.02	739	-	BGR111C2101A	0.17	0.01	44,042	-	CENT19C2011A	0.02	-	1	-
BBL06P2011A	-	-	-	-	BGR111C2102A	0.20	0.01	193,905	-	CENT19C2011B	0.09	(0.03)	3,107	-
BBL08C2101A	0.38	0.06	98,851	-	BGR113C2012A	0.20	0.01	193,905	-	CENT19C2101A	0.47	-	108,083	-
BBL08C2103A	1.86	0.17	1,030	1.00	BGR113C2101A	0.39	0.04	168,279	-	CENT19P2011A	-	-	-	-
BBL08P2102A	0.31	(0.04)	16,373	-	BGR113P2011A	-	-	-	-	CENT24C2011A	0.14	(0.04)	53	-
BBL11C2011A	0.28	0.04	78,634	-	BGR13P2101A	0.07	(0.01)	9,510	-	CENT28C2012A	-	-	-	-
BBL11C2104A	1.45	0.10	15,312	1.00	BGR19C2011A	-	-	-	-	CENT28C2012B	-	-	-	-
BBL11P2102A	0.20	(0.04)	61,704	-	BGR19C2012A	0.14	0.01	15,244	-	CENT28C2101A	0.20	-	47,884	-
BBL13C2012A	0.36	0.07	152,967	-	BGR19C2101A	0.46	0.04	56,319	-	CENT28C2101B	0.06	-	1,002	-
BBL13C2012B	0.90	0.08	60	-	BGR19P2102A	0.18	(0.02)	7,240	-	CENT28C2103L	0.24	(0.01)	43,866	-
BBL13C2103A	0.63	0.08	67,207	-	BGR124C2101A	0.51	0.03	17,241	-	CHG06C2102A	0.18	0.03	208,687	-
BBL13C2103B	0.46	0.06	423,463	-	BGR127C2101A	-	-	-	-	CHG13C2012A	0.09	0.02	7,051	-
BBL13P2012A	0.11	(0.02)	93,860	-	BGR127P2012A	-	-	-	-	CHG19C2011A	-	-	-	-
BBL19C2011A	0.02	-	1	-	BGR141C2012A	0.43	(0.05)	2,000	-	CHG19C2103A	0.18	0.01	161,379	-
BBL19C2011B	-	-	-	-	BGR141C2101A	0.18	0.02	3,958	-	CK01C2101A	0.17	(0.01)	5,482	-
BBL19C2012A	-	-	-	-	BGR142C2101T	0.05	-	100	-	CK01P2101A	0.31	(0.01)	15,728	-
BBL19C2101A	-	-	-	-	BH01C2103A	0.40	0.07	115	-	CK06C2102A	0.22	(0.01)	34,312	-
BBL19C2101B	0.51	0.08	141,819	-	BH13C2012A	0.06	-	6,500	-	CK06C2103A	0.65	-	61	-
BBL19C2101B	-	-	-	-	BH13C2101A	0.48	-	1,774	-	CK06P2012A	0.20	(0.01)	47,703	-
BBL19P2011A	-	-	-	-	BH13C2103A	0.41	(0.59)	198,684	-	CK11C2012A	-	-	-	-
BBL19P2012A	0.05	(0.03)	5,720	-	BH13P2101A	0.14	(0.01)	74,832	-	CK13C2012A	0.10	(0.01)	12,043	-
BBL19P2103A	0.46	(0.54)	69,390	-	BH19C2012A	0.09	(0.01)	40,590	-	CK13C2102A	0.50	(0.04)	1,415	-
BBL24C2102A	1.59	0.18	2,058	1.00	BH19C2101A	-	-	-	-	CK13C2103A	0.37	(0.63)	195,481	-
BBL28C2012A	0.08	(0.02)	1,111	-	BH19P2012A	0.19	-	44,114	-	CK19C2011A	-	-	-	-
BBL28C2101A	0.25	0.03	84,708	-	BH24C2102A	0.24	-	68,684	-	CK19C2012A	0.14	(0.02)	90,610	-
BBL28C2103A	1.45	0.19	80	1.00	BH41C2012A	-	-	-	-	CK19C2103A	0.39	(0.02)	70,600	-
BBL28C2104L	0.26	0.02	47,278	-	BJC01C2101A	0.14	0.01	46,441	-	CK19P2011A	-	-	-	-
BBL41C2011A	-	-	-	-	BJC01P2101A	0.29	(0.04)	36,446	-	CK19P2102A	0.19	(0.01)	24,005	-
BBL41C2012A	-	-	-	-	BJC06C2102A	0.10	0.02	33,300	-	CK24C2102A	0.19	(0.01)	6,214	-
BBL41C2012B	0.36	0.06	184,421	-	BJC06C2104A	0.32	(0.68)	50,892	-	CK41C2011A	-	-	-	-
BBL41C2102A	1.81	0.04	2,280	1.00	BJC11C2102A	0.14	0.01	20,420	-	CK41C2012A	0.10	-	1	-
BBL41P2011A	-	-	-	-	BJC13C2011A	0.02	(0.02)	260	-	CK42C2101T	-	-	-	-
BBL41P2102A	0.33	(0.05)	111,433	-	BJC13C2012A	-	-	-	-	CKP01C2101A	-	-	-	-
BBL42C2101T	0.10	0.02	220	-	BJC13C2101A	0.16	0.01	352,753	-	CKP01P2101				

Main Board Quotation

Issue Date :

Friday November 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP28C2012A	-	-	-	-	CPN19C2102A	0.58	0.06	10,351	-	EGCO19C2011A	-	-	-	-
CKP28C2012B	-	-	-	-	CPN19P2101A	0.07	(0.03)	20,000	-	EGCO19C2012A	0.03	(0.01)	10,000	-
CKP28C2103A	0.15	0.01	25,132	-	CPN24C2011A	-	-	-	-	EGCO19C2012B	0.30	-	153,897	-
COM701C2103A	0.36	0.02	84,570	-	CPN24C2102A	0.92	0.13	21,864	-	EGCO19C2102A	0.93	-	150,704	-
COM706C2012A	0.44	0.02	13,968	-	CPN41C2012A	0.19	0.03	5,158	-	EGCO19P2011A	0.47	(0.02)	49,658	-
COM706C2103A	0.46	(0.54)	30,932	-	CPN41C2101A	0.23	0.04	57,610	-	EGCO19P2012A	0.33	(0.03)	199,804	-
COM708C2011A	-	-	-	-	CPN41C2102A	1.05	0.16	36,746	-	EGCO41C2101A	0.08	(0.01)	5,400	-
COM708C2102A	0.30	0.02	11,602	-	CPN41P2011A	0.07	(0.04)	310	-	EGCO42C2101T	-	-	-	-
COM711C2101A	0.37	0.02	40,574	-	CPN41P2102A	0.09	(0.01)	2,572	-	EPG13C2012A	0.14	0.05	70,370	-
COM711P2102A	0.48	(0.03)	100	-	CRC01C2101A	0.24	0.04	95,745	-	EPG13C2102A	0.75	-	200	-
COM713C2011A	0.07	-	3,926	-	CRC01P2101A	0.16	(0.04)	94,514	-	EPG13C2102B	0.27	0.06	229,735	-
COM713C2101A	0.21	0.01	212,302	-	CRC06C2102A	0.34	0.06	83,274	-	EPG19C2011A	0.07	0.03	1,140	-
COM716C2101A	0.24	0.01	2,731	-	CRC08C2101A	0.23	0.03	3,404	-	EPG19C2102A	0.84	0.20	502	-
COM719C2011A	-	-	-	-	CRC11P2104A	0.37	(0.03)	28,692	-	EPG19C2103A	0.29	0.08	74,223	-
COM719C2011B	0.21	-	183	-	CRC13C2011A	-	-	-	-	EPG42C2101T	0.36	0.11	12,356	-
COM719C2012A	0.16	-	138,794	-	CRC13C2012A	0.15	0.05	66,496	-	ESSO01C2012A	0.10	(0.01)	19,150	-
COM719C2103A	0.35	(0.65)	127,294	-	CRC13C2101A	0.33	0.07	124,472	-	ESSO01P2012A	0.15	(0.01)	11,005	-
COM719P2011A	0.01	-	100	-	CRC13P2012A	-	-	-	-	ESSO06C2011A	-	-	-	-
COM719P2012A	0.03	-	240	-	CRC16C2102A	0.41	0.07	14,857	-	ESSO06C2103A	0.44	(0.01)	18,951	-
COM719P2101A	0.19	(0.02)	26,397	-	CRC19C2011A	0.02	0.01	2,800	-	ESSO08C2011A	-	-	-	-
COM719P2102A	0.52	(0.03)	23,874	-	CRC19C2102A	0.16	0.03	188,279	-	ESSO08C2102A	0.36	(0.01)	7,800	-
COM724C2012A	0.22	0.02	31,118	-	CRC19C2101A	0.36	0.05	8,295	-	ESSO13C2012A	0.15	-	45,282	-
COM741C2101A	0.16	0.01	36,928	-	CRC19P2011A	-	-	-	-	ESSO13C2102A	0.40	-	80,218	-
CPAL01C2101A	0.18	(0.01)	32,180	-	CRC24C2101A	0.21	0.03	14,430	-	ESSO19C2011A	0.01	(0.01)	1,300	-
CPAL01C2103A	0.60	(0.01)	17,350	-	CRC28C2012A	0.04	0.01	8,776	-	ESSO19C2012A	0.14	0.01	20,500	-
CPAL01P2101A	0.30	-	28,108	-	CRC28C2101A	0.21	0.03	46,748	-	ESSO19C2103A	0.40	-	85,698	-
CPAL06C2102A	0.16	(0.02)	27,640	-	CRC28C2103A	0.44	0.06	58,853	-	ESSO19P2012A	0.08	-	40	-
CPAL06C2104A	0.46	(0.54)	38,094	-	CRC41C2012A	0.17	0.04	27,054	-	ESSO24C2012A	0.07	(0.01)	3	-
CPAL06P2012A	0.14	(0.02)	27,483	-	DEL13C2011A	-	-	-	-	ESSO28C2101A	-	-	-	-
CPAL08C2011A	0.02	0.01	100	-	DOHO01C2103	0.37	0.04	68,697	-	ESSO28C2101B	0.12	(0.01)	19,332	-
CPAL08C2102A	0.27	(0.01)	11,003	-	DOHO01P2103	0.58	(0.06)	31,373	-	ESSO41C2011A	-	-	-	-
CPAL08P2101A	0.36	(0.02)	2,268	-	DOHO06C2012	0.10	0.01	52,705	-	ESSO42C2101T	0.12	-	6	-
CPAL11C2012A	-	-	-	-	DOHO08C2012	0.22	0.03	91,672	-	GFPT08C2011A	-	-	-	-
CPAL13C2012A	0.07	(0.01)	60	-	DOHO11C2101	0.25	0.04	41,836	-	GFPT19C2012A	0.08	(0.01)	50	-
CPAL13C2101A	0.28	(0.02)	132,074	-	DOHO13C2011	0.01	-	1,900	-	GFPT19C2103A	0.31	0.01	142,246	-
CPAL13C2102A	0.58	(0.01)	8,560	-	DOHO13C2101	0.09	0.01	165,621	-	GFPT24C2012A	-	-	-	-
CPAL13P2011A	-	-	-	-	DOHO13C2103	0.31	(0.69)	232,972	-	GFPT42C2101T	-	-	-	-
CPAL13P2102A	0.20	-	37,746	-	DOHO19C2011	0.05	0.01	27,673	-	GLOB01C2012A	0.01	(0.01)	1	-
CPAL16C2103A	0.84	0.13	825	-	DOHO19C2101	0.13	0.02	71,868	-	GLOB01C2102A	0.35	0.02	49,301	-
CPAL19C2011A	-	-	-	-	DOHO19C2103	0.32	0.04	99,718	-	GLOB13C2011A	-	-	-	-
CPAL19C2012A	0.12	(0.01)	9,120	-	DOHO28C2012	0.07	0.02	6,000	-	GLOB13C2102A	0.21	0.01	68,219	-
CPAL19C2102A	0.27	(0.02)	109,130	-	DOHO28C2102	0.15	0.03	12,669	-	GLOB19C2012A	0.04	-	350	-
CPAL19C2103A	0.54	-	3,780	-	DOHO42C2012	0.11	0.01	27	-	GLOB19C2102A	0.25	0.01	28,716	-
CPAL19P2101A	0.23	(0.01)	49,450	-	DTAC01C2101A	0.12	0.01	45,397	-	GPSC01C2012A	0.10	0.02	1,905	-
CPAL24C2103A	0.45	-	11,468	-	DTAC01P2101A	0.18	(0.02)	59,250	-	GPSC01C2101A	0.55	(0.08)	119,718	-
CPAL27C2101A	-	-	-	-	DTAC06C2012A	-	-	-	-	GPSC01C2103A	1.53	0.07	34,198	1.00
CPAL28C2012A	-	-	-	-	DTAC06C2103A	0.29	0.02	84,536	-	GPSC01P2012A	0.10	(0.03)	80,730	-
CPAL28C2012B	-	-	-	-	DTAC06P2012A	0.25	(0.04)	26,630	-	GPSC06C2011A	-	-	-	-
CPAL28C2012C	-	-	-	-	DTAC08C2012A	-	-	-	-	GPSC06C2101A	0.24	0.03	178,478	-
CPAL28C2102A	0.12	(0.01)	12,268	-	DTAC08C2101A	0.13	0.01	2,200	-	GPSC06C2103A	-	-	-	-
CPAL28C2103A	0.32	(0.01)	46,366	-	DTAC13C2011A	-	-	-	-	GPSC06P2011A	-	-	-	-
CPAL28C2103B	0.53	(0.01)	36,809	-	DTAC13C2012A	0.07	0.01	310	-	GPSC08C2101A	0.30	0.02	12,502	-
CPAL28C2104	0.16	-	12,168	-	DTAC13C2101A	0.12	-	62,513	-	GPSC08C2103A	1.05	0.06	3,258	1.00
CPAL41C2011A	-	-	-	-	DTAC13C2103A	0.28	0.02	167,921	-	GPSC11C2102A	0.48	0.03	43,970	-
CPAL41C2101A	0.23	(0.01)	23,754	-	DTAC13P2011A	-	-	-	-	GPSC13C2012A	0.11	-	1,180	-
CPAL41C2101B	0.51	-	4,950	-	DTAC13P2101A	0.11	(0.01)	18,804	-	GPSC13C2012B	0.27	0.03	4,201	-
CPAL41P2011A	-	-	-	-	DTAC19C2011A	-	-	-	-	GPSC13C2101A	0.70	0.06	72,735	-
CPAL41P2101A	0.33	-	15,155	-	DTAC19C2012A	-	-	-	-	GPSC13C2102A	1.14	0.10	29,875	1.00
CPAL41P2101B	0.14	-	100	-	DTAC19C2101A	0.15	0.01	31,411	-	GPSC13C2103A	0.67	0.03	1,312,581	-
CPAL42C2101T	0.02	-	12,000	-	DTAC19C2103A	0.32	0.02	214,700	-	GPSC13P2011A	-	-	-	-
CPF01C2012A	-	-	-	-	DTAC19P2011A	0.08	-	20,000	-	GPSC13P2011B	-	-	-	-
CPF01C2101A	0.13	(0.01)	12,543	-	DTAC24C2012A	-	-	-	-	GPSC13P2102A	0.17	(0.02)	22,448	-
CPF01P2012A	0.29	-	800	-	DTAC28C2012A	-	-	-	-	GPSC13P2102B	0.49	(0.05)	248,515	-
CPF06C2102A	0.12	-	52,350	-	DTAC28C2102A	-	-	-	-	GPSC16C2103A	-	-	-	-
CPF06P2011A	-	-	-	-	DTAC28C2103A	0.20	0.02	43,588	-	GPSC19C2012A	0.19	0.01	136,276	-
CPF08C2102A	0.13	-	1,200	-	DTAC28C2104L	0.16	0.01	33,462	-	GPSC19C2101A	0.44	0.05	806,184	-
CPF08P2103A	0.32	(0.02)	2,802	-	DTAC41C2011A	-	-	-	-	GPSC19C2101B	0.75	0.06	3,840	-
CPF11C2104A	0.29	0.01	62,633	-	DTAC41C2012A	-	-	-	-	GPSC19C2102A	1.18	0.11	22,614	1.00
CPF11P2104A	0.32	(0.02)	48,173	-	DTAC42C2101T	-	-	-	-	GPSC19P2011A	0.09	(0.03)	4	-
CPF13C2011A	-	-	-	-	EA06C2102A	0.38	-	76,540	-	GPSC19P2012A	-	-	-	-
CPF13C2012A	0.03	(0.01)	610	-	EA06P2012A	0.07	(0.01)	3,200	-	GPSC19P2102A	0.20	(0.02)	86,228	-
CPF13C2101A	0.09	(0.01)	9,255	-	EA08C2101A	0.37	-	6,600	-	GPSC19P2103A	0.62	(0.38)	298,072	-
CPF13C2102A	0.19	(0.01)	227,551	-	EA11C2101A	-	-	-	-	GPSC24C2011A	-	-	-	-
CPF13P2012A	0.27	(0.14)	70	-	EA13C2011A	-	-	-	-	GPSC28C2101A	0.27	0.02	91,195	-
CPF13P2101A	0.13	-	88,613	-	EA13C2012A	0.13	-	165,752	-	GPSC28C2103A	0.81	0.05	221,135	-
CPF16C2012A	-	-	-	-	EA13C2101A	0.41	0.01	20,196	-	GPSC28C2104L	0.29	0.02	69,225	-
CPF19C2012A	0.03	0.01	11,000	-	EA13C2103A	0.35	(0.65)	153,745	-	GPSC41C2011A	-	-	-	-
CPF19C2102A	0.14	(0.01)	106,245	-	EA13P2011A	-	-	-	-	GPSC41C2012A	-	-	-	-
CPF19C2103A	0.25	(0.01)	24,235	-	EA13P2101A	0.07	(0.01)	4,000	-	GPSC42C2101T	-	-	-	-
CPF19P2012A	-	-	-	-	EA13P2103A	0.48	(0.52)	36,528	-	GULF01C2012A	0.14	0.01	29,928	-
CPF19P2101A	0.15	(0.01)	320	-	EA16C2012A	-	-	-	-	GULF01C2102A	0.41	0.06	92,043	-
CPF24C2012A	-	-	-	-	EA16C2102A	0.46	0.01	19,377	-	GULF01P2012A	0.03	(0.04)	360	-
CPF28C2012A	-	-	-	-	EA19C2012A	0.16	-	14,305	-	GULF01P2102A	0.13	(0.02)	89,934	-
CPF28C2012B	-	-	-	-	EA19C2101A	0.42	0.01	38,243	-	GULF06C2101A	0.32	0.06	69,801	-
CPF28C2102A	-	-	-	-	EA19P2011A	-	-	-	-	GULF08C2012A	-	-	-	-
CPF28C2103A	0.13	-	14,668	-	EA19P2011B	-	-	-	-	GULF08C2102A	0.35	0.04	17,066	-
CPF28C2103L	0.07	-	19	-	EA19P2102A	0.26	(0.01)	70,772	-	GULF11C2011A	-	-	-	-
CPF41C2101A	-	-	-	-	EA24C2101A	0.31	0.01	23,053	-					

Main Board Quotation

Issue Date :

Friday November 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF28C2012A	0.02	(0.01)	2,399	-	HSI41P2012B	0.29	-	68,011	-	JMT08C2010A	0.22	-	32,018	-
GULF28C2012B	-	-	-	-	HSI41P2012C	0.18	(0.01)	1,060	-	JMT11C2102A	0.26	-	12,034	-
GULF28C2101A	0.15	0.02	60,840	-	HSI41P2012T	0.26	-	1,301	-	JMT13C2011B	-	-	-	-
GULF28C2102A	0.20	0.03	67,162	-	HSI41P2012V	0.38	(0.02)	23,367	-	JMT13C2012A	0.11	(0.01)	179,628	-
GULF28C2103A	0.46	0.05	41,358	-	HSI41P2101A	0.09	-	1,120	-	JMT13C2102A	0.28	0.01	85,189	-
GULF41C2011A	-	-	-	-	INTU01C2101A	0.21	(0.01)	42,488	-	JMT16C2102A	0.33	-	2,580	-
GULF41C2012A	-	-	-	-	INTU01P2101A	0.40	(0.02)	37,199	-	JMT19C2011A	-	-	-	-
GULF41C2102A	0.27	0.04	160,838	-	INTU06C2103A	0.39	(0.01)	20,201	-	JMT19C2012A	0.13	0.01	44,169	-
GULF41C2102B	0.59	0.05	13,846	-	INTU06P2011A	-	-	-	-	JMT19C2102A	0.23	0.01	32,571	-
GULF41P2011A	-	-	-	-	INTU11C2103A	0.41	-	15,260	-	JMT24C2011A	-	-	-	-
GULF41P2012A	-	-	-	-	INTU13C2101A	0.30	-	87,362	-	JMT28C2101A	0.20	(0.01)	27,146	-
GULF41P2102A	-	-	-	-	INTU19C2012A	0.10	(0.01)	10,464	-	JMT28C2104L	0.19	0.01	15,210	-
GULF41P2102B	0.28	(0.72)	36,336	-	INTU19C2101A	0.33	-	23,751	-	JMT41C2012A	0.12	(0.01)	6,320	-
GULF42C2101T	-	-	-	-	INTU19P2012A	0.24	-	21,223	-	JMT42C2101T	0.18	0.01	612	-
GULF42P2101T	0.08	(0.02)	380	-	INTU23C2111A	0.66	0.02	1	-	KBAN01C2012A	0.73	0.12	81,481	-
GUNK01C2012A	-	-	-	-	INTU28C2012A	-	-	-	-	KBAN01C2012B	0.45	0.10	136,277	-
GUNK13C2011A	-	-	-	-	INTU28C2102A	0.15	-	12,168	-	KBAN01C2102A	1.41	0.22	5,997	1.00
GUNK13C2101A	0.11	-	65,971	-	INTU28C2103A	0.36	0.01	27,388	-	KBAN01C2102T	0.84	0.09	46,990	-
GUNK13C2102A	0.28	0.01	2,952	-	INTU41C2012A	-	-	-	-	KBAN01P2012A	0.06	(0.03)	2,055	-
GUNK19C2012A	-	-	-	-	INTU42C2101T	-	-	-	-	KBAN01P2101A	0.17	(0.05)	63,446	-
GUNK19C2101A	0.08	-	3,200	-	IRPC01C2101A	0.24	-	47,737	-	KBAN01P2102T	0.30	(0.05)	66,903	-
GUNK19C2103A	0.23	0.01	95,349	-	IRPC01C2103A	0.44	(0.01)	40,821	-	KBAN06C2011A	-	-	-	-
GUNK24C2012A	0.02	(0.02)	59,998	-	IRPC01P2101A	0.10	-	40,334	-	KBAN06C2012A	0.18	0.06	263,153	-
GUNK28C2012A	0.03	-	6	-	IRPC06C2103A	0.51	0.01	37,756	-	KBAN06C2103A	1.52	0.26	208,365	1.00
GUNK28C2012B	-	-	-	-	IRPC11C2102A	0.22	(0.01)	25,360	-	KBAN06P2011A	-	-	-	-
GUNK28C2102A	-	-	-	-	IRPC13C2011A	-	-	-	-	KBAN06P2103A	0.13	(0.03)	148,669	-
GUNK28C2103A	0.15	(0.01)	22,073	-	IRPC13C2012A	-	-	-	-	KBAN08C2011A	-	-	-	-
HANA01C2012A	0.13	(0.01)	60,842	-	IRPC13C2012B	0.22	(0.01)	2,300	-	KBAN08C2101A	0.47	0.10	54,270	-
HANA01C2102A	0.07	(0.04)	14,854	-	IRPC13C2101A	-	-	-	-	KBAN08C2103A	1.39	0.17	2,671	1.00
HANA01C2102B	0.22	(0.01)	44,798	-	IRPC13C2102A	0.47	(0.02)	600	-	KBAN08P2101A	0.28	(0.08)	50,861	-
HANA01P2102A	1.02	(0.02)	21,521	1.00	IRPC13C2103A	0.30	0.01	215,718	-	KBAN13C2011A	0.08	0.03	10,892	-
HANA06C2102A	0.10	(0.01)	52,156	-	IRPC13P2011A	-	-	-	-	KBAN13C2012A	0.36	0.11	124,122	-
HANA11C2103A	0.29	0.01	21,544	-	IRPC13P2012A	-	-	-	-	KBAN13C2012B	0.73	0.17	9,328	-
HANA13C2011A	-	-	-	-	IRPC19C2011A	-	-	-	-	KBAN13C2101A	1.20	0.27	121,904	1.00
HANA13C2012A	0.02	-	146,679	-	IRPC19C2012A	-	-	-	-	KBAN13C2102A	0.78	0.13	1,915,988	-
HANA13C2102A	0.13	(0.01)	238,926	-	IRPC19C2101A	0.26	0.01	15,906	-	KBAN13P2011A	-	-	-	-
HANA13C2102B	0.24	-	394,951	-	IRPC19C2103A	0.45	0.02	2,900	-	KBAN13P2012A	0.09	(0.04)	174,330	-
HANA13P2101A	0.83	(0.03)	555	-	IRPC19P2011A	-	-	-	-	KBAN16C2101A	1.29	0.22	51,750	-
HANA16C2101A	0.12	-	4,042	-	IRPC19P2012A	-	-	-	-	KBAN19C2011A	-	-	-	-
HANA19C2012A	0.05	-	48,008	-	IRPC24C2012A	0.10	-	6,748	-	KBAN19C2012A	0.55	0.14	668,629	-
HANA19C2101A	0.06	-	17,810	-	IRPC28C2012A	0.01	(0.01)	5	-	KBAN19C2012B	0.31	0.10	528,428	-
HANA19C2102A	0.14	(0.01)	69,603	-	IRPC28C2101A	0.10	(0.01)	18,252	-	KBAN19C2101A	1.17	0.23	211,878	1.00
HANA19C2103A	0.36	-	121,631	-	IRPC28C2103A	0.23	(0.01)	22,294	-	KBAN19P2012A	0.06	(0.02)	24,400	-
HANA19P2011A	-	-	-	-	IRPC28C2103B	0.41	-	39,546	-	KBAN19P2103A	0.33	(0.08)	453,087	-
HANA19P2101A	0.79	(0.06)	2	-	IRPC41C2101A	0.15	0.01	10,920	-	KBAN24C2012A	0.41	0.14	95,873	-
HANA24C2012A	0.14	(0.01)	24,519	-	IVL01C2012A	0.10	-	10	-	KBAN24C2103A	1.51	0.25	55,776	1.00
HANA27P2012X	0.06	-	960	-	IVL01C2012B	0.41	0.02	28,018	-	KBAN28C2012A	-	-	-	-
HANA28C2012A	-	-	-	-	IVL01C2102A	0.20	0.01	48,072	-	KBAN28C2012B	-	-	-	-
HANA28C2104L	0.10	-	28,899	-	IVL01C2102B	0.92	0.05	15,748	-	KBAN28C2101A	0.48	0.10	314,569	-
HANA41C2012A	0.09	(0.01)	3,960	-	IVL01C2103T	0.62	0.03	23,934	-	KBAN28C2103A	1.17	0.14	140	1.00
HANA42C2101T	0.14	-	180	-	IVL01P2012A	0.11	(0.03)	52,039	-	KBAN28C2104L	0.38	0.05	96,535	-
HMPR01C2012A	-	-	-	-	IVL01P2102A	0.29	(0.03)	32,638	-	KBAN28P2012A	-	-	-	-
HMPR01C2103A	0.45	0.02	24,019	-	IVL06C2101A	0.38	(0.02)	997	-	KBAN41C2011A	-	-	-	-
HMPR01P2012A	0.20	(0.02)	21,402	-	IVL06C2103A	-	-	-	-	KBAN41C2012A	0.49	0.13	56,048	-
HMPR06C2102A	0.30	-	45,495	-	IVL06P2011A	-	-	-	-	KBAN41C2101A	0.97	0.19	31,963	-
HMPR06P2103A	0.23	(0.02)	20,442	-	IVL08C2101A	0.51	0.07	3,600	-	KBAN41C2101B	0.75	(0.25)	225,904	-
HMPR11C2011A	0.13	-	9,180	-	IVL08P2011A	-	-	-	-	KBAN41P2011A	-	-	-	-
HMPR13C2012A	0.12	0.01	34,055	-	IVL08P2102A	0.25	(0.02)	23,650	-	KBAN41P2101B	0.14	(0.06)	4,348	-
HMPR13C2102A	0.42	0.02	262	-	IVL11C2012A	0.12	-	22,340	-	KBAN41P2101C	0.63	(0.45)	62,522	-
HMPR19C2102A	0.27	0.01	30,936	-	IVL13C2011A	-	-	-	-	KBAN42C2101T	0.29	0.05	449	-
HMPR19P2011A	-	-	-	-	IVL13C2012A	0.25	0.01	105,719	-	KBAN42P2101T	0.27	(0.05)	88	-
HSC41C2101A	0.90	(0.07)	9,271	-	IVL13C2012B	0.07	0.01	71,196	-	KCE01C2012A	0.35	0.02	61,162	-
HSC41P2101A	0.72	0.01	7,662	-	IVL13C2101A	0.81	0.07	23,993	-	KCE01C2101A	0.47	0.03	197,512	-
HSI28C2011A	1.92	(0.05)	710,877	1.00	IVL13C2103A	0.28	0.02	554,031	-	KCE01C2102A	0.27	0.01	62,635	-
HSI28C2011B	1.00	(0.05)	2,689,433	-	IVL13P2012A	0.03	(0.01)	4,834	-	KCE01P2011A	0.10	-	1	-
HSI28C2011C	0.13	(0.01)	55,412	-	IVL13P2102A	0.24	(0.02)	132,113	-	KCE01P2101A	0.23	(0.02)	51,875	-
HSI28C2011L	0.27	(0.03)	44,129	-	IVL16C2102A	0.96	0.07	2,204	-	KCE06C2012A	-	-	-	-
HSI28C2012A	2.10	(0.04)	155,658	2.00	IVL19C2011A	-	-	-	-	KCE06C2012B	0.77	0.05	36,839	-
HSI28C2012B	1.33	(0.03)	476,247	1.00	IVL19C2012A	0.44	0.04	700	-	KCE06C2102A	0.41	0.02	50,985	-
HSI28C2012C	0.79	(0.03)	1,094,775	-	IVL19C2012B	0.85	0.01	2	-	KCE08C2012A	-	-	-	-
HSI28C2012D	0.41	(0.06)	3,203	-	IVL19C2103A	0.22	0.01	515,372	-	KCE08C2102A	0.37	0.02	128,867	-
HSI28C2012L	0.19	(0.02)	27,094	-	IVL19C2103B	0.19	0.01	32,491	-	KCE11C2101A	0.61	0.03	45,969	-
HSI28C2101L	0.21	(0.01)	12,217	-	IVL19P2011A	0.01	(0.01)	1,040	-	KCE13C2012A	0.36	0.04	8,920	-
HSI28C2102L	0.58	(0.01)	4,187	-	IVL19P2012A	0.04	-	4,471	-	KCE13C2102A	0.28	0.03	311,212	-
HSI28C2103L	0.62	(0.02)	10,018	-	IVL19P2103A	0.18	(0.02)	143,843	-	KCE13P2012A	0.01	(0.03)	3,000	-
HSI28P2011A	0.02	-	80,722	-	IVL24C2012A	0.50	0.09	1	-	KCE13P2101A	0.08	-	2,842	-
HSI28P2011B	0.01	(0.01)	15,190	-	IVL28C2012A	-	-	-	-	KCE13P2102A	0.28	(0.04)	166,543	-
HSI28P2011C	0.01	-	66	-	IVL28C2012B	-	-	-	-	KCE16C2012A	0.40	0.02	7,548	-
HSI28P2011L	0.03	0.02	1	-	IVL28C2101A	-	-	-	-	KCE19C2011A	-	-	-	-
HSI28P2012A	0.35	(0.01)	687,486	-	IVL28C2103A	-	-	-	-	KCE19C2012A	0.31	0.02	78,860	-
HSI28P2012B	0.20	(0.01)	25,439	-	IVL28C2104L	0.37	0.02	76,712	-	KCE19C2102A	0.33	0.03	192,280	-
HSI28P2012C	0.13	(0.01)	7,845	-	IVL41C2011A	0.10	0.02	3,600	-	KCE19C2102B	0.22	0.01	46,759	-
HSI28P2012L	0.05	(0.02)	12,455	-	IVL41C2012A	-	-	-	-	KCE19P2012A	0.02	(0.01)	49	-
HSI28P2101L	0.08	0.01	25,952	-	IVL41P2012A	0.10	(0.02)	21,014	-	KCE19P2101A	0.08	(0.01)	4,941	-
HSI28P2102L	0.11	-	3,069	-	IVL41P2012B	0.05	(0.02)	4,000	-	KCE19P2102A	0.23	(0.03)	78,442	-
HSI28P2103L	0.23	-	1,270	-	IVL42C2101T	0.05	0.01	1,300	-	KCE27C2101X	-	-	-	-
HSI41C2011A	-	-	-	-	JAS08									

Main Board Quotation

Issue Date :

Friday November 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KT28C2012B	-	-	-	-	MTC41C2012A	0.48	(0.02)	790	-	PTT19P2103B	0.34	(0.66)	144,786	-
KT28C2011C	-	-	-	-	MTC42C2101T	0.15	-	48	-	PTT24C2101A	0.18	0.01	12,926	-
KT28C2102A	-	-	-	-	ORI13C2011A	-	-	-	-	PTT28C2012A	-	-	-	-
KT28C2103A	-	-	-	-	ORI13C2102A	0.35	(0.04)	258,020	-	PTT28C2101A	-	-	-	-
KT01C2012A	0.47	(0.01)	45,620	-	ORI19C2011A	-	-	-	-	PTT28C2103A	0.32	-	9	-
KT01C2103A	0.53	(0.01)	48,965	-	ORI19C2012A	0.10	(0.06)	30,644	-	PTT28C2103L	0.18	-	12,169	-
KT01P2012A	-	-	-	-	ORI19C2102A	0.35	(0.05)	141,589	-	PTT41C2012A	0.06	(0.06)	100	-
KT01P2102A	0.22	(0.02)	30,449	-	ORI28C2012A	-	-	-	-	PTT41C2101A	-	-	-	-
KT08C2011A	-	-	-	-	ORI28C2012B	0.25	(0.05)	16,053	-	PTT41C2101B	0.31	(0.02)	790	-
KTCL1C2104A	0.62	(0.03)	49,704	-	ORI28C2101A	0.08	(0.03)	18,518	-	PTT41P2011A	-	-	-	-
KTCL1P2011A	-	-	-	-	ORI28C2103L	0.21	(0.02)	50,968	-	PTT41P2012A	0.16	(0.01)	15,836	-
KTCL1P2104A	0.38	(0.02)	33,412	-	OSP01C2012A	0.05	-	30	-	PTT41P2101A	-	-	-	-
KTCL13C2011A	0.62	0.01	95	-	OSP01C2102A	0.31	(0.01)	74,707	-	PTT42C2012T	-	-	-	-
KTCL13C2101A	0.49	-	12,043	-	OSP01P2012A	0.24	0.01	95,424	-	PTT42P2101T	0.09	0.03	1,000	-
KTCL13C2103A	0.41	(0.59)	343,654	-	OSP06C2011A	0.01	-	1,224	-	PTTE01C2012A	0.31	(0.03)	44,671	-
KTCL13P2012A	-	-	-	-	OSP06C2102A	0.19	(0.01)	18,326	-	PTTE01C2102A	1.16	(0.04)	31,487	1.00
KTCL13P2101A	0.11	(0.02)	112,846	-	OSP06C2103A	-	-	-	-	PTTE01C2103T	0.72	(0.02)	32,585	-
KTCL19C2012A	0.62	(0.03)	2,002	-	OSP06P2102A	0.30	0.02	31,530	-	PTTE01P2012A	0.26	(0.01)	50,772	-
KTCL19C2101A	0.49	-	100	-	OSP08C2102A	0.31	-	6,331	-	PTTE01P2102A	0.24	(0.01)	34,007	-
KTCL19C2103A	0.31	(0.02)	268,008	-	OSP11C2102A	-	-	-	-	PTTE01P2103T	0.47	-	34,926	-
KTCL19P2012A	-	-	-	-	OSP13C2012A	-	-	-	-	PTTE06C2011A	-	-	-	-
KTCL19P2101A	0.15	(0.01)	63,603	-	OSP13C2101A	0.16	(0.01)	91,168	-	PTTE06C2101A	0.47	(0.02)	129,438	-
KTCL24C2011A	-	-	-	-	OSP13C2102A	0.35	(0.01)	211,183	-	PTTE06P2011A	-	-	-	-
KTCL28C2012A	0.18	-	47,630	-	OSP13P2011A	-	-	-	-	PTTE06P2102A	0.23	-	53,288	-
KTCL28C2012B	-	-	-	-	OSP13P2102A	-	-	-	-	PTTE08C2011A	-	-	-	-
KTCL28C2101A	-	-	-	-	OSP19C2012A	-	-	-	-	PTTE08P2101A	0.42	0.01	22,193	-
KTCL28C2103L	0.39	(0.01)	75,960	-	OSP19C2101A	0.17	(0.01)	24,726	-	PTTE11C2011A	0.21	(0.02)	34,340	-
KTCL41C2011A	-	-	-	-	OSP19C2103A	0.40	(0.01)	33,036	-	PTTE11P2102A	0.32	-	35,742	-
KTCL41C2012A	-	-	-	-	OSP19P2102A	0.11	(0.01)	102,208	-	PTTE13C2011A	0.03	(0.03)	2	-
KTCL42C2012T	0.26	(0.01)	3,715	-	OSP24C2101A	0.17	-	28,890	-	PTTE13C2012A	0.37	(0.04)	96,246	-
LH01C2101A	0.19	0.01	30,751	-	OSP28C2101A	-	-	-	-	PTTE13C2101A	0.81	(0.03)	14,051	-
LH06C2012A	0.04	(0.01)	2,000	-	OSP28C2101B	-	-	-	-	PTTE13C2102A	0.66	(0.01)	126,453	-
LH11C2012A	0.11	0.02	43,643	-	OSP28C2103B	0.38	(0.01)	12,268	-	PTTE13P2012A	0.09	-	3,501	-
LH13C2101A	0.19	0.01	102,791	-	OSP28C2104L	0.31	-	41,225	-	PTTE13P2102A	0.26	-	199,234	-
LH19C2011A	-	-	-	-	OSP41C2012A	-	-	-	-	PTTE19C2011A	0.02	-	10	-
LH19C2101A	0.22	0.01	5,208	-	OSP42C2101T	-	-	-	-	PTTE19C2011B	0.02	(0.01)	10	-
MAJO13C2101A	0.31	(0.01)	1,992	-	PLAN06C2102A	0.26	(0.03)	40,591	-	PTTE19C2012A	0.34	(0.03)	48,144	-
MAJO19C2011A	0.08	(0.03)	502	-	PLAN11C2103A	0.37	(0.01)	13,735	-	PTTE19C2101A	0.90	(0.04)	1,107	-
MAJO19C2103A	0.49	(0.02)	14,476	-	PLAN13C2011A	-	-	-	-	PTTE19P2012A	0.09	(0.01)	103,358	-
MEGA13C2011A	-	-	-	-	PLAN13C2101A	0.19	-	1	-	PTTE19P2101A	0.12	(0.01)	88,144	-
MEGA13C2101A	0.13	0.03	73,502	-	PLAN13C2102A	-	-	-	-	PTTE24C2011A	-	-	-	-
MEGA19C2011A	-	-	-	-	PLAN19C2012A	0.15	(0.02)	2	-	PTTE24C2103A	1.08	(0.05)	34,263	1.00
MEGA19C2101A	0.12	0.03	18,676	-	PLAN19C2102A	0.30	(0.02)	1,104	-	PTTE28C2012A	0.15	(0.02)	55,028	-
MEGA42C2101T	0.05	(0.02)	138	-	PLAN27C2101A	0.12	-	12	-	PTTE28C2101A	0.25	(0.03)	75,202	-
MINT01C2012A	0.26	(0.04)	5,962	-	PLAN28C2012A	0.73	(0.02)	2	-	PTTE28C2102L	0.21	(0.01)	21,294	-
MINT01C2102A	0.80	-	212	-	PLAN28C2012B	0.12	(0.01)	5,010	-	PTTE28C2103A	0.91	(0.03)	152,812	-
MINT01C2102T	0.44	(0.08)	520	-	PLAN42C2101T	-	-	-	-	PTTE41C2011A	-	-	-	-
MINT01P2012A	0.08	(0.03)	620	-	PRM01C2103A	0.47	0.09	206,653	-	PTTE41C2012A	0.21	(0.01)	21,120	-
MINT01P2012B	0.21	0.06	4	-	PRM01P2103A	0.50	(0.12)	47,803	-	PTTE41C2101A	0.34	(0.02)	83,768	-
MINT01P2102A	0.15	(0.01)	4,217	-	PRM08C2101A	0.12	0.03	4,049	-	PTTE41C2101B	0.92	(0.03)	2,370	-
MINT01P2102T	0.34	-	6,268	-	PRM11C2102A	0.24	0.05	31,556	-	PTTE41P2011A	-	-	-	-
MINT06C2012A	0.47	(0.03)	189,032	-	PRM13C2012A	0.07	0.02	64,883	-	PTTE41P2101A	0.23	(0.01)	6,964	-
MINT06C2103A	1.41	(0.08)	450	1.00	PRM13C2102A	0.25	0.06	393,969	-	PTTE41P2101B	0.53	(0.47)	51,672	-
MINT06P2012A	0.02	(0.01)	2,987	-	PRM16C2012A	0.04	0.01	352	-	PTTE42C2101T	0.23	(0.01)	18	-
MINT06P2102A	0.42	0.01	203,730	-	PRM19C2011A	-	-	-	-	PTTE42P2101T	0.30	-	3,420	-
MINT08C2102A	0.80	-	60,566	-	PRM19C2101A	0.14	0.04	71,378	-	PTTG01C2012A	0.31	0.01	74,559	-
MINT08P2011A	-	-	-	-	PRM19C2103A	0.34	0.08	193,956	-	PTTG01C2102A	0.77	-	57,587	-
MINT08P2102A	0.35	(0.02)	14,037	-	PRM28C2012A	0.03	-	244	-	PTTG01P2012A	0.16	(0.02)	25,011	-
MINT11C2011A	0.34	(0.01)	45,373	-	PRM42C2101T	0.08	0.01	90	-	PTTG01P2102A	0.16	(0.02)	13,208	-
MINT11P2011A	-	-	-	-	PTG01C2012A	0.15	(0.01)	75,855	-	PTTG08C2101A	0.32	0.01	20,000	-
MINT11P2104A	0.33	-	56,428	-	PTG01P2012A	0.24	(0.01)	49,372	-	PTTG08C2103A	0.86	-	11,900	-
MINT13C2011A	0.07	(0.02)	9,464	-	PTG06C2103A	0.41	(0.01)	46,403	-	PTTG08P2102A	0.14	-	1,050	-
MINT13C2101A	0.60	(0.03)	10,409	-	PTG08C2011A	0.12	(0.01)	30,080	-	PTTG11C2104A	0.88	-	34,457	-
MINT13C2102A	1.05	(0.02)	15,019	1.00	PTG11C2101A	0.27	(0.01)	27,160	-	PTTG11P2104A	0.33	(0.01)	11,630	-
MINT13C2103A	0.71	(0.02)	1,167,992	-	PTG13C2012A	0.04	-	3,350	-	PTTG13C2011A	-	-	-	-
MINT13P2011A	-	-	-	-	PTG13C2012B	0.17	(0.01)	114,996	-	PTTG13C2012A	0.29	-	503,406	-
MINT13P2012A	0.05	(0.08)	2,124	-	PTG13C2102A	0.30	-	453,008	-	PTTG13C2101A	0.62	0.01	2,441	-
MINT13P2101A	0.11	-	236,530	-	PTG16C2010A	0.26	(0.02)	14,400	-	PTTG13P2011A	-	-	-	-
MINT16C2012A	0.37	(0.03)	21,340	-	PTG19C2011A	-	-	-	-	PTTG13P2012A	0.10	-	150	-
MINT16C2103A	1.59	(0.06)	8,441	1.00	PTG19C2012A	0.18	-	118,517	-	PTTG13P2102A	0.23	(0.02)	101,969	-
MINT19C2011A	0.51	(0.03)	8,143	-	PTG19P2011A	0.04	-	40	-	PTTG16C2103A	0.84	0.03	376	-
MINT19C2011B	0.11	(0.02)	112,762	-	PTG19P2101A	0.34	(0.01)	42,455	-	PTTG19C2011A	0.09	-	302	-
MINT19C2102A	0.82	(0.04)	9,593	-	PTG24C2102A	0.25	(0.01)	3,284	-	PTTG19C2012A	0.35	-	88,137	-
MINT19C2103A	0.43	(0.57)	364,283	-	PTG41C2101A	0.21	(0.03)	25,030	-	PTTG19C2101A	0.72	0.01	5,372	-
MINT19P2011A	-	-	-	-	PTG42C2101T	0.16	(0.03)	3,038	-	PTTG19P2011A	-	-	-	-
MINT19P2012A	-	-	-	-	PTT01C2012A	0.08	(0.02)	628	-	PTTG19P2011B	-	-	-	-
MINT19P2101A	0.11	-	333,079	-	PTT01C2102A	0.41	-	499	-	PTTG19P2102A	0.15	-	37,448	-
MINT19P2102A	0.07	(0.01)	21,461	-	PTT01C2103T	0.29	(0.01)	880	-	PTTG19P2103A	0.45	(0.55)	21,220	-
MINT19P2103A	0.45	(0.55)	64,519	-	PTT01P2012A	0.09	-	1	-	PTTG24C2101A	0.50	0.01	17,215	-
MINT24C2011A	0.29	-	20	-	PTT01P2102A	0.13	(0.01)	1,043	-	PTTG28C2012A	0.19	-	59,114	-
MINT28C2012A	0.07	(0.01)	7,938	-	PTT01P2103T	0.18	0.03	213	-	PTTG28C2102L	0.18	-	21,394	-
MINT28C2012B	0.15	(0.02)	64,891	-	PTT06C2012A	0.04	-	2	-	PTTG28C2103A	0.62	0.01	99,661	-
MINT28C2012C	0.17	(0.01)	93,747	-	PTT06C2102A	0.23	0.01	65,200	-	PTTG41C2011A	-	-	-	-
MINT28C2103A	0.79	(0.03)	3,040	-	PTT08C2101A	0.15	0.01	1,600	-	PTTG41C2101A	0.30	-	229,376	-
MINT28C2104L	0.27	(0.01)	52,195	-	PTT08C2103A	0.48	0.02	12,640	-	PTTG41C2102A	0.77	0.02	22,578	-
MINT41C2012A	0.64	0.11	23,861	-	PTT08P2101A	0.16	(0.01)	1,305	-	PTTG41P2011A	-	-	-	-
MINT42C2101T	0.28	-	9,032	-	PTT11C2101A	0.12	0.01	11,220	-	PTTG41P2102A	0.09	(0.02)	1,996	-
MINT42P2102T	0.28	-	2,586	-	PTT13C2012A									

Main Board Quotation

Issue Date :

Friday November 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RATC19P2011A	-	-	-	-	S5028C2012B	0.07	0.02	17,348	-	SCC13P2102A	0.31	(0.03)	76,413	-
RATC24C2012A	-	-	-	-	S5028C2012C	0.53	0.05	1,594,953	-	SCC19C2012A	0.24	0.02	165,087	-
RATC41C2012A	0.12	(0.01)	7,916	-	S5028C2012D	1.03	0.12	70	1.00	SCC19C2101A	0.57	0.02	45,740	-
RATC42C2102T	-	-	-	-	S5028C2012E	2.58	0.04	22	2.00	SCC19P2011A	-	-	-	-
RS06C2012A	0.13	0.01	17,622	-	S5028C2103A	2.20	0.08	290	1.00	SCC19P2101A	0.30	(0.03)	30,036	-
RS08C2011A	-	-	-	-	S5028C2103L	0.41	0.01	452,373	-	SCC24C2012A	0.12	0.01	18,396	-
RS08C2103A	0.37	0.03	16,091	-	S5028P2012A	0.48	(0.05)	1,242,564	-	SCC28C2102A	0.24	0.01	27,336	-
RS13C2011A	0.22	0.01	82,158	-	S5028P2012B	0.04	(0.02)	5,550	-	SCC28C2103A	0.48	0.03	77,816	-
RS19C2011A	-	-	-	-	S5028P2012C	0.03	(0.03)	3,680	-	SCC28C2014C	0.26	0.01	18,310	-
RS19C2011B	-	-	-	-	S5028P2103A	0.25	(0.03)	463,228	-	SCC41C2011A	-	-	-	-
RS19C2102A	0.24	0.01	91,436	-	S5028P2103L	0.38	(0.01)	274,872	-	SCC41C2101A	0.22	(0.01)	41,600	-
RS19P2012A	0.17	(0.03)	38,455	-	S5041C2012A	0.36	0.04	1,215,654	-	SCC41C2101B	0.61	0.03	11,119	-
RS28C2012A	0.46	(0.18)	1	-	S5041C2012B	0.15	0.02	2,780	-	SCC41P2011A	-	-	-	-
RS28C2101A	0.16	0.01	48,815	-	S5041C2012C	0.22	0.02	76,178	-	SCC41P2101A	0.58	(0.42)	3,820	-
RS28C2101L	0.32	0.02	19,140	-	S5041C2012D	0.62	0.05	2,123,477	-	SCC41P2102A	0.27	(0.03)	11,040	-
RS41C2011A	0.20	0.04	1,200	-	S5041C2012E	0.89	0.07	133,154	-	SCGP01C2103A	0.37	(0.01)	204,676	-
RS42C2101T	0.19	0.02	2,800	-	S5041C2012F	1.15	0.13	108,706	1.00	SCGP01P2103A	0.32	0.01	21,286	-
S10001C2011A	0.02	-	4,129	-	S5041C2012G	1.41	0.13	10,478	1.00	SCGP06C2104A	0.42	(0.58)	32,698	-
S1001C2012F	0.29	-	177,196	-	S5041C2012V	-	-	-	-	SCGP13C2102A	0.31	-	602,847	-
S5001C2012G	0.83	0.05	1,228	-	S5041C2103T	2.28	0.26	46,540	2.00	SCGP13P2102A	0.27	-	175,510	-
S5001C2101A	1.39	0.05	9,602	1.00	S5041C2103U	2.00	0.24	203,435	1.00	SCGP19C2102A	0.23	(0.01)	393,832	-
S5001C2101B	1.87	0.11	219	1.00	S5041C2103V	1.09	0.09	1,355,322	1.00	SCGP19P2102A	0.22	0.01	25,512	-
S5001C2102T	1.68	0.04	231,025	1.00	S5041P2012A	0.11	(0.02)	1,758	-	SCGP28C2103A	0.30	-	73,623	-
S5001P2012F	0.23	(0.04)	159,411	-	S5041P2012B	0.11	(0.02)	23,121	-	SCGP28C2104L	0.19	(0.01)	29,900	-
S5001P2012G	0.08	(0.01)	25,668	-	S5041P2012C	-	-	-	-	SCGP41C2101A	0.29	(0.03)	208,913	-
S5001P2101A	0.24	(0.02)	111,153	-	S5041P2012E	-	-	-	-	SGP13C2102A	0.41	0.02	151,124	-
S5001P2101B	0.24	(0.02)	13,748	-	S5041P2012F	0.08	(0.47)	200	-	SGP19C2011A	-	-	-	-
S5001P2102T	1.34	(0.06)	167,645	1.00	S5041P2012G	0.12	(0.02)	1,000	-	SGP19C2102A	0.44	0.02	132,805	-
S5006C2012A	0.24	0.02	557,991	-	S5041P2012U	0.20	(0.03)	1,322,581	-	SGP42C2101T	0.17	0.01	40	-
S5006C2012B	1.15	0.13	1,787,605	1.00	S5041P2103T	0.58	(0.06)	1,382,706	-	SIRI19C2011A	-	-	-	-
S5006C2012C	2.46	0.26	888	2.00	S5041P2103U	2.40	(0.04)	6,114	-	SIRI19C2103A	0.18	0.01	14,224	-
S5006P2012A	0.03	(0.02)	14,853	-	S5041P2103V	1.19	(0.48)	645,028	1.00	SIRI42C2101T	-	-	-	-
S5006P2012B	0.05	(0.03)	30,249	-	S5042C2101G	2.90	0.32	29,841	2.00	SPAL06C2103A	0.43	-	13,506	-
S5006P2012C	0.01	(0.01)	22,090	-	S5042C2102T	1.05	0.04	59,626	1.00	SPAL13C2102A	-	-	-	-
S5008C2012A	0.16	0.02	33,511	-	S5042P2101G	0.03	0.01	92,293	-	SPAL19C2011A	0.24	0.01	12	-
S5008C2012B	0.34	0.03	498,335	-	S5042P2102T	0.15	(0.03)	29,400	-	SPAL19C2101B	-	-	-	-
S5008C2012C	1.07	0.13	21,383	1.00	SAWA01C2012F	0.37	(0.03)	143,062	-	SPAL19C2102A	0.39	-	2,911	-
S5008C2012D	2.16	0.22	1,345	2.00	SAWA01C2102F	0.56	(0.03)	402,221	-	SPAL27C2101A	0.12	0.01	12	-
S5008P2012A	0.19	(0.02)	83,678	-	SAWA01C2103I	0.43	(0.02)	81,918	-	SPRC01C2101A	-	-	-	-
S5008P2012B	0.04	(0.01)	323	-	SAWA01P2012F	0.14	-	68,207	-	SPRC01C2103A	-	-	-	-
S5011C2012A	0.95	0.07	45,630	-	SAWA01P2102F	0.43	0.01	72,350	-	SPRC01P2101A	-	-	-	-
S5011P2012A	-	-	-	-	SAWA06C2101F	0.58	(0.03)	157,074	-	SPRC06C2102A	0.23	(0.03)	38,149	-
S5013C2012A	0.19	0.01	4,120,902	-	SAWA08C2011F	-	-	-	-	SPRC06P2103A	0.11	-	6,924	-
S5013C2012B	0.25	0.02	3,404,490	-	SAWA08C2101F	0.45	(0.02)	38,037	-	SPRC08C2011A	-	-	-	-
S5013C2012C	0.37	0.03	160,462	-	SAWA11C2103F	0.65	(0.04)	90,210	-	SPRC11C2102A	0.28	-	40,956	-
S5013C2012D	0.40	0.04	8,651,184	-	SAWA13C2011F	0.11	(0.02)	143,452	-	SPRC13C2012A	-	-	-	-
S5013C2012E	0.75	0.07	2,521,245	-	SAWA13C2101F	0.39	(0.02)	446,626	-	SPRC13C2012B	0.16	-	40,050	-
S5013C2012F	1.08	0.10	182,107	1.00	SAWA16C2101F	0.41	(0.04)	14,076	-	SPRC13C2102A	0.55	(0.01)	3,813	-
S5013C2012G	1.56	0.15	86,713	1.00	SAWA19C2011F	-	-	-	-	SPRC19C2012A	0.12	-	25,340	-
S5013C2012H	2.20	0.26	25,249	2.00	SAWA19C2012F	0.34	(0.02)	279,785	-	SPRC19C2101A	0.31	(0.09)	130	-
S5013C2012I	3.64	0.60	2,763	3.00	SAWA19P2011F	-	-	-	-	SPRC19P2011A	-	-	-	-
S5013C2012J	2.58	0.40	923	2.00	SAWA19P2101F	0.30	0.01	54,931	-	SPRC28C2101A	0.12	-	8,000	-
S5013C2101A	0.78	0.02	77,701	-	SAWA24C2103F	0.54	(0.03)	29,278	-	SPRC42C2101T	-	-	-	-
S5013C2103A	0.88	0.05	5,489,476	-	SAWA28C2012F	0.19	(0.04)	99,700	-	SPX28C2012A	1.26	-	19,680	1.00
S5013C2103B	0.61	0.04	4,410,336	-	SAWA28C2012E	-	-	-	-	SPX28C2012B	0.56	-	6,042	-
S5013P2012A	0.15	(0.03)	2,629,940	-	SAWA28C2101F	0.32	(0.03)	202,272	-	SPX28C2012C	0.62	(0.04)	15,124	-
S5013P2012B	0.13	(0.03)	1,226,975	-	SAWA28C2102I	0.12	(0.01)	68,156	-	SPX28C2012D	0.32	-	2,861	-
S5013P2012C	0.03	(0.01)	470,582	-	SAWA41C2012F	0.22	(0.05)	86,260	-	SPX28C2103L	0.46	0.01	465	-
S5013P2012D	0.02	(0.01)	331,602	-	SAWA42C2101I	0.09	(0.02)	16,022	-	SPX28P2012A	0.10	(0.01)	103,610	-
S5013P2012E	0.01	(0.01)	636,093	-	SCB01C2101A	0.62	0.07	95,776	-	SPX28P2012B	0.05	(0.01)	8,650	-
S5013P2012F	0.01	(0.01)	1,265,295	-	SCB01C2103A	1.28	0.13	49,850	1.00	SPX28P2012C	0.40	(0.04)	12,581	-
S5013P2012G	0.02	(0.01)	993,774	-	SCB01C2103T	0.76	0.06	37,615	-	SPX28P2012D	0.23	(0.01)	4,200	-
S5013P2101A	0.41	(0.01)	140,354	-	SCB01P2101A	0.21	(0.05)	60,354	-	SPX28P2103L	0.25	-	1,643	-
S5013P2103A	0.56	(0.05)	21,129,467	-	SCB01P2103T	0.26	(0.04)	42,400	-	SPX41C2012A	0.78	(0.01)	18,494	-
S5013P2103B	0.98	(0.06)	7,261,351	1.00	SCB06C2103A	1.43	0.18	847	1.00	SPX41C2012B	0.31	(0.01)	38,066	-
S5016C2012A	-	-	-	-	SCB08C2101A	0.59	0.09	148,564	-	SPX41C2012C	0.16	(0.01)	501	-
S5016C2012B	-	-	-	-	SCB08P2012A	0.06	(0.03)	2,023	-	SPX41C2012T	0.97	(0.01)	1,437	-
S5016C2012C	-	-	-	-	SCB11C2102A	0.64	0.06	128,602	-	SPX41C2012U	1.55	(0.09)	104	1.00
S5016C2012D	2.56	0.32	400	2.00	SCB11P2012A	-	-	-	-	SPX41C2103T	0.96	(0.01)	10,942	-
S5016P2012A	0.17	(0.03)	10	-	SCB13C2011A	0.14	0.06	1,220	-	SPX41C2103U	1.10	(0.01)	3	1.00
S5016P2012B	0.05	(0.04)	130	-	SCB13C2012A	0.79	0.14	7,022	-	SPX41P2012A	0.16	(0.03)	34,503	-
S5016P2103Z	-	-	-	-	SCB13C2102A	1.28	0.17	13,638	1.00	SPX41P2012B	0.11	(0.01)	91,520	-
S5019C2012A	0.24	0.03	377,618	-	SCB13C2103A	0.83	0.09	1,944,233	-	SPX41P2012C	-	-	-	-
S5019C2012B	0.16	0.01	217,167	-	SCB13P2012A	0.05	(0.02)	261	-	SPX41P2012T	0.18	(0.03)	3,374	-
S5019C2012C	0.60	0.06	1,844,472	-	SCB19C2012A	0.56	0.09	207,837	-	SPX41P2012U	0.14	(0.01)	6,560	-
S5019C2012D	1.14	0.10	25,508	1.00	SCB19C2101A	1.04	0.15	26,118	1.00	SPX41P2103T	0.49	(0.02)	1,728	-
S5019C2012E	1.61	0.15	15,042	1.00	SCB19P2011A	-	-	-	-	SPX41P2103U	1.14	(0.01)	5,804	1.00
S5019C2012F	2.16	0.12	8,076	1.00	SCB19P2011B	-	-	-	-	STA01C2101A	0.17	0.01	6,535	-
S5019C2103A	0.76	0.04	2,360,992	-	SCB19P2103A	0.31	(0.05)	186,291	-	STA01C2102A	0.11	0.01	3,425	-
S5019P2012A	0.23	(0.03)	612,178	-	SCB24C2012A	0.60	0.12	81,790	-	STA01P2102A	0.69	(0.09)	562	-
S5019P2012B	0.05	(0.02)	70,510	-	SCB28C2012A	0.12	0.03	119,048	-	STA06C2012A	0.04	-	4,978	-
S5019P2012C	0.04	(0.01)	50,246	-	SCB28C2012B	0.41	0.11	240,493	-	STA08C2011A	-	-	-	-
S5019P2012D	0.02	(0.01)	46,330	-	SCB28									

Main Board Quotation

Issue Date :

Friday November 13, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STA42C2101T	-	-	-	-	TKN19C2101A	0.15	-	51,531	-	TU24C2103A	0.32	(0.02)	3,504	-
STEC01C2101A	0.11	-	51,156	-	TKN19C2102A	0.26	0.01	134,371	-	TU28C2102A	-	-	-	-
STEC01P2101A	0.32	(0.02)	35,312	-	TKN19P2101A	0.27	(0.06)	8,242	-	TU28C2103A	0.26	-	15,350	-
STEC08C2102A	-	-	-	-	TKN28C2102A	-	-	-	-	TU28C2103L	0.20	(0.01)	507	-
STEC08C2103A	0.39	0.01	20,303	-	TKN28C2102B	0.05	-	2,507	-	TU41C2101A	0.13	-	12,918	-
STEC11C2102A	0.16	0.01	11,720	-	TKN28C2101A	-	-	-	-	TU42C2101T	0.17	-	6	-
STEC13C2102A	-	-	-	-	TKN42C2102T	-	-	-	-	TVO13C2101A	0.07	(0.01)	17,600	-
STEC13C2101A	0.15	-	144,770	-	TMB13C2101A	-	-	-	-	TVO13C2102A	0.16	(0.01)	70,814	-
STEC13C2102A	0.33	0.01	4,980	-	TMB13C2102A	0.30	0.04	1,202	-	TVO19C2101A	-	-	-	-
STEC13P2101A	-	-	-	-	TMB13C2103A	0.21	(0.79)	166,632	-	TVO19C2102A	0.14	(0.01)	71,697	-
STEC19C2101A	-	-	-	-	TMB19C2101A	0.04	-	660	-	TVO19C2101A	0.11	(0.01)	279	-
STEC19C2102A	-	-	-	-	TMB19C2101B	-	-	-	-	VGI01C2102A	0.18	0.01	117,687	-
STEC19C2101A	0.12	-	137,315	-	TMB19C2102A	0.13	0.03	122,450	-	VGI01C2103A	0.44	0.04	126,516	-
STEC19C2103A	0.33	0.02	76,632	-	TMB19C2103A	-	-	-	-	VGI06C2101A	0.17	0.02	207,540	-
STEC19P2101A	-	-	-	-	TMB19P2101A	-	-	-	-	VGI08C2103A	0.46	0.02	70,000	-
STEC19P2102A	0.15	(0.02)	14,091	-	TOA13C2101A	-	-	-	-	VGI11C2101A	0.14	0.01	18,060	-
STEC19P2101A	0.11	(0.01)	6,988	-	TOA13C2102A	-	-	-	-	VGI13C2102A	0.10	0.02	18,072	-
STEC28C2102A	-	-	-	-	TOA19C2102A	0.07	(0.02)	5,040	-	VGI13C2101A	0.20	0.02	1,198,892	-
STEC28C2101A	-	-	-	-	TOA19C2103A	0.30	(0.01)	21,645	-	VGI19C2102A	0.13	0.01	66,648	-
STEC28C2103A	0.23	0.01	61,416	-	TOA42C2101T	-	-	-	-	VGI19C2102B	0.28	0.03	85,217	-
STEC28C2104L	0.14	0.01	15,210	-	TOP01C2102A	0.17	(0.08)	22,064	-	VGI19C2102C	0.06	-	340,455	-
STEC41C2102A	-	-	-	-	TOP01C2102A	0.86	0.02	6,120	-	VGI24C2102A	-	-	-	-
STEC42P2102T	0.17	(0.01)	8	-	TOP01P2102A	-	-	-	-	VGI28C2101A	-	-	-	-
SUPE08C2102A	0.06	-	205	-	TOP01P2102A	0.11	0.01	100	-	VGI28C2103A	0.27	0.02	106,329	-
SUPE08C2102A	0.20	0.01	47,283	-	TOP06C2101A	0.01	-	13,187	-	VGI28C2103L	0.16	0.01	51,714	-
SUPE08P2102A	0.23	-	1,300	-	TOP06C2102A	0.39	0.01	33,924	-	VGI41C2101A	-	-	-	-
SUPE19C2101A	0.01	-	60,517	-	TOP06C2102B	0.91	0.03	10	-	VGI42C2101T	0.04	-	423	-
SUPE19C2101B	-	-	-	-	TOP06P2102A	0.11	(0.01)	25,285	-	WHA01C2101A	0.08	(0.01)	216	-
SUPE19C2102A	0.16	-	317,733	-	TOP08C2102A	0.58	0.02	8,600	-	WHA01C2103A	0.39	(0.02)	40,821	-
SUPE19P2101A	-	-	-	-	TOP11C2101A	0.11	(0.01)	9,022	-	WHA01P2101A	0.59	0.01	47,826	-
SUPE19P2102A	-	-	-	-	TOP11P2104A	0.27	(0.01)	7,410	-	WHA06C2103A	0.23	(0.02)	99,130	-
SUPE42C2101T	0.06	0.01	8,825	-	TOP13C2102A	-	-	-	-	WHA06P2102A	0.26	-	56,896	-
SUPE42P2102T	-	-	-	-	TOP13C2102B	0.27	0.01	175,044	-	WHA08C2101A	-	-	-	-
TASCO1C2102A	0.04	(0.02)	22,586	-	TOP13C2101A	0.66	(0.08)	5	-	WHA11C2101A	0.10	(0.01)	1	-
TASCO1C2102B	0.33	0.01	52,135	-	TOP13P2102A	0.11	(0.01)	18,212	-	WHA13C2101A	-	-	-	-
TASCO1C2102A	0.83	0.02	37,638	-	TOP13P2101A	-	-	-	-	WHA13C2101A	-	-	-	-
TASCO1P2102A	0.16	(0.01)	23,059	-	TOP13P2103A	0.10	(0.01)	21,500	-	WHA13C2103A	0.36	(0.02)	111,079	-
TASC06C2102A	0.03	-	503	-	TOP19C2102A	-	-	-	-	WHA13P2101A	-	-	-	-
TASC06C2102A	0.63	0.02	164,236	-	TOP19C2101A	0.42	-	24,308	-	WHA19C2101A	-	-	-	-
TASC08C2101A	0.01	-	7,120	-	TOP19C2101B	0.75	(0.03)	3	-	WHA19C2101A	0.14	(0.02)	92,986	-
TASC08C2102A	0.02	-	211	-	TOP19P2101A	-	-	-	-	WHA19C2103A	0.38	(0.02)	27,511	-
TASC11C2102A	0.05	0.01	616	-	TOP19P2101A	0.03	(0.01)	9,000	-	WHA19P2101A	-	-	-	-
TASC13C2101A	-	-	-	-	TOP19P2102A	0.12	-	25,426	-	WHA28C2102A	0.09	-	151	-
TASC13C2102A	0.03	-	44,156	-	TOP24C2101A	0.37	0.01	6,738	-	WHA28C2102A	0.11	(0.02)	26,568	-
TASC13C2102B	0.21	-	112,318	-	TOP41C2101A	-	-	-	-	WHA28C2102L	-	-	-	-
TASC13C2101A	0.52	0.02	479,221	-	TOP41C2102A	0.39	0.02	49,295	-	WHA28C2104A	0.35	(0.02)	71,932	-
TASC13C2102A	0.44	(0.56)	250,480	-	TOP41P2101A	-	-	-	-	WHA42C2101T	-	-	-	-
TASC13P2101A	-	-	-	-	TOP42C2101T	-	-	-	-	WHAU13C2102A	0.10	(0.02)	21,394	-
TASC13P2102A	0.07	-	42,925	-	TP13C2101A	-	-	-	-	WHAU19C2102A	0.16	(0.03)	12,563	-
TASC19C2101A	-	-	-	-	TP19C2102A	-	-	-	-	Preferred/Foreign	-	-	-	-
TASC19C2102A	0.18	-	66,609	-	TQM01C2103A	0.63	(0.02)	10,452	-	BH-Q	-	-	-	-
TASC19C2101A	0.49	0.01	202,164	-	TQM11C2102A	0.36	(0.01)	3,479	-	CSC-Q	-	-	-	-
TASC19P2101A	-	-	-	-	TQM13C2101A	0.13	(0.01)	32,819	-	JUTHA-Q	-	-	-	-
TASC19P2102A	0.73	(0.03)	30	-	TQM13C2102A	0.36	-	31,413	-	KTB-Q	-	-	-	-
TASC19P2102B	-	-	-	-	TQM19C2101A	0.12	(0.01)	7,089	-	SCB-Q	-	-	-	-
TASC19P2102C	0.07	-	5	-	TQM19C2101A	0.17	-	13,946	-	TCAP-Q	-	-	-	-
TASC24C2101A	-	-	-	-	TQM19C2102A	0.46	(0.01)	38,894	-	TISCO-Q	-	-	-	-
TASC28C2102A	-	-	-	-	TQM24C2101A	-	-	-	-	U-Q	-	-	-	-
TASC28C2102B	0.01	-	574	-	TQM24C2103A	0.66	(0.01)	15,393	-	Warrant	-	-	-	-
TASC28C2102C	-	-	-	-	TQM28C2102A	-	-	-	-	7UP-W4	0.10	-	9,085	-
TASC28C2101A	-	-	-	-	TQM28C2102A	0.32	(0.01)	17,068	-	AEC-W6	0.11	0.01	237,106	-
TASC28C2103L	0.03	(0.01)	859	-	TQM28C2104L	0.26	(0.01)	17,776	-	AKR-W1	0.02	(0.01)	8,519	-
TASC41C2101A	-	-	-	-	TQM41C2101A	-	-	-	-	ALT-W1	0.32	-	37,125	-
TASC41C2102A	0.24	-	7,966	-	TQM42C2101T	0.21	(0.01)	14	-	APEX-W1	0.01	(0.02)	2,343	-
TASC42C2101T	0.04	-	29,736	-	TRUE01C2101A	0.13	0.01	40,904	-	APURE-W2	0.22	-	14,041	-
TCAP01C2101A	0.17	0.02	61,660	-	TRUE01P2101A	0.40	(0.03)	41,478	-	B-W3	-	-	-	-
TCAP13C2102A	0.04	0.01	2,500	-	TRUE06C2103A	0.31	0.02	32,415	-	B-W4	0.04	-	185	-
TCAP19C2102A	-	-	-	-	TRUE08C2102A	-	-	-	-	B-W5	0.05	0.01	97,680	-
TCAP19C2102A	0.23	0.03	54,423	-	TRUE11C2101A	-	-	-	-	BKD-W2	0.07	(0.01)	14,082	-
TCAP19P2102A	0.12	(0.03)	5,302	-	TRUE11P2101A	0.33	(0.03)	33,770	-	BTS-W5	0.50	(0.01)	67,819	-
TCAP42C2101T	0.03	0.01	1	-	TRUE13C2101A	-	-	-	-	CGD-W4	0.03	-	31,452	-
THAN01C2102A	0.56	0.03	43,171	-	TRUE13C2101A	0.11	-	11,412	-	CGH-W3	0.02	0.01	15,035	-
THAN01C2102B	0.12	0.01	30,290	-	TRUE13C2103A	0.37	0.03	108,874	-	CWT-W5	0.46	0.02	26,655	-
THAN06C2102A	0.29	0.03	90,786	-	TRUE19C2101A	-	-	-	-	DCC-W1	0.93	(0.01)	13,293	-
THAN08C2101A	0.58	0.04	442	-	TRUE19C2102A	-	-	-	-	ECL-W3	0.02	-	115,617	-
THAN08C2102A	0.28	0.02	42,374	-	TRUE19C2101A	0.15	0.01	898	-	EMC-W6	0.03	-	4,156	-
THAN13C2102A	0.35	0.02	24,226	-	TRUE19C2103A	0.37	0.01	28,146	-	EP-W3	0.02	-	35,434	-
THAN13C2102B	0.05	0.01	2,360	-	TRUE19P2101A	0.05	(0.02)	30,000	-	GLOCON-W4	0.39	0.01	4,800	-
THAN13C2102A	0.40	(0.60)	251,039	-	TRUE19P2101A	0.15	(0.01)	11,061	-	III-W1	0.58	-	51,903	-
THAN19C2101A	0.71	0.16	200	-	TRUE28C2102A	-	-	-	-	J-W1	0.61	0.01	2,242	-
THAN19C2102A	0.24	0.03	189,077	-	TRUE28C2102B	-	-	-	-	JMART-W3	6.40	0.05	3,977	6.00
THAN19C2102B	0.10	0.02	46,527	-	TRUE28C2101A	-	-	-	-	JMART-W4	4.10	0.02	2,732	4.00
THAN19C2102A	0.52	0.03	128,751	-	TRUE28C2103A	0.33	0.02	47,630	-	JMT-W2	14.90	0.30	5,017	14.00
THAN19P2102A	0.31	(0.02)	70,815	-	TRUE28C2103L	-	-	-	-	MACO-W2	0.06	-	7,068	-
THAN42C2102T	0.14	0.01	44	-	TRUE41C2101A	-	-	-	-	MILL-W4	0.03	-	65,502	-
TISCO1C2101A	0.57	0.05	85,225	-	TRUE42C2101T	-	-	-	-	MINT-W6	0.58	0.10	712,412	-
TISC11C2102A	0.30	0.04	45,210	-	TTW19C2101A	-	-	-	-	MINT-W7	7.65	0.10	22,830	7.00
TISC13C2102A	0.40	0.06	374,864	-	TTW24C2102A	-	-	-	-	NER-W1	2.26	(0.06)	67,063	2.00
TISC19C2102A	0.41	0.06	283,309	-	TU01C2101A	0.25	(0.01)	1,557	-	NEX-W2	4.46	(0.06)	13,504	4.00
TISC24C2102A	0.79	0.09	45,705	-	TU01P2101A	0.15	-	13,763	-	NFC-W1	0.72	0.04	26	-
TISC41C2102A	0.45	0.06	48,140	-	TU06C2102A	0.33	(0.02)	28,205	-	NVD-W1	0.06	0.01	901	-
TISC42C2101T	0.14	0.01	15	-	TU06P2103A	0.13	-	11,469	-	PACE-W2	-	-		