

Main Board Quotation

Issue Date :

Monday November 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.70	(0.10)	71,154	3.76	JKN	9.35	(0.30)	219,575	9.52
SAFARI	-	-	-	-	BLISS	-	-	-	-	MACO	0.62	0.02	64,771	0.61
VI	-	-	-	-	DIF	12.90	0.20	91,988	12.88	MAJOR	16.30	0.60	64,007	16.15
WORLD	-	-	-	-	DTAC	34.50	1.00	112,159	34.77	MATCH	-	-	-	-
WR	-	-	-	-	FORTH	5.90	0.10	557	5.87	MATI	-	-	-	-
Agribusiness	-	-	-	-	HUMAN	8.70	(0.20)	7,878	8.78	MCOT	2.84	0.04	13,068	2.82
EE	0.65	-	32,286	0.64	ILINK	4.96	(0.24)	48,801	5.06	MONO	2.70	(0.02)	18,169	2.72
GFPT	12.30	0.10	72,243	12.42	INET	3.40	0.12	68,548	3.40	MPIC	1.50	(0.19)	236	1.26
LEE	2.26	-	4,957	2.24	INTUCH	54.00	(0.50)	127,346	54.43	NMG	-	-	-	-
MAX	0.01	-	490,038	0.01	JAS	2.90	0.02	503,930	2.88	PLANB	6.40	0.35	313,683	6.31
NER	4.24	(0.06)	364,721	4.32	JASIF	9.85	-	168,085	9.85	POST	-	-	-	-
PPPM	0.38	-	1,215	0.38	JMART	16.40	(0.10)	69,847	16.44	PRAKIT	7.30	-	12	7.30
STA	26.50	(0.25)	500,327	27.44	JTS	2.20	(0.06)	2,412	2.22	SE-ED	1.48	(0.01)	4	1.46
TRUBB	1.69	0.02	25,752	1.69	MFEF	4.78	-	2,217	4.76	TBSP	12.70	(0.10)	1	12.70
TWPC	3.38	(0.02)	19,238	3.37	MSC	6.40	(0.10)	1,367	6.52	TH	0.49	-	363	0.47
UPOIC	3.42	0.06	486	3.42	PT	5.60	0.05	1,524	5.62	TKS	5.55	(0.10)	27,499	5.58
UVAN	4.88	-	1,701	4.88	SAMART	4.92	-	14,245	4.89	VGI	7.40	0.45	2,715,817	7.43
VPO	0.44	(0.01)	1,425	0.44	SAMTEL	4.88	(0.02)	4,069	4.87	WAVE	0.65	-	1,650	0.65
Banking	-	-	-	-	SDC	0.17	0.01	3,027	0.16	WORK	10.80	0.10	26,520	10.78
BAY	22.70	0.10	7,316	22.85	SIS	18.70	(0.10)	30,149	19.14	Finance & Securities	-	-	-	-
BBL	117.00	0.50	84,963	118.02	SVOA	1.29	0.04	84,085	1.27	AEC	0.23	(0.01)	92,091	0.23
CIMBT	0.57	-	81,220	0.58	SYMC	4.08	0.22	659	4.02	AEONTS	141.50	1.50	7,878	141.51
KBANK	94.75	0.50	336,197	95.19	SYNEH	13.10	0.20	58,247	13.16	AMANAH	2.78	0.06	483,378	2.79
KKP	43.75	0.25	75,280	43.78	THCOM	5.40	0.10	59,597	5.41	ASAP	1.94	(0.01)	5,102	1.97
KTB	10.10	-	461,524	10.24	TRUE	3.16	0.04	866,343	3.18	ASK	20.50	0.80	9,723	20.17
LHFG	1.00	0.02	56,207	0.99	TWZ	0.07	0.01	90,131	0.07	ASP	1.80	0.01	27,374	1.80
SCB	81.75	(0.25)	148,817	82.32	Electronic Comp	-	-	-	-	BAM	20.50	(0.50)	582,460	20.90
TCAP	31.25	0.25	54,332	31.18	CCET	2.14	(0.14)	118,830	2.16	BFIT	28.25	0.25	16,277	28.43
TISCO	77.00	2.00	124,857	76.69	DELTA	178.00	3.00	20,181	178.31	CGH	0.70	0.03	7,117	0.69
TMB	1.02	-	4,117,474	1.03	HANA	36.50	(0.75)	151,781	36.23	ECL	0.77	0.01	7,640	0.77
Construction Materia	-	-	-	-	KCE	37.25	(0.75)	86,451	37.34	FNS	3.06	(0.04)	5,195	3.09
CCP	0.42	(0.05)	379,221	0.43	METCO	165.00	(10.00)	113	173.02	FSS	1.44	(0.01)	5,215	1.46
COTTO	1.19	0.01	5,255	1.19	NEX	4.56	0.06	107,953	4.58	GBX	0.42	0.01	821	0.41
DCC	2.32	0.02	274,496	2.32	SMT	2.80	(0.08)	19,697	2.86	GL	1.20	0.01	49,546	1.19
DCON	0.30	-	28,667	0.30	SVI	4.64	(0.06)	49,867	4.64	IFS	2.28	0.02	6,679	2.29
DRT	5.95	(0.10)	5,569	5.94	TEAM	0.87	0.01	318	0.87	JMT	33.25	(0.75)	43,039	33.50
EPG	5.80	0.05	149,041	5.79	W	0.24	(0.01)	764,384	0.24	KCAR	8.30	0.15	1,004	8.25
GEL	0.19	0.01	113,535	0.17	Energy & Utilitie	-	-	-	-	KGI	3.44	0.02	52,293	3.46
PPP	2.02	0.02	586	1.99	7UP	0.31	-	374,261	0.32	KTC	43.00	(0.25)	60,578	43.23
Q-CON	4.62	-	297	4.62	ABPIF	2.98	-	500	2.98	MBKET	7.75	0.05	1,593	7.78
RCI	3.66	-	275	3.66	ACE	3.10	(0.02)	656,322	3.15	MFC	13.80	-	295	13.80
SCC	358.00	(3.00)	27,492	360.21	AGE	1.31	0.02	13,944	1.30	MICRO	4.60	(0.14)	108,551	4.61
SCCC	135.00	1.00	1,911	134.74	AI	2.08	(0.04)	114,196	2.08	ML	0.80	-	100	0.80
SCP	6.05	0.10	23,388	6.01	AKR	0.50	-	10,431	0.50	MTC	56.50	(0.50)	82,385	57.41
SKN	2.44	(0.04)	7,886	2.45	BAFS	22.20	0.60	2,895	22.22	NCAP	4.56	0.36	1,593,785	4.30
TASCO	18.80	0.10	596,401	18.95	BANPU	7.40	0.05	793,662	7.42	PE	-	-	-	-
TCMC	1.25	0.13	280,678	1.23	BCP	17.50	0.10	45,259	17.57	PL	2.00	(0.06)	2,437	2.00
TOA	34.25	0.25	14,366	34.64	BCPG	12.90	0.10	126,370	12.93	S11	6.35	0.05	10,059	6.32
TPPIPL	1.41	0.02	71,407	1.40	BGRIM	47.75	(0.75)	122,293	48.29	SAWAD	53.75	0.25	222,606	54.66
UMI	0.64	0.01	1,181	0.63	BPP	14.50	-	57,625	14.53	THANI	3.72	0.04	398,780	3.76
VNG	3.18	(0.02)	1,136	3.20	BRRGIF	6.20	-	223	6.15	TK	7.65	0.05	6,366	7.66
WIJK	2.50	(0.10)	37,682	2.52	CKP	4.96	0.02	233,956	4.98	TNITY	3.56	(0.08)	200	3.57
Petrochemicals & Ch	-	-	-	-	DEMCO	2.68	(0.04)	3,157	2.68	UOBKH	3.06	0.02	47	3.05
BCT	42.00	-	1,152	42.01	EA	44.75	(0.25)	65,744	44.72	ZMICO	0.63	0.01	3,776	0.62
CMAN	1.28	(0.03)	3,091	1.27	EASTW	9.20	0.10	19,511	9.17	Food & Beverage	-	-	-	-
GC	5.55	0.05	723	5.58	EGATIF	12.10	-	1,266	12.06	APURE	2.18	0.06	153,355	2.19
GCC	8.60	0.10	9,630	8.60	EGCO	190.00	(3.00)	24,780	192.99	ASIAN	11.50	(0.30)	59,928	11.66
GIFT	1.74	(0.02)	2,838	1.73	EP	4.20	0.08	68,233	4.22	BR	2.04	0.04	19,118	2.06
IVL	28.25	0.75	288,320	28.37	ESSO	7.00	-	307,436	7.10	BRR	2.72	(0.02)	991	2.71
NFC	1.40	(0.07)	33	1.45	GPSC	67.00	(1.75)	235,486	68.12	CBG	119.50	1.50	35,184	119.68
PATO	10.70	-	569	10.40	GREEN	1.12	-	1,132	1.14	CFRESH	3.14	-	5,222	3.13
PMTA	8.90	-	126	8.77	GULF	34.75	(1.00)	533,795	35.58	CHOTI	69.00	0.25	2	68.88
PTTGC	50.25	(0.50)	199,823	50.75	GUNKUL	2.36	0.04	461,214	2.33	CM	2.62	0.02	2,141	2.60
SUTHA	3.94	0.26	724	3.90	IFEC	-	-	-	-	CPF	27.75	0.25	387,936	27.95
TCCC	24.30	0.30	734	24.07	IRPC	2.62	0.06	2,065,665	2.63	CPI	1.40	-	4,682	1.40
TPA	5.35	0.05	32	5.24	KBSPIF	9.20	0.10	646	9.17	F&D	-	-	-	-
UAC	3.98	0.18	1,239	3.91	LANNA	6.15	0.05	860	6.13	HTC	34.50	(1.75)	11,540	35.34
UP	13.00	0.20	1	13.00	MDX	2.30	0.10	9,941	2.25	ICHI	11.30	(0.10)	64,299	11.43
VNT	23.00	(0.10)	4,831	23.12	PDI	8.50	(0.05)	2,983	8.54	KBS	3.10	(0.12)	859	3.12
WG	127.50	(2.00)	9	120.56	PRIME	0.51	-	133,889	0.51	KSL	2.24	0.10	30,050	2.20
YCI	-	-	-	-	PTG	18.90	0.30	292,563	18.86	KTIS	2.78	(0.08)	2,415	2.80
Commerce	-	-	-	-	PTT	37.50	-	483,716	37.86	LST	4.46	0.08	2,789	4.44
BEAUTY	1.37	0.03	155,967	1.37	PTTEP	91.50	1.25	93,008	91.42	M	54.00	1.00	23,382	54.19
BIG	0.50	0.03	240,491	0.50	RATCH	52.75	(0.75)	35,874	53.42	MALEE	5.70	(0.15)	4,950	5.70
BJC	34.50	-	55,583	34.86	RPC	0.50	0.01	7,026	0.49	MINT	24.20	1.00	1,396,754	24.25
COL	18.70	-	2,537	18.72	SCG	3.54	0.02	221	3.52	NRF	6.85	0.55	411,043	6.62
COM7	39.75	(1.00)	98,200	40.04	SCI	1.25	0.01	4,791	1.25	OISHI	40.75	-	385	40.85
CPALL	62.50	0.25	181,655	62.82	SCN	1.62	0.02	10,663	1.61	OSP	37.50	0.25	96,362	37.86
CPW	2.16	0.10	47,161	2.13	SGP	9.60	-	16,888	9.58	PB	70.25	(0.25)	195	69.98
CRC	33.00	0.50	165,384	33.23	SKE	0.51	0.01	34,189	0.50	PM	8.35	-	34,803	8.40
CSS	1.44	0.02	25,618	1.43	SOLAR	0.89	(0.02)	5,132	0.90	PRG	11.10	0.10	43	11.00
DOHOME	13.60	(0.10)	71,920	13.78	SPGC	20.90	(0.40)	14,940	21.12	RBF	9.90	0.35	208,569	9.81
FN	1.15	(0.02)	6,167	1.16	SPRC	6.70	0.05	155,362	6.73	SAPPE	23.00	-	6,712	23.12
FTE	1.50	(0.04)	5,330	1.52	SSP	8.25	0.30	71,309	8.14	SAUCE	25.25	-	41	25.27
GLOBAL	16.30	(0.20)	74,245	16.45	SUPER	0.90	(0.01)	1,933,624	0.90	SFP	-	-	-	-
HMPRO	15.00	-	194,164	15.13	SUPEREIF	11.20	0.10	958	11.21	SNP	9.80	0.85	6,603	9.96
ILM	13.30	(0.30)	9,260	13.35	SUSCO	2.68	0.02	19,492	2.69	SORKON	5.60	-	234	5.63
IT	2.50	(0.08)	1,985	2.48	TAE	2.26	(0.02)	4,247	2.26	SSC	32.75	1.00	8	32.47
KAMART	3.60	0.16	93,096	3.56	TCC	0.18	0.01	13,314	0.17	SSF	6.30	-	1	6.30
LOXLEY	1.30	(0.02)	11,298	1.30	TOP	46.50	1.75	225,352	46.47	SST	2.24	0.04	352	2.22
MAKRO	40.00	(0.50)	8,431	40.55	TPIPP	4.30	-	71,060	4.28	TC	4.90			

Main Board Quotation

Issue Date :

Monday November 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHG	2.52	(0.06)	198,992	2.54	A	5.05	-	90	5.04	Automotive	-	-	-	-
CMR	1.78	0.01	1,323	1.77	AMATA	14.80	1.60	489,424	14.22	3K-BAT	103.00	3.75	191	103.67
EKH	4.62	0.26	68,054	4.57	AMATAV	5.00	(0.10)	612	5.12	ACG	1.19	0.03	9,250	1.18
KDH	84.50	2.50	12	83.58	ANAN	1.64	0.02	118,112	1.65	AH	15.00	2.10	110,150	14.63
LPH	4.56	0.06	1,789	4.55	AP	6.75	0.05	162,921	6.73	CWT	2.06	0.02	16,629	2.06
M-CHAI	184.00	(8.50)	15	181.90	APEX	0.07	-	61,756	0.06	EASON	1.21	-	1,821	1.20
NEW	-	-	-	-	AQ	0.01	-	68,815	0.01	GYT	-	-	-	-
NTV	41.50	0.50	84	41.58	AWC	4.06	(0.04)	946,156	4.11	HFT	4.20	(0.04)	28,049	4.20
PR9	8.50	(0.05)	14,148	8.60	BLAND	1.02	0.01	63,905	1.01	IHL	3.32	0.12	182,583	3.31
PRINC	2.70	(0.02)	3,790	2.69	BROCK	1.42	(0.01)	184	1.43	INGRS	0.44	0.01	18,162	0.43
RAM	141.50	0.50	184	141.06	CGD	0.64	(0.01)	13,762	0.65	IRC	12.90	(0.20)	674	12.95
RJH	22.90	0.60	4,875	22.83	CI	0.67	-	96	0.65	PCSGH	4.38	-	111	4.38
RPH	5.45	0.05	3,727	5.41	CPN	52.00	0.50	87,333	51.93	SAT	13.90	0.30	42,185	14.11
SKR	6.60	-	1,308	6.58	ESTAR	0.35	(0.01)	43,823	0.36	SPG	-	-	-	-
SVH	393.00	(2.00)	13	394.15	EVER	0.21	0.01	28,544	0.21	STANLY	155.50	3.00	581	155.25
THG	19.80	0.20	4,137	19.67	FPT	11.10	0.10	2,120	11.10	TKT	0.90	(0.01)	189	0.90
VIBHA	1.43	-	89,758	1.43	GLAND	2.16	0.02	291	2.14	TNPC	-	-	-	-
VIH	6.30	0.30	34,572	6.13	J	1.28	(0.02)	11,413	1.29	TRU	3.48	0.04	460	3.36
WPH	1.56	(0.01)	1,222	1.55	JCK	1.38	0.19	181,482	1.36	TSC	9.30	0.30	5	9.42
Tourism & Leisure	-	-	-	-	KC	-	-	-	-	Industrial Materials	-	-	-	-
ASIA	-	-	-	-	KWG	0.68	0.01	233	0.69	ALLA	1.15	(0.01)	8,582	1.15
CENTEL	24.10	0.40	132,138	24.12	LALIN	6.55	-	11,561	6.54	ASEFA	3.34	0.02	431	3.30
CSR	69.50	0.50	4	69.13	LH	7.50	0.10	339,519	7.53	CPT	0.82	(0.01)	3,210	0.82
DTC	7.55	0.15	2,612	7.44	LPN	4.34	0.18	110,078	4.31	CRANE	1.51	(0.04)	23,226	1.52
ERW	3.12	0.16	434,643	3.08	MBK	12.00	0.20	45,804	11.99	CTW	6.00	-	2,678	6.03
GRAND	0.65	-	3,975	0.66	MJD	1.49	(0.01)	23,323	1.48	FMT	18.60	0.10	35	18.53
LRH	27.75	(0.25)	6	27.79	MK	3.08	-	3,137	3.07	HTECH	3.06	0.06	7,796	3.06
MANRIN	-	-	-	-	NCH	0.80	(0.10)	9,801	0.79	KKC	0.54	-	1,026	0.53
OHTL	338.00	5.00	4	329.75	NNCL	1.92	0.02	451	1.92	PK	1.60	0.03	1,094	1.58
ROH	38.50	3.00	4	38.50	NOBLE	19.90	(0.40)	74,906	20.11	SNC	11.30	-	12,151	11.37
SHANG	48.75	1.25	51	48.46	NUSA	0.26	0.01	78,648	0.26	STARK	1.81	(0.04)	1,136,992	1.84
SHR	1.99	0.04	143,132	1.99	NVD	1.25	0.22	77,163	1.22	TCJ	3.04	0.16	753	2.98
VRANDA	5.60	(0.05)	892	5.61	ORI	7.15	0.05	112,544	7.12	VARO	3.50	-	39	3.61
Home & Office Produ	-	-	-	-	PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
ACC	0.60	0.02	30	0.60	PF	0.35	-	63,815	0.35	AIMCG	6.00	-	2,389	5.96
AJA	0.12	-	27,595	0.12	PLAT	2.24	0.06	11,552	2.22	AIMIRT	12.90	(0.10)	342	12.99
DTCI	28.00	0.50	57	28.00	POLAR	-	-	-	-	AMATAR	10.00	(0.10)	353	10.00
FANCY	0.50	-	121	0.50	PRECHA	0.81	-	417	0.81	B-WORK	11.50	-	35	11.50
KYE	339.00	27.00	170	347.81	PRIN	1.69	0.01	880	1.68	BKER	5.65	0.05	2,518	5.65
L&E	1.62	(0.02)	101	1.62	PSH	11.20	(0.10)	15,575	11.29	BKKCP	-	-	-	-
MODERN	2.40	-	6,868	2.40	QH	2.22	(0.04)	331,716	2.24	BOFFICE	10.50	(0.20)	1,601	10.60
OGC	21.60	-	2	21.20	RICHY	0.66	(0.02)	32,816	0.66	CPNCG	10.00	(0.20)	3,139	9.99
ROCK	-	-	-	-	RML	0.56	-	30,549	0.56	CPNREIT	20.40	(0.20)	8,075	20.61
SIAM	1.39	(0.03)	1,103	1.37	ROJNA	4.02	0.02	47,924	4.06	CPTGF	9.35	(0.05)	1,380	9.38
TSR	3.58	(0.02)	6,031	3.57	S	1.37	0.07	46,054	1.35	CTARAF	5.00	(0.05)	60	5.00
Insurance	-	-	-	-	SAMCO	1.16	(0.03)	5,564	1.15	DREIT	4.28	(0.02)	166	4.21
AYUD	34.00	1.25	284	33.00	SC	2.46	-	34,916	2.46	ERWPF	4.20	(0.10)	200	4.21
BKI	279.00	5.00	287	278.88	SENA	3.06	0.16	75,544	3.06	FTREIT	12.50	(0.30)	3,375	12.61
BLA	18.20	-	5,275	18.19	SF	4.56	0.04	17,736	4.53	FUTUREPF	17.60	0.30	436	17.40
BUI	10.10	0.10	1	10.10	SIRI	0.71	0.03	682,792	0.70	GAHREIT	8.20	0.15	331	7.81
CHARAN	-	-	-	-	SPALI	17.70	0.60	33,863	17.63	GOLDPF	5.65	(0.05)	1	5.65
INSURE	-	-	-	-	U	1.16	-	38,781	1.18	GVREIT	11.40	(0.20)	1,020	11.54
MTI	85.75	(0.25)	235	85.94	UV	2.58	0.04	25,546	2.60	HPF	4.76	0.02	424	4.74
NKI	-	-	-	-	WHA	2.80	0.08	6,274,890	2.79	HREIT	7.65	0.05	12,798	7.67
NSI	73.50	2.75	39	72.59	WIN	0.31	-	105	0.31	IMPACT	19.30	-	2,286	19.32
SEG	30.75	(1.25)	70	30.49	Paper & Printing	-	-	-	-	KPNPF	6.85	0.10	2	6.85
SMK	37.75	0.50	132	37.75	UTP	13.90	(0.10)	30,838	13.84	LHHOTEL	10.00	(0.20)	1,024	9.91
THRE	1.20	(0.07)	366,810	1.24	Fashion	-	-	-	-	LHPF	5.40	-	409	5.39
THREL	2.56	(0.08)	15,956	2.57	AFC	6.45	0.65	11	6.50	LHSC	11.50	0.30	1,412	11.52
TIP	26.75	1.00	14,139	26.38	B52	0.14	-	3,373	0.14	LUXF	6.35	-	300	6.35
TQM	116.00	(1.50)	5,866	117.63	BTNC	10.00	(0.20)	3	9.57	M-II	-	-	-	-
TSI	0.28	-	1,291	0.28	CPH	3.28	(0.02)	64	3.31	M-PAT	-	-	-	-
TVI	3.34	(0.10)	1,167	3.32	CPL	1.03	0.01	339	1.03	M-STOR	5.95	-	40	5.95
Mining	-	-	-	-	ICC	28.00	-	6	27.50	MIPF	-	-	-	-
THL	-	-	-	-	NC	-	-	-	-	MIT	2.82	0.02	355	2.82
Packaging	-	-	-	-	PAF	0.50	-	139	0.50	MJLF	6.30	0.15	757	6.21
AJ	17.80	-	42,399	17.93	PDJ	1.39	(0.04)	510	1.39	MNIT	1.29	(0.04)	754	1.28
ALUCON	168.00	0.50	66	168.02	PG	-	-	-	-	MNIT2	-	-	-	-
BGC	10.70	0.60	89,341	10.73	SABINA	21.40	0.20	7,835	21.44	MNRF	2.90	-	35	2.90
CSC	52.00	0.25	266	51.58	SAWANG	11.10	-	2	11.10	POPF	10.00	0.05	418	10.03
GLOCON	0.92	(0.01)	133,600	0.93	SUC	34.00	-	185	34.07	PPF	11.30	(0.10)	250	11.32
NEP	0.27	0.03	1,703	0.27	TNL	18.00	(2.60)	100	18.00	PROSPECT	9.15	-	830	9.16
PTL	22.20	(0.30)	24,804	22.43	TPCORP	9.65	0.40	17	9.43	QHHR	5.95	0.15	426	5.86
SCGP	39.00	1.75	922,086	38.11	TR	27.00	(1.50)	164	28.23	QHOP	2.34	-	113	2.30
SFLEX	5.10	(0.75)	126,122	5.27	TTI	-	-	-	-	QHPF	9.65	0.15	1,801	9.62
SITHAI	0.61	(0.01)	9,751	0.59	TTT	53.00	-	15	53.00	SBPF	-	-	-	-
SLP	0.43	0.01	1,253	0.42	UPF	60.50	-	1	60.50	SHREIT	3.70	0.50	1	3.70
SMPC	10.80	-	10,064	10.92	UT	-	-	-	-	SIRIP	8.60	-	1	8.60
SPACK	2.48	(0.12)	21,301	2.51	WACOAL	46.50	1.75	2	46.50	SPF	12.80	0.20	4,108	12.84
TCOAT	-	-	-	-	Transportation 8	-	-	-	-	SPRIME	7.90	0.35	1,005	7.67
TFI	0.15	-	4,857	0.15	AAV	1.82	0.02	394,156	1.83	SRIPANWA	7.60	-	194	7.55
THIP	31.75	3.50	3,107	31.80	AOT	65.75	0.25	217,996	65.95	SSPF	-	-	-	-
TMD	22.40	0.30	6	22.20	ASIMAR	1.36	-	709	1.36	SSTRT	5.30	0.05	175	5.25
TOPP	-	-	-	-	B	0.28	(0.01)	201	0.29	TIF1	8.40	-	824	8.42
TPBI	4.84	(0.12)	2,810	4.85	BA	5.30	-	9,273	5.33	TLGF	15.90	0.20	2,919	15.85
TPP	11.80	(0.20)	14	11.80	BEM	9.25	0.10	583,285	9.27	TLHPF	8.35	(0.15)	60	8.43
Personal Products &	-	-	-	-	BTS	10.50	0.30	731,554	10.49	TNPF	1.91	(0.05)	1,301	1.93
APCO	3.66	-	3,135	3.65	BTSGIF	5.40	0.05	44,589	5.40	TPRIME	11.60	(0.20)	21	11.31
DDD	15.30	(0.20)	9,613	15.67	III	4.42	0.02	12,320	4.45	TTLPF	22.00	-	16	22.03
JCT	80.50	(0.25)	10	80.25	JUTHA	0.43	-	16	0.41	TU-PF	1.00	0.01	1	1.00
OCC	-	-	-	-	JWD	7.85	0.10	51,649	7.87	URBNPF	-	-	-	-
S & J	26.75	0.75	2	26.75										

Main Board Quotation

Issue Date :

Monday November 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TITLE	2.94	0.06	18,631	2.00	ADVA06C2103A	0.44	-	334,658	-
ABICO	5.15	(0.45)	19,492	5.00	Resources (MAI)	-	-	-	-	ADVA08C2012A	-	-	-	-
AU	9.10	-	37,053	9.00	ABM	0.79	(0.03)	6,113	-	ADVA08C2103A	0.49	-	66,479	-
JCKH	0.27	(0.02)	3,396	-	AIE	0.66	(0.01)	77,080	-	ADVA08P2101A	0.51	(0.04)	14,980	-
KASET	1.13	(0.02)	2,201	1.00	ETC	1.86	0.04	412,053	1.00	ADVA11C2011A	0.03	(0.01)	1	-
MM	1.95	(0.03)	575	1.00	PSTC	1.73	0.10	205,968	1.00	ADVA11C2104A	0.56	-	67,260	-
SUN	4.42	(0.12)	81,557	4.00	QTC	3.80	(0.06)	3,418	3.00	ADVA11P2011A	0.11	(0.02)	40,380	-
TACC	6.45	(0.10)	23,155	6.00	SAAM	1.04	-	2,499	1.00	ADVA13C2012A	0.10	-	112,640	-
TMILL	3.10	(0.02)	5,335	3.00	SEAOIL	2.36	0.06	4,752	2.00	ADVA13C2101A	0.33	(0.01)	325,524	-
XO	9.70	0.15	45,124	9.00	SRA	0.62	0.02	1,164	-	ADVA13P2012A	0.36	(0.04)	129,614	-
Consumer Products														
BGT	1.00	-	581	1.00	TAKUNI	0.37	0.01	3,226	-	ADVA19C2012A	0.09	(0.01)	106,226	-
BIZ	3.36	(0.02)	1,154	3.00	TPCH	11.00	0.10	6,009	10.00	ADVA19C2101A	0.26	-	356,354	-
DOD	8.80	-	20,346	8.00	TRT	1.68	0.05	1	1.00	ADVA19P2012A	0.29	(0.03)	167,772	-
ECF	1.33	-	176,186	1.00	UMS	0.27	0.02	6	-	ADVA24C2101A	0.17	-	7,492	-
HPT	0.70	(0.01)	3,965	-	UPA	0.17	(0.01)	498,787	-	ADVA28C2012A	0.02	(0.01)	759	-
IP	11.90	-	13,389	11.00	UWC	0.05	-	81,125	-	ADVA28C2012B	0.01	(0.02)	954	-
JUBILE	20.20	0.80	2,435	19.00	Services (MAI)	-	-	-	-	ADVA28C2101A	0.12	(0.01)	27,683	-
MOONG	4.02	0.20	7,197	3.00	A5	-	-	-	-	ADVA28C2102L	0.13	-	27,579	-
NPK	14.20	(0.20)	8	14.00	AKP	0.86	0.02	3,516	-	ADVA28P2012A	-	-	-	-
OCEAN	0.73	-	1,661	-	AMA	5.35	0.10	20,514	5.00	ADVA41C2011A	-	-	-	-
TM	2.30	(0.02)	2,632	2.00	ARIP	0.41	-	2,084	-	ADVA41C2101A	0.32	0.01	115,552	-
Financials (MAI)														
ACAP	0.70	(0.01)	1,990	-	AUT30	0.88	(0.01)	16,504	-	ADVA41P2011A	-	-	-	-
AF	0.62	0.01	101	-	AUCT	10.30	(1.40)	98,864	10.00	ADVA41P2101A	0.20	(0.02)	37,101	-
AIRA	0.90	(0.05)	7	-	BOL	6.05	0.15	7,697	6.00	ADVA42C2102T	-	-	-	-
ASN	4.68	(0.12)	128	4.00	CMO	0.87	0.01	635	-	AEON01C2102A	0.50	0.01	15,555	-
BROOK	0.40	(0.01)	65,483	-	D	3.40	0.08	1,623	3.00	AEON13C2011A	0.05	(0.05)	3,768	-
CHAYO	7.55	(0.05)	29,249	7.00	DV8	0.30	-	672	-	AEON13C2012A	0.22	-	22,211	1.00
GCAP	1.29	(0.01)	2,558	1.00	EFORL	0.03	-	666,393	-	AEON13C2101A	1.46	-	128,754	-
LIT	3.18	-	1,105	3.00	ETE	0.98	-	2,825	-	AEON19C2011A	-	-	-	-
MITTSIB	0.97	-	2,156	-	FSMART	6.90	(0.05)	6,993	6.00	AEON19C2012A	-	-	-	-
SGF	0.52	(0.02)	50,977	-	FVC	0.41	0.01	14,409	-	AEON19C2101A	0.60	0.01	23,343	-
Industrials (MAI)														
ZS	3.80	-	6,907	3.00	GSC	1.19	-	1,266	1.00	AEON19C2102A	0.48	0.01	126,019	-
ADB	0.91	0.01	5,026	-	HARN	2.06	(0.08)	24,873	2.00	AEON28C2012A	-	-	-	-
BM	2.34	(0.10)	2,744	2.00	IMH	2.04	-	173	2.00	AEON28C2101A	-	-	-	-
CHO	0.48	(0.01)	21,104	-	KIAT	0.60	(0.03)	396,961	-	AEON28C2103A	0.52	-	61,233	-
CHOW	2.00	(0.02)	438	1.00	KK	1.49	0.08	278,146	1.00	AEON28C2104L	0.32	-	55,864	-
CIG	0.22	0.01	25,513	-	KOOL	0.79	(0.10)	141,007	-	AEON42C2101T	0.38	(0.02)	49	-
COLOR	1.23	0.01	523	1.00	LDC	1.28	-	4,499	1.00	AMAT01C2101A	0.27	0.11	115,678	-
CPR	2.28	-	336	2.00	LEO	4.78	0.74	1,063,493	4.00	AMAT06C2102A	0.34	0.16	133,087	-
FPI	1.39	0.01	534	1.00	MORE	0.81	-	243,875	-	AMAT08C2101A	0.34	0.12	31,749	-
GTB	0.70	-	1,913	-	MPG	0.22	(0.01)	7,338	-	AMAT13C2012A	0.19	0.11	432,934	-
KCM	0.44	0.01	858	-	MVP	1.21	(0.03)	355	1.00	AMAT13C2102A	0.55	0.22	605,436	-
KUMWEL	1.12	(0.01)	9,550	1.00	NBC	0.51	-	46	-	AMAT19C2011A	0.04	0.01	2,102	-
KWM	1.14	-	4,582	1.00	NCL	0.54	-	3,120	-	AMAT19C2012A	0.19	0.11	126,214	-
MBAX	7.30	(0.05)	11,780	7.00	NEWS	0.01	-	3,502	-	AMAT19C2101A	0.38	0.17	230,387	-
MGT	2.22	(0.02)	14,224	2.00	NINE	1.61	(0.01)	3	1.00	AMAT24C2103A	0.59	0.17	27,627	-
NDR	1.40	0.03	3,464	1.00	OTO	3.88	-	17,467	3.00	AMAT28C2012A	0.02	(0.01)	60,000	-
PDG	3.54	-	856	3.00	PHOL	2.20	(0.10)	22,013	2.00	AMAT28C2101A	0.16	0.06	120,260	-
PIMO	2.50	(0.06)	62,745	2.00	PICO	3.66	(0.04)	2	3.00	AMAT28C2102L	0.10	0.03	41,160	-
PJW	1.33	0.07	17,482	1.00	QLT	4.04	(0.10)	692	4.00	AMAT28C2103A	0.35	0.12	188,156	-
PPM	-	-	-	-	RP	1.19	0.02	151	1.00	AMAT42C2101T	0.09	0.02	311	-
PRAPAT	1.20	(0.05)	51,143	1.00	SABUY	1.81	(0.02)	454,920	1.00	AOT01C2012A	0.72	0.01	85	-
RWI	1.31	0.01	96	1.00	SE	1.19	-	622	1.00	AOT01C2102A	0.80	0.01	121	-
SALEE	0.66	0.03	192	-	SLM	-	-	-	-	AOT01C2102T	0.47	-	488	-
SANKO	0.97	0.01	646	-	SONIC	1.29	-	4,180	1.00	AOT01P2012A	0.04	-	3,381	-
SELIC	2.10	0.12	20,927	2.00	SPA	6.45	0.20	17,287	6.00	AOT01P2012B	0.10	(0.04)	4,987	-
SFT	4.12	0.02	113,956	4.00	THMUI	0.61	(0.02)	3,224	-	AOT01P2102T	0.28	-	3,263	-
SWC	4.40	(0.08)	2,099	4.00	TNDT	3.06	0.04	271	3.00	AOT06C2011A	0.04	(0.02)	305	-
TMC	0.68	-	1,946	-	TNH	33.50	0.50	82	32.00	AOT06C2102A	0.78	0.01	41,106	-
TMI	0.65	0.01	13,476	-	TNP	3.58	0.06	25,575	3.00	AOT06P2011A	-	-	-	-
TMW	34.25	1.75	538	33.00	TSF	-	-	-	-	AOT06P2103A	0.15	-	14,575	-
TPAC	12.90	(0.40)	417	13.00	TVD	0.97	(0.02)	20,868	-	AOT08C2101A	0.66	-	5	-
TPLAS	1.49	0.03	5,574	1.00	TVT	0.64	-	1,185	-	AOT08P2102A	0.23	(0.01)	7,501	-
UBIS	5.40	0.05	215	5.00	VL	1.05	(0.03)	104,678	1.00	AOT11C2011A	0.17	(0.01)	60,560	-
UEC	0.87	-	2,142	-	WINNER	2.56	-	5,801	2.00	AOT11P2101A	0.08	(0.01)	2	-
UKEM	0.55	(0.01)	38,548	-	YGG	11.90	0.10	3,329	11.00	AOT13C2012A	0.70	(0.02)	10,004	-
UREKA	0.81	0.01	7,765	-	Technology (MAI)	-	-	-	-	AOT13C2101A	0.50	-	16,749	-
YUASA	15.80	0.10	1,605	15.00	APP	2.22	(0.06)	47,348	2.00	AOT13C2102A	0.99	(0.04)	2,619	-
ZIGA	2.68	(0.08)	31,470	2.00	COMAN	2.26	0.04	1,118	2.00	AOT13C2103A	0.47	(0.01)	345,198	-
Property & Construc														
ALL	3.16	-	486,344	3.00	ICN	2.42	0.04	29,740	2.00	AOT13P2011A	0.01	-	10	-
ARIN	0.88	(0.02)	2,273	-	IIG	19.30	(0.10)	6,205	19.00	AOT13P2101A	0.11	(0.01)	30,050	-
ARROW	7.05	0.05	1,258	7.00	INSET	3.52	(0.02)	33,840	3.00	AOT13P2102A	0.13	-	119,214	-
BC	0.83	0.01	575	-	IRCP	0.71	0.02	3,569	-	AOT13P2103A	0.64	(0.02)	407,762	-
BSM	0.26	(0.01)	2,973	-	ITEL	2.96	(0.02)	10,085	2.00	AOT16C2012A	1.07	(0.04)	640	1.00
BTW	-	-	-	-	NETBAY	26.25	0.25	1,714	26.00	AOT19C2011A	0.02	0.01	1	-
CAZ	1.60	(0.01)	5,715	1.00	PLANET	1.14	(0.01)	3,806	1.00	AOT19C2011B	0.16	-	106,698	-
CHEWA	0.50	-	56,780	-	SICT	4.02	-	11,469	4.00	AOT19C2012A	0.61	0.02	26	-
CMC	0.71	-	1,460	-	SIMAT	3.60	0.08	2,708	3.00	AOT19C2102A	1.00	-	2	1.00
CRD	0.43	-	436	-	SKY	12.30	-	3,155	12.00	AOT19C2103A	0.34	-	52,766	-
DHOUSE	0.54	0.01	116,642	-	SPVI	3.14	0.10	79,154	3.00	AOT19P2011A	-	-	-	-
DIMET	0.14	0.01	442,909	-	TP									

Main Board Quotation

Issue Date :

Monday November 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP28C2012B	0.09	(0.01)	6,084	-	BCPG13C2012A	-	-	-	-	BPP13C2011A	-	-	-	-
AP28C2013A	0.28	0.01	29,932	-	BCPG13C2012B	-	-	-	-	BPP13C2012A	0.12	(0.01)	5,812	-
AWC01C2101A	0.40	0.05	13	-	BCPG13C2012A	0.26	-	81,537	-	BPP13C2013A	0.35	(0.01)	133,908	-
AWC01C2103A	-	-	-	-	BCPG19C2011A	-	-	-	-	BPP19C2012A	0.13	(0.01)	11,873	-
AWC01P2103A	0.98	(0.04)	5	-	BCPG19C2012A	0.11	-	6	-	BTS01C2101A	0.13	0.02	53,158	-
AWC06C2011A	0.01	-	2,880	-	BCPG19C2101A	-	-	-	-	BTS01C2103A	0.66	0.08	10,853	-
AWC06C2103A	0.67	(0.02)	44,986	-	BCPG28C2012A	0.03	-	6	-	BTS01P2103A	0.26	(0.04)	34,061	-
AWC06P2012A	0.03	(0.01)	679	-	BCPG28C2012B	-	-	-	-	BTS06P2103A	0.17	(0.03)	37,286	-
AWC08C2012A	0.12	(0.01)	9,800	-	BCPG28C2012C	-	-	-	-	BTS11C2011A	-	-	-	-
AWC11C2102A	0.43	-	50,045	-	BCPG28C2101A	0.10	-	2,215	-	BTS13C2011A	-	-	-	-
AWC13C2011A	-	-	-	-	BCPG28C2103A	0.25	0.01	15,128	-	BTS13C2012A	0.08	0.01	243	-
AWC13C2101A	0.31	(0.02)	15,891	-	BCPG28C2103L	0.14	(0.01)	18,253	-	BTS13C2102A	0.49	0.04	17	-
AWC13C2102A	0.97	0.04	50	-	BDMS01C2101A	0.45	0.11	51	-	BTS13C2103A	0.24	0.02	269,236	-
AWC13C2102B	0.47	(0.02)	325,656	-	BDMS06C2102A	0.35	0.01	74,561	-	BTS13P2011A	-	-	-	-
AWC13P2011A	-	-	-	-	BDMS06C2103A	0.80	0.04	38,325	-	BTS13P2102A	0.10	(0.02)	21,363	-
AWC13P2102A	0.09	0.01	1,955	-	BDMS08C2011A	0.02	-	10	-	BTS19C2011A	-	-	-	-
AWC19C2101A	0.32	(0.02)	196,563	-	BDMS08C2101A	0.29	-	12,290	-	BTS19C2012A	0.29	0.05	12,658	-
AWC19C2102A	-	-	-	-	BDMS11C2011A	0.17	-	34,480	-	BTS19C2102A	0.55	0.09	3,599	-
AWC19C2103A	0.97	0.01	51	-	BDMS11P2104A	0.21	(0.01)	40,871	-	BTS19P2012A	-	-	-	-
AWC19P2011A	-	-	-	-	BDMS13C2011A	0.02	(0.01)	650	-	BTS19P2102A	0.17	(0.03)	40,050	-
AWC19P2102B	0.10	-	104,557	-	BDMS19C2101A	0.16	0.01	118,995	-	BTS24C2012A	-	-	-	-
AWC24C2103A	0.77	-	6,025	-	BDMS13C2101A	0.48	0.03	294,767	-	BTS41C2012A	-	-	-	-
AWC28C2012A	0.02	-	1,823	-	BDMS13P2102A	0.10	(0.01)	16,827	-	CBG01C2012A	0.10	-	23,102	-
AWC28C2012B	-	-	-	-	BDMS19C2011A	-	-	-	-	CBG01C2102A	0.50	0.02	34,985	-
AWC28C2101A	0.20	(0.01)	32,420	-	BDMS19C2102A	0.17	0.01	117,876	-	CBG01C2103T	0.38	-	12,914	-
AWC28C2103L	0.18	-	27,380	-	BDMS19C2102A	0.44	0.03	14,451	-	CBG01P2012A	0.15	(0.02)	3,406	-
AWC28C2104A	-	-	-	-	BDMS19P2102A	0.11	(0.01)	23,304	-	CBG01P2102A	0.54	(0.03)	6,998	-
AWC41C2011A	-	-	-	-	BDMS24C2101A	0.39	0.02	10,698	-	CBG06C2101A	0.03	(0.04)	6,400	-
AWC41C2102A	-	-	-	-	BDMS28C2012A	-	-	-	-	CBG06C2102A	0.53	0.02	40,453	-
AWC42C2101T	0.04	(0.02)	204	-	BDMS28C2012E	-	-	-	-	CBG08C2011A	0.31	0.01	17,511	-
BANP01C2101A	0.45	(0.01)	78,990	-	BDMS28C2101A	0.14	0.01	24,336	-	CBG11C2101A	0.36	0.01	11,605	-
BANP01C2103A	0.37	(0.01)	121,103	-	BDMS28C2102A	0.23	0.01	82,087	-	CBG13C2011A	-	-	-	-
BANP01P2101A	0.12	-	34,660	-	BDMS28C2103A	0.50	0.04	2,050	-	CBG13C2012A	0.11	0.01	77,758	-
BANP06C2101A	0.58	0.01	69,576	-	BDMS41C2012A	-	-	-	-	CBG13C2101A	0.38	0.01	53,465	-
BANP06P2011A	0.01	(0.04)	5,150	-	BDMS41P2011A	-	-	-	-	CBG13C2102A	0.54	0.02	160,819	-
BANP06P2103A	0.20	(0.01)	23,521	-	BDMS42C2101T	0.08	-	1,000	-	CBG13P2011A	-	-	-	-
BANP08C2102A	0.49	(0.02)	11,002	-	BEM01C2101A	0.10	-	3	-	CBG13P2101A	0.45	(0.04)	47,355	-
BANP08P2102A	0.16	(0.01)	4,354	-	BEM08C2102A	0.14	0.01	203	-	CBG16C2101A	0.40	0.01	6,232	-
BANP11C2104A	0.50	(0.01)	26,456	-	BEM11C2011A	-	-	-	-	CBG19C2011A	0.24	0.01	11,784	-
BANP13C2011A	-	-	-	-	BEM13C2011A	-	-	-	-	CBG19C2101B	0.01	(0.01)	220	-
BANP13C2012A	0.43	0.01	332,723	-	BEM13C2101A	0.28	-	123,463	-	CBG19C2101A	0.28	0.01	104,200	-
BANP13C2102A	0.33	0.01	276,064	-	BEM13P2102A	0.11	(0.01)	11,131	-	CBG19C2102A	0.54	0.02	118,050	-
BANP13P2012A	0.02	(0.02)	500	-	BEM19C2011A	-	-	-	-	CBG19P2011A	-	-	-	-
BANP13P2102A	0.23	(0.02)	144,223	-	BEM19C2101A	0.25	0.01	35,657	-	CBG19P2012A	0.25	(0.03)	50,603	-
BANP16C2101A	0.41	-	39,634	-	BEM19C2102A	0.45	0.02	11,922	-	CBG24C2102A	0.54	0.02	16,768	-
BANP19C2012A	-	-	-	-	BEM19P2102A	0.21	(0.01)	14,235	-	CBG41C2011A	-	-	-	-
BANP19C2102A	0.34	0.01	408,666	-	BEM28C2012A	-	-	-	-	CBG41C2011B	-	-	-	-
BANP19P2012A	-	-	-	-	BEM28C2103A	0.24	0.01	65,191	-	CBG41C2012A	0.04	-	300	-
BANP19P2102B	0.18	(0.01)	22,526	-	BEM28C2103B	0.41	0.01	49,922	-	CBG41P2012A	0.40	(0.04)	9,070	-
BANP24C2011A	-	-	-	-	BEM28C2104L	0.22	0.01	6,084	-	CBG42C2101T	0.53	(0.01)	10,300	-
BANP28C2012A	0.18	(0.01)	50,546	-	BGR101C2012A	-	-	-	-	CENT01C2103A	0.77	0.06	59,054	-
BANP28C2012B	0.14	(0.01)	41,546	-	BGR101C2102A	0.50	(0.02)	79,182	-	CENT01P2103A	0.60	(0.06)	46,344	-
BANP28C2101A	0.46	(0.01)	1,010	-	BGR10P2012A	-	-	-	-	CENT08C2012A	0.20	0.03	4,934	-
BANP28C2103A	0.31	-	73,021	-	BGR106C2102A	0.44	(0.04)	71,833	-	CENT11C2012A	-	-	-	-
BANP42C2012T	0.12	(0.01)	6,270	-	BGR106P2011A	-	-	-	-	CENT13C2011A	-	-	-	-
BBL06C2101A	-	-	-	-	BGR108C2101A	0.31	(0.02)	8,200	-	CENT13C2101A	0.53	0.03	316,693	-
BBL06P2011A	0.01	-	192	-	BGR11C2101A	0.15	(0.02)	50,661	-	CENT13P2011A	0.01	(0.03)	3,066	-
BBL08C2101A	0.38	-	86,668	-	BGR11C2012A	0.17	(0.03)	169,253	-	CENT19C2011A	-	-	-	-
BBL08C2103A	1.87	0.01	690	1.00	BGR13C2101A	0.35	(0.04)	344,354	-	CENT19C2011B	0.12	0.03	30,751	-
BBL08P2102A	0.28	(0.03)	30,290	-	BGR13P2011A	-	-	-	-	CENT19C2101A	0.50	0.03	143,117	-
BBL11C2011A	0.29	0.01	42,734	-	BGR13P2101A	0.06	(0.01)	800	-	CENT19P2011A	-	-	-	-
BBL11C2104A	1.53	0.08	10,890	1.00	BGR13P2103A	0.43	(0.57)	105,707	-	CENT24C2011A	0.16	0.02	103	-
BBL11P2102A	0.19	(0.01)	55,415	-	BGR19C2011A	-	-	-	-	CENT28C2012A	-	-	-	-
BBL13C2012A	0.38	0.02	11,884	-	BGR19C2012A	0.13	(0.01)	89,121	-	CENT28C2012B	-	-	-	-
BBL13C2012B	0.94	0.04	1	-	BGR19C2101A	0.42	(0.04)	35,693	-	CENT28C2101A	0.21	0.01	126,743	-
BBL13C2103A	0.63	-	7,008	-	BGR19P2102A	0.19	0.01	40,982	-	CENT28C2101B	0.07	0.01	4,671	-
BBL13C2103B	0.46	-	649,220	-	BGR124C2101A	0.47	(0.04)	19,713	-	CENT28C2103L	0.27	0.03	58,804	-
BBL13P2012A	0.09	(0.02)	59,542	-	BGR127C2101A	-	-	-	-	CHG06C2102A	0.15	(0.03)	26,340	-
BBL13P2103A	0.48	(0.52)	103,273	-	BGR127P2012A	-	-	-	-	CHG13C2012A	0.08	(0.01)	4,306	-
BBL19C2011A	0.03	0.01	1	-	BGR141C2012A	-	-	-	-	CHG19C2011A	-	-	-	-
BBL19C2011B	-	-	-	-	BGR141C2101A	-	-	-	-	CHG19C2103A	0.17	(0.01)	17,043	-
BBL19C2012A	-	-	-	-	BGR142C2101T	-	-	-	-	CK01C2101A	0.18	0.01	42	-
BBL19C2101A	0.52	0.01	19,863	-	BH01C2103A	-	-	-	-	CK01P2101A	0.29	(0.02)	23,991	-
BBL19C2101B	1.30	0.01	200	1.00	BH13C2012A	0.06	-	4,030	-	CK06C2102A	0.22	-	17,002	-
BBL19P2011A	-	-	-	-	BH13C2101A	0.47	(0.01)	8,115	-	CK06C2103A	-	-	-	-
BBL19P2012A	-	-	-	-	BH13C2103A	0.40	(0.01)	97,674	-	CK06P2012A	0.19	(0.01)	22,240	-
BBL19P2103A	0.45	(0.01)	160,187	-	BH13P2101A	0.13	(0.01)	44,257	-	CK11C2012A	-	-	-	-
BBL24C2102A	1.60	0.01	2,944	1.00	BH19C2012A	0.09	-	93,792	-	CK13C2012A	0.11	0.01	16,027	-
BBL28C2012A	0.06	(0.02)	1,117	-	BH19C2101A	0.90	0.03	7	-	CK13C2102A	0.52	0.02	5,463	-
BBL28C2101A	0.26	0.01	102,335	-	BH19C2103A	0.35	(0.65)	120,529	-	CK13C2103A	0.37	-	101,652	-
BBL28C2103A	-	-	-	-	BH19P2012A	0.18	(0.01)	77,104	-	CK19C2011A	-	-	-	-
BBL28C2104L	0.27	0.01	93,716	-	BH24C2102A	0.23	(0.01)	50,147	-	CK19C2012A	0.16	0.02	5,097	-
BBL41C2011A	-	-	-	-	BH41C2012A	-	-	-	-	CK19C2103A	0.40	0.01	29,149	-
BBL41C2012A	-	-	-	-	BJ01C2101A	0.13	(0.01)	12,100	-	CK19P2011A	-	-	-	-
BBL41C2012B	0.38	0.02	176,886	-	BJ01P2101A	0.30	0.01	38,597	-	CK19P2102A	0.18	(0.01)	2	-
BBL41C2102A	1.83	0.02	2,334	1.00	BJ06C2102A	0.10	-	16,500	-	CK24C2102A	0.20	0.01	5,020	-
BBL41P2011A	-	-	-	-	BJ06C2104A	0.30	(0.02)	35,780	-	CK41C2011A	-	-	-	-
BBL41P2102A	0.31	(0.02)	30,345	-	BJC11C2102A	0.13	(0.01)	21,640	-	CK41C2012A	0.12	0.02	4	-
BBL42C2101T	0.10	-	10,200	-	BJC13C2011A</									

Main Board Quotation

Issue Date :

Monday November 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP19C2102A	0.53	-	46,926	-	CPN13C2102A	-	-	-	-	EGCO01P2101A	0.58	0.02	36,950	-
CKP19P2012A	0.24	(0.02)	3,948	-	CPN13C2103A	0.56	0.01	249,435	-	EGCO13C2011A	-	-	-	-
CKP24C2011A	-	-	-	-	CPN19C2011A	0.02	-	4,000	-	EGCO13C2012A	0.06	(0.01)	160	-
CKP28C2012A	-	-	-	-	CPN19C2012A	0.24	-	102,788	-	EGCO13C2012B	0.11	(0.02)	62,916	-
CKP28C2012B	-	-	-	-	CPN19C2102A	0.62	0.04	31,410	-	EGCO13C2101A	0.51	(0.06)	215,452	-
CKP28C2103A	0.15	-	1,636	-	CPN19P2101A	0.06	(0.01)	14,060	-	EGCO13P2011A	0.27	(0.03)	44,630	-
COM701C2103A	0.32	(0.04)	36,042	-	CPN24C2011A	-	-	-	-	EGCO19C2011A	-	-	-	-
COM706C2012A	0.44	-	261	-	CPN24C2102A	0.94	0.02	14,137	-	EGCO19C2012A	-	-	-	-
COM706C2103A	0.41	(0.05)	28,115	-	CPN41C2012A	0.21	0.02	1,900	-	EGCO19C2012B	0.26	(0.04)	63,945	-
COM708C2011A	-	-	-	-	CPN41C2101A	0.26	0.03	9,882	-	EGCO19C2102A	0.85	(0.08)	100,783	-
COM708C2102A	0.27	(0.03)	44,767	-	CPN41C2102A	1.06	0.01	23,164	1.00	EGCO19P2011A	0.47	-	18,440	-
COM711C2101A	0.33	(0.04)	42,235	-	CPN41P2011A	-	-	-	-	EGCO19P2012A	0.36	0.03	124,783	-
COM711P2102A	0.50	0.02	6,380	-	CPN41P2102A	0.09	-	512	-	EGCO04C2101A	0.08	-	1,249	-
COM713C2011A	-	-	-	-	CRC01C2101A	0.26	0.02	34,884	-	EGCO04C2101T	0.02	-	500	-
COM713C2101A	0.19	(0.02)	32,437	-	CRC01P2101A	0.15	(0.01)	10,041	-	EPG13C2012A	0.13	(0.01)	111,835	-
COM713C2103A	0.36	(0.64)	311,548	-	CRC06C2102A	0.36	0.02	34,519	-	EPG13C2102A	0.93	0.18	40	-
COM716C2101A	0.22	(0.02)	3,844	-	CRC08C2101A	0.26	0.03	3,303	-	EPG13C2102B	0.27	-	121,516	-
COM719C2011A	-	-	-	-	CRC11P2104A	0.35	(0.02)	3,584	-	EPG19C2011A	0.06	(0.01)	4,302	-
COM719C2011B	-	-	-	-	CRC13C2011A	-	-	-	-	EPG19C2102A	-	-	-	-
COM719C2012A	0.13	(0.03)	48,670	-	CRC13C2012A	0.17	0.02	116,462	-	EPG19C2103A	0.30	0.01	73,720	-
COM719C2103A	0.31	(0.04)	49,862	-	CRC13C2101A	0.37	0.04	10,690	-	EPG42C2101T	0.34	(0.02)	7,290	-
COM719P2011A	-	-	-	-	CRC13P2012A	-	-	-	-	ESSO01C2012A	0.10	-	40,570	-
COM719P2012A	-	-	-	-	CRC16C2102A	0.44	0.03	4,044	-	ESSO01P2012A	0.13	(0.02)	53,027	-
COM719P2101A	0.21	0.02	41,761	-	CRC19C2011A	0.01	(0.01)	2,000	-	ESSO06C2011A	-	-	-	-
COM719P2102A	0.55	0.03	44,780	-	CRC19C2102A	0.18	0.02	57,007	-	ESSO06C2103A	0.44	-	41,412	-
COM724C2012A	0.17	(0.05)	22,268	-	CRC19C2101A	0.40	0.04	1,939	-	ESSO08C2011A	0.05	(0.02)	340	-
COM741C2101A	0.12	(0.04)	68,038	-	CRC19P2011A	-	-	-	-	ESSO08C2102A	0.36	-	79,000	-
CPAL01C2101A	0.18	-	40,288	-	CRC24C2101A	0.23	0.02	13,677	-	ESSO13C2012A	0.14	(0.01)	174,969	-
CPAL01C2103A	0.60	-	24,545	-	CRC28C2012A	0.04	-	11	-	ESSO13C2102A	0.39	(0.01)	205,993	-
CPAL01P2101A	0.28	(0.02)	65,302	-	CRC28C2101A	0.22	0.01	30,622	-	ESSO19C2011A	0.01	-	604	-
CPAL06C2102A	0.16	-	72,061	-	CRC28C2103A	-	-	-	-	ESSO19C2012A	0.14	-	43,724	-
CPAL06C2104A	0.46	-	58,250	-	CRC41C2012A	0.18	0.01	11,880	-	ESSO19C2103A	0.40	-	137,381	-
CPAL06P2012A	0.13	(0.01)	41,380	-	DELT11C2011A	-	-	-	-	ESSO19P2012A	0.07	(0.01)	19,402	-
CPAL08C2011A	-	-	-	-	DOHO01C2103/	0.35	(0.02)	28,965	-	ESSO24C2011A	0.08	0.01	3	-
CPAL08C2102A	0.26	(0.01)	14,200	-	DOHO01P2103/	0.58	-	14,410	-	ESSO28C2101A	-	-	-	-
CPAL08P2101A	0.36	-	136	-	DOHO06C2012/	0.09	(0.01)	26,392	-	ESSO28C2101B	0.12	-	48,672	-
CPAL11C2012A	-	-	-	-	DOHO08C2012/	0.21	(0.01)	20,393	-	ESSO41C2011A	-	-	-	-
CPAL13C2012A	0.06	(0.01)	7,450	-	DOHO11C2101/	0.26	0.01	12,256	-	ESSO42C2101T	-	-	-	-
CPAL13C2101A	0.27	(0.01)	379,032	-	DOHO13C2011/	0.01	-	6,109	-	GFPT08C2011A	-	-	-	-
CPAL13C2102A	0.57	(0.01)	19,854	-	DOHO13C2101/	0.08	(0.01)	88,463	-	GFPT19C2012A	0.09	0.01	152,320	-
CPAL13P2011A	-	-	-	-	DOHO13C2103/	0.30	(0.01)	98,092	-	GFPT19C2103A	0.31	-	85,489	-
CPAL13P2102A	0.19	(0.01)	48,825	-	DOHO19C2011/	0.06	0.01	1,201	-	GFPT24C2012A	0.03	(0.01)	160	-
CPAL16C2103A	0.51	(0.33)	3,828	-	DOHO19C2101/	0.12	(0.01)	70,680	-	GFPT42C2101T	-	-	-	-
CPAL19C2011A	-	-	-	-	DOHO19C2103/	0.31	(0.01)	43,324	-	GLOB01C2012A	-	-	-	-
CPAL19C2012A	0.13	0.01	39,112	-	DOHO28C2012/	0.06	(0.01)	90	-	GLOB01C2102A	0.33	(0.02)	14,252	-
CPAL19C2102A	0.28	0.01	48,221	-	DOHO28C2102/	0.14	(0.01)	7,606	-	GLOB13C2011A	-	-	-	-
CPAL19C2103A	0.54	-	502	-	DOHO42C2012/	-	-	-	-	GLOB13C2102A	0.19	(0.02)	75,621	-
CPAL19P2101A	0.22	(0.01)	96,060	-	DTAC01C2101A	0.14	0.02	51,356	-	GLOB19C2012A	-	-	-	-
CPAL24C2103A	0.44	(0.01)	13,168	-	DTAC01P2101A	0.15	(0.03)	43,547	-	GLOB19C2102A	0.23	(0.02)	87,776	-
CPAL27C2101A	-	-	-	-	DTAC06C2012A	0.01	-	12,755	-	GPSCO1C2012A	0.10	-	961	-
CPAL28C2012A	0.02	-	630	-	DTAC06C2103A	0.33	0.04	189,050	-	GPSCO1C2101A	0.49	(0.06)	104,521	-
CPAL28C2012B	-	-	-	-	DTAC06P2012A	0.20	(0.05)	33,585	-	GPSCO1C2103A	1.42	(0.11)	30,912	1.00
CPAL28C2012C	-	-	-	-	DTAC08C2012A	-	-	-	-	GPSCO1P2012A	0.11	0.01	160,713	-
CPAL28C2102A	0.12	-	32,041	-	DTAC08C2101A	0.14	0.01	4,599	-	GPSCO6C2011A	-	-	-	-
CPAL28C2103A	0.31	(0.01)	56,850	-	DTAC13C2011A	-	-	-	-	GPSCO6C2101A	0.19	(0.05)	69,256	-
CPAL28C2103B	0.56	0.03	10	-	DTAC13C2012A	0.08	0.01	1,095	-	GPSCO6C2103A	-	-	-	-
CPAL28C2104L	0.15	(0.01)	3,927	-	DTAC13C2101A	0.16	0.04	129,965	-	GPSCO6P2011A	-	-	-	-
CPAL41C2011A	-	-	-	-	DTAC13C2103A	0.34	0.06	60,158	-	GPSCO8C2101A	0.26	(0.04)	4,099	-
CPAL41C2101A	0.24	0.01	4,000	-	DTAC13P2011A	-	-	-	-	GPSCO8C2103A	0.97	(0.08)	1,461	1.00
CPAL41C2101B	0.50	(0.01)	1,970	-	DTAC13P2101A	0.08	(0.03)	120	-	GPSC11C2102A	0.43	(0.05)	55,512	-
CPAL41P2011A	-	-	-	-	DTAC13P2103A	0.31	(0.69)	39,154	-	GPSC13C2012A	0.08	(0.03)	466	-
CPAL41P2101A	0.32	(0.01)	30,428	-	DTAC19C2011A	-	-	-	-	GPSC13C2012B	0.21	(0.06)	24,836	-
CPAL41P2101B	0.12	(0.02)	100	-	DTAC19C2012A	-	-	-	-	GPSC13C2101A	0.63	(0.07)	13,504	-
CPAL42C2101T	-	-	-	-	DTAC19C2101A	0.18	0.03	79,346	-	GPSC13C2102A	1.00	(0.14)	13,598	1.00
CPF01C2012A	-	-	-	-	DTAC19C2103A	0.36	0.04	61,442	-	GPSC13C2103A	0.61	(0.06)	959,871	-
CPF01C2101A	0.14	0.01	6,685	-	DTAC19P2011A	0.04	(0.04)	4,002	-	GPSC13P2011A	-	-	-	-
CPF01P2012A	0.28	(0.01)	22,005	-	DTAC24C2012A	-	-	-	-	GPSC13P2011B	-	-	-	-
CPF06C2102A	0.12	-	18,137	-	DTAC28C2012A	-	-	-	-	GPSC13P2102A	0.18	0.01	801	-
CPF06P2011A	-	-	-	-	DTAC28C2102A	0.09	(0.02)	15,210	-	GPSC13P2102B	0.52	0.03	180,731	-
CPF08C2102A	0.13	-	100	-	DTAC28C2103A	0.23	0.03	63,429	-	GPSC16C2103A	0.91	(0.12)	10,672	-
CPF08P2103A	-	-	-	-	DTAC28C2104L	0.18	0.02	20,745	-	GPSC19C2012A	0.17	(0.02)	126,307	-
CPF11C2104A	0.30	0.01	32,010	-	DTAC41C2011A	-	-	-	-	GPSC19C2101A	0.37	(0.07)	731,594	-
CPF11P2104A	0.32	-	19,471	-	DTAC41C2012A	-	-	-	-	GPSC19C2101B	0.69	(0.06)	485	-
CPF13C2011A	-	-	-	-	DTAC42C2101T	0.03	-	20	-	GPSC19C2102A	1.03	(0.15)	6,211	1.00
CPF13C2012A	0.04	0.01	1,150	-	EA06C2102A	0.36	(0.02)	31,015	-	GPSC19P2011A	0.06	(0.03)	1,060	-
CPF13C2101A	0.10	0.01	31,979	-	EA06P2012A	0.06	(0.01)	8,378	-	GPSC19P2012A	0.06	(0.02)	10,000	-
CPF13C2102A	0.19	-	82,903	-	EA08C2101A	0.35	(0.02)	2,800	-	GPSC19P2102A	0.21	0.01	74,883	-
CPF13P2012A	0.25	(0.02)	52	-	EA11C2101A	0.08	(0.01)	4	-	GPSC19P2103A	0.66	0.04	84,112	-
CPF13P2101A	0.11	(0.02)	42,307	-	EA13C2011A	-	-	-	-	GPSC24C2011A	-	-	-	-
CPF16C2012A	-	-	-	-	EA13C2012A	0.11	(0.02)	60,623	-	GPSC28C2101A	0.23	(0.04)	64,237	-
CPF19C2012A	0.02	(0.01)	89,507	-	EA13C2101A	0.39	(0.02)	18,320	-	GPSC28C2103A	-	-	-	-
CPF19C2102A	0.15	0.01	24,082	-	EA13C2103A	0.33	(0.02)	105,254	-	GPSC28C2104L	0.26	(0.03)	57,978	-
CPF19C2103A	0.26	0.01	48,923	-	EA13P2011A	-	-	-	-	GPSC41C2011A	-	-	-	-
CPF19P2012A	-	-	-	-	EA13P2101A	0.08	0.01	371	-	GPSC41C2012A	-	-	-	-
CPF19P2101A	0.14	(0.01)	3,000	-	EA13P2103A	0.48	-	42,923	-	GPSC42C2101T	-	-	-	-
CPF24C2012A	-	-	-	-	EA16C2012A	-	-	-	-	GULF01C2012A	0.13	(0.01)	36,329	-
CPF28C2012A	0.03	-	906	-	EA16C2102A	0.44	(0.02)	13,320	-	GULF01C2102A	0.37	(0.04)	61,120	-
CPF28C2012B	-	-	-	-	EA19C2012A	0.13	(0.03)	49,986	-	GULF01P2012A	0.02			

Main Board Quotation

Issue Date :

Monday November 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF19C2101A	0.25	(0.03)	413,566	-	HSI41P2011A	-	-	-	-	JAS28C2102A	0.14	(0.01)	47,008	-
GULF19C2103A	0.48	(0.03)	21,513	-	HSI41P2011B	-	-	-	-	JAS41C2011A	-	-	-	-
GULF19P2012A	-	-	-	-	HSI41P2011C	-	-	-	-	JAS41C2102A	0.24	0.01	65,571	-
GULF19P2102A	0.08	(0.01)	380	-	HSI41P2011D	-	-	-	-	JMT01C2102A	0.26	(0.04)	18,566	-
GULF19P2103A	0.24	0.02	230,922	-	HSI41P2011E	-	-	-	-	JMT06C2102A	0.20	(0.03)	27,846	-
GULF24C2101A	0.22	(0.03)	14,347	-	HSI41P2012A	0.05	-	230	-	JMT06C2103A	0.26	(0.03)	28,210	-
GULF28C2012A	0.01	(0.01)	31,999	-	HSI41P2012B	0.24	(0.05)	12,963	-	JMT08C2101A	0.20	(0.02)	12,272	-
GULF28C2012B	-	-	-	-	HSI41P2012C	0.15	(0.03)	320	-	JMT11C2102A	0.24	(0.02)	10,100	-
GULF28C2101A	0.13	(0.02)	30,706	-	HSI41P2012T	0.22	(0.04)	269	-	JMT13C2011B	-	-	-	-
GULF28C2102A	0.18	(0.02)	50,967	-	HSI41P2012V	0.35	(0.03)	28,065	-	JMT13C2012A	0.10	(0.01)	186,487	-
GULF28C2103A	-	-	-	-	HSI41P2101A	0.08	(0.01)	200	-	JMT13C2102A	0.25	(0.03)	119,282	-
GULF41C2011A	-	-	-	-	INTU01C2101A	0.21	-	27,458	-	JMT16C2102A	0.29	(0.04)	5,829	-
GULF41C2012A	-	-	-	-	INTU01P2101A	0.41	0.01	44,741	-	JMT19C2011A	-	-	-	-
GULF41C2102A	0.24	(0.03)	111,482	-	INTU06C2103A	0.36	(0.03)	33,640	-	JMT19C2012A	0.11	(0.02)	15,571	-
GULF41C2102B	0.56	(0.03)	17,850	-	INTU06P2011A	-	-	-	-	JMT19C2102A	0.20	(0.03)	55,809	-
GULF41P2011A	-	-	-	-	INTU11C2103A	0.40	(0.01)	34,680	-	JMT24C2011A	-	-	-	-
GULF41P2012A	-	-	-	-	INTU13C2101A	0.27	(0.03)	139,710	-	JMT28C2101A	0.18	(0.02)	13,168	-
GULF41P2102A	-	-	-	-	INTU19C2012A	0.10	-	34,481	-	JMT28C2104L	0.17	(0.02)	33,462	-
GULF41P2102B	0.28	-	45,100	-	INTU19C2101A	0.30	(0.03)	40,127	-	JMT41C2012A	-	-	-	-
GULF42C2101T	-	-	-	-	INTU19P2012A	0.24	-	70,304	-	JMT42C2101T	-	-	-	-
GULF42P2101T	0.07	(0.01)	10	-	INTU21C2111A	0.64	(0.02)	20	-	KBAN01C2012A	0.73	-	46,002	-
GUNK01C2012A	-	-	-	-	INTU28C2012A	-	-	-	-	KBAN01C2012B	0.44	(0.01)	43,265	-
GUNK13C2011A	-	-	-	-	INTU28C2102A	0.14	(0.01)	35,857	-	KBAN01C2102A	1.44	0.03	1,352	1.00
GUNK13C2101A	0.12	0.01	54,299	-	INTU28C2103A	0.33	(0.03)	47,066	-	KBAN01C2102T	0.85	0.01	20,388	-
GUNK13C2102A	0.30	0.02	556	-	INTU41C2012A	-	-	-	-	KBAN01P2012A	0.06	-	2,335	-
GUNK19C2012A	-	-	-	-	INTU42C2101T	-	-	-	-	KBAN01P2101A	0.16	(0.01)	44,380	-
GUNK19C2101A	0.09	0.01	1,102	-	IRPC01C2101A	0.26	0.02	55,846	-	KBAN01P2102T	0.29	(0.01)	35,737	-
GUNK19C2103A	0.24	0.01	16,683	-	IRPC01C2103A	0.49	0.05	41,230	-	KBAN06C2011A	-	-	-	-
GUNK24C2012A	0.03	0.01	20,420	-	IRPC01P2101A	0.09	(0.01)	1,382	-	KBAN06C2012A	0.18	-	182,037	-
GUNK28C2012A	0.03	-	6	-	IRPC06C2103A	0.56	0.05	60,681	-	KBAN06C2103A	1.70	0.18	907	1.00
GUNK28C2012B	-	-	-	-	IRPC11C2102A	0.26	0.04	54,130	-	KBAN06P2011A	0.01	(0.04)	60	-
GUNK28C2102A	0.06	-	200	-	IRPC13C2011A	-	-	-	-	KBAN06P2103A	0.11	(0.02)	38,759	-
GUNK28C2103A	0.16	0.01	9,429	-	IRPC13C2012A	0.14	0.04	6,290	-	KBAN08C2011A	0.02	-	1,600	-
HANA01C2012A	0.10	(0.03)	12,000	-	IRPC13C2012B	0.28	0.06	2,005	-	KBAN08C2101A	0.48	0.01	27,962	-
HANA01C2102A	0.08	0.01	2,583	-	IRPC13C2101A	1.10	0.37	141	1.00	KBAN08C2103A	1.44	0.05	7,866	1.00
HANA01C2102B	0.19	(0.03)	9,100	-	IRPC13C2102A	0.54	0.07	102	-	KBAN08P2101A	0.26	(0.02)	54,874	-
HANA01P2102A	1.07	0.05	15,816	1.00	IRPC13C2103A	0.33	0.03	334,821	-	KBAN13C2011A	0.07	(0.01)	11,010	-
HANA06C2102A	0.09	(0.01)	11,665	-	IRPC13P2011A	-	-	-	-	KBAN13C2012A	0.36	-	35,162	-
HANA11C2103A	0.25	(0.04)	17,669	-	IRPC13P2012A	0.02	(0.01)	5,300	-	KBAN13C2012B	0.76	0.03	10,305	-
HANA13C2011A	-	-	-	-	IRPC19C2011A	0.04	0.01	10	-	KBAN13C2101A	1.21	0.01	75,444	1.00
HANA13C2012A	0.01	(0.01)	221,613	-	IRPC19C2012A	-	-	-	-	KBAN13C2102A	0.78	-	899,906	-
HANA13C2102A	0.11	(0.02)	112,616	-	IRPC19C2101A	0.29	0.03	239,537	-	KBAN13P2011A	0.09	-	47,776	-
HANA13C2102B	0.21	(0.03)	262,222	-	IRPC19C2103A	0.51	0.06	506	-	KBAN13P2012A	0.09	-	47,776	-
HANA13P2101A	0.88	0.05	2,604	-	IRPC19P2011A	-	-	-	-	KBAN16C2101A	1.33	0.04	6,222	1.00
HANA16C2101A	0.10	(0.02)	31,490	-	IRPC19P2012A	-	-	-	-	KBAN19C2011A	-	-	-	-
HANA19C2012A	0.04	(0.01)	30,795	-	IRPC24C2012A	0.12	0.02	36,619	-	KBAN19C2012A	0.55	-	218,189	-
HANA19C2101A	0.04	(0.02)	8,289	-	IRPC28C2012A	0.02	0.01	100	-	KBAN19C2012B	0.32	0.01	395,297	-
HANA19C2102A	0.13	(0.01)	39,057	-	IRPC28C2101A	0.12	0.02	40,494	-	KBAN19C2101A	1.19	0.02	59,186	1.00
HANA19C2103A	0.33	(0.03)	233,991	-	IRPC28C2103A	0.27	0.04	46,630	-	KBAN19P2012A	0.04	(0.02)	3,558	-
HANA19P2011A	-	-	-	-	IRPC28C2103B	-	-	-	-	KBAN19P2103A	0.32	(0.01)	237,570	-
HANA19P2101A	0.91	0.12	592	-	IRPCA1C2101A	0.16	0.01	31,628	-	KBAN24C2012A	0.40	(0.01)	24,141	-
HANA24C2012A	0.11	(0.03)	9,940	-	IVL01C2012A	0.10	-	3,444	-	KBAN24C2103A	1.53	0.02	19,976	1.00
HANA27P2012X	0.07	0.01	1,601	-	IVL01C2012B	0.47	0.06	28,536	-	KBAN28C2012A	-	-	-	-
HANA28C2012A	-	-	-	-	IVL01C2102A	0.24	0.04	59,897	-	KBAN28C2012B	0.03	(0.01)	100	-
HANA28C2104L	0.09	(0.01)	350	-	IVL01C2102B	1.04	0.12	9,770	1.00	KBAN28C2101A	0.47	(0.01)	83,036	-
HANA41C2012A	-	-	-	-	IVL01C2103T	0.68	0.06	21,937	-	KBAN28C2103A	-	-	-	-
HANA42C2101T	0.11	(0.03)	3,060	-	IVL01P2012A	0.08	(0.03)	6,470	-	KBAN28C2104L	0.38	-	68,382	-
HMPR01C2012A	-	-	-	-	IVL01P2102A	0.24	(0.05)	116,450	-	KBAN28P2012A	-	-	-	-
HMPR01C2103A	0.46	0.01	12,252	-	IVL06C2101A	0.47	0.09	37,600	-	KBAN41C2011A	-	-	-	-
HMPR01P2012A	0.18	(0.02)	32,979	-	IVL06C2103A	1.34	0.23	790	1.00	KBAN41C2012A	0.52	0.03	44,450	-
HMPR06C2102A	0.31	0.01	28,900	-	IVL06P2011A	-	-	-	-	KBAN41C2101A	1.01	0.04	5,566	1.00
HMPR06P2103A	0.22	(0.01)	28,765	-	IVL08C2101A	0.56	0.05	1,001	-	KBAN41C2101B	0.78	0.03	136,994	-
HMPR11C2011A	0.13	-	19,380	-	IVL08P2011A	-	-	-	-	KBAN41P2011A	-	-	-	-
HMPR13C2012A	0.12	-	58,251	-	IVL08P2102A	0.20	(0.05)	40,292	-	KBAN41P2101B	0.12	(0.02)	2,956	-
HMPR13C2102A	0.38	(0.04)	1,840	-	IVL11C2012A	0.14	0.02	42,312	-	KBAN41P2101C	0.59	(0.04)	46,738	-
HMPR19C2102A	0.27	-	73,454	-	IVL13C2011A	-	-	-	-	KBAN42C2101T	-	-	-	-
HMPR19P2011A	-	-	-	-	IVL13C2012A	0.29	0.04	85,258	-	KBAN42P2101T	0.23	(0.04)	10	-
HSC41C2101A	0.88	(0.02)	160,135	-	IVL13C2012B	0.08	0.01	23,658	-	KCE01C2012A	0.32	(0.03)	30,239	-
HSC41P2101A	0.69	(0.03)	4,154	-	IVL13C2101A	0.96	0.15	3,063	-	KCE01C2101A	0.44	(0.03)	26,340	-
HSI28C2011A	2.04	0.12	26,251	1.00	IVL13C2103A	0.32	0.04	358,014	-	KCE01C2102A	0.26	(0.01)	23,383	-
HSI28C2011B	1.02	0.02	205,010	-	IVL13P2012A	0.02	(0.01)	2,600	-	KCE01P2011A	-	-	-	-
HSI28C2011C	0.10	(0.03)	40,607	-	IVL13P2102A	0.20	(0.04)	159,392	-	KCE01P2101A	0.22	(0.01)	34,122	-
HSI28C2011L	0.26	(0.01)	56,929	-	IVL16C2102A	1.12	0.16	2,053	1.00	KCE06C2012A	-	-	-	-
HSI28C2012A	2.26	0.16	2,994	2.00	IVL19C2011A	0.13	0.04	2,000	-	KCE06C2012B	0.76	(0.01)	1,307	-
HSI28C2012B	1.39	0.06	3,320,533	1.00	IVL19C2012A	0.51	0.07	100	-	KCE06C2102A	0.39	(0.02)	29,879	-
HSI28C2012C	0.82	0.03	2,625,961	-	IVL19C2012B	-	-	-	-	KCE08C2012A	0.60	0.01	400	-
HSI28C2012D	0.46	0.05	8,104	-	IVL19C2103A	0.25	0.03	315,890	-	KCE08C2103A	0.36	(0.01)	25,670	-
HSI28C2012L	0.20	0.01	33,406	-	IVL19C2103B	0.22	0.03	49,760	-	KCE11C2101A	0.59	(0.02)	16,799	-
HSI28C2101L	0.21	-	26,744	-	IVL19P2011A	-	-	-	-	KCE13C2012A	0.31	(0.05)	281	-
HSI28C2102L	0.60	0.02	169	-	IVL19P2012A	0.02	(0.02)	4,455	-	KCE13C2102A	0.25	(0.03)	204,740	-
HSI28C2103L	0.64	0.02	211	-	IVL19P2103A	0.17	(0.01)	81,117	-	KCE13P2012A	-	-	-	-
HSI28P2011A	0.01	(0.01)	70,606	-	IVL24C2012A	0.56	0.06	9,152	-	KCE13P2101A	0.07	(0.01)	70	-
HSI28P2011B	0.01	-	12,602	-	IVL28C2012A	0.03	0.02	35,594	-	KCE13P2102A	0.29	0.01	214,484	-
HSI28P2011C	-	-	-	-	IVL28C2012B	0.03	-	6	-	KCE16C2012A	0.37	(0.03)	2,573	-
HSI28P2011L	0.01	(0.02)	1,111	-	IVL28C2101A	0.38	0.07	4	-	KCE19C2011A	-	-	-	-
HSI28P2012A	0.29	(0.06)	208,237	-	IVL28C2103A	-	-	-	-	KCE19C2012A	0.29	(0.02)	17,205	-
HSI28P2012B														

Main Board Quotation

Issue Date :

Monday November 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
RAT06C2102A	0.18	(0.03)	16,533	-	S5024C2103A	1.21	0.01	280,344	1.00	SCC01P2012A	0.20	-	18,600	-
RATC11C2103A	0.48	(0.03)	22,590	-	S5024P2012A	0.01	-	2,776	-	SCC06C2012A	0.04	(0.01)	397	-
RATC13C2012A	-	-	-	-	S5024P2012B	-	-	-	-	SCC06C2103A	0.61	(0.05)	73,386	-
RATC13C2101A	0.20	(0.04)	73,374	-	S5024P2012C	0.06	-	56,182	-	SCC08C2011A	-	-	-	-
RATC13P2011A	-	-	-	-	S5024P2012D	0.02	(0.01)	47,269	-	SCC11C2011A	0.16	(0.02)	15,160	-
RATC19C2011A	-	-	-	-	S5024P2012E	0.02	-	18,097	-	SCC13C2011A	0.02	(0.04)	11,000	-
RATC19C2012A	-	-	-	-	S5024P2103A	0.15	(0.02)	119,531	-	SCC13C2012A	0.14	(0.03)	129,915	-
RATC19C2101A	0.20	(0.02)	24,000	-	S5024P2103B	1.08	(0.06)	290,542	1.00	SCC13C2102A	0.57	(0.06)	40,000	-
RATC19C2102A	0.39	(0.03)	19,257	-	S5028C2012A	0.03	(0.01)	4,573	-	SCC13P2011A	0.09	(0.02)	450	-
RATC19P2011A	-	-	-	-	S5028C2012B	0.06	(0.01)	16,472	-	SCC13P2101A	-	-	-	-
RATC24C2012A	-	-	-	-	S5028C2012C	0.52	(0.01)	1,077,694	-	SCC13P2102A	0.31	-	75,781	-
RATC41C2012A	0.11	(0.01)	27,580	-	S5028C2012D	1.08	0.05	866	1.00	SCC19C2012A	0.21	(0.03)	56,248	-
RATC42C2102T	-	-	-	-	S5028C2012E	2.44	(0.14)	1,669	2.00	SCC19C2101A	0.53	(0.04)	55,978	-
RS06C2012A	0.11	(0.02)	13,211	-	S5028C2103A	-	-	-	-	SCC19P2011A	-	-	-	-
RS08C2011A	-	-	-	-	S5028C2103L	0.41	-	656,738	-	SCC19P2101A	0.30	-	114,225	-
RS08C2103A	0.34	(0.03)	15,591	-	S5028P2012A	0.46	(0.02)	696,803	-	SCC24C2012A	0.10	(0.02)	4,874	-
RS13C2101A	0.21	(0.01)	25,705	-	S5028P2012B	0.04	-	5,010	-	SCC28C2102A	0.21	(0.03)	22,412	-
RS19C2011A	-	-	-	-	S5028P2012C	0.03	-	298	-	SCC28C2103A	0.44	(0.04)	48,423	-
RS19C2011B	0.02	(0.03)	1,250	-	S5028P2103A	0.23	(0.02)	182,764	-	SCC28C2104L	0.24	(0.02)	15,168	-
RS19C2102A	0.23	(0.01)	72,257	-	S5028P2103L	0.36	(0.02)	68,428	-	SCC41C2011A	-	-	-	-
RS19P2012A	0.18	0.01	21,240	-	S5041C2012A	0.36	-	677,586	-	SCC41C2101A	0.19	(0.03)	37,800	-
RS28C2012A	-	-	-	-	S5041C2012B	0.18	0.03	400	-	SCC41C2101B	0.56	(0.05)	11,091	-
RS28C2101A	0.14	(0.02)	18,647	-	S5041C2012C	0.24	0.02	39,860	-	SCC41P2011A	-	-	-	-
RS28C2101L	0.30	(0.02)	20,168	-	S5041C2012D	0.61	(0.01)	1,156,941	-	SCC41P2101A	0.60	0.02	82,336	-
RS41C2011A	0.15	(0.05)	600	-	S5041C2012E	1.02	0.13	437	1.00	SCC41P2102A	0.29	0.02	21,371	-
RS42C2101T	-	-	-	-	S5041C2012F	1.13	(0.02)	12,401	1.00	SCGP01C2103A	0.43	0.06	132,685	-
S10001C2011A	0.02	-	270	-	S5041C2012U	1.41	-	913	1.00	SCGP01P2103A	0.27	(0.05)	54,466	-
S5001C2012F	0.29	-	135,314	-	S5041C2012V	-	-	-	-	SCGP06C2104A	0.50	0.08	89,801	-
S5001C2012G	0.91	0.08	781	-	S5041C2103T	2.30	0.02	20,661	2.00	SCGP13C2102A	0.37	0.06	911,900	-
S5001C2101A	1.44	0.05	10,482	1.00	S5041C2103U	2.02	0.02	539	2.00	SCGP13P2102A	0.22	(0.05)	137,790	-
S5001C2101B	1.96	0.09	98	1.00	S5041C2103V	1.11	0.02	821,928	1.00	SCGP19C2102A	0.29	0.06	574,481	-
S5001C2102T	1.69	0.01	237,280	1.00	S5041P2012A	0.11	-	2,771	-	SCGP19P2102A	0.18	(0.04)	25,297	-
S5001P2012F	0.21	(0.02)	68,747	-	S5041P2012B	0.09	(0.02)	1,800	-	SCGP28C2103A	0.36	0.06	128,508	-
S5001P2012G	0.07	(0.01)	22,461	-	S5041P2012C	0.10	(0.05)	50	-	SCGP28C2104L	0.22	0.03	29,997	-
S5001P2101A	0.21	(0.03)	32,290	-	S5041P2012E	-	-	-	-	SCGP41C2101A	0.37	0.08	323,867	-
S5001P2101B	0.21	(0.03)	3,851	-	S5041P2012F	-	-	-	-	SGP13C2102A	0.40	(0.01)	43,748	-
S5001P2102T	1.32	(0.02)	175,431	1.00	S5041P2012G	0.10	(0.02)	5	-	SGP19C2011A	-	-	-	-
S5006C2012A	0.23	(0.01)	457,041	-	S5041P2012U	0.17	(0.03)	12,948	-	SGP19C2102A	0.43	(0.01)	4,788	-
S5006C2012B	1.15	-	339,447	1.00	S5041P2103T	0.56	(0.02)	562,738	-	SGP42C2101T	-	-	-	-
S5006C2012C	2.44	(0.02)	486	2.00	S5041P2103U	0.30	-	10,080	-	SIRI19C2011A	-	-	-	-
S5006P2012A	0.03	-	24,447	-	S5041P2103V	1.16	(0.03)	149,976	1.00	SIRI19C2103A	0.21	0.03	71,070	-
S5006P2012B	0.04	(0.01)	26,882	-	S5042C2101G	2.86	(0.04)	30,276	3.00	SIRI42C2101T	-	-	-	-
S5006P2012C	0.01	-	2,753	-	S5042C2102T	1.05	-	78,211	1.00	SPAL06C2103A	0.51	0.08	15,839	-
S5008C2012A	0.15	(0.01)	113,937	-	S5042P2101G	0.02	(0.01)	55,597	-	SPAL13C2102A	-	-	-	-
S5008C2012B	0.33	(0.01)	387,612	-	S5042P2102G	0.85	(0.15)	239,917	-	SPAL19C2011A	0.28	0.04	8	-
S5008C2012C	1.05	(0.02)	40,411	1.00	S5042P2102T	0.14	(0.01)	8,947	-	SPAL19C2011B	-	-	-	-
S5008C2012D	2.40	0.24	116	2.00	SAWA01C2012J	0.37	-	763,724	-	SPAL19C2102A	0.44	0.05	5,004	-
S5008P2012A	0.16	(0.03)	24,218	-	SAWA01C2102J	0.56	-	104,444	-	SPAL27C2101A	0.13	0.01	642	-
S5008P2012B	0.03	(0.01)	1,668	-	SAWA01C2103I	0.43	-	45,888	-	SPRC01C2101A	0.20	(0.12)	26,190	-
S5011C2012A	0.94	(0.01)	48,220	1.00	SAWA01P2012J	0.13	(0.01)	95,039	-	SPRC01C2103A	-	-	-	-
S5011P2012A	0.10	(0.04)	470	-	SAWA01P2102J	0.42	(0.01)	105,562	-	SPRC01P2101A	0.22	(0.02)	24,193	-
S5013C2012A	0.18	(0.01)	1,889,808	-	SAWA06C2101J	0.58	-	131,218	-	SPRC06C2102A	0.25	0.02	44,428	-
S5013C2012B	0.24	(0.01)	6,871,121	-	SAWA08C2011J	0.03	(0.02)	21,220	-	SPRC06P2103A	0.10	(0.01)	16,672	-
S5013C2012C	0.36	(0.01)	4,472,795	-	SAWA08C2101J	0.47	0.02	24,039	-	SPRC08C2011A	-	-	-	-
S5013C2012D	0.39	(0.01)	5,901,503	-	SAWA11C2103J	0.67	0.02	86,236	-	SPRC11C2102A	0.29	0.01	39,430	-
S5013C2012E	0.75	-	748,592	-	SAWA13C2011J	0.10	(0.01)	105,539	-	SPRC13C2012A	0.08	(0.01)	510	-
S5013C2012F	1.08	-	113,230	1.00	SAWA13C2101J	0.38	(0.01)	481,774	-	SPRC13C2012B	0.16	-	121,396	-
S5013C2012G	1.62	0.06	74,301	1.00	SAWA16C2101J	0.43	0.02	6,208	-	SPRC13C2102A	0.54	(0.01)	21,501	-
S5013C2012H	2.20	-	8,170	2.00	SAWA19C2011J	-	-	-	-	SPRC19C2012A	0.12	-	57,594	-
S5013C2012I	3.62	(0.02)	2,519	3.00	SAWA19C2011J	0.34	-	361,076	-	SPRC19C2101A	0.33	0.02	100	-
S5013C2012J	2.52	(0.06)	1,224	2.00	SAWA19P2011J	-	-	-	-	SPRC19P2011A	-	-	-	-
S5013C2101A	0.79	0.01	123,268	-	SAWA19P2101J	0.29	(0.01)	55,187	-	SPRC28C2101A	0.12	-	31,280	-
S5013C2103A	0.89	0.01	4,079,459	-	SAWA24C2103J	0.55	0.01	22,983	-	SPRC42C2101T	-	-	-	-
S5013C2103B	0.61	-	2,689,793	-	SAWA28C2012J	0.19	-	56,606	-	SPX28C2012A	1.44	0.18	4,043	1.00
S5013P2012A	0.13	(0.02)	743,268	-	SAWA28C2012E	-	-	-	-	SPX28C2012B	0.67	0.11	15,568	-
S5013P2012B	0.11	(0.02)	551,825	-	SAWA28C2101J	0.33	0.01	117,332	-	SPX28C2012C	0.76	0.14	5,819	-
S5013P2012C	0.03	-	184,623	-	SAWA28C2102J	0.13	0.01	4,042	-	SPX28C2012D	0.38	0.06	18,798	-
S5013P2012D	0.02	-	100,936	-	SAWA41C2012J	0.21	(0.01)	66,838	-	SPX28C2103L	0.52	0.06	3,672	-
S5013P2012E	0.01	-	191,920	-	SAWA42C2101I	0.10	0.01	18,031	-	SPX28P2012A	0.07	(0.03)	20,620	-
S5013P2012F	0.01	-	188,125	-	SCB01C2101A	0.61	(0.01)	36,607	-	SPX28P2012B	0.04	(0.01)	110	-
S5013P2012G	0.02	-	120,689	-	SCB01C2103A	1.27	(0.01)	13,540	1.00	SPX28P2012C	0.31	(0.09)	4,594	-
S5013P2101A	0.40	(0.01)	64,681	-	SCB01C2103T	0.76	-	18,630	-	SPX28P2012D	0.16	(0.07)	4,900	-
S5013P2103A	0.53	(0.03)	10,406,300	-	SCB01P2101A	0.21	-	26,846	-	SPX28P2103L	0.22	(0.03)	5,065	-
S5013P2103B	0.95	(0.03)	8,625,013	-	SCB01P2103T	0.26	-	9,697	-	SPX41C2012A	0.94	0.16	14,484	-
S5016C2012A	0.23	0.03	47,160	-	SCB06C2103A	-	-	-	-	SPX41C2012B	0.39	0.08	109,054	-
S5016C2012B	-	-	-	-	SCB08C2101A	0.56	(0.03)	41,834	-	SPX41C2012C	0.22	0.06	9,910	-
S5016C2012C	-	-	-	-	SCB08P2012A	-	-	-	-	SPX41C2012T	1.16	0.19	7,485	1.00
S5016C2012D	-	-	-	-	SCB11C2102A	0.64	-	51,749	-	SPX41C2012U	1.86	0.31	358	1.00
S5016P2012A	0.13	(0.04)	230	-	SCB11P2012A	-	-	-	-	SPX41C2103T	1.08	0.12	8,690	1.00
S5016P2012B	-	-	-	-	SCB13C2011A	0.12	(0.02)	660	-	SPX41C2103U	1.26	0.16	148	1.00
S5016P2103Z	-	-	-	-	SCB13C2012A	0.76	(0.03)	1,462	-	SPX41P2012A	0.12	(0.04)	3,140	-
S5019C2012A	0.23	(0.01)	1,471,113	-	SCB13C2102A	1.26	(0.02)	3,987	1.00	SPX41P2012B	0.08	(0.03)	2,020	-
S5019C2012B	0.16	-	1,355,666	-	SCB13C2103A	0.81	(0.02)	704,900	-	SPX41P2012C	-	-	-	-
S5019C2012C	0.61	0.01	539,737	-	SCB13P2012A	0.09	0.04	251	-	SPX41P2012T				

Main Board Quotation

Issue Date :

Monday November 16, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STA19C2102A	0.07	(0.01)	50,679	-	TISC42C2101T	-	-	-	-	TU06C2102A	0.33	-	27,741	-
STA19C2102A	0.10	-	587,042	-	TKN01C2101A	0.16	(0.01)	57,502	-	TU06P2103A	0.12	(0.01)	20,425	-
STA19C2103A	0.29	(0.02)	791,187	-	TKN06C2011A	-	-	-	-	TU08C2011A	0.07	(0.02)	6,507	-
STA19P2012A	0.08	(0.01)	540	-	TKN06C2101A	-	-	-	-	TU11C2102A	0.23	-	9,250	-
STA19P2101A	0.17	(0.01)	175,977	-	TKN08C2011A	-	-	-	-	TU13C2012A	0.16	-	22,942	-
STA19P2102A	0.69	-	52,791	-	TKN08C2102A	0.27	(0.01)	2,600	-	TU13C2103A	0.27	(0.02)	203,743	-
STA24C2011A	0.01	(0.01)	1	-	TKN13C2012A	0.03	(0.02)	12,031	-	TU13P2101A	0.10	(0.01)	19,388	-
STA28C2012A	-	-	-	-	TKN13C2101A	0.13	(0.02)	63,586	-	TU19C2012A	0.17	(0.01)	14,044	-
STA28C2102L	0.08	(0.01)	14,037	-	TKN13C2102A	0.19	(0.01)	136,478	-	TU19C2103A	0.15	(0.01)	43,017	-
STA28C2103A	0.16	-	48,022	-	TKN13P2101A	0.21	(0.01)	53,157	-	TU19P2011A	-	-	-	-
STA42C2101T	0.07	0.01	301	-	TKN19C2011A	-	-	-	-	TU19P2012A	-	-	-	-
STEC01C2101A	0.12	0.01	2,674	-	TKN19C2011B	0.02	(0.01)	48,720	-	TU19P2102A	0.30	0.01	27,776	-
STEC01P2101A	0.29	(0.03)	9,812	-	TKN19C2101A	0.15	-	4,669	-	TU24C2011A	-	-	-	-
STEC08C2012A	-	-	-	-	TKN19C2102A	0.25	(0.01)	55,820	-	TU24C2103A	0.33	0.01	8,940	-
STEC08C2103A	0.41	0.02	6,600	-	TKN19P2101A	0.28	0.01	34,044	-	TU28C2012A	-	-	-	-
STEC11C2102A	0.16	-	25,280	-	TKN28C2012A	-	-	-	-	TU28C2103A	0.25	(0.01)	13,744	-
STEC13C2012A	0.04	0.01	1	-	TKN28C2012B	0.05	-	1,014	-	TU28C2103L	0.20	-	9,126	-
STEC13C2101A	0.17	0.02	147,514	-	TKN28C2101A	-	-	-	-	TU41C2101A	0.12	(0.01)	11,823	-
STEC13C2102A	0.35	0.02	33,526	-	TKN42C2101T	-	-	-	-	TU42C2101T	0.17	-	200	-
STEC13P2011A	-	-	-	-	TMB13C2011A	-	-	-	-	TVO13C2011A	0.05	(0.02)	1,340	-
STEC19C2011A	-	-	-	-	TMB13C2102A	0.34	0.04	50	-	TVO13C2012A	0.15	(0.01)	66,399	-
STEC19C2012A	0.05	-	1	-	TMB13C2103A	0.20	(0.01)	67,067	-	TVO19C2011A	-	-	-	-
STEC19C2101A	0.13	0.01	55,308	-	TMB19C2011A	0.05	0.01	1,400	-	TVO19C2012A	0.14	-	37,633	-
STEC19C2103A	0.36	0.03	5,877	-	TMB19C2011B	-	-	-	-	TVO19C2101A	0.11	-	13,244	-
STEC19P2011A	-	-	-	-	TMB19C2012A	0.14	0.01	16,196	-	VG10C2012A	0.25	0.07	109,252	-
STEC19P2012A	0.14	(0.01)	22,710	-	TMB19P2103A	-	-	-	-	VG10I2103A	0.54	0.10	129,942	-
STEC19P2101A	0.10	(0.01)	5,662	-	TMB19P2011A	-	-	-	-	VG10C2101A	0.26	0.09	497,643	-
STEC28C2012A	0.03	-	400	-	TOA13C2011A	-	-	-	-	VG10C2103A	0.58	0.12	197,075	-
STEC28C2101A	-	-	-	-	TOA13C2102A	-	-	-	-	VG11C2101A	0.19	0.05	27,460	-
STEC28C2103A	0.24	0.01	25,815	-	TOA19C2012A	0.08	0.01	200	-	VG13C2012A	0.14	0.04	126,899	-
STEC28C2104L	0.14	-	3,042	-	TOA19C2103A	0.30	-	37,778	-	VG13C2011A	0.27	0.07	1,363,206	-
STEC41C2012A	0.04	0.01	10	-	TOA42C2101T	-	-	-	-	VG19C2012A	0.20	0.07	351,784	-
STEC42P2102T	-	-	-	-	TOP01C2012A	0.19	0.02	36,924	-	VG19C2012B	0.45	0.17	3,255	-
SUPE08C2012A	0.06	-	1	-	TOP01C2102A	0.96	0.10	200	-	VG19C2012C	0.10	0.04	814,833	-
SUPE08C2102A	0.19	(0.01)	14,555	-	TOP01P2102A	-	-	-	-	VG19C2104A	0.37	(0.63)	608,996	-
SUPE08P2102A	0.22	(0.01)	1,790	-	TOP01P2102A	-	-	-	-	VG124C2012A	-	-	-	-
SUPE19C2011A	0.01	-	31,487	-	TOP06C2011A	0.01	-	1,000	-	VG12C2101A	0.12	0.02	91,627	-
SUPE19C2011B	-	-	-	-	TOP06C2102A	0.48	0.09	54,935	-	VG12C2103A	0.37	0.10	239,275	-
SUPE19C2012A	0.14	(0.02)	234,741	-	TOP06C2102B	1.05	0.14	10	1.00	VG12C2103L	0.20	0.04	98,419	-
SUPE19P2011A	-	-	-	-	TOP06P2102A	0.08	(0.03)	25,300	-	VG14C2011A	-	-	-	-
SUPE19P2012A	0.07	(0.01)	11,000	-	TOP08C2102A	0.64	0.06	14,231	-	VG14C2101T	0.05	0.01	11,998	-
SUPE42C2101T	0.05	(0.01)	1,070	-	TOP11C2011A	0.14	0.03	25,422	-	WHA01C2101A	0.09	0.01	501	-
SUPE42P2102T	-	-	-	-	TOP11P2104A	0.23	(0.04)	13,560	-	WHA01C2103A	0.44	0.05	112,179	-
TASCO1C2012A	0.04	-	32,765	-	TOP13C2012A	0.08	0.02	1,900	-	WHA01P2101A	0.52	(0.07)	114,417	-
TASCO1C2012B	0.31	(0.02)	113,741	-	TOP13C2012B	0.33	0.06	287,877	-	WHA06C2103A	0.27	0.04	298,173	-
TASCO1C2102A	0.83	-	53,986	-	TOP13C2101A	0.80	0.14	747	-	WHA06P2102A	0.20	(0.06)	129,946	-
TASCO1P2012A	0.14	(0.02)	82,790	-	TOP13P2012A	-	-	-	-	WHA08C2011A	-	-	-	-
TASCO6C2012A	0.02	(0.01)	31,336	-	TOP13P2101A	-	-	-	-	WHA11C2101A	0.12	0.02	28,083	-
TASCO6C2102A	0.62	(0.01)	158,014	-	TOP13P2103A	0.09	(0.01)	9	-	WHA13C2011A	-	-	-	-
TASCO8C2011A	0.02	0.01	160	-	TOP19C2012A	0.11	0.02	88,095	-	WHA13C2101A	0.16	0.02	189,444	-
TASCO8C2012A	0.02	-	103	-	TOP19C2101A	0.49	0.07	28,419	-	WHA13C2103A	0.40	0.04	704,167	-
TASCO11C2102A	0.05	-	1,630	-	TOP19C2101B	-	-	-	-	WHA13P2011A	0.09	(0.34)	4,000	-
TASCO13C2011A	-	-	-	-	TOP19C2103A	0.39	(0.61)	142,571	-	WHA19C2011A	-	-	-	-
TASCO13C2012A	0.03	-	295,695	-	TOP19P2011A	-	-	-	-	WHA19C2101A	0.17	0.03	560,860	-
TASCO13C2012B	0.20	(0.01)	344,175	-	TOP19P2101A	-	-	-	-	WHA19C2103A	0.43	0.05	190,644	-
TASCO13C2101A	0.51	(0.01)	656,908	-	TOP19P2102A	0.10	(0.02)	12,187	-	WHA19P2011A	-	-	-	-
TASCO13C2102A	0.43	(0.01)	411,289	-	TOP24C2101A	0.43	0.06	18,361	-	WHA28C2012A	0.10	0.01	2,151	-
TASCO13P2011A	-	-	-	-	TOP41C2011A	-	-	-	-	WHA28C2102A	0.14	0.03	60,393	-
TASCO13P2012A	0.06	(0.01)	39,329	-	TOP41C2102A	0.46	0.07	42,428	-	WHA28C2102L	-	-	-	-
TASCO19C2011A	-	-	-	-	TOP41P2011A	-	-	-	-	WHA28C2104A	0.40	0.05	182,004	-
TASCO19C2012A	0.18	-	105,968	-	TOP42C2011T	-	-	-	-	WHA42C2101T	-	-	-	-
TASCO19C2101A	0.49	-	196,809	-	TP13C2011A	-	-	-	-	WHAU13C2012A	0.08	(0.02)	100	-
TASCO19P2011A	-	-	-	-	TP19C2012A	0.11	-	1,966	-	WHAU19C2012A	0.16	-	5,244	-
TASCO19P2012A	0.66	(0.07)	3,520	-	TQM01C2103A	0.62	(0.01)	1,210	-	Preferred/Foreign	-	-	-	-
TASCO19P2012B	-	-	-	-	TQM11C2102A	0.34	(0.02)	1,779	-	BH-Q	-	-	-	-
TASCO19P2012C	0.06	(0.01)	5,985	-	TQM13C2101A	0.12	(0.01)	5,094	-	CSC-Q	-	-	-	-
TASCO24C2011A	-	-	-	-	TQM13C2102A	0.33	(0.03)	22,500	-	JUTHA-Q	-	-	-	-
TASCO28C2012A	0.04	(0.04)	590	-	TQM19C2011A	0.11	(0.01)	664	-	KTW-Q	-	-	-	-
TASCO28C2012B	0.03	0.02	30	-	TQM19C2101A	0.16	(0.01)	11,362	-	SCB-Q	-	-	-	-
TASCO28C2012C	-	-	-	-	TQM19C2102A	0.43	(0.03)	4,316	-	TCAP-Q	-	-	-	-
TASCO28C2101A	-	-	-	-	TQM24C2011A	-	-	-	-	TISCO-Q	-	-	-	-
TASCO28C2103L	0.04	0.01	1,375	-	TQM24C2103A	0.63	(0.03)	12,736	-	U-Q	-	-	-	-
TASCO41C2011A	-	-	-	-	TQM28C2012A	0.03	-	100	-	Warrant	-	-	-	-
TASCO41C2012A	0.24	-	12,270	-	TQM28C2102A	0.29	(0.03)	5,310	-	7UP-W4	0.10	-	52,215	-
TASCO42C2101T	0.04	-	5,518	-	TQM28C2104L	0.25	(0.01)	8,908	-	AEC-W6	0.11	-	49,078	-
TCAP01C2101A	0.17	-	7,654	-	TQM41C2011A	-	-	-	-	AKR-W1	0.02	-	1,865	-
TCAP13C2012A	0.04	-	20,000	-	TQM42C2101T	-	-	-	-	ALT-W1	0.20	(0.12)	167,647	-
TCAP13C2103A	0.29	(0.71)	18,336	-	TRUE01C2101A	0.14	0.01	21,436	-	APEX-W1	0.01	-	100	-
TCAP19C2012A	-	-	-	-	TRUE01P2101A	0.36	(0.04)	34,590	-	APURE-W2	0.22	-	57,497	-
TCAP19C2102A	0.24	0.01	10,243	-	TRUE06C2103A	0.34	0.03	58,790	-	B-W3	-	-	-	-
TCAP19P2012A	0.11	(0.01)	20,000	-	TRUE08C2012A	0.06	(0.04)	3	-	B-W4	0.03	(0.01)	4,603	-
TCAP42C2101T	0.02	(0.01)	19,046	-	TRUE11C2101A	0.09	-	3,001	-	B-W5	0.04	(0.01)	2	-
THAN01C2012A	0.58	0.02	23,116	-	TRUE11P2101A	0.31	(0.02)	55,375	-	BKD-W2	0.07	-	2,841	-
THAN01C2012B	0.12	-	17,099	-	TRUE13C2011A	-	-	-	-	BTS-W5	0.47	(0.03)	690,281	-
THAN06C2102A	0.29	-	93,113	-	TRUE13C2101A	0.12	0.01	194,384	-	CGD-W4	0.03	-	31,605	-
THAN08C2101A	0.63	0.05	1,271	-	TRUE13C2103A	0.38	0.01	176,165	-	CGH-W3	0.01	(0.01)	18,107	-
THAN08C2102A	0.29	0.01	27,052	-	TRUE19C2011A	-	-	-	-	CWT-W5	0.45	(0.01)	4,364	-
THAN13C2012A	0.36	0.01	7,361	-	TRUE19C2012A	-	-	-	-	DCC-W1	0.93	-	9,888	-
THAN13C2012B	0.06	0.01	502	-	TRUE19C2101A	0.17	0.02	67,982	-	ECL-W3	0.02	-	14,295	-
THAN13C2102A	0.41	0.01	323,685	-	TRUE19C2103A	0.39	0.02	143,764	-	EMC-W6	0.03	-	3,770	-
THAN19C2011A	0.71	-												