

Main Board Quotation

Issue Date :

Thursday November 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	ALT	3.52	(0.02)	86,286	3.54	JKN	8.95	(0.10)	90,383	9.01
SAFARI	-	-	-	-	BLISS	-	-	-	-	MACO	0.61	(0.01)	32,811	0.62
VI	-	-	-	-	DIF	12.90	-	198,288	12.97	MAJOR	16.90	0.40	86,617	16.90
WORLD	-	-	-	-	DTAC	35.25	0.25	113,896	35.73	MATCH	1.50	(0.09)	48	1.50
WR	-	-	-	-	FORTH	5.80	(0.05)	1,468	5.82	MATI	-	-	-	-
Agribusiness	-	-	-	-	HUMAN	8.90	0.30	21,019	8.87	MCOT	2.82	0.02	1,130	2.81
EE	0.67	0.02	23,925	0.66	ILINK	4.52	(0.16)	56,893	4.55	MONO	2.72	0.04	13,752	2.70
GFPT	12.20	(0.20)	20,297	12.31	INET	3.22	(0.10)	59,537	3.21	MPIC	-	-	-	-
LEE	2.26	0.02	3,952	2.26	INTUCH	54.00	-	70,195	54.22	NMG	-	-	-	-
MAX	0.01	-	270,523	0.01	JAS	2.90	0.04	353,578	2.89	PLANB	6.15	(0.10)	222,429	6.17
NER	4.16	(0.06)	187,813	4.21	JASIF	9.50	-	121,522	9.50	POST	1.37	-	12	1.29
PPPM	0.38	-	286	0.38	JMART	17.50	0.10	179,400	17.53	PRAKIT	7.30	-	130	7.27
STA	25.75	(0.75)	154,445	25.99	JTS	2.20	-	2,320	2.19	SE-ED	1.52	0.11	13	1.52
TRUBB	1.68	-	8,079	1.69	MFEK	4.86	0.02	1,348	4.85	TBSP	12.80	-	62	9.98
TWPC	3.40	0.06	19,308	3.40	MSC	6.55	0.05	375	6.54	TH	0.48	-	921	0.47
UPOIC	3.76	0.20	494	3.73	PT	5.80	0.10	4,238	5.77	TKS	5.60	(0.05)	7,729	5.65
UVAN	5.00	0.06	1,438	5.02	SAMART	4.98	0.02	21,227	5.02	VGI	7.15	(0.10)	1,027,377	7.26
VPO	0.42	(0.01)	212	0.43	SAMTEL	4.98	0.12	3,122	4.99	WAVE	0.63	(0.02)	6,068	0.63
Banking	-	-	-	-	SDC	0.17	-	8,305	0.17	WORK	11.90	0.60	85,332	11.64
BAY	23.70	0.70	14,223	23.51	SIS	18.00	(0.30)	19,819	17.94	Finance & Securities	-	-	-	-
BBL	118.00	-	133,932	118.76	SVOA	1.24	0.01	20,813	1.24	AEC	0.23	(0.01)	32,143	0.23
CIMBT	0.58	0.02	5,967	0.58	SYMC	4.04	0.06	62	4.01	AEONTS	144.00	(0.50)	15,479	145.06
KBANK	97.50	3.00	634,567	96.43	SYNEX	13.00	0.10	34,495	13.00	AMANAH	2.68	-	118,818	2.70
KKP	44.25	0.50	81,676	44.10	THCOM	5.40	(0.05)	31,537	5.40	ASAP	1.97	0.01	3,468	1.96
KTB	10.30	0.10	574,920	10.31	TRUE	3.10	0.02	828,382	3.11	ASK	21.30	0.10	4,153	21.29
LHFG	0.99	0.02	17,433	0.97	TWZ	0.07	-	69,558	0.06	ASP	1.86	0.03	26,656	1.84
SCB	84.25	1.75	226,322	83.60	Electronic Comp	-	-	-	-	BAM	21.30	0.50	527,389	21.08
TCAP	32.00	0.75	69,933	31.78	CCET	2.18	0.04	32,601	2.21	BFIT	28.25	0.25	4,147	28.10
TISCO	78.25	(0.25)	57,006	78.23	DELTA	194.50	6.50	24,358	192.56	CGH	0.67	(0.01)	622	0.68
TMB	1.00	0.02	3,286,292	0.99	HANA	38.50	(0.50)	159,113	39.00	ECL	0.77	0.01	13,580	0.77
Construction Materia	-	-	-	-	KCE	38.00	(0.25)	95,847	38.44	FNS	3.20	0.16	3,386	3.17
CCP	0.41	(0.01)	84,299	0.41	METCO	170.00	0.50	7	169.93	FSS	1.49	0.01	1,565	1.48
COTTO	1.28	0.04	30,957	1.27	NEX	4.88	0.32	628,926	4.74	GBX	0.43	0.01	12,561	0.43
DCC	2.30	(0.04)	113,534	2.29	SMT	2.80	(0.06)	15,978	2.82	GL	-	-	-	-
DCON	0.31	-	11,128	0.31	SVI	4.54	(0.04)	41,826	4.58	IFS	2.28	0.02	8,679	2.26
DRT	6.00	0.05	5,713	5.92	TEAM	0.88	-	2,935	0.89	JMT	34.25	0.75	80,843	34.12
EPG	6.10	0.20	131,679	6.03	W	0.23	(0.02)	1,795,776	0.24	KCAR	8.85	0.25	802	8.79
GEL	0.18	(0.01)	63,732	0.18	Energy & Utilitie	-	-	-	-	KGI	3.46	0.02	43,277	3.46
PPP	2.00	-	556	1.99	7UP	0.33	-	72,857	0.33	KTC	44.50	0.25	43,939	44.66
Q-CON	4.60	-	150	4.60	ABPIF	2.96	-	1,188	2.94	MBKET	7.90	0.05	456	7.89
RCI	-	-	-	-	ACE	3.10	0.02	564,335	3.11	MFC	13.90	0.10	165	13.80
SCC	358.00	(5.00)	31,612	359.98	AGE	1.31	0.01	15,568	1.31	MICRO	5.20	0.34	538,348	5.10
SCCC	133.50	-	1,099	133.84	AI	2.10	(0.02)	55,973	2.11	ML	0.82	-	1,575	0.80
SCP	6.00	-	1,916	6.00	AKR	0.50	-	2,458	0.50	MTC	54.75	(1.25)	111,922	55.20
SKN	2.32	(0.02)	25,488	2.34	BAFS	22.10	-	2,989	22.25	NCAP	5.00	-	1,042,742	5.26
TASCO	18.90	0.20	400,122	18.94	BANPU	7.75	0.15	1,055,316	7.66	PE	-	-	-	-
TCMC	1.54	0.12	484,555	1.50	BCP	18.30	0.50	23,828	18.12	PL	2.04	0.04	2,129	2.00
TOA	34.75	-	23,436	34.65	BCGR	13.80	0.10	78,427	13.84	S11	6.35	-	9,457	6.37
TPPIPL	1.48	0.04	101,038	1.48	BGRIM	47.75	(0.75)	67,437	47.99	SAWAD	54.50	(0.25)	169,431	54.63
UMI	0.61	0.01	1,411	0.62	BPP	15.80	0.70	112,332	15.61	THANI	3.74	-	533,587	3.78
VNG	3.16	(0.04)	574	3.12	BRRGIF	6.20	0.05	908	6.13	TK	7.65	0.10	6,353	7.60
WIJK	2.50	(0.02)	13,148	2.53	CKP	4.94	(0.02)	280,116	4.97	TNITY	3.62	0.04	52	3.62
Petrochemicals & Ch	-	-	-	-	DEMCO	2.72	-	2,892	2.73	UOBKH	3.04	0.02	3	3.04
BCT	42.00	-	378	41.97	EA	43.75	(0.75)	45,304	44.25	ZMICO	0.64	-	2,355	0.63
CMAN	1.29	(0.01)	1,305	1.29	EASTW	9.20	0.05	13,181	9.18	Food & Beverage	-	-	-	-
GC	5.55	-	649	5.57	EGATIF	12.10	0.10	8,344	12.05	APURE	2.08	(0.02)	41,012	2.09
GCC	9.10	0.25	7,712	9.04	EGCO	190.50	(0.50)	34,857	190.60	ASIAN	11.40	0.20	114,648	11.49
GIFT	1.74	0.02	1,243	1.73	EP	4.16	0.06	17,148	4.13	BR	2.26	0.22	70,779	2.16
IVL	30.25	1.75	736,366	30.00	ESSO	7.30	0.15	380,002	7.28	BRR	2.80	0.04	1,002	2.76
NFC	1.41	0.01	2	1.41	GPSC	66.25	(0.75)	168,502	66.68	CBG	125.00	7.00	134,399	122.52
PATO	10.40	-	353	10.09	GREEN	1.09	(0.04)	2,010	1.10	CFRESH	3.02	-	4,113	3.01
PMTA	8.90	(0.05)	96	8.78	GULF	36.00	-	476,956	36.00	CHOTI	-	-	-	-
PTTGC	53.75	2.00	511,110	53.07	GUNKUL	2.34	0.02	201,973	2.33	CM	2.58	0.02	1,724	2.58
SUTHA	4.04	-	454	4.00	IFEC	-	-	-	-	CPF	28.25	0.50	678,326	28.07
TCCC	25.50	0.25	443	25.53	IRPC	2.90	0.16	3,050,229	2.86	CPI	1.40	-	2,829	1.40
TPA	5.30	-	21	5.28	KBSPIF	9.50	0.35	6,254	9.44	F&D	-	-	-	-
UAC	3.98	(0.02)	183	3.98	LANNA	6.40	0.30	5,310	6.22	HTC	33.50	(0.75)	19,250	33.39
UP	-	-	-	-	MDX	2.40	0.10	9,976	2.37	ICHI	11.40	-	205,758	11.63
VNT	23.80	0.40	9,419	23.47	PDI	8.60	-	1,928	8.59	KBS	3.12	0.02	649	3.09
WG	127.50	4.00	52	121.03	PRIME	0.50	-	38,147	0.50	KSL	2.26	0.04	41,274	2.25
YCI	-	-	-	-	PTG	18.90	0.10	82,682	18.95	KTIS	2.88	0.06	651	2.83
Commerce	-	-	-	-	PTT	37.75	(0.25)	516,480	37.96	LST	4.42	(0.04)	4,093	4.41
BEAUTY	1.46	0.10	412,121	1.43	PTTEP	92.25	(0.75)	163,893	92.65	M	56.25	0.25	15,535	57.18
BIG	0.56	0.03	412,490	0.55	RATCH	52.50	(0.50)	32,109	52.96	MALEE	5.55	-	1,300	5.57
BJC	34.00	(0.25)	78,447	33.94	RPC	0.50	0.01	451	0.49	MINT	24.40	0.20	780,388	24.44
COL	18.80	-	6,596	18.80	SCG	3.52	0.02	129	3.51	NRF	7.00	(0.10)	71,641	6.98
COM7	39.50	-	79,053	39.82	SCI	1.23	(0.01)	4,062	1.23	OISHI	41.00	(0.50)	599	41.56
CPALL	62.25	(1.00)	238,011	62.61	SCN	1.67	0.03	3,041	1.64	OSP	36.75	(0.25)	59,516	36.98
CPW	2.18	0.06	36,357	2.16	SGP	9.55	0.05	29,579	9.61	PB	70.00	-	58	69.57
CRC	33.75	(0.75)	126,411	33.99	SKE	0.50	-	49,634	0.50	PM	8.70	0.15	23,739	8.62
CSS	1.45	0.02	21,296	1.43	SOLAR	0.89	0.01	3,965	0.89	PRG	-	-	-	-
DOHOME	13.20	(0.20)	92,023	13.37	SPCG	20.80	0.10	16,031	20.91	RBF	9.95	(0.15)	98,419	10.03
FN	1.19	0.03	27,724	1.18	SPRC	7.30	0.40	750,369	7.22	SAPPE	22.80	0.10	5,543	22.85
FTE	1.53	0.01	1,475	1.51	SSP	8.55	0.05	18,920	8.52	SAUCE	25.50	-	32	25.29
GLOBAL	16.60	(0.20)	93,482	16.59	SUPER	0.89	-	1,253,616	0.90	SFP	-	-	-	-
HMPRO	15.00	(0.20)	178,877	15.06	SUPEREIF	11.30	0.10	8,365	11.28	SNP	9.65	0.15	18,778	9.75
ILM	14.20	0.80	30,128	13.83	SUSCO	2.70	0.02	18,094	2.71	SORKON	5.65	0.05	267	5.59
IT	2.50	-	337	2.47	TAE	2.34	0.04	5,654	2.31	SSC	35.50	2.50	16	35.91
KAMART	3.68	0.06	53,990	3.68	TCC	0.18	-	12,446	0.18	SSF	6.30	(0.05)	3	6.30
LOXLEY	1.34	0.02	10,332	1.33	TOP	48.50	1.00	181,809	48.34	SST	2.24	-	72	2.25
MAKRO	39.75	0.25	14,684	40.09	TPPPP	4.24	(0.04)	111,086	4.26	TC	5.25	0.10	13,799	5.21
MC	11.30	0.40	20,926	11.17										

Main Board Quotation

Issue Date :

Thursday November 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CHG	2.50	(0.02)	207,266	2.52	A	5.05	-	40	5.05	Automotive	-	-	-	-
CMR	1.78	0.01	2,397	1.78	AMATA	14.70	0.30	202,563	14.68	3K-BAT	97.75	(0.25)	22	98.05
EKH	4.80	0.06	35,170	4.79	AMATAV	5.10	-	175	5.07	ACG	1.19	-	2,558	1.20
KDH	85.50	1.50	5	85.50	ANAN	1.72	0.01	76,850	1.71	AH	17.40	0.70	58,444	17.25
LPH	4.58	-	1,277	4.56	AP	6.80	(0.05)	171,215	6.79	CWT	2.24	0.18	105,112	2.20
M-CHAI	187.00	4.00	6	184.08	APEX	0.06	-	74,462	0.06	EASON	1.36	0.11	7,738	1.33
NEW	-	-	-	-	AQ	0.02	-	60,739	0.02	GYT	-	-	-	-
NTV	41.50	(0.25)	22	42.38	AWC	4.06	-	476,747	4.08	HFT	4.38	0.24	60,788	4.31
PR9	9.10	0.35	37,122	8.92	BLAND	1.02	-	93,018	1.02	IHL	3.52	0.20	165,251	3.46
PRINC	2.74	-	9,272	2.72	BROCK	1.44	-	5	1.44	INGRS	0.46	0.02	48,073	0.46
RAM	139.50	(1.00)	70	139.56	CGD	0.65	-	46,330	0.65	IRC	13.10	-	127	12.99
RJH	22.70	-	1,208	22.73	CI	0.65	-	40	0.65	PCSGH	4.42	-	52	4.41
RPH	6.10	0.05	14,581	6.29	CPN	53.50	(0.25)	75,799	53.46	SAT	14.80	1.10	143,526	14.69
SKR	6.65	-	778	6.62	ESTAR	0.37	-	13,047	0.37	SPG	13.30	0.20	3	13.30
SVH	-	-	-	-	EVER	0.21	(0.01)	130,531	0.21	STANLY	160.50	2.50	512	160.69
THG	20.00	0.30	9,646	19.86	FPT	11.20	0.10	2,036	11.18	TKT	0.91	0.02	293	0.89
VIBHA	1.47	0.02	81,668	1.49	GLAND	2.28	-	630	2.26	TNPC	0.69	0.01	11	0.69
VIH	6.55	0.20	11,490	6.53	J	1.30	-	28,233	1.30	TRU	3.46	0.02	301	3.42
WPH	1.58	0.03	1,266	1.56	JCK	1.47	0.02	48,855	1.46	TSC	-	-	-	-
Tourism & Leisure	-	-	-	-	KC	-	-	-	-	Industrial Materials	-	-	-	-
ASIA	4.50	0.06	42	4.50	KWG	0.70	0.02	137	0.69	ALLA	1.14	(0.01)	7,859	1.14
CENDEL	24.40	-	42,859	24.40	LALIN	6.60	0.05	10,168	6.56	ASEFA	3.32	0.02	1,118	3.31
CSR	68.75	(0.75)	4	68.19	LH	7.70	(0.05)	374,635	7.73	CPT	0.81	(0.01)	3,797	0.81
DTC	7.70	0.10	1,217	7.61	LPN	4.42	-	120,369	4.43	CRANE	1.40	(0.05)	73,275	1.43
ERW	3.22	-	162,493	3.22	MBK	12.00	0.30	48,752	11.84	CTW	6.15	0.10	4,544	6.18
GRAND	0.64	0.04	1,831	0.64	MJD	1.49	0.02	3,686	1.47	FMT	18.70	(0.10)	35	18.64
LRH	27.50	(0.50)	2	27.50	MK	3.08	-	7,012	3.08	HTECH	3.12	0.04	2,608	3.10
MANRIN	21.80	(0.20)	10	21.80	NCH	0.75	-	1,468	0.75	KKC	0.54	-	256	0.54
OHTL	-	-	-	-	NNCL	1.93	-	1,207	1.92	PK	1.70	0.04	15,177	1.68
ROH	-	-	-	-	NOBLE	20.00	0.10	31,770	20.03	SNC	11.60	0.10	8,130	11.53
SHANG	51.00	-	8	51.13	NUSA	0.24	-	182,670	0.24	STARK	1.83	0.03	1,851,639	1.83
SHR	2.14	0.08	324,860	2.12	NVD	1.82	0.42	159,284	1.72	TCJ	3.10	-	210	3.05
VRANDA	5.60	-	2,984	5.65	ORI	7.95	0.65	367,166	7.62	VARO	3.42	(0.08)	7	3.52
Home & Office Produ	-	-	-	-	PACE	-	-	-	-	Property Fund & REI	-	-	-	-
ACC	0.58	-	77	0.60	PF	0.38	-	302,392	0.39	AIMCG	6.00	0.05	3,262	5.95
AJA	0.11	(0.01)	13,429	0.12	PLAT	2.42	0.16	31,522	2.36	AIMIRT	13.00	0.30	607	12.90
DTCI	28.00	-	127	27.99	POLAR	-	-	-	-	AMATAR	-	-	-	-
FANCY	0.50	-	1,209	0.50	PRECHA	0.82	-	93	0.82	B-WORK	11.40	-	380	11.40
KYE	340.00	1.00	19	338.53	PRIN	1.70	0.01	414	1.68	BKER	5.70	-	27,998	5.70
L&E	1.69	0.04	15	1.68	PSH	11.30	0.10	18,639	11.29	BKKCP	11.80	-	7	11.80
MODERN	2.46	-	10,774	2.48	QH	2.28	0.02	239,428	2.28	BOFFICE	10.40	-	15,057	10.40
OGC	-	-	-	-	RICHY	0.66	-	12,276	0.64	CPNCG	10.10	-	535	10.07
ROCK	-	-	-	-	RML	0.59	0.02	44,408	0.59	CPNREIT	20.40	0.10	21,202	20.43
SIAM	1.40	-	37	1.39	ROJNA	4.04	0.02	23,967	4.05	CPTGF	9.40	-	656	9.40
TSR	3.66	(0.02)	9,259	3.68	S	1.39	-	35,815	1.40	CTARAF	5.05	-	567	5.03
Insurance	-	-	-	-	SAMCO	1.17	0.02	178	1.17	DREIT	4.14	(0.06)	399	4.17
AYUD	33.25	0.25	24	33.21	SC	2.56	0.10	93,770	2.53	ERWPF	4.30	-	372	4.30
BKI	278.00	-	160	278.21	SENA	3.30	0.20	53,202	3.24	FTREIT	12.30	(0.10)	2,525	12.37
BLA	18.60	(0.10)	9,369	18.72	SF	4.62	-	12,042	4.62	FUTUREPF	17.80	-	465	17.70
BUI	-	-	-	-	SIRI	0.77	(0.01)	997,056	0.78	GAHREIT	8.00	-	118	7.95
CHARAN	-	-	-	-	SPALI	17.80	-	52,335	17.84	GOLDFP	5.70	-	52	5.60
INSURE	-	-	-	-	U	1.27	(0.01)	108,441	1.27	GVREIT	11.50	(0.30)	176	11.10
MTI	86.00	-	108	85.93	UV	2.74	(0.04)	31,676	2.75	HPF	4.82	0.02	1,555	4.80
NKI	51.00	1.00	89	50.49	WHA	2.80	0.02	1,649,626	2.81	HREIT	7.65	-	12,776	7.68
NSI	71.50	(1.00)	5	71.30	WIN	0.32	0.01	735	0.31	IMPACT	19.90	0.70	4,598	19.71
SEG	30.50	(0.25)	5	30.65	Paper & Printing	-	-	-	-	KPNPF	6.85	-	432	6.85
SMK	37.75	0.25	69	37.83	UTP	13.90	(0.10)	11,798	13.89	LHHOTEL	9.95	(0.05)	400	9.95
THRE	1.30	0.07	579,946	1.27	Fashion	-	-	-	-	LHPF	5.45	-	798	5.32
THREL	2.74	0.20	78,782	2.65	AFC	-	-	-	-	LHSC	11.50	-	80	11.50
TIP	26.00	0.25	3,322	25.78	B52	0.15	-	12,033	0.14	LUXF	6.20	(0.10)	50	6.21
TQM	116.50	-	6,784	116.48	BTNC	-	-	-	-	M-II	7.10	-	10	7.06
TSI	0.28	0.01	21	0.28	CPH	3.32	0.06	11	3.27	M-PAT	2.80	(0.18)	135	3.33
TVI	3.42	-	652	3.42	CPL	1.05	(0.02)	209	1.07	M-STOR	5.90	-	3	5.90
Mining	-	-	-	-	ICC	-	-	-	-	MIPF	12.20	(2.80)	13	11.83
THL	-	-	-	-	NC	-	-	-	-	MIT	2.88	0.08	86	2.88
Packaging	-	-	-	-	PAF	0.51	0.01	298	0.50	MJLF	6.25	0.10	303	6.31
AJ	17.70	0.30	16,599	17.79	PDJ	1.40	-	1,006	1.39	MNIT	1.45	(0.03)	16	1.46
ALUCON	167.00	0.50	32	167.05	PG	-	-	-	-	MNIT2	-	-	-	-
BGC	11.10	0.30	70,130	11.12	SABINA	21.80	0.20	4,441	21.79	MNRF	2.84	0.10	42	2.82
CSC	52.75	0.75	203	52.46	SAWANG	-	-	-	-	POPF	10.10	0.10	812	10.09
GLOCON	0.93	-	101,348	0.92	SUC	34.25	0.25	23	34.23	PPF	11.30	-	300	11.30
NEP	0.25	-	101	0.24	TNL	18.00	-	2	18.00	PROSPECT	8.95	0.15	243	8.91
PTL	22.20	0.10	16,546	22.32	TPCORP	9.30	-	14	9.30	QHHR	5.95	-	707	5.90
SCGP	38.50	-	333,308	38.68	TR	27.50	(0.50)	211	27.77	QHOP	-	-	-	-
SFLEX	5.55	0.25	418,406	5.61	TTI	-	-	-	-	QHPF	9.70	-	10,029	9.70
SITHAI	0.63	0.02	6,461	0.61	TTT	53.00	-	59	53.00	SBPF	-	-	-	-
SLP	0.42	-	651	0.42	UPF	63.00	2.50	11	63.00	SHREIT	3.24	(0.06)	267	3.18
SMPC	10.70	0.10	2,462	10.69	UT	-	-	-	-	SIRIP	8.60	-	1	8.60
SPACK	2.46	(0.04)	12,576	2.48	WACOAL	44.50	-	1	44.50	SPF	12.60	(0.10)	6,119	12.70
TCOAT	-	-	-	-	Transportation 8	-	-	-	-	SPRIME	8.20	(0.05)	711	8.22
TFI	0.15	-	2,374	0.14	AAV	1.92	0.06	677,726	1.91	SRIPANWA	7.55	(0.05)	46	7.58
THIP	32.00	1.00	773	31.68	AOT	67.00	0.25	298,864	66.90	SSPF	-	-	-	-
TMD	22.80	-	12	22.33	ASIMAR	1.40	0.01	1,051	1.39	SSTRT	5.30	-	195	5.23
TOPP	-	-	-	-	B	0.29	-	20,472	0.29	TIF1	8.45	-	2,417	8.40
TPBI	4.84	(0.08)	1,020	4.86	BA	5.70	0.10	29,467	5.70	TLGF	16.20	-	2,233	16.29
TPP	-	-	-	-	BEM	9.15	-	208,645	9.17	TLHPF	8.30	(0.10)	85	8.18
Personal Products &	-	-	-	-	BTS	10.30	(0.10)	826,683	10.32	TNPF	2.00	(0.06)	396	2.00
APCO	3.64	(0.02)	634	3.64	BTSIGIF	5.70	0.10	54,409	5.68	TPRIME	11.20	(0.40)	16	11.16
DDD	16.00	0.90	10,614	15.71	III	4.60	0.02	26,669	4.64	TTLPF	22.20	0.20	11	22.24
JCT	-	-	-	-	JUTHA	0.44	-	390	0.43	TU-PF	-	-	-	-
OCC	-	-	-	-	JWD	8.10	-	43,909	8.16	URBNPF	-	-	-	-
S & J	-	-	-	-	KWC	272.00	-	2	272.00	WHABT	8.60	0.10	1	8.60
STGT	70.50	(1.00)	160,723	71.36	NOK	0.68	0.01	2,978	0.67	WHART	12.70	(0.10)	6,458	12.80
STHAI	-	-	-	-	NYT	3.24	0.04	12,264	3.23	Steel	-	-	-	-
TNR	12.90	(0.10)	1,937	13.01	PORT	2.36	-	20,432	2.37	AMC	1.41	0.02	673	1.39
TOG	3.58	0.06	78	3.55	PRM	7.65	(0.15)	143,658	7.73	BSBM	0.86	(0.01)	8,562	0.86
Professional Service	-	-	-	-	PSL	5.55	(0.05)	157,809	5.58	CEN	0.57	0.01	330	0.56
BWG														

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday November 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TITLE	3.08	(0.02)	16,823	3.00	ADVA01P2012A	0.21	(0.04)	87,408	-
ABICO	5.20	0.05	1,011	5.00	Resources (MAI)	-	-	-	-	ADVA06C2103A	0.44	0.01	546,919	-
AU	9.50	(0.15)	63,988	9.00	ABM	0.81	0.03	3,508	-	ADVA08C2012A	0.07	0.01	2,259	-
JCKH	0.29	-	1,014	-	AIE	0.67	0.01	49,084	-	ADVA08C2103A	0.50	0.01	175,928	-
KASET	1.11	(0.03)	3,744	1.00	ETC	1.93	0.05	608,546	1.00	ADVA08P2101A	0.46	(0.05)	25,972	-
MM	1.98	0.02	1,701	1.00	PSTC	1.72	-	42,142	1.00	ADVA11C2011A	-	-	-	-
SUN	4.30	0.04	19,744	4.00	QTC	3.78	(0.04)	3,876	3.00	ADVA11C2104A	0.58	0.02	144,690	-
TACC	6.60	0.25	148,282	6.00	SAAM	1.04	(0.02)	1,455	1.00	ADVA11P2011A	-	-	-	-
TMILL	3.08	(0.02)	1,732	3.00	SEAOIL	2.36	-	1,189	2.00	ADVA13C2012A	0.09	0.01	360,570	-
XO	9.55	(0.15)	20,059	9.00	SRA	0.62	-	703	-	ADVA13C2101A	0.34	0.01	1,482,956	-
Consumer Products														
BGT	1.06	0.02	604	1.00	TAKUNI	0.38	-	4,500	-	ADVA13P2012A	0.29	(0.04)	368,185	-
BIZ	3.48	0.12	1,675	3.00	TPCH	11.50	0.30	13,274	11.00	ADVA19C2012A	0.10	0.02	131,099	-
DOD	8.60	-	25,982	8.00	TRT	1.62	(0.01)	18	1.00	ADVA19C2101A	0.26	0.01	1,272,524	-
ECF	1.34	-	18,657	1.00	UMS	0.30	0.01	25	-	ADVA19P2012A	0.23	(0.05)	299,640	-
HPT	0.72	(0.01)	314	-	UPA	0.17	-	64,254	-	ADVA24C2101A	0.17	0.01	16,402	-
IP	11.60	0.10	6,507	11.00	UWC	0.05	-	25,149	-	ADVA28C2012A	0.01	-	341	-
JUBILE	21.00	-	1,241	20.00	Services (MAI)	-	-	-	-	ADVA28C2012B	-	-	-	-
MOONG	4.22	0.02	4,351	4.00	A5	-	-	-	-	ADVA28C2101A	0.12	0.02	46,699	-
NPK	-	-	-	-	AKP	0.87	(0.01)	3,724	-	ADVA28C2102L	0.13	0.01	73,808	-
OCEAN	0.73	0.02	2,273	-	AMA	5.50	0.15	16,611	5.00	ADVA28C2104A	0.39	0.04	202,797	-
TM	2.28	0.02	1,519	2.00	ARIP	0.42	0.01	169	-	ADVA28P2012A	-	-	-	-
Financials (MAI)														
ACAP	0.70	-	1,445	-	AUTP30	0.90	-	5,839	-	ADVA41C2011A	-	-	-	-
AF	0.61	-	153	-	AUCT	10.20	(0.10)	28,125	10.00	ADVA41C2101A	0.32	0.02	99,016	-
AIRA	0.83	(0.07)	43	-	BOL	6.00	-	5,092	5.00	ADVA41P2101A	0.16	(0.03)	34,840	-
ASN	4.92	(0.02)	5	4.00	CMO	0.92	0.01	898	-	ADVA42C2102T	0.22	0.01	3,246	-
BROOK	0.41	0.01	32,051	-	D	3.44	0.02	1,085	3.00	AEON01C2102A	0.51	(0.02)	25,740	-
CHAYO	7.70	0.15	75,960	7.00	DV8	0.30	-	316	-	AEON13C2011A	-	-	-	-
GCAP	1.30	-	2,535	1.00	EFORL	-	-	-	-	AEON13C2102A	1.29	0.04	2	1.00
LIT	3.18	-	2,093	3.00	FTE	1.02	0.06	8,610	1.00	AEON13C2101A	0.48	(0.01)	162,809	-
MITSIB	0.93	-	3,885	-	FSMART	6.90	0.10	8,162	6.00	AEON19C2011A	1.64	(0.18)	38	1.00
SGF	0.54	0.02	30,377	-	FVC	0.38	-	3,113	-	AEON19C2012A	-	-	-	-
Industrials (MAI)														
ZS	3.80	-	2,634	3.00	GSC	1.15	-	1,395	1.00	AEON19C2101A	0.64	(0.03)	5,693	-
ADB	0.88	(0.01)	4,081	-	HARN	2.06	-	7,846	2.00	AEON19C2102A	0.50	(0.02)	112,168	-
BM	2.38	(0.06)	1,546	2.00	IMH	2.04	(0.02)	2,207	2.00	AEON28C2012A	-	-	-	-
CHO	0.49	-	12,251	-	KIAT	0.61	0.02	112,205	-	AEON28C2101A	-	-	-	-
CHOW	1.95	-	1,136	1.00	KK	1.53	0.02	143,357	1.00	AEON28C2103A	0.55	(0.01)	77,329	-
CIG	0.20	(0.02)	56,708	-	KOOL	0.80	-	6,626	-	AEON28C2104L	0.34	-	47,852	-
COLOR	1.20	0.02	1,991	1.00	LDC	1.29	0.01	363	1.00	AEON42C2101T	0.40	-	18,020	-
CPR	2.62	0.16	7,001	2.00	LEO	5.50	0.54	886,491	5.00	AMAT01C2101A	0.25	0.02	72,454	-
FPI	1.41	0.01	765	1.00	MORE	0.81	-	266,004	-	AMAT06C2102A	0.31	0.03	119,898	-
GTB	0.69	(0.01)	857	-	MPG	0.23	(0.01)	5,109	-	AMAT08C2101A	0.32	0.02	11,500	-
KCM	0.43	(0.01)	339	-	MVP	1.21	0.01	300	1.00	AMAT13C2012A	0.16	0.02	25,543	-
KUMWEL	1.12	(0.01)	5,246	1.00	NBC	0.52	(0.02)	1,134	-	AMAT13C2102A	0.52	0.04	13,004	-
KWM	1.12	0.01	913	1.00	NCL	0.60	0.05	9,885	-	AMAT13C2103A	0.29	0.03	212,037	-
MBAX	7.20	0.10	9,930	7.00	NEWS	0.41	-	764	-	AMAT19C2011A	-	-	-	-
MGT	2.20	0.02	11,572	2.00	NINE	1.51	(0.08)	2	1.00	AMAT19C2012A	0.17	0.02	266,816	-
NDR	1.50	0.05	27,464	1.00	OTO	4.12	0.12	125,980	4.00	AMAT19C2101A	0.34	0.01	14,459	-
PDG	3.40	(0.04)	4,989	3.00	PHOL	2.28	0.04	4,654	2.00	AMAT24C2103A	0.58	0.04	19,619	-
PIMO	2.46	0.04	52,297	2.00	PICO	3.66	(0.04)	3	3.00	AMAT28C2012A	0.02	-	100	-
PJW	1.34	0.01	1,012	1.00	QLT	4.06	(0.02)	1	4.00	AMAT28C2101A	0.14	0.01	20,352	-
PPM	0.80	0.02	9	-	RP	1.21	0.02	1,295	1.00	AMAT28C2102L	0.10	0.01	58,252	-
PRAPAT	1.26	0.05	283,644	1.00	SABUY	2.04	0.08	1,754,224	2.00	AMAT28C2103A	0.34	0.02	79,686	-
RWI	1.30	-	709	1.00	SE	1.21	0.01	526	1.00	AMAT42C2101T	0.09	0.01	12	-
SALEE	0.66	-	2,839	-	SLM	-	-	-	-	AOT01C2012A	0.81	0.11	200	-
SANKO	0.95	(0.01)	922	-	SONIC	1.30	0.02	62,917	1.00	AOT01C2102A	0.80	0.01	115	-
SELIC	2.18	-	4,921	2.00	SPA	6.80	0.05	26,362	6.00	AOT01C2102T	0.52	0.04	161	-
SFT	4.44	(0.02)	490,821	4.00	THMUI	0.61	(0.01)	1,491	-	AOT01P2012A	0.04	-	818	-
SWC	4.44	0.04	524	4.00	TNDT	3.12	0.14	824	3.00	AOT01P2012B	0.09	(0.01)	403	-
TMC	0.69	0.01	9,921	-	TNH	33.00	(0.25)	113	33.00	AOT01P2102T	0.26	(0.01)	785	-
TMI	0.65	-	10,196	-	TNP	3.58	-	11,904	3.00	AOT01P2103A	0.70	(0.03)	35,780	-
TMW	34.00	0.25	211	34.00	TSF	-	-	-	-	AOT06C2011A	-	-	-	-
TPAC	13.00	(0.50)	1,844	13.00	TVD	1.03	0.02	50,632	1.00	AOT06C2102A	0.84	0.01	47,997	-
TPLAS	1.51	0.02	4,645	1.00	TVT	0.62	(0.01)	1,445	-	AOT06P2103A	0.12	(0.01)	14,858	-
UBIS	5.35	(0.10)	54	5.00	VL	1.05	-	35,337	1.00	AOT08C2101A	0.67	0.02	16,828	-
UEC	0.90	0.02	4,077	-	WINNER	2.60	-	1,559	2.00	AOT08P2102A	0.20	(0.01)	2,300	-
UKEM	0.56	0.03	116,779	-	YGG	11.80	(0.10)	1,384	11.00	AOT11C2011A	-	-	-	-
UREKA	0.82	0.01	779	-	Technology (MAI)	-	-	-	-	AOT11P2101A	-	-	-	-
YUASA	16.00	0.40	1,283	15.00	APP	2.24	0.06	18,967	2.00	AOT13C2012A	0.71	(0.03)	5,150	-
ZIGA	2.70	0.12	33,025	2.00	COMAN	2.28	0.08	1,430	2.00	AOT13C2101A	0.56	0.03	14,788	-
Property & Construc														
ALL	3.18	-	87,225	3.00	ICN	2.38	0.02	16,319	2.00	AOT13C2102A	1.03	(0.01)	150	1.00
ARIN	0.89	(0.01)	1,811	-	IIG	20.30	(0.20)	12,462	20.00	AOT13C2103A	0.50	-	500,914	-
ARROW	7.10	0.10	342	7.00	INSET	3.64	0.16	115,875	3.00	AOT13P2011A	-	-	-	-
BC	0.85	0.01	154	-	IRCP	0.72	0.02	3,367	-	AOT13P2101A	0.09	(0.01)	3,850	-
BSM	0.26	-	10,809	-	ITEL	2.92	-	18,883	2.00	AOT13P2102A	0.10	(0.01)	243,608	-
BTW	0.76	(0.01)	553	-	NETBAY	26.00	0.25	5,165	25.00	AOT13P2103A	0.58	(0.02)	199,674	-
CAZ	1.65	0.05	16,066	1.00	PLANET	1.15	0.02	2,461	1.00	AOT16C2012A	1.11	0.02	800	1.00
CHEWA	0.50	0.01	19,511	-	SICT	4.30	0.22	136,908	4.00	AOT19C2011A	-	-	-	-
CMC	0.75	0.02	3,077	-	SIMAT	3.50	(0.04)	7,385	3.00	AOT19C2011B	0.15	(0.02)	66,385	-
CRD	0.44	-	1,222	-	SKY	12.00	-	963	12.00	AOT19C2012A	0.66	0.08	65	-
DHOUSE	0.56	0.01	271,239	-	SPVI	3.08	0.02	23,586	3.00	AOT19C2102A	1.08	(0.01)	1,140	1.00
DIMET	0.12	(0.01)	108,											

Main Board Quotation

Issue Date :

Thursday November 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP19C2011A	0.08	(0.01)	5,660	-	BCPG13C2012B	-	-	-	-	BJC41C2012A	-	-	-	-
AP28C2012A	-	-	-	-	BCPG13C2012A	0.36	0.01	201,005	-	BPP13C2011A	-	-	-	-
AP28C2012B	0.08	(0.01)	22,126	-	BCPG19C2011A	-	-	-	-	BPP13C2012A	0.18	0.05	19,524	-
AP28C2103A	0.27	(0.01)	42,630	-	BCPG19C2012A	0.16	-	17,471	-	BPP13C2103A	0.48	0.07	163,309	-
AWC01C2101A	0.32	0.01	24,301	-	BCPG19C2101A	0.36	0.01	7,792	-	BPP19C2012A	0.20	0.06	38,770	-
AWC01C2103A	1.32	0.02	10,422	1.00	BCPG28C2012A	-	-	-	-	BTS01C2101A	0.11	-	13,759	-
AWC01P2103A	0.93	(0.02)	21,197	-	BCPG28C2012B	-	-	-	-	BTS01C2103A	0.58	(0.03)	15,284	-
AWC06C2011A	-	-	-	-	BCPG28C2012C	-	-	-	-	BTS01P2103A	0.26	(0.01)	29,040	-
AWC06C2103A	0.64	0.01	17,934	-	BCPG28C2101A	0.14	0.01	12,729	-	BTS06P2103A	0.17	-	72,520	-
AWC06P2012A	-	-	-	-	BCPG28C2103A	0.32	-	35,340	-	BTS11C2011A	-	-	-	-
AWC08C2012A	0.11	-	2,400	-	BCPG28C2103L	0.18	0.01	18,170	-	BTS13C2011A	-	-	-	-
AWC11C2102A	0.41	-	29,600	-	BDMS01C2101A	0.44	(0.06)	39,606	-	BTS13C2012A	-	-	-	-
AWC13C2101A	0.29	-	2,090	-	BDMS06C2102A	0.44	(0.02)	57,633	-	BTS13C2102A	-	-	-	-
AWC13C2102A	0.92	0.01	400	-	BDMS06C2103A	0.98	(0.01)	4,601	-	BTS13C2103A	0.21	(0.01)	278,967	-
AWC13C2102B	0.45	-	307,392	-	BDMS08C2011A	-	-	-	-	BTS13P2011A	-	-	-	-
AWC13P2011A	-	-	-	-	BDMS08C2101A	0.37	0.01	11,800	-	BTS13P2102A	0.10	-	5	-
AWC13P2102A	0.08	-	140	-	BDMS11C2011A	0.20	0.02	14,410	-	BTS19C2011A	-	-	-	-
AWC19C2101A	0.30	-	75,634	-	BDMS11P2104A	0.16	(0.01)	11,802	-	BTS19C2012A	-	-	-	-
AWC19C2102A	-	-	-	-	BDMS13C2011A	-	-	-	-	BTS19C2102A	0.48	(0.01)	100	-
AWC19C2103A	-	-	-	-	BDMS13C2012A	0.21	(0.01)	105,354	-	BTS19C2104A	0.18	-	51,122	-
AWC19P2011A	-	-	-	-	BDMS13C2101A	0.57	(0.02)	17,309	-	BTS19P2012A	0.03	(0.01)	2	-
AWC19P2102B	0.09	(0.01)	72	-	BDMS13C2103A	0.49	(0.01)	268,644	-	BTS19P2102A	0.17	-	46,496	-
AWC24C2103A	0.77	0.03	6,369	-	BDMS13P2102A	0.07	-	521	-	BTS24C2012A	-	-	-	-
AWC28C2012A	-	-	-	-	BDMS13P2103A	0.55	(0.45)	95,859	-	BTS41C2012A	-	-	-	-
AWC28C2012B	-	-	-	-	BDMS19C2011A	-	-	-	-	CBG01C2012A	0.11	0.03	36,107	-
AWC28C2101A	0.19	0.01	39,504	-	BDMS19C2012A	0.22	(0.01)	72,516	-	CBG01C2102A	0.56	0.11	155,765	-
AWC28C2103L	0.17	-	6,084	-	BDMS19C2102A	0.53	(0.03)	3,751	-	CBG01C2103T	0.43	0.07	66,222	-
AWC28C2104A	-	-	-	-	BDMS19P2102A	0.07	(0.02)	900	-	CBG01P2012A	0.09	(0.05)	56,804	-
AWC41C2102A	-	-	-	-	BDMS24C2101A	0.48	(0.01)	7,952	-	CBG01P2102A	0.46	(0.09)	57,110	-
AWC42C2101T	-	-	-	-	BDMS28C2012A	-	-	-	-	CBG06C2101A	-	-	-	-
BANP01C2101A	0.51	-	54,785	-	BDMS28C2012E	-	-	-	-	CBG06C2102A	0.63	0.14	127,123	-
BANP01C2103A	0.42	0.03	73,310	-	BDMS28C2101A	0.17	-	33,434	-	CBG08C2012A	0.37	0.10	81,222	-
BANP01P2101A	0.09	(0.02)	18,257	-	BDMS28C2102A	0.29	0.01	45,680	-	CBG11C2101A	0.42	0.10	74,846	-
BANP06C2101A	0.67	0.03	14,027	-	BDMS28C2103A	0.61	-	95	-	CBG13C2012A	0.11	0.02	177,011	-
BANP06P2011A	0.01	-	28	-	BDMS41C2012A	-	-	-	-	CBG13C2101A	0.44	0.09	298,681	-
BANP06P2103A	0.16	(0.02)	20,135	-	BDMS41P2011A	-	-	-	-	CBG13C2102A	0.63	0.13	508,264	-
BANP08C2102A	0.56	0.02	53,990	-	BDMS42C2101T	-	-	-	-	CBG13P2011A	-	-	-	-
BANP08P2102A	0.12	(0.01)	2,700	-	BEM01C2101A	-	-	-	-	CBG13P2101A	0.35	(0.11)	192,317	-
BANP11C2104A	0.57	0.03	32,680	-	BEM08C2102A	0.13	-	900	-	CBG16C2101A	0.47	0.12	19,613	-
BANP13C2012A	0.51	0.03	98,016	-	BEM11C2011A	-	-	-	-	CBG19C2011A	0.28	0.10	62,098	-
BANP13C2102A	0.37	0.01	412,986	-	BEM13C2011A	-	-	-	-	CBG19C2011B	0.01	-	1,101	-
BANP13P2012A	-	-	-	-	BEM13C2101A	0.25	(0.01)	52,048	-	CBG19C2101A	0.34	0.09	538,598	-
BANP13P2102A	0.18	(0.02)	54,929	-	BEM13P2102A	0.11	-	5,435	-	CBG19C2102A	0.63	0.13	321,708	-
BANP16C2101A	0.47	0.02	8,607	-	BEM19C2011A	-	-	-	-	CBG19P2011A	-	-	-	-
BANP19C2012A	-	-	-	-	BEM19C2101A	0.23	-	41,398	-	CBG19P2012A	0.17	(0.08)	258,747	-
BANP19C2102A	0.40	0.03	196,973	-	BEM19C2102A	0.41	(0.01)	8,416	-	CBG24C2102A	0.63	0.15	78,823	-
BANP19P2012A	-	-	-	-	BEM19P2102A	0.20	(0.02)	5,998	-	CBG41C2011B	-	-	-	-
BANP19P2102A	0.15	(0.01)	29,000	-	BEM28C2012A	-	-	-	-	CBG41C2012A	-	-	-	-
BANP24C2011A	-	-	-	-	BEM28C2103A	0.22	(0.01)	18,452	-	CBG41P2012A	0.27	(0.13)	23,991	-
BANP28C2012A	0.22	0.01	10,550	-	BEM28C2103B	0.38	-	26,336	-	CBG42C2101T	0.61	0.13	47,162	-
BANP28C2012B	0.18	0.01	88,465	-	BEM28C2104L	-	-	-	-	CENT01C2103A	0.76	(0.01)	14,834	-
BANP28C2101A	-	-	-	-	BGR101C2012A	-	-	-	-	CENT01P2103A	0.58	0.01	17,969	-
BANP28C2103A	0.37	0.02	116,882	-	BGR101C2102A	0.48	(0.05)	43,511	-	CENT08C2012A	0.18	(0.01)	4,222	-
BANP42C2012T	0.14	0.01	6,764	-	BGR101P2012A	0.05	(0.01)	500	-	CENT11C2012A	-	-	-	-
BBL06C2101A	-	-	-	-	BGR101P2103A	0.61	0.01	24,507	-	CENT13C2011A	-	-	-	-
BBL06P2011A	-	-	-	-	BGR106C2102A	0.42	(0.04)	38,105	-	CENT13C2101A	0.54	(0.02)	154,715	-
BBL08C2101A	0.38	0.01	65,280	-	BGR106P2011A	-	-	-	-	CENT13P2011A	-	-	-	-
BBL08C2103A	1.97	0.11	660	1.00	BGR108C2101A	0.30	(0.02)	2,800	-	CENT19C2011A	-	-	-	-
BBL08P2102A	0.25	(0.01)	6,720	-	BGR111C2101A	0.14	(0.01)	27,103	-	CENT19C2011B	-	-	-	-
BBL11C2011A	0.24	(0.01)	55,931	-	BGR113C2012A	0.16	(0.02)	30,588	-	CENT19C2101A	0.50	(0.01)	30,310	-
BBL11C2104A	1.53	0.03	10,400	1.00	BGR113C2101A	0.34	(0.03)	129,896	-	CENT19P2011A	-	-	-	-
BBL11P2102A	0.17	-	111,422	-	BGR113P2101A	-	-	-	-	CENT24C2011A	-	-	-	-
BBL13C2012A	0.36	0.01	1,408	-	BGR113P2103A	0.42	-	43,875	-	CENT28C2012A	-	-	-	-
BBL13C2012B	-	-	-	-	BGR119C2011A	-	-	-	-	CENT28C2012B	-	-	-	-
BBL13C2103A	0.64	(0.01)	9,120	-	BGR119C2012A	0.11	(0.01)	73,658	-	CENT28C2101A	0.21	(0.01)	44,075	-
BBL13C2103B	0.46	(0.01)	668,285	-	BGR119C2101A	0.40	(0.04)	17,621	-	CENT28C2101B	0.06	-	3,101	-
BBL13P2012A	0.07	(0.01)	5,542	-	BGR119P2102A	0.18	-	39,006	-	CENT28C2103L	0.27	(0.01)	22,715	-
BBL13P2103A	0.45	(0.01)	202,661	-	BGR124C2101A	0.46	(0.04)	5,884	-	CHG06C2102A	0.14	(0.01)	19,920	-
BBL19C2011A	-	-	-	-	BGR127C2101A	-	-	-	-	CHG13C2012A	-	-	-	-
BBL19C2011B	-	-	-	-	BGR127P2012A	-	-	-	-	CHG19C2011A	-	-	-	-
BBL19C2012A	-	-	-	-	BGR141C2012A	-	-	-	-	CHG19C2103A	0.16	-	201	-
BBL19C2101A	0.52	0.01	34,230	-	BGR141C2101A	0.15	(0.01)	2,978	-	CK01C2101A	0.16	-	48	-
BBL19C2101B	-	-	-	-	BGR142C2101T	-	-	-	-	CK01P2101A	0.27	(0.02)	5,319	-
BBL19C2103A	0.35	-	527,209	-	BH01C2103A	-	-	-	-	CK06C2102A	0.21	0.01	10,808	-
BBL19P2011A	-	-	-	-	BH13C2012A	0.05	-	200	-	CK06C2103A	-	-	-	-
BBL19P2012A	-	-	-	-	BH13C2101A	0.49	0.03	2,768	-	CK06P2012A	0.15	(0.02)	13,645	-
BBL19P2103A	0.42	(0.01)	279,848	-	BH13C2103A	0.40	-	112,568	-	CK11C2012A	-	-	-	-
BBL24C2102A	1.68	0.09	3,192	1.00	BH13P2101A	0.11	(0.01)	31,320	-	CK13C2012A	0.09	-	2,500	-
BBL28C2012A	-	-	-	-	BH19C2012A	0.09	0.01	2,000	-	CK13C2102A	0.51	0.01	920	-
BBL28C2101A	0.25	-	157,239	-	BH19C2101A	0.87	0.01	1,013	-	CK13C2103A	0.36	0.01	84,860	-
BBL28C2103A	1.54	0.10	30	1.00	BH19C2103A	0.35	-	51,847	-	CK19C2011A	-	-	-	-
BBL28C2104L	0.27	-	69,802	-	BH19P2012A	0.14	(0.02)	29,762	-	CK19C2012A	0.13	-	8,814	-
BBL41C2012A	-	-	-	-	BH24C2102A	0.24	0.01	10,149	-	CK19C2103A	0.39	0.01	92,441	-
BBL41C2012B	0.38	-	246,868	-	BH41C2012A	-	-	-	-	CK19P2011A	-	-	-	-
BBL41C2102A	1.94	0.11	2,346	1.00	BJ01C2101A	0.11	(0.01)	23,974	-	CK19P2102A	0.18	(0.02)	4,010	-
BBL41P2102A	0.27	(0.02)	64,346	-	BJ01P2102A	0.30	0.02	27,926	-	CK24C2102A	0.18	-	5,056	-
BBL42C2101T	0.10	-	1,579	-	BJC06C2102A	0.07	(0.01)	190	-	CK41C2011A	-	-	-	-
BBL42P2102T	0.11	-	300	-	BJC06C2104A	0.27	(0.01)	39,623	-	CK41C2012A	-	-	-	-
BCH01C2101A	0.21	(0.01)	17,778	-	BJC11C2102A	0.11	(0.01)	8,540	-	CK42C2101T	-	-	-	-
BCH06C2011A	-	-	-	-	BJC13C2011A	-	-	-	-	CKP01C2101A	0.07	0.01	300	-
BCH06C2103A	0.36	-	22,400</											

Main Board Quotation

Issue Date :

Thursday November 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP19C2101A	0.09	(0.01)	1,017	-	CPN13C2012A	-	-	-	-	EGCO01C2103A	0.99	(0.01)	58,740	-
CKP19C2102A	0.50	(0.02)	62,442	-	CPN13C2102A	-	-	-	-	EGCO01P2101A	0.55	(0.01)	53,102	-
CKP19P2012A	0.23	-	16	-	CPN13C2103A	0.61	-	176,193	-	EGCO13C2011A	-	-	-	-
CKP24C2011A	-	-	-	-	CPN19C2011A	0.01	(0.02)	2,000	-	EGCO13C2012A	0.05	-	83	-
CKP28C2012A	-	-	-	-	CPN19C2012A	0.28	(0.02)	98,194	-	EGCO13C2012B	0.09	(0.01)	87,510	-
CKP28C2012B	-	-	-	-	CPN19C2102A	0.68	(0.02)	5,694	-	EGCO13C2101A	0.49	(0.02)	265,874	-
CKP28C2103A	0.14	(0.01)	24,025	-	CPN19P2011A	0.05	(0.01)	25,627	-	EGCO13P2011A	-	-	-	-
COM701C2103A	0.30	-	368,760	-	CPN24C2011A	-	-	-	-	EGCO19C2011A	-	-	-	-
COM706C2012A	0.31	0.01	101	-	CPN24C2102A	1.05	0.01	6,678	1.00	EGCO19C2012A	0.02	-	11,000	-
COM706C2103A	0.39	-	40,350	-	CPN41C2012A	-	-	-	-	EGCO19C2012B	0.22	(0.02)	38,338	-
COM708C2011A	0.19	(0.02)	100	-	CPN41C2101A	0.28	-	21,015	-	EGCO19C2102A	0.84	(0.03)	86,256	-
COM708C2102A	0.25	-	45,222	-	CPN41C2102A	-	-	-	-	EGCO19P2011A	0.42	(0.01)	12,884	-
COM711C2101A	0.31	-	27,384	-	CPN41P2011A	-	-	-	-	EGCO19P2012A	0.32	(0.01)	353,210	-
COM711P2102A	0.48	(0.02)	13,585	-	CPN41P2102A	0.06	(0.01)	910	-	EGCO41C2101A	-	-	-	-
COM713C2011A	-	-	-	-	CRC01C2101A	0.25	(0.03)	99,336	-	EGCO42C2101T	-	-	-	-
COM713C2101A	0.16	(0.01)	38,539	-	CRC01P2101A	0.12	-	37,086	-	EPG13C2012A	0.18	0.04	108,941	-
COM713C2103A	0.34	(0.01)	262,426	-	CRC06C2102A	0.40	(0.02)	28,720	-	EPG13C2102A	1.04	0.14	40	1.00
COM716C2101A	0.19	-	2,088	-	CRC08C2101A	0.27	(0.01)	12,500	-	EPG13C2102B	0.35	0.06	107,112	-
COM719C2011A	-	-	-	-	CRC11P2104A	0.32	0.02	16,979	-	EPG19C2011A	0.08	0.01	2,380	-
COM719C2011B	-	-	-	-	CRC13C2011A	-	-	-	-	EPG19C2102A	-	-	-	-
COM719C2012A	0.11	(0.01)	54,563	-	CRC13C2101A	0.17	(0.03)	104,419	-	EPG19C2103A	0.35	0.04	41,593	-
COM719C2103A	0.29	-	169,111	-	CRC13C2102A	-	-	-	-	EPG42C2101T	0.44	0.08	1,218	-
COM719P2011A	-	-	-	-	CRC13P2012A	-	-	-	-	ESSO01C2012A	0.10	-	33,896	-
COM719P2012A	-	-	-	-	CRC16C2102A	0.47	(0.04)	3,110	-	ESSO01P2012A	0.09	(0.02)	31,298	-
COM719P2101A	0.20	-	66,652	-	CRC19C2011A	-	-	-	-	ESSO06C2103A	0.50	0.05	49,632	-
COM719P2102A	0.53	(0.01)	55,990	-	CRC19C2101A	0.19	(0.02)	123,069	-	ESSO08C2011A	0.05	-	2,500	-
COM724C2012A	0.15	(0.01)	8,943	-	CRC19C2102A	0.43	(0.03)	1,002	-	ESSO08C2102A	0.40	0.04	35,453	-
COM741C2101A	0.11	(0.01)	83,041	-	CRC19P2011A	-	-	-	-	ESSO13C2012A	0.16	0.01	162,980	-
CPAL01C2101A	0.16	(0.02)	119,387	-	CRC24C2101A	0.25	(0.03)	8,010	-	ESSO13C2102A	0.45	0.03	189,135	-
CPAL01C2103A	0.58	(0.05)	37,919	-	CRC28C2012A	0.04	(0.01)	3	-	ESSO19C2011A	-	-	-	-
CPAL01P2101A	0.26	0.01	48,792	-	CRC28C2101A	0.24	(0.02)	19,258	-	ESSO19C2012A	0.16	0.01	340,181	-
CPAL06C2102A	0.14	(0.03)	46,095	-	CRC28C2103A	0.51	(0.02)	600	-	ESSO19C2103A	0.45	0.03	66,831	-
CPAL06C2104A	0.44	(0.04)	56,942	-	CRC41C2012A	0.19	(0.03)	12,948	-	ESSO19P2012A	0.05	(0.01)	201	-
CPAL06P2012A	0.09	-	14,830	-	DOHO01C2103	0.32	-	19,961	-	ESSO24C2012A	0.08	-	699	-
CPAL08C2011A	-	-	-	-	DOHO01P2103	0.61	0.02	28,824	-	ESSO28C2101A	-	-	-	-
CPAL08C2102A	0.25	(0.02)	27,170	-	DOHO06C2012	0.05	(0.01)	21,455	-	ESSO28C2101B	0.13	0.02	97,037	-
CPAL08P2101A	0.34	-	1,244	-	DOHO08C2012	0.17	-	45,736	-	ESSO28C2104A	0.34	0.03	91,246	-
CPAL11C2012A	-	-	-	-	DOHO11C2101	0.20	(0.01)	24,990	-	ESSO28C2105L	0.26	0.02	55,756	-
CPAL13C2012A	-	-	-	-	DOHO13C2011	-	-	-	-	ESSO42C2101T	0.14	0.01	12	-
CPAL13C2101A	0.26	(0.03)	402,585	-	DOHO13C2101	0.07	(0.01)	27,684	-	GFPT08C2011A	-	-	-	-
CPAL13C2102A	0.56	(0.04)	3,777	-	DOHO13C2103	0.27	-	144,558	-	GFPT19C2012A	0.08	(0.01)	1	-
CPAL13P2011A	-	-	-	-	DOHO19C2011	0.02	-	20,913	-	GFPT19C2103A	0.30	(0.02)	39,999	-
CPAL13P2102A	0.18	0.01	111,822	-	DOHO19C2101	0.10	-	19,116	-	GFPT24C2012A	-	-	-	-
CPAL16C2103A	0.48	(0.06)	11,744	-	DOHO19C2103	0.27	(0.02)	128,011	-	GFPT42C2101T	0.04	-	250	-
CPAL19C2011A	-	-	-	-	DOHO28C2012	-	-	-	-	GLOB01C2012A	0.01	-	36	-
CPAL19C2012A	0.10	(0.02)	50,194	-	DOHO28C2101	0.12	-	30,420	-	GLOB01C2102A	0.34	(0.02)	32,370	-
CPAL19C2102A	0.25	(0.04)	396,865	-	DOHO28C2104	0.35	(0.01)	47,609	-	GLOB13C2011A	0.02	0.01	2,675	-
CPAL19C2103A	0.54	(0.02)	39	-	DOHO42C2012	0.08	(0.01)	119	-	GLOB13C2102A	0.20	(0.01)	41,269	-
CPAL19P2101A	0.21	0.01	24,167	-	DTAC01C2101A	0.15	0.01	63,027	-	GLOB19C2012A	0.03	-	6,921	-
CPAL24C2103A	0.42	(0.04)	19,237	-	DTAC01C2103A	0.32	-	60,149	-	GLOB19C2102A	0.24	(0.02)	63,426	-
CPAL27C2101A	-	-	-	-	DTAC01P2101A	0.13	(0.02)	72,892	-	GPSC01C2012A	0.10	-	117	-
CPAL28C2012A	-	-	-	-	DTAC06C2012A	-	-	-	-	GPSC01C2101A	0.43	(0.03)	53,045	-
CPAL28C2012B	-	-	-	-	DTAC06C2103A	0.36	-	83,010	-	GPSC01C2103A	1.35	(0.05)	19,266	1.00
CPAL28C2012C	-	-	-	-	DTAC06P2012A	0.14	(0.02)	90,447	-	GPSC01P2012A	0.09	-	24,674	-
CPAL28C2102A	0.12	-	16,168	-	DTAC08C2012A	-	-	-	-	GPSC01P2103A	0.82	-	69,178	-
CPAL28C2103A	0.29	(0.03)	78,464	-	DTAC08C2101A	0.17	0.01	7,433	-	GPSC08C2101A	0.15	(0.02)	52,010	-
CPAL28C2103B	0.55	(0.01)	4,000	-	DTAC13C2012A	0.08	0.02	1,006	-	GPSC06C2103A	-	-	-	-
CPAL28C2104	0.15	(0.01)	21,814	-	DTAC13C2101A	0.16	(0.01)	418,732	-	GPSC06P2011A	-	-	-	-
CPAL41C2011A	-	-	-	-	DTAC13C2103A	0.34	0.01	136,831	-	GPSC08C2101A	0.22	(0.01)	9,412	-
CPAL41C2101A	0.21	(0.03)	43,738	-	DTAC13P2101A	-	-	-	-	GPSC08C2103A	0.90	(0.04)	36,167	-
CPAL41C2101B	0.51	(0.02)	1,978	-	DTAC13P2103A	0.28	(0.02)	69,656	-	GPSC11C2102A	0.39	(0.01)	40,538	-
CPAL41P2011A	-	-	-	-	DTAC19C2011A	-	-	-	-	GPSC13C2012A	-	-	-	-
CPAL41P2101A	0.31	0.01	2,270	-	DTAC19C2012A	-	-	-	-	GPSC13C2012B	0.17	(0.02)	3,205	-
CPAL41P2101B	0.12	0.01	70	-	DTAC19C2101A	0.20	-	37,877	-	GPSC13C2101A	0.55	(0.04)	10,273	-
CPAL42C2101T	-	-	-	-	DTAC19C2103A	0.39	-	50,032	-	GPSC13C2102A	0.93	(0.06)	4,798	-
CPF01C2012A	-	-	-	-	DTAC19P2011A	0.02	(0.01)	80	-	GPSC13C2103A	0.56	(0.04)	985,283	-
CPF01C2101A	0.14	0.01	129,439	-	DTAC19P2103A	0.32	(0.01)	119,449	-	GPSC13P2011B	-	-	-	-
CPF01P2012A	0.27	(0.02)	40,213	-	DTAC24C2012A	-	-	-	-	GPSC13P2102A	0.18	0.01	880	-
CPF06C2102A	0.12	0.01	112,838	-	DTAC28C2012A	-	-	-	-	GPSC13P2102B	0.52	0.01	199,568	-
CPF06P2011A	-	-	-	-	DTAC28C2102A	0.10	-	27,378	-	GPSC16C2103A	0.81	(0.02)	7,770	-
CPF08C2102A	0.13	0.01	3,000	-	DTAC28C2103A	0.25	0.01	69,925	-	GPSC19C2012A	0.12	(0.01)	38,975	-
CPF08P2103A	-	-	-	-	DTAC28C2104L	0.18	-	9,127	-	GPSC19C2101A	0.32	(0.04)	1,282,748	-
CPF11C2104A	0.30	0.02	134,922	-	DTAC41C2011A	-	-	-	-	GPSC19C2101B	0.59	(0.05)	6,063	-
CPF11P2104A	0.30	(0.02)	87,320	-	DTAC41C2012A	-	-	-	-	GPSC19C2102A	0.96	(0.05)	40,536	1.00
CPF13C2011A	-	-	-	-	DTAC42C2101T	-	-	-	-	GPSC19P2011A	-	-	-	-
CPF13C2012A	0.04	0.01	7,600	-	EA06C2102A	0.31	(0.03)	30,755	-	GPSC19P2012A	-	-	-	-
CPF13C2101A	0.09	-	45,380	-	EA06P2012A	-	-	-	-	GPSC19P2102A	0.21	-	43,632	-
CPF13C2102A	0.20	0.01	423,941	-	EA08C2101A	0.32	(0.01)	2,100	-	GPSC19P2103A	0.66	0.02	258,236	-
CPF13P2012A	0.20	(0.04)	2	-	EA11C2101A	-	-	-	-	GPSC24C2011A	-	-	-	-
CPF13P2101A	0.10	(0.02)	170,122	-	EA13C2011A	0.02	-	5,004	-	GPSC28C2101A	0.20	-	59,393	-
CPF16C2012A	-	-	-	-	EA13C2012A	0.09	(0.02)	20,200	-	GPSC28C2103A	0.69	0.04	400	-
CPF19C2012A	-	-	-	-	EA13C2101A	0.33	(0.03)	4,960	-	GPSC28C2104L	0.24	(0.01)	30,420	-
CPF19C2102A	0.15	0.01	214,975	-	EA13C2103A	0.31	(0.02)	141,107	-	GPSC41C2011A	-	-	-	-
CPF19C2103A	0.26	0.01	91,210	-	EA13P2011A	-	-	-	-	GPSC41C2012A	-	-	-	-
CPF19P2012A	-	-	-	-	EA13P2101A	0.07	-	34	-	GPSC42C2101T	-	-	-	-
CPF19P2101A	0.13	(0.02)	20,134	-	EA13P2103A	0.49	0.01	40,498	-	GULF01C2012A	0.12	(0.02)	64,842	-
CPF24C2012A	-	-	-	-	EA16C2012A	-	-	-	-	GULF01C2102A	0.41	-	58,131	-
CPF28C2012A	-	-	-	-	EA16C2102A	0.38	(0.03)	2,423	-	GULF01P2012A	0.04	0.02	170	-
CPF28C2012B	-	-	-	-	EA19C2012A	0.11	(0.02)							

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Thursday November 19, 2020				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF19C2101A	0.28	-	464,044	-	HSI41P2011A	-	-	-	-	JAS28C2102A	0.13	0.01	23,662	-
GULF19C2103A	0.52	-	8,826	-	HSI41P2011B	-	-	-	-	JAS28C2103A	0.25	0.01	12,468	-
GULF19P2012A	-	-	-	-	HSI41P2011C	-	-	-	-	JAS41C2011A	-	-	-	-
GULF19P2012A	-	-	-	-	HSI41P2011D	-	-	-	-	JAS41C2102A	0.21	0.01	40,912	-
GULF19P2103A	0.20	-	190,542	-	HSI41P2011E	-	-	-	-	JMT01C2102A	0.28	0.01	30,007	-
GULF24C2101A	0.24	(0.01)	15,142	-	HSI41P2012A	-	-	-	-	JMT01P2102A	0.32	(0.02)	19,962	-
GULF28C2102A	0.01	-	2,000	-	HSI41P2012B	0.22	0.03	15,296	-	JMT06C2102A	0.20	0.01	27,081	-
GULF28C2102B	-	-	-	-	HSI41P2012C	0.13	0.01	1,310	-	JMT06C2103A	0.27	0.01	42,000	-
GULF28C2101A	0.14	-	32,420	-	HSI41P2012T	0.18	0.01	1,340	-	JMT08C2101A	0.21	0.01	25,079	-
GULF28C2102A	0.19	(0.01)	52,314	-	HSI41P2012V	0.34	0.05	18,529	-	JMT11C2102A	-	-	-	-
GULF28C2103A	-	-	-	-	HSI41P2101A	0.07	-	5,502	-	JMT13C2011B	-	-	-	-
GULF41C2012A	-	-	-	-	INTU01C2101A	0.18	(0.01)	44,749	-	JMT13C2012A	0.11	0.02	183,706	-
GULF41C2102A	0.26	(0.01)	27,738	-	INTU01P2101A	0.38	(0.02)	26,192	-	JMT13C2102A	0.27	0.02	202,320	-
GULF41C2102B	0.61	0.01	12,849	-	INTU06C2103A	0.34	(0.01)	19,888	-	JMT16C2102A	0.31	0.03	33,913	-
GULF41P2012A	-	-	-	-	INTU06P2011A	-	-	-	-	JMT19C2011A	0.20	0.05	1	-
GULF41P2102A	-	-	-	-	INTU11C2103A	0.38	-	28,550	-	JMT19C2012A	0.11	(0.01)	8,111	-
GULF41P2102B	0.26	(0.01)	45,786	-	INTU13C2101A	0.25	-	76,756	-	JMT19C2102A	0.22	0.02	232,696	-
GULF42C2101T	-	-	-	-	INTU19C2012A	-	-	-	-	JMT24C2011A	0.24	0.03	100	-
GULF42P2101T	0.07	(0.01)	350	-	INTU19C2101A	0.29	-	47,732	-	JMT28C2101A	0.19	0.03	27,336	-
GUNK01C2012A	-	-	-	-	INTU19P2012A	0.21	(0.01)	151,605	-	JMT28C2104L	0.18	0.01	12,168	-
GUNK13C2011A	-	-	-	-	INTU23C2111A	-	-	-	-	JMT41C2012A	0.11	0.02	790	-
GUNK13C2101A	0.10	-	39,966	-	INTU28C2012A	-	-	-	-	JMT42C2101T	0.16	0.01	8	-
GUNK13C2102A	-	-	-	-	INTU28C2102A	0.13	-	6,084	-	KBAN01C2012A	0.79	0.10	80,090	-
GUNK19C2101A	-	-	-	-	INTU28C2103A	0.32	(0.01)	25,252	-	KBAN01C2012B	0.46	0.06	77,580	-
GUNK19C2103A	0.23	0.01	22,016	-	INTU41C2012A	-	-	-	-	KBAN01C2102A	1.59	0.10	40,554	1.00
GUNK24C2012A	-	-	-	-	INTU42C2101T	-	-	-	-	KBAN01C2102T	0.91	0.08	56,437	-
GUNK28C2012A	0.03	-	4	-	IRPC01C2101A	0.39	0.08	47,782	-	KBAN01P2012A	0.05	(0.01)	51	-
GUNK28C2012B	-	-	-	-	IRPC01C2103A	0.63	0.08	17,640	-	KBAN01P2101A	0.11	(0.04)	56,123	-
GUNK28C2102A	-	-	-	-	IRPC01P2101A	0.09	0.03	28	-	KBAN01P2102T	0.26	(0.03)	37,430	-
GUNK28C2103A	0.15	(0.01)	34,605	-	IRPC06C2103A	0.77	0.11	14,319	-	KBAN06C2012A	0.19	0.05	273,429	-
HANA01C2012A	0.13	(0.01)	100,372	-	IRPC11C2102A	0.36	0.06	40,856	-	KBAN06C2103A	1.74	0.26	751	1.00
HANA01C2102A	0.09	(0.01)	5,000	-	IRPC13C2011A	-	-	-	-	KBAN06P2011A	-	-	-	-
HANA01C2102B	0.23	(0.02)	100,079	-	IRPC13C2012A	-	-	-	-	KBAN06P2103A	0.09	(0.02)	12,276	-
HANA01P2102A	0.91	0.03	26,004	-	IRPC13C2012B	0.49	0.21	410	-	KBAN08C2011A	0.02	-	501	-
HANA06C2102A	0.11	(0.02)	90,586	-	IRPC13C2101A	-	-	-	-	KBAN08C2101A	0.54	0.09	77,719	-
HANA11C2103A	0.30	(0.02)	17,731	-	IRPC13C2102A	0.70	0.07	100	-	KBAN08C2103A	1.55	0.13	2,333	1.00
HANA13C2012A	0.02	(0.01)	25,442	-	IRPC13C2103A	0.46	0.08	570,275	-	KBAN08P2101A	0.21	(0.04)	11,686	-
HANA13C2102A	0.14	(0.02)	167,553	-	IRPC13P2011A	-	-	-	-	KBAN13C2011A	0.07	0.03	1	-
HANA13C2102B	0.25	(0.02)	251,441	-	IRPC13P2012A	-	-	-	-	KBAN13C2012A	0.42	0.10	58,792	-
HANA13C2103A	0.42	(0.03)	673,313	-	IRPC19C2011A	0.08	0.03	42,548	-	KBAN13C2012B	0.83	0.15	6,724	-
HANA13P2101A	0.67	0.04	4,928	-	IRPC19C2012A	-	-	-	-	KBAN13C2101A	1.29	0.16	70,394	1.00
HANA16C2101A	0.12	(0.03)	4,051	-	IRPC19C2101A	0.46	0.11	22,366	-	KBAN13C2102A	0.86	0.10	1,705,830	-
HANA19C2012A	0.05	(0.01)	27,480	-	IRPC19C2103A	0.72	0.17	220	-	KBAN13P2011A	-	-	-	-
HANA19C2101A	0.06	-	9,930	-	IRPC19C2104A	0.39	0.08	211,492	-	KBAN13P2012A	0.05	(0.03)	23,883	-
HANA19C2102A	0.16	(0.01)	218,994	-	IRPC19P2011A	-	-	-	-	KBAN13P2103A	0.75	(0.25)	608,837	-
HANA19C2103A	0.39	(0.02)	373,210	-	IRPC19P2012A	-	-	-	-	KBAN16C2101A	1.44	0.18	9,120	1.00
HANA19P2011A	-	-	-	-	IRPC24C2012A	0.22	0.08	8,889	-	KBAN19C2011A	-	-	-	-
HANA19P2101A	0.67	0.01	320	-	IRPC28C2012A	0.04	0.02	11,601	-	KBAN19C2012A	0.63	0.11	551,784	-
HANA24C2012A	0.15	(0.02)	10,572	-	IRPC28C2101A	0.19	0.05	50,022	-	KBAN19C2012B	0.38	0.09	766,306	-
HANA27P2012X	-	-	-	-	IRPC28C2103A	0.38	0.07	83,958	-	KBAN19C2101A	1.36	0.21	66,496	1.00
HANA28C2012A	-	-	-	-	IRPC28C2103B	-	-	-	-	KBAN19P2012A	0.03	(0.02)	3,110	-
HANA28C2104A	0.48	(0.04)	85,832	-	IRPC41C2101A	0.27	0.06	55,328	-	KBAN19P2103A	0.26	(0.05)	264,904	-
HANA28C2104L	0.11	-	25,238	-	IVL01C2012A	0.09	(0.01)	20,883	-	KBAN19P2103B	0.65	(0.09)	388,152	-
HANA41C2012A	-	-	-	-	IVL01C2012B	0.56	0.14	35,642	-	KBAN24C2012A	0.48	0.11	28,385	-
HANA42C2101T	0.14	(0.02)	10,968	-	IVL01C2102A	0.30	0.07	114,956	-	KBAN24C2103A	1.70	0.19	20,649	1.00
HMPR01C2012A	-	-	-	-	IVL01C2102B	1.23	0.20	8,650	1.00	KBAN28C2012A	0.02	(0.01)	2,498	-
HMPR01C2103A	0.46	-	18,631	-	IVL01C2103T	0.79	0.11	22,940	-	KBAN28C2012B	-	-	-	-
HMPR01P2012A	0.16	(0.01)	34,888	-	IVL01P2012A	-	-	-	-	KBAN28C2101A	0.54	0.10	241,630	-
HMPR06C2102A	0.29	(0.01)	46,556	-	IVL01P2102A	0.17	(0.07)	227,296	-	KBAN28C2103A	-	-	-	-
HMPR06P2103A	0.20	(0.01)	5,502	-	IVL06C2101A	0.64	0.21	36,053	-	KBAN28C2104L	0.41	0.04	76,894	-
HMPR11C2011A	0.09	(0.02)	9,140	-	IVL06C2103A	1.76	0.55	20	1.00	KBAN28P2012A	-	-	-	-
HMPR13C2012A	0.10	(0.02)	20,003	-	IVL08C2101A	0.70	0.14	501	-	KBAN41C2012A	0.60	0.13	25,562	-
HMPR13C2102A	0.37	0.01	500	-	IVL08C2103A	0.42	0.08	156,283	-	KBAN41C2101A	1.10	0.17	16,172	1.00
HMPR13C2103A	0.26	(0.74)	174,226	-	IVL08P2011A	-	-	-	-	KBAN41C2101B	0.84	0.11	160,106	-
HMPR19C2102A	0.26	(0.01)	109,094	-	IVL08P2102A	0.15	(0.05)	33,767	-	KBAN41P2101B	0.12	(0.01)	160	-
HMPR19P2011A	-	-	-	-	IVL11C2012A	0.17	0.04	81,516	-	KBAN41P2101C	0.51	(0.08)	24,964	-
HSCE41C2101A	0.77	(0.15)	14,447	-	IVL13C2011A	-	-	-	-	KBAN42C2101T	0.32	0.04	32	-
HSCE41P2101A	-	-	-	-	IVL13C2012A	0.42	0.14	64,313	-	KBAN42P2101T	0.21	(0.02)	130	-
HSI28C2011A	1.90	(0.34)	20,232	2.00	IVL13C2012B	0.11	0.04	163,616	-	KCE01C2012A	0.32	(0.02)	12,269	-
HSI28C2011B	0.88	(0.28)	107,054	-	IVL13C2101A	1.24	0.30	23,883	1.00	KCE01C2101A	0.45	(0.01)	22,495	-
HSI28C2011C	0.06	(0.05)	36,960	-	IVL13C2103A	0.89	0.08	885,785	-	KCE01C2102A	0.26	(0.02)	12,215	-
HSI28C2011L	0.17	(0.11)	147,403	-	IVL13P2012A	0.01	(0.01)	15,203	-	KCE01P2011A	-	-	-	-
HSI28C2012A	2.14	(0.28)	128,418	2.00	IVL13P2102A	0.15	(0.05)	224,622	-	KCE01P2101A	0.19	(0.01)	33,662	-
HSI28C2012B	1.30	(0.22)	985,835	1.00	IVL16C2102A	1.37	0.32	1,792	1.00	KCE06C2012A	-	-	-	-
HSI28C2012C	0.74	(0.16)	1,695,013	-	IVL19C2011A	0.17	0.07	8,600	-	KCE06C2012B	0.77	0.01	30	-
HSI28C2012D	0.40	(0.11)	42,850	-	IVL19C2012A	0.73	0.25	1,500	-	KCE06C2102A	0.40	(0.02)	67,883	-
HSI28C2012E	0.17	(0.05)	30,600	-	IVL19C2012B	1.33	0.48	1	1.00	KCE08C2012A	-	-	-	-
HSI28C2101L	0.19	(0.05)	16,290	-	IVL19C2103A	0.33	0.08	438,306	-	KCE08C2103A	0.37	(0.01)	19,330	-
HSI28C2102L	0.56	(0.09)	13,851	-	IVL19C2103B	0.28	0.06	552,334	-	KCE11C2011A	0.60	(0.02)	21,933	-
HSI28C2103L	0.62	(0.07)	84	-	IVL19P2011A	-	-	-	-	KCE13C2012A	0.36	0.03	3,988	-
HSI28P2011A	0.01	-	25,801	-	IVL19P2012A	0.01	(0.01)	366	-	KCE13C2102A	0.26	(0.01)	331,202	-
HSI28P2011B	0.01	-	7,389	-	IVL19P2103A	0.13	(0.03)	140,869	-	KCE13P2012A	-	-	-	-
HSI28P2011C	-	-	-	-	IVL24C2012A	0.75	0.22	2,360	-	KCE13P2101A	0.06	-	1,000	-
HSI28P2011L	0.01	-	1,000	-	IVL28C2012A	-	-	-	-	KCE13P2102A	0.25	-	69,195	-
HSI28P2012A	0.28	0.05	284,577	-	IVL28C2012B	0.04	0.01	1,264	-	KCE16C2012A	0.39	-	1,672	-
HSI28P2012B	0.15	0.02	33,340	-	IVL28C2101A	0.42	0.04	72	-	KCE19C2011A	-	-	-	-
HSI28P2012C	0.09	0.01	5	-										

Main Board Quotation

Issue Date :

Thursday November 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KTBI3C2012A	0.07	-	80,022	-	MTC13C2011A	0.09	(0.02)	7,000	-	PTT13C2101A	0.32	-	1,714	-
KTBI3C2101A	0.44	0.04	1,025	-	MTC13C2101A	0.38	(0.06)	338,068	-	PTT13C2102A	0.51	0.05	80	-
KTBI9C2011A	-	-	-	-	MTC13P2011A	-	-	-	-	PTT13C2103A	0.31	(0.01)	364,325	-
KTBI9C2012A	0.13	0.01	140,152	-	MTC13P2103A	0.56	(0.44)	195,991	-	PTT13P2011A	-	-	-	-
KTBI9C2101A	0.42	0.01	9,213	-	MTC19C2012A	0.22	(0.05)	392,919	-	PTT13P2101A	0.04	-	50	-
KTBI9P2012A	0.11	(0.03)	20,707	-	MTC19P2012A	0.04	(0.01)	2,703	-	PTT13P2103A	0.16	0.01	244,425	-
KTBI9P2011A	0.34	0.04	15,381	-	MTC24C2103A	0.42	(0.06)	31,329	-	PTT16C2012A	0.16	(0.01)	928	-
KTBI9P2101A	-	-	-	-	MTC28C2012A	0.07	0.01	5,000	-	PTT19C2011A	-	-	-	-
KTBI9P2102A	-	-	-	-	MTC28C2012B	0.19	(0.04)	50,784	-	PTT19C2012A	0.07	(0.01)	2,000	-
KTBI9P2103A	-	-	-	-	MTC28C2102L	0.18	(0.01)	30,336	-	PTT19C2012B	0.12	(0.01)	71,898	-
KTBI9P2104A	-	-	-	-	MTC28C2103A	0.35	(0.05)	130,328	-	PTT19C2011A	-	-	-	-
KTBI9P2105A	-	-	-	-	MTC41C2012A	0.11	-	340	-	PTT19C2103A	-	-	-	-
KTBI9P2106A	-	-	-	-	MTC42C2101T	0.11	-	340	-	PTT19P2101A	-	-	-	-
KTBI9P2107A	-	-	-	-	MTC42C2101A	0.14	0.02	7,201	-	PTT19P2103A	0.12	-	20,200	-
KTBI9P2108A	-	-	-	-	MTC42C2101A	0.51	0.14	170,168	-	PTT19P2103B	0.32	-	95,073	-
KTBI9P2109A	-	-	-	-	MTC42C2101A	0.49	0.14	200	-	PTT19P2103C	0.18	(0.01)	4,086	-
KTBI9P2110A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTT24C2011A	-	-	-	-
KTBI9P2111A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTT28C2012A	-	-	-	-
KTBI9P2112A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTT28C2011A	0.08	(0.01)	2,225	-
KTBI9P2113A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTT28C2103A	-	-	-	-
KTBI9P2114A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTT28C2103A	-	-	-	-
KTBI9P2115A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTT28C2103L	0.18	0.01	36,504	-
KTBI9P2116A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTT28C2104A	0.25	-	45,660	-
KTBI9P2117A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTT41C2012A	-	-	-	-
KTBI9P2118A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTT41C2101A	-	-	-	-
KTBI9P2119A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTT41C2101B	0.31	0.01	2,370	-
KTBI9P2120A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTT41P2012A	0.12	(0.01)	550	-
KTBI9P2121A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTT41P2101A	-	-	-	-
KTBI9P2122A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTT42C2012T	-	-	-	-
KTBI9P2123A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTT42P2101T	-	-	-	-
KTBI9P2124A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE01C2012A	0.27	(0.04)	61,632	-
KTBI9P2125A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE01C2102A	1.21	(0.06)	36,161	1.00
KTBI9P2126A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE01C2103T	0.75	(0.03)	19,743	-
KTBI9P2127A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE01P2102A	0.16	(0.02)	51,601	-
KTBI9P2128A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE01P2102A	0.20	0.01	58,625	-
KTBI9P2129A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE01P2103T	0.43	0.02	25,618	-
KTBI9P2130A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE06C2101A	0.49	(0.04)	211,195	-
KTBI9P2131A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE06P2011A	-	-	-	-
KTBI9P2132A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE06P2102A	0.18	0.02	16,330	-
KTBI9P2133A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE08C2011A	-	-	-	-
KTBI9P2134A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE08C2103A	0.73	(0.04)	83,962	-
KTBI9P2135A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE08P2101A	0.34	0.01	7,600	-
KTBI9P2136A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE11C2011A	0.17	(0.04)	17,050	-
KTBI9P2137A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE11P2102A	0.26	-	34,031	-
KTBI9P2138A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE13C2011A	0.01	(0.01)	3,002	-
KTBI9P2139A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE13C2012A	0.37	(0.05)	87,379	-
KTBI9P2140A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE13C2101A	0.83	(0.03)	2,862	-
KTBI9P2141A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE13C2102A	0.67	(0.04)	211,041	-
KTBI9P2142A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE13P2012A	0.05	(0.01)	150	-
KTBI9P2143A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE13P2102A	0.19	-	60,213	-
KTBI9P2144A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE13P2103A	0.71	(0.29)	158,121	-
KTBI9P2145A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE19C2011A	-	-	-	-
KTBI9P2146A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE19C2011B	-	-	-	-
KTBI9P2147A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE19C2012A	0.35	(0.05)	113,753	-
KTBI9P2148A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE19C2101A	1.01	0.02	30	1.00
KTBI9P2149A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE19P2012A	0.05	(0.04)	110	-
KTBI9P2150A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE19P2101A	0.08	(0.01)	1,110	-
KTBI9P2151A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE19P2103A	0.69	0.03	141,638	-
KTBI9P2152A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE24C2011A	-	-	-	-
KTBI9P2153A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE24C2103A	1.14	(0.04)	28,089	1.00
KTBI9P2154A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE28C2012A	0.13	(0.02)	92,218	-
KTBI9P2155A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE28C2101A	0.25	(0.03)	169,092	-
KTBI9P2156A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE28C2102L	0.21	(0.01)	33,462	-
KTBI9P2157A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE28C2103A	0.96	(0.05)	148,676	-
KTBI9P2158A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE41C2011A	-	-	-	-
KTBI9P2159A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE41C2012A	0.19	(0.04)	22,780	-
KTBI9P2160A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE41C2101A	0.34	(0.06)	44,738	-
KTBI9P2161A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE41C2101B	0.94	(0.04)	11,874	-
KTBI9P2162A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE41P2101A	-	-	-	-
KTBI9P2163A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE41P2101B	0.46	0.01	17,326	-
KTBI9P2164A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTE42C2101T	0.23	-	3,868	-
KTBI9P2165A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTE42P2101T	0.25	(0.02)	66	-
KTBI9P2166A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTG01C2012A	0.35	0.04	113,149	-
KTBI9P2167A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTG01C2102A	0.90	0.11	69,716	-
KTBI9P2168A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTG01P2012A	0.09	(0.03)	99,482	-
KTBI9P2169A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTG01P2102A	0.11	(0.03)	17,190	-
KTBI9P2170A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTG08C2101A	0.38	0.06	29,763	-
KTBI9P2171A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTG08C2103A	0.99	0.11	33,947	-
KTBI9P2172A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTG08P2102A	0.10	(0.03)	2,798	-
KTBI9P2173A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTG11C2104A	1.01	0.10	51,188	-
KTBI9P2174A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTG11P2104A	0.28	(0.04)	25,596	-
KTBI9P2175A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTG13C2011A	-	-	-	-
KTBI9P2176A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTG13C2012A	0.39	0.10	3,970	-
KTBI9P2177A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTG13C2101A	0.76	0.12	10,171	-
KTBI9P2178A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTG13C2103A	0.56	0.07	1,033,243	-
KTBI9P2179A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTG13P2011A	-	-	-	-
KTBI9P2180A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTG13P2012A	0.02	(0.02)	820	-
KTBI9P2181A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTG13P2102A	0.16	(0.04)	143,309	-
KTBI9P2182A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTG16C2103A	0.87	0.13	6,468	-
KTBI9P2183A	-	-	-	-	MTC42C2101A	0.51	0.14	87,123	-	PTTG19C2011A	-	-	-	-
KTBI9P2184A	-	-	-	-	MTC42C2101A	0.19	0.08	46,334	-	PTTG19C2012A	0.45	0.09	173,793	-
KTBI														

Main Board Quotation

Issue Date :

Thursday November 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG42C2012T	0.13	0.04	48	-	S5019P2012A	0.15	(0.01)	206,976	-	SCB19P2011A	-	-	-	-
QH19C2012A	-	-	-	-	S5019P2012B	0.03	-	2,940	-	SCB19P2011B	-	-	-	-
QH19C2104A	0.23	-	35,958	-	S5019P2012C	0.02	(0.01)	39,145	-	SCB19P2103A	0.27	(0.02)	76,803	-
QH27C2101A	-	-	-	-	S5019P2012D	0.01	-	6,501	-	SCB19P2103B	0.73	(0.06)	138,412	-
RATC01C2101A	0.16	(0.01)	498	-	S5019P2103B	0.87	(0.01)	4,623,499	-	SCB24C2012A	0.68	0.10	30,090	-
RATC01P2101A	0.37	-	29,420	-	S5024C2012A	0.01	(0.01)	937	-	SCB28C2012A	0.10	-	38,504	-
RATC06C2102A	0.17	(0.02)	41,480	-	S5024C2012B	-	-	-	-	SCB28C2012B	0.45	0.03	602	-
RATC11C2103A	0.45	(0.03)	41,940	-	S5024C2012C	0.15	(0.02)	21,370	-	SCB28C2103A	-	-	-	-
RATC13C2012A	-	-	-	-	S5024C2012D	0.32	(0.01)	128,773	-	SCB28C2104D	0.36	0.03	52,407	-
RATC13C2101A	0.18	(0.02)	233,297	-	S5024C2012E	0.63	(0.03)	662,280	-	SCB41C2012A	0.69	0.08	87,460	-
RATC13P2011A	-	-	-	-	S5024C2012F	1.26	(0.03)	311,753	1.00	SCB41C2102A	1.54	0.10	40,372	1.00
RATC19C2011A	-	-	-	-	S5024C2012G	1.90	(0.01)	87,863	1.00	SCB41P2102A	-	-	-	-
RATC19C2012A	-	-	-	-	S5024C2012H	2.94	(0.02)	19,473	3.00	SCB41P2102B	0.41	(0.05)	43,663	-
RATC19C2101A	0.18	(0.02)	52,102	-	S5024C2012I	4.20	(0.08)	42,604	4.00	SCB42C2101T	0.17	0.02	5,431	-
RATC19C2102A	0.36	(0.04)	87,180	-	S5024C2103A	1.34	-	225,919	1.00	SCC01C2101A	0.46	(0.04)	43,611	-
RATC19P2011A	-	-	-	-	S5024P2012A	-	-	-	-	SCC01P2012A	0.16	-	30,418	-
RATC24C2012A	-	-	-	-	S5024P2012B	0.05	(0.02)	36	-	SCC06C2012A	-	-	-	-
RATC41C2012A	-	-	-	-	S5024P2012C	0.03	(0.01)	22,788	-	SCC06C2103A	0.58	(0.10)	108,822	-
RATC42C2102T	-	-	-	-	S5024P2012D	0.01	(0.01)	1,263	-	SCC08C2011A	-	-	-	-
RS06C2012A	0.07	0.01	1,101	-	S5024P2012E	0.01	-	31,132	-	SCC11C2011A	-	-	-	-
RS08C2011A	-	-	-	-	S5024P2103A	0.13	-	255,232	-	SCC13C2011A	-	-	-	-
RS08C2103A	0.26	-	9,502	-	S5024P2103B	0.92	(0.02)	334,154	-	SCC13C2012A	0.12	(0.02)	133,225	-
RS13C2011A	0.14	0.01	88,771	-	S5024P2103C	1.23	(0.02)	353,109	1.00	SCC13C2102A	0.55	(0.06)	140,047	-
RS19C2011A	-	-	-	-	S5028C2012A	0.04	0.01	5,231	-	SCC13P2011A	-	-	-	-
RS19C2011B	-	-	-	-	S5028C2012B	0.07	-	36,065	-	SCC13P2101A	-	-	-	-
RS19C2102A	0.17	0.01	34,240	-	S5028C2012C	0.59	(0.01)	1,230,829	-	SCC13P2102A	0.29	-	42,737	-
RS19C2104A	0.31	(0.69)	56,782	-	S5028C2012D	1.20	-	70,402	1.00	SCC19C2012A	0.18	(0.05)	132,010	-
RS19P2012A	0.22	(0.01)	141,441	-	S5028C2012E	2.78	0.46	360	2.00	SCC19C2101A	0.50	(0.07)	24,236	-
RS28C2012A	-	-	-	-	S5028C2103A	2.58	0.40	17	2.00	SCC19P2011A	-	-	-	-
RS28C2101A	-	-	-	-	S5028C2103L	0.45	-	489,294	-	SCC19P2101A	0.27	0.01	57,036	-
RS28C2101L	0.23	0.01	33,410	-	S5028P2012A	0.38	(0.01)	628,865	-	SCC24C2012A	0.09	(0.01)	1,932	-
RS28C2103A	0.27	-	40,693	-	S5028P2012B	0.02	-	12,800	-	SCC28C2102A	0.20	(0.02)	21,572	-
RS41C2011A	-	-	-	-	S5028P2012C	0.02	(0.01)	104	-	SCC28C2103A	0.42	(0.04)	32,948	-
RS42C2101T	0.12	(0.02)	49	-	S5028P2103A	0.19	(0.01)	324,066	-	SCC28C2104L	0.24	(0.01)	3,042	-
S10001C2011A	-	-	-	-	S5028P2103L	0.33	-	130,052	-	SCC41C2011A	-	-	-	-
S5001C2012F	0.27	(0.01)	167,127	-	S5041C2012A	0.36	(0.02)	1,197,498	-	SCC41C2101A	0.19	-	39,738	-
S5001C2012G	0.91	0.01	971	-	S5041C2012B	-	-	-	-	SCC41C2101B	0.56	0.01	2,967	-
S5001C2101A	1.48	0.02	239,780	1.00	S5041C2012C	0.22	(0.01)	105,230	-	SCC41P2011A	-	-	-	-
S5001C2101B	2.00	0.01	131,515	2.00	S5041C2012D	0.64	(0.04)	1,204,716	-	SCC41P2101A	0.56	0.01	31,774	-
S5001C2102T	1.74	-	106,602	1.00	S5041C2012E	0.96	0.04	20,270	1.00	SCC41P2102A	-	-	-	-
S5001P2012F	0.15	(0.02)	80,161	-	S5041C2012F	1.22	(0.03)	20,249	1.00	SCGP01C2103A	0.41	0.01	95,920	-
S5001P2012G	0.07	0.01	4,519	-	S5041C2012U	1.55	0.01	2,191	1.00	SCGP01P2103A	0.26	(0.01)	27,059	-
S5001P2101A	0.16	(0.05)	205,420	-	S5041C2012V	-	-	-	-	SCGP06C2104A	0.47	0.01	62,485	-
S5001P2101B	0.16	(0.04)	16,829	-	S5041C2103T	2.52	-	23,390	2.00	SCGP13C2102A	0.34	-	403,778	-
S5001P2102T	1.22	(0.02)	225,237	1.00	S5041C2103U	2.14	-	505	2.00	SCGP13P2102A	0.22	-	124,432	-
S5006C2012A	0.24	(0.02)	547,342	-	S5041C2103V	1.20	-	700,000	1.00	SCGP19C2102A	0.26	-	406,596	-
S5006C2012B	1.24	(0.09)	5,888	1.00	S5041P2012A	0.06	-	571	-	SCGP19P2102A	0.17	(0.01)	8,572	-
S5006C2012C	2.70	0.38	20	2.00	S5041P2012B	0.06	(0.03)	2,270	-	SCGP28C2103A	0.34	0.01	50,607	-
S5006P2012A	0.03	-	17,390	-	S5041P2012C	-	-	-	-	SCGP28C2104L	0.21	-	14,668	-
S5006P2012B	0.03	(0.01)	5,254	-	S5041P2012E	-	-	-	-	SCGP41C2101A	0.34	-	48,083	-
S5006P2012C	0.01	-	1,060	-	S5041P2012F	-	-	-	-	SGP13C2102A	0.38	-	67,459	-
S5008C2012A	0.15	(0.01)	78,296	-	S5041P2012G	-	-	-	-	SGP19C2011A	-	-	-	-
S5008C2012B	0.36	-	410,403	-	S5041P2012H	0.12	-	3,149	-	SGP19C2102A	0.41	-	61,423	-
S5008C2012C	1.15	(0.05)	515	1.00	S5041P2103T	0.47	(0.01)	876,541	-	SGP42C2101T	0.15	-	5,414	-
S5008C2012D	2.38	(0.06)	425	2.00	S5041P2103U	0.26	-	90	-	SIRI19C2011A	-	-	-	-
S5008C2101A	0.98	(0.01)	816,903	-	S5041P2103V	1.03	(0.02)	706,985	1.00	SIRI19C2103A	0.28	(0.01)	33,637	-
S5008P2012A	0.12	(0.01)	37,142	-	S5042C2101G	3.34	0.04	32,665	3.00	SIRI42C2101T	0.05	-	950	-
S5008P2012B	0.02	-	14,767	-	S5042C2102T	1.14	-	39,816	1.00	SPAL06C2103A	0.50	0.01	34,404	-
S5008P2101A	0.50	(0.02)	769,515	-	S5042P2101G	0.02	-	2,042	-	SPAL13C2102A	0.36	0.02	42,117	-
S5008P2101B	0.68	(0.04)	909,523	-	S5042P2102G	0.70	(0.01)	312,679	-	SPAL19C2011A	-	-	-	-
S5011C2012A	1.01	(0.02)	75,038	1.00	S5042P2102T	0.12	-	6,541	-	SPAL19C2011B	0.03	-	20,434	-
S5011P2012A	0.08	(0.02)	1,500	-	SAWA01C2012J	0.35	(0.03)	81,747	-	SPAL19C2102A	0.41	(0.02)	8,350	-
S5013C2012A	0.19	(0.01)	966,497	-	SAWA01C2102F	0.57	(0.02)	64,586	-	SPAL27C2101A	0.12	-	2,402	-
S5013C2012B	0.25	(0.01)	2,279,193	-	SAWA01C2103I	0.45	-	37,390	-	SPRC01C2101A	0.25	0.04	96,419	-
S5013C2012C	0.39	(0.01)	6,900,459	-	SAWA01P2012F	0.09	(0.01)	13,650	-	SPRC01C2103A	0.61	0.07	1,500	-
S5013C2012D	0.44	(0.02)	4,194,456	-	SAWA01P2102F	0.37	-	38,171	-	SPRC01P2101A	0.15	(0.04)	23,767	-
S5013C2012E	0.84	(0.03)	299,370	-	SAWA06C2101J	0.59	(0.03)	106,535	-	SPRC06C2102A	0.38	0.10	101,584	-
S5013C2012F	1.25	0.01	71,752	1.00	SAWA08C2011J	-	-	-	-	SPRC06P2103A	0.06	(0.03)	11,381	-
S5013C2012G	1.85	0.02	36,237	1.00	SAWA08C2101J	0.47	(0.01)	22,325	-	SPRC08C2011A	-	-	-	-
S5013C2012H	2.52	0.06	851	2.00	SAWA11C2103J	0.67	(0.02)	71,371	-	SPRC11C2102A	0.38	0.08	74,421	-
S5013C2012I	3.90	0.04	55	3.00	SAWA13C2011J	0.70	(0.04)	298	-	SPRC13C2012A	0.14	0.06	87,770	-
S5013C2012J	2.60	0.10	109	2.00	SAWA13C2101A	0.39	(0.02)	746,708	-	SPRC13C2012B	0.26	0.08	323,464	-
S5013C2101A	0.83	0.01	47,010	-	SAWA16C2101J	0.42	(0.02)	6,308	-	SPRC13C2102A	0.71	0.16	9,400	-
S5013C2103A	0.96	(0.02)	3,155,304	-	SAWA19C2011J	-	-	-	-	SPRC19C2012A	0.19	0.05	70,202	-
S5013C2103B	0.65	(0.02)	1,220,848	-	SAWA19C2012J	0.34	(0.02)	269,139	-	SPRC19C2101A	-	-	-	-
S5013C2103C	0.94	(0.06)	4,407,547	-	SAWA19P2011J	-	-	-	-	SPRC19C2104A	0.37	(0.63)	198,731	-
S5013P2012A	0.09	-	901,105	-	SAWA19P2101J	0.25	-	12,338	-	SPRC19P2011A	-	-	-	-
S5013P2012B	0.07	(0.01)	102,391	-	SAWA24C2103J	0.57	(0.02)	19,750	-	SPRC28C2101A	0.18	0.05	32,091	-
S5013P2012C	0.02	0.01	39,211	-	SAWA28C2012F	-	-	-	-	SPRC42C2101T	0.11	0.01	120	-
S5013P2012D	0.02	0.01	132,177	-	SAWA28C2012E	-	-	-	-	SPX28C2012A	1.17	(0.26)	12,537	1.00
S5013P2012E	0.01	-	116	-	SAWA28C2101J	0.33	(0.01)	55,814	-	SPX28C2012B	0.47	(0.18)	39,782	-
S5013P2012F	0.01	-	2,736	-	SAWA28C2102I	0.13	-	13,968	-	SPX28C2012C	0.44	(0.27)	21,186	-
S5013P2012G	0.01	-	495,012	-	SAWA41C2012J	0.21	(0.01)	39,408	-	SPX28C2012D	0.24	(0.12)	20,003	-
S5013P2101A	0.37	-	76,659	-	SAWA42C2101I	0.10	-	3,010	-	SPX28C2103L	0.42	(0.10)	3,791	-
S5013P2103A	0.45	(0.01)	9,074,414	-	SCB01C2101A	0.67	0.05</							

Asia Plus Securities Company Limited

Daily Quotation

Main Board Quotation

Issue Date :

Thursday November 19, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
STA01C2101A	0.13	(0.01)	17,469	-	THAN08C2101A	0.60	0.05	452	-	TRUE11C2101A	0.09	0.02	1	-
STA01C2102A	0.10	0.01	8,188	-	THAN08C2102A	0.29	-	105,285	-	TRUE11P2101A	0.30	(0.03)	39,615	-
STA01P2102A	0.72	0.04	12,800	-	THAN13C2101A	0.35	(0.01)	10,032	-	TRUE13C2011A	-	-	-	-
STA06C2012A	0.02	0.01	18,957	-	THAN13C2012E	0.03	(0.01)	569	-	TRUE13C2101A	0.10	-	58,746	-
STA08C2011A	-	-	-	-	THAN13C2102A	0.40	(0.01)	689,352	-	TRUE13C2103A	0.35	0.01	202,205	-
STA08C2101A	0.18	(0.03)	38,956	-	THAN19C2011A	-	-	-	-	TRUE19C2011A	-	-	-	-
STA13C2011B	-	-	-	-	THAN19C2012A	0.23	-	261,377	-	TRUE19C2012A	-	-	-	-
STA13C2012A	0.01	-	27,473	-	THAN19C2012E	0.09	0.01	27,847	-	TRUE19C2101A	0.13	-	109,192	-
STA13C2101A	0.07	0.01	74,135	-	THAN19C2102A	0.53	(0.01)	45,643	-	TRUE19C2103A	0.35	0.01	181,319	-
STA13C2102A	0.25	(0.01)	361,108	-	THAN19P2102A	0.28	(0.01)	35,015	-	TRUE19P2011A	-	-	-	-
STA13P2012A	-	-	-	-	THAN28C2103A	0.45	0.03	121,873	-	TRUE19P2101A	0.13	(0.01)	21,104	-
STA13P2012B	0.09	0.02	16	-	THAN42C2102T	0.14	-	12	-	TRUE28C2012A	-	-	-	-
STA13P2101A	0.54	0.02	217	-	TISCO1C2101A	0.67	(0.03)	63,332	-	TRUE28C2012B	-	-	-	-
STA13P2102A	0.35	0.02	252,129	-	TISCI1C2012A	0.35	(0.02)	20,010	-	TRUE28C2101A	-	-	-	-
STA16C2102A	0.10	(0.01)	7,838	-	TISCI3C2012A	0.53	0.01	1	-	TRUE28C2103A	0.32	0.01	41,546	-
STA19C2011A	0.13	(0.03)	358	-	TISCI3C2103A	0.67	(0.02)	114,746	-	TRUE28C2103L	0.13	-	27,378	-
STA19C2011B	-	-	-	-	TISCI9C2012A	0.50	(0.02)	52,521	-	TRUE41C2101A	-	-	-	-
STA19C2012A	0.05	(0.01)	11,627	-	TISCI9C2103A	0.48	(0.52)	182,499	-	TRUE42C2101T	-	-	-	-
STA19C2102A	0.08	(0.01)	115,231	-	TISC24C2102A	0.93	(0.02)	18,927	-	TTW19C2011A	-	-	-	-
STA19C2103A	0.26	(0.03)	167,224	-	TISC41C2012A	0.54	(0.05)	1,500	-	TTW24C2012A	-	-	-	-
STA19C2104A	0.19	(0.02)	198,241	-	TISC42C2101T	0.17	(0.02)	12,244	-	TU01C2101A	0.24	-	26,969	-
STA19P2012A	-	-	-	-	TKN01C2101A	0.17	0.01	89,186	-	TU01P2101A	0.13	(0.01)	1	-
STA19P2101A	0.17	-	193,522	-	TKN06C2011A	-	-	-	-	TU06C2102A	0.32	0.01	59,323	-
STA19P2102A	0.72	0.05	875	-	TKN06C2101A	-	-	-	-	TU06P2103A	0.11	(0.02)	3,000	-
STA24C2011A	-	-	-	-	TKN08C2011A	-	-	-	-	TU08C2011A	0.06	-	870	-
STA28C2012A	-	-	-	-	TKN08C2102A	-	-	-	-	TU11C2102A	0.23	0.02	26,379	-
STA28C2102L	0.07	(0.01)	1,249	-	TKN13C2012A	0.04	0.01	21,832	-	TU13C2012A	0.15	-	37,805	-
STA28C2103A	0.13	(0.01)	12,468	-	TKN13C2101A	0.14	0.01	78,906	-	TU13C2103A	0.27	-	244,491	-
STA28C2104A	-	-	-	-	TKN13C2102A	0.21	0.02	467,228	-	TU13P2101A	-	-	-	-
STA42C2101T	-	-	-	-	TKN13P2101A	0.16	(0.02)	156,220	-	TU19C2012A	0.17	0.02	76,840	-
STEC01C2101A	0.11	0.01	10,695	-	TKN19C2011A	-	-	-	-	TU19C2102A	0.15	0.01	169,001	-
STEC01P2101A	0.27	(0.04)	20,344	-	TKN19C2011B	0.02	-	29	-	TU19P2011A	-	-	-	-
STEC08C2012A	-	-	-	-	TKN19C2101A	0.17	0.01	22,430	-	TU19P2012A	-	-	-	-
STEC08C2103A	0.39	0.02	15,500	-	TKN19C2102A	0.27	0.02	309,006	-	TU19P2102A	0.28	(0.01)	56,170	-
STEC11C2102A	0.15	-	31,150	-	TKN19P2101A	0.22	(0.03)	37,492	-	TU24C2011A	-	-	-	-
STEC13C2012A	-	-	-	-	TKN28C2012A	-	-	-	-	TU24C2103A	0.32	(0.01)	27,431	-
STEC13C2101A	0.15	0.02	57,640	-	TKN28C2012B	0.05	-	2,000	-	TU28C2012A	0.03	-	200	-
STEC13C2102A	0.34	0.02	1,165	-	TKN28C2101A	-	-	-	-	TU28C2103A	0.25	0.01	41,686	-
STEC13P2011A	0.01	(0.01)	5,000	-	TKN42C2012T	-	-	-	-	TU28C2103L	0.20	0.01	27,448	-
STEC19C2011A	-	-	-	-	TMB13C2011A	-	-	-	-	TU41C2101A	0.11	-	944	-
STEC19C2012A	-	-	-	-	TMB13C2102A	0.28	0.01	14	-	TU42C2101T	0.16	0.01	3,610	-
STEC19C2101A	0.12	0.01	64,398	-	TMB13C2103A	0.18	0.02	95,509	-	TVO13C2011A	0.01	(0.01)	1,279	-
STEC19C2103A	0.34	0.02	23,269	-	TMB19C2011A	-	-	-	-	TVO13C2012A	0.12	(0.02)	16,231	-
STEC19P2011A	-	-	-	-	TMB19C2011B	-	-	-	-	TVO19C2011A	-	-	-	-
STEC19P2012A	0.12	(0.02)	16,198	-	TMB19C2012A	0.10	0.01	36,040	-	TVO19C2012A	0.11	(0.02)	4,100	-
STEC19P2101A	0.10	-	28,108	-	TMB19C2103A	0.32	(0.03)	550	-	TVO19C2101A	0.09	(0.01)	10,900	-
STEC28C2012A	-	-	-	-	TMB19P2011A	0.01	(0.03)	1,000	-	VGI01C2012A	0.20	(0.02)	73,577	-
STEC28C2101A	-	-	-	-	TOA13C2011A	-	-	-	-	VGI01C2103A	0.48	(0.02)	217,766	-
STEC28C2103A	0.23	0.01	33,478	-	TOA13C2102A	0.22	-	301	-	VGI06C2101A	0.18	(0.03)	272,879	-
STEC28C2104L	0.14	-	6,084	-	TOA19C2012A	0.07	-	360	-	VGI08C2101A	0.52	(0.01)	58,950	-
STEC41C2012A	-	-	-	-	TOA19C2103A	0.31	-	31,571	-	VGI11C2103A	0.15	(0.01)	19,940	-
STEC42P2102T	0.15	(0.02)	2,005	-	TOA42C2101T	-	-	-	-	VGI13C2012A	0.11	-	1,444	-
SUPE08C2012A	0.05	-	2	-	TOP01C2012A	0.21	0.01	63,288	-	VGI13C2101A	0.21	(0.03)	427,949	-
SUPE08C2102A	0.18	-	10,470	-	TOP11C2102A	1.05	0.09	30,118	1.00	VGI13C2103A	0.30	(0.03)	919,189	-
SUPE08P2102A	0.22	(0.01)	1,600	-	TOP1P2102A	-	-	-	-	VGI19C2012A	0.15	(0.02)	167,339	-
SUPE19C2011A	-	-	-	-	TOP1P2102A	-	-	-	-	VGI19C2012B	0.33	-	300	-
SUPE19C2011B	-	-	-	-	TOP06C2011A	-	-	-	-	VGI19C2012C	0.06	(0.02)	253,089	-
SUPE19C2012A	0.13	(0.01)	68,130	-	TOP06C2102A	0.58	0.05	82,917	-	VGI19C2104A	0.31	(0.03)	482,624	-
SUPE19P2011A	-	-	-	-	TOP06C2102B	1.19	0.10	10	1.00	VGI24C2012A	0.10	(0.01)	19,360	-
SUPE19P2012A	-	-	-	-	TOP06P2102A	0.06	(0.01)	25,603	-	VGI28C2101A	0.09	(0.01)	45,929	-
SUPE42C2101T	-	-	-	-	TOP08C2102A	0.73	0.06	22,405	-	VGI28C2103A	0.31	(0.01)	150,529	-
SUPE42P2102T	-	-	-	-	TOP11C2011A	0.15	0.02	2	-	VGI28C2103L	0.17	(0.01)	61,620	-
TASC01C2012A	0.03	-	12,092	-	TOP11P2104A	0.20	(0.02)	20,935	-	VGI41C2011A	-	-	-	-
TASC01C2012B	0.28	-	67,954	-	TOP13C2012A	0.10	0.01	44,582	-	VGI42C2101T	0.05	-	156	-
TASC01C2102A	0.81	0.01	40,686	-	TOP13C2101B	0.44	0.07	72	-	WHA01C2101A	0.08	(0.01)	1,012	-
TASC01P2012A	0.12	(0.01)	88,939	-	TOP13C2101A	0.97	0.08	630	-	WHA01C2103A	0.43	0.01	61,339	-
TASC06C2012A	0.01	(0.01)	21,885	-	TOP13C2103A	0.40	0.03	494,128	-	WHA01P2101A	0.50	(0.02)	58,747	-
TASC06C2102A	0.61	-	166,006	-	TOP13P2012A	-	-	-	-	WHA06C2103A	0.26	-	96,254	-
TASC08C2011A	0.01	-	1	-	TOP13P2101A	0.02	(0.01)	200	-	WHA06P2012A	0.16	(0.03)	32,926	-
TASC08C2012A	0.02	-	2,101	-	TOP13P2103A	0.08	(0.01)	163	-	WHA08C2011A	-	-	-	-
TASC11C2102A	0.05	-	103	-	TOP13P2103B	0.34	(0.02)	107,260	-	WHA11C2101A	0.10	-	1	-
TASC13C2012A	0.02	(0.01)	4,966	-	TOP19C2012A	0.14	0.02	97,352	-	WHA13C2011A	-	-	-	-
TASC13C2012B	0.19	-	316,190	-	TOP19C2101A	0.58	0.04	21,479	-	WHA13C2101A	0.14	-	1,158	-
TASC13C2101A	0.50	0.01	412,681	-	TOP19C2101B	-	-	-	-	WHA13C2103A	0.40	0.01	235,190	-
TASC13C2102A	0.42	0.01	302,661	-	TOP19C2103A	0.45	0.03	114,038	-	WHA13P2011A	-	-	-	-
TASC13P2011A	-	-	-	-	TOP19P2011A	-	-	-	-	WHA19C2011A	-	-	-	-
TASC13P2012A	0.04	(0.01)	11,150	-	TOP19P2101A	-	-	-	-	WHA19C2101A	0.16	0.01	84,642	-
TASC19C2011A	-	-	-	-	TOP19P2102A	0.07	(0.01)	47,878	-	WHA19C2103A	0.42	-	33,902	-
TASC19C2012A	0.17	-	79,244	-	TOP19P2103A	0.35	(0.03)	63,194	-	WHA19P2011A	-	-	-	-
TASC19C2101A	0.49	0.02	264,665	-	TOP24C2101A	0.52	0.06	13,042	-	WHA28C2012A	0.08	-	1	-
TASC19P2011A	-	-	-	-	TOP41C2011A	-	-	-	-	WHA28C2102A	-	-	-	-
TASC19P2012A	0.60	(0.07)	1	-	TOP41C2102A	0.54	0.05	42,924	-	WHA28C2102L	-	-	-	-
TASC19P2012B	-	-	-	-	TOP42C2011T	-	-	-	-	WHA28C2104A	0.38	-	75,812	-
TASC19P2012C	-	-	-	-	TP113C2011A	-	-	-	-	WHA42C2101T	-	-	-	-
TASC24C2011A	-	-	-	-	TP19C2012A	-	-	-	-	WHAU13C2012A	0.09	(0.01)	15,614	-
TASC28C2012A	0.03	(0.02)	690	-	TQM01C2103A	0.60	-	2,260	-	WHAU19C2012A	0.15	(0.03)	27,678	-
TASC28C2012B	-	-	-	-	TQM11C									

