

Main Board Quotation

Main Board Quotation					Main Board Quotation					Issue Date : Monday November 23, 2020				
Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	BLISS	-	-	-	-	MACO	0.63	0.01	76,014	0.63
SAFARI	-	-	-	-	DIF	13.20	-	233,274	13.29	MAJOR	18.00	0.20	94,689	18.06
VI	-	-	-	-	DTAC	36.75	1.00	133,942	36.75	MATCH	-	-	-	-
WORLD	-	-	-	-	FORTH	5.90	0.05	1,340	5.90	MATI	4.30	-	6	4.30
WR	-	-	-	-	HUMAN	8.70	(0.15)	10,502	8.79	MCOT	2.84	0.02	3,809	2.82
Agribusiness	-	-	-	-	ILINK	4.64	0.04	23,398	4.61	MONO	2.70	(0.02)	33,119	2.74
EE	0.66	(0.01)	116,795	0.66	INET	3.32	0.06	36,958	3.26	MPIC	1.72	-	50	1.72
GFPT	12.70	0.30	54,013	12.79	INTUCH	57.00	2.50	231,588	56.33	NMG	-	-	-	-
LEE	2.30	0.04	6,888	2.29	JAS	3.38	0.46	5,352,915	3.26	PLANB	6.40	0.15	223,699	6.38
MAX	0.01	-	725,496	0.01	JASIF	9.65	0.15	159,567	9.57	POST	1.37	0.07	1	1.37
NER	4.30	(0.10)	416,790	4.33	JMART	17.20	(0.30)	144,533	17.37	PRAKIT	7.40	0.05	299	7.35
PPPM	0.39	-	3,243	0.39	JTS	2.38	0.16	14,786	2.33	SE-ED	1.49	-	16	1.50
STA	26.50	0.25	217,354	26.71	MFC	4.92	0.04	1,963	4.90	TBSP	12.80	-	102	12.78
TRUBB	1.75	(0.01)	15,243	1.75	MSC	6.50	-	303	6.47	TH	0.49	0.02	1,157	0.47
TWPC	3.50	0.06	28,735	3.49	PT	5.75	(0.05)	1,934	5.81	TKS	5.75	0.05	10,198	5.74
UPOIC	3.80	(0.02)	225	3.86	SAMART	5.30	(0.15)	79,157	5.38	VGI	7.75	0.40	1,042,655	7.64
UVAN	5.05	-	6,791	5.06	SAMTEL	5.10	(0.05)	6,949	5.17	WAVE	0.62	-	3,895	0.62
VPO	0.43	-	3,100	0.44	SDC	0.17	-	54,380	0.18	WORK	12.40	(0.10)	76,309	12.54
Banking	-	-	-	-	SIS	18.00	(0.30)	13,638	18.00	Finance & Securities	-	-	-	-
BAY	26.00	1.10	18,390	25.64	SVOA	1.34	0.04	177,356	1.34	AEC	0.23	0.01	92,376	0.22
BBL	123.50	2.50	149,464	122.99	SYMC	4.08	0.10	360	4.10	AEONTS	146.00	(0.50)	7,943	146.82
CIMBT	0.60	0.01	85,281	0.60	SYNEX	12.90	-	57,500	12.93	AMANA	2.72	-	89,800	2.72
KBANK	108.00	2.00	416,786	106.72	THCOM	5.65	0.20	112,304	5.61	ASAP	2.10	0.10	11,317	2.06
KKP	45.75	0.50	91,270	45.73	TRUE	3.30	0.14	1,941,916	3.28	ASK	22.00	0.60	6,558	21.76
KTB	11.20	0.60	1,186,138	11.00	TWZ	0.07	-	1,226,153	0.07	ASP	1.95	0.06	64,977	1.93
LHFG	1.02	0.02	103,675	1.01	Electronic Compi	-	-	-	-	BAM	22.00	0.30	557,302	22.00
SCB	88.75	0.75	208,565	88.13	CCET	2.20	0.02	46,168	2.21	BFIT	28.75	0.50	16,508	28.52
TCAP	35.00	1.25	232,591	34.54	DELTA	198.50	8.00	40,078	197.18	CGH	0.68	0.01	6,831	0.68
TISCO	80.25	0.50	58,400	80.01	HANA	38.50	(0.25)	70,092	38.68	ECL	0.81	0.05	45,003	0.80
TMB	1.16	0.11	12,922,439	1.11	KCE	38.00	(0.25)	110,710	38.05	FNS	3.26	0.06	2,986	3.22
Construction Materia	-	-	-	-	METCO	174.00	4.50	71	170.05	FSS	1.56	0.02	6,080	1.54
CCP	0.42	-	50,859	0.43	NEX	4.58	(0.22)	303,655	4.65	GBX	0.44	0.01	10,370	0.43
COTTO	1.30	0.03	30,874	1.30	SMT	2.74	(0.06)	29,346	2.75	GL	-	-	-	-
DCC	2.30	0.02	78,223	2.28	SVI	4.58	0.04	57,734	4.58	IFS	2.30	-	14,334	2.30
DCON	0.32	0.01	38,971	0.31	TEAM	0.89	0.01	166	0.89	JMT	33.25	(0.75)	62,536	33.47
DRT	6.00	-	9,798	5.96	W	0.22	(0.01)	826,527	0.23	KCAR	9.10	0.15	2,447	9.04
EPG	6.05	(0.05)	80,864	6.11	Energy & Utilitie	-	-	-	-	KGI	3.68	0.12	68,731	3.68
GEL	0.18	-	44,877	0.18	ZUP	0.33	0.01	383,200	0.33	KTC	44.50	-	67,780	44.89
PPP	1.98	-	1,165	1.97	ABPIF	2.94	(0.02)	705	2.96	MBKET	8.35	0.35	1,943	8.16
Q-CON	4.66	0.08	101	4.56	ACE	3.32	0.16	1,879,733	3.23	MFC	14.20	0.40	564	14.01
RCI	3.74	0.22	81	3.52	AGE	1.38	0.02	42,481	1.38	MICRO	5.05	(0.05)	103,446	5.07
SCC	371.00	7.00	42,423	369.67	AI	2.12	0.02	99,747	2.10	ML	0.82	(0.01)	1,614	0.81
SCCC	138.00	3.00	2,545	138.08	AKR	0.52	0.01	2,061	0.52	MTC	54.75	0.50	76,928	55.06
SCP	6.05	0.05	4,205	6.10	BAFS	23.80	1.20	10,977	23.46	NCAP	5.50	0.54	1,115,311	5.19
SKN	2.40	0.02	27,160	2.40	BANPU	8.30	-	1,369,718	8.32	PE	-	-	-	-
TASCO	19.90	0.30	560,259	19.83	BCP	19.20	0.50	31,835	19.12	PL	2.02	-	1,407	2.02
TCMC	1.64	0.13	197,345	1.59	BCPG	14.40	0.40	143,921	14.34	S11	6.50	-	4,704	6.54
TOA	35.25	0.75	50,730	34.97	BGRIM	50.00	2.00	289,996	49.69	SAWAD	55.25	-	161,523	55.22
TPPIPL	1.51	0.01	51,594	1.51	BPP	16.10	0.20	63,081	16.06	THANI	3.74	-	497,569	3.78
UMI	0.62	0.01	1,006	0.62	BRRGIF	6.25	0.05	536	6.23	TK	7.85	0.05	5,442	7.89
VNG	3.36	0.12	2,758	3.32	CKP	5.05	0.15	517,387	5.02	TNITY	3.64	0.02	1,190	3.65
WIJK	2.52	(0.02)	20,194	2.56	DEMCO	2.72	-	9,053	2.71	UOBKH	3.10	0.02	181	3.09
Petrochemicals & Ch	-	-	-	-	EA	45.50	1.50	134,974	45.18	ZMICO	0.69	-	9,198	0.69
BCT	42.25	(0.75)	30	42.63	EASTW	9.40	0.15	34,935	9.38	Food & Beverage	-	-	-	-
CMAN	1.29	0.01	4,050	1.29	EGATF	12.20	-	12,239	12.15	APURE	2.10	0.02	22,591	2.10
GC	5.70	0.05	2,295	5.68	EGCO	204.00	12.50	62,863	199.69	ASIAN	11.50	-	86,159	11.64
GGC	9.45	0.25	29,224	9.47	EP	4.74	0.54	116,469	4.52	BR	2.36	0.02	28,441	2.37
GIFT	1.81	0.05	2,550	1.79	ESSO	7.35	0.05	250,059	7.36	BRR	2.96	0.14	3,082	2.96
IVL	30.25	(0.25)	524,683	30.32	GPSC	70.75	2.75	360,203	70.30	CBG	121.00	(2.00)	97,890	122.79
NFC	1.83	-	287	1.83	GREEN	1.09	(0.03)	3,344	1.10	CFRESH	3.30	0.28	17,450	3.21
PATO	10.40	0.20	260	10.21	GULF	37.00	1.00	667,647	36.92	CHOTI	66.00	(5.25)	118	66.22
PMTA	9.05	0.10	153	8.58	GUNKUL	2.48	0.12	774,536	2.45	CM	2.60	0.02	2,841	2.59
PTTGC	56.75	2.25	324,840	56.37	IFEC	-	-	-	-	CPF	30.00	1.00	743,871	29.86
SUTHA	4.06	(0.02)	744	4.08	IRPC	2.90	-	2,019,199	2.92	CPI	1.47	0.08	4,569	1.44
TCCC	27.25	1.25	944	26.45	KBSPIF	9.70	0.10	5,329	9.64	F&D	20.80	(0.10)	1	20.80
TPA	5.40	0.05	6	5.36	LANNA	6.60	(0.05)	2,468	6.68	HTC	33.50	-	5,737	33.54
UAC	3.94	-	1,953	3.92	MDX	2.48	0.06	12,699	2.48	ICHI	11.30	-	42,587	11.37
UP	13.10	0.10	2	13.10	PDI	8.70	0.05	6,485	8.75	KBS	3.06	(0.02)	3,636	3.02
VNT	23.60	0.20	16,208	23.66	PRIME	0.49	(0.01)	85,543	0.50	KSL	2.40	0.10	61,926	2.35
YCI	-	-	-	-	PTG	18.90	-	247,023	18.98	KTIS	2.92	0.02	1,713	2.90
Commerce	-	-	-	-	PTT	40.50	2.25	1,387,902	39.82	LST	4.46	-	2,879	4.47
BEAUTY	1.49	(0.02)	518,503	1.50	PTTEP	98.50	4.75	347,617	97.37	M	56.50	(0.50)	8,387	56.82
BIG	0.57	-	119,826	0.57	RATCH	56.00	2.50	106,398	55.67	MALEE	6.20	0.50	11,822	5.98
BIC	37.00	2.75	234,485	36.65	RPC	0.50	(0.01)	10,913	0.50	MINT	24.30	-	1,223,651	24.55
COL	18.80	0.10	7,866	18.80	SCG	3.50	(0.02)	390	3.42	NRF	6.70	(0.20)	141,034	6.68
COM7	40.00	-	52,030	40.08	SCI	1.30	0.03	10,833	1.30	OISHI	43.00	1.25	555	42.69
CPALL	63.25	0.75	379,698	63.36	SCN	1.66	(0.03)	7,353	1.67	OSP	37.75	0.25	113,879	37.82
CPW	2.16	(0.02)	25,989	2.17	SGP	9.55	-	22,882	9.59	PB	69.75	(0.25)	677	69.98
CRC	34.50	(0.25)	99,354	34.69	SKE	0.57	-	193,573	0.57	PM	8.55	(0.15)	9,338	8.57
CSS	1.47	-	38,322	1.46	SOLAR	0.90	-	5,505	0.90	PRG	-	-	-	-
DOHOME	13.50	0.20	185,001	13.53	SPCG	20.70	(0.10)	35,462	20.67	RBF	9.65	(0.25)	178,561	9.72
FN	1.33	0.13	196,106	1.28	SPRC	7.25	-	482,659	7.24	SAPPE	22.20	(0.50)	9,416	22.38
FTE	1.55	0.01	3,536	1.53	SSP	9.55	0.70	158,151	9.44	SAUCE	25.00	(0.25)	47	25.25
GLOBAL	17.70	1.10	229,165	17.45	SUPER	0.95	0.06	11,389,971	0.93	SFP	-	-	-	-
HMPRO	15.50	0.10	320,268	15.60	SUPEREIF	11.40	(0.10)	2,354	11.46	SNP	10.30	0.75	16,327	10.06
ILM	14.40	0.20	16,079	14.15	SUSCO	2.72	0.02	16,649	2.72	SORKON	5.60	-	141	5.58
IT	2.48	0.04	507	2.48	TAE	2.42	0.04	12,791	2.40	SSC	35.25	-	64	35.33
KAMART	3.72	-	23,679	3.74	TCC	0.18	-	11,000	0.18	SSF	-	-	-	-
LOXLEY	1.41	0.08	84,801	1.38	TOP	49.50	0.75	142,217	49.42	SST	2.26	-	575	2.30
MAKRO	40.75	0.75	17,389	40.89	TPIPP	4.36	0.08	242,423	4.33	TC	5.25	-	15,926	5.26
MC	10.90	-	20,340	10.90	TSE	2.60	0.08							

Main Board Quotation

Issue Date :

Monday November 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CMR	1.77	(0.01)	3,283	1.78	AMATA	16.00	1.00	241,028	15.53	3K-BAT	98.00	0.25	69	98.36
EKH	4.90	0.08	33,523	4.87	AMATAV	5.10	-	452	5.05	ACG	1.21	0.02	4,493	1.21
KDH	85.75	0.25	12	85.77	ANAN	1.76	0.02	93,956	1.76	AH	17.30	0.30	11,715	17.12
LPH	4.60	-	3,017	4.56	AP	6.90	0.10	228,485	6.89	CWT	2.26	(0.04)	27,373	2.28
M-CHAI	187.00	3.00	5	186.70	APEX	0.07	0.01	18,653	0.06	EASON	1.36	(0.01)	2,624	1.35
NEW	-	-	-	-	AQ	0.02	-	367,849	0.02	GYT	-	-	-	-
NTV	43.00	0.50	132	43.01	AWC	4.48	0.16	1,285,762	4.45	HFT	4.38	(0.06)	48,298	4.41
PR9	9.30	0.15	31,702	9.37	BLAND	1.06	0.03	324,002	1.05	IHL	3.62	(0.02)	47,175	3.64
PRINC	2.86	(0.02)	26,837	2.87	BROCK	1.48	0.04	15	1.47	INGRS	0.46	(0.01)	29,395	0.46
RAM	140.50	1.00	124	140.64	CGD	0.66	0.01	43,665	0.65	IRC	13.30	0.30	127	13.12
RJH	23.30	0.60	3,335	23.03	CI	0.69	0.05	2,471	0.68	PCSGH	4.50	0.06	406	4.50
RPH	5.95	0.05	3,972	5.87	CPN	55.00	-	150,316	54.99	SAT	14.70	0.10	36,884	14.51
SKR	6.65	-	1,080	6.62	ESTAR	0.40	0.01	65,816	0.40	SPG	13.60	(0.10)	65	13.78
SVH	402.00	4.00	19	400.21	EVER	0.22	0.01	10,631	0.21	STANLY	166.50	2.50	553	166.56
THG	20.90	0.50	9,772	20.64	FPT	11.90	0.50	4,338	11.77	TKT	0.90	-	25	0.90
VIBHA	1.51	0.02	74,247	1.51	GLAND	2.32	0.04	1,000	2.25	TNPC	0.71	0.02	11	0.70
VIH	6.40	(0.15)	26,989	6.40	J	1.29	-	6,725	1.29	TRU	3.64	0.16	1,291	3.56
WPH	1.65	0.04	3,324	1.65	JCK	1.45	0.01	38,198	1.46	TSC	9.45	-	57	9.45
Tourism & Leisure					KC	-	-	-	-	Industrial Materials				
ASIA	4.76	0.04	350	4.75	KWG	0.69	(0.01)	1,083	0.69	ALLA	1.15	0.01	12,545	1.15
CENTEL	24.90	0.50	80,819	25.06	LALIN	6.65	-	15,992	6.58	ASEFA	3.34	0.02	1,774	3.30
CSR	-	-	-	-	LH	7.95	0.15	563,504	7.90	CPT	0.83	0.01	13,094	0.81
DTC	7.95	0.30	3,366	7.82	LPN	4.68	0.22	138,441	4.59	CRANE	1.38	(0.04)	53,545	1.39
ERW	3.46	0.14	307,208	3.43	MBK	13.20	0.80	145,156	12.94	CTW	6.25	0.10	2,307	6.20
GRAND	0.62	-	7,814	0.62	MJD	1.49	(0.01)	21,745	1.49	FMT	19.00	0.10	34	18.93
LRH	27.75	0.25	12	27.75	MK	3.08	-	115,934	3.06	HTECH	3.06	(0.06)	6,713	3.05
MANRIN	23.00	1.20	2	22.75	NCH	0.78	0.02	2,377	0.76	KKC	0.55	-	1,018	0.54
OHTL	336.00	8.00	17	331.94	NNCL	1.95	0.03	2,150	1.95	PK	1.78	(0.02)	12,981	1.78
ROH	-	-	-	-	NOBLE	20.00	(0.20)	53,326	20.04	SNC	12.20	0.50	13,497	12.02
SHANG	51.00	0.25	24	50.80	NVA	0.24	-	35,226	0.25	STARK	1.79	(0.01)	1,238,845	1.81
SHR	2.22	0.06	275,690	2.21	NVD	2.30	0.45	478,513	2.20	TCJ	3.14	-	242	3.12
VRANDA	5.80	0.15	5,400	5.75	ORI	7.70	(0.20)	209,585	7.86	VARO	4.10	0.60	66	3.91
Home & Office Produ					PACE	-	-	-	-	Property Fund & REIT				
ACC	0.60	0.01	411	0.58	PF	0.39	0.01	452,801	0.39	AIMCG	6.00	-	5,425	5.95
AJA	0.12	-	253,246	0.11	PLAT	2.60	0.12	44,795	2.57	AIMIRT	13.20	0.10	525	13.02
DTCI	28.00	-	70	28.00	POLAR	-	-	-	-	AMATAR	10.30	0.10	172	10.20
FANCY	0.50	0.02	1,187	0.49	PRECHA	0.84	0.02	303	0.84	B-WORK	11.20	(0.10)	190	11.20
KYE	350.00	6.00	130	346.20	PRIN	1.70	-	1,351	1.69	BKER	5.90	0.25	30,657	5.87
L&E	1.70	-	146	1.71	PSH	12.20	0.70	59,093	12.04	BKKCP	11.70	(0.10)	135	11.73
MODERN	2.52	0.04	7,064	2.50	QH	2.30	0.02	476,984	2.30	BOFFICE	10.40	(0.10)	7,007	10.46
OGC	-	-	-	-	RICHY	0.65	(0.01)	26,094	0.65	CPNCG	10.20	0.10	8,132	10.22
ROCK	-	-	-	-	RML	0.62	0.02	39,519	0.61	CPNREIT	20.60	0.10	6,703	20.68
SIAM	1.35	-	6,931	1.35	ROJNA	4.24	0.14	98,253	4.19	CPTGF	9.45	-	4,219	9.45
TSR	3.60	(0.08)	14,710	3.65	S	1.57	0.18	248,495	1.54	CTARAF	5.05	-	275	5.04
Insurance					SAMCO	1.20	0.01	1,587	1.19	DREIT	4.20	0.20	1,380	4.11
AYUD	34.00	0.75	81	33.72	SC	2.70	-	55,192	2.69	ERWPF	4.30	0.06	100	4.30
BKI	278.00	-	343	278.27	SENA	3.38	(0.02)	26,470	3.40	FTREIT	12.10	0.20	7,892	12.24
BLA	19.40	0.30	20,055	19.17	SF	4.88	0.12	30,130	4.86	FUTUREPF	17.80	-	1,490	17.82
BUI	-	-	-	-	SIRI	0.83	0.04	1,089,847	0.82	GAHREIT	8.00	0.05	52	7.96
CHARAN	-	-	-	-	SPALI	18.00	0.20	73,409	18.12	GOLDPF	5.70	-	4	5.70
INSURE	-	-	-	-	U	1.33	0.04	143,421	1.31	GVREIT	11.70	0.30	720	11.50
MTI	86.75	0.25	52	86.70	UV	2.94	0.04	59,281	2.93	HPF	4.86	0.06	1,818	4.83
NKI	49.00	(2.00)	9	49.00	WHA	3.04	0.12	3,166,218	3.01	HREIT	7.65	(0.05)	21,213	7.69
NSI	71.00	(0.25)	41	71.41	WIN	0.33	-	1,907	0.32	IMPACT	19.90	-	5,677	20.12
SEG	30.50	-	16	30.50	Paper & Printing					KPNPF	6.85	-	206	6.85
SMK	38.50	1.00	79	38.49	UTP	14.10	0.20	31,958	14.05	LHHOTEL	10.00	0.15	5,156	9.92
THRE	1.26	(0.03)	175,566	1.27	Fashion	-	-	-	-	LHPF	5.65	0.15	1,864	5.69
THREL	2.90	0.10	90,720	2.85	AFC	6.35	0.05	1	6.35	LHSC	11.40	-	1,794	11.22
TIP	26.50	(0.25)	13,489	26.72	B52	0.14	-	30,374	0.14	LUXF	-	-	-	-
TQM	113.50	(1.50)	8,758	113.95	BTNC	11.00	1.00	34	10.52	M-II	-	-	-	-
TSI	0.27	(0.01)	298	0.27	CPH	-	-	-	-	M-PAT	3.10	0.22	1	3.10
TVI	3.64	(0.06)	711	3.72	CPL	1.07	0.01	876	1.08	M-STOR	5.95	-	31	5.95
Mining					ICC	29.00	1.00	33	29.05	MIPF	14.40	(0.10)	2	14.40
THL	-	-	-	-	NC	12.80	1.00	61	12.76	MIT	2.88	-	648	2.85
Packaging					PAF	0.52	0.01	1,750	0.51	MJLF	6.25	(0.05)	1,226	6.17
AJ	17.70	-	11,065	17.67	PDJ	1.40	(0.01)	1,138	1.39	MNIT	1.50	0.07	527	1.44
ALUCON	167.00	-	6	168.75	PG	-	-	-	-	MNIT2	5.00	-	53	5.03
BGC	10.90	-	40,373	10.91	SABINA	22.00	0.20	9,725	21.96	MNRF	2.90	-	82	2.90
CSC	52.50	(0.25)	24	52.53	SAWANG	12.00	0.90	14	11.74	POPF	10.10	-	492	10.12
GLOCON	0.97	0.03	117,553	0.97	SUC	34.50	0.25	503	34.41	PPF	11.30	-	23	11.13
NEP	0.25	(0.01)	205	0.25	TNL	18.00	-	21	18.00	PROSPECT	8.90	-	5,048	8.88
PTL	22.00	(0.40)	13,115	22.04	TPCORP	9.55	0.25	2	9.58	QHHR	6.00	0.10	254	6.09
SCGP	40.00	0.50	590,092	39.96	TR	27.75	-	87	27.93	QHQP	2.40	0.02	296	2.36
SFLEX	5.45	(0.15)	102,011	5.54	TTI	17.60	-	18	17.57	QHPP	9.65	0.05	3,285	9.64
SITHAI	0.67	0.05	45,430	0.66	TTT	53.00	-	39	53.03	SBPF	3.16	-	1,356	3.14
SLP	0.45	0.02	3,427	0.43	UPF	63.25	0.75	59	63.05	SHREIT	3.22	(0.04)	984	3.22
SMPC	10.90	0.20	4,419	10.79	UT	16.50	2.00	6	15.33	SIRIP	-	-	-	-
SPACK	2.44	(0.02)	10,837	2.45	WACOAL	44.50	(0.75)	23	44.51	SPF	12.80	0.20	10,535	12.66
TCOAT	-	-	-	-	Transportation 8	-	-	-	-	SPRIME	8.20	0.10	149	8.16
TFI	0.16	0.01	38,144	0.17	AAV	2.12	0.06	867,425	2.10	SRIPANWA	7.65	0.10	527	7.66
THIP	34.00	1.50	676	33.68	AOT	68.25	0.50	375,489	68.20	SSPF	9.10	-	3	9.10
TMD	22.40	0.10	96	22.18	ASIMAR	1.51	0.01	5,715	1.53	SSTRT	5.30	0.05	202	5.25
TOPP	-	-	-	-	B	0.31	-	10,449	0.30	TIF1	8.55	0.05	1,591	8.57
TPBI	4.90	-	1,579	4.88	BA	5.90	0.10	30,719	5.87	TLGF	16.70	0.40	3,867	16.54
TPP	-	-	-	-	BEM	9.45	0.20	685,734	9.41	TLHPF	8.20	0.05	52	8.17
Personal Products &					BTS	10.70	0.20	723,225	10.65	TNPF	2.00	0.01	1,613	2.00
APCO	3.66	-	1,707	3.53	BTSGIF	6.10	0.20	74,680	6.04	TPRIME	11.40	0.20	202	11.25
DDD	16.10	-	7,438	16.10	III	4.76	0.18	62,708	4.76	TTLPF	22.50	-	1	22.50
JCT	-	-	-	-	JUTHA	0.43	(0.01)	1,154	0.44	TU-PF	1.28	-	3	1.27
OCC	8.85	0.15	1	8.85	JWD	8.35	0.15	52,681	8.34	URBNPF	-	-	-	-
S & J	25.25	0.25	2	25.25	KWC	-	-	-	-	WHABT	8.75	(0.15)	154	8.79
STGT	72.00	-	116,715	72.12	NOK	0.67	0.01	1,819	0.67	WHART	12.80	-	2,194	12.80
STHAI	-	-	-	-	NYT	3.38	0.04	46,406	3.37	Steel				
TNR	13.10	0.10	605	13.03	PORT	2.92	0.30	397,714	2.74	AMC	1.58	0.11	7,813	1.56
TOG	3.66													

Main Board Quotation

Issue Date :

Monday November 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TITLE	2.92	(0.08)	10,980	2.00	ADVA01C2104A	0.65	(0.35)	51,163	-
ABICO	5.25	0.10	3,220	5.00	Resources (MAI)	-	-	-	-	ADVA01P2012A	0.17	(0.05)	112,430	-
AU	9.90	0.30	59,818	9.00	ABM	0.80	-	3,463	-	ADVA01P2104A	0.79	(0.21)	39,755	-
JCKH	0.28	-	1,428	-	AIE	0.68	0.01	124,458	-	ADVA06C2103A	0.49	0.08	287,212	-
KASET	1.13	(0.01)	3,734	1.00	ETC	1.95	-	245,642	1.00	ADVA08C2012A	0.06	-	505	-
MM	1.94	(0.04)	738	1.00	PSTC	1.76	0.02	31,922	1.00	ADVA08C2103A	0.54	0.06	144,597	-
SUN	4.32	(0.10)	17,232	4.00	QTC	3.90	0.08	1,791	3.00	ADVA08P2101A	0.40	(0.09)	45,657	-
TACC	6.60	(0.05)	48,034	6.00	SAAM	1.06	0.01	2,171	1.00	ADVA11C2011A	-	-	-	-
TMILL	3.12	0.02	4,764	3.00	SEAOIL	2.54	0.08	14,937	2.00	ADVA11C2104A	0.62	0.08	114,339	-
XO	9.90	0.20	55,458	9.00	SR	0.61	0.03	1,217	-	ADVA11P2011A	-	-	-	-
Consumer Products	-	-	-	-	TAKUNI	0.39	0.01	8,073	-	ADVA13C2012A	0.10	0.03	23,631	-
BGT	1.06	0.02	32	1.00	TPCH	11.70	0.20	10,863	11.00	ADVA13C2101A	0.36	0.05	861,056	-
BIZ	3.56	(0.02)	1,849	3.00	TRT	1.62	0.01	288	1.00	ADVA13P2012A	0.24	(0.08)	52,494	-
DOD	8.75	0.15	33,936	8.00	UMS	0.27	(0.02)	112	-	ADVA19C2012A	0.10	0.02	143,023	-
ECF	1.34	-	139,545	1.00	UPA	0.17	-	27,724	-	ADVA19C2101A	0.29	0.05	669,911	-
HPT	0.75	-	3,005	-	UWC	0.04	(0.01)	118,137	-	ADVA19P2012A	0.19	(0.06)	51,743	-
IP	11.90	0.10	11,458	11.00	Services (MAI)	-	-	-	-	ADVA24C2101A	0.19	0.03	15,175	-
JUBILE	21.40	0.30	1,595	21.00	A5	-	-	-	-	ADVA28C2012A	0.01	-	3,200	-
MOONG	4.22	(0.04)	2,363	4.00	AKP	0.89	0.02	3,725	-	ADVA28C2012B	-	-	-	-
NPK	-	-	-	-	AMA	5.80	(0.05)	58,968	5.00	ADVA28C2101A	0.12	0.02	32,366	-
OCEAN	0.74	-	5,475	-	ARIP	0.41	-	1,349	-	ADVA28C2102L	0.13	0.02	21,301	-
TM	2.28	-	3,183	2.00	ATP30	0.95	0.03	25,248	-	ADVA28C2104A	0.42	0.06	137,276	-
Financials (MAI)	-	-	-	-	AUCT	10.40	0.10	16,542	10.00	ADVA28P2012A	0.03	-	1	-
ACAP	0.70	(0.01)	689	-	BOL	5.95	(0.05)	10,913	5.00	ADVA41C2011A	-	-	-	-
AF	0.61	(0.01)	44	-	CMO	0.92	-	2,584	-	ADVA41C2101A	0.32	0.04	124,169	-
AIRA	0.90	0.06	345	-	D	3.68	0.14	3,840	3.00	ADVA41P2101A	0.13	(0.05)	17,170	-
ASN	4.86	(0.06)	12	4.00	DV8	0.29	-	3,759	-	ADVA42C2102T	0.22	0.02	1,040	-
BROOK	0.40	-	33,472	-	EFORL	0.04	0.01	475,401	-	AEON01C2102A	0.53	(0.01)	20,925	-
CHAYO	7.75	-	33,356	7.00	ETE	1.02	-	4,866	1.00	AEON13C2012A	1.29	(0.02)	55	1.00
GCAP	1.32	0.01	7,183	1.00	FSMART	6.95	0.05	22,486	6.00	AEON13C2101A	0.49	(0.02)	21,962	-
LIT	3.28	0.08	2,261	3.00	FVC	0.38	(0.01)	5,700	-	AEON19C2011A	1.69	(0.04)	1	1.00
MITSIB	1.06	0.12	36,876	1.00	GSC	1.15	0.02	1,506	1.00	AEON19C2012A	1.07	(0.05)	48	1.00
SGF	0.55	(0.01)	81,841	-	HARN	2.14	0.02	5,194	2.00	AEON19C2101A	0.67	(0.06)	6,617	-
Industrials (MAI)	-	-	-	-	IMH	2.08	0.04	1,814	2.00	AEON19C2102A	0.52	(0.02)	177,416	-
ZS	3.88	0.08	6,185	3.00	KIAT	0.61	(0.01)	254,337	-	AEON28C2012A	0.93	0.03	41	-
ADB	0.88	(0.02)	5,494	-	KK	1.50	(0.03)	40,281	1.00	AEON28C2101A	-	-	-	-
BM	2.42	0.02	1,203	2.00	KOOL	0.83	-	12,966	-	AEON28C2103A	0.56	(0.03)	86,773	-
CHO	0.50	-	8,988	-	LDC	1.31	0.01	3,445	1.00	AEON28C2104L	0.34	(0.01)	52,136	-
CHOW	2.04	0.04	1,609	2.00	LEO	5.65	0.15	245,485	5.00	AEON42C2101T	0.42	(0.01)	62	-
CIG	0.21	-	18,021	-	MORE	0.80	-	381,619	-	AMAT01C2101A	0.34	0.08	58,879	-
COLOR	1.21	0.01	394	1.00	MPG	0.26	(0.02)	19,194	-	AMAT06C2102A	0.47	0.14	45,551	-
CPR	2.60	0.04	2,069	2.00	MVP	1.21	-	637	1.00	AMAT08C2101A	0.43	0.09	25,909	-
FPI	1.45	0.02	3,692	1.00	NBC	0.51	-	72	-	AMAT13C2012A	0.20	0.02	4,273	-
GTB	0.71	-	5,962	-	NCL	0.60	-	3,354	-	AMAT13C2102A	0.73	0.17	3,000	-
KCM	0.43	-	2,617	-	NEWS	0.01	-	10,088	-	AMAT13C2103A	0.41	0.10	276,595	-
KUMWEL	1.14	0.01	3,681	1.00	NINE	1.59	0.03	22	1.00	AMAT19C2011A	0.05	0.01	2,000	-
KWM	1.12	-	1,795	1.00	OTO	4.36	0.16	142,716	4.00	AMAT19C2012A	0.29	0.11	104,660	-
MBAX	7.05	(0.05)	9,899	7.00	PHOL	2.30	0.02	3,689	2.00	AMAT19C2101A	0.48	0.09	2,871	-
MGT	2.24	-	12,993	2.00	PICO	3.64	(0.04)	8	3.00	AMAT24C2103A	0.76	0.13	16,319	-
NDR	1.53	(0.02)	12,124	1.00	QLT	4.04	0.02	1,983	4.00	AMAT28C2012A	-	-	-	-
PDG	3.38	0.04	12,449	3.00	RP	1.21	(0.02)	2,489	1.00	AMAT28C2101A	0.20	0.04	28,378	-
PIMO	2.42	-	27,672	2.00	SABUY	2.00	(0.04)	587,321	2.00	AMAT28C2102L	0.12	0.02	87,153	-
PJW	1.39	0.02	6,577	1.00	SE	1.19	(0.03)	997	1.00	AMAT28C2103A	0.46	0.09	95,617	-
PPM	0.82	0.01	593	-	SLM	-	-	-	-	AMAT42C2101T	0.11	0.01	5	-
PRAPAT	1.29	0.02	107,140	1.00	SONIC	1.32	-	28,940	1.00	AOT01C2012A	0.79	0.02	62,571	-
RWI	1.30	0.01	1,470	1.00	SPA	6.95	0.10	59,325	7.00	AOT01C2102A	0.83	0.01	2,107	-
SALEE	0.67	0.01	273	-	THMUI	0.62	(0.01)	1,747	-	AOT01C2102T	0.52	0.01	66,510	-
SANKO	0.97	0.01	1,057	-	TNDT	3.04	(0.14)	1,826	3.00	AOT01P2012A	0.03	(0.01)	1,792	-
SELIC	2.00	(0.12)	42,597	2.00	TNH	33.50	-	62	33.00	AOT01P2012B	0.05	(0.05)	121	-
SFT	4.44	0.02	133,381	4.00	TNP	3.50	(0.06)	15,041	3.00	AOT01P2102T	0.21	(0.01)	33,661	-
SWC	4.44	0.02	1,183	4.00	TSF	-	-	-	-	AOT01P2103A	0.65	(0.02)	35,358	-
TMC	0.68	-	1,026	-	TVD	1.02	-	33,649	1.00	AOT06C2011A	-	-	-	-
TMI	0.69	0.02	15,299	-	TVT	0.61	(0.01)	9,952	-	AOT06C2102A	0.91	0.01	64,831	-
TMW	35.00	0.75	171	34.00	VL	1.11	0.04	671,262	1.00	AOT06P2103A	0.11	(0.01)	31,006	-
TPAC	13.30	(0.10)	364	13.00	WINNER	2.62	-	2,967	2.00	AOT08C2101A	0.73	0.01	32,268	-
TPLAS	1.60	0.02	4,116	1.00	YGG	11.80	(0.10)	3,180	11.00	AOT08P2102A	0.17	(0.01)	1,417	-
UBIS	5.40	(0.05)	73	5.00	Technology (M/	-	-	-	-	AOT11C2011A	-	-	-	-
UEC	0.93	0.02	2,926	-	APP	2.26	0.04	7,724	2.00	AOT11P2101A	0.06	-	850	-
UKEM	0.57	0.01	26,564	-	COMAN	2.44	0.08	4,351	2.00	AOT13C2012A	0.83	0.03	6,149	-
UREKA	0.82	-	1,318	-	ICN	2.36	(0.02)	19,038	2.00	AOT13C2101A	0.58	-	23,220	-
YUASA	15.40	(0.30)	1,647	15.00	IIG	20.60	0.30	13,101	20.00	AOT13C2102A	1.12	0.03	187	1.00
ZIGA	2.64	(0.04)	13,715	2.00	INSET	3.58	(0.02)	54,248	3.00	AOT13C2103A	0.52	-	436,959	-
Property & Construc	-	-	-	-	IRCP	0.72	-	449	-	AOT13P2011A	-	-	-	-
ALL	3.24	-	51,224	3.00	ITEL	2.94	0.02	42,774	2.00	AOT13P2101A	0.06	(0.01)	24,854	-
ARIN	0.87	(0.02)	4,875	-	NETBAY	27.25	1.25	10,981	26.00	AOT13P2102A	0.09	-	67,925	-
ARROW	7.25	0.15	4,194	7.00	PLANET	1.15	-	1,178	1.00	AOT13P2103A	0.52	(0.04)	220,209	-
BC	1.00	0.07	3,976	-	SICT	4.14	(0.06)	25,305	4.00	AOT16C2012A	1.19	0.02	864	1.00
BSM	0.25	(0.01)	26,820	-	SIMAT	3.50	-	4,157	3.00	AOT19C2011A	-	-	-	-
BTW	0.78	-	1,137	-	SKY	12.50	0.20	3,501	12.00	AOT19C2011B	0.17	0.01	3,116	-
CAZ	1.73	0.05	16,723	1.00	SPVI	3.16	0.06	79,422	3.00	AOT19C2012A	0.72	0.04	1,000	-

Main Board Quotation

Issue Date :

Monday November 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP13C2011A	-	-	-	-	BCP19C2011A	-	-	-	-	BJC28C2102L	0.07	0.03	800	-
AP19C2011A	0.06	(0.02)	1	-	BCP19C2012A	0.15	0.02	2	-	BJC28C2103A	0.30	0.10	128,908	-
AP28C2012A	-	-	-	-	BCP19C2102A	0.61	0.08	10,318	-	BJC28C2103B	0.39	0.09	400	-
AP28C2012B	0.07	(0.02)	6,042	-	BCPG13C2012A	-	-	-	-	BJC41C2011A	-	-	-	-
AP28C2103A	0.29	0.01	41,927	-	BCPG13C2012B	0.05	(0.02)	142	-	BJC41C2012A	-	-	-	-
AWC01C2101A	0.45	0.05	30,925	-	BCPG13C2102A	0.42	0.04	97,771	-	BPP13C2011A	-	-	-	-
AWC01C2103A	1.58	0.10	11,062	1.00	BCPG13C2103A	0.34	(0.66)	71,423	-	BPP13C2012A	0.19	-	25,417	-
AWC01P2103A	0.77	(0.05)	57,132	-	BCPG19C2011A	-	-	-	-	BPP13C2103A	0.51	0.02	122,323	-
AWC06C2011A	-	-	-	-	BCPG19C2012A	0.20	0.03	62,412	-	BPP19C2012A	0.21	0.01	42,621	-
AWC06C2103A	0.95	0.12	37,615	-	BCPG19C2101A	0.45	0.07	3,015	-	BTS01C2101A	0.12	-	62,460	-
AWC06P2012A	0.01	(0.01)	3,128	-	BCPG28C2012A	0.03	-	203	-	BTS01C2103A	0.69	0.07	2,028	-
AWC08C2012A	0.17	0.02	7,500	-	BCPG28C2012B	-	-	-	-	BTS01P2103A	0.23	(0.01)	9,686	-
AWC11C2102A	0.59	0.07	59,920	-	BCPG28C2012C	-	-	-	-	BTS06P2103A	0.13	(0.01)	54,608	-
AWC13C2101A	0.48	0.07	1,054	-	BCPG28C2101A	0.16	0.01	13,173	-	BTS11C2011A	0.01	-	10	-
AWC13C2102A	-	-	-	-	BCPG28C2103A	0.37	0.04	9,221	-	BTS13C2011A	-	-	-	-
AWC13C2102B	0.63	0.06	342,339	-	BCPG28C2103L	0.19	0.01	22,212	-	BTS13C2012A	0.07	-	24,300	-
AWC13P2011A	-	-	-	-	BDMS01C2101A	0.47	(0.03)	51,707	-	BTS13C2102A	-	-	-	-
AWC13P2102A	0.06	-	1,450	-	BDMS06C2102A	0.49	(0.04)	49,097	-	BTS13C2103A	0.24	-	194,855	-
AWC19C2101A	0.49	0.08	74,629	-	BDMS06C2103A	-	-	-	-	BTS13P2011A	-	-	-	-
AWC19C2102A	-	-	-	-	BDMS08C2011A	0.02	-	1	-	BTS13P2102A	0.10	-	42	-
AWC19C2103A	1.25	0.11	1,925	1.00	BDMS08C2101A	0.39	(0.03)	21,449	-	BTS19C2011A	-	-	-	-
AWC19P2011A	0.01	(0.01)	51	-	BDMS11C2011A	-	-	-	-	BTS19C2012A	-	-	-	-
AWC19P2102B	0.05	(0.02)	17,864	-	BDMS11P2104A	0.15	0.01	15,674	-	BTS19C2102A	-	-	-	-
AWC24C2103A	1.06	0.11	6,160	1.00	BDMS13C2011A	0.01	(0.01)	8,700	-	BTS19C204A	0.20	0.01	10,547	-
AWC28C2012A	0.01	(0.01)	4,850	-	BDMS13C2012A	0.24	(0.01)	167,063	-	BTS19P2012A	-	-	-	-
AWC28C2012B	-	-	-	-	BDMS13C2101A	0.68	0.02	1,588	-	BTS19P2012A	-	-	-	-
AWC28C2101A	0.29	0.03	64,078	-	BDMS13C2103A	0.52	(0.03)	375,678	-	BTS24C2012A	-	-	-	-
AWC28C2103L	0.24	0.02	20,853	-	BDMS13P2102A	0.06	-	2,677	-	BTS41C2012A	-	-	-	-
AWC28C2104A	1.07	0.21	1,000	1.00	BDMS23C2103A	0.50	-	171,206	-	CBG01C2012A	0.09	-	65	-
AWC41C2102A	0.44	0.06	5,458	-	BDMS19C2011A	-	-	-	-	CBG01C2102A	0.48	(0.04)	125,832	-
AWC42C2101T	0.07	0.01	505	-	BDMS19C2012A	0.24	(0.03)	248,746	-	CBG01C2103T	0.39	(0.02)	59,618	-
BANP01C2101A	0.62	-	42,319	-	BDMS19C2102A	0.64	0.02	3,638	-	CBG01P2012A	0.09	0.01	1,105	-
BANP01C2101A	0.52	-	215,899	-	BDMS19P2102A	0.06	-	5,900	-	CBG01P2102A	0.48	0.01	45,821	-
BANP01C2104T	0.34	(0.66)	53,100	-	BDMS24C2101A	0.54	-	12,023	-	CBG06C2011A	-	-	-	-
BANP01P2101A	-	-	-	-	BDMS28C2012A	0.02	0.01	1,500	-	CBG06C2102A	0.52	(0.04)	86,063	-
BANP01P2103A	0.34	(0.66)	31,801	-	BDMS28C2012E	-	-	-	-	CBG08C2012A	0.28	(0.05)	52,698	-
BANP06C2101A	0.93	0.10	5	-	BDMS28C2101A	0.21	-	37,504	-	CBG11C2011A	0.35	(0.04)	30,247	-
BANP06C2104A	0.59	(0.02)	75,986	-	BDMS28C2102A	0.33	(0.01)	131,972	-	CBG13C2012A	0.08	(0.02)	30,340	-
BANP06P2011A	0.01	-	28	-	BDMS28C2103A	-	-	-	-	CBG13C2101A	0.36	(0.05)	176,460	-
BANP06P2103A	0.11	-	38,485	-	BDMS41C2012A	-	-	-	-	CBG13C2102A	0.53	(0.05)	317,856	-
BANP08C2102A	0.68	(0.02)	29,096	-	BDMS41P2011A	-	-	-	-	CBG13P2011A	-	-	-	-
BANP08P2102A	0.08	(0.01)	150	-	BDMS42C2101T	0.11	-	22	-	CBG13P2101A	0.37	-	113,810	-
BANP11C2104A	0.68	-	39,001	-	BEM01C2101A	0.10	0.03	1,086	-	CBG16C2101A	0.38	(0.04)	27,205	-
BANP13C2012A	0.71	(0.05)	1,218	-	BEM08C2102A	0.14	0.01	1,773	-	CBG19C2011A	0.18	(0.05)	61,265	-
BANP13C2102A	0.49	(0.01)	510,843	-	BEM11C2011A	-	-	-	-	CBG19C2011B	-	-	-	-
BANP13P2012A	0.02	-	50	-	BEM13C2101A	0.30	0.03	181,444	-	CBG19C2101A	0.27	(0.04)	253,839	-
BANP13P2102A	0.12	(0.01)	97,862	-	BEM13P2102A	-	-	-	-	CBG19C2102A	0.53	(0.05)	363,989	-
BANP16C2101A	0.62	(0.03)	10,511	-	BEM19C2011A	-	-	-	-	CBG19P2011A	-	-	-	-
BANP19C2012A	-	-	-	-	BEM19C2101A	0.26	0.02	40,938	-	CBG19P2012A	0.18	0.01	88,891	-
BANP19C2102A	0.52	(0.01)	31,204	-	BEM19C2102A	0.46	0.03	10,157	-	CBG24C2102A	0.53	(0.05)	19,037	-
BANP19P2012A	-	-	-	-	BEM19P2102A	0.17	(0.03)	165	-	CBG41C2011B	-	-	-	-
BANP19P2102A	0.10	(0.01)	76,981	-	BEM28C2012A	-	-	-	-	CBG41C2012A	-	-	-	-
BANP24C2011A	-	-	-	-	BEM28C2103A	0.24	0.01	23,309	-	CBG41P2012A	0.29	0.03	62,934	-
BANP28C2012A	0.32	0.01	6,402	-	BEM28C2103B	0.42	0.02	36,911	-	CBG42C2101T	0.52	(0.05)	10,022	-
BANP28C2012B	0.30	(0.01)	6	-	BEM28C2104L	0.22	0.01	12,126	-	CENT01C2103A	0.80	0.04	30,591	-
BANP28C2101A	-	-	-	-	BGR101C2012A	-	-	-	-	CENT01P2103A	0.53	(0.04)	10,982	-
BANP28C2103A	0.46	-	100,200	-	BGR101C2102A	0.55	0.07	73,990	-	CENT08C2012A	0.19	-	8,662	-
BANP42C2012T	0.19	(0.02)	10,002	-	BGR101P2012A	0.02	(0.03)	309	-	CENT11C2012A	-	-	-	-
BBL06C2101A	1.17	0.22	2,027	1.00	BGR101P2103A	0.51	(0.09)	74,367	-	CENT13C2011A	-	-	-	-
BBL06P2011A	-	-	-	-	BGR106C2102A	0.51	0.09	130,841	-	CENT13C2101A	0.56	0.04	152,970	-
BBL08C2101A	0.45	0.02	58,119	-	BGR106P2011A	-	-	-	-	CENT13P2011A	-	-	-	-
BBL08C2103A	-	-	-	-	BGR108C2101A	0.35	0.06	29,542	-	CENT19C2011A	0.03	0.01	9	-
BBL08P2102A	0.19	(0.03)	6,609	-	BGR111C2011A	0.17	0.03	40,108	-	CENT19C2011B	0.07	-	11,160	-
BBL11C2011A	0.32	0.03	332	-	BGR113C2012A	0.19	0.04	175,064	-	CENT19C2101A	0.54	0.05	37,800	-
BBL11C2104A	1.75	0.09	8,218	1.00	BGR113C2101A	0.42	0.08	807,100	-	CENT19P2011A	-	-	-	-
BBL11P2102A	0.13	(0.02)	42,886	-	BGR113P2101A	0.04	(0.02)	500	-	CENT24C2011A	-	-	-	-
BBL13C2012A	0.47	0.02	3,879	-	BGR113P2103A	0.34	(0.08)	103,941	-	CENT28C2012A	-	-	-	-
BBL13C2012B	1.20	0.08	5	1.00	BGR119C2011A	-	-	-	-	CENT28C2012B	-	-	-	-
BBL13C2103A	0.78	0.06	24,764	-	BGR119C2012A	0.14	0.04	245,767	-	CENT28C2101A	0.23	0.01	25,273	-
BBL13C2103B	0.55	0.04	619,214	-	BGR119C2101A	0.49	0.08	243,625	-	CENT28C2101B	0.06	-	1,801	-
BBL13P2012A	0.04	(0.01)	1,587	-	BGR119P2102A	0.14	(0.03)	124,233	-	CENT28C2103L	0.29	0.02	47,414	-
BBL13P2103A	0.38	(0.03)	145,339	-	BGR124C2101A	0.56	0.09	33,554	-	CHG06C2102A	0.22	0.06	73,136	-
BBL19C2011A	0.03	0.01	9	-	BGR127C2101A	-	-	-	-	CHG13C2012A	0.09	0.02	13,941	-
BBL19C2011B	-	-	-	-	BGR127P2012A	-	-	-	-	CHG19C2011A	-	-	-	-
BBL19C2012A	-	-	-	-	BGR141C2012A	0.54	0.11	1,963	-	CHG19C2103A	0.22	0.05	62,163	-
BBL19C2101A	0.65	0.06	13,631	-	BGR141C2101A	0.19	0.05	20,465	-	CK01C2101A	0.20	0.02	93,106	-
BBL19C2101B	-	-	-	-	BGR142C2101T	-	-	-	-	CK01P2101A	0.21	(0.03)	6,098	-
BBL19C2103A	0.43	0.04	243,319	-	BH01C2103A	0.59	0.29	3,776	-	CK06C2102A	0.26	0.01	23,595	-
BBL19P2011A	-	-	-	-	BH13C2012A	0.17	0.08	420,455	-	CK06C2103A	-	-	-	-
BBL19P2012A	0.03	-	3	-	BH13C2101A	0.95	0.33	4,891	-	CK06P2012A	0.08	(0.02)	8,450	-
BBL19P2103A	0.34	(0.04)	138,273	-	BH13C2103A	0.65	0.16	268,357	-	CK11C2012A	-	-	-	-
BBL24C2102A	2.00	0.12	2,062	1.00	BH13P2011A	0.03	(0.03)	10,101	-	CK13C2012A	0.12	0.01	22,027	-
BBL28C2012A	-	-	-	-	BH19C2012A	0.25	0.11	70,256	-	CK13C2102A	0.59	0.02	12,412	-
BBL28C2101A	0.32	0.02	78,905	-	BH19C2101A	1.80	0.65	12,002	1.00	CK13C2103A	0.42	0.01	110,864	-
BBL28C2103A	-	-	-	-	BH19C2103A	0.66	0.20	120,002	-	CK19C2011A	-	-	-	-
BBL28C2104L	0.32	0.01	106,767	-	BH19P2012A	0.04	(0.04)	16,222	-	CK19C2012A	0.18	0.02	207	-
BBL41C2012A	-	-	-	-	BH24C2102A	0.55	0.21	13,325	-	CK19C2103A	0.46	0.02	69,036	-
BBL41C2012B	0.50	0.07	88,124	-	BH41C2012A	-	-	-	-	CK19P2011A	-	-	-	-
BBL41C2102A	-													

Main Board Quotation

Issue Date :

Monday November 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP16C2012A	-	-	-	-	CPN13C2011A	-	-	-	-	EA41C2011A	-	-	-	-
CKP19C2011A	0.04	-	3,590	-	CPN13C2012A	0.42	(0.03)	1	-	EA41C2010A	0.09	0.01	2,100	-
CKP19C2011B	-	-	-	-	CPN13C2102A	-	-	-	-	EA42C2101T	0.17	0.02	2,016	-
CKP19C2101A	0.10	0.01	270	-	CPN13C2103A	0.65	-	275,941	-	EGC001C2101A	0.11	0.05	14,426	-
CKP19C2102A	0.54	0.06	43,586	-	CPN19C2011A	-	-	-	-	EGC001C2103A	1.28	0.27	54,305	1.00
CKP19P2012A	0.19	(0.04)	11,877	-	CPN19C2012A	0.32	(0.01)	228,858	-	EGC001P2101A	0.40	(0.12)	41,360	-
CKP24C2011A	-	-	-	-	CPN19C2102A	0.76	(0.01)	23,279	-	EGC013C2011A	-	-	-	-
CKP28C2012A	-	-	-	-	CPN19C2104A	0.53	(0.02)	202,096	-	EGC013C2012A	0.08	0.03	9,360	-
CKP28C2012B	-	-	-	-	CPN19P2011A	0.03	(0.01)	7,001	-	EGC013C2012B	0.17	0.07	281,434	-
CKP28C2103A	0.15	0.01	78,839	-	CPN24C2011A	-	-	-	-	EGC013C2101A	0.72	0.22	278,685	-
COM701C2103A	0.30	(0.01)	20,870	-	CPN24C2102A	1.13	(0.01)	11,818	1.00	EGC013P2011A	0.18	(0.07)	1	-
COM706C2012A	0.40	0.09	130	-	CPN41C2012A	0.29	(0.01)	56,296	-	EGC019C2011A	-	-	-	-
COM706C2103A	0.40	-	20,636	-	CPN41C2101A	0.32	(0.01)	138,655	-	EGC019C2012A	0.03	0.01	15,500	-
COM708C2011A	-	-	-	-	CPN41C2102A	-	-	-	-	EGC019C2012B	0.38	0.15	102,074	-
COM708C2102A	0.26	-	10,060	-	CPN41P2011A	-	-	-	-	EGC019C2102A	1.15	0.30	200,533	1.00
COM711C2101A	0.31	-	9,665	-	CPN41P2102A	0.05	(0.01)	510	-	EGC019P2011A	-	-	-	-
COM711P2102A	0.45	(0.01)	5,412	-	CRC01C2101A	0.27	(0.01)	12,150	-	EGC019P2012A	0.19	(0.12)	224,200	-
COM713C2101A	0.16	(0.01)	13,593	-	CRC01P2101A	0.11	0.01	320	-	EGC041C2101A	0.10	0.04	38,839	-
COM713C2103A	0.35	(0.01)	100,610	-	CRC06C2102A	0.40	(0.04)	60,370	-	EGC042C2101T	0.02	-	30,500	-
COM716C2101A	0.20	-	2,088	-	CRC08C2101A	0.28	(0.01)	19,320	-	EPG13C2012A	0.15	(0.02)	69,850	-
COM719C2011A	-	-	-	-	CRC11P2104A	0.29	-	18,540	-	EPG13C2102A	-	-	-	-
COM719C2011B	-	-	-	-	CRC13C2011A	-	-	-	-	EPG13C2102B	0.32	(0.02)	42,015	-
COM719C2012A	0.11	(0.01)	20,616	-	CRC13C2012A	-	-	-	-	EPG19C2011A	0.08	-	200	-
COM719C2103A	0.29	(0.01)	88,115	-	CRC13C2101A	0.41	(0.02)	1	-	EPG19C2102A	-	-	-	-
COM719P2011A	-	-	-	-	CRC13C2103A	0.36	(0.64)	108,002	-	EPG19C2103A	0.33	(0.02)	41,200	-
COM719P2012A	0.01	(0.02)	1,100	-	CRC13P2012A	-	-	-	-	EPG42C2101T	0.41	(0.03)	902	-
COM719P2101A	0.17	(0.01)	8,472	-	CRC16C2102A	0.49	(0.01)	2,980	-	ESSO01C2012A	-	-	-	-
COM719P2102A	0.49	(0.02)	10,595	-	CRC19C2011A	-	-	-	-	ESSO01C2103A	0.37	(0.63)	19,414	-
COM724C2012A	0.15	(0.02)	6,582	-	CRC19C2012A	0.20	(0.02)	35,720	-	ESSO01P2012A	-	-	-	-
COM741C2101A	0.11	-	9,988	-	CRC19C2101A	0.46	(0.01)	212	-	ESSO06C2103A	0.50	0.01	22,734	-
CPAL01C2101A	0.16	0.01	59,739	-	CRC19P2011A	-	-	-	-	ESSO08C2011A	0.02	(0.02)	1,000	-
CPAL01C2103A	0.61	0.03	48,901	-	CRC24C2101A	0.27	(0.02)	8,560	-	ESSO08C2102A	0.39	(0.01)	12,442	-
CPAL01P2101A	0.23	(0.02)	60,977	-	CRC28C2012A	-	-	-	-	ESSO13C2012A	0.15	(0.01)	140,096	-
CPAL06C2102A	0.15	0.02	62,506	-	CRC28C2101A	0.24	(0.04)	29,384	-	ESSO13C2102A	0.45	-	67,003	-
CPAL06C2104A	0.45	0.01	72,347	-	CRC28C2103A	0.53	0.02	100	-	ESSO19C2011A	-	-	-	-
CPAL06P2012A	0.05	(0.02)	10,501	-	CRC41C2012A	0.19	(0.01)	9,034	-	ESSO19C2012A	0.15	(0.01)	12,711	-
CPAL08C2011A	-	-	-	-	DOHO01C2103A	0.33	0.02	37,342	-	ESSO19C2103A	0.45	0.01	41,561	-
CPAL08C2102A	0.26	0.01	9,220	-	DOHO01P2103A	0.57	(0.02)	27,343	-	ESSO19P2012A	0.03	(0.02)	3	-
CPAL08P2101A	0.29	(0.04)	7,751	-	DOHO06C2012A	0.05	-	9,877	-	ESSO24C2012A	-	-	-	-
CPAL11C2012A	-	-	-	-	DOHO06C2104A	0.34	0.01	55,124	-	ESSO28C2101A	-	-	-	-
CPAL13C2012A	0.04	(0.02)	2,261	-	DOHO08C2012A	0.18	0.01	25,882	-	ESSO28C2101B	0.12	(0.01)	13,168	-
CPAL13C2101A	0.27	0.02	356,869	-	DOHO11C2101A	0.22	0.01	29,620	-	ESSO28C2104A	0.34	-	36,862	-
CPAL13C2102A	0.58	0.03	14,572	-	DOHO13C2101A	0.06	-	12,130	-	ESSO28C2105L	0.27	0.01	35,764	-
CPAL13P2102A	0.16	(0.01)	50,786	-	DOHO13C2103A	0.27	-	209,885	-	ESSO42C2101T	0.13	-	2	-
CPAL16C2101A	0.52	0.03	4,378	-	DOHO19C2011A	0.01	(0.01)	8	-	GFPT08C2011A	-	-	-	-
CPAL19C2011A	-	-	-	-	DOHO19C2101A	0.10	0.01	20,170	-	GFPT19C2012A	0.09	0.01	95,458	-
CPAL19C2012A	0.11	0.01	92,644	-	DOHO19C2103A	0.28	0.01	124,775	-	GFPT19C2103A	0.36	0.04	44,561	-
CPAL19C2102A	0.28	0.02	230,191	-	DOHO28C2012A	-	-	-	-	GFPT24C2012A	0.04	0.01	242	-
CPAL19C2103A	0.56	0.04	19,820	-	DOHO28C2102I	0.13	0.01	12,648	-	GFPT42C2101T	0.05	0.01	9,410	-
CPAL19P2101A	0.17	(0.02)	11,314	-	DOHO28C2104A	0.36	0.02	66,281	-	GLOB01C2012A	-	-	-	-
CPAL24C2103A	0.46	0.03	19,446	-	DOHO42C2012A	-	-	-	-	GLOB01C2102A	0.43	0.10	78,124	-
CPAL27C2101A	-	-	-	-	DTAC01C2101A	0.17	0.02	99,608	-	GLOB13C2011A	-	-	-	-
CPAL28C2012A	0.01	-	1,002	-	DTAC01C2103A	0.37	0.04	76,934	-	GLOB13C2102A	0.26	0.07	211,269	-
CPAL28C2012B	-	-	-	-	DTAC01P2101A	0.10	(0.02)	42,433	-	GLOB19C2012A	0.05	0.02	1,497	-
CPAL28C2012C	-	-	-	-	DTAC01P2103A	0.38	(0.62)	30,444	-	GLOB19C2102A	0.31	0.08	344,168	-
CPAL28C2102A	0.11	0.01	21,584	-	DTAC06C2012A	-	-	-	-	GPSC01C2012A	0.10	-	1	-
CPAL28C2103A	0.31	0.02	79,096	-	DTAC06C2103A	0.43	0.04	301,258	-	GPSC01C2101A	0.56	0.10	106,441	-
CPAL28C2103B	0.58	0.09	10	-	DTAC06P2012A	0.08	(0.03)	76,340	-	GPSC01C2103A	1.59	0.15	19,369	1.00
CPAL28C2104L	0.16	0.01	19,418	-	DTAC08C2012A	-	-	-	-	GPSC01C2104T	0.58	(0.42)	57,158	-
CPAL41C2011A	-	-	-	-	DTAC08C2101A	0.19	0.02	4,696	-	GPSC01P2012A	0.04	(0.05)	560	-
CPAL41C2101A	0.24	0.03	32,954	-	DTAC13C2012A	0.09	0.01	4,153	-	GPSC01P2103A	0.64	(0.12)	63,057	-
CPAL41C2101B	0.51	0.03	5,988	-	DTAC13C2101A	0.21	0.03	356,107	-	GPSC06C2101A	0.22	0.05	96,879	-
CPAL41P2011A	-	-	-	-	DTAC13C2103A	0.41	0.04	20,808	-	GPSC06C2103A	-	-	-	-
CPAL41P2101A	0.27	(0.03)	6,537	-	DTAC13P2101A	0.05	(0.02)	127	-	GPSC06P2011A	-	-	-	-
CPAL41P2101B	-	-	-	-	DTAC13P2103A	0.24	(0.03)	49,993	-	GPSC08C2101A	0.29	0.05	17,600	-
CPAL42C2101T	0.02	-	500	-	DTAC19C2011A	-	-	-	-	GPSC08C2103A	1.09	0.11	64,904	1.00
CPF01C2012A	0.05	0.04	3,211	-	DTAC19C2012A	-	-	-	-	GPSC11C2102A	0.50	0.08	90,748	-
CPF01C2101A	0.19	0.04	94,072	-	DTAC19C2101A	0.25	0.04	107,669	-	GPSC13C2012A	0.08	-	100	-
CPF01P2012A	0.16	(0.06)	36,976	-	DTAC19C2103A	0.47	0.06	31,337	-	GPSC13C2012B	0.25	0.05	28,788	-
CPF06C2102A	0.16	0.03	61,697	-	DTAC19P2011A	-	-	-	-	GPSC13C2101A	0.73	0.11	12,820	-
CPF06P2011A	-	-	-	-	DTAC19P2103A	0.27	(0.03)	72,348	-	GPSC13C2102A	1.22	0.18	25,902	1.00
CPF08C2102A	0.18	0.03	3,140	-	DTAC24C2012A	-	-	-	-	GPSC13C2103A	0.71	0.09	1,724,435	-
CPF08P2103A	0.20	(0.05)	20,071	-	DTAC28C2012A	-	-	-	-	GPSC13P2011B	-	-	-	-
CPF11C2104A	0.36	0.03	86,382	-	DTAC28C2102A	0.12	0.01	21,294	-	GPSC13P2102A	0.14	(0.03)	312	-
CPF11P2104A	0.24	(0.03)	22,855	-	DTAC28C2103A	0.29	0.03	89,312	-	GPSC13P2102B	0.38	(0.08)	216,434	-
CPF13C2011A	-	-	-	-	DTAC28C2104L	0.21	0.02	34,262	-	GPSC16C2103A	1.03	0.14	11,260	1.00
CPF13C2012A	0.02	(0.01)	7,667	-	DTAC41C2011A	-	-	-	-	GPSC19C2012A	0.18	0.04	105,424	-
CPF13C2101A	0.14	0.03	60,436	-	DTAC41C2012A	-	-	-	-	GPSC19C2101A	0.46	0.09	1,539,160	-
CPF13C2102A	0.28	0.05	292,494	-	DTAC42C2101T	-	-	-	-	GPSC19C2101B	0.82	0.15	22,454	-
CPF13P2012A	-	-	-	-	EA06C2102A	0.36	0.06	92,968	-	GPSC19C2102A	1.24	0.18	30,146	1.00
CPF13P2101A	0.08	(0.02)	11	-	EA06P2012A	0.02	(0.02)	3,400	-	GPSC19P2011A	-	-	-	-
CPF16C2012A	-	-	-	-	EA08C2101A	0.35	0.04	18,199	-	GPSC19P2012A	-	-	-	-
CPF19C2012A	0.04	0.01	15,701	-	EA11C2101A	-	-	-	-	GPSC19P2102A	0.15	(0.05)	36,399	-
CPF19C2102A	0.21	0.03	59,120	-	EA13C2011A	-	-	-	-	GPSC19P2103A	0.51	(0.09)	168,305	-
CPF19C2103A	0.34	0.03	25,174	-	EA13C2012A	0.11	0.03	71,375	-	GPSC24C2011A	-	-	-	-
CPF19P2012A	0.09	(0.02)	60,000	-	EA13C2101A	0.42	0.09	5,865	-	GPSC28C2101A	0.26	0.05	117,969	-
CPF19P2101A	0.09	(0.02)	60,000	-	EA13C2103A	0.35	0.04	400,116	-	GPSC28C2103A	0			

Main Board Quotation

Issue Date :

Monday November 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF13C2012B	-	-	-	-	HSI41C2011C	-	-	-	-	IVL41P2012B	-	-	-	-
GULF13C2102A	0.55	0.06	52,830	-	HSI41C2011D	-	-	-	-	IVL42C2101T	-	-	-	-
GULF13C2103A	0.44	(0.04)	612,720	-	HSI41C2011E	0.08	(0.01)	1,545	-	JAS08C2011A	0.02	-	100	-
GULF13P2101A	0.03	(0.04)	1,020	-	HSI41C2012A	0.16	(0.01)	1,520	-	JAS08P2103A	0.29	(0.13)	62,114	-
GULF13P2103A	0.17	(0.03)	81,217	-	HSI41C2012B	1.42	(0.02)	8,127	1.00	JAS13C2012A	0.17	0.11	441,285	-
GULF16C2012A	0.19	0.03	2,688	-	HSI41C2012C	0.64	(0.03)	556,557	-	JAS13C2101A	0.48	0.27	430,186	-
GULF19C2012A	0.14	0.03	25,499	-	HSI41C2012U	-	-	-	-	JAS13C2103A	0.57	0.24	1,392,919	-
GULF19C2101A	0.31	0.04	820,291	-	HSI41C2012V	-	-	-	-	JAS19C2012A	0.14	0.09	190,058	-
GULF19C2103A	0.56	0.06	8,823	-	HSI41P2010A	0.20	-	6,218	-	JAS19C2101A	0.48	0.25	409,909	-
GULF19P2012A	0.02	(0.06)	250	-	HSI41P2011A	-	-	-	-	JAS19P2010A	0.10	(0.09)	192,560	-
GULF19P2102A	0.06	(0.02)	6,001	-	HSI41P2011B	-	-	-	-	JAS28C2012A	-	-	-	-
GULF19P2103A	0.17	(0.02)	485,228	-	HSI41P2011C	-	-	-	-	JAS28C2012B	-	-	-	-
GULF24C2101A	0.28	0.03	15,887	-	HSI41P2011D	-	-	-	-	JAS28C2101A	0.12	0.08	142,864	-
GULF28C2012A	0.01	-	14,678	-	HSI41P2011E	-	-	-	-	JAS28C2102A	0.28	0.14	218,866	-
GULF28C2012B	-	-	-	-	HSI41P2012A	-	-	-	-	JAS28C2103A	0.48	0.21	246,754	-
GULF28C2101A	0.16	0.02	213,117	-	HSI41P2012B	0.16	(0.02)	5,705	-	JAS41C2011A	-	-	-	-
GULF28C2102A	0.21	0.02	79,137	-	HSI41P2012C	0.09	(0.01)	2,530	-	JAS41C2102A	0.45	0.22	59,614	-
GULF28C2103A	0.52	0.04	1	-	HSI41P2012T	-	-	-	-	JMT01C2102A	0.25	(0.03)	30,659	-
GULF41C2012A	-	-	-	-	HSI41P2012V	0.28	(0.01)	7,996	-	JMT01P2102A	0.33	0.02	30,765	-
GULF41C2102A	0.30	0.04	139,591	-	HSI41P2101A	0.05	(0.02)	5,000	-	JMT06C2102A	0.14	(0.05)	15,350	-
GULF41C2102B	0.67	0.08	21,027	-	INTU01C2101A	0.24	0.06	137,313	-	JMT06C2103A	0.24	(0.03)	14,080	-
GULF41P2012A	-	-	-	-	INTU01P2101A	0.29	(0.08)	19,847	-	JMT08C2101A	0.18	(0.03)	21,000	-
GULF41P2102A	-	-	-	-	INTU06C2103A	0.47	0.12	71,004	-	JMT11C2102A	0.24	-	100	-
GULF41P2102B	0.22	(0.04)	18,986	-	INTU06P2011A	0.01	-	7,000	-	JMT13C2012A	0.08	(0.02)	85,696	-
GULF42C2101T	0.10	0.02	10	-	INTU11C2103A	0.47	0.09	82,608	-	JMT13C2102A	0.23	(0.03)	77,730	-
GULF42P2101T	0.05	(0.02)	1,001	-	INTU13C2101A	0.35	0.09	343,635	-	JMT16C2102A	0.27	(0.02)	8,846	-
GUNK01C2012A	-	-	-	-	INTU19C2012A	0.11	0.04	15,033	-	JMT19C2011A	-	-	-	-
GUNK13C2101A	0.14	0.03	173,986	-	INTU19C2101A	0.40	0.10	109,818	-	JMT19C2012A	0.09	(0.03)	732	-
GUNK13C2102A	0.29	0.02	1	-	INTU19P2012A	0.13	(0.08)	121,958	-	JMT19C2102A	0.18	(0.03)	250,261	-
GUNK19C2012A	0.02	-	6	-	INTU23C2111A	0.74	0.11	2	-	JMT24C2011A	-	-	-	-
GUNK19C2101A	0.12	0.03	7,114	-	INTU28C2012A	-	-	-	-	JMT28C2101A	0.15	(0.03)	9,176	-
GUNK19C2103A	0.29	0.06	112,170	-	INTU28C2102A	0.17	0.04	73,345	-	JMT28C2104L	0.17	(0.01)	6,084	-
GUNK24C2012A	0.03	0.01	620	-	INTU28C2103A	0.41	0.08	99,543	-	JMT41C2012A	-	-	-	-
GUNK28C2012A	-	-	-	-	INTU42C2101A	-	-	-	-	JMT42C2101T	0.14	(0.02)	606	-
GUNK28C2012B	-	-	-	-	INTU42C2101T	-	-	-	-	KBAN01C2012A	1.24	0.08	50,862	1.00
GUNK28C2102A	0.08	0.02	1,100	-	IRPC01C2101A	0.38	(0.01)	45,781	-	KBAN01C2012B	0.83	0.06	42,184	-
GUNK28C2103A	0.21	0.05	81,660	-	IRPC01C2103A	0.64	0.01	24,622	-	KBAN01C2102A	2.52	0.26	1,670	2.00
HANA01C2012A	0.12	-	9,325	-	IRPC01P2101A	-	-	-	-	KBAN01C2102T	1.22	0.06	15,388	1.00
HANA01C2102A	0.09	(0.01)	1,726	-	IRPC06C2103A	0.80	0.03	1	-	KBAN01P2012A	0.08	0.01	1,240	-
HANA01C2102B	0.23	-	11,934	-	IRPC11C2102A	0.37	0.01	32,082	-	KBAN01P2101A	0.08	-	18,749	-
HANA01C2103A	0.45	(0.55)	13,096	-	IRPC13C2011A	-	-	-	-	KBAN01P2102T	0.17	(0.01)	52,035	-
HANA01P2102A	0.87	(0.01)	11,011	-	IRPC13C2012A	0.27	0.06	150	-	KBAN06C2012A	0.55	0.05	1,691	-
HANA06C2102A	0.11	-	19,858	-	IRPC13C2012B	0.53	0.04	580	-	KBAN06C2103A	2.72	0.26	1,253	2.00
HANA06C2104A	0.44	-	16,396	-	IRPC13C2101A	-	-	-	-	KBAN06P2011A	-	-	-	-
HANA11C2103A	0.30	-	4,573	-	IRPC13C2102A	0.86	0.07	15	-	KBAN06P2103A	0.05	-	6,812	-
HANA13C2012A	0.01	-	103,819	-	IRPC13C2103A	0.45	(0.01)	273,600	-	KBAN06P2104A	0.59	(0.07)	68,082	-
HANA13C2102A	0.13	(0.02)	44,947	-	IRPC13P2011A	-	-	-	-	KBAN08C2011A	-	-	-	-
HANA13C2102B	0.24	(0.02)	55,890	-	IRPC13P2012A	-	-	-	-	KBAN08C2101A	0.93	0.05	256	-
HANA13C2103A	0.41	(0.02)	203,146	-	IRPC19C2011A	0.09	0.02	5	-	KBAN08C2103A	2.08	0.14	1,940	2.00
HANA13P2101A	0.58	(0.03)	801	-	IRPC19C2012A	-	-	-	-	KBAN08P2101A	0.11	(0.02)	12,133	-
HANA13P2103A	0.53	(0.01)	186,737	-	IRPC19C2101A	0.46	0.01	419	-	KBAN13C2011A	0.25	0.03	1,599	-
HANA16C2101A	0.13	-	3,162	-	IRPC19C2103A	0.76	0.04	120	-	KBAN13C2012A	0.94	0.10	29,568	-
HANA19C2012A	0.05	-	1,276	-	IRPC19C2104A	0.38	-	165,166	-	KBAN13C2012B	1.58	0.14	850	1.00
HANA19C2101A	0.06	0.01	3,675	-	IRPC19P2011A	-	-	-	-	KBAN13C2101A	2.12	0.16	75,288	2.00
HANA19C2102A	0.15	(0.01)	46,762	-	IRPC19P2012A	-	-	-	-	KBAN13C2102A	1.28	0.07	96,305	1.00
HANA19C2103A	0.37	(0.02)	67,113	-	IRPC24C2012A	0.23	0.01	8,865	-	KBAN13C2103A	0.62	(0.38)	1,014,330	-
HANA19P2011A	-	-	-	-	IRPC28C2012A	0.03	(0.01)	3,015	-	KBAN13P2011A	-	-	-	-
HANA19P2101A	0.59	(0.05)	680	-	IRPC28C2101A	0.19	-	66,852	-	KBAN13P2012A	0.02	(0.01)	11,219	-
HANA24C2012A	0.15	-	2,030	-	IRPC28C2103A	0.40	0.02	47,630	-	KBAN13P2103A	0.49	(0.06)	585,643	-
HANA27P2012X	-	-	-	-	IRPC28C2103B	-	-	-	-	KBAN16C2101A	2.26	0.10	726	2.00
HANA28C2012A	-	-	-	-	IRPC41C2101A	0.28	0.01	20,118	-	KBAN19C2011A	0.01	-	1	-
HANA28C2104A	0.50	0.01	21,711	-	IVL01C2012A	0.09	(0.01)	12,682	-	KBAN19C2012A	1.12	0.07	1,705	1.00
HANA28C2104L	0.10	(0.01)	3,136	-	IVL01C2012B	0.54	(0.02)	9,253	-	KBAN19C2012B	0.91	0.11	42,069	-
HANA41C2012A	-	-	-	-	IVL01C2102A	0.29	(0.01)	145,698	-	KBAN19C2101A	2.12	0.15	66,097	1.00
HANA42C2101T	0.13	(0.02)	2,608	-	IVL01C2102B	1.27	0.02	12,170	1.00	KBAN19C2103A	1.21	0.08	40,310	1.00
HMPR01C2012A	-	-	-	-	IVL01C2103T	0.80	0.01	11,351	-	KBAN19P2012A	0.01	-	100	-
HMPR01C2103A	0.49	0.02	24,998	-	IVL01P2012A	-	-	-	-	KBAN19P2103A	0.15	(0.02)	189,682	-
HMPR01P2012A	0.12	(0.02)	19,164	-	IVL01P2102A	0.16	-	131,565	-	KBAN19P2103B	0.40	(0.04)	262,218	-
HMPR06C2102A	0.34	0.01	66,092	-	IVL01P2103T	0.30	(0.70)	52,039	-	KBAN24C2012A	1.09	0.08	6,159	1.00
HMPR06P2103A	0.17	(0.02)	7,351	-	IVL06C2101A	-	-	-	-	KBAN24C2103A	2.40	0.10	1,648	2.00
HMPR11C2011A	0.11	0.01	9	-	IVL06C2103A	-	-	-	-	KBAN28C2012A	0.01	-	457	-
HMPR13C2012A	0.12	0.01	1,000	-	IVL06C2104A	0.36	(0.01)	362,794	-	KBAN28C2012B	0.04	(0.01)	68,623	-
HMPR13C2102A	0.41	0.01	46	-	IVL06P2104A	0.19	(0.01)	70,698	-	KBAN28C2101A	0.99	0.12	8,924	-
HMPR13C2103A	0.30	0.01	79,856	-	IVL08C2101A	0.74	0.04	1,000	-	KBAN28C2103A	-	-	-	-
HMPR19C2102A	0.30	0.01	81,592	-	IVL08C2103A	0.42	(0.01)	56,321	-	KBAN28C2104L	0.56	0.03	105,143	-
HMPR19P2011A	-	-	-	-	IVL08P2011A	-	-	-	-	KBAN28P2012A	0.03	-	1	-
HSC41C2101A	0.89	0.10	112,306	-	IVL08P2102A	0.13	(0.02)	15,039	-	KBAN41C2012A	-	-	-	-
HSC41P2101A	0.54	(0.07)	30,000	-	IVL11C2012A	0.17	-	67,260	-	KBAN41C2101A	-	-	-	-
HSI28C2011A	2.16	0.02	2,750	2.00	IVL13C2012A	0.43	(0.04)	2,703	-	KBAN41C2101B	1.34	0.10	317	1.00
HSI28C2011B	0.96	(0.07)	178,937	-	IVL13C2012B	0.10	(0.02)	121,335	-	KBAN41P2101B	0.04	(0.03)	2,064	-
HSI28C2011C	0.03	(0.03)	1,427	-	IVL13C2101A	1.36	0.11	504	1.00	KBAN41P2101C	0.30	(0.06)	64,539	-
HSI28C2011L	0.12	(0.08)	105,346	-	IVL13C2103A	0.39	-	66,780	-	KBAN42C2101T	0.50	0.05	20,374	-
HSI28C2012A	2.30	(0.02)	43,071	2.00	IVL13C2103B	0.28	-	369,038	-	KBAN42P2101T	0.10	(0.03)	2,272	-
HSI28C2012B	1.41	-	2,336,234	1.00	IVL13P2012A	0.01	-	1,250	-	KCE01C2012A	0.30	(0.02)	31,760	-
HSI28C2012C	0.81	(0.02)	2,253,474	-	IVL13P2102A	0.14	(0.01)	214,406	-	KCE01C2101A	0.44	(0.03)	31,770	-
HSI28C2012D	0.43	(0.02)	31,627	-	IVL16C2102A	-	-	-	-	KCE01C2102A	0.25	(0.02)		

Main Board Quotation

Issue Date :

Monday November 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE19C2102B	0.21	(0.01)	31,531	-	MINT19P2102A	0.05	-	25,971	-	PTG19C2103A	0.33	-	393,020	-
KCE19P2012A	-	-	-	-	MINT19P2103A	0.33	(0.02)	318,695	-	PTG19P2011A	-	-	-	-
KCE19P2101A	-	-	-	-	MINT24C2011A	0.29	(0.03)	100	-	PTG19P2101A	0.28	(0.01)	71,675	-
KCE19P2102A	0.18	-	20,468	-	MINT28C2012A	-	-	-	-	PTG24C2102A	0.24	(0.02)	13,434	-
KCE27C2101X	-	-	-	-	MINT28C2012B	-	-	-	-	PTG41C2101A	0.19	(0.01)	29,245	-
KCE41C2012A	-	-	-	-	MINT28C2012C	0.13	(0.03)	71,216	-	PTG42C2101T	0.17	(0.01)	2,610	-
KCE42C2012T	-	-	-	-	MINT28C2103A	-	-	-	-	PTT01C2012A	0.08	-	9,971	-
KKP01C2103A	0.49	0.01	39,975	-	MINT28C2104L	0.30	-	72,670	-	PTT01C2102A	0.55	0.12	32,830	-
KKP01P2103A	0.35	(0.01)	32,662	-	MINT41C2012A	0.73	-	750	-	PTT01C2103T	0.37	0.07	32,934	-
KKP13C2012A	-	-	-	-	MINT42C2101T	0.30	-	3,040	-	PTT01P2012A	0.05	(0.03)	602	-
KKP13C2102A	0.61	0.04	97,537	-	MINT42P2102T	0.21	(0.01)	768	-	PTT01P2102A	0.09	(0.01)	3,778	-
KKP13C2103A	0.44	0.01	337,701	-	MTC01C2012A	0.18	-	30,463	-	PTT01P2103T	0.10	(0.02)	5,762	-
KKP13P2102A	0.18	(0.02)	36,508	-	MTC01C2102A	0.51	0.01	41,758	-	PTT06C2012A	0.07	0.04	137	-
KKP19C2011A	-	-	-	-	MTC06C2102A	0.48	0.02	50,737	-	PTT06C2102A	0.37	0.13	81,115	-
KKP19C2012A	0.27	0.01	137,158	-	MTC08C2011A	-	-	-	-	PTT08C2101A	0.19	0.05	4,460	-
KB13C2012A	0.14	0.04	286,398	-	MTC08C2102A	0.51	0.01	22,131	-	PTT08C2103A	0.59	0.11	17,392	-
KB13C2101A	0.68	0.16	4,599	-	MTC11C2102A	0.47	0.02	19,460	-	PTT08P2101A	-	-	-	-
KB19C2011A	-	-	-	-	MTC13C2011A	0.04	(0.03)	10,600	-	PTT11C2101A	0.15	0.04	9,260	-
KB19C2012A	0.22	0.07	239,832	-	MTC13C2101A	0.37	0.01	150,729	-	PTT13C2101A	0.05	0.03	4,504	-
KB19C2101A	0.66	0.15	28,558	-	MTC13P2011A	-	-	-	-	PTT13C2102B	0.21	0.06	26,467	-
KB19P2012A	0.05	(0.03)	16,616	-	MTC13P2103A	0.54	(0.03)	83,865	-	PTT13C2101A	0.48	0.16	49,427	-
KB24C2101A	0.48	0.09	13,501	-	MTC19C2012A	0.20	-	282,659	-	PTT13C2102A	0.66	0.15	3,475	-
KB28C2012A	0.01	-	507	-	MTC19C2103A	0.38	(0.62)	77,880	-	PTT13C2103A	0.40	0.08	444,166	-
KB28C2012B	-	-	-	-	MTC19P2012A	0.04	-	300	-	PTT13P2011A	-	-	-	-
KB28C2101C	-	-	-	-	MTC19P2103A	0.52	(0.04)	64,528	-	PTT13P2101A	0.05	-	353	-
KB28C2102A	0.30	0.04	600	-	MTC24C2103A	0.42	0.02	30,856	-	PTT13P2103A	0.10	(0.04)	59,117	-
KB28C2103A	0.75	0.15	1,650	-	MTC28C2012A	0.05	-	1,000	-	PTT13P2103B	0.31	(0.08)	76,694	-
KB28C2104A	0.27	0.05	109,660	-	MTC28C2012B	-	-	-	-	PTT16C2012A	0.21	0.05	2,552	-
KTC01C2012A	0.46	(0.01)	20,727	-	MTC28C2102L	0.17	-	4,042	-	PTT19C2011A	0.01	(0.01)	13,313	-
KTC01C2103A	0.56	-	24,831	-	MTC28C2103A	0.34	0.01	30,853	-	PTT19C2012A	0.13	0.06	127,448	-
KTC01P2012A	-	-	-	-	MTC41C2012A	0.33	0.02	37,697	-	PTT19C2012B	0.21	0.08	76,244	-
KTC01P2102A	0.17	(0.01)	23,588	-	MTC42C2101T	0.10	-	98	-	PTT19C2101A	-	-	-	-
KTC08C2011A	0.26	(0.08)	70	-	ORI13C2011A	-	-	-	-	PTT19C2103A	0.66	0.17	20	-
KTC11C2104A	0.67	0.01	22,747	-	ORI13C2102A	0.46	(0.03)	94,398	-	PTT19C2104A	0.37	0.08	77,197	-
KTC11P2011A	-	-	-	-	ORI19C2011A	-	-	-	-	PTT19P2010A	0.03	(0.01)	220	-
KTC11P2104A	0.34	-	24,005	-	ORI19C2012A	0.15	(0.02)	10,869	-	PTT19P2013A	0.08	(0.04)	13,001	-
KTC13C2011A	-	-	-	-	ORI19C2102A	0.45	(0.04)	21,409	-	PTT19P2103B	0.23	(0.07)	24,920	-
KTC13C2101A	0.53	-	3,479	-	ORI28C2012A	-	-	-	-	PTT24C2101A	0.26	0.08	7,179	-
KTC13C2103A	0.42	-	310,663	-	ORI28C2012B	-	-	-	-	PTT28C2012A	0.01	-	30	-
KTC13P2012A	-	-	-	-	ORI28C2101A	0.12	(0.01)	35,212	-	PTT28C2101A	0.13	0.04	19,617	-
KTC13P2101A	-	-	-	-	ORI28C2103L	0.26	(0.02)	37,504	-	PTT28C2103A	0.42	0.10	2,320	-
KTC13P2103A	0.50	(0.01)	121,256	-	OSP01C2012A	0.09	0.06	10	-	PTT28C2103L	0.21	0.03	15,210	-
KTC19C2012A	-	-	-	-	OSP01C2102A	0.29	-	66,051	-	PTT28C2104A	0.33	0.08	48,606	-
KTC19C2101A	-	-	-	-	OSP01P2012A	0.18	(0.03)	97,081	-	PTT41C2012A	-	-	-	-
KTC19C2103A	0.33	-	179,854	-	OSP06C2011A	0.01	-	9,247	-	PTT41C2101A	0.08	0.01	1,000	-
KTC19P2012A	-	-	-	-	OSP06C2102A	0.18	0.01	47,362	-	PTT41C2101B	0.45	0.12	32,908	-
KTC19P2101A	0.11	-	31,177	-	OSP06C2103A	0.50	0.04	1	-	PTT41P2012A	-	-	-	-
KTC19P2103A	0.45	(0.55)	79,155	-	OSP06P2102A	0.24	(0.03)	35,925	-	PTT41P2101A	-	-	-	-
KTC24C2011A	-	-	-	-	OSP08C2102A	0.29	0.01	12,900	-	PTT42C2012T	-	-	-	-
KTC28C2012A	0.19	-	23,042	-	OSP11C2102A	0.16	-	30,260	-	PTT42P2101T	-	-	-	-
KTC28C2012B	-	-	-	-	OSP13C2012A	0.02	(0.01)	14,730	-	PTTE01C2012A	0.35	0.06	21,796	-
KTC28C2101A	-	-	-	-	OSP13C2101A	0.15	0.01	166,501	-	PTTE01C2102A	1.51	0.22	60,739	1.00
KTC28C2103L	0.41	0.01	31,776	-	OSP13C2102A	0.33	0.01	49,537	-	PTTE01C2103T	0.90	0.10	70,902	-
KTC41C2012A	-	-	-	-	OSP13P2011A	-	-	-	-	PTTE01P2012A	0.10	(0.05)	10,002	-
KTC42C2012T	0.27	(0.02)	21	-	OSP13P2102A	-	-	-	-	PTTE01P2102A	0.13	(0.05)	112,232	-
LH01C2101A	0.25	0.02	11,199	-	OSP19C2012A	-	-	-	-	PTTE01P2103T	0.35	(0.05)	37,790	-
LH06C2012A	0.04	-	725	-	OSP19C2101A	0.16	0.02	82,129	-	PTTE06C2101A	0.72	0.19	296,446	-
LH11C2012A	0.13	0.02	23,390	-	OSP19C2103A	0.40	0.01	9,975	-	PTTE06P2011A	-	-	-	-
LH13C2101A	0.26	0.02	34,578	-	OSP19P2102A	0.09	(0.02)	3,400	-	PTTE06P2102A	0.10	(0.04)	87,050	-
LH19C2011A	-	-	-	-	OSP24C2101A	0.16	0.02	7,396	-	PTTE06P2104A	0.74	(0.17)	112,335	-
LH19C2101A	0.31	0.04	88,999	-	OSP28C2101A	-	-	-	-	PTTE08C2011A	0.03	(0.02)	1,000	-
MAJ013C2101A	0.49	0.03	79,694	-	OSP28C2101B	-	-	-	-	PTTE08C2103A	0.94	0.15	140,850	-
MAJ019C2011A	-	-	-	-	OSP28C2103B	-	-	-	-	PTTE08P2101A	0.22	(0.08)	4,200	-
MAJ019C2103A	0.74	0.02	60,448	-	OSP28C2104L	0.31	0.02	51,714	-	PTTE11C2011A	-	-	-	-
MEGA13C2011A	-	-	-	-	OSP41C2012A	-	-	-	-	PTTE11P2102A	0.19	(0.05)	38,100	-
MEGA13C2101A	0.15	0.01	10,662	-	OSP42C2101T	-	-	-	-	PTTE13C2011A	0.01	-	218	-
MEGA19C2011A	-	-	-	-	PLAN06C2102A	0.31	0.03	65,779	-	PTTE13C2012A	0.56	0.15	108,940	-
MEGA19C2101A	0.13	0.01	46,500	-	PLAN11C2103A	0.42	0.02	20,346	-	PTTE13C2101A	1.12	0.29	770	-
MEGA42C2101T	0.05	(0.01)	800	-	PLAN13C2011A	-	-	-	-	PTTE13C2102A	0.88	0.15	736,979	-
MINT01C2012A	0.24	(0.01)	93,696	-	PLAN13C2101A	0.20	0.01	5,591	-	PTTE13P2012A	0.03	(0.01)	500	-
MINT01C2102A	0.97	0.08	3,113	-	PLAN13C2102A	0.35	0.03	7,162	-	PTTE13P2102A	0.12	(0.05)	110,480	-
MINT01C2102T	0.49	(0.06)	47,807	-	PLAN19C2012A	0.18	0.03	4,633	-	PTTE13P2103A	0.53	(0.13)	243,418	-
MINT01P2012A	0.03	(0.05)	1	-	PLAN19C2102A	0.36	0.03	58,210	-	PTTE19C2011A	-	-	-	-
MINT01P2012B	0.06	-	6,217	-	PLAN27C2101A	0.12	-	14	-	PTTE19C2011B	0.03	0.01	102	-
MINT01P2102A	0.12	-	12,927	-	PLAN28C2012A	-	-	-	-	PTTE19C2012A	0.54	0.15	420,247	-
MINT01P2102T	0.27	(0.03)	81,117	-	PLAN28C2012B	0.12	-	26,468	-	PTTE19C2101A	-	-	-	-
MINT06C2012A	0.52	(0.01)	152,846	-	PLAN28C2103A	0.35	0.02	74,218	-	PTTE19C2103A	0.89	0.18	300,921	-
MINT06C2103A	1.70	0.07	510	1.00	PLAN28C2104L	0.24	0.01	37,292	-	PTTE19P2012A	0.02	(0.03)	800	-
MINT06P2012A	0.01	(0.01)	11,510	-	PLAN42C2101T	0.10	0.01	1	-	PTTE19P2101A	0.05	(0.03)	10	-
MINT06P2102A	0.29	(0.01)	156,813	-	PRM01C2103A	0.46	0.02	65,144	-	PTTE19P2103A	0.51	(0.13)	360,428	-
MINT08C2102A	0.88	(0.01)	83,923	-	PRM01P2103A	0.43	(0.05)	36,450	-	PTTE24C2011A	-	-	-	-
MINT08P2011A	-	-	-	-	PRM08C2101A	0.11	-	2,798	-	PTTE24C2103A	1.43	0.23	42,169	1.00
MINT08P2102A	0.27	(0.01)	14,634	-	PRM11C2102A	0.23	0.03	21,364	-	PTTE28C2012A	0.18	0.04	76,531	-
MINT11C2011A	-	-	-	-	PRM13C2012A	0.05	-	19,922	-	PTTE28C2101A	0.37	0.09	206,619	-
MINT11P2011A	-	-	-	-	PRM13C2102A	0.23	0.01	248,513	-	PTTE28C2102L	0.26	0.03	73,846	-
MINT11P2104A	0.25	(0.02)	67,433	-	PRM16C2012A	0.02	-	551	-	PTTE28C2103A	1.21	0.18	147,215	1.00
MINT13C2011A	-	-	-	-	PRM19C2011A	-	-	-	-	PTTE41C2011A	-	-	-	-
MINT13C2101A	0.69	-	23,050	-	PRM19C2101A	0.13	0.02	13,960	-	PTTE41C2012A	0.32			

Main Board Quotation

Issue Date :

Monday November 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG13C2011A	-	-	-	-	S5013C2103C	1.24	0.17	3,019,660	1.00	SAWA19C2011A	-	-	-	-
PTTG13C2012A	-	-	-	-	S5013P2012A	0.04	(0.02)	939,817	-	SAWA19C2012A	0.35	(0.01)	167,553	-
PTTG13C2101A	0.93	0.13	6,288	-	S5013P2012B	0.03	(0.02)	116,179	-	SAWA19C2013A	0.45	(0.01)	123,220	-
PTTG13C2103A	0.68	0.09	719,973	-	S5013P2012C	0.01	-	95,577	-	SAWA19P2011A	-	-	-	-
PTTG13P2011A	-	-	-	-	S5013P2012D	0.01	-	174,727	-	SAWA19P2012A	0.22	(0.01)	75,702	-
PTTG13P2012A	-	-	-	-	S5013P2012E	0.01	-	20,133	-	SAWA24C2013A	0.59	(0.01)	18,133	-
PTTG13P2012A	0.12	(0.03)	152,141	-	S5013P2012F	0.01	-	81,716	-	SAWA28C2012A	0.18	(0.02)	1,000	-
PTTG16C2103A	1.05	0.16	6,234	1.00	S5013P2012G	0.01	-	76,714	-	SAWA28C2012B	-	-	-	-
PTTG19C2011A	0.16	0.07	790	-	S5013P2011A	0.29	(0.04)	99,838	-	SAWA28C2011A	0.32	(0.03)	123,552	-
PTTG19C2012A	0.58	0.10	82,212	-	S5013P2103A	0.29	(0.09)	7,468,687	-	SAWA28C2102L	0.13	-	1,600	-
PTTG19C2101A	1.08	0.17	14,566	1.00	S5013P2103B	0.61	(0.13)	6,822,122	-	SAWA41C2012A	0.20	(0.01)	27,721	-
PTTG19C2103A	0.59	0.08	169,892	-	S5013P2103C	0.63	(0.15)	4,398,508	-	SAWA42C2101T	0.09	(0.01)	92	-
PTTG19P2011A	-	-	-	-	S5016C2012A	0.39	0.11	132,425	-	SCB01C2101A	0.83	0.02	50,435	-
PTTG19P2011B	-	-	-	-	S5016C2012B	-	-	-	-	SCB01C2103A	1.67	0.04	18,339	1.00
PTTG19P2102A	0.07	(0.02)	1,801	-	S5016C2012C	2.32	0.70	97	2.00	SCB01C2103T	0.95	0.03	26,270	-
PTTG19P2103A	0.28	(0.05)	114,128	-	S5016C2012D	-	-	-	-	SCB01P2101A	0.10	(0.02)	80,099	-
PTTG24C2101A	0.75	0.12	12,565	-	S5016C2103A	1.15	0.22	171,831	1.00	SCB01P2103T	0.19	(0.01)	16,609	-
PTTG28C2012A	0.29	0.05	6,084	-	S5016P2012A	0.04	(0.03)	1,800	-	SCB06C2103A	-	-	-	-
PTTG28C2102L	0.26	0.04	37,070	-	S5016P2012B	-	-	-	-	SCB06C2104A	0.99	0.03	131,154	-
PTTG28C2103A	-	-	-	-	S5016P2103A	0.58	(0.14)	84,168	-	SCB08C2101A	0.79	-	50,044	-
PTTG28C2104A	0.63	0.10	112,607	-	S5016P2103Z	2.96	(0.28)	111	3.00	SCB08P2012A	-	-	-	-
PTTG41C2101A	0.53	0.13	139,133	-	S5019C2012A	0.41	0.10	4,509,933	-	SCB11C2102A	0.85	0.03	80,920	-
PTTG41C2102A	1.11	0.16	13,648	1.00	S5019C2012B	0.34	0.11	4,539,013	-	SCB11P2012A	0.03	(0.01)	1,000	-
PTTG41P2102A	0.04	(0.02)	50	-	S5019C2012C	1.15	0.30	529,679	1.00	SCB13C2011A	-	-	-	-
PTTG41P2102B	0.21	(0.05)	31,975	-	S5019C2012D	2.20	0.57	4,470	2.00	SCB13C2012A	1.11	-	525	1.00
PTTG42C2012T	0.16	0.03	9,212	-	S5019C2012E	2.78	0.58	595	2.00	SCB13C2101A	1.72	0.04	1	1.00
QH19C2012A	-	-	-	-	S5019C2012F	3.46	0.54	157	3.00	SCB13C2103A	1.06	0.01	1,148,113	1.00
QH19C2104A	0.24	-	4,410	-	S5019C2103A	1.16	0.20	3,818,342	1.00	SCB13P2012A	0.06	0.02	9	-
QH27C2101A	-	-	-	-	S5019P2012A	0.07	(0.04)	90,779	-	SCB13P2013A	0.60	(0.04)	215,133	-
RATC01C2101A	0.23	0.05	53,787	-	S5019P2012B	0.01	-	11,910	-	SCB19C2012A	0.88	0.06	21,917	-
RATC01P2101A	0.27	(0.07)	33,040	-	S5019P2012C	0.01	-	41,200	-	SCB19C2011A	1.48	0.31	1,981	1.00
RATC06C2102A	0.25	0.07	77,630	-	S5019P2012D	0.01	-	754	-	SCB19C2103A	0.75	0.01	292,349	-
RATC11C2103A	0.58	0.10	70,454	-	S5019P2103B	0.60	(0.14)	2,671,089	-	SCB19P2011A	-	-	-	-
RATC13C2012A	-	-	-	-	S5024C2012A	0.02	-	25,312	-	SCB19P2011B	-	-	-	-
RATC13C2101A	0.29	0.08	278,463	-	S5024C2012B	0.15	0.03	5	-	SCB19P2103A	0.20	(0.02)	33,969	-
RATC13P2011A	-	-	-	-	S5024C2012C	0.29	0.08	129,948	-	SCB19P2103B	0.60	(0.03)	67,911	-
RATC19C2011A	-	-	-	-	S5024C2012D	0.63	0.20	280,047	-	SCB24C2012A	0.95	0.07	13,389	-
RATC19C2012A	-	-	-	-	S5024C2012E	1.21	0.36	650,436	1.00	SCB28C2012A	0.16	(0.01)	9,295	-
RATC19C2101A	0.27	0.09	48,523	-	S5024C2012F	2.20	0.57	314,769	2.00	SCB28C2012B	-	-	-	-
RATC19C2102A	0.53	0.13	166,809	-	S5024C2012G	3.06	0.70	63,781	2.00	SCB28C2103A	-	-	-	-
RATC19P2011A	-	-	-	-	S5024C2012H	4.54	1.00	19,009	4.00	SCB28C2104A	0.45	-	90,875	-
RATC24C2012A	-	-	-	-	S5024C2012I	6.10	1.14	15,522	5.00	SCB41C2012A	0.84	(0.03)	1,199	-
RATC41C2012A	0.13	0.02	4,112	-	S5024C2103A	1.85	0.31	267,078	1.00	SCB41C2102A	-	-	-	-
RATC42C2102T	0.07	0.02	800	-	S5024P2012A	-	-	-	-	SCB41P2102A	-	-	-	-
RS06C2012A	0.06	-	1,329	-	S5024P2012B	0.03	(0.02)	4,000	-	SCB41P2102B	0.32	(0.02)	27,994	-
RS08C2011A	0.07	(0.15)	30	-	S5024P2012C	0.02	-	3,005	-	SCB42C2101T	0.22	-	18,084	-
RS08C2103A	0.28	(0.01)	5,902	-	S5024P2012D	0.01	(0.01)	14,469	-	SCC01C2101A	0.54	0.05	33,712	-
RS13C2101A	0.14	(0.02)	2,085	-	S5024P2012E	0.02	0.01	34,714	-	SCC01P2012A	0.11	(0.02)	16,650	-
RS13C2103A	0.33	(0.01)	50,650	-	S5024P2103A	0.09	(0.01)	223,781	-	SCC06C2012A	-	-	-	-
RS19C2011A	-	-	-	-	S5024P2103B	0.60	(0.18)	276,126	-	SCC06C2103A	0.76	0.10	70,078	-
RS19C2011B	-	-	-	-	S5024P2103C	0.80	(0.24)	509,321	-	SCC08C2011A	-	-	-	-
RS19C2102A	0.17	(0.01)	29,641	-	S5028C2012A	0.06	0.01	13,489	-	SCC11C2011A	-	-	-	-
RS19C2104A	0.32	(0.02)	45,479	-	S5028C2012B	0.13	0.04	256,182	-	SCC13C2011A	-	-	-	-
RS19P2012A	0.18	-	9,625	-	S5028C2012C	0.96	0.22	1,224,077	-	SCC13C2012A	0.15	0.01	83,548	-
RS28C2012A	-	-	-	-	S5028C2012D	2.14	0.60	10,829	1.00	SCC13C2102A	0.68	0.07	236,713	-
RS28C2101A	0.09	(0.01)	5,424	-	S5028C2012E	4.46	1.36	23	4.00	SCC13P2011A	-	-	-	-
RS28C2101L	0.24	(0.01)	21,382	-	S5028C2103A	3.52	0.58	4,586	2.00	SCC13P2101A	-	-	-	-
RS28C2103A	0.29	(0.01)	11,056	-	S5028C2103L	0.59	0.08	666,579	-	SCC13P2102A	0.22	(0.04)	57,572	-
RS41C2011A	-	-	-	-	S5028P2012A	0.22	(0.09)	442,763	-	SCC19C2012A	0.24	0.04	151,793	-
RS42C2101T	0.13	(0.01)	10	-	S5028P2012B	-	-	-	-	SCC19C2101A	0.63	0.07	46,839	-
S10001C2011A	0.02	-	10,480	-	S5028P2012C	0.02	-	100	-	SCC19P2011A	-	-	-	-
S5001C2012F	0.36	0.05	284,612	-	S5028P2103A	0.12	(0.04)	196,430	-	SCC19P2101A	0.20	(0.05)	81,563	-
S5001C2012G	1.23	0.21	214,091	1.00	S5028P2103L	0.26	(0.03)	268,048	-	SCC24C2012A	0.12	0.01	7,070	-
S5001C2101A	1.88	0.26	314,153	1.00	S5041C2012A	0.60	0.18	604,658	-	SCC28C2102A	0.24	0.02	37,212	-
S5001C2101B	2.50	0.34	90,311	2.00	S5041C2012B	0.25	0.05	55	-	SCC28C2103A	0.52	0.05	61,732	-
S5001C2102T	1.99	0.17	155,310	1.00	S5041C2012C	0.37	0.11	528,200	-	SCC28C2104A	0.27	0.02	29,448	-
S5001P2012F	0.09	(0.03)	35,099	-	S5041C2012D	1.06	0.27	149,040	1.00	SCC41C2011A	-	-	-	-
S5001P2012G	0.04	(0.01)	12,749	-	S5041C2012E	-	-	-	-	SCC41C2101A	0.23	0.04	56,974	-
S5001P2101A	0.10	(0.03)	162,535	-	S5041C2012F	2.06	0.55	9,137	2.00	SCC41C2101B	0.67	0.08	8,982	-
S5001P2101B	0.10	(0.03)	48,357	-	S5041C2012G	2.20	0.42	231	2.00	SCC41P2011A	-	-	-	-
S5001P2102T	1.03	(0.11)	233,173	1.00	S5041C2012V	-	-	-	-	SCC41P2011A	0.45	(0.06)	32,808	-
S5006C2012A	0.47	0.15	818,523	-	S5041C2103T	3.38	0.54	18,218	3.00	SCC41P2102A	0.21	(0.02)	19,968	-
S5006C2012B	2.64	0.93	116	2.00	S5041C2103V	2.74	0.34	4,553	2.00	SCGP01C2103A	0.47	0.02	147,388	-
S5006C2012C	3.38	0.18	8	3.00	S5041C2103V	1.57	0.25	345,547	1.00	SCGP01C2104T	0.28	(0.72)	223,874	-
S5006C2103A	1.64	0.32	1,004,750	1.00	S5041P2012A	0.02	(0.03)	83,181	-	SCGP01P2103A	0.23	(0.01)	33,681	-
S5006P2012A	0.02	-	18,381	-	S5041P2012B	0.03	(0.02)	3,120	-	SCGP06C2104A	0.55	0.02	73,769	-
S5006P2012B	0.03	-	2,635	-	S5041P2012C	-	-	-	-	SCGP13C2102A	0.40	0.02	611,764	-
S5006P2012C	0.01	-	3,420	-	S5041P2012E	-	-	-	-	SCGP13P2102A	0.18	(0.02)	108,005	-
S5006P2103A	0.47	(0.17)	412,430	-	S5041P2012F	-	-	-	-	SCGP19C2102A	0.30	-	742,297	-
S5008C2012A	0.24	0.04	169,493	-	S5041P2012G	-	-	-	-	SCGP19P2102A	0.14	(0.01)	10,670	-
S5008C2012B	0.58	0.14	604,523	-	S5041P2012U	0.06	(0.02)	6,173	-	SCGP28C2103A	0.39	0.01	37,931	-
S5008C2012C	2.08	0.93	610	1.00	S5041P2103T	0.31	(0.09)	234,677	-	SCGP28C2104L	0.23	-	34,344	-
S5008C2012D	-	-	-	-	S5041P2103U	0.16	(0.05)	15,790	-	SCGP41C2101A	0.41	0.04	124,305	-
S5008C2101A	1.40	0.25	655,277	1.00	S5041P2103V	0.77	(0.14)	556,174	-	SGP13C2102A	0.37	-		

Main Board Quotation

Issue Date :

Monday November 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPRC13C2012A	0.12	-	51,130	-	TASC01P2012A	0.09	-	1,447	-	TOP13C2010A	-	-	-	-
SPRC13C2012B	0.23	(0.01)	189,542	-	TASC06C2012A	0.01	-	4,877	-	TOP13C2103A	0.43	0.01	271,261	-
SPRC13C2102A	0.70	0.01	1,503	-	TASC06C2102A	0.72	0.03	182,589	-	TOP13P2012A	-	-	-	-
SPRC19C2012A	0.17	-	35,616	-	TASC08C2011A	0.01	-	27,000	-	TOP13P2101A	-	-	-	-
SPRC19C2101A	-	-	-	-	TASC08C2012A	0.01	(0.01)	5,501	-	TOP13P2103A	0.07	(0.01)	2	-
SPRC19C2104A	0.36	-	140,527	-	TASC11C2102A	-	-	-	-	TOP13P2103B	0.30	(0.01)	62,172	-
SPRC19P2011A	-	-	-	-	TASC13C2012A	0.03	(0.01)	159,090	-	TOP19C2012A	0.15	0.02	132,035	-
SPRC28C2010A	0.17	-	36,098	-	TASC13C2012B	0.23	0.01	212,578	-	TOP19C2101A	0.63	0.06	1,106	-
SPRC42C2101T	0.10	-	28	-	TASC13C2101A	0.60	0.02	190,007	-	TOP19C2101B	-	-	-	-
SPX28C2012A	1.23	(0.02)	10,035	1.00	TASC13C2102A	0.50	0.03	706,780	-	TOP19C2103A	0.48	0.02	71,853	-
SPX28C2012B	0.49	(0.03)	973	-	TASC13P2011A	-	-	-	-	TOP19P2011A	-	-	-	-
SPX28C2012C	0.41	(0.07)	20,573	-	TASC13P2012A	-	-	-	-	TOP19P2101A	0.01	(0.01)	3,010	-
SPX28C2012D	0.23	(0.03)	9,959	-	TASC19C2011A	-	-	-	-	TOP19P2102A	0.06	(0.01)	300	-
SPX28C2103L	0.44	(0.01)	3,579	-	TASC19C2012A	0.21	0.01	156,307	-	TOP19P2103A	0.30	(0.03)	78,220	-
SPX28P2012A	0.05	(0.01)	40,295	-	TASC19C2101A	0.59	0.03	425,699	-	TOP24C2101A	0.54	0.02	23,131	-
SPX28P2012B	0.01	(0.02)	1,004	-	TASC19P2011A	-	-	-	-	TOP41C2011A	-	-	-	-
SPX28P2012C	0.28	(0.04)	9,570	-	TASC19P2012A	0.44	(0.04)	581	-	TOP41C2102A	0.60	0.05	2,588	-
SPX28P2012D	0.13	(0.02)	15	-	TASC19P2012B	-	-	-	-	TOP42C2011T	-	-	-	-
SPX28P2103L	0.21	-	590	-	TASC19P2012C	0.03	-	1,023	-	TPI13C2011A	-	-	-	-
SPX41C2012A	0.63	(0.03)	42,602	-	TASC24C2011A	-	-	-	-	TPI19C2012A	0.09	-	5,000	-
SPX41C2012B	0.20	(0.01)	24,246	-	TASC28C2012A	0.02	(0.01)	556	-	TQM01C2103A	0.53	(0.03)	2,271	-
SPX41C2012C	-	-	-	-	TASC28C2012B	-	-	-	-	TQM11C2102A	0.28	(0.03)	1,444	-
SPX41C2012T	0.93	0.02	541	-	TASC28C2012C	-	-	-	-	TQM13C2101A	0.08	(0.02)	3,872	-
SPX41C2012U	1.63	(0.01)	136	1.00	TASC28C2101A	0.04	-	37	-	TQM13C2102A	0.28	(0.03)	79,023	-
SPX41C2103T	0.97	0.02	2,879	-	TASC28C2103L	0.03	(0.03)	199	-	TQM19C2011A	0.03	(0.02)	1,152	-
SPX41C2103U	1.12	0.06	1,012	1.00	TASC41C2011A	-	-	-	-	TQM19C2101A	0.12	-	99	-
SPX41P2012A	0.08	-	340	-	TASC41C2012A	0.27	0.01	19,938	-	TQM19C2102A	0.36	(0.03)	6,329	-
SPX41P2012B	0.04	(0.01)	20	-	TASC42C2101T	0.04	-	7,156	-	TQM24C2011A	-	-	-	-
SPX41P2012C	-	-	-	-	TCAP01C2101A	0.26	0.04	106,646	-	TQM24C2103A	0.55	(0.03)	22,756	-
SPX41P2012T	0.10	(0.02)	5,700	-	TCAP13C2012A	0.08	0.04	500	-	TQM28C2012A	0.01	-	600	-
SPX41P2012U	0.07	(0.03)	8,702	-	TCAP13C2103A	0.43	0.04	378,768	-	TQM28C2102A	0.23	(0.04)	36,201	-
SPX41P2103T	0.43	(0.02)	1,102	-	TCAP19C2012A	0.15	0.03	74,293	-	TQM28C2104L	0.22	(0.01)	1,298	-
SPA01P2103U	1.03	(0.03)	10,073	1.00	TCAP19C2102A	0.38	0.05	159,356	-	TQM41C2011A	-	-	-	-
STA01C2101A	0.14	0.01	57,345	-	TCAP19P2012A	0.04	(0.02)	1,571	-	TQM42C2101T	0.16	(0.01)	278	-
STA01C2102A	0.10	-	11,391	-	TCAP42C2101T	0.03	-	10,450	-	TRUE01C2101A	0.15	0.02	138,582	-
STA01C2103A	0.36	(0.64)	30,012	-	THAN01C2012A	0.56	(0.02)	33,695	-	TRUE01C2104A	0.42	(0.58)	57,090	-
STA01P2102A	0.63	(0.05)	39,537	-	THAN01C2012E	0.10	-	18,810	-	TRUE01P2101A	0.29	(0.06)	68,787	-
STA06C2012A	0.02	0.01	30,681	-	THAN01C2103A	0.41	(0.59)	30,366	-	TRUE06C2103A	0.37	0.07	79,899	-
STA06C2104A	0.32	(0.01)	44,845	-	THAN06C2102A	0.28	-	117,579	-	TRUE08C2012A	-	-	-	-
STA08C2011A	0.01	-	600	-	THAN08C2101A	0.56	-	14,155	-	TRUE11C2101A	0.11	0.02	1	-
STA08C2101A	0.21	0.01	65,991	-	THAN08C2102A	0.27	(0.02)	55,071	-	TRUE11P2101A	0.22	(0.06)	70,800	-
STA13C2011B	-	-	-	-	THAN13C2012A	0.33	(0.02)	22,891	-	TRUE13C2011A	-	-	-	-
STA13C2012A	0.01	-	93,270	-	THAN13C2012E	0.02	-	2,611	-	TRUE13C2101A	0.14	0.03	189,106	-
STA13C2101A	0.06	-	101,432	-	THAN13C2102A	0.39	(0.01)	236,813	-	TRUE13C2103A	0.45	0.08	241,536	-
STA13C2102A	0.26	-	460,121	-	THAN19C2011A	0.65	(0.06)	200	-	TRUE19C2011A	-	-	-	-
STA13P2012A	-	-	-	-	THAN19C2012A	0.21	(0.01)	91,206	-	TRUE19C2012A	0.05	0.01	7,500	-
STA13P2012B	0.05	(0.02)	1,455	-	THAN19C2012E	0.07	(0.01)	418	-	TRUE19C2101A	0.19	0.06	104,831	-
STA13P2101A	0.43	(0.05)	820	-	THAN19C2102A	0.52	(0.01)	26,212	-	TRUE19C2103A	0.45	0.07	69,730	-
STA13P2102A	0.31	(0.02)	247,193	-	THAN19P2102A	0.26	(0.01)	35,480	-	TRUE19P2011A	-	-	-	-
STA16C2102A	0.10	-	5,395	-	THAN28C2103A	0.43	-	67,922	-	TRUE19P2101A	0.09	(0.03)	8,006	-
STA19C2011A	0.16	0.03	111	-	THAN42C2102T	0.13	(0.01)	18	-	TRUE28C2012A	0.01	-	500	-
STA19C2011B	0.02	-	41	-	TISC01C2101A	0.73	0.01	45,544	-	TRUE28C2012B	-	-	-	-
STA19C2012A	0.06	0.01	23,401	-	TISC11C2012A	0.39	0.01	31,450	-	TRUE28C2101A	0.09	0.02	8,534	-
STA19C2102A	0.10	0.02	110,150	-	TISC13C2012A	0.53	0.01	1,451	-	TRUE28C2103A	0.41	0.07	127,670	-
STA19C2103A	0.28	0.01	329,183	-	TISC13C2103A	0.73	0.01	141,585	-	TRUE28C2103L	0.16	0.03	15,210	-
STA19C2104A	0.21	0.01	167,131	-	TISC19C2012A	0.57	0.01	24,884	-	TRUE41C2101A	0.09	0.04	2,100	-
STA19P2012A	0.06	-	110	-	TISC19C2103A	0.53	-	100,698	-	TRUE42C2101T	0.05	0.01	2,000	-
STA19P2101A	0.14	(0.02)	84,501	-	TISC24C2102A	1.00	(0.01)	10,800	1.00	TTW19C2011A	-	-	-	-
STA19P2102A	0.60	(0.07)	8,988	-	TISC41C2012A	0.63	0.03	1,197	-	TTW24C2012A	-	-	-	-
STA24C2011A	-	-	-	-	TISC42C2101T	0.19	-	5,228	-	TU01C2101A	0.26	0.01	22,493	-
STA28C2012A	-	-	-	-	TKN01C2101A	0.18	0.02	58,609	-	TU01P2101A	0.10	(0.03)	33,848	-
STA28C2102L	0.07	-	100	-	TKN06C2011A	0.01	-	1,090	-	TU06C2102A	0.36	0.02	49,670	-
STA28C2103A	0.15	0.01	9,852	-	TKN06C2101A	0.67	(0.32)	4	-	TU06P2103A	-	-	-	-
STA28C2104A	0.94	0.01	30	-	TKN08C2011A	0.01	(0.05)	274,209	-	TU08C2011A	-	-	-	-
STA42C2101T	-	-	-	-	TKN08C2102A	0.31	0.01	551	-	TU11C2102A	0.25	-	35,864	-
STEC01C2101A	0.15	0.01	89,928	-	TKN13C2012A	0.04	0.01	60,488	-	TU13C2012A	0.16	-	50,771	-
STEC01P2101A	0.19	(0.03)	62,101	-	TKN13C2101A	0.16	0.02	135,272	-	TU13C2103A	0.30	0.01	223,218	-
STEC08C2012A	-	-	-	-	TKN13C2102A	0.22	0.02	435,771	-	TU13P2101A	0.06	(0.01)	70	-
STEC08C2103A	0.48	0.03	47,340	-	TKN13P2101A	0.12	(0.03)	74,034	-	TU19C2012A	0.18	-	68,588	-
STEC11C2102A	0.20	0.02	32,795	-	TKN19C2011A	-	-	-	-	TU19C2102A	0.17	0.01	164,983	-
STEC13C2012A	0.04	-	8,343	-	TKN19C2011B	-	-	-	-	TU19P2011A	-	-	-	-
STEC13C2101A	0.21	0.01	162,550	-	TKN19C2101A	0.19	0.02	19,741	-	TU19P2012A	-	-	-	-
STEC13C2102A	0.44	0.01	8,857	-	TKN19C2102A	0.29	0.02	188,226	-	TU19P2102A	0.24	(0.04)	31,001	-
STEC13C2103A	0.36	(0.64)	223,786	-	TKN19P2101A	0.18	(0.03)	70,486	-	TU24C2011A	-	-	-	-
STEC13P2011A	-	-	-	-	TKN28C2012A	-	-	-	-	TU24C2103A	0.36	0.02	26,478	-
STEC19C2011A	-	-	-	-	TKN28C2012B	-	-	-	-	TU28C2012A	0.03	-	1,096	-
STEC19C2012A	-	-	-	-	TKN28C2101A	0.56	0.10	7,390	-	TU28C2103A	0.28	0.01	44,405	-
STEC19C2101A	0.17	0.01	76,175	-	TKN42C2012T	0.03	(0.02)	1	-	TU28C2103L	0.21	-	25,076	-
STEC19C2103A	0.43	0.03	81,491	-	TMB13C2011A	-	-	-	-	TU41C2101A	0.13	0.01	33,640	-
STEC19P2011A	-	-	-	-	TMB13C2102A	0.52	0.21	7,161	-	TU42C2101T	0.18	-	13,715	-
STEC19P2012A	0.06	(0.02)	16,000	-	TMB13C2103A	0.33	0.11	322,706	-	TVO13C2011A	-	-	-	-
STEC19P2101A	0.06	(0.02)	10	-	TMB19C2011A	0.06	0.03	35	-	TVO13C2012A	0.11	0.01	18,668	-
STEC28C2012A	-	-	-	-	TMB19C2011B	-	-	-	-	TVO13C2103A	0.34	(0.66)	17,647	-
STEC28C2101A	0.11	0.06	6,084	-	TMB19C2012A	0.25	0.11	128,772	-	TVO19C2011A	-	-	-	-
STEC28C2103A	0.30	-	65,528	-	TMB19C2103A	0.54	0.14	247,433	-	TVO19C2012A	0.10	0.01	2,383	-
STEC28C2104L	0.18	0.03	12,168	-	TMB19P2011A	-	-	-	-	TVO19C2101A	0.08	0.01	4,402	-
STEC41C2012A	0.03	0.01	1,000	-	TOA13C2102A	0.23	0.02	40,277	-	TVO19C2104A	0.27	(0.73)	11,000	-
STEC42P2102T	0.11	(0.04)	30	-	TOA19C201									

Main Board Quotation

Issue Date :

Monday November 23, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI41C2011A	-	-	-	-	UG-P	1.46	0.03	561	1.00	-	-	-	-	-
VGI42C2101T	0.06	0.01	30,488	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
WHA01C2101A	0.12	0.02	71,869	-	ALL-W1	0.56	-	8,543	-	-	-	-	-	-
WHA01C2103A	0.55	0.06	60,642	-	BROOK-W5	0.14	-	12,076	-	-	-	-	-	-
WHA01P2101A	0.37	(0.06)	76,048	-	CHAYO-W1	2.14	(0.02)	7,238	2.00	-	-	-	-	-
WHA06C2103A	0.37	0.06	123,002	-	CHO-W2	-	-	-	-	-	-	-	-	-
WHA06P2012A	0.04	(0.04)	153	-	CIG-W8	0.01	-	1,000	-	-	-	-	-	-
WHA08C2011A	-	-	-	-	D-W1	0.74	0.10	2,623	-	-	-	-	-	-
WHA11C2101A	0.14	0.02	26,133	-	DIMET-W3	-	-	-	-	-	-	-	-	-
WHA13C2011A	-	-	-	-	DOD-W1	0.46	0.01	14,402	-	-	-	-	-	-
WHA13C2101A	0.22	0.04	77,977	-	ECF-W3	0.05	-	14,599	-	-	-	-	-	-
WHA13C2103A	0.53	0.07	306,132	-	HPT-W1	0.18	-	6,637	-	-	-	-	-	-
WHA13P2011A	0.03	(0.04)	500	-	HYDRO-W1	0.02	(0.01)	359	-	-	-	-	-	-
WHA19C2011A	-	-	-	-	ITEL-W1	0.07	-	37,966	-	-	-	-	-	-
WHA19C2101A	0.24	0.04	266,364	-	ITEL-W2	0.36	(0.01)	18,419	-	-	-	-	-	-
WHA19C2103A	0.57	0.08	39,546	-	LIT-W1	0.38	-	6,234	-	-	-	-	-	-
WHA19P2011A	-	-	-	-	META-W4	-	-	-	-	-	-	-	-	-
WHA28C2012A	0.13	0.02	3	-	MORE-W2	0.34	-	127,432	-	-	-	-	-	-
WHA28C2102A	0.18	0.02	56,833	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA28C2102L	-	-	-	-	OCEAN-W3	0.22	0.01	1,850	-	-	-	-	-	-
WHA28C2104A	0.53	0.07	105,141	-	RWI-W2	0.11	0.01	25,672	-	-	-	-	-	-
WHA42C2101T	0.07	0.02	2,218	-	SIMAT-W3	0.42	(0.02)	567	-	-	-	-	-	-
WHAU13C2012A	0.10	0.02	51	-	SIMAT-W4	2.52	0.22	201	2.00	-	-	-	-	-
WHAU13C2103A	0.53	(0.47)	64,039	-	SMART-W2	0.13	-	6,776	-	-	-	-	-	-
WHAU19C2012A	0.18	0.02	15,522	-	SWC-W1	-	-	-	-	-	-	-	-	-
Preferred/Foreign	-	-	-	-	TAKUNI-W	0.01	-	2,760	-	-	-	-	-	-
BH-Q	-	-	-	-	TAPAC-W4	0.20	-	18,533	-	-	-	-	-	-
CSC-Q	-	-	-	-	TVD-W2	0.13	-	7,355	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	UREKA-W2	0.24	-	1,012	-	-	-	-	-	-
KTB-Q	-	-	-	-	Preferred Share	-	-	-	-	-	-	-	-	-
SCB-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
TCAP-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.10	-	14,926	-	-	-	-	-	-	-	-	-	-	-
AEC-W6	0.10	-	27,875	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.02	(0.01)	5,590	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	0.10	(0.03)	99,972	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.23	0.01	6,435	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.03	(0.01)	131	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.04	-	1,103	-	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.07	0.01	39	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	0.27	(0.03)	770,289	-	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.02	(0.01)	9,931	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.01	(0.01)	1,164	-	-	-	-	-	-	-	-	-	-	-
CWT-W5	0.46	(0.01)	24,393	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.93	(0.01)	23,347	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.01	-	316,622	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.03	-	4,189	-	-	-	-	-	-	-	-	-	-	-
EP-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.43	0.02	74,571	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.62	0.03	49,927	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.59	(0.01)	60	-	-	-	-	-	-	-	-	-	-	-
JMART-W3	6.85	(0.10)	3,952	6.00	-	-	-	-	-	-	-	-	-	-
JMART-W4	4.38	0.06	8,505	4.00	-	-	-	-	-	-	-	-	-	-
JMT-W2	14.70	(0.30)	1,552	14.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.03	-	90,167	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.04	0.01	150,852	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	0.65	0.04	188,829	-	-	-	-	-	-	-	-	-	-	-
MINT-W7	7.80	0.10	42,328	7.00	-	-	-	-	-	-	-	-	-	-
NER-W1	2.24	(0.02)	35,638	2.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	4.58	(0.34)	108,619	4.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.72	0.10	2	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.20	0.09	1,207,118	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.38	0.01	7,550	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.40	0.01	1,111	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.11	(0.01)	3,164	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.65	0.06	116,907	-	-	-	-	-	-	-	-	-	-	-
PPPM-W4	0.11	-	233	-	-	-	-	-	-	-	-	-	-	-
PRIME-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PRIME-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAMART-W2	0.13	(0.01)	99,989	-	-	-	-	-	-	-	-	-	-	-
SAWAD-W2	9.20	0.45	12,446	9.00	-	-	-	-	-	-	-	-	-	-
SDC-W1	0.07	(0.01)	18,874	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	8.55	(0.10)	321	8.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	4.36	-	211	4.00	-	-	-	-	-	-	-	-	-	-
SST-W2	0.60	(0.06)	364	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.03	-	4,201	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	0.05	-	232	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	0.12	-	6	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TNITY-W1	0.12	0.02	71,367	-	-	-	-	-	-	-	-	-	-	-
TRITN-W3	0.11	-	41,727	-	-	-	-	-	-	-	-	-	-	-
TTCL-W1	0.42	0.01	52,990	-	-	-	-	-	-	-	-	-	-	-
U-W4	0.01	-	2,050	-	-	-	-	-	-	-	-	-	-	-
VGI-W2	0.92	0.04	413,627	-	-	-	-	-	-	-	-	-	-	-
VIBHA-W3	0.12	(0.01)	15,685	-	-	-	-	-	-	-	-	-	-	-
W-W3	0.13	-	11,460	-	-	-	-	-	-	-	-	-	-	-
WIHK-W2	0.27	-	9,918	-	-	-	-	-	-	-	-	-	-	-
ZMICO-W4	0.08	(0.01)	59,130	-	-	-	-	-	-	-	-	-	-	-
Preferred Shares	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BH-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CSC-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
JUTHA-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KTB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCB-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TCAP-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TISCO-P	-	-	-	-	-	-	-	-	-	-	-	-	-	-