

# Asia Plus Securities Company Limited

# Daily Quotation

## Main Board Quotation

## Issue Date :

Tuesday November 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	BLISS	-	-	-	-	MACO	0.62	(0.01)	36,846	0.63
SAFARI	-	-	-	-	DIF	13.20	-	123,728	13.21	MAJOR	18.20	0.20	92,888	17.79
VI	-	-	-	-	DTAC	37.00	0.25	130,142	37.07	MATCH	-	-	-	-
WORLD	-	-	-	-	FORTH	5.95	0.05	1,200	5.94	MATI	4.30	-	43	4.30
WR	-	-	-	-	HUMAN	8.55	(0.15)	11,223	8.65	MCOT	3.24	0.40	44,948	3.11
Agribusiness	-	-	-	-	ILINK	4.54	(0.10)	20,581	4.60	MONO	2.60	(0.10)	36,610	2.64
EE	0.64	(0.02)	19,389	0.64	INET	3.50	0.18	183,734	3.50	MPIC	-	-	-	-
GFPT	12.70	-	36,233	12.76	INTUCH	56.25	(0.75)	112,893	56.18	NMG	-	-	-	-
LEE	2.30	-	2,402	2.31	JAS	3.32	(0.06)	2,827,991	3.41	PLANB	6.10	(0.30)	190,585	6.22
MAX	0.02	0.01	439,788	0.01	JASIF	9.60	(0.05)	113,852	9.64	POST	1.23	(0.14)	58	1.16
NER	4.26	(0.04)	227,827	4.30	JMART	17.30	0.10	318,858	17.55	PRAKIT	7.40	-	407	7.40
PPPM	0.40	0.01	1,354	0.38	JTS	2.26	(0.12)	15,617	2.34	SE-ED	1.50	0.01	2,799	1.50
STA	26.75	0.25	211,204	26.91	MFC	4.94	0.02	1,529	4.91	TBSP	12.80	-	38	12.80
TRUBB	1.74	(0.01)	27,338	1.75	MSC	6.50	-	558	6.46	TH	0.47	(0.02)	776	0.47
TWPC	3.48	(0.02)	13,305	3.47	PT	5.75	-	2,503	5.72	TKS	5.85	0.10	22,353	5.77
UPOIC	3.74	(0.06)	91	3.76	SAMART	5.20	(0.10)	28,000	5.27	VGI	7.45	(0.30)	566,828	7.54
UVAN	5.05	-	5,153	5.06	SAMTEL	5.00	(0.10)	2,028	5.06	WAVE	0.62	-	11,208	0.62
VPO	0.43	-	923	0.43	SDC	0.17	-	37,259	0.17	WORK	12.30	(0.10)	26,365	12.39
Banking	-	-	-	-	SIS	17.80	(0.20)	8,195	17.85	Finance & Securities	-	-	-	-
BAY	25.75	(0.25)	15,697	25.54	SVOA	1.33	(0.01)	70,470	1.34	AEC	0.22	(0.01)	52,526	0.22
BBL	122.50	(1.00)	111,534	122.39	SYMC	4.10	0.02	655	4.02	AEONTS	144.50	(1.50)	11,470	145.16
CIMBT	0.60	-	25,376	0.60	SYNEX	12.60	(0.30)	43,484	12.94	AMANAH	2.70	(0.02)	62,361	2.72
KBANK	105.50	(2.50)	403,339	106.57	THCOM	5.50	(0.15)	70,026	5.57	ASAP	2.06	(0.04)	17,018	2.12
KKP	45.75	-	156,979	46.33	TRUE	3.34	0.04	2,350,665	3.38	ASK	21.80	(0.20)	4,246	21.74
KTB	11.10	(0.10)	1,286,794	11.32	TWZ	0.08	0.01	381,663	0.08	ASP	1.99	0.04	88,237	1.98
LHFG	1.02	-	63,216	1.01	Electronic Compa	-	-	-	-	BAM	21.30	(0.70)	444,937	21.63
SCB	87.75	(1.00)	173,358	88.24	CCET	2.22	0.02	61,305	2.19	BFIT	27.75	(1.00)	40,987	28.04
TCAP	34.75	(0.25)	162,682	34.95	DELTA	193.00	(5.50)	21,347	195.28	CGL	0.68	-	2,594	0.68
TISCO	79.25	(1.00)	49,742	79.72	HANA	38.00	(0.50)	132,018	38.34	ECL	0.85	0.04	130,827	0.83
TMB	1.13	(0.03)	13,207,819	1.17	KCE	37.25	(0.75)	159,381	38.03	FNS	3.36	0.10	9,570	3.35
Construction Materia	-	-	-	-	METCO	168.00	(6.00)	60	169.50	FSS	1.56	-	6,479	1.57
CCP	0.42	-	114,012	0.43	NEX	4.54	(0.04)	130,222	4.62	GBX	0.43	(0.01)	3,014	0.43
COTTO	1.31	0.01	28,386	1.30	SMT	2.72	(0.02)	13,922	2.76	GL	-	-	-	-
DCC	2.20	(0.10)	219,617	2.25	SVI	4.54	(0.04)	56,547	4.58	IFS	2.28	(0.02)	10,224	2.29
DCON	0.32	-	18,927	0.31	TEAM	0.89	-	10	0.89	JMT	33.00	(0.25)	57,009	33.40
DRT	5.95	(0.05)	6,997	5.97	W	0.22	-	761,966	0.22	KCAR	9.05	(0.05)	788	9.06
EPG	5.80	(0.25)	117,972	5.89	Energy & Utilitie	-	-	-	-	KGI	3.74	0.06	78,175	3.73
GEL	0.19	0.01	128,129	0.19	ZUP	0.33	-	185,373	0.33	KTC	43.50	(1.00)	71,445	44.11
PPP	2.00	0.02	562	1.99	ABPIF	2.96	0.02	270	2.96	MBKET	8.40	0.05	2,609	8.36
Q-CON	4.66	-	23	4.66	ACE	3.40	0.08	1,050,139	3.38	MFC	14.20	-	280	14.04
RCI	3.78	0.04	2	3.77	AGE	1.35	(0.03)	42,546	1.37	MICRO	5.00	(0.05)	240,568	5.17
SCC	368.00	(3.00)	30,691	368.51	AI	2.08	(0.04)	83,339	2.10	ML	0.81	(0.01)	1,190	0.81
SCCC	136.50	(1.50)	4,105	136.98	AKR	0.51	(0.01)	3,927	0.51	MTC	53.50	(1.25)	97,400	54.11
SCP	6.10	0.05	3,664	6.11	BAFS	23.80	-	6,967	23.98	NCAP	5.20	(0.30)	1,690,589	5.52
SKN	2.38	(0.02)	17,261	2.39	BANPU	8.00	(0.30)	1,166,393	8.11	PE	-	-	-	-
TASCO	18.40	(1.50)	1,217,652	18.81	BCP	19.00	(0.20)	44,164	19.03	PL	2.04	0.02	4,552	2.06
TCMC	1.66	0.02	303,388	1.68	BCPG	13.90	(0.50)	140,784	14.07	S11	6.50	-	7,216	6.48
TOA	36.75	1.50	110,402	36.31	BGRIM	48.50	(1.50)	157,656	49.23	SAWAD	54.50	(0.75)	168,928	54.93
TPPIPL	1.50	(0.01)	84,333	1.50	BPP	15.70	(0.40)	61,697	15.98	THANI	3.70	(0.04)	284,849	3.74
UMI	0.64	0.02	3,623	0.64	BRRGIF	6.30	0.05	489	6.27	TK	7.75	(0.10)	3,516	7.81
VNG	3.30	(0.06)	837	3.27	CKP	5.00	(0.05)	408,646	5.07	TNITY	3.62	(0.02)	711	3.65
WIJK	2.50	(0.02)	13,881	2.52	DEMCO	2.70	(0.02)	3,102	2.69	UOBKH	3.30	0.20	299	3.22
Petrochemicals & Ch	-	-	-	-	EA	44.00	(1.50)	117,384	45.06	ZMICO	0.70	0.01	12,852	0.69
BCT	42.00	(0.25)	395	42.05	EASTW	9.30	(0.10)	17,784	9.37	Food & Beverage	-	-	-	-
CMAN	1.29	-	1,301	1.28	EGATF	12.20	-	7,046	12.19	APURE	2.06	(0.04)	20,487	2.09
GC	5.70	-	390	5.67	EGCO	200.00	(4.00)	49,926	204.33	ASIAN	11.30	(0.20)	38,301	11.42
GGC	9.20	(0.25)	14,968	9.25	EP	4.92	0.18	159,589	5.05	BR	2.28	(0.08)	36,895	2.29
GIFT	1.79	(0.02)	2,430	1.79	ESSO	7.15	(0.20)	682,212	7.33	BRR	3.02	0.06	2,238	3.04
IVL	28.75	(1.50)	524,236	29.41	GPGC	69.25	(1.50)	198,895	69.98	CBG	118.50	(2.50)	81,508	119.66
NFC	2.32	0.49	975	2.29	GREEN	1.09	-	1,490	1.10	CFRESH	3.26	(0.04)	11,633	3.29
PATO	10.30	(0.10)	385	10.24	GULF	35.75	(1.25)	418,605	36.37	CHOTI	65.00	(1.00)	52	65.73
PMTA	8.90	(0.15)	113	9.03	GUNKUL	2.42	(0.06)	817,340	2.44	CM	2.60	-	2,480	2.59
PTTGC	56.25	(0.50)	353,582	56.92	IFEC	-	-	-	-	CPF	29.00	(1.00)	819,429	29.60
SUTHA	4.18	0.12	1,638	4.17	IRPC	2.80	(0.10)	2,472,308	2.85	CPI	1.49	0.02	19,328	1.50
TCCC	28.25	1.00	1,140	27.84	KBSPIF	9.60	(0.10)	5,477	9.64	F&D	20.00	(0.80)	3	20.00
TPA	5.40	-	978	5.38	LANNA	6.50	(0.10)	1,641	6.63	HTC	34.00	0.50	12,031	34.14
UAC	3.88	(0.06)	5,773	3.91	MDX	2.44	(0.04)	1,859	2.47	ICHI	10.90	(0.40)	72,868	11.11
UP	-	-	-	-	PDI	8.60	(0.10)	10,736	8.76	KBS	3.06	-	2,097	3.01
VNT	23.60	-	7,406	23.59	PRIME	0.49	-	83,277	0.49	KSL	2.32	(0.08)	33,578	2.36
YCI	-	-	-	-	PTG	18.20	(0.70)	300,580	18.52	KTIS	2.92	-	691	2.91
Commerce	-	-	-	-	PTT	40.00	(0.50)	1,628,886	40.53	LST	4.48	0.02	1,661	4.48
BEAUTY	1.41	(0.08)	377,608	1.47	PTTEP	96.75	(1.75)	358,469	98.50	M	56.00	(0.50)	19,115	55.96
BIG	0.56	(0.01)	331,517	0.57	RATCH	55.00	(1.00)	71,477	55.35	MALEE	6.35	0.15	9,720	6.38
BJC	36.75	(0.25)	79,530	36.89	RPC	0.51	0.01	4,967	0.50	MINT	24.20	(0.10)	783,839	24.44
COL	18.80	-	10,881	18.80	SCG	3.54	0.04	609	3.55	NRF	6.25	(0.45)	188,342	6.37
COM7	38.50	(1.50)	82,900	39.18	SCI	1.30	-	7,913	1.30	OISHI	42.00	(1.00)	209	42.28
CPALL	63.00	(0.25)	251,754	63.13	SCN	1.67	0.01	21,605	1.69	OSP	37.50	(0.25)	74,305	37.61
CPW	2.12	(0.04)	28,149	2.15	SGP	9.90	0.35	82,679	9.81	PB	70.00	0.25	36	69.37
CRC	33.50	(1.00)	130,000	34.01	SKE	0.54	(0.03)	139,915	0.56	PM	8.45	(0.10)	5,384	8.52
CSS	1.44	(0.03)	33,086	1.46	SOLAR	0.90	-	35,053	0.94	PRG	11.00	0.10	8	11.00
DOHOME	13.40	(0.10)	73,868	13.51	SPCG	21.30	0.60	141,600	21.57	RBF	9.45	(0.20)	208,379	9.59
FN	1.30	(0.03)	206,521	1.33	SPRC	6.85	(0.40)	1,198,602	7.11	SAPPE	21.80	(0.40)	9,529	21.78
FTE	1.52	(0.03)	3,656	1.51	SSP	9.35	(0.20)	48,804	9.41	SAUCE	25.00	-	45	25.03
GLOBAL	17.30	(0.40)	121,547	17.44	SUPER	0.92	(0.03)	6,851,911	0.93	SFP	-	-	-	-
HMPRO	15.60	0.10	232,470	15.58	SUPEREIF	11.40	-	2,849	11.43	SNP	12.00	1.70	7,289	11.24
ILM	14.10	(0.30)	6,513	14.14	SUSCO	2.74	0.02	12,417	2.72	SORKON	5.60	-	191	5.53
IT	2.44	(0.04)	971	2.48	TAE	2.36	(0.06)	8,741	2.40	SSC	34.75	(0.50)	35	34.88
KAMART	3.60	(0.12)	71,577	3.61	TCC	0.19	0.01	10,475	0.18	SSF	6.80	0.50	35	6.96
LOXLEY	1.40	(0.01)	17,996	1.40	TOP	48.75	(0.75)	198,423	49.56	SST	2.26	-	480	2.26
MAKRO	39.75	(1.00)	20,868	40.10	TPIPP	4.34	(0.02)	298,626	4.37	TC	5.20	(0.05)	7,065	5

## Main Board Quotation

Issue Date :

Tuesday November 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CMR	1.77	-	1,787	1.77	AMATA	15.50	(0.50)	135,276	15.66	3K-BAT	95.00	(3.00)	28	96.83
EKH	4.88	(0.02)	26,773	4.92	AMATAV	5.00	(0.10)	625	5.05	ACG	1.19	(0.02)	11,357	1.19
KDH	85.75	-	10	85.75	ANAN	1.74	(0.02)	70,641	1.75	AH	17.50	0.20	20,356	17.33
LPH	4.52	(0.08)	6,323	4.51	AP	7.05	0.15	249,750	7.02	CWT	2.40	0.14	79,570	2.36
M-CHAI	185.00	(2.00)	12	185.00	APEX	0.07	-	1,494	0.07	EASON	1.36	-	750	1.35
NEW	-	-	-	-	AQ	0.02	-	32,330	0.02	GYT	-	-	-	-
NTV	43.00	-	95	43.02	AWC	4.32	(0.16)	897,447	4.43	HFT	4.36	(0.02)	13,067	4.35
PR9	9.25	(0.05)	8,146	9.27	BLAND	1.02	(0.04)	232,111	1.04	IHL	3.52	(0.10)	46,773	3.55
PRINC	3.32	0.46	610,359	3.26	BROCK	1.44	(0.04)	92	1.43	INGRS	0.44	(0.02)	36,514	0.45
RAM	140.50	-	60	140.41	CGD	0.66	-	114,053	0.66	IRC	13.80	0.50	1,906	13.80
RJH	22.70	(0.60)	3,748	23.08	CI	0.67	(0.02)	418	0.66	PCSGH	4.52	0.02	371	4.55
RPH	6.00	0.05	2,812	5.97	CPN	53.75	(1.25)	208,115	53.43	SAT	14.20	(0.50)	33,053	14.34
SKR	6.65	-	693	6.62	ESTAR	0.39	(0.01)	45,836	0.40	SPG	13.50	(0.10)	1	13.50
SVH	402.00	-	14	402.43	EVER	0.22	-	37,298	0.21	STANLY	162.00	(4.50)	503	163.27
THG	21.30	0.40	10,950	21.11	FPT	11.80	(0.10)	2,444	11.79	TKT	0.90	-	337	0.90
VIBHA	1.49	(0.02)	38,343	1.51	GLAND	2.36	0.04	411	2.31	TNPC	0.71	-	249	0.71
VIH	6.40	-	18,355	6.39	J	1.30	0.01	96,313	1.31	TRU	3.68	0.04	297	3.69
WPH	1.65	-	2,904	1.64	JCK	1.45	-	15,069	1.44	TSC	9.90	0.45	108	9.90
Tourism & Leisure					KC	-	-	-	-	Industrial Materials				
ASIA	4.76	-	296	4.77	KWG	0.68	(0.01)	902	0.69	ALLA	1.15	-	13,958	1.15
CENTEL	24.40	(0.50)	54,191	24.80	LALIN	6.65	-	7,317	6.58	ASEFA	3.32	(0.02)	2,286	3.36
CSR	69.00	-	6	68.58	LH	7.85	(0.10)	588,371	7.94	CPT	0.82	(0.01)	2,952	0.82
DTC	7.70	(0.25)	2,337	7.76	LPN	4.56	(0.12)	182,132	4.62	CRANE	1.39	0.01	186,386	1.43
ERW	3.54	0.08	414,241	3.52	MBK	13.20	-	73,303	13.10	CTW	6.30	0.05	4,236	6.23
GRAND	0.60	(0.02)	1,568	0.61	MJD	1.55	0.06	16,943	1.52	FMT	19.00	-	48	18.85
LRH	28.00	0.25	60	28.33	MK	3.10	0.02	23,035	3.08	HTECH	3.02	(0.04)	4,302	3.03
MANRIN	-	-	-	-	NCH	0.78	-	803	0.77	KKC	0.55	-	831	0.54
OHTL	321.00	(15.00)	5	323.00	NNCL	1.94	(0.01)	1,241	1.94	PK	1.73	(0.05)	10,763	1.78
ROH	36.25	(1.75)	2	36.25	NOBLE	20.40	0.40	49,743	20.24	SNC	12.50	0.30	14,301	12.44
SHANG	51.50	0.50	10	51.30	NVA	0.26	0.02	281,751	0.25	STARK	1.83	0.04	2,896,150	1.84
SHR	2.16	(0.06)	215,374	2.20	NVD	2.28	(0.02)	175,969	2.31	TCJ	3.14	-	616	3.14
VRANDA	5.95	0.15	1,036	5.85	ORI	7.80	0.10	176,087	7.77	VARO	3.50	(0.60)	459	4.25
Home & Office Produ					PACE	-	-	-	-	Property Fund & REIT				
ACC	0.57	(0.03)	4,067	0.56	PF	0.39	-	199,885	0.39	AIMCG	5.85	(0.15)	8,192	5.90
AJA	0.12	-	8,608	0.12	PLAT	2.54	(0.06)	31,348	2.58	AIMIRT	13.00	(0.20)	555	13.11
DTCI	28.00	-	40	28.00	POLAR	-	-	-	-	AMATAR	10.20	(0.10)	771	10.22
FANCY	0.48	(0.02)	1,179	0.48	PRECHA	0.84	-	122	0.84	B-WORK	11.30	0.10	427	11.29
KYE	354.00	4.00	49	350.06	PRIN	1.70	-	736	1.69	BKER	5.80	(0.10)	12,514	5.83
L&E	1.74	0.04	169	1.73	PSH	12.10	(0.10)	39,990	12.17	BKKCP	11.80	0.10	149	11.71
MODERN	2.54	0.02	2,101	2.54	QH	2.30	-	289,608	2.30	BOFFICE	10.40	-	2,372	10.42
OGC	-	-	-	-	RICHY	0.65	-	12,619	0.65	CPNCG	10.10	(0.10)	7,631	10.14
ROCK	-	-	-	-	RML	0.60	(0.02)	33,087	0.61	CPNREIT	20.60	-	9,010	20.61
SIAM	1.36	0.01	6,874	1.34	ROJNA	4.20	(0.04)	39,907	4.23	CPTGF	9.50	0.05	3,575	9.47
TSR	3.62	0.02	6,439	3.62	S	1.53	(0.04)	123,373	1.58	CTARAF	5.00	(0.05)	1,398	5.00
Insurance					SAMCO	1.19	(0.01)	166	1.19	DREIT	4.12	(0.08)	985	4.11
AYUD	34.00	-	76	33.64	SC	2.66	(0.04)	44,946	2.67	ERWPF	4.30	-	306	4.28
BKI	278.00	-	258	278.02	SENA	3.26	(0.12)	21,402	3.32	FTREIT	12.30	0.20	12,161	12.30
BLA	20.50	1.10	60,051	19.96	SF	4.98	0.10	74,354	5.01	FUTUREPF	18.00	0.20	602	17.86
BUI	-	-	-	-	SIRI	0.81	(0.02)	975,317	0.82	GAHREIT	7.95	(0.05)	36	7.94
CHARAN	24.00	-	17	24.00	SPALI	17.70	(0.30)	43,315	17.75	GOLDFP	5.70	-	60	5.70
INSURE	-	-	-	-	U	1.31	(0.02)	70,843	1.32	GVREIT	11.70	-	575	11.57
MTI	88.00	1.25	52	87.96	UV	2.82	(0.12)	50,631	2.88	HPF	4.94	0.08	332	4.86
NKI	48.00	(1.00)	5	48.00	WHA	3.04	-	2,988,699	3.02	HREIT	7.40	(0.25)	36,512	7.47
NSI	72.50	1.50	53	71.08	WIN	0.34	0.01	1,019	0.33	IMPACT	19.80	(0.10)	4,129	19.92
SEG	30.00	(0.50)	25	30.30	Paper & Printing					KPNPF	8.90	2.05	411	7.35
SMK	38.50	-	69	38.57	UTP	14.00	(0.10)	27,677	14.09	LHHOTEL	10.00	-	1,072	10.00
THRE	1.27	0.01	204,063	1.27	Fashion					LHPF	5.60	(0.05)	308	5.55
THREL	3.02	0.12	134,243	2.94	AFC	6.00	(0.35)	1	6.00	LHSC	11.40	-	108	11.42
TIP	26.50	-	8,609	26.67	B52	0.14	-	6,623	0.14	LUXF	6.55	(0.05)	41	6.55
TQM	118.00	4.50	20,789	116.15	BTNC	10.80	(0.20)	26	10.80	M-II	7.10	-	32	7.02
TSI	0.28	0.01	1,800	0.28	CPH	3.26	(0.22)	51	3.30	M-PAT	2.82	(0.28)	2	2.96
TVI	3.70	0.06	709	3.68	CPL	1.16	0.09	1,117	1.17	M-STOR	5.95	-	446	6.01
Mining					ICC	28.25	(0.75)	44	28.80	MIPF	14.40	-	1	14.40
THL	-	-	-	-	NC	12.00	(0.80)	12	12.08	MIT	2.88	-	13	2.88
Packaging					PAF	0.50	(0.02)	1,796	0.51	MJLF	6.05	(0.20)	761	6.09
AJ	17.90	0.20	26,767	17.97	PDJ	1.41	0.01	618	1.39	MNIT	1.50	-	2	1.50
ALUCON	167.00	-	12	167.00	PG	4.70	-	100	4.70	MNIT2	4.90	(0.10)	5	5.00
BGC	11.20	0.30	112,294	11.21	SABINA	21.70	(0.30)	2,086	21.80	MNRF	2.90	-	358	2.90
CSC	53.75	1.25	304	53.31	SAWANG	-	-	-	-	POPF	10.10	-	496	10.10
GLOCON	0.96	(0.01)	25,003	0.96	SUC	34.50	-	128	34.50	PPF	-	-	-	-
NEP	0.25	-	37	0.25	TNL	18.00	-	1	18.00	PROSPECT	8.80	(0.10)	4,377	8.85
PTL	22.10	0.10	19,124	22.13	TPCORP	9.65	0.10	4	9.65	QHHR	6.15	0.15	22	6.13
SCGP	39.00	(1.00)	494,196	39.29	TR	27.75	-	8	27.59	QHQP	2.38	(0.02)	7	2.33
SFLEX	5.25	(0.20)	72,009	5.36	TTI	-	-	-	-	QHPF	9.70	0.05	4,735	9.70
SITHAI	0.68	0.01	27,190	0.69	TTT	53.25	0.25	26	53.31	SBPF	-	-	-	-
SLP	0.42	(0.03)	1,606	0.43	UPF	63.50	0.25	11	63.27	SHREIT	3.18	(0.04)	6	3.19
SMPC	10.60	(0.30)	6,200	10.69	UT	-	-	-	-	SIRIP	8.60	-	55	8.60
SPACK	2.42	(0.02)	7,719	2.44	WACOAL	-	-	-	-	SPF	12.70	(0.10)	18,079	12.92
TCOAT	-	-	-	-	Transportation 8					SPRIME	8.05	(0.15)	1,067	8.14
TFI	0.19	0.03	43,788	0.18	AAV	2.04	(0.08)	489,306	2.08	SRIPANWA	7.65	-	76	7.68
THIP	33.75	(0.25)	538	34.10	AOT	67.25	(1.00)	336,485	67.96	SSPF	9.00	(0.10)	87	9.00
TMD	22.90	0.50	126	22.59	ASIMAR	1.50	(0.01)	4,865	1.51	SSTRT	5.30	-	567	5.25
TOPP	232.00	53.50	1	232.00	B	0.30	(0.01)	20,940	0.30	TIF1	8.60	0.05	27	8.51
TPBI	4.86	(0.04)	3,794	4.85	BA	5.80	(0.10)	20,311	5.79	TLGF	16.80	0.10	3,874	16.81
TPP	11.80	(0.40)	20	11.81	BEM	9.35	(0.10)	429,211	9.38	TLHPF	8.20	-	49	8.19
Personal Products &					BTS	10.70	-	429,308	10.68	TNPF	2.00	-	2	2.00
APCO	3.62	(0.04)	1,726	3.61	BTSGIF	5.95	(0.15)	44,301	6.01	TPRIME	11.20	(0.20)	48	11.23
DDD	15.80	(0.30)	1,461	15.89	III	4.74	(0.02)	18,944	4.75	TTLPF	22.50	-	13	22.35
JCT	79.75	(0.75)	1	79.75	JUTHA	0.41	(0.02)	38	0.42	TU-PF	1.41	0.13	9	1.38
OCC	-	-	-	-	JWD	8.20	(0.15)	60,259	8.42	URBNPF	-	-	-	-
S & J	25.25	-	2	25.25	KWC	-	-	-	-	WHABT	8.70	(0.05)	29	8.86
STGT	72.75	0.75	334,174	73.43	NOK	0.67	-	1,685	0.66	WHART	12.80	-	5,800	12.94
STHAI	-	-	-	-	NYT	3.44	0.06	171,215	3.47	Steel				
TNR	13.20	0.10	562	13.18	PORT	2.98	0.06	311,369	2.99	AMC	1.57	(0.01)	3,795	1.58
TOG	3.74	0.08	791	3.72	PRM	7.90	(0.15)	289,679	8.00	BSBM				



## Main Board Quotation

Issue Date :

Tuesday November 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
<b>MAI</b>														
Agro & Food Indust	-	-	-	-	TITLE	3.00	0.08	25,436	3.00	ADVA01C2104A	0.62	(0.03)	77,279	-
ABICO	5.20	(0.05)	2,329	5.00	Resources (MAI)	-	-	-	-	ADVA01P2012A	0.16	(0.01)	38,088	-
AU	9.60	(0.30)	40,330	9.00	ABM	0.79	(0.01)	3,375	-	ADVA01P2104A	0.80	0.01	49,117	-
JCKH	0.28	-	688	-	AIE	0.66	(0.02)	90,108	-	ADVA06C2103A	0.45	(0.04)	272,315	-
KASET	1.11	(0.02)	6,851	1.00	ETC	1.90	(0.05)	224,195	1.00	ADVA08C2012A	0.07	0.01	2,035	-
MM	1.98	0.04	34	1.00	PSTC	1.91	0.15	539,118	1.00	ADVA08C2103A	0.51	(0.03)	112,483	-
SUN	4.20	(0.12)	25,322	4.00	QTC	3.92	0.02	1,772	3.00	ADVA08P2101A	0.41	0.01	32,055	-
TACC	6.45	(0.15)	41,857	6.00	SAAM	1.06	-	4,343	1.00	ADVA11C2011A	-	-	-	-
TMILL	3.12	-	3,245	3.00	SEAOIL	2.48	(0.06)	12,209	2.00	ADVA11C2104A	0.58	(0.04)	128,304	-
XO	9.65	(0.25)	63,196	9.00	SR	0.61	-	35	-	ADVA11P2011A	-	-	-	-
<b>Consumer Products</b>														
BGT	1.05	(0.01)	510	1.00	TAKUNI	0.39	-	17,843	-	ADVA13C2012A	0.08	(0.02)	194,796	-
BIZ	3.54	(0.02)	4,488	3.00	TPCH	11.50	(0.20)	11,949	11.00	ADVA13C2101A	0.33	(0.03)	833,830	-
DOD	8.95	0.20	71,390	8.00	TRT	1.62	-	1,561	1.00	ADVA13P2012A	0.23	(0.01)	119,457	-
ECF	1.34	-	14,464	1.00	UMS	0.27	-	392	-	ADVA19C2012A	0.09	(0.01)	184,079	-
HPT	0.73	(0.02)	362	-	UPA	0.18	0.01	52,289	-	ADVA19C2101A	0.26	(0.03)	1,132,400	-
IP	11.80	(0.10)	17,710	11.00	UWC	0.05	0.01	3,496	-	ADVA19P2012A	0.19	-	252,590	-
JUBILE	21.20	(0.20)	571	21.00	Services (MAI)	-	-	-	-	ADVA24C2101A	0.17	(0.02)	33,104	-
MOONG	4.22	-	952	4.00	A5	-	-	-	-	ADVA28C2012A	0.01	-	2	-
NPK	-	-	-	-	AKP	0.89	-	2,022	-	ADVA28C2012B	-	-	-	-
OCEAN	0.72	(0.02)	4,054	-	AMA	5.65	(0.15)	26,686	5.00	ADVA28C2101A	0.11	(0.01)	27,303	-
TM	2.28	-	7,905	2.00	ARIP	0.41	-	237	-	ADVA28C2102L	0.12	(0.01)	26,748	-
<b>Financials (MAI)</b>														
ACAP	0.71	0.01	8,679	-	AUTP30	0.96	0.01	34,967	-	ADVA28C2104A	0.39	(0.03)	96,258	-
AF	-	-	-	-	AUCT	10.00	(0.40)	26,563	10.00	ADVA28P2012A	-	-	-	-
AIRA	0.90	-	1	-	BOL	5.90	(0.05)	4,018	5.00	ADVA41C2011A	0.01	(0.06)	500	-
ASN	4.78	(0.08)	5	4.00	CMO	0.92	-	236	-	ADVA41C2101A	0.31	(0.01)	207,201	-
BROOK	0.40	-	144,263	-	D	3.66	(0.02)	5,556	3.00	ADVA41P2101A	0.13	-	48,159	-
CHAYO	7.60	(0.15)	24,143	7.00	DV8	0.28	(0.01)	2,334	-	ADVA42C2102T	0.22	-	167	-
GCAP	1.32	-	14,168	1.00	EFORL	0.03	(0.01)	742,592	-	AEON01C2102A	0.52	(0.01)	18,114	-
LIT	3.24	(0.04)	1,412	3.00	FTE	1.02	-	2,807	1.00	AEON13C2012A	1.23	(0.06)	216	1.00
MITSIB	1.02	(0.04)	13,762	1.00	FSMART	7.30	0.35	49,581	7.00	AEON13C2101A	0.45	(0.04)	75,912	-
SGF	0.54	(0.01)	34,920	-	GSC	0.39	0.01	9,773	-	AEON19C2011A	-	-	-	-
<b>Industrials (MAI)</b>														
ZS	3.86	(0.02)	2,797	3.00	HSC	1.14	(0.01)	1,590	1.00	AEON19C2012A	0.97	(0.10)	7,176	1.00
ADB	0.87	(0.01)	3,950	-	GARN	2.12	(0.02)	3,414	2.00	AEON19C2101A	0.65	(0.02)	11,861	-
BM	2.40	(0.02)	873	2.00	IMH	2.10	0.02	1,119	2.00	AEON19C2102A	0.49	(0.03)	87,741	-
CHO	0.49	(0.01)	31,603	-	KIAT	0.60	(0.01)	188,103	-	AEON28C2012A	-	-	-	-
CHOW	2.00	(0.04)	2,966	2.00	KK	1.47	(0.03)	24,651	1.00	AEON28C2101A	-	-	-	-
CIIG	0.21	-	6,609	-	KOOL	0.89	0.06	49,242	-	AEON28C2103A	0.55	(0.01)	64,753	-
COLOR	1.21	-	6	1.00	LDC	1.30	(0.01)	2,925	1.00	AEON28C2104L	0.34	-	32,934	-
CPR	2.60	-	1,437	2.00	LEO	5.45	(0.20)	563,117	5.00	AEON42C2101T	0.40	(0.02)	5,930	-
FPI	1.45	-	2,150	1.00	MORE	0.79	(0.01)	176,176	-	AMAT01C2101A	0.29	(0.05)	60,874	-
GTB	0.73	0.02	9,528	-	MPG	0.27	0.01	6,753	-	AMAT06C2102A	0.39	(0.08)	31,194	-
KCM	0.44	0.01	4,602	-	MVP	1.21	-	1,408	1.00	AMAT08C2101A	0.40	(0.03)	8,751	-
KUMWEL	1.12	(0.02)	4,544	1.00	NBC	0.50	(0.01)	197	-	AMAT13C2012A	0.22	0.02	4,098	-
KWM	1.11	(0.01)	869	1.00	NCL	0.61	0.01	4,352	-	AMAT13C2102A	0.65	(0.08)	602	-
MBAX	7.60	0.55	59,572	7.00	NEWS	0.44	-	1,180	-	AMAT13C2103A	0.35	(0.06)	278,799	-
MGT	2.22	(0.02)	19,740	2.00	NINE	1.60	0.01	11	1.00	AMAT19C2011A	-	-	-	-
NDR	1.50	(0.03)	8,879	1.00	OTO	4.90	0.54	127,354	4.00	AMAT19C2012A	0.24	(0.05)	22,001	-
PDG	3.28	(0.10)	19,067	3.00	PHOL	2.30	-	5,894	2.00	AMAT19C2101A	0.47	(0.01)	4,118	-
PIMO	2.36	(0.06)	52,145	2.00	PICO	3.72	0.08	3	3.00	AMAT24C2103A	0.70	(0.06)	19,493	-
PJW	1.37	(0.02)	4,779	1.00	QLT	4.04	-	20	4.00	AMAT28C2012A	0.02	-	100	-
PPM	0.81	(0.01)	425	-	RP	1.19	(0.02)	2,979	1.00	AMAT28C2101A	0.19	(0.01)	70,417	-
PRAPAT	1.26	(0.03)	53,405	1.00	SABUY	2.02	0.02	457,405	2.00	AMAT28C2102L	0.11	(0.01)	36,504	-
RWI	1.31	0.01	1,438	1.00	SE	1.20	0.01	1,474	1.00	AMAT28C2103A	0.42	(0.04)	647	-
SALEE	0.64	(0.03)	116	-	SLM	-	-	-	-	AMAT42C2101T	0.11	-	4	-
SANKO	0.95	(0.02)	940	-	SONIC	1.32	-	10,758	1.00	AOT01C2012A	0.72	(0.07)	41,204	-
SELIC	2.00	-	5,225	2.00	SPA	6.85	(0.10)	25,338	6.00	AOT01C2102A	0.77	(0.06)	37,483	-
SFT	4.28	(0.16)	85,701	4.00	THMUI	0.62	-	460	-	AOT01C2102T	0.50	(0.02)	44,621	-
SWC	4.48	0.04	1,645	4.00	TNDT	3.10	0.06	159	3.00	AOT01P2012A	0.02	(0.01)	1,926	-
TMC	0.69	0.01	32,165	-	TNH	33.25	(0.25)	244	33.00	AOT01P2012B	0.05	-	310	-
TMI	0.70	0.01	22,166	-	TNP	3.42	(0.08)	26,127	3.00	AOT01P2102T	0.22	0.01	49,073	-
TMW	33.75	(1.25)	234	34.00	TSF	-	-	-	-	AOT01P2103A	0.67	0.02	27,750	-
TPAC	13.10	(0.20)	1,824	12.00	TVD	1.02	-	26,064	1.00	AOT06C2102A	0.83	(0.08)	56,742	-
TPLAS	1.58	(0.02)	7,026	1.00	TVT	0.59	(0.02)	8,729	-	AOT06P2103A	0.11	-	52,510	-
UBIS	5.45	0.05	23	5.00	VL	1.13	0.02	361,609	1.00	AOT08C2101A	0.69	(0.04)	20,236	-
UEC	0.93	-	5,690	-	WINNER	2.64	0.02	6,958	2.00	AOT08P2102A	0.17	-	3,900	-
UKEM	0.56	(0.01)	30,241	-	YGG	12.00	0.20	5,325	11.00	AOT11C2011A	-	-	-	-
UREKA	0.80	(0.02)	1,131	-	Technology (M/	-	-	-	-	AOT11P2101A	-	-	-	-
YUASA	15.00	(0.40)	2,696	15.00	APP	2.22	(0.04)	4,306	2.00	AOT13C2012A	0.73	(0.10)	19	-
ZIGA	3.02	0.38	390,270	2.00	COMAN	2.44	-	2,220	2.00	AOT13C2101A	0.52	(0.06)	4,953	-
<b>Property &amp; Construc</b>														
ALL	3.20	(0.04)	40,939	3.00	ICN	2.36	-	28,270	2.00	AOT13C2102A	1.06	(0.06)	125	1.00
ARIN	0.85	(0.02)	694	-	IIG	19.60	(1.00)	36,298	20.00	AOT13C2103A	0.49	(0.03)	258,263	-
ARROW	7.25	-	3,056	7.00	INSET	3.70	0.12	245,925	3.00	AOT13P2011A	-	-	-	-
BC	0.93	(0.07)	850	-	IRCP	0.72	-	2,514	-	AOT13P2101A	0.06	-	13,360	-
BSM	0.24	(0.01)	3,483	-	ITEL	2.88	(0.06)	10,928	2.00	AOT13P2102A	0.10	0.01	8,884	-
BTW	0.78	-	2,590	-	NETBAY	27.25	-	2,990	27.00	AOT13P2103A	0.55	0.03	225,886	-
CAZ	1.73	-	16,961	1.00	PLANET	1.15	-	1,383	1.00	AOT16C2012A	1.11	(0.08)	768	1.00
CHEWA	0.50	-	7,336	-	SICT	4.06	(0.08)	23,651	4.00	AOT16C2103A	0.55	(0.45)	5,103	-
CMC	0.78	-	4,796	-	SIMAT	3.50	-	5,563	3.00	AOT19C2011A	-	-	-	-
CRD	0.44	(0.01)	839	-	SKY	12.50	-	3,349	12.00	AOT19C2011B	0.11	(0.06)	151	-
DHOUSE	0.56	(0.02)	140,769	-	SPVI	3.10	(0.06)	36,787	3.00	AOT19C2012A	0.65	(0.07)		

Main Board Quotation

Issue Date :

Tuesday November 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP08C2101A	0.25	0.02	6,841	-	BCP19C2011A	-	-	-	-	BJC28C2101A	-	-	-	-
AP13C2011A	-	-	-	-	BCP19C2012A	0.13	(0.02)	307	-	BJC28C2102L	-	-	-	-
AP19C2011A	0.07	0.01	8,221	-	BCP19C2102A	0.55	(0.06)	2,728	-	BJC28C2103A	0.27	(0.03)	27,794	-
AP28C2012A	-	-	-	-	BCPG13C2012A	-	-	-	-	BJC28C2103B	-	-	-	-
AP28C2012B	0.08	0.01	23,168	-	BCPG13C2012B	-	-	-	-	BJC41C2011A	-	-	-	-
AP28C2103A	0.31	0.02	48,177	-	BCPG13C2102A	0.36	(0.06)	22,163	-	BJC41C2012A	-	-	-	-
AWC01C2101A	0.39	(0.06)	47,847	-	BCPG13C2103A	0.30	(0.04)	900,589	-	BPP13C2012A	0.17	(0.02)	34,701	-
AWC01C2103A	1.51	(0.07)	18,371	1.00	BCPG19C2011A	-	-	-	-	BPP13C2103A	0.47	(0.04)	189,020	-
AWC01P2103A	0.80	0.03	73,230	-	BCPG19C2012A	0.15	(0.05)	85,437	-	BPP19C2012A	0.18	(0.03)	10,095	-
AWC06C2103A	0.85	(0.10)	53,554	-	BCPG19C2101A	0.38	(0.07)	4,786	-	BTS01C2101A	0.12	-	21,760	-
AWC06P2012A	0.01	-	2,116	-	BCPG19C2105A	0.32	(0.68)	1,315	-	BTS01C2103A	0.66	(0.03)	1,367	-
AWC08C2012A	0.14	(0.03)	6,800	-	BCPG28C2012A	0.02	(0.01)	29	-	BTS01P2103A	0.22	(0.01)	1,104	-
AWC11C2102A	0.53	(0.06)	37,964	-	BCPG28C2012B	-	-	-	-	BTS06P2103A	0.13	-	51,348	-
AWC13C2101A	0.42	(0.06)	1,522	-	BCPG28C2012C	-	-	-	-	BTS11C2011A	-	-	-	-
AWC13C2102A	1.17	0.16	4	1.00	BCPG28C2101A	0.13	(0.03)	66,933	-	BTS13C2012A	-	-	-	-
AWC13C2102B	0.56	(0.07)	299,864	-	BCPG28C2103A	0.32	(0.05)	458	-	BTS13C2102A	-	-	-	-
AWC13P2011A	-	-	-	-	BCPG28C2103L	0.18	(0.01)	18,262	-	BTS13C2103A	0.24	-	93,572	-
AWC13P2102A	0.06	-	3,125	-	BDMS01C2101A	0.41	(0.06)	83,774	-	BTS13P2011A	-	-	-	-
AWC19C2101A	0.41	(0.08)	74,431	-	BDMS06C2102A	0.40	(0.09)	61,162	-	BTS13P2102A	0.09	(0.01)	1,501	-
AWC19C2102A	0.86	0.09	12,778	-	BDMS06C2103A	-	-	-	-	BTS19C2011A	-	-	-	-
AWC19C2103A	1.25	-	11,368	1.00	BDMS08C2011A	0.02	-	2,224	-	BTS19C2012A	0.29	0.04	2,490	-
AWC19P2011A	-	-	-	-	BDMS08C2101A	0.31	(0.08)	9,695	-	BTS19C2102A	0.57	0.09	2,106	-
AWC19P2102B	0.05	-	8,103	-	BDMS11C2011A	0.12	(0.09)	10	-	BTS19C2104A	0.20	-	1,105	-
AWC24C2103A	0.99	(0.07)	10,200	1.00	BDMS11P2104A	0.17	0.02	39,781	-	BTS19P2012A	-	-	-	-
AWC28C2012A	-	-	-	-	BDMS13C2011A	-	-	-	-	BTS19P2102A	-	-	-	-
AWC28C2012B	-	-	-	-	BDMS13C2012A	0.15	(0.09)	114,257	-	BTS24C2012A	-	-	-	-
AWC28C2101A	0.25	(0.04)	87,746	-	BDMS13C2101A	0.54	(0.14)	1,620	-	BTS41C2012A	-	-	-	-
AWC28C2103A	-	-	-	-	BDMS13C2103A	0.46	(0.06)	195,966	-	CBG01C2012A	0.06	(0.03)	83	-
AWC28C2103L	0.21	(0.03)	39,646	-	BDMS13P2102A	0.07	0.01	24,046	-	CBG01C2102A	0.43	(0.05)	74,315	-
AWC28C2104A	1.13	0.06	500	1.00	BDMS13P2103A	0.55	0.05	279,592	-	CBG01C2103T	0.36	(0.03)	26,194	-
AWC41C2102A	0.38	(0.06)	75,010	-	BDMS19C2011A	-	-	-	-	CBG01P2012A	0.10	0.01	318	-
AWC42C2101T	0.05	(0.02)	4	-	BDMS19C2012A	0.17	(0.07)	65,235	-	CBG01P2102A	0.50	0.02	26,042	-
BANP01C2101A	0.56	(0.06)	36,086	-	BDMS19C2102A	0.49	(0.15)	4,031	-	CBG06C2102A	0.46	(0.06)	48,846	-
BANP01C2103A	0.47	(0.05)	208,649	-	BDMS19P2102A	0.08	0.02	7,890	-	CBG08C2012A	0.24	(0.04)	12,132	-
BANP01C2104T	0.31	(0.03)	26,563	-	BDMS24C2101A	0.43	(0.11)	14,587	-	CBG11C2011A	0.31	(0.04)	13,797	-
BANP01P2101A	0.09	0.03	979	-	BDMS28C2012A	-	-	-	-	CBG13C2012A	0.07	(0.01)	20,449	-
BANP01P2103A	0.37	0.03	40,554	-	BDMS28C2012E	-	-	-	-	CBG13C2101A	0.33	(0.03)	68,918	-
BANP06C2101A	-	-	-	-	BDMS28C2101A	0.15	(0.06)	40,546	-	CBG13C2102A	0.48	(0.05)	169,209	-
BANP06C2104A	0.53	(0.06)	48,061	-	BDMS28C2102A	0.25	(0.08)	57,284	-	CBG13P2011A	-	-	-	-
BANP06P2011A	0.01	-	5,150	-	BDMS28C2103A	-	-	-	-	CBG13P2101A	0.40	0.03	85,455	-
BANP06P2103A	0.12	0.01	29,446	-	BDMS28C2105L	0.25	(0.75)	31,543	-	CBG16C2101A	0.33	(0.05)	13,836	-
BANP08C2102A	0.63	(0.05)	27,160	-	BDMS41C2012A	0.19	0.09	53,221	-	CBG19C2011A	0.14	(0.04)	10	-
BANP08P2102A	0.10	0.02	2,202	-	BDMS41P2011A	-	-	-	-	CBG19C2011B	-	-	-	-
BANP11C2104A	0.63	(0.05)	43,480	-	BDMS42C2101T	0.08	(0.03)	1,752	-	CBG19C2101A	0.24	(0.03)	87,412	-
BANP13C2012A	0.70	(0.01)	1	-	BEM01C2101A	-	-	-	-	CBG19C2102A	0.48	(0.05)	86,541	-
BANP13C2102A	0.42	(0.07)	123,279	-	BEM08C2102A	-	-	-	-	CBG19P2011A	-	-	-	-
BANP13C2103A	0.32	(0.68)	201,799	-	BEM11C2011A	-	-	-	-	CBG19P2012A	0.20	0.02	40,236	-
BANP13P2012A	-	-	-	-	BEM13C2101A	0.27	(0.03)	115,817	-	CBG19P2103A	0.68	(0.32)	69,037	-
BANP13P2102A	0.14	0.02	116,010	-	BEM13P2102A	-	-	-	-	CBG24C2102A	0.47	(0.06)	4,606	-
BANP16C2101A	0.54	(0.08)	11,822	-	BEM19C2011A	-	-	-	-	CBG41C2011B	-	-	-	-
BANP19C2012A	0.66	0.27	2,074	-	BEM19C2101A	0.24	(0.02)	35,736	-	CBG41C2102A	-	-	-	-
BANP19C2102A	0.44	(0.08)	49,477	-	BEM19C2102A	0.44	(0.02)	14,843	-	CBG41P2012A	0.32	0.03	31,704	-
BANP19C2103A	0.25	(0.75)	165,815	-	BEM19P2102A	-	-	-	-	CBG42C2101T	0.46	(0.06)	4,858	-
BANP19P2012A	0.01	-	849	-	BEM28C2012A	0.01	-	1,500	-	CENT01C2103A	0.76	(0.04)	26,894	-
BANP19P2102A	0.12	0.02	131,057	-	BEM28C2103A	0.23	(0.01)	24,342	-	CENT01P2103A	0.54	0.01	11,541	-
BANP24C2011A	-	-	-	-	BEM28C2103B	0.42	-	200	-	CENT08C2012A	0.16	(0.03)	2,922	-
BANP28C2012A	0.29	(0.03)	450	-	BEM28C2104L	0.21	(0.01)	9,131	-	CENT11C2012A	-	-	-	-
BANP28C2012B	0.23	(0.07)	131	-	BGR101C2012A	-	-	-	-	CENT13C2011A	-	-	-	-
BANP28C2101A	0.68	0.17	23	-	BGR101C2102A	0.49	(0.06)	45,266	-	CENT13C2101A	0.50	(0.06)	112,960	-
BANP28C2103A	0.42	(0.04)	76,680	-	BGR101P2012A	-	-	-	-	CENT13P2011A	-	-	-	-
BANP42C2012T	0.16	(0.03)	1,467	-	BGR101P2103A	0.54	0.03	59,314	-	CENT19C2011A	0.03	-	100	-
BBL06C2101A	1.20	0.03	1	1.00	BGR106C2102A	0.43	(0.08)	81,979	-	CENT19C2011B	-	-	-	-
BBL08C2101A	0.44	(0.01)	40,984	-	BGR108C2101A	0.31	(0.04)	7,252	-	CENT19C2101A	0.48	(0.06)	28,945	-
BBL08C2103A	2.14	0.08	305	2.00	BGR111C2101A	0.14	(0.03)	21,520	-	CENT19P2011A	-	-	-	-
BBL08P2102A	0.19	-	7,760	-	BGR113C2012A	0.15	(0.04)	255,428	-	CENT24C2011A	-	-	-	-
BBL11C2011A	0.26	(0.06)	5,000	-	BGR113C2101A	0.35	(0.07)	199,130	-	CENT28C2012A	0.03	(0.02)	10	-
BBL11C2104A	1.70	(0.05)	4,567	1.00	BGR113P2101A	-	-	-	-	CENT28C2012B	-	-	-	-
BBL11P2102A	0.13	-	31,420	-	BGR113P2103A	0.38	0.04	167,798	-	CENT28C2101A	0.21	(0.02)	12	-
BBL13C2012A	0.44	(0.03)	2,300	-	BGR19C2011A	-	-	-	-	CENT28C2101B	-	-	-	-
BBL13C2012B	1.11	(0.09)	10	1.00	BGR19C2012A	0.10	(0.04)	56,776	-	CENT28C2103L	0.26	(0.03)	26,472	-
BBL13C2103A	0.75	(0.03)	2,984	-	BGR19C2101A	0.42	(0.07)	187,280	-	CHG06C2102A	0.18	(0.04)	18,630	-
BBL13C2103B	0.54	(0.01)	583,826	-	BGR19P2102A	0.16	0.02	10,134	-	CHG13C2012A	0.07	(0.02)	1	-
BBL13P2012A	0.04	-	2,320	-	BGR124C2101A	0.49	(0.07)	16,648	-	CHG19C2011A	-	-	-	-
BBL13P2103A	0.39	0.01	126,411	-	BGR127C2101A	-	-	-	-	CHG19C2103A	0.19	(0.03)	11,985	-
BBL19C2011A	-	-	-	-	BGR127P2012A	-	-	-	-	CK01C2101A	0.17	(0.03)	3,028	-
BBL19C2011B	0.04	(0.02)	200	-	BGR141C2012A	-	-	-	-	CK01P2101A	0.22	0.01	10,495	-
BBL19C2012A	-	-	-	-	BGR141C2101A	0.15	(0.04)	11,877	-	CK06C2102A	0.24	(0.02)	39,029	-
BBL19C2101A	0.60	(0.05)	13,123	-	BGR142C2101T	-	-	-	-	CK06C2103A	-	-	-	-
BBL19C2101B	-	-	-	-	BH01C2103A	0.48	(0.11)	1,719	-	CK06P2012A	0.08	-	24,562	-
BBL19C2103A	0.40	(0.03)	491,748	-	BH13C2012A	0.08	(0.09)	146,031	-	CK11C2012A	-	-	-	-
BBL19P2011A	-	-	-	-	BH13C2101A	0.62	(0.33)	11,980	-	CK13C2012A	0.10	(0.02)	8,870	-
BBL19P2012A	0.02	(0.01)	221	-	BH13C2103A	0.49	(0.16)	265,477	-	CK13C2102A	0.57	(0.02)	7,552	-
BBL19P2103A	0.35	0.01	183,599	-	BH13P2101A	0.05	0.02	207,987	-	CK13C2103A	0.40	(0.02)	225,973	-
BBL24C2102A	1.92	(0.08)	1,352	1.00	BH19C2012A	0.13	(0.12)	175,894	-	CK19C2011A	-	-	-	-
BBL28C2012A	-	-	-	-	BH19C2101A	1.23	(0.57)	44,434	1.00	CK19C2012A	0.16	(0.02)	62,317	-
BBL28C2101A	0.30	(0.02)	93,120	-	BH19C2103A	0.47	(0.19)	259,794	-	CK19C2103A	0.43	(0.03)	109,486	-
BBL28C2103A	-	-	-	-	BH19P2012A	0.07	0.03	21,773	-	CK19P2011A	-	-	-	-
BBL28C2104L	0.31	(0.01)	33,399	-	BH24C2102A	0.35	(0.20)	66,616						

## Main Board Quotation

Issue Date :

Tuesday November 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP19C2011A	0.03	(0.01)	1,000	-	CPN13C2012A	-	-	-	-	EA41C2011A	-	-	-	-
CKP19C2011B	-	-	-	-	CPN13C2102A	1.11	(0.16)	406	1.00	EA41C2101A	-	-	-	-
CKP19C2101A	0.10	-	12,827	-	CPN13C2103A	0.59	(0.06)	335,565	-	EA42C2101T	0.15	(0.02)	3,125	-
CKP19C2102A	0.51	(0.03)	25,440	-	CPN19C2011A	-	-	-	-	EGC001C2101A	0.10	(0.01)	68,175	-
CKP19P2012A	0.20	0.01	56,099	-	CPN19C2012A	0.26	(0.06)	76,093	-	EGC001C2103A	1.20	(0.08)	26,689	1.00
CKP24C2011A	-	-	-	-	CPN19C2102A	0.68	(0.08)	43,584	-	EGC001P2101A	0.43	0.03	70,790	-
CKP28C2012A	-	-	-	-	CPN19C2104A	0.50	(0.03)	260,840	-	EGC013C2011A	-	-	-	-
CKP28C2012B	-	-	-	-	CPN19P2101A	0.05	0.02	16,901	-	EGC013C2012A	0.06	(0.02)	23,533	-
CKP28C2103A	0.15	-	58,546	-	CPN24C2011A	-	-	-	-	EGC013C2012B	0.12	(0.05)	82,483	-
CKP28C2103B	-	-	-	-	CPN24C2102A	1.01	(0.12)	17,638	1.00	EGC013C2101A	0.62	(0.10)	79,464	-
COM701C2103A	0.27	(0.03)	9,091	-	CPN41C2012A	0.24	(0.05)	1,288	-	EGC013P2011A	0.08	(0.10)	3	-
COM706C2012A	-	-	-	-	CPN41C2101A	0.26	(0.06)	99,934	-	EGC019C2011A	-	-	-	-
COM706C2103A	0.34	(0.06)	46,919	-	CPN41C2102A	-	-	-	-	EGC019C2012A	0.02	(0.01)	2,501	-
COM708C2011A	0.11	(0.07)	30	-	CPN41P2011A	-	-	-	-	EGC019C2012B	0.31	(0.07)	53,466	-
COM708C2102A	0.22	(0.04)	46,262	-	CPN41P2102A	0.06	0.01	420	-	EGC019C2102A	1.04	(0.11)	30,521	1.00
COM711C2101A	0.27	(0.04)	23,200	-	CRC01C2101A	0.22	(0.05)	77,448	-	EGC019P2011A	-	-	-	-
COM711P2102A	0.50	0.05	12,360	-	CRC01P2101A	0.11	-	69,092	-	EGC019P2012A	0.20	0.01	56,984	-
COM713C2101A	0.13	(0.03)	16,175	-	CRC06C2102A	0.34	(0.06)	42,925	-	EGC041C2101A	0.08	(0.02)	28,995	-
COM713C2103A	0.31	(0.04)	157,893	-	CRC08C2101A	0.24	(0.04)	14,640	-	EGC042C2101T	0.02	-	600	-
COM716C2101A	0.17	(0.03)	2,204	-	CRC11P2104A	0.31	0.02	34,370	-	EPG13C2012A	0.11	(0.04)	18,573	-
COM719C2011A	-	-	-	-	CRC13C2012A	0.16	(0.04)	4,190	-	EPG13C2102A	-	-	-	-
COM719C2011B	-	-	-	-	CRC13C2101A	0.41	-	100	-	EPG13C2102B	0.27	(0.05)	44,876	-
COM719C2012A	0.09	(0.02)	32,344	-	CRC13C2103A	0.32	(0.04)	209,790	-	EPG19C2011A	-	-	-	-
COM719C2103A	0.25	(0.04)	54,576	-	CRC13P2012A	-	-	-	-	EPG19C2102A	-	-	-	-
COM719P2011A	-	-	-	-	CRC16C2102A	0.42	(0.07)	3,588	-	EPG19C2103A	0.28	(0.05)	18,106	-
COM719P2012A	0.02	0.01	1,330	-	CRC19C2011A	-	-	-	-	EPG42C2101T	0.35	(0.06)	502	-
COM719P2101A	0.20	0.03	244,568	-	CRC19C2012A	0.15	(0.05)	62,064	-	ESSO01C2012A	0.10	-	16,987	-
COM719P2102A	0.55	0.06	143,241	-	CRC19C2101A	0.39	(0.07)	3,212	-	ESSO01C2103A	0.34	(0.03)	78,386	-
COM724C2102A	0.11	(0.04)	6,406	-	CRC19C2104A	0.25	(0.75)	61,810	-	ESSO01P2012A	-	-	-	-
COM741C2101A	0.09	(0.02)	1,997	-	CRC19P2011A	-	-	-	-	ESSO06C2103A	0.46	(0.04)	77,731	-
CPAL01C2101A	0.16	-	26,246	-	CRC24C2101A	0.22	(0.05)	14,261	-	ESSO08C2011A	0.01	(0.01)	1,020	-
CPAL01C2103A	0.60	(0.01)	45,290	-	CRC28C2012A	-	-	-	-	ESSO08C2102A	0.37	(0.02)	34,908	-
CPAL01P2101A	0.23	-	14,377	-	CRC28C2101A	0.21	(0.03)	51,731	-	ESSO13C2012A	0.13	(0.02)	225,975	-
CPAL06C2102A	0.14	(0.01)	42,412	-	CRC28C2103A	0.49	(0.04)	198	-	ESSO13C2102A	0.40	(0.05)	243,232	-
CPAL06C2104A	0.45	-	44,215	-	CRC28C2104L	0.20	(0.80)	6,164	-	ESSO19C2011A	-	-	-	-
CPAL06P2012A	0.04	(0.01)	4,448	-	CRC41C2012A	0.17	(0.02)	230	-	ESSO19C2012A	0.13	(0.02)	183,771	-
CPAL08C2011A	-	-	-	-	DOHO01C2103/	0.32	(0.01)	22,714	-	ESSO19C2103A	0.40	(0.05)	243,016	-
CPAL08C2102A	0.24	(0.02)	8,210	-	DOHO01P2103/	0.57	-	27,028	-	ESSO19P2012A	0.04	0.01	1	-
CPAL08P2101A	0.30	0.01	15,949	-	DOHO06C2012/	0.04	(0.01)	500	-	ESSO24C2012A	-	-	-	-
CPAL11C2012A	-	-	-	-	DOHO06C2104/	0.34	-	28,300	-	ESSO28C2101A	-	-	-	-
CPAL13C2012A	0.06	0.02	200	-	DOHO08C2012/	0.16	(0.02)	23,787	-	ESSO28C2101B	0.11	(0.01)	76,176	-
CPAL13C2101A	0.26	(0.01)	184,289	-	DOHO11C2101/	0.20	(0.02)	10,080	-	ESSO28C2104A	0.31	(0.03)	133,276	-
CPAL13C2102A	0.55	(0.03)	785	-	DOHO13C2101/	0.06	-	8,793	-	ESSO28C2105L	0.25	(0.02)	47,078	-
CPAL13P2102A	0.16	-	36,880	-	DOHO13C2103/	0.27	-	112,512	-	ESSO42C2101T	0.12	(0.01)	34	-
CPAL16C2101A	0.49	(0.03)	12,224	-	DOHO19C2011/	0.01	-	25	-	GFPT08C2011A	0.02	(0.01)	10	-
CPAL19C2011A	-	-	-	-	DOHO19C2101/	0.08	(0.02)	4,000	-	GFPT19C2012A	0.09	-	298,884	-
CPAL19C2012A	0.11	-	17,892	-	DOHO19C2103/	0.27	(0.01)	71,008	-	GFPT19C2103A	0.34	(0.02)	22,364	-
CPAL19C2102A	0.26	(0.02)	74,261	-	DOHO28C2012/	-	-	-	-	GFPT24C2012A	0.04	-	10	-
CPAL19C2103A	0.54	(0.02)	43,970	-	DOHO28C2102/	0.12	(0.01)	10,884	-	GFPT42C2101T	-	-	-	-
CPAL19P2101A	-	-	-	-	DOHO28C2104/	0.34	(0.02)	37,530	-	GLOB01C2012A	0.01	-	79	-
CPAL24C2103A	0.43	(0.03)	13,188	-	DOHO42C2012/	-	-	-	-	GLOB01C2102A	0.39	(0.04)	48,790	-
CPAL27C2101A	-	-	-	-	DTAC01C2101A	0.17	-	37,128	-	GLOB13C2011A	-	-	-	-
CPAL28C2012A	0.01	-	795	-	DTAC01C2103A	0.37	-	172,468	-	GLOB13C2102A	0.23	(0.03)	88,010	-
CPAL28C2012B	-	-	-	-	DTAC01P2101A	0.09	(0.01)	80	-	GLOB19C2012A	0.04	(0.01)	1,400	-
CPAL28C2012C	-	-	-	-	DTAC01P2103A	0.37	(0.01)	56,865	-	GLOB19C2102A	0.28	(0.03)	55,161	-
CPAL28C2102A	0.10	(0.01)	3,042	-	DTAC06C2012A	-	-	-	-	GPSC01C2012A	-	-	-	-
CPAL28C2103A	0.29	(0.02)	30,560	-	DTAC06C2103A	0.44	0.01	141,421	-	GPSC01C2101A	0.50	(0.06)	34,286	-
CPAL28C2103B	0.53	(0.05)	8,000	-	DTAC06P2012A	0.08	-	36,550	-	GPSC01C2103A	1.49	(0.10)	14,140	1.00
CPAL28C2104L	0.15	(0.01)	9,626	-	DTAC08C2012A	-	-	-	-	GPSC01C2104T	0.54	(0.04)	44,421	-
CPAL41C2011A	-	-	-	-	DTAC08C2101A	0.18	(0.01)	7,399	-	GPSC01P2012A	-	-	-	-
CPAL41C2101A	0.21	(0.03)	11,822	-	DTAC13C2012A	0.09	-	24,312	-	GPSC01P2103A	0.68	0.04	43,943	-
CPAL41C2101B	0.49	(0.02)	888	-	DTAC13C2101A	0.21	-	242,918	-	GPSC06C2101A	0.17	(0.05)	69,299	-
CPAL41P2011A	-	-	-	-	DTAC13C2103A	0.41	-	4,271	-	GPSC06C2103A	-	-	-	-
CPAL41P2101A	0.28	0.01	15,764	-	DTAC13P2101A	0.04	(0.01)	681	-	GPSC08C2101A	0.27	(0.02)	9,000	-
CPAL41P2101B	0.11	(0.01)	973	-	DTAC13P2103A	0.24	-	55,590	-	GPSC08C2103A	1.02	(0.07)	39,202	1.00
CPAL42C2101T	0.02	-	500	-	DTAC19C2011A	-	-	-	-	GPSC11C2102A	0.46	(0.04)	30,500	-
CPF01C2012A	0.05	-	2	-	DTAC19C2012A	-	-	-	-	GPSC13C2012A	-	-	-	-
CPF01C2101A	0.16	(0.03)	127,654	-	DTAC19C2101A	0.25	-	62,133	-	GPSC13C2012B	0.21	(0.04)	5,219	-
CPF01P2012A	0.19	0.03	73,396	-	DTAC19C2103A	0.48	0.01	15,026	-	GPSC13C2101A	0.65	(0.08)	16,241	-
CPF06C2102A	0.14	(0.02)	89,970	-	DTAC19P2011A	-	-	-	-	GPSC13C2102A	1.09	(0.13)	5,783	1.00
CPF08C2102A	0.15	(0.03)	5,660	-	DTAC19P2103A	0.27	-	87,960	-	GPSC13C2103A	0.65	(0.06)	803,963	-
CPF08P2103A	0.22	0.02	27,010	-	DTAC24C2012A	-	-	-	-	GPSC13P2011B	-	-	-	-
CPF11C2104A	0.33	(0.03)	97,844	-	DTAC28C2012A	-	-	-	-	GPSC13P2102A	0.15	0.01	16	-
CPF11P2104A	0.25	0.01	69,634	-	DTAC28C2102A	0.12	-	15,210	-	GPSC13P2102B	0.41	0.03	179,138	-
CPF13C2011A	-	-	-	-	DTAC28C2103A	0.32	0.03	48,706	-	GPSC16C2103A	0.97	(0.06)	5,160	-
CPF13C2012A	0.02	-	2,500	-	DTAC28C2104L	0.21	-	15,210	-	GPSC19C2012A	0.15	(0.03)	68,303	-
CPF13C2101A	0.11	(0.03)	101,542	-	DTAC41C2011A	0.01	(0.01)	3,000	-	GPSC19C2101A	0.40	(0.06)	889,262	-
CPF13C2102A	0.23	(0.05)	405,627	-	DTAC41C2012A	-	-	-	-	GPSC19C2101B	0.74	(0.08)	14,250	-
CPF13P2012A	-	-	-	-	DTAC42C2101T	-	-	-	-	GPSC19C2102A	1.13	(0.11)	13,380	1.00
CPF13P2101A	-	-	-	-	EA06C2102A	0.29	(0.07)	180,961	-	GPSC19P2011A	-	-	-	-
CPF16C2012A	-	-	-	-	EA06P2012A	-	-	-	-	GPSC19P2012A	-	-	-	-
CPF19C2012A	0.02	(0.02)	5,265	-	EA08C2101A	0.32	(0.03)	5,035	-	GPSC19P2102A	0.16	0.01	98,277	-
CPF19C2102A	0.18	(0.03)	144,586	-	EA11C2101A	-	-	-	-	GPSC19P2103A	0.54	0.03	390,693	-
CPF19C2103A	0.31	(0.03)	29,744	-	EA13C2011A	-	-	-	-	GPSC24C2011A	-	-	-	-
CPF19P2012A	0.19	(0.31)	7,250	-	EA13C2012A	-	-	-	-	GPSC28C2101A	0.23	(0.03)	50,300	-
CPF19P2101A	0.10	0.01	15,000	-	EA13C2101A	0.34	(0.08)	10,813	-	GPSC28C2103A	-	-	-	-
CPF24C2012A	-	-	-	-	EA13C2103A	0.29	(0.06)	417,735	-	GPSC28C2104L	0.28	(0.02)	16,760	-
CPF28C2012A	-	-	-	-	EA13P2011A	-	-	-						



## Main Board Quotation

Issue Date :

Tuesday November 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF13C2102A	0.47	(0.08)	35,769	-	HSI41C2011C	-	-	-	-	IVL28C2103A	-	-	-	-
GULF13C2103A	0.39	(0.05)	402,992	-	HSI41C2011D	-	-	-	-	IVL28C2104A	0.26	(0.74)	44,059	-
GULF13P2101A	-	-	-	-	HSI41C2011E	-	-	-	-	IVL28C2104L	0.43	(0.05)	21,353	-
GULF13P2103A	0.20	0.03	226,950	-	HSI41C2012A	0.20	0.04	282	-	IVL41C2011A	0.09	(0.01)	100	-
GULF16C2102A	0.16	(0.03)	1,232	-	HSI41C2012B	1.47	0.05	7,000	1.00	IVL41C2012A	-	-	-	-
GULF19C2012A	0.11	(0.03)	38,264	-	HSI41C2012C	0.68	0.04	394,626	-	IVL41P2012A	-	-	-	-
GULF19C2101A	0.25	(0.06)	452,786	-	HSI41C2012U	-	-	-	-	IVL41P2012B	-	-	-	-
GULF19C2103A	0.51	(0.05)	636	-	HSI41C2012V	-	-	-	-	IVL42C2101T	-	-	-	-
GULF19P2012A	0.04	0.02	1,000	-	HSI41C2101A	0.20	-	1,562	-	JAS08C2011A	0.02	-	700	-
GULF19P2102A	-	-	-	-	HSI41C2101B	0.56	(0.44)	40,010	-	JAS08P2103A	0.28	(0.01)	43,253	-
GULF19P2103A	0.19	0.02	346,284	-	HSI41C2101T	0.80	(0.20)	220,000	-	JAS13C2012A	0.15	(0.02)	117,595	-
GULF24C2101A	0.23	(0.05)	12,285	-	HSI41P2011A	0.01	-	400	-	JAS13C2101A	0.42	(0.06)	61,603	-
GULF28C2012A	0.01	-	7,200	-	HSI41P2011B	-	-	-	-	JAS13C2103A	0.53	(0.04)	683,658	-
GULF28C2012B	-	-	-	-	HSI41P2011C	-	-	-	-	JAS19C2012A	0.11	(0.03)	181,772	-
GULF28C2101A	0.12	(0.04)	41,954	-	HSI41P2011D	-	-	-	-	JAS19C2101A	0.43	(0.05)	137,900	-
GULF28C2102A	0.19	(0.02)	33,512	-	HSI41P2011E	-	-	-	-	JAS19P2010A	0.12	0.02	250,461	-
GULF28C2103A	-	-	-	-	HSI41P2012A	0.02	(0.03)	204	-	JAS28C2012A	-	-	-	-
GULF41C2012A	-	-	-	-	HSI41P2012B	0.14	(0.02)	36,650	-	JAS28C2012B	-	-	-	-
GULF41C2102A	0.26	(0.04)	118,947	-	HSI41P2012C	0.07	(0.02)	40	-	JAS28C2101A	0.10	(0.02)	257,089	-
GULF41C2102B	0.62	(0.05)	7,940	-	HSI41P2012T	0.14	(0.03)	1	-	JAS28C2102A	0.25	(0.03)	164,261	-
GULF41P2012A	-	-	-	-	HSI41P2012V	0.26	(0.02)	5,741	-	JAS28C2102A	0.48	-	33,353	-
GULF41P2102A	-	-	-	-	HSI41P2101A	-	-	-	-	JAS41C2011A	0.01	-	1,200	-
GULF41P2102B	0.25	0.03	10,982	-	HSI41P2101B	-	-	-	-	JAS41C2102A	0.47	0.02	69,149	-
GULF42C2101T	-	-	-	-	HSI41P2101T	0.63	(0.37)	2	-	JMT01C2102A	0.24	(0.01)	17,071	-
GULF42P2101T	-	-	-	-	INTU01C2101A	0.22	(0.02)	63,182	-	JMT01P2102A	0.33	-	22,089	-
GUNK01C2012A	-	-	-	-	INTU01P2010A	0.31	0.02	51,333	-	JMT06C2012A	0.13	(0.01)	26,168	-
GUNK13C2101A	0.12	(0.02)	99,026	-	INTU06C2103A	0.43	(0.04)	39,488	-	JMT06C2103A	0.24	-	19,345	-
GUNK13C2102A	0.33	0.04	510	-	INTU06P2011A	0.01	-	3,000	-	JMT08C2101A	0.17	(0.01)	18,600	-
GUNK19C2012A	-	-	-	-	INTU11C2102A	0.43	(0.04)	44,890	-	JMT11C2102A	-	-	-	-
GUNK19C2101A	0.10	(0.02)	20,739	-	INTU13C2101A	0.31	(0.04)	215,964	-	JMT13C2012A	0.07	(0.01)	132,725	-
GUNK19C2103A	0.26	(0.03)	52,654	-	INTU19C2012A	0.09	(0.02)	21,908	-	JMT13C2102A	0.22	(0.01)	118,915	-
GUNK24C2012A	0.03	-	665	-	INTU19C2101A	0.37	(0.03)	18,850	-	JMT16C2102A	0.26	(0.01)	4,700	-
GUNK28C2012A	0.01	(0.01)	10,000	-	INTU19P2012A	0.14	0.01	90,876	-	JMT19C2011A	-	-	-	-
GUNK28C2012B	-	-	-	-	INTU23C2111A	0.74	-	10	-	JMT19C2012A	0.08	(0.01)	757	-
GUNK28C2102A	0.08	-	20,000	-	INTU28C2012A	-	-	-	-	JMT19C2102A	0.18	-	340,525	-
GUNK28C2103A	0.18	(0.03)	46,964	-	INTU28C2101A	0.15	(0.02)	60,858	-	JMT24C2011A	-	-	-	-
HANA01C2012A	0.10	(0.02)	46,922	-	INTU28C2103A	0.38	(0.03)	98,551	-	JMT28C2101A	0.15	-	15,210	-
HANA01C2102A	0.09	-	5,300	-	INTU41C2012A	-	-	-	-	JMT28C2104L	0.16	(0.01)	21,294	-
HANA01C2102B	0.21	(0.02)	64,105	-	INTU42C2101T	0.05	-	100	-	JMT41C2012A	-	-	-	-
HANA01C2103A	0.43	(0.02)	41,445	-	IRPC01C2101A	0.33	(0.05)	49,093	-	JMT42C2101T	0.14	-	7	-
HANA01P2102A	0.90	0.03	26,350	-	IRPC01C2103A	0.57	(0.07)	35,382	-	KBAN01C2012A	1.11	(0.13)	40,578	1.00
HANA06C2102A	0.10	(0.01)	53,509	-	IRPC01P2101A	0.05	-	300	-	KBAN01C2012B	0.70	(0.13)	45,250	-
HANA06C2104A	0.40	(0.04)	47,469	-	IRPC06C2103A	0.73	(0.07)	1	-	KBAN01C2102A	2.20	(0.32)	1,039	2.00
HANA11C2102A	0.28	(0.02)	21,766	-	IRPCI1C2102A	0.31	(0.06)	50,560	-	KBAN01C2102T	1.16	(0.06)	15,706	1.00
HANA13C2012A	0.01	-	40,612	-	IRPCI3C2012A	0.17	(0.10)	1,650	-	KBAN01P2012A	0.06	(0.02)	4,512	-
HANA13C2102A	0.12	(0.01)	68,189	-	IRPCI3C2012B	-	-	-	-	KBAN01P2101A	0.08	-	18,423	-
HANA13C2102B	0.23	(0.01)	149,086	-	IRPCI3C2101A	-	-	-	-	KBAN01P2102T	0.17	-	91,890	-
HANA13C2103A	0.39	(0.02)	599,521	-	IRPCI3C2102A	0.70	(0.16)	604	-	KBAN06C2012A	0.55	-	2	-
HANA13P2101A	0.58	-	932	-	IRPCI3C2103A	0.40	(0.05)	6,918	-	KBAN06C2103A	2.62	(0.10)	41	2.00
HANA13P2103A	0.55	0.02	400,031	-	IRPCI3C2103B	0.25	(0.75)	367,424	-	KBAN06P2103A	0.04	(0.01)	18,304	-
HANA16C2101A	0.11	(0.02)	2,855	-	IRPCI3P2011A	-	-	-	-	KBAN06P2104A	0.65	0.06	105,120	-
HANA16C2103A	0.39	(0.61)	6,837	-	IRPCI3P2012A	0.01	-	201	-	KBAN08C2011A	-	-	-	-
HANA19C2012A	0.05	-	2,856	-	IRPCI3P2011A	-	-	-	-	KBAN08C2101A	-	-	-	-
HANA19C2101A	0.05	(0.01)	4,720	-	IRPCI9C2012A	-	-	-	-	KBAN08C2103A	2.00	(0.08)	1,204	2.00
HANA19C2102A	0.14	(0.01)	46,512	-	IRPCI9C2101A	0.44	(0.02)	272	-	KBAN08P2101A	0.11	-	12,494	-
HANA19C2103A	0.35	(0.02)	251,618	-	IRPCI9C2103A	-	-	-	-	KBAN13C2011A	0.14	(0.11)	358	-
HANA19P2011A	-	-	-	-	IRPCI9C2104A	0.33	(0.05)	109,810	-	KBAN13C2012A	0.77	(0.17)	2,975	-
HANA19P2101A	0.64	0.05	22	-	IRPCI9P2011A	-	-	-	-	KBAN13C2012B	1.48	(0.10)	5	1.00
HANA24C2012A	0.13	(0.02)	9,703	-	IRPCI9P2012A	0.01	-	40	-	KBAN13C2101A	2.06	(0.06)	301	2.00
HANA27P2012X	-	-	-	-	IRPC24C2012A	0.15	(0.08)	12,966	-	KBAN13C2102A	1.16	(0.12)	45,854	1.00
HANA28C2012A	-	-	-	-	IRPC28C2012A	0.03	-	499	-	KBAN13C2103A	0.57	(0.05)	1,127,853	-
HANA28C2104A	0.46	(0.04)	72,618	-	IRPC28C2101A	0.15	(0.04)	47,164	-	KBAN13P2011A	-	-	-	-
HANA28C2104L	0.10	-	24,430	-	IRPC28C2103A	0.35	(0.05)	7	-	KBAN13P2012A	0.02	-	19,069	-
HANA41C2012A	0.08	(0.02)	1	-	IRPC28C2103B	-	-	-	-	KBAN13P2103A	0.52	0.03	1,255,355	-
HANA42C2101T	0.13	-	10,019	-	IRPCA1C2101A	0.22	(0.06)	10,304	-	KBAN16C2101A	-	-	-	-
HMPR01C2012A	-	-	-	-	IVL01C2012A	0.09	-	5	-	KBAN16C2103A	1.22	0.22	636	1.00
HMPR01C2103A	0.50	0.01	18,508	-	IVL01C2012B	0.45	(0.09)	5,454	-	KBAN19C2011A	0.01	-	1,001	-
HMPR01P2012A	0.12	-	16,000	-	IVL01C2102A	0.23	(0.06)	144,401	-	KBAN19C2012A	0.99	(0.13)	9,072	1.00
HMPR06C2102A	0.36	0.02	35,050	-	IVL01C2102B	1.05	(0.22)	3,792	1.00	KBAN19C2012B	0.72	(0.19)	25,910	-
HMPR06P2103A	0.16	(0.01)	11,522	-	IVL01C2103T	0.71	(0.09)	8,698	-	KBAN19C2101A	1.91	(0.21)	36,919	2.00
HMPR11C2011A	-	-	-	-	IVL01P2012A	-	-	-	-	KBAN19C2103A	1.10	(0.11)	12,800	1.00
HMPR13C2012A	-	-	-	-	IVL01P2102A	0.19	0.03	136,582	-	KBAN19C2103B	0.38	(0.62)	265,861	-
HMPR13C2102A	0.42	0.01	200	-	IVL01P2103T	0.33	0.03	43,055	-	KBAN19P2012A	0.02	0.01	1,441	-
HMPR13C2103A	0.31	0.01	198,095	-	IVL06C2101A	0.51	(0.13)	8	-	KBAN19P2103A	0.16	0.01	127,191	-
HMPR19C2102A	0.31	0.01	33,282	-	IVL06C2103A	-	-	-	-	KBAN19P2103B	0.44	0.04	493,679	-
HMPR19P2011A	-	-	-	-	IVL06C2104A	0.28	(0.08)	459,202	-	KBAN24C2012A	0.96	(0.13)	1,423	-
HSC41C2101A	0.82	(0.07)	41,079	-	IVL06P2104A	0.23	0.04	104,826	-	KBAN24C2103A	2.28	(0.12)	918	2.00
HSC41P2101A	-	-	-	-	IVL08C2101A	-	-	-	-	KBAN28C2012A	0.01	-	3,119	-
HSI28C2011A	2.26	0.10	3,525	2.00	IVL08C2103A	0.35	(0.07)	51,884	-	KBAN28C2012B	0.04	-	2,000	-
HSI28C2011B	1.06	0.10	143,801	-	IVL08P2011A	-	-	-	-	KBAN28C2101A	0.92	(0.07)	371	-
HSI28C2011C	0.03	-	714	-	IVL08P2102A	0.16	0.03	16,340	-	KBAN28C2103A	-	-	-	-
HSI28C2011L	0.12	-	118,120	-	IVL11C2012A	0.13	(0.04)	92,340	-	KBAN28C2104L	0.52	(0.04)	117,621	-
HSI28C2012A	2.38	0.08	42,841	2.00	IVL13C2012A	0.27	(0.16)	19,499	-	KBAN28P2012A	-	-	-	-
HSI28C2012B	1.47	0.06	1,475,373	1.00	IVL13C2012B	0.07	(0.03)	37,830	-	KBAN41C2012A	-	-	-	-
HSI28C2012C	0.84	0.03	1,950,436	-	IVL13C2101A	0.95	(0.41)	9,175	1.00	KBAN41C2101A	-	-	-	-
HSI28C2012D	0.45	0.02	41,950	-	IVL13C2103A	0.32	(0.07)	44,283	-	KBAN41C2101B	1.24	(0.10)	9	1.00
HSI28C2012L	0.18	-	7,806	-	IVL13C2103B	0.22	(0.06)	605,544	-	KBAN41P2101B	-	-	-	-
HSI28C2101L	0.22	0.02	12,566</											

## Main Board Quotation

Issue Date :

Tuesday November 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE13P2012A	-	-	-	-	MINT19C2102A	0.94	(0.07)	2,788	-	PTG11C2101A	0.23	(0.03)	26,825	-
KCE13P2101A	0.05	-	2,240	-	MINT19C2103A	0.46	(0.02)	1,004,380	-	PTG13C2102A	0.01	(0.01)	420	-
KCE13P2102A	0.25	0.01	222,082	-	MINT19P2011A	-	-	-	-	PTG13C2102B	0.10	(0.04)	171,774	-
KCE16C2012A	0.33	(0.01)	3,384	-	MINT19P2012A	0.03	(0.02)	106	-	PTG13C2102A	0.23	(0.06)	567,037	-
KCE19C2011A	-	-	-	-	MINT19P2101A	-	-	-	-	PTG16C2101A	0.20	(0.04)	5,046	-
KCE19C2012A	0.25	(0.03)	45,364	-	MINT19P2102A	0.05	-	7,411	-	PTG19C2011A	-	-	-	-
KCE19C2102A	0.28	(0.03)	340,401	-	MINT19P2103A	0.33	-	138,135	-	PTG19C2102A	0.11	(0.05)	22,372	-
KCE19C2102B	0.18	(0.03)	17,954	-	MINT24C2011A	-	-	-	-	PTG19C2103A	0.27	(0.06)	141,496	-
KCE19P2012A	-	-	-	-	MINT28C2012A	0.04	(0.02)	574	-	PTG19P2011A	-	-	-	-
KCE19P2101A	-	-	-	-	MINT28C2012B	-	-	-	-	PTG19P2101A	0.33	0.05	209,748	-
KCE19P2102A	0.19	0.01	44,896	-	MINT28C2012C	0.12	(0.01)	43,964	-	PTG24C2102A	0.20	(0.04)	3,733	-
KCE27C2101X	-	-	-	-	MINT28C2103A	0.91	-	5	-	PTG41C2101A	0.15	(0.04)	13,791	-
KCE41C2012A	-	-	-	-	MINT28C2103B	0.52	(0.48)	118,140	-	PTG42C2101T	0.15	(0.02)	12	-
KCE42C2012T	-	-	-	-	MINT28C2104L	0.30	-	39,114	-	PTT01C2101A	0.09	0.01	4,639	-
KKP01C2103A	0.49	-	84,740	-	MINT41C2012A	0.75	0.02	250	-	PTT01C2102A	0.58	0.03	3,584	-
KKP01P2103A	0.34	(0.01)	86,469	-	MINT42C2101T	0.30	-	278	-	PTT01C2103T	0.36	(0.01)	3,422	-
KKP13C2012A	-	-	-	-	MINT42P2102T	0.21	-	16	-	PTT01P2012A	0.07	0.02	26	-
KKP13C2102A	0.62	0.01	620	-	MTC01C2012A	0.15	(0.03)	36,822	-	PTT01P2102A	0.10	0.01	609	-
KKP13C2103A	0.43	(0.01)	308,641	-	MTC01C2102A	0.46	(0.05)	83,105	-	PTT01P2103T	0.10	-	47,976	-
KKP13P2102A	0.18	-	35,041	-	MTC06C2102A	0.41	(0.07)	54,812	-	PTT06C2102A	0.07	-	180	-
KKP19C2011A	-	-	-	-	MTC08C2011A	-	-	-	-	PTT06C2101A	0.34	(0.03)	111,278	-
KKP19C2012A	0.26	(0.01)	125,555	-	MTC08C2102A	0.46	(0.05)	49,240	-	PTT08C2101A	0.18	(0.01)	6,977	-
KTB13C2012A	0.12	(0.02)	300,964	-	MTC11C2102A	0.42	(0.05)	24,166	-	PTT08C2103A	0.59	-	3,847	-
KTB13C2101A	0.64	(0.04)	982	-	MTC13C2011A	-	-	-	-	PTT08P2101A	0.10	(0.04)	35	-
KTB19C2011A	-	-	-	-	MTC13C2101A	0.31	(0.06)	250,256	-	PTT11C2101A	0.15	-	31,241	-
KTB19C2012A	0.22	-	10,601	-	MTC13P2011A	-	-	-	-	PTT13C2012A	0.04	(0.01)	2,950	-
KTB19C2101A	0.60	(0.06)	24,947	-	MTC13P2103A	0.58	0.04	164,690	-	PTT13C2012B	0.19	(0.02)	850	-
KTB19P2012A	0.05	-	2,611	-	MTC19C2012A	0.17	(0.03)	235,424	-	PTT13C2101A	0.44	(0.04)	14,841	-
KTB24C2101A	0.50	0.02	14,047	-	MTC19C2103A	0.34	(0.04)	93,176	-	PTT13C2102A	0.68	0.02	2,114	-
KTB28C2012A	-	-	-	-	MTC19P2012A	-	-	-	-	PTT13C2103A	0.38	(0.02)	825,511	-
KTB28C2012B	-	-	-	-	MTC19P2103A	0.56	0.04	154,861	-	PTT13P2011A	-	-	-	-
KTB28C2101C	-	-	-	-	MTC24C2103A	0.37	(0.05)	27,591	-	PTT13P2101A	-	-	-	-
KTB28C2102A	0.42	0.12	350	-	MTC28C2012A	-	-	-	-	PTT13P2103A	0.10	-	277,276	-
KTB28C2103A	0.72	(0.03)	80	-	MTC28C2012B	0.14	(0.03)	5,064	-	PTT13P2103B	0.31	-	258,477	-
KTB28C2104A	0.26	(0.01)	68,105	-	MTC28C2102L	0.16	(0.01)	9,126	-	PTT16C2012A	0.20	(0.01)	5,104	-
KTC01C2012A	0.41	(0.05)	38,369	-	MTC28C2103A	0.31	(0.03)	25,406	-	PTT19C2011A	-	-	-	-
KTC01C2103A	0.51	(0.05)	37,017	-	MTC41C2012A	0.27	(0.06)	5,981	-	PTT19C2012A	0.11	(0.02)	205,862	-
KTC01P2012A	-	-	-	-	MTC42C2101T	-	-	-	-	PTT19C2012B	0.19	(0.02)	36,009	-
KTC01P2102A	0.18	0.01	36,622	-	ORI13C2011A	-	-	-	-	PTT19C2101A	0.44	0.14	2,904	-
KTC08C2011A	-	-	-	-	ORI13C2102A	0.45	(0.01)	132,515	-	PTT19C2103A	0.62	(0.04)	40	-
KTC11C2104A	0.62	(0.05)	31,727	-	ORI19C2011A	0.41	(0.08)	1	-	PTT19C2104A	0.36	(0.01)	324,943	-
KTC11P2011A	-	-	-	-	ORI19C2012A	0.15	-	42,538	-	PTT19P2101A	0.02	(0.01)	200	-
KTC11P2104A	0.35	0.01	27,760	-	ORI19C2102A	0.46	0.01	105,050	-	PTT19P2103A	0.07	(0.01)	750	-
KTC13C2011A	-	-	-	-	ORI28C2012A	-	-	-	-	PTT19P2103B	0.24	0.01	184,712	-
KTC13C2101A	0.50	(0.03)	4,180	-	ORI28C2012B	0.38	(0.03)	270	-	PTT24C2101A	0.26	-	13,021	-
KTC13C2103A	0.37	(0.05)	423,278	-	ORI28C2101A	0.10	(0.02)	99,677	-	PTT28C2012A	0.01	-	100	-
KTC13P2012A	-	-	-	-	ORI28C2103A	0.40	(0.60)	108,012	-	PTT28C2101A	0.12	(0.01)	73,056	-
KTC13P2101A	-	-	-	-	ORI28C2103L	0.26	-	74,510	-	PTT28C2103A	-	-	-	-
KTC13P2103A	0.53	0.03	173,042	-	OSPO1C2012A	0.02	(0.07)	189	-	PTT28C2103L	0.22	0.01	27,378	-
KTC19C2012A	-	-	-	-	OSPO1C2102A	0.27	(0.02)	37,377	-	PTT28C2104A	0.33	-	58,333	-
KTC19C2101A	-	-	-	-	OSPO1P2012A	0.19	0.01	53,224	-	PTT41C2012A	-	-	-	-
KTC19C2103A	0.29	(0.04)	157,059	-	OSPO6C2011A	0.01	-	24,637	-	PTT41C2101A	0.09	0.01	32,330	-
KTC19P2012A	-	-	-	-	OSPO6C2102A	0.17	(0.01)	37,365	-	PTT41C2101B	0.46	0.01	3,656	-
KTC19P2101A	0.11	-	16,631	-	OSPO6C2103A	-	-	-	-	PTT41P2012A	0.06	(0.05)	749	-
KTC19P2103A	0.48	0.03	166,462	-	OSPO6P2102A	0.24	-	19,675	-	PTT41P2101A	-	-	-	-
KTC24C2011A	-	-	-	-	OSPO8C2102A	0.28	(0.01)	3,900	-	PTT42C2012T	-	-	-	-
KTC28C2012A	0.16	(0.03)	3,082	-	OSP11C2102A	0.16	-	21,499	-	PTT42P2101T	-	-	-	-
KTC28C2012B	-	-	-	-	OSP13C2012A	-	-	-	-	PTTE01C2012A	0.31	(0.04)	66,779	-
KTC28C2101A	-	-	-	-	OSP13C2101A	0.14	(0.01)	86,480	-	PTTE01C2102A	1.40	(0.11)	39,369	1.00
KTC28C2103L	0.38	(0.03)	34,762	-	OSP13C2102A	0.31	(0.02)	49,794	-	PTTE01C2103T	0.85	(0.05)	283,561	-
KTC41C2012A	-	-	-	-	OSP13P2011A	-	-	-	-	PTTE01P2012A	-	-	-	-
KTC42C2012T	0.25	(0.02)	2,808	-	OSP13P2102A	-	-	-	-	PTTE01P2102A	0.13	-	45,876	-
LH01C2101A	0.23	(0.02)	37,390	-	OSP19C2012A	-	-	-	-	PTTE01P2103T	0.35	-	56,801	-
LH06C2012A	0.05	0.01	500	-	OSP19C2101A	0.15	(0.01)	97,891	-	PTTE06C2101A	0.63	(0.09)	238,454	-
LH11C2012A	0.14	0.01	22,120	-	OSP19C2103A	0.38	(0.02)	12,069	-	PTTE06P2102A	0.10	-	28,153	-
LH13C2101A	0.24	(0.02)	177,115	-	OSP19P2102A	-	-	-	-	PTTE06P2104A	0.78	0.04	137,036	-
LH19C2011A	-	-	-	-	OSP24C2101A	0.15	(0.01)	9,835	-	PTTE08C2011A	0.02	(0.01)	2,000	-
LH19C2101A	0.30	(0.01)	17,062	-	OSP28C2101A	-	-	-	-	PTTE08C2103A	0.86	(0.08)	113,461	-
MAJ013C2101A	0.51	0.02	59,589	-	OSP28C2101B	-	-	-	-	PTTE08P2101A	0.22	-	10,400	-
MAJ019C2011A	-	-	-	-	OSP28C2103B	-	-	-	-	PTTE11C2011A	-	-	-	-
MAJ019C2103A	0.76	0.02	68,824	-	OSP28C2104L	0.29	(0.02)	21,304	-	PTTE11P2102A	0.19	-	64,928	-
MEGA13C2101A	0.16	0.01	59,264	-	OSP41C2012A	-	-	-	-	PTTE13C2011A	0.02	0.01	5,100	-
MEGA19C2011A	-	-	-	-	OSP42C2101T	0.04	-	300	-	PTTE13C2012A	0.51	(0.05)	1,224	-
MEGA19C2101A	0.17	0.04	60,207	-	PLAN06C2102A	0.25	(0.06)	50,351	-	PTTE13C2101A	1.04	(0.08)	4,610	1.00
MEGA42C2101T	0.06	0.01	800	-	PLAN11C2103A	0.39	(0.03)	21,742	-	PTTE13C2102A	0.80	(0.08)	473,635	-
MINT01C2012A	0.22	(0.02)	46,430	-	PLAN13C2011A	-	-	-	-	PTTE13P2012A	-	-	-	-
MINT01C2102A	0.85	(0.12)	25,164	-	PLAN13C2101A	0.16	(0.04)	102,443	-	PTTE13P2102A	0.12	-	97,848	-
MINT01C2102T	0.49	-	27,700	-	PLAN13C2102A	0.28	(0.07)	1	-	PTTE13P2103A	0.55	0.02	273,524	-
MINT01P2012A	0.05	0.02	299	-	PLAN19C2012A	0.13	(0.05)	12	-	PTTE19C2011A	-	-	-	-
MINT01P2012B	0.04	(0.02)	2	-	PLAN19C2102A	0.31	(0.05)	13,566	-	PTTE19C2011B	0.02	(0.01)	10	-
MINT01P2102A	0.11	(0.01)	3,249	-	PLAN27C2101A	0.11	(0.01)	18	-	PTTE19C2012A	0.46	(0.08)	330,236	-
MINT01P2102T	0.27	-	46,630	-	PLAN28C2012A	-	-	-	-	PTTE19C2101A	-	-	-	-
MINT06C2012A	0.49	(0.03)	7,972	-	PLAN28C2012B	0.11	(0.01)	100	-	PTTE19C2103A	0.80	(0.09)	218,841	-
MINT06C2103A	-	-	-	-	PLAN28C2103A	0.34	(0.01)	100	-	PTTE19P2012A	0.02	-	9,000	-
MINT06P2012A	-	-	-	-	PLAN28C2104L	0.22	(0.02)	27,338	-	PTTE19P2101A	-	-	-	-
MINT06P2102A	0.28	(0.01)	85,966	-	PLAN24C2101T	0.08	(0.02)	4	-	PTTE19P2103A	0.53	0.02	307,026	-
MINT08C2102A	0.86	(0.02)	73,701	-	PRM01C2103A	0.44	(0.02)	38,004	-	PTTE24C2011A	-	-	-	-
MINT08P2011A	-	-	-	-	PRM01P2103A	0.45	0.02	12,586	-	PTTE24C2103A	1.34	(0.09)	40,401	1.00
MINT08P2102A	0.26	(0.01)	1,651	-	PRM08C2101A	0.11	-	2,101	-	PTTE28C20				



## Main Board Quotation

Issue Date :

Tuesday November 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTG01P2102A	-	-	-	-	S5013C2012H	3.44	(0.36)	183	3.00	SAWA01C2012A	0.32	(0.02)	66,902	-
PTTG08C2101A	0.44	(0.01)	58,789	-	S5013C2012I	5.15	0.47	21,017	5.00	SAWA01C2102A	0.55	(0.04)	67,014	-
PTTG08C2103A	1.12	(0.01)	5,025	1.00	S5013C2012J	3.82	(0.36)	2	3.00	SAWA01C2103T	0.44	(0.02)	59,738	-
PTTG08P2102A	0.07	(0.01)	2,710	-	S5013C2101A	0.89	(0.04)	150,040	-	SAWA01P2102A	-	-	-	-
PTTG11C2104A	1.14	(0.03)	46,638	1.00	S5013C2103A	1.15	(0.17)	1,831,509	1.00	SAWA01P2102A	0.34	(0.01)	47,991	-
PTTG11P2104A	0.22	(0.01)	29,858	-	S5013C2103B	0.76	(0.12)	4,996,995	-	SAWA06C2101A	0.58	(0.04)	79,105	-
PTTG13C2011A	-	-	-	-	S5013C2103C	1.10	(0.14)	1,308,943	1.00	SAWA08C2011A	-	-	-	-
PTTG13C2012A	-	-	-	-	S5013P2012A	0.04	-	1,146,856	-	SAWA08C2101A	0.46	-	16,610	-
PTTG13C2101A	0.94	0.01	296	-	S5013P2012B	0.03	-	83,243	-	SAWA11C2103A	0.68	-	91,020	-
PTTG13C2103A	0.65	(0.03)	961,247	-	S5013P2012C	0.01	-	92,049	-	SAWA13C2011A	-	-	-	-
PTTG13P2011A	-	-	-	-	S5013P2012D	0.02	0.01	12,684	-	SAWA13C2101A	0.38	(0.01)	676,464	-
PTTG13P2012A	0.01	(0.01)	100	-	S5013P2012E	0.01	-	11,027	-	SAWA16C2101A	0.42	(0.01)	5,707	-
PTTG13P2102A	0.11	(0.01)	109,546	-	S5013P2012F	0.01	-	232	-	SAWA19C2011A	-	-	-	-
PTTG16C2103A	1.03	(0.02)	7,676	1.00	S5013P2012G	0.01	-	40,770	-	SAWA19C2012A	0.31	(0.04)	227,625	-
PTTG19C2011A	0.10	(0.06)	750	-	S5013P2101A	0.31	0.02	116,901	-	SAWA19C2103A	0.42	(0.03)	232,366	-
PTTG19C2012A	0.59	0.01	9,629	-	S5013P2103A	0.33	0.04	11,461,228	-	SAWA19P2011A	-	-	-	-
PTTG19C2101A	1.07	(0.01)	8,200	1.00	S5013P2103B	0.67	0.06	4,925,536	-	SAWA19P2101A	0.22	-	116,074	-
PTTG19C2103A	0.56	(0.03)	289,508	-	S5013P2103C	0.70	0.07	4,191,552	-	SAWA24C2103A	0.57	(0.02)	13,894	-
PTTG19P2011A	-	-	-	-	S5013P2103D	1.05	0.05	5,826,153	-	SAWA28C2012A	-	-	-	-
PTTG19P2011B	-	-	-	-	S5016C2012A	0.29	(0.10)	68,537	-	SAWA28C2012B	-	-	-	-
PTTG19P2102A	0.07	-	17,020	-	S5016C2012B	1.17	0.07	31,774	1.00	SAWA28C2011A	0.31	(0.01)	31,406	-
PTTG19P2103A	0.28	-	184,587	-	S5016C2012C	-	-	-	-	SAWA28C2102L	0.12	(0.01)	38,720	-
PTTG24C2101A	0.72	(0.03)	27,117	-	S5016C2012D	-	-	-	-	SAWA41C2012A	0.18	(0.02)	45,500	-
PTTG28C2012A	-	-	-	-	S5016C2103A	0.99	(0.16)	171,487	1.00	SAWA42C2101T	-	-	-	-
PTTG28C2102L	0.25	(0.01)	52,630	-	S5016P2012A	0.05	0.01	301	-	SCB01C2101A	0.79	(0.04)	37,693	-
PTTG28C2103A	0.92	0.18	263	-	S5016P2012B	-	-	-	-	SCB01C2103A	1.59	(0.08)	17,168	1.00
PTTG28C2104A	0.61	(0.02)	148,087	-	S5016P2103A	0.64	0.06	334,019	-	SCB01C2103T	0.93	(0.02)	21,534	-
PTTG41C2101A	0.51	(0.02)	139,655	-	S5016P2103Z	-	-	-	-	SCB01P2101A	0.11	0.01	47,318	-
PTTG41C2102A	-	-	-	-	S5019C2012A	0.33	(0.08)	2,528,294	-	SCB01P2103T	0.19	-	30,044	-
PTTG41P2102A	-	-	-	-	S5019C2012B	0.23	(0.11)	2,290,422	-	SCB06C2103A	-	-	-	-
PTTG41P2102B	0.21	-	71,710	-	S5019C2012C	0.91	(0.24)	369,875	1.00	SCB06C2104A	0.95	(0.04)	107,206	-
PTTG42C2012T	0.15	(0.01)	36	-	S5019C2012D	1.80	(0.40)	950	1.00	SCB08C2101A	0.78	(0.01)	31,332	-
QH19C2012A	-	-	-	-	S5019C2012E	2.38	(0.40)	551	2.00	SCB08P2012A	-	-	-	-
QH19C2104A	0.24	-	20,815	-	S5019C2012F	3.14	(0.32)	973	3.00	SCB11C2012A	0.82	(0.03)	66,682	-
QH27C2101A	-	-	-	-	S5019C2103A	1.00	(0.16)	4,141,467	1.00	SCB11P2012A	-	-	-	-
RATC01C2101A	0.19	(0.04)	46,569	-	S5019P2012A	0.09	0.02	211,895	-	SCB13C2011A	-	-	-	-
RATC01P2101A	0.28	0.01	41,957	-	S5019P2012B	0.01	-	1,592	-	SCB13C2012A	1.08	(0.03)	2	1.00
RATC06C2102A	0.22	(0.03)	48,965	-	S5019P2012C	0.01	-	344	-	SCB13C2102A	1.81	0.09	2,000	1.00
RATC11C2103A	0.52	(0.06)	42,411	-	S5019P2012D	0.01	-	721	-	SCB13C2103A	1.02	(0.04)	668,073	1.00
RATC13C2012A	0.03	(0.01)	400	-	S5019P2103B	0.67	0.07	2,837,855	-	SCB13P2012A	0.02	(0.04)	2,003	-
RATC13C2101A	0.24	(0.05)	257,602	-	S5019P2103C	1.14	0.14	4,022,181	1.00	SCB13P2103A	0.62	0.02	241,064	-
RATC13P2011A	-	-	-	-	S5024C2012A	0.01	(0.01)	35,045	-	SCB19C2012A	0.84	(0.04)	1,701	-
RATC19C2011A	-	-	-	-	S5024C2012B	-	-	-	-	SCB19C2101A	1.38	(0.10)	384	1.00
RATC19C2012A	-	-	-	-	S5024C2012C	0.19	(0.10)	103,636	-	SCB19C2103A	0.70	(0.05)	178,521	-
RATC19C2101A	0.23	(0.04)	76,543	-	S5024C2012D	0.45	(0.18)	404,272	-	SCB19P2011A	-	-	-	-
RATC19C2102A	0.46	(0.07)	32,853	-	S5024C2012E	0.89	(0.32)	505,474	1.00	SCB19P2011B	-	-	-	-
RATC19P2011A	-	-	-	-	S5024C2012F	1.71	(0.49)	166,358	1.00	SCB19P2103A	0.20	-	86,106	-
RATC24C2012A	-	-	-	-	S5024C2012G	2.44	(0.62)	42,867	2.00	SCB19P2103B	0.61	0.01	154,827	-
RATC41C2012A	0.11	(0.02)	43,340	-	S5024C2012H	3.90	(0.64)	10,750	4.00	SCB24C2012A	0.89	(0.06)	19,658	-
RATC42C2102T	-	-	-	-	S5024C2012I	5.25	(0.85)	17,892	5.00	SCB28C2012A	0.12	(0.04)	2,515	-
RS06C2012A	0.04	(0.02)	1,676	-	S5024C2103A	1.62	(0.23)	231,369	1.00	SCB28C2012B	-	-	-	-
RS08C2011A	-	-	-	-	S5024P2012A	-	-	-	-	SCB28C2103A	-	-	-	-
RS08C2103A	0.25	(0.03)	11,505	-	S5024P2012B	0.03	-	1,000	-	SCB28C2103B	0.75	(0.25)	133,763	-
RS13C2101A	0.13	(0.01)	3,350	-	S5024P2012C	0.02	-	5,270	-	SCB28C2104L	0.44	(0.01)	54,388	-
RS13C2103A	0.29	(0.04)	45,018	-	S5024P2012D	0.01	-	4,201	-	SCB41C2012A	0.87	0.03	2	-
RS19C2011A	-	-	-	-	S5024P2012E	0.02	-	6,420	-	SCB41C2102A	-	-	-	-
RS19C2011B	-	-	-	-	S5024P2103A	0.11	0.02	55,158	-	SCB41P2102A	-	-	-	-
RS19C2102A	0.16	(0.01)	1,350	-	S5024P2103B	0.68	0.08	270,239	-	SCB41P2102B	0.32	-	68,520	-
RS19C2104A	0.29	(0.03)	76,608	-	S5024P2103C	0.91	0.11	952,060	-	SCB42C2101T	0.21	(0.01)	8,004	-
RS19P2012A	-	-	-	-	S5028C2012A	0.04	(0.02)	25,711	-	SCC01C2101A	0.50	(0.04)	54,754	-
RS28C2012A	-	-	-	-	S5028C2012B	0.09	(0.04)	257,465	-	SCC01P2012A	-	-	-	-
RS28C2101A	0.08	(0.01)	11,014	-	S5028C2012C	0.76	(0.20)	1,393,763	-	SCC06C2012A	0.01	(0.03)	600	-
RS28C2101L	0.22	(0.02)	2,721	-	S5028C2012D	1.66	(0.48)	7,689	2.00	SCC06C2103A	0.70	(0.06)	82,853	-
RS28C2103A	0.26	(0.03)	30,104	-	S5028C2012E	4.28	(0.18)	1	4.00	SCC08C2011A	-	-	-	-
RS41C2011A	-	-	-	-	S5028C2102A	1.11	0.11	1,518,661	1.00	SCC11C2011A	-	-	-	-
RS42C2101T	-	-	-	-	S5028C2103A	3.04	(0.48)	657	3.00	SCC13C2011A	-	-	-	-
S10001C2011A	0.02	-	2,750	-	S5028C2103B	1.04	0.04	1,375,251	1.00	SCC13C2012A	0.13	(0.02)	138,660	-
S5001C2012F	0.28	(0.08)	497,461	-	S5028C2103L	0.53	(0.06)	588,217	-	SCC13C2102A	0.63	(0.05)	232,886	-
S5001C2012G	1.10	(0.13)	316	1.00	S5028P2012A	0.26	0.04	628,575	-	SCC13P2011A	-	-	-	-
S5001C2101A	1.70	(0.18)	258,177	1.00	S5028P2012B	0.01	(0.01)	16	-	SCC13P2101A	0.05	(0.05)	1,048	-
S5001C2101B	2.32	(0.18)	87,484	2.00	S5028P2012C	-	-	-	-	SCC13P2102A	0.23	0.01	98,813	-
S5001C2102T	1.88	(0.11)	183,231	1.00	S5028P2102A	0.53	(0.47)	1,785,977	-	SCC19C2012A	0.20	(0.04)	234,603	-
S5001P2012F	0.10	0.01	15,217	-	S5028P2103A	0.13	0.01	35,000	-	SCC19C2101A	0.59	(0.04)	31,010	-
S5001P2012G	0.05	0.01	11,902	-	S5028P2103B	0.59	(0.41)	1,346,501	-	SCC19P2011A	-	-	-	-
S5001P2101A	0.11	0.01	90,972	-	S5028P2103L	0.28	0.02	117,391	-	SCC19P2101A	0.21	0.01	69,543	-
S5001P2101B	0.12	0.02	8,708	-	S5041C2012A	0.45	(0.15)	316,866	-	SCC24C2012A	0.10	(0.02)	8,209	-
S5001P2102T	1.08	0.05	315,329	1.00	S5041C2012B	0.31	0.06	37	-	SCC28C2102A	0.22	(0.02)	40,719	-
S5006C2012A	0.31	(0.16)	1,000,166	-	S5041C2012C	0.27	(0.10)	10,962	-	SCC28C2103A	0.49	(0.03)	98,410	-
S5006C2012B	1.83	(0.81)	317	2.00	S5041C2012D	0.82	(0.24)	63,443	-	SCC28C2104L	0.26	(0.01)	33,302	-
S5006C2012C	-	-	-	-	S5041C2012E	-	-	-	-	SCC41C2011A	-	-	-	-
S5006C2103A	1.41	(0.23)	1,001,432	1.00	S5041C2012F	1.77	(0.29)	1,000	1.00	SCC41C2101A	0.20	(0.03)	83,466	-
S5006P2012A	0.02	-	9,980	-	S5041C2012G	1.95	(0.25)	607	2.00	SCC41C2101B	0.62	(0.05)	23,006	-
S5006P2012B	0.02	(0.01)	4,390	-	S5041C2012H	-	-	-	-	SCC41P2011A	-	-	-	-
S5006P2012C	0.02	0.01	5,202	-	S5041C2103T	3.00	(0.38)	38,101	3.00	SCC41P2101A	0.46	0.01	113,623	-
S5006P2103A	0.56	0.09	424,798	-	S5041C2103U	2.58	(0.16							

## Main Board Quotation

Issue Date :

Tuesday November 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SPAL06C2103A	0.47	(0.05)	22,502	-	SUPE08C2012A	-	-	-	-	TOA19C2012A	0.10	0.03	7,000	-
SPAL13C2102A	0.36	(0.03)	31,938	-	SUPE08C2102A	0.19	(0.03)	19,411	-	TOA19C2103A	0.38	0.06	166,607	-
SPAL19C2011A	-	-	-	-	SUPE08P2102A	0.19	0.01	7,300	-	TOA42C2101T	-	-	-	-
SPAL19C2011B	-	-	-	-	SUPE19C2011A	-	-	-	-	TOP01C2012A	0.19	(0.03)	91,970	-
SPAL19C2102A	0.43	(0.06)	1,192	-	SUPE19C2011B	-	-	-	-	TOP01C2102A	1.07	(0.06)	63,324	1.00
SPAL27C2101A	0.12	(0.02)	1,800	-	SUPE19C2012A	0.15	(0.03)	159,128	-	TOP01P2012A	-	-	-	-
SPRC01C2101A	0.19	(0.05)	93,301	-	SUPE19C2104A	0.25	(0.04)	258,482	-	TOP01P2102A	-	-	-	-
SPRC01C2103A	0.50	(0.11)	80,254	-	SUPE19P2011A	-	-	-	-	TOP06C2102A	0.59	(0.04)	80,185	-
SPRC01P2101A	0.16	0.02	76,320	-	SUPE19P2012A	-	-	-	-	TOP06C2102B	1.22	(0.08)	1,000	1.00
SPRC06C2102A	0.25	(0.10)	268,476	-	SUPE19P2104A	0.27	0.01	154,953	-	TOP06P2102A	0.05	-	1	-
SPRC06P2103A	0.07	0.02	9,114	-	SUPE42C2101T	0.05	(0.01)	500	-	TOP08C2102A	0.73	(0.03)	17,200	-
SPRC08C2011A	-	-	-	-	SUPE42P2102T	-	-	-	-	TOP11C2011A	0.10	(0.04)	1	-
SPRC11C2102A	0.30	(0.07)	127,260	-	TASC01C2012A	0.03	-	7,083	-	TOP11P2104A	0.18	-	17,250	-
SPRC13C2012A	0.06	(0.06)	75,817	-	TASC01C2012B	0.21	(0.11)	83,484	-	TOP13C2012A	0.09	-	38,205	-
SPRC13C2012B	0.15	(0.08)	309,928	-	TASC01C2102A	0.73	(0.23)	105,066	-	TOP13C2012B	0.45	0.01	3	-
SPRC13C2102A	0.60	(0.10)	4,501	-	TASC01P2012A	0.10	0.01	113,346	-	TOP13C2101A	0.99	0.03	510	-
SPRC19C2012A	0.12	(0.05)	49,560	-	TASC06C2012A	0.01	-	16,581	-	TOP13C2103A	0.40	(0.03)	500,926	-
SPRC19C2101A	0.35	(0.08)	48	-	TASC06C2102A	0.53	(0.19)	251,757	-	TOP13P2012A	0.02	(0.05)	400	-
SPRC19C2104A	0.28	(0.08)	448,275	-	TASC08C2011A	0.02	0.01	5,000	-	TOP13P2101A	-	-	-	-
SPRC19P2011A	-	-	-	-	TASC08C2012A	0.01	-	9,487	-	TOP13P2103A	0.08	0.01	211	-
SPRC28C2101A	0.12	(0.05)	91,231	-	TASC11C2102A	0.04	(0.01)	1,659	-	TOP13P2103B	0.30	-	98,963	-
SPRC28C2104L	0.20	(0.80)	93,424	-	TASC13C2012A	0.02	(0.01)	96,394	-	TOP19C2012A	0.13	(0.02)	99,722	-
SPRC42C2101T	0.09	(0.01)	16	-	TASC13C2012B	0.14	(0.09)	300,578	-	TOP19C2101A	0.59	(0.04)	140	-
SPX28C2012A	1.32	0.09	13,655	1.00	TASC13C2101A	0.42	(0.18)	262,242	-	TOP19C2101B	-	-	-	-
SPX28C2012B	0.55	0.06	48,573	-	TASC13C2102A	0.37	(0.13)	850,816	-	TOP19C2103A	0.45	(0.03)	179,337	-
SPX28C2012C	0.46	0.05	7,923	-	TASC13P2011A	-	-	-	-	TOP19P2011A	-	-	-	-
SPX28C2012D	0.26	0.03	1,176	-	TASC13P2012A	0.07	0.03	11,084	-	TOP19P2101A	-	-	-	-
SPX28C2103L	0.47	0.03	3,380	-	TASC19C2011A	-	-	-	-	TOP19P2102A	0.06	-	2,100	-
SPX28P2012A	0.03	(0.02)	93,932	-	TASC19C2012A	0.11	(0.10)	438,946	-	TOP19P2103A	0.32	0.02	134,782	-
SPX28P2012B	0.01	-	7	-	TASC19C2101A	0.41	(0.18)	301,506	-	TOP24C2101A	0.51	(0.03)	30,757	-
SPX28P2012C	0.23	(0.05)	24,044	-	TASC19P2011A	0.12	(0.45)	724	-	TOP41C2011A	-	-	-	-
SPX28P2012D	0.11	(0.02)	2,000	-	TASC19P2012A	0.65	0.21	26,740	-	TOP41C2102A	0.56	(0.04)	5,915	-
SPX28P2103L	0.20	(0.01)	53	-	TASC19P2012B	0.04	0.01	63,077	-	TOP42C2011T	-	-	-	-
SPX41C2012A	0.71	0.08	21,591	-	TASC19P2012C	0.04	0.01	5,769	-	TP113C2011A	-	-	-	-
SPX41C2012B	0.22	0.02	15,860	-	TASC24C2011A	-	-	-	-	TP119C2012A	0.08	(0.01)	5,500	-
SPX41C2012C	-	-	-	-	TASC28C2012A	0.01	(0.01)	3,000	-	TQM01C2103A	0.60	0.07	21,774	-
SPX41C2012T	1.02	0.09	17,812	1.00	TASC28C2012B	-	-	-	-	TQM11C2102A	0.32	0.04	8,401	-
SPX41C2012U	1.73	0.10	370	1.00	TASC28C2012C	-	-	-	-	TQM13C2101A	0.09	0.01	14,000	-
SPX41C2103T	1.02	0.05	14,949	1.00	TASC28C2101A	-	-	-	-	TQM13C2102A	0.32	0.04	72,792	-
SPX41C2103U	1.17	0.05	1,005	1.00	TASC28C2103L	0.02	(0.01)	11	-	TQM19C2011A	0.04	0.01	1,090	-
SPX41P2012A	0.05	(0.03)	40	-	TASC41C2011A	0.01	(0.02)	369	-	TQM19C2101A	0.13	0.01	4,639	-
SPX41P2012B	-	-	-	-	TASC41C2012A	0.18	(0.09)	66,570	-	TQM19C2102A	0.42	0.06	98,712	-
SPX41P2012C	-	-	-	-	TASC42C2101T	0.03	(0.01)	6,232	-	TQM24C2011A	-	-	-	-
SPX41P2012T	0.08	(0.02)	9,920	-	TCAP01C2101A	0.26	-	61,861	-	TQM24C2103A	0.63	0.08	32,639	-
SPX41P2012U	0.05	(0.02)	12,029	-	TCAP13C2012A	0.08	-	33,299	-	TQM28C2012A	0.01	-	21,034	-
SPX41P2103T	0.40	(0.03)	351	-	TCAP13C2103A	0.42	(0.01)	168,235	-	TQM28C2102A	0.28	0.05	16,234	-
SPX41P2103U	0.97	(0.06)	4,472	-	TCAP19C2012A	0.14	(0.01)	29,378	-	TQM28C2103A	0.54	(0.46)	48,459	-
STA01C2101A	0.13	(0.01)	47,312	-	TCAP19C2102A	0.37	(0.01)	133,256	-	TQM28C2104L	0.24	0.02	40,780	-
STA01C2102A	0.09	(0.01)	5,298	-	TCAP19P2012A	0.04	-	10	-	TQM41C2011A	-	-	-	-
STA01C2103A	0.37	0.01	42,617	-	TCAP42C2101T	-	-	-	-	TQM42C2101T	0.18	0.02	71	-
STA01P2102A	0.63	-	19,731	-	THAN01C2012A	0.48	(0.04)	15,603	-	TRUE01C2101A	0.16	0.01	78,001	-
STA06C2012A	0.01	(0.01)	3,074	-	THAN01C2012E	-	-	-	-	TRUE01C2104A	0.44	0.02	86,794	-
STA06C2104A	0.33	0.01	43,752	-	THAN01C2103A	0.38	(0.03)	22,146	-	TRUE01P2101A	0.26	(0.03)	74,854	-
STA08C2011A	-	-	-	-	THAN06C2102A	0.24	(0.04)	46,197	-	TRUE06C2103A	0.41	0.04	106,155	-
STA08C2101A	0.20	(0.01)	95,169	-	THAN08C2101A	0.54	(0.02)	2,960	-	TRUE08C2012A	-	-	-	-
STA13C2011B	0.01	-	100	-	THAN08C2102A	0.26	(0.01)	28,370	-	TRUE11C2101A	0.13	0.02	1	-
STA13C2012A	0.01	-	38,685	-	THAN13C2012A	0.30	(0.03)	6,491	-	TRUE11P2101A	0.20	(0.02)	66,437	-
STA13C2101A	0.06	-	87,938	-	THAN13C2012E	0.01	(0.01)	378	-	TRUE13C2101A	0.15	0.01	243,759	-
STA13C2102A	0.26	-	557,940	-	THAN13C2102A	0.37	(0.02)	167,439	-	TRUE13C2103A	0.46	0.01	219,550	-
STA13P2012A	-	-	-	-	THAN19C2011A	-	-	-	-	TRUE19C2011A	-	-	-	-
STA13P2012B	0.04	(0.01)	2,003	-	THAN19C2012A	0.19	(0.02)	93,279	-	TRUE19C2012A	0.06	0.01	19	-
STA13P2101A	0.45	0.02	1,748	-	THAN19C2012E	0.07	-	5,402	-	TRUE19C2101A	0.20	0.01	139,309	-
STA13P2102A	0.29	(0.02)	337,250	-	THAN19C2102A	0.49	(0.03)	16,205	-	TRUE19C2103A	0.48	0.03	224,516	-
STA16C2102A	0.11	0.01	6,832	-	THAN19P2102A	0.27	0.01	14,083	-	TRUE19P2011A	-	-	-	-
STA16C2103A	0.30	(0.70)	65,189	-	THAN28C2103A	0.40	(0.03)	45,076	-	TRUE19P2101A	0.08	(0.01)	4,625	-
STA19C2011A	-	-	-	-	THAN42C2102T	0.13	-	24	-	TRUE28C2012A	-	-	-	-
STA19C2011B	-	-	-	-	TISC01C2101A	0.68	(0.05)	28,425	-	TRUE28C2012B	-	-	-	-
STA19C2012A	0.05	(0.01)	13,594	-	TISC11C2012A	0.36	(0.03)	29,520	-	TRUE28C2101A	0.10	0.01	60,725	-
STA19C2102A	0.09	(0.01)	308,624	-	TISC13C2012A	0.50	(0.03)	50	-	TRUE28C2103A	0.47	0.06	130	-
STA19C2103A	0.28	-	387,057	-	TISC13C2103A	0.69	(0.04)	77,408	-	TRUE28C2103L	0.17	0.01	45,670	-
STA19C2104A	0.21	-	415,193	-	TISCI19C2012A	0.52	(0.05)	11,476	-	TRUE41C2101A	0.10	0.01	23,200	-
STA19P2012A	-	-	-	-	TISCI19C2103A	0.50	(0.03)	109,628	-	TRUE42C2101T	0.06	0.01	2,000	-
STA19P2101A	0.13	(0.01)	118,984	-	TISC24C2102A	0.98	(0.02)	10,436	-	TTW19C2011A	-	-	-	-
STA19P2102A	0.57	(0.03)	1	-	TISC41C2012A	0.60	(0.03)	9,516	-	TTW24C2012A	-	-	-	-
STA24C2011A	-	-	-	-	TISC42C2101T	0.18	(0.01)	2	-	TU01C2101A	0.25	(0.01)	38,517	-
STA28C2012A	1.22	0.02	60	1.00	TKN01C2101A	0.16	(0.02)	71,414	-	TU01P2101A	0.11	0.01	37,640	-
STA28C2102L	-	-	-	-	TKN06C2011A	0.01	-	7,761	-	TU06C2102A	0.33	(0.03)	30,440	-
STA28C2103A	0.14	(0.01)	14,218	-	TKN06C2101A	-	-	-	-	TU06P2103A	-	-	-	-
STA28C2104A	-	-	-	-	TKN08C2011A	-	-	-	-	TU08C2011A	0.04	(0.03)	10	-
STA42C2101T	0.05	(0.01)	40	-	TKN08C2102A	0.30	(0.01)	150	-	TU11C2102A	0.23	(0.02)	25,040	-
STEC01C2101A	0.17	0.02	132,418	-	TKN13C2012A	0.02	(0.02)	23,310	-	TU13C2012A	0.14	(0.02)	22,111	-
STEC01P2101A	0.15	(0.04)	155,843	-	TKN13C2101A	0.13	(0.03)	16,128	-	TU13C2103A	0.28	(0.02)	124,820	-
STEC08C2012A	-	-	-	-	TKN13C2102A	0.19	(0.03)	173,586	-	TU13P2101A	0.06	-	70	-
STEC08C2103A	0.53	0.05	96,729	-	TKN13P2101A	0.13	0.01	63,757	-	TU19C2012A	0.17	(0.01)	3,098	-
STEC11C2102A	0.23	0.03	58,280	-	TKN19C2011A	-	-	-	-	TU19C2102A	0.15	(0.02)	61,850	-
STEC13C2012A	0.06	0.02	20,520	-	TKN19C2011B	0.01	-	29	-	TU19P2011A	-	-	-	-
STEC13C2101A	0.26	0.05	323,345	-	TKN19C2101A	0.17	(0.02)	32,092	-					

## Main Board Quotation

Issue Date :

Tuesday November 24, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
VGI01C2103A	0.54	(0.07)	130,043	-	TNITY-W1	0.14	0.02	81,594	-	-	-	-	-	-
VGI06C2101A	0.22	(0.07)	89,100	-	TRITN-W3	0.11	-	15,272	-	-	-	-	-	-
VGI08C2103A	0.56	(0.06)	49,080	-	TTCL-W1	0.40	(0.02)	26,601	-	-	-	-	-	-
VGI11C2101A	0.18	(0.02)	8,400	-	U-W4	-	-	-	-	-	-	-	-	-
VGI13C2012A	0.13	(0.03)	3	-	VGI-W2	0.89	(0.03)	152,178	-	-	-	-	-	-
VGI13C2101A	0.27	(0.05)	31,157	-	VIBHA-W3	0.12	-	27,338	-	-	-	-	-	-
VGI13C2103A	0.34	(0.06)	470,940	-	W-W3	0.11	(0.02)	6,596	-	-	-	-	-	-
VGI19C2012A	0.18	(0.05)	29,448	-	WIJK-W2	0.26	(0.01)	7,266	-	-	-	-	-	-
VGI19C2012B	0.41	(0.03)	240	-	ZMICO-W4	0.09	0.01	3,560	-	-	-	-	-	-
VGI19C2012C	0.08	(0.03)	47,441	-	Preferred Share	-	-	-	-	-	-	-	-	-
VGI19C2104A	0.36	(0.06)	225,118	-	BH-P	-	-	-	-	-	-	-	-	-
VGI24C2012A	0.12	(0.04)	11,642	-	CSC-P	-	-	-	-	-	-	-	-	-
VGI28C2101A	0.10	(0.02)	14,203	-	JUTHA-P	-	-	-	-	-	-	-	-	-
VGI28C2103A	0.35	(0.05)	81,858	-	KTB-P	-	-	-	-	-	-	-	-	-
VGI28C2103L	0.20	(0.02)	33,462	-	SCB-P	86.50	1.50	3	86.00	-	-	-	-	-
VGI41C2011A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
VGI42C2101T	-	-	-	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA01C2101A	0.11	(0.01)	55,216	-	U-P	1.46	-	1,294	1.00	-	-	-	-	-
WHA01C2103A	0.55	-	37,370	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
WHA01P2101A	0.36	(0.01)	81,502	-	ALL-W1	0.55	(0.01)	14,731	-	-	-	-	-	-
WHA06C2103A	0.38	0.01	68,321	-	BROOK-W5	0.13	(0.01)	13,957	-	-	-	-	-	-
WHA06P2012A	0.03	(0.01)	1,141	-	CHAYO-W1	2.14	-	2,788	2.00	-	-	-	-	-
WHA08C2011A	-	-	-	-	CHO-W2	-	-	-	-	-	-	-	-	-
WHA11C2101A	0.14	-	56,284	-	CIG-W8	-	-	-	-	-	-	-	-	-
WHA13C2011A	-	-	-	-	D-W1	0.76	0.02	3,190	-	-	-	-	-	-
WHA13C2101A	0.22	-	312,800	-	DIMET-W3	-	-	-	-	-	-	-	-	-
WHA13C2103A	0.53	-	100,646	-	DOD-W1	0.46	-	44,043	-	-	-	-	-	-
WHA13P2011A	-	-	-	-	ECF-W3	0.05	-	7,678	-	-	-	-	-	-
WHA19C2011A	-	-	-	-	HPT-W1	0.20	0.02	732	-	-	-	-	-	-
WHA19C2101A	0.24	-	165,410	-	HYDRO-W1	0.03	0.01	15	-	-	-	-	-	-
WHA19C2103A	0.55	(0.02)	42,309	-	ITEL-W1	0.06	(0.01)	11,671	-	-	-	-	-	-
WHA19P2011A	-	-	-	-	ITEL-W2	0.36	-	9,896	-	-	-	-	-	-
WHA28C2012A	-	-	-	-	LIT-W1	0.37	(0.01)	1,831	-	-	-	-	-	-
WHA28C2102A	0.19	0.01	27,329	-	META-W4	-	-	-	-	-	-	-	-	-
WHA28C2102L	-	-	-	-	MORE-W2	0.34	-	91,400	-	-	-	-	-	-
WHA28C2104A	0.54	0.01	270	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA42C2101T	0.07	-	2,218	-	OCEAN-W3	0.22	-	10,663	-	-	-	-	-	-
WHAU13C2012A	-	-	-	-	RWI-W2	0.10	(0.01)	23,106	-	-	-	-	-	-
WHAU13C2103A	0.52	(0.01)	75,446	-	SIMAT-W3	0.40	(0.02)	2,777	-	-	-	-	-	-
WHAU19C2012A	0.17	(0.01)	10,004	-	SIMAT-W4	2.30	(0.22)	343	2.00	-	-	-	-	-
Preferred/Foreign	-	-	-	-	SMART-W2	0.13	-	3,518	-	-	-	-	-	-
BH-Q	-	-	-	-	SWC-W1	3.30	-	43	3.00	-	-	-	-	-
CSC-Q	-	-	-	-	TAKUNI-W	-	-	-	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	TAPAC-W4	0.22	0.02	56,588	-	-	-	-	-	-
KTB-Q	-	-	-	-	TVD-W2	0.13	-	8,036	-	-	-	-	-	-
SCB-Q	-	-	-	-	UREKA-W2	0.24	-	1,414	-	-	-	-	-	-
TCAP-Q	-	-	-	-	Preferred Share	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.10	-	22,127	-	-	-	-	-	-	-	-	-	-	-
AEC-W6	0.09	(0.01)	31,907	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.02	-	8,606	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	0.11	0.01	167,678	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.21	(0.02)	8,275	-	-	-	-	-	-	-	-	-	-	-
B-W3	0.01	-	1	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.03	-	942	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.04	-	1,567	-	-	-	-	-	-	-	-	-	-	-
BCPG-W1	5.75	5.75	48,933	6.00	-	-	-	-	-	-	-	-	-	-
BCPG-W2	5.85	5.85	42,885	6.00	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.07	-	32,255	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	0.25	(0.02)	359,318	-	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.04	0.02	101,807	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.02	0.01	38,710	-	-	-	-	-	-	-	-	-	-	-
CWT-W5	0.53	0.07	166,749	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.94	0.01	5,609	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.01	-	417,058	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.03	-	12,427	-	-	-	-	-	-	-	-	-	-	-
EP-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.43	-	31,900	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.62	-	13,343	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.61	0.02	23,897	-	-	-	-	-	-	-	-	-	-	-
JMART-W3	6.80	(0.05)	9,621	6.00	-	-	-	-	-	-	-	-	-	-
JMART-W4	4.46	0.08	12,520	4.00	-	-	-	-	-	-	-	-	-	-
JMT-W2	14.70	-	1,442	14.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.03	-	125,016	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.04	-	22,956	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	0.62	(0.03)	95,153	-	-	-	-	-	-	-	-	-	-	-
MINT-W7	7.75	(0.05)	20,220	7.00	-	-	-	-	-	-	-	-	-	-
NER-W1	2.28	0.04	40,340	2.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	4.58	-	30,963	4.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.61	(0.11)	1,130	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.21	0.01	713,834	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.37	(0.01)	15,779	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.42	0.02	1	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.11	-	1,649	-	-	-	-	-	-	-	-	-	-	-
PORT-W1	0.61	(0.04)	48,655	-	-	-	-	-	-	-	-	-	-	-
PPPM-W4	0.11	-	50	-	-	-	-	-	-	-	-	-	-	-
PRIME-W1	0.01	-	10,400	-	-	-	-	-	-	-	-	-	-	-
PRIME-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SAMART-W2	0.13	-	36,074	-	-	-	-	-	-	-	-	-	-	-
SAWAD-W2	9.90	0.70	24,479	9.00	-	-	-	-	-	-	-	-	-	-
SDC-W1	0.07	-	12,027	-	-	-	-	-	-	-	-	-	-	-
SINGER-W1	8.45	(0.10)	470	8.00	-	-	-	-	-	-	-	-	-	-
SINGER-W2	4.40	0.04	100	4.00	-	-	-	-	-	-	-	-	-	-
SST-W2	0.63	0.03	103	-	-	-	-	-	-	-	-	-	-	-
TCC-W3	0.05	0.02	92,401	-	-	-	-	-	-	-	-	-	-	-
TCC-W4	0.05	-	8,891	-	-	-	-	-	-	-	-	-	-	-
TCC-W5	0.12	-	26	-	-	-	-	-	-	-	-	-	-	-
TGPRO-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-