

Main Board Quotation

Issue Date :

Wednesday November 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
POMPI	-	-	-	-	BLISS	-	-	-	-	MACO	0.62	-	50,064	0.63
SAFARI	-	-	-	-	DIF	13.30	0.10	99,849	13.23	MAJOR	18.30	0.10	99,405	18.07
VI	-	-	-	-	DTAC	37.25	0.25	98,068	37.28	MATCH	-	-	-	-
WORLD	-	-	-	-	FORTH	6.10	0.15	2,049	6.01	MATI	4.30	-	46	4.30
WR	-	-	-	-	HUMAN	8.80	0.25	15,702	8.57	MCOT	3.26	0.02	15,312	3.21
Agribusiness	-	-	-	-	ILINK	4.52	(0.02)	26,420	4.53	MONO	2.56	(0.04)	56,035	2.59
EE	0.62	(0.02)	84,516	0.62	INET	3.50	-	120,365	3.57	MPIC	1.70	(0.02)	283	1.42
GPPT	12.90	0.20	94,870	13.06	INTUCH	55.00	(1.25)	144,991	55.26	NMG	-	-	-	-
LEE	2.30	-	2,119	2.31	JAS	3.36	0.04	1,297,730	3.35	PLANB	6.10	-	200,170	6.15
MAX	0.01	(0.01)	342,882	0.01	JASIF	9.65	0.05	68,516	9.65	POST	1.24	0.01	237	1.23
NER	4.26	-	190,766	4.27	JMART	17.00	(0.30)	157,769	17.14	PRAKIT	7.40	-	400	7.42
PPPM	0.39	(0.01)	660	0.39	JTS	2.28	0.02	4,440	2.30	SE-ED	1.50	-	308	1.50
STA	26.50	(0.25)	155,675	26.74	MFCF	4.92	(0.02)	3,050	4.93	TBSP	-	-	-	-
TRUBB	1.76	0.02	22,093	1.75	MSC	6.50	-	180	6.50	TH	0.47	-	6,359	0.47
TWPC	3.50	0.02	19,374	3.49	PT	5.80	0.05	1,090	5.77	TKS	5.85	-	3,301	5.87
UPOIC	3.74	-	347	3.74	SAMART	5.10	(0.10)	25,727	5.13	VGI	7.50	0.05	290,622	7.44
UVAN	5.05	-	5,937	5.06	SAMTEL	5.10	0.10	1,643	5.05	WAVE	0.63	0.01	29,337	0.63
VPO	0.43	-	6,562	0.44	SDC	0.17	-	27,147	0.17	WORK	12.40	0.10	24,682	12.38
Banking	-	-	-	-	SIS	17.70	(0.10)	14,844	17.62	Finance & Securities	-	-	-	-
BAY	25.75	-	13,878	25.93	SVOA	1.31	(0.02)	63,388	1.32	AEC	0.22	-	67,001	0.22
BBL	125.00	2.50	133,745	124.41	SYMC	4.08	(0.02)	201	4.01	AEONTS	145.00	0.50	9,524	144.63
CIMBT	0.59	(0.01)	18,588	0.60	SYNEX	12.80	0.20	23,885	12.78	AMANAH	2.72	0.02	112,688	2.73
KBANK	114.50	9.00	619,235	110.12	THCOM	5.45	(0.05)	34,263	5.53	ASAP	2.02	(0.04)	9,819	2.06
KKP	47.00	1.25	102,010	46.50	TRUE	3.34	-	1,129,203	3.31	ASK	21.80	-	6,127	21.71
KTB	11.40	0.30	885,147	11.31	TWZ	0.08	-	3,573,311	0.08	ASP	2.04	0.05	85,883	2.03
LHFG	1.04	0.02	165,594	1.03	Electronic Compa	-	-	-	-	BAM	21.10	(0.20)	580,955	21.20
SCB	89.75	2.00	216,287	88.85	CCET	2.20	(0.02)	9,159	2.20	BFIT	31.00	3.25	107,797	29.93
TCAP	34.75	-	141,159	34.86	DELTA	195.50	2.50	23,868	195.82	CGLH	0.68	-	4,668	0.68
TISCO	79.50	0.25	45,828	79.74	HANA	39.00	1.00	147,116	38.46	ECL	0.85	-	50,700	0.84
TMB	1.16	0.03	9,488,268	1.15	KCE	36.75	(0.50)	108,849	37.06	FNS	3.52	0.16	8,008	3.49
Construction Materia	-	-	-	-	METCO	167.50	(0.50)	9	167.56	FSS	1.62	0.06	10,106	1.62
CCP	0.43	0.01	181,404	0.44	NEX	4.48	(0.06)	106,404	4.54	GBX	0.46	0.03	23,879	0.45
COTTO	1.27	(0.04)	25,695	1.29	SMT	2.68	(0.04)	30,758	2.70	GL	-	-	-	-
DCC	2.22	0.02	195,527	2.24	SVI	4.50	(0.04)	24,286	4.53	IFS	2.32	0.04	10,923	2.31
DCON	0.31	(0.01)	17,736	0.31	TEAM	0.90	0.01	521	0.88	JMT	32.25	(0.75)	70,661	32.77
DRT	6.00	0.05	9,137	5.94	W	0.23	0.01	1,631,983	0.22	KCAR	9.00	(0.05)	1,979	8.90
EPG	5.80	-	76,366	5.86	Energy & Utilitie	-	-	-	-	KGI	3.76	0.02	37,198	3.76
GEL	0.21	0.02	95,513	0.20	ZUP	0.32	(0.01)	178,061	0.33	KTC	45.75	2.25	110,790	45.18
PPP	2.00	-	159	2.00	ABPIF	2.94	(0.02)	3,138	2.95	MBKET	8.60	0.20	1,416	8.42
Q-CON	4.66	-	6	4.66	ACE	3.62	0.22	1,925,391	3.57	MFC	14.20	-	148	14.06
RCI	3.78	-	6	3.78	AGE	1.37	0.02	31,838	1.37	MICRO	4.94	(0.06)	122,680	4.99
SCC	371.00	3.00	49,232	370.17	AI	2.10	0.02	89,101	2.08	ML	0.81	-	673	0.82
SCCC	137.50	1.00	4,450	136.91	AKR	0.51	-	3,313	0.50	MTC	54.50	1.00	149,899	54.14
SCP	6.15	0.05	2,458	6.17	BAFS	24.10	0.30	7,220	23.92	NCAP	5.25	0.05	928,702	5.26
SKN	2.34	(0.04)	21,040	2.35	BANPU	8.40	0.40	1,852,680	8.20	PE	-	-	-	-
TASCO	18.20	(0.20)	502,824	18.33	BCP	20.10	1.10	106,768	19.80	PL	2.06	0.02	2,606	2.06
TCMC	1.72	0.06	170,074	1.70	BCPG	14.00	0.10	110,927	14.02	S11	6.45	(0.05)	5,966	6.41
TOA	37.00	0.25	33,511	37.14	BGRIM	49.00	0.50	148,625	48.92	SAWAD	57.75	3.25	498,511	56.72
TPPIPL	1.48	(0.02)	59,253	1.48	BPP	15.90	0.20	69,955	15.90	THANI	3.76	0.06	465,551	3.73
UMI	0.64	-	3,185	0.64	BRRGIF	6.30	-	360	6.26	TK	8.10	0.35	19,722	7.99
VNG	3.10	(0.20)	4,204	3.14	CKP	4.96	(0.04)	221,398	5.00	TNITY	3.66	0.04	265	3.65
WIJK	2.38	(0.12)	39,844	2.42	DEMCO	2.66	(0.04)	6,434	2.66	UOBKH	3.54	0.24	1,109	3.54
Petrochemicals & Ch	-	-	-	-	EA	44.75	0.75	82,121	44.68	ZMICO	0.72	0.02	9,255	0.71
BCT	42.00	-	1,004	42.00	EASTW	9.40	0.10	13,980	9.37	Food & Beverage	-	-	-	-
CMAN	1.29	-	1,798	1.26	EGATIF	12.10	(0.10)	8,514	12.20	APURE	2.06	-	14,968	2.07
GC	5.65	(0.05)	516	5.66	EGCO	202.00	2.00	59,323	202.71	ASIAN	11.20	(0.10)	50,280	11.24
GCC	9.25	0.05	11,704	9.31	EP	4.88	(0.04)	68,100	4.93	BR	2.24	(0.04)	15,065	2.28
GIFT	1.80	0.01	976	1.79	ESSO	7.35	0.20	411,245	7.32	BRR	3.04	0.02	1,634	3.08
IVL	29.00	0.25	709,511	29.12	GPSC	70.50	1.25	243,443	70.05	CBG	117.00	(1.50)	61,146	117.99
NFC	2.22	(0.10)	72	2.25	GREEN	1.11	0.02	342	1.08	CFRESH	3.18	(0.08)	6,087	3.17
PATO	10.30	-	253	10.30	GULF	36.00	0.25	456,138	35.86	CHOTI	65.00	-	24	65.23
PMTA	8.75	(0.15)	8	8.76	GUNKUL	2.44	0.02	360,560	2.43	CM	2.58	(0.02)	1,785	2.59
PTTGC	59.00	2.75	398,176	58.26	IFEC	-	-	-	-	CPF	29.25	0.25	771,876	29.20
SUTHA	4.20	0.02	400	4.19	IRPC	2.90	0.10	2,337,203	2.89	CPI	1.61	0.12	22,259	1.55
TCCC	28.50	0.25	377	28.21	KBSPIF	9.65	0.05	5,286	9.59	F&D	-	-	-	-
TPA	5.50	0.10	383	5.45	LANNA	6.70	0.20	2,658	6.58	HTC	33.75	(0.25)	6,740	33.94
UAC	3.86	(0.02)	1,576	3.90	MDX	2.46	0.02	2,204	2.48	ICHI	10.70	(0.20)	96,188	10.79
UP	-	-	-	-	PDI	8.60	-	4,809	8.51	KBS	3.06	-	2,679	3.09
VNT	24.10	0.50	22,477	23.86	PRIME	0.49	-	51,285	0.49	KSL	2.32	-	19,341	2.32
YCI	-	-	-	-	PTG	17.90	(0.30)	330,546	18.17	KTIS	2.88	(0.04)	1,739	2.88
Commerce	-	-	-	-	PTT	41.50	1.50	1,957,485	41.30	LST	4.44	(0.04)	2,385	4.46
BEAUTY	1.44	0.03	310,469	1.45	PTTEP	101.00	4.25	450,371	100.27	M	55.00	(1.00)	14,455	55.58
BIG	0.56	-	319,228	0.55	RATCH	55.00	-	70,093	54.99	MALEE	6.20	(0.15)	3,622	6.26
BIC	37.00	0.25	130,860	37.26	RPC	0.51	-	6,690	0.50	MINT	24.60	0.40	1,110,049	24.71
COL	18.80	-	3,545	18.80	SCG	3.58	0.04	241	3.58	NRF	6.70	0.45	167,929	6.53
COM7	38.00	(0.50)	112,053	38.42	SCI	1.33	0.03	5,998	1.32	OISHI	42.25	0.25	128	42.00
CPALL	62.00	(1.00)	409,731	62.37	SCN	1.69	0.02	7,165	1.68	OSP	37.25	(0.25)	80,562	37.27
CPW	2.10	(0.02)	28,108	2.11	SGP	9.95	0.05	67,484	9.97	PB	70.25	0.25	54	70.14
CRC	33.25	(0.25)	249,854	33.06	SKE	0.55	0.01	64,963	0.55	PM	8.45	-	4,920	8.48
CSS	1.44	-	25,397	1.45	SOLAR	0.92	0.02	6,398	0.92	PRG	-	-	-	-
DOHOME	13.40	-	91,129	13.51	SPCG	21.30	-	45,829	21.39	RBF	9.45	-	151,341	9.53
FN	1.27	(0.03)	139,795	1.30	SPRC	7.25	0.40	702,411	7.11	SAPPE	22.90	1.10	14,815	22.60
FTE	1.52	-	1,279	1.53	SSP	10.20	0.85	206,310	10.06	SAUCE	25.25	0.25	116	25.25
GLOBAL	17.00	(0.30)	166,753	17.08	SUPER	0.92	-	4,005,112	0.92	SFP	-	-	-	-
HMPRO	15.20	(0.40)	233,447	15.30	SUPEREIF	11.50	0.10	1,903	11.47	SNP	13.40	1.40	4,681	13.23
ILM	14.10	-	5,140	13.99	SUSCO	2.82	0.08	49,708	2.81	SORKON	5.65	0.05	456	5.62
IT	2.50	0.06	683	2.47	TAE	2.38	0.02	5,514	2.38	SSC	34.75	-	19	34.62
KAMART	3.60	-	20,205	3.60	TCC	0.18	(0.01)	12,639	0.18	SSF	6.95	0.15	30	6.92
LOXLEY	1.40	-	5,325	1.39	TOP	50.75	2.00	232,670	50.30	SST	2.20	(0.06)	401	2.25
MAKRO	39.75	-	5,924	39.96	TPIPP	4.36	0.02	111,035	4.36	TC	5.30	0.10	6,579	5.28
MC	10.80	(0.10)	13,318	10.95	TSE	2.62	-	91,418	2.63	TFG	4.76	(0.04)	96,789	4.79

Main Board Quotation

Issue Date :

Wednesday November 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CMR	1.76	(0.01)	1,864	1.77	AMATA	15.70	0.20	96,841	15.61	3K-BAT	95.00	-	52	95.74
EKH	5.20	0.32	69,400	5.08	AMATAV	5.10	0.10	971	5.07	ACG	1.19	-	3,558	1.19
KDH	85.75	-	1	85.75	ANAN	1.72	(0.02)	31,233	1.74	AH	17.50	-	5,988	17.37
LPH	4.52	-	2,395	4.51	AP	7.05	-	228,327	7.12	CWT	2.42	0.02	238,686	2.48
M-CHAI	185.00	-	2	185.00	APEX	0.07	-	3,661	0.07	EASON	1.33	(0.03)	2,513	1.34
NEW	-	-	-	-	AQ	0.01	(0.01)	77,067	0.01	GYT	229.00	3.00	3	227.67
NTV	43.25	0.25	147	43.09	AWC	4.38	0.06	935,186	4.40	HFT	4.34	(0.02)	13,989	4.33
PR9	9.40	0.15	15,574	9.25	BLAND	1.04	0.02	95,614	1.03	IHL	3.56	0.04	22,783	3.54
PRINC	3.42	0.10	160,924	3.20	BROCK	1.47	0.03	7	1.47	INGRS	0.44	-	10,913	0.44
RAM	140.50	-	17	140.15	CGD	0.65	(0.01)	158,572	0.67	IRC	13.70	(0.10)	788	13.65
RJH	22.60	(0.10)	2,736	22.68	CI	0.69	0.02	235	0.68	PCSGH	4.60	0.08	2,585	4.56
RPH	5.95	(0.05)	1,167	5.97	CPN	54.50	0.75	150,320	54.04	SAT	14.50	0.30	25,520	14.39
SKR	6.75	0.10	2,894	6.69	ESTAR	0.39	-	28,477	0.39	SPG	14.00	0.50	80	14.04
SVH	404.00	2.00	9	402.56	EVER	0.21	(0.01)	52,115	0.21	STANLY	163.00	1.00	556	163.93
THG	21.70	0.40	13,300	21.53	FPT	11.70	(0.10)	1,865	11.75	TKT	0.91	0.01	185	0.92
VIBHA	1.50	0.01	21,956	1.50	GLAND	2.36	-	106	2.28	TNPC	0.71	-	50	0.71
VIH	6.55	0.15	25,953	6.52	J	1.29	(0.01)	23,229	1.30	TRU	3.70	0.02	340	3.70
WPH	1.64	(0.01)	1,633	1.63	JCK	1.54	0.09	730,019	1.58	TSC	9.60	(0.30)	3	9.80
Tourism & Leisure					KC	-	-	-	-	Industrial Materials	-	-	-	-
ASIA	4.80	0.04	19	4.78	KWG	0.67	(0.01)	133	0.67	ALLA	1.16	0.01	5,170	1.15
CENTEL	24.70	0.30	60,193	24.84	LALIN	6.50	(0.15)	11,022	6.56	ASEFA	3.34	0.02	1,652	3.29
CSR	69.00	-	1	69.00	LH	7.85	-	371,423	7.84	CPT	0.82	-	962	0.82
DTC	7.65	(0.05)	2,335	7.72	LPN	4.58	0.02	117,746	4.57	CRANE	1.39	-	88,981	1.40
ERW	3.56	0.02	252,743	3.58	MBK	13.40	0.20	73,717	13.19	CTW	6.40	0.10	2,218	6.41
GRAND	0.60	-	1,532	0.60	MJD	1.54	(0.01)	7,209	1.54	FMT	19.00	-	63	19.02
LRH	27.50	(0.50)	38	27.57	MK	3.08	(0.02)	7,975	3.08	HTECH	3.00	(0.02)	2,564	2.98
MANRIN	23.80	0.80	1	23.80	NCH	0.77	(0.01)	1,308	0.77	KKC	-	-	-	-
OHTL	322.00	1.00	3	320.67	NNCL	1.95	0.01	5,849	1.92	PK	1.71	(0.02)	3,494	1.71
ROH	-	-	-	-	NOBLE	20.10	(0.30)	24,505	20.13	SNC	12.50	-	2,757	12.47
SHANG	52.00	0.50	27	51.16	NUSA	0.25	(0.01)	132,144	0.25	STARK	1.81	(0.02)	860,543	1.82
SHR	2.20	0.04	129,876	2.18	NVD	2.24	(0.04)	33,395	2.27	TCJ	3.18	0.04	2,225	3.14
VRANDA	6.05	0.10	2,229	5.94	ORI	7.85	0.05	209,969	7.89	VARO	3.58	0.08	77	3.55
Home & Office Produ					PACE	-	-	-	-	Property Fund & REIT	-	-	-	-
ACC	0.58	0.01	401	0.57	PF	0.39	-	426,577	0.38	AIMCG	5.85	-	6,736	5.80
AJA	0.12	-	63,672	0.12	PLAT	2.52	(0.02)	18,057	2.54	AIMIRT	12.90	(0.10)	279	12.88
DTCI	-	-	-	-	POLAR	-	-	-	-	AMATAR	10.20	-	465	10.20
FANCY	0.48	-	5,896	0.48	PRECHA	0.84	-	15	0.84	B-WORK	11.30	-	2,162	11.29
KYE	352.00	(2.00)	30	353.03	PRIN	1.70	-	2,631	1.70	BKER	5.85	0.05	7,943	5.86
L&E	1.74	-	68	1.74	PSH	12.40	0.30	44,322	12.16	BKKCP	11.80	-	31	11.80
MODERN	2.56	0.02	2,444	2.57	QH	2.28	(0.02)	419,058	2.29	BOFFICE	10.50	0.10	1,011	10.44
OGC	-	-	-	-	RICHY	0.65	-	41,533	0.64	CPNCG	10.10	-	1,837	10.11
ROCK	10.30	0.30	2	10.30	RML	0.60	-	10,787	0.60	CPNREIT	21.50	0.90	8,689	21.03
SIAM	1.37	0.01	1,751	1.35	ROJNA	4.22	0.02	27,355	4.24	CPTGF	9.50	-	507	9.55
TSR	3.50	(0.12)	11,124	3.53	S	1.54	0.01	53,492	1.54	CTARAF	5.05	0.05	1,425	4.99
Insurance					SAMCO	1.16	(0.03)	1,913	1.16	DREIT	4.18	0.06	1,673	4.18
AYUD	33.50	(0.50)	27	33.85	SC	2.60	(0.06)	90,748	2.63	ERWPF	4.30	-	301	4.29
BKI	278.00	-	555	277.83	SENA	3.32	0.06	21,662	3.32	FTREIT	12.30	-	2,572	12.23
BLA	21.00	0.50	32,048	20.66	SF	5.00	0.02	33,841	5.00	FUTUREPF	18.00	-	356	18.12
BUI	-	-	-	-	SIRI	0.80	(0.01)	1,236,620	0.80	GAHREIT	7.95	-	3	7.95
CHARAN	-	-	-	-	SPALI	17.80	0.10	33,980	17.95	GOLDFP	5.30	(0.40)	1	5.30
INSURE	-	-	-	-	U	1.32	0.01	76,047	1.32	GVREIT	11.70	-	2,303	11.70
MTI	88.00	-	98	88.32	UV	2.88	0.06	41,479	2.85	HPF	4.92	(0.02)	55	4.92
NKI	-	-	-	-	WHA	3.08	0.04	2,259,298	3.08	HREIT	7.45	0.05	7,276	7.45
NSI	73.25	0.75	96	72.99	WIN	0.34	-	1,667	0.34	IMPACT	20.20	0.40	2,855	19.96
SEG	30.00	-	18	30.00	Paper & Printing	-	-	-	-	KPNPF	7.30	(1.60)	412	7.18
SMK	38.25	(0.25)	51	38.61	UTP	13.60	(0.40)	19,516	13.65	LHHOTEL	10.00	-	3,976	10.04
THRE	1.27	-	355,294	1.28	Fashion	-	-	-	-	LHPF	5.65	0.05	272	5.68
THREL	3.02	-	55,581	3.04	AFC	-	-	-	-	LHSC	11.60	0.20	494	11.56
TIP	26.50	-	9,651	26.44	B52	0.14	-	10,031	0.14	LUXF	6.50	(0.05)	201	6.19
TQM	116.50	(1.50)	7,953	118.10	BTNC	10.80	-	1	10.80	M-II	7.15	0.05	49	7.18
TSI	-	-	-	-	CPH	3.32	0.06	348	3.33	M-PAT	-	-	-	-
TVI	3.74	0.04	310	3.77	CPL	1.10	(0.06)	1,105	1.13	M-STOR	5.95	-	39	6.00
Mining					ICC	28.50	0.25	1	28.50	MIPF	14.40	-	1	14.40
THL	-	-	-	-	NC	11.50	(0.50)	10	11.50	MIT	2.90	0.02	7	2.90
Packaging					PAF	0.51	0.01	1,486	0.51	MJLF	6.10	0.05	451	6.10
AJ	17.60	(0.30)	10,447	17.73	PDJ	1.41	-	37	1.40	MNIT	-	-	-	-
ALUCON	169.50	2.50	3	169.50	PG	-	-	-	-	MNIT2	4.74	(0.16)	5	4.77
BGC	10.90	(0.30)	35,970	10.94	SABINA	21.70	-	2,883	21.55	MNRF	2.90	-	1	2.90
CSC	53.75	-	18	53.13	SAWANG	-	-	-	-	POPF	10.20	0.10	762	10.13
GLOCON	0.95	(0.01)	41,462	0.96	SUC	35.00	0.50	403	35.00	PPF	11.30	-	5	11.30
NEP	0.25	-	74	0.25	TNL	18.00	-	1	18.00	PROSPECT	8.90	0.10	3,122	8.88
PTL	22.10	-	28,729	22.18	TPCORP	9.65	-	3	9.65	QHHR	6.15	-	728	6.21
SCGP	39.00	-	394,292	38.99	TR	27.75	-	65	27.70	QHOP	2.46	0.08	36	2.46
SFLEX	5.50	0.25	38,720	5.38	TTI	17.80	0.20	1	17.80	QHPP	9.65	(0.05)	5,352	9.66
SITHAI	0.68	-	9,803	0.67	TTT	52.00	(1.25)	130	52.35	SBPF	-	-	-	-
SLP	0.42	-	1	0.42	UPF	-	-	-	-	SHREIT	3.20	0.02	675	3.18
SMPC	10.60	-	5,212	10.64	UT	-	-	-	-	SIRIP	8.70	0.10	143	8.64
SPACK	2.40	(0.02)	5,357	2.42	WACOAL	44.75	0.25	25	44.75	SPF	12.80	0.10	10,272	12.72
TCOAT	23.60	0.20	1	23.60	Transportation 8	-	-	-	-	SPRIME	8.00	(0.05)	3,818	8.00
TFI	0.21	0.02	53,282	0.20	AAV	2.08	0.04	389,156	2.08	SRIPANWA	7.70	0.05	118	7.64
THIP	33.75	-	411	33.71	AOT	67.00	(0.25)	660,440	66.53	SSPF	9.00	-	686	8.97
TMD	22.80	(0.10)	1	22.80	ASIMAR	1.50	-	1,318	1.50	SSTRT	5.25	(0.05)	114	5.25
TOPP	204.00	(28.00)	6	204.83	B	0.30	-	10,425	0.30	TIF1	8.60	-	410	8.55
TPBI	4.86	-	1,081	4.87	BA	5.95	0.15	16,084	5.88	TLGF	17.20	0.40	3,395	17.07
TPP	-	-	-	-	BEM	9.30	(0.05)	415,169	9.31	TLHPF	8.30	0.10	70	8.32
Personal Products &					BTS	10.50	(0.20)	767,696	10.50	TNPF	2.02	0.02	1	2.02
APCO	3.62	-	2,950	3.62	BTSGIF	6.00	0.05	28,202	6.00	TPRIME	11.40	0.20	1	11.40
DDD	15.90	0.10	2,136	15.92	III	4.72	(0.02)	15,477	4.71	TTLPF	22.40	(0.10)	43	22.43
JCT	79.75	-	11	79.75	JUTHA	0.42	0.01	493	0.42	TU-PF	1.45	0.04	43	1.40
OCC	-	-	-	-	JWD	8.10	(0.10)	40,691	8.19	URBNPF	-	-	-	-
S & J	25.50	0.25	1	25.50	KWC	-	-	-	-	WHABT	8.75	0.05	5	8.80
STGT	73.25	0.50	140,888	73.26	NOK	0.65	(0.02)	2,433	0.66	WHART	12.80	-	1,531	12.80
STHAI	-	-	-	-	NYT	3.60	0.16	147,208	3.55	Steel	-	-	-	-
TNR	13.20	-	455	13.20	PORT	2.96	(0.02)	169,804	3.03	AMC	1.56	(0.01)	1,122	1.55
TOG	3.78	0.04	338	3.76	PRM	7.85	(0.05)	165,716	7.90	BSBM	0.88	0.01	2,684	0.88
Professional Service					PSL	6								

Main Board Quotation

Issue Date :

Wednesday November 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MAI														
Agro & Food Indust	-	-	-	-	TITLE	2.94	(0.06)	15,209	2.00	ADVA01C2104A	0.60	(0.02)	44,754	-
ABICO	5.20	-	2,665	5.00	Resources (MAI)	-	-	-	-	ADVA01P2012A	0.16	-	50,713	-
AU	9.60	-	40,808	9.00	ABM	0.79	-	493	-	ADVA01P2104A	0.81	0.01	67,381	-
JCKH	0.27	(0.01)	2,609	-	AIE	0.66	-	114,826	-	ADVA06C2103A	0.42	(0.03)	166,787	-
KASET	1.12	0.01	1,044	1.00	ETC	1.90	-	99,001	1.00	ADVA08C2012A	0.05	(0.02)	200	-
MM	1.96	(0.02)	97	1.00	PSTC	1.90	(0.01)	211,842	1.00	ADVA08C2103A	0.49	(0.02)	66,075	-
SUN	4.18	(0.02)	17,319	4.00	QTC	3.84	(0.08)	1,454	3.00	ADVA08P2101A	0.41	-	27,915	-
TACC	6.50	0.05	67,162	6.00	SAAM	1.05	(0.01)	2,137	1.00	ADVA11C2011A	-	-	-	-
TMILL	3.10	(0.02)	454	3.00	SEAOIL	2.50	0.02	11,108	2.00	ADVA11C2104A	0.56	(0.02)	62,414	-
XO	9.75	0.10	31,475	9.00	SR	0.61	-	425	-	ADVA11P2011A	-	-	-	-
Consumer Products														
BGT	1.00	(0.05)	452	1.00	TAKUNI	0.39	-	9,704	-	ADVA13C2012A	0.07	(0.01)	5,300	-
BIZ	3.52	(0.02)	406	3.00	TPCH	11.50	-	15,002	11.00	ADVA13C2101A	0.31	(0.02)	612,255	-
DOD	8.80	(0.15)	33,990	8.00	TRT	1.63	0.01	589	1.00	ADVA13P2012A	0.24	0.01	133,072	-
ECF	1.33	(0.01)	25,746	1.00	UMS	0.29	0.02	40	-	ADVA19C2012A	0.08	(0.01)	8,161	-
HPT	0.75	0.02	114	-	UPA	0.19	0.01	185,361	-	ADVA19C2101A	0.23	(0.03)	529,499	-
IP	11.80	-	10,631	11.00	UWC	0.04	(0.01)	27,931	-	ADVA19P2012A	0.20	0.01	121,150	-
JUBILE	21.10	(0.10)	1,250	21.00	Services (MAI)					ADVA24C2101A	0.15	(0.02)	22,213	-
MOONG	4.18	(0.04)	1,188	4.00	A5	-	-	-	-	ADVA28C2012A	-	-	-	-
NPK	15.00	(0.10)	2	15.00	AKP	0.90	0.01	3,581	-	ADVA28C2012B	-	-	-	-
OCEAN	0.72	-	1,259	-	AMA	5.35	(0.30)	62,412	5.00	ADVA28C2101A	0.09	(0.02)	18,128	-
TM	2.28	-	1,702	2.00	ARIP	0.41	-	260	-	ADVA28C2102L	0.12	-	1,913	-
Financials (MAI)														
ACAP	0.72	0.01	1,778	-	ATP30	0.96	-	18,705	-	ADVA28C2104A	0.37	(0.02)	62,391	-
AF	0.62	0.01	17	-	AUCT	10.60	0.60	50,080	10.00	ADVA28P2012A	-	-	-	-
AIRA	0.88	(0.02)	356	-	BOL	5.90	-	2,927	5.00	ADVA41C2011A	-	-	-	-
ASN	4.40	(0.38)	63	4.00	CMO	0.92	-	1,452	-	ADVA41C2101A	0.28	(0.03)	92,674	-
BROOK	0.39	(0.01)	172,660	-	D	3.82	0.16	6,067	3.00	ADVA41P2101A	0.13	-	38,706	-
CHAYO	7.55	(0.05)	24,398	7.00	DV8	0.29	0.01	255	-	ADVA42C2102T	0.20	(0.02)	36	-
GCAP	1.33	0.01	7,239	1.00	EFORL	0.04	0.01	85,010	-	AEON01C2102A	0.50	(0.02)	46,423	-
LIT	3.22	(0.02)	2,576	3.00	ETE	0.99	(0.03)	5,363	1.00	AEON13C2012A	1.21	(0.02)	1,602	1.00
MITSIB	1.00	(0.02)	6,351	1.00	FSMART	7.20	(0.10)	31,908	7.00	AEON13C2101A	0.45	-	28,477	-
SGF	0.53	(0.01)	66,357	-	FVC	0.39	-	1,823	-	AEON19C2011A	-	-	-	-
Industrials (MAI)														
ZS	3.86	-	4,039	3.00	GSC	1.16	0.02	1,516	1.00	AEON19C2012A	-	-	-	-
ADB	0.88	0.01	5,288	-	HSC	2.14	0.02	4,114	2.00	AEON19C2101A	0.60	(0.05)	2,746	-
BM	2.50	0.10	1,758	2.00	IMH	2.06	(0.04)	662	2.00	AEON19C2102A	0.49	-	178,920	-
CHO	0.51	0.02	38,265	-	KIAT	0.61	0.01	199,538	-	AEON28C2012A	-	-	-	-
CHOW	2.06	0.06	1,196	2.00	KK	1.47	-	33,981	1.00	AEON28C2101A	-	-	-	-
CIG	0.21	-	4,427	-	KOOL	0.88	(0.01)	18,189	-	AEON28C2103A	0.54	(0.01)	83,862	-
COLOR	1.21	-	2,192	1.00	LDC	1.28	(0.02)	2,374	1.00	AEON28C2104L	0.33	(0.01)	51,308	-
CPR	2.60	-	846	2.00	LEO	5.75	0.30	280,762	5.00	AEON42C2101T	0.38	(0.02)	2,980	-
FPI	1.45	-	1,803	1.00	MORE	0.79	-	182,869	-	AMAT01C2101A	0.29	-	30,895	-
GTB	0.73	-	1,383	-	MPG	0.26	(0.01)	7,051	-	AMAT06C2102A	0.40	0.01	35,396	-
KCM	0.44	-	3,851	-	MVP	1.23	0.02	825	1.00	AMAT08C2101A	0.40	-	5,225	-
KUMWEL	1.10	(0.02)	8,925	1.00	NBC	0.49	(0.01)	2,318	-	AMAT13C2012A	0.22	-	75	-
KWM	1.09	(0.02)	3,056	1.00	NCL	0.59	(0.02)	2,224	-	AMAT13C2102A	0.65	-	60	-
MBAX	7.35	(0.25)	33,986	7.00	NEWS	0.01	-	10,289	-	AMAT13C2103A	0.37	0.02	195,774	-
MGT	2.38	0.16	100,556	2.00	NINE	1.55	(0.05)	87	1.00	AMAT19C2011A	-	-	-	-
NDR	1.47	(0.03)	3,378	1.00	OTO	4.90	-	51,787	4.00	AMAT19C2012A	0.23	(0.01)	33,420	-
PDG	3.34	0.06	19,425	3.00	PHOL	2.34	0.04	3,510	2.00	AMAT19C2101A	-	-	-	-
PIMO	2.42	0.06	33,869	2.00	PICO	3.70	(0.02)	1	3.00	AMAT19C2103A	0.27	(0.73)	88,993	-
PJW	1.38	0.01	3,200	1.00	QLT	4.06	0.02	359	4.00	AMAT24C2103A	0.72	0.02	6,697	-
PPM	0.83	0.02	245	-	RP	1.23	0.04	1,340	1.00	AMAT28C2012A	0.02	-	200	-
PRAPAT	1.25	(0.01)	36,135	1.00	SABUY	2.04	0.02	999,814	2.00	AMAT28C2101A	0.19	-	41,511	-
RWI	1.30	(0.01)	253	1.00	SE	1.20	-	592	1.00	AMAT28C2102L	0.11	-	41,294	-
SALEE	0.65	0.01	1	-	SLM	-	-	-	-	AMAT28C2103A	-	-	-	-
SANKO	0.95	-	1,223	-	SONIC	1.33	0.01	10,718	1.00	AMAT42C2101T	0.11	-	14	-
SELIC	2.02	0.02	3,318	2.00	SPA	7.00	0.15	43,182	7.00	AOT01C2012A	0.71	(0.01)	77,750	-
SFT	4.40	0.12	72,299	4.00	THMUI	0.63	0.01	803	-	AOT01C2102A	0.72	(0.05)	86,698	-
SWC	4.60	0.12	2,163	4.00	TNDT	3.10	-	1,656	3.00	AOT01C2102T	0.48	(0.02)	177,684	-
TMC	0.71	0.02	2,845	-	TNH	33.00	(0.25)	193	33.00	AOT01P2012A	0.03	0.01	437	-
TMI	0.71	0.01	20,322	-	TNP	3.40	(0.02)	14,735	3.00	AOT01P2012B	0.05	-	949	-
TMW	33.75	-	310	34.00	TSF	-	-	-	-	AOT01P2102T	0.22	-	90,449	-
TPAC	12.80	(0.30)	1,982	12.00	TVD	1.03	0.01	27,474	1.00	AOT01P2103A	0.67	-	67,092	-
TPLAS	1.64	0.06	9,494	1.00	TVT	0.58	(0.01)	1,917	-	AOT06C2102A	0.79	(0.04)	119,939	-
UBIS	5.40	(0.05)	632	5.00	VL	1.13	-	170,566	1.00	AOT06P2103A	0.11	-	93,771	-
UEC	0.93	-	4,062	-	WINNER	2.62	(0.02)	2,552	2.00	AOT08C2101A	0.66	(0.03)	49,630	-
UKEM	0.56	-	31,062	-	YGG	11.80	(0.20)	1,943	11.00	AOT08P2102A	0.18	0.01	2,715	-
UREKA	0.81	0.01	976	-	Technology (MAI)					AOT11C2011A	-	-	-	-
YUASA	15.10	0.10	830	15.00	APP	2.26	0.04	14,139	2.00	AOT11P2101A	0.07	0.01	410	-
ZIGA	2.94	(0.08)	239,278	3.00	COMAN	2.42	(0.02)	1,489	2.00	AOT13C2012A	0.79	0.06	150	-
Property & Construc														
ALL	3.20	-	126,244	3.00	ICN	2.36	-	18,785	2.00	AOT13C2101A	0.50	(0.02)	12,572	-
ARIN	0.85	-	2,228	-	IIG	19.60	-	8,029	19.00	AOT13C2102A	1.05	(0.01)	305	1.00
ARROW	7.30	0.05	2,797	7.00	INSET	3.60	(0.10)	140,198	3.00	AOT13C2103A	0.47	(0.02)	476,824	-
BC	1.00	0.07	1,573	-	IRCP	0.72	-	3,269	-	AOT13P2011A	-	-	-	-
BSM	0.25	0.01	2,273	-	ITEL	2.90	0.02	18,987	2.00	AOT13P2101A	0.07	0.01	52,088	-
BTW	0.80	0.02	1,673	-	NETBAY	27.25	-	3,504	27.00	AOT13P2102A	0.10	-	135,664	-
CAZ	1.73	-	12,894	1.00	PLANET	1.13	(0.02)	715	1.00	AOT13P2103A	0.55	-	658,479	-
CHEWA	0.51	0.01	13,646	-	SICT	4.18	0.12	27,962	4.00	AOT16C2012A	1.05	(0.06)	1,361	1.00
CMC	0.77	(0.01)	4,566	-	SIMAT	3.50	-	8,095	3.00	AOT16C2103A	0.52	(0.03)	17,792	-
CRD	0.44	-	1,757	-	SKY	12.70	0.20	5,528	12.00	AOT19C2011A	-	-	-	-
DHOUSE	0.56	-	54,733	-	SPVI	3.12	0.02	16,823	3.00	AOT19C2011B	0.08	(0.03)	252	-
DIMET	0.13	(0.01)	40,303	-	TPS	2.34	(0.04)	5,836	2.00	AOT19C2012A	0.59	(0		

Main Board Quotation

Issue Date :

Wednesday November 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AP06C2103A	0.51	(0.01)	23,172	-	BCP13C2103A	0.55	0.15	69,140	-	BJC28C2012B	-	-	-	-
AP08C2101A	0.25	-	11,350	-	BCP19C2011A	-	-	-	-	BJC28C2101A	-	-	-	-
AP13C2011A	-	-	-	-	BCP19C2012A	0.20	0.07	11,014	-	BJC28C2102L	-	-	-	-
AP19C2011A	0.07	-	593	-	BCP19C2102A	0.70	0.15	9,051	-	BJC28C2103A	0.29	0.02	111,610	-
AP28C2012A	-	-	-	-	BCPG13C2012A	-	-	-	-	BJC28C2103B	-	-	-	-
AP28C2012B	0.09	0.01	6,000	-	BCPG13C2012B	-	-	-	-	BJC41C2011A	0.01	-	10	-
AP28C2103A	0.31	-	91,580	-	BCPG13C2102A	0.35	(0.01)	8,836	-	BJC41C2012A	-	-	-	-
AWC01C2101A	0.40	0.01	34,184	-	BCPG13C2103A	0.30	-	416,251	-	BPP13C2012A	0.16	(0.01)	19,134	-
AWC01C2103A	1.48	(0.03)	18,808	1.00	BCPG19C2011A	-	-	-	-	BPP13C2103A	0.48	0.01	148,102	-
AWC01P2103A	0.78	(0.02)	19,760	-	BCPG19C2012A	0.16	0.01	4,854	-	BPP19C2012A	0.18	-	15,913	-
AWC06C2103A	0.85	-	47,098	-	BCPG19C2101A	0.37	(0.01)	700	-	BTS01C2101A	0.09	(0.03)	35,135	-
AWC06P2012A	0.01	-	830	-	BCPG19C2105A	0.31	(0.01)	71,315	-	BTS01C2103A	0.58	(0.08)	3,911	-
AWC08C2012A	0.13	(0.01)	8,400	-	BCPG28C2012A	0.02	-	5	-	BTS01P2103A	0.24	0.02	11,996	-
AWC11C2102A	0.52	(0.01)	64,556	-	BCPG28C2012B	-	-	-	-	BTS06P2103A	0.15	0.02	84,557	-
AWC13C2101A	0.40	(0.02)	2,188	-	BCPG28C2012C	-	-	-	-	BTS11C2011A	-	-	-	-
AWC13C2102A	1.15	(0.02)	300	1.00	BCPG28C2101A	0.13	-	21,175	-	BTS13C2012A	-	-	-	-
AWC13C2102B	0.58	0.02	476,418	-	BCPG28C2103A	-	-	-	-	BTS13C2102A	0.47	(0.02)	170	-
AWC13P2011A	-	-	-	-	BCPG28C2103L	0.18	-	9,126	-	BTS13C2103A	0.22	(0.02)	170,921	-
AWC13P2102A	0.06	-	972	-	BDM501C2101A	0.41	-	69,685	-	BTS13P2011A	-	-	-	-
AWC19C2101A	0.42	0.01	95,730	-	BDM506C2102A	0.40	-	96,328	-	BTS13P2102A	-	-	-	-
AWC19C2102A	0.77	(0.09)	2,050	-	BDM506C2103A	-	-	-	-	BTS19C2011A	-	-	-	-
AWC19C2103A	1.16	(0.09)	1,000	1.00	BDM508C2011A	0.01	(0.01)	7,175	-	BTS19C2012A	-	-	-	-
AWC19P2011A	-	-	-	-	BDM508C2101A	0.31	-	29,900	-	BTS19C2102A	0.57	-	2,000	-
AWC19P2102B	0.06	0.01	2,351	-	BDM511C2011A	0.10	(0.02)	10	-	BTS19C2104A	0.17	(0.03)	13,405	-
AWC24C2103A	0.98	(0.01)	9,000	1.00	BDM511P2104A	0.16	(0.01)	58,612	-	BTS19P2012A	0.01	(0.02)	100	-
AWC28C2012A	0.02	0.01	30	-	BDM513C2011A	-	-	-	-	BTS19P2102A	0.15	-	13,468	-
AWC28C2012B	-	-	-	-	BDM513C2012A	0.15	-	239,665	-	BTS24C2012A	-	-	-	-
AWC28C2101A	0.25	-	77,966	-	BDM513C2101A	0.53	(0.01)	192,186	-	BTS41C2012A	-	-	-	-
AWC28C2103A	-	-	-	-	BDM513C2103A	0.45	(0.01)	502,868	-	CBG01C2012A	0.04	(0.02)	5,657	-
AWC28C2103L	0.21	-	45,631	-	BDM513P2102A	0.07	-	3,938	-	CBG01C2102A	0.40	(0.03)	73,796	-
AWC28C2104A	1.02	(0.11)	900	1.00	BDM513P2103A	0.55	-	273,916	-	CBG01C2103T	0.35	(0.01)	16,576	-
AWC41C2102A	0.39	0.01	21,766	-	BDM519C2011A	-	-	-	-	CBG01P2012A	-	-	-	-
AWC42C2101T	0.05	-	1,501	-	BDM519C2012A	0.18	0.01	34,676	-	CBG01P2102A	0.51	0.01	50,395	-
BANP01C2101A	0.63	0.07	35,777	-	BDM519C2102A	0.44	(0.05)	2,771	-	CBG06C2102A	0.42	(0.04)	59,232	-
BANP01C2103A	0.55	0.08	78,352	-	BDM519P2102A	0.08	-	7,980	-	CBG08C2101A	0.22	(0.02)	16,178	-
BANP01C2104T	0.36	0.05	44,574	-	BDM524C2101A	0.43	-	18,754	-	CBG11C2102A	0.28	(0.03)	21,484	-
BANP01P2101A	-	-	-	-	BDM528C2012A	-	-	-	-	CBG13C2012A	0.07	-	717	-
BANP01P2103A	0.32	(0.05)	54,246	-	BDM528C2012E	-	-	-	-	CBG13C2101A	0.30	(0.03)	63,336	-
BANP06C2101A	-	-	-	-	BDM528C2101A	0.13	(0.02)	44,589	-	CBG13C2102A	0.44	(0.04)	169,372	-
BANP06C2104A	0.62	0.09	67,338	-	BDM528C2102A	0.26	0.01	90,996	-	CBG13P2011A	-	-	-	-
BANP06P2011A	0.01	-	60	-	BDM528C2103A	-	-	-	-	CBG13P2101A	0.41	0.01	91,009	-
BANP06P2103A	0.09	(0.03)	23,151	-	BDM528C2105L	0.24	(0.01)	41,511	-	CBG16C2101A	0.30	(0.03)	32,993	-
BANP08C2102A	0.72	0.09	39,765	-	BDM541C2012A	0.17	(0.02)	71,150	-	CBG19C2011A	0.09	(0.05)	50	-
BANP08P2102A	0.08	(0.02)	150	-	BDM541P2011A	-	-	-	-	CBG19C2111B	-	-	-	-
BANP11C2104A	0.71	0.08	56,774	-	BDM542C2101T	0.09	0.01	500	-	CBG19C2101A	0.21	(0.03)	98,045	-
BANP13C2012A	-	-	-	-	BEM01C2101A	0.07	(0.03)	500	-	CBG19C2102A	0.44	(0.04)	248,435	-
BANP13C2102A	0.51	0.09	113,229	-	BEM08C2102A	0.12	(0.02)	670	-	CBG19P2011A	-	-	-	-
BANP13C2103A	0.39	0.07	574,669	-	BEM11C2011A	-	-	-	-	CBG19P2012A	0.20	-	49,144	-
BANP13P2012A	-	-	-	-	BEM13C2101A	0.25	(0.02)	162,231	-	CBG19P2103A	0.68	-	106,726	-
BANP13P2102A	0.11	(0.03)	69,688	-	BEM13P2102A	-	-	-	-	CBG24C2102A	0.43	(0.04)	14,331	-
BANP16C2101A	0.66	0.12	20,485	-	BEM19C2011A	-	-	-	-	CBG41C2011B	-	-	-	-
BANP19C2012A	-	-	-	-	BEM19C2101A	0.22	(0.02)	18,780	-	CBG41C2012A	-	-	-	-
BANP19C2102A	0.54	0.10	47,088	-	BEM19C2102A	0.43	(0.01)	18,406	-	CBG41P2012A	0.31	(0.01)	4,000	-
BANP19C2103A	0.31	0.06	271,879	-	BEM19P2102A	0.17	-	30,438	-	CBG42C2101T	0.43	(0.03)	540	-
BANP19P2012A	0.01	-	520	-	BEM28C2012A	-	-	-	-	CENT01C2103A	0.78	0.02	32,377	-
BANP19P2102A	0.10	(0.02)	126,350	-	BEM28C2103A	0.22	(0.01)	54,714	-	CENT01P2103A	0.52	(0.02)	14,617	-
BANP24C2011A	-	-	-	-	BEM28C2103B	0.40	(0.02)	10	-	CENT08C2012A	0.17	0.01	6,016	-
BANP28C2012A	0.32	0.03	780	-	BEM28C2104L	0.20	(0.01)	3,044	-	CENT11C2012A	-	-	-	-
BANP28C2012B	-	-	-	-	BGR101C2012A	-	-	-	-	CENT13C2011A	-	-	-	-
BANP28C2101A	-	-	-	-	BGR101C2102A	0.50	0.01	63,276	-	CENT13C2101A	0.54	0.04	82,440	-
BANP28C2103A	0.49	0.07	57,468	-	BGR101P2012A	0.03	0.01	2,177	-	CENT13C2103A	0.24	(0.76)	13,341	-
BANP42C2012T	0.21	0.05	20,924	-	BGR101P2103A	0.54	-	62,443	-	CENT13P2011A	-	-	-	-
BBL06C2101A	-	-	-	-	BGR106C2102A	0.44	0.01	99,764	-	CENT19C2011A	0.03	-	10	-
BBL08C2101A	0.48	0.04	76,583	-	BGR108C2101A	0.31	-	5,343	-	CENT19C2011B	-	-	-	-
BBL08C2103A	2.28	0.14	504	2.00	BGR111C2101A	0.14	-	31,080	-	CENT19C2101A	0.51	0.03	24,901	-
BBL08P2102A	0.17	(0.02)	12,621	-	BGR113C2012A	0.14	(0.01)	193,799	-	CENT19P2011A	-	-	-	-
BBL11C2011A	0.30	0.04	5,000	-	BGR113C2101A	0.36	0.01	210,436	-	CENT24C2011A	-	-	-	-
BBL11C2104A	1.71	0.01	6,651	1.00	BGR113P2101A	-	-	-	-	CENT28C2012A	-	-	-	-
BBL11P2102A	0.11	(0.02)	59,466	-	BGR113P2103A	0.36	(0.02)	129,723	-	CENT28C2012B	0.01	(0.04)	212	-
BBL13C2012A	0.49	0.05	3,060	-	BGR19C2011A	-	-	-	-	CENT28C2101A	-	-	-	-
BBL13C2012B	-	-	-	-	BGR19C2012A	0.11	0.01	36,481	-	CENT28C2101B	-	-	-	-
BBL13C2103A	0.80	0.05	7,702	-	BGR19C2101A	0.43	0.01	54,731	-	CENT28C2103L	0.27	0.01	26,302	-
BBL13C2103B	0.57	0.03	529,622	-	BGR19P2102A	0.16	-	35,546	-	CHG06C2102A	0.18	-	43,442	-
BBL13P2012A	0.03	(0.01)	390	-	BGR124C2101A	0.50	0.01	16,229	-	CHG13C2012A	0.08	0.01	4	-
BBL13P2103A	0.35	(0.04)	240,934	-	BGR127C2101A	-	-	-	-	CHG13C2103A	0.20	(0.80)	147,401	-
BBL19C2011A	0.03	-	10	-	BGR127P2012A	-	-	-	-	CHG19C2011A	-	-	-	-
BBL19C2011B	0.05	0.01	60	-	BGR141C2012A	-	-	-	-	CHG19C2103A	0.19	-	147,389	-
BBL19C2012A	-	-	-	-	BGR141C2101A	0.13	(0.02)	19,750	-	CK01C2101A	0.18	0.01	5,127	-
BBL19C2101A	0.68	0.08	50	-	BGR142C2101T	-	-	-	-	CK01P2101A	0.20	(0.02)	4,166	-
BBL19C2101B	1.71	0.41	10	1.00	BH01C2103A	0.53	0.05	2,176	-	CK06C2102A	0.25	0.01	35,291	-
BBL19C2103A	0.44	0.04	757,740	-	BH13C2012A	0.13	0.05	221,349	-	CK06C2103A	-	-	-	-
BBL19P2011A	-	-	-	-	BH13C2101A	0.82	0.20	12,909	-	CK06P2012A	0.06	(0.02)	23,500	-
BBL19P2012A	0.01	(0.01)	15,000	-	BH13C2103A	0.60	0.11	298,735	-	CK11C2012A	-	-	-	-
BBL19P2103A	0.32	(0.03)	277,018	-	BH13P2101A	0.03	(0.02)	182,390	-	CK13C2012A	0.10	-	14,368	-
BBL24C2102A	2.14	0.22	927	2.00	BH19C2012A	0.20	0.07	102,127	-	CK13C2102A	0.58	0.01	3,448	-
BBL28C2012A	-	-	-	-	BH19C2101A	1.66	0.43	20,305	1.00	CK13C2103A	0.41	0.01	160,769	-
BBL28C2101A	0.33	0.03	159,462	-	BH19C2103A	0.59	0.12	220,349	-	CK19C2011A	-	-	-	-
BBL28C2103A	-	-	-	-	BH19P2012A	0.04	(0.03)	182,952	-	CK19C2012A	0.16	-	19,152	-
BBL28C2104L	0.33	0.02	152,687	-	BH24C2102A	0.48	0.13	46,890	-					

Main Board Quotation

Issue Date :

Wednesday November 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
CKP13C2101A	0.09	(0.01)	5,716	-	CPN01P2012A	-	-	-	-	EA28C2012A	0.06	(0.01)	501	-
CKP13C2102A	0.63	(0.03)	71,581	-	CPN06C2103A	1.03	(0.10)	82	1.00	EA28C2101A	0.07	(0.01)	800	-
CKP13C2103A	0.24	(0.76)	10,329	-	CPN11C2101A	0.26	0.01	36,130	-	EA28C2102A	0.19	-	68,624	-
CKP16C2012A	-	-	-	-	CPN13C2011A	-	-	-	-	EA28C2103L	0.11	-	21,294	-
CKP19C2011A	0.03	-	470	-	CPN13C2012A	-	-	-	-	EA41C2011A	-	-	-	-
CKP19C2011B	-	-	-	-	CPN13C2102A	1.11	-	3,600	1.00	EA41C2101A	-	-	-	-
CKP19C2101A	0.09	(0.01)	1,600	-	CPN13C2103A	0.61	0.02	306,163	-	EA42C2101T	0.15	-	707	-
CKP19C2102A	0.48	(0.03)	16,087	-	CPN19C2011A	-	-	-	-	EGCO01C2101A	0.10	-	52,324	-
CKP19P2012A	0.20	-	3,019	-	CPN19C2012A	0.28	0.02	64,888	-	EGCO01C2103A	1.22	0.02	30,340	1.00
CKP24C2011A	-	-	-	-	CPN19C2102A	0.69	0.01	15,142	-	EGCO01P2101A	0.41	(0.02)	65,540	-
CKP28C2012A	-	-	-	-	CPN19C2104A	0.50	-	89,848	-	EGCO13C2011A	-	-	-	-
CKP28C2012B	-	-	-	-	CPN19P2101A	0.04	(0.01)	15,491	-	EGCO13C2012A	0.07	0.01	11,038	-
CKP28C2103A	0.15	-	4,114	-	CPN24C2011A	0.02	(0.04)	1,000	-	EGCO13C2012B	0.13	0.01	165,149	-
CKP28C2103B	-	-	-	-	CPN24C2102A	1.11	0.10	20,021	1.00	EGCO13C2101A	0.65	0.03	136,887	-
COM701C2103A	0.24	(0.03)	53,206	-	CPN41C2012A	0.21	(0.03)	3,070	-	EGCO13C2103A	0.46	(0.54)	84,749	-
COM706C2012A	0.17	(0.23)	4,347	-	CPN41C2101A	0.29	0.03	50,815	-	EGCO13P2011A	0.04	(0.04)	132	-
COM706C2103A	0.31	(0.03)	56,837	-	CPN41C2102A	-	-	-	-	EGCO19C2011A	-	-	-	-
COM708C2011A	0.04	(0.07)	1	-	CPN41P2011A	-	-	-	-	EGCO19C2012A	0.03	0.01	10,000	-
COM708C2102A	0.20	(0.02)	24,400	-	CPN41P2102A	0.06	-	300	-	EGCO19C2012B	0.33	0.02	377,637	-
COM711C2101A	0.24	(0.03)	37,820	-	CRC01C2101A	0.22	-	74,852	-	EGCO19C2102A	1.07	0.03	98,959	1.00
COM711P2102A	0.49	(0.01)	11,000	-	CRC01P2101A	0.12	0.01	62,846	-	EGCO19C2103A	0.31	(0.69)	364,861	-
COM713C2101A	0.11	(0.02)	11,271	-	CRC06C2102A	0.31	(0.03)	65,800	-	EGCO19P2011A	-	-	-	-
COM713C2103A	0.29	(0.02)	150,707	-	CRC08C2101A	0.22	(0.02)	33,200	-	EGCO19P2012A	0.19	(0.01)	204,482	-
COM716C2101A	0.14	(0.03)	6,206	-	CRC11P2104A	0.31	-	53,085	-	EGCO41C2101A	0.09	0.01	60,778	-
COM719C2011A	-	-	-	-	CRC13C2012A	-	-	-	-	EGCO42C2101T	-	-	-	-
COM719C2011B	-	-	-	-	CRC13C2101A	0.36	(0.05)	500	-	EPG13C2012A	0.10	(0.01)	7,292	-
COM719C2012A	0.07	(0.02)	10,609	-	CRC13C2103A	0.31	(0.01)	391,395	-	EPG13C2102A	-	-	-	-
COM719C2103A	0.23	(0.02)	114,476	-	CRC13P2012A	0.01	(0.02)	50	-	EPG13C2102B	0.27	-	42,288	-
COM719P2011A	-	-	-	-	CRC16C2102A	0.39	(0.03)	6,964	-	EPG19C2011A	0.03	(0.05)	200	-
COM719P2012A	-	-	-	-	CRC19C2011A	-	-	-	-	EPG19C2102A	-	-	-	-
COM719P2101A	0.21	0.01	101,149	-	CRC19C2012A	0.15	-	115,960	-	EPG19C2103A	0.28	-	14,184	-
COM719P2102A	0.57	0.02	109,718	-	CRC19C2101A	0.34	(0.05)	7,799	-	EPG42C2101T	0.35	-	400	-
COM724C2012A	0.10	(0.01)	12,337	-	CRC19C2104A	0.24	(0.01)	140,552	-	ESSO01C2012A	-	-	-	-
COM741C2101A	-	-	-	-	CRC19P2011A	-	-	-	-	ESSO01C2103A	0.36	0.02	45,294	-
CPAL01C2101A	0.14	(0.02)	69,184	-	CRC24C2101A	0.21	(0.01)	15,114	-	ESSO01P2012A	0.06	(0.03)	800	-
CPAL01C2103A	0.56	(0.04)	36,051	-	CRC28C2012A	-	-	-	-	ESSO06C2103A	0.49	0.03	40,533	-
CPAL01P2101A	0.25	0.02	34,563	-	CRC28C2101A	0.19	(0.02)	65,889	-	ESSO08C2011A	-	-	-	-
CPAL06C2102A	0.12	(0.02)	41,814	-	CRC28C2103A	0.44	(0.05)	915	-	ESSO08C2102A	0.40	0.03	44,710	-
CPAL06C2104A	0.40	(0.05)	90,575	-	CRC28C2104L	0.19	(0.01)	42,542	-	ESSO13C2012A	0.14	0.01	111,806	-
CPAL06P2012A	0.04	-	1	-	CRC41C2012A	0.12	(0.05)	450	-	ESSO13C2102A	0.44	0.04	166,734	-
CPAL08C2011A	0.01	(0.01)	110	-	DOHO01C2103	0.32	-	38,884	-	ESSO19C2011A	-	-	-	-
CPAL08C2102A	0.22	(0.02)	9,000	-	DOHO01P2103	0.56	(0.01)	24,540	-	ESSO19C2012A	0.14	0.01	119,206	-
CPAL08P2101A	0.32	0.02	16,215	-	DOHO06C2012	0.03	(0.01)	850	-	ESSO19C2103A	0.44	0.04	72,170	-
CPAL11C2012A	0.04	-	187	-	DOHO06C2104	0.32	(0.02)	41,900	-	ESSO19P2012A	-	-	-	-
CPAL13C2012A	-	-	-	-	DOHO08C2012	0.16	-	17,844	-	ESSO24C2012A	0.06	(0.02)	500	-
CPAL13C2101A	0.22	(0.04)	222,231	-	DOHO11C2101	0.19	(0.01)	30,804	-	ESSO28C2101A	-	-	-	-
CPAL13C2102A	0.52	(0.03)	9,570	-	DOHO13C2101	0.06	-	5,429	-	ESSO28C2101B	0.12	0.01	38,684	-
CPAL13P2102A	0.17	0.01	42,112	-	DOHO13C2103	0.26	(0.01)	124,045	-	ESSO28C2104A	0.33	0.02	61,191	-
CPAL16C2103A	0.44	(0.05)	10,940	-	DOHO19C2011	-	-	-	-	ESSO28C2105L	0.26	0.01	38,518	-
CPAL19C2011A	-	-	-	-	DOHO19C2101	0.09	0.01	3,423	-	ESSO42C2101T	0.12	-	14	-
CPAL19C2012A	0.07	(0.04)	13,016	-	DOHO19C2103	0.26	(0.01)	122,826	-	GFPT08C2011A	-	-	-	-
CPAL19C2102A	0.23	(0.03)	194,776	-	DOHO28C2012	-	-	-	-	GFPT19C2012A	0.10	0.01	323,795	-
CPAL19C2103A	0.48	(0.06)	12,652	-	DOHO28C2102	0.11	(0.01)	12,168	-	GFPT19C2103A	0.36	0.02	78,708	-
CPAL19P2101A	0.19	0.02	65,995	-	DOHO28C2104	0.34	-	57,333	-	GFPT24C2012A	0.06	0.02	40	-
CPAL24C2103A	0.40	(0.03)	14,195	-	DOHO42C2012	-	-	-	-	GFPT42C2101T	0.05	-	1,290	-
CPAL27C2101A	-	-	-	-	DTAC01C2101A	0.17	-	45,547	-	GLOB01C2012A	0.01	-	40	-
CPAL28C2012A	0.01	-	983	-	DTAC01C2103A	0.38	0.01	56,604	-	GLOB01C2102A	0.36	(0.03)	21,900	-
CPAL28C2012B	-	-	-	-	DTAC01P2101A	-	-	-	-	GLOB13C2011A	-	-	-	-
CPAL28C2012C	-	-	-	-	DTAC01P2103A	0.36	(0.01)	24,203	-	GLOB13C2102A	0.20	(0.03)	52,741	-
CPAL28C2102A	0.09	(0.01)	14,368	-	DTAC06C2012A	0.01	-	1,290	-	GLOB19C2012A	0.03	(0.01)	10,000	-
CPAL28C2103A	0.26	(0.03)	52,691	-	DTAC06C2103A	0.45	0.01	72,392	-	GLOB19C2102A	0.25	(0.03)	28,761	-
CPAL28C2103B	-	-	-	-	DTAC06P2012A	0.07	(0.01)	5,650	-	GPSC01C2012A	-	-	-	-
CPAL28C2104L	0.14	(0.01)	21,294	-	DTAC08C2012A	-	-	-	-	GPSC01C2101A	0.54	0.04	57,804	-
CPAL41C2011A	-	-	-	-	DTAC08C2101A	0.19	0.01	5,802	-	GPSC01C2103A	1.56	0.07	12,770	1.00
CPAL41C2101A	0.19	(0.02)	15,854	-	DTAC13C2012A	0.10	0.01	20,462	-	GPSC01C2104T	0.57	0.03	46,547	-
CPAL41C2101B	0.45	(0.04)	1,580	-	DTAC13C2101A	0.22	0.01	151,390	-	GPSC01P2012A	-	-	-	-
CPAL41P2011A	-	-	-	-	DTAC13C2103A	0.42	0.01	9,161	-	GPSC01P2103A	0.64	(0.04)	44,115	-
CPAL41P2101A	0.30	0.02	48,830	-	DTAC13P2101A	0.03	(0.01)	4	-	GPSC06C2101A	0.19	0.02	92,568	-
CPAL41P2101B	0.11	-	1,078	-	DTAC13P2103A	0.24	-	29,472	-	GPSC06C2103A	-	-	-	-
CPAL42C2101T	-	-	-	-	DTAC19C2011A	-	-	-	-	GPSC08C2101A	0.28	0.01	12,200	-
CPF01C2012A	-	-	-	-	DTAC19C2012A	-	-	-	-	GPSC08C2103A	1.08	0.06	41,703	1.00
CPF01C2101A	0.16	-	194,170	-	DTAC19C2101A	0.26	0.01	69,957	-	GPSC11C2102A	0.47	0.01	50,724	-
CPF01P2012A	0.18	(0.01)	54,480	-	DTAC19C2103A	0.48	-	11,889	-	GPSC13C2012A	-	-	-	-
CPF06C2102A	0.14	-	112,787	-	DTAC19P2011A	-	-	-	-	GPSC13C2012B	0.22	0.01	24,968	-
CPF08C2102A	0.14	(0.01)	1,400	-	DTAC19P2103A	0.26	(0.01)	50,474	-	GPSC13C2101A	0.70	0.05	14,429	-
CPF08P2103A	0.22	-	47,000	-	DTAC24C2012A	-	-	-	-	GPSC13C2102A	1.18	0.09	18,460	1.00
CPF11C2104A	0.31	(0.02)	102,521	-	DTAC28C2012A	-	-	-	-	GPSC13C2103A	0.69	0.04	521,880	-
CPF11P2104A	0.25	-	98,515	-	DTAC28C2102A	0.12	-	30,420	-	GPSC13P2011B	-	-	-	-
CPF13C2011A	-	-	-	-	DTAC28C2103A	0.31	(0.01)	7,006	-	GPSC13P2102A	0.12	(0.03)	34	-
CPF13C2012A	0.02	-	200	-	DTAC28C2104L	0.21	-	12,168	-	GPSC13P2102B	0.38	(0.03)	153,114	-
CPF13C2101A	0.11	-	128,797	-	DTAC41C2011A	-	-	-	-	GPSC16C2103A	0.97	-	6,720	-
CPF13C2102A	0.24	0.01	560,342	-	DTAC41C2012A	-	-	-	-	GPSC19C2012A	0.16	0.01	37,536	-
CPF13P2012A	-	-	-	-	DTAC42C2101T	-	-	-	-	GPSC19C2101A	0.43	0.03	1,260,755	-
CPF13P2101A	-	-	-	-	EA06C2102A	0.31	0.02	125,537	-	GPSC19C2101B	-	-	-	-
CPF16C2012A	-	-	-	-	EA06P2012A	0.02	-	14	-	GPSC19C2102A	1.15	0.02	25,547	1.00
CPF19C2012A	0.03	0.01	398	-	EA08C2101A	0.31	(0.01)	14,032	-	GPSC19P2011A	-	-	-	-
CPF19C2102A	0.18	-	151,613	-	EA11C2101A	-	-	-	-	GPSC19P2012A	0.03	(0.03)	101	-
CPF19C2103A	0.30	(0.01)	10,852	-	EA13C2011A	-	-	-	-	GPSC19P2102A	0.15	(0.0		

Main Board Quotation

Issue Date :

Wednesday November 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF08C2102A	0.32	(0.01)	38,200	-	HSI28P2012C	-	-	-	-	IVL19P2011A	-	-	-	-
GULF11C2011A	-	-	-	-	HSI28P2012L	0.03	-	1,152	-	IVL19P2012A	0.01	-	879	-
GULF11C2104A	0.50	(0.01)	37,743	-	HSI28P2101L	0.04	(0.01)	1,491	-	IVL19P2103A	0.12	(0.02)	52,458	-
GULF11P2104A	0.23	(0.01)	40,201	-	HSI28P2102L	0.07	(0.01)	786	-	IVL19P2104A	0.37	(0.01)	130,280	-
GULF13C2012A	-	-	-	-	HSI28P2103L	0.17	(0.01)	14,120	-	IVL24C2012A	0.55	0.03	1,200	-
GULF13C2012B	-	-	-	-	HSI41C2011A	-	-	-	-	IVL28C2012A	0.01	(0.01)	300	-
GULF13C2102A	0.46	(0.01)	3,725	-	HSI41C2011B	-	-	-	-	IVL28C2012B	-	-	-	-
GULF13C2103A	0.39	-	462,852	-	HSI41C2011C	1.46	0.44	20	1.00	IVL28C2101A	-	-	-	-
GULF13P2101A	0.03	-	55	-	HSI41C2011D	-	-	-	-	IVL28C2103A	-	-	-	-
GULF13P2103A	0.20	-	238,415	-	HSI41C2011E	0.01	(0.07)	401	-	IVL28C2104A	0.26	-	89,535	-
GULF16C2012A	0.14	(0.02)	9,410	-	HSI41C2012A	0.17	(0.03)	9,497	-	IVL28C2104L	0.42	(0.01)	62,323	-
GULF19C2012A	0.10	(0.01)	66,752	-	HSI41C2012B	1.45	(0.02)	6,735	1.00	IVL41C2011A	-	-	-	-
GULF19C2101A	0.26	0.01	160,626	-	HSI41C2012C	0.63	(0.05)	219,592	-	IVL41C2012A	-	-	-	-
GULF19C2103A	0.49	(0.02)	345	-	HSI41C2012U	1.28	-	1,801	1.00	IVL41P2012A	-	-	-	-
GULF19P2012A	0.03	(0.01)	1,000	-	HSI41C2012V	-	-	-	-	IVL41P2012B	0.02	-	10	-
GULF19P2102A	0.07	0.01	34	-	HSI41C2101A	0.19	(0.01)	86,882	-	IVL42C2101T	0.06	(0.01)	501	-
GULF19P2103A	0.19	-	296,988	-	HSI41C2101B	0.56	-	121,035	-	JAS08C2011A	-	-	-	-
GULF19P2103B	0.37	(0.63)	129,976	-	HSI41C2101T	0.82	0.02	260,224	-	JAS08P2103A	0.28	-	48,366	-
GULF24C2101A	0.22	(0.01)	12,279	-	HSI41P2011A	0.01	-	1,500	-	JAS13C2012A	0.15	-	57,446	-
GULF28C2012A	0.01	-	12,530	-	HSI41P2011B	0.01	-	1,000	-	JAS13C2101A	0.44	0.02	33,055	-
GULF28C2012B	-	-	-	-	HSI41P2011C	-	-	-	-	JAS13C2103A	0.55	0.02	192,097	-
GULF28C2101A	0.12	-	43,596	-	HSI41P2011D	-	-	-	-	JAS13C2103B	0.39	(0.61)	472,238	-
GULF28C2102A	0.19	-	54,952	-	HSI41P2011E	-	-	-	-	JAS19C2012A	0.12	0.01	65,124	-
GULF28C2103A	0.49	(0.03)	1	-	HSI41P2012A	-	-	-	-	JAS19C2101A	0.45	0.02	70,907	-
GULF41C2012A	-	-	-	-	HSI41P2012B	0.12	(0.02)	4,877	-	JAS19C2104A	0.33	(0.67)	42,949	-
GULF41C2102A	0.25	(0.01)	80,270	-	HSI41P2012C	-	-	-	-	JAS19P2010A	0.10	(0.02)	98,623	-
GULF41C2102B	-	-	-	-	HSI41P2012T	-	-	-	-	JAS28C2012A	-	-	-	-
GULF41P2012A	-	-	-	-	HSI41P2012V	0.25	(0.01)	37,052	-	JAS28C2012B	-	-	-	-
GULF41P2102A	-	-	-	-	HSI41P2101A	0.04	(0.01)	100	-	JAS28C2101A	0.11	0.01	74,080	-
GULF41P2102B	0.24	(0.01)	25,413	-	HSI41P2101B	-	-	-	-	JAS28C2102A	0.25	-	37,626	-
GULF42C2101T	-	-	-	-	HSI41P2101T	0.59	(0.04)	57,151	-	JAS28C2103A	0.47	(0.01)	2,000	-
GULF42P2101T	0.06	0.01	2	-	INTU01C2101A	0.19	(0.03)	66,787	-	JAS41C2011A	0.01	-	1,500	-
GUNK01C2012A	-	-	-	-	INTU01P2101A	0.32	0.01	35,114	-	JAS41C2102A	0.44	(0.03)	37,552	-
GUNK13C2101A	0.12	-	15,260	-	INTU06C2103A	0.38	(0.05)	54,133	-	JMT01C2102A	0.22	(0.02)	25,517	-
GUNK13C2102A	0.33	-	3	-	INTU06P2011A	-	-	-	-	JMT01P2102A	0.35	0.02	15,668	-
GUNK19C2012A	-	-	-	-	INTU11C2103A	0.41	(0.02)	42,672	-	JMT06C2102A	0.09	(0.04)	19,725	-
GUNK19C2101A	0.09	(0.01)	4,376	-	INTU13C2101A	0.25	(0.06)	160,707	-	JMT06C2103A	0.21	(0.03)	17,380	-
GUNK19C2103A	0.26	-	27,108	-	INTU19C2012A	0.09	-	5,728	-	JMT08C2101A	0.16	(0.01)	12,350	-
GUNK24C2012A	0.03	-	5,000	-	INTU19C2101A	0.30	(0.07)	19,140	-	JMT11C2102A	-	-	-	-
GUNK28C2012A	-	-	-	-	INTU19C2103A	0.26	(0.74)	166,479	-	JMT13C2012A	0.05	(0.02)	33,916	-
GUNK28C2012B	-	-	-	-	INTU19P2012A	0.15	0.01	31,906	-	JMT13C2102A	0.20	(0.02)	105,627	-
GUNK28C2102A	-	-	-	-	INTU23C2111A	0.66	(0.08)	110	-	JMT16C2102A	0.23	(0.03)	14,892	-
GUNK28C2103A	0.18	-	12,240	-	INTU28C2012A	-	-	-	-	JMT19C2011A	-	-	-	-
HANA01C2012A	0.11	0.01	20,582	-	INTU28C2102A	0.13	(0.02)	39,606	-	JMT19C2012A	0.07	(0.01)	2,521	-
HANA01C2102A	0.09	-	2,696	-	INTU28C2103A	0.35	(0.03)	43,550	-	JMT19C2102A	0.16	(0.02)	54,158	-
HANA01C2102B	0.23	0.02	45,541	-	INTU41C2012A	-	-	-	-	JMT24C2011A	-	-	-	-
HANA01C2103A	0.44	0.01	46,699	-	INTU42C2101T	0.04	(0.01)	100	-	JMT28C2101A	0.14	(0.01)	12,084	-
HANA01P2102A	0.84	(0.06)	18,043	-	IRPC01C2101A	0.36	0.03	53,836	-	JMT28C2104L	0.16	-	9,084	-
HANA06C2102A	0.10	-	72,342	-	IRPC01C2103A	0.63	0.06	27,553	-	JMT41C2012A	-	-	-	-
HANA06C2104A	0.45	0.05	46,722	-	IRPC01P2101A	0.05	-	800	-	JMT42C2101T	0.13	(0.01)	2	-
HANA11C2103A	0.29	0.01	14,710	-	IRPC06C2103A	-	-	-	-	KBAN01C2012A	1.54	0.43	81,534	1.00
HANA13C2012A	0.01	-	8,745	-	IRPC11C2102A	0.35	0.04	43,298	-	KBAN01C2012B	1.13	0.43	80,462	-
HANA13C2102A	0.14	0.02	85,798	-	IRPC13C2012A	0.20	0.03	2,540	-	KBAN01C2102A	3.00	0.80	2,204	2.00
HANA13C2102B	0.25	0.02	86,330	-	IRPC13C2012B	-	-	-	-	KBAN01C2102T	1.43	0.27	28,608	1.00
HANA13C2103A	0.42	0.03	530,472	-	IRPC13C2101A	-	-	-	-	KBAN01P2012A	0.08	0.02	3,438	-
HANA13P2101A	-	-	-	-	IRPC13C2102A	0.78	0.08	4	-	KBAN01P2101A	0.07	(0.01)	5,866	-
HANA13P2103A	0.52	(0.03)	400,622	-	IRPC13C2103A	0.45	0.05	6,067	-	KBAN01P2102T	0.13	(0.04)	81,743	-
HANA16C2101A	0.12	0.01	3,016	-	IRPC13C2103B	0.30	0.05	449,981	-	KBAN06C2012A	0.96	0.41	2,186	-
HANA16C2103A	0.40	0.01	3,800	-	IRPC13P2011A	-	-	-	-	KBAN06C2103A	3.52	0.90	202	3.00
HANA19C2012A	0.04	(0.01)	936	-	IRPC13P2012A	0.02	0.01	2	-	KBAN06P2103A	0.04	-	8,752	-
HANA19C2101A	0.05	-	12,494	-	IRPC19C2011A	-	-	-	-	KBAN06P2104A	0.43	(0.22)	210,660	-
HANA19C2102A	0.15	0.01	41,610	-	IRPC19C2012A	-	-	-	-	KBAN08C2011A	0.02	-	21	-
HANA19C2103A	0.38	0.03	407,375	-	IRPC19C2101A	0.44	-	3,088	-	KBAN08C2101A	1.20	0.27	5,773	1.00
HANA19P2011A	-	-	-	-	IRPC19C2103A	0.69	(0.07)	58	-	KBAN08C2103A	2.54	0.54	2,889	2.00
HANA19P2101A	-	-	-	-	IRPC19C2104A	0.37	0.04	107,192	-	KBAN08P2101A	0.07	(0.04)	8,118	-
HANA24C2012A	0.14	0.01	4,530	-	IRPC19P2011A	-	-	-	-	KBAN13C2011A	0.65	0.51	6,338	-
HANA27P2012X	-	-	-	-	IRPC19P2012A	-	-	-	-	KBAN13C2012A	1.30	0.53	10,920	1.00
HANA28C2012A	0.03	(0.03)	2,000	-	IRPC24C2012A	0.20	0.05	14,773	-	KBAN13C2012B	2.22	0.74	3,085	2.00
HANA28C2104A	0.49	0.03	67,123	-	IRPC28C2012A	0.02	(0.01)	95	-	KBAN13C2101A	2.56	0.50	74,121	2.00
HANA28C2104L	0.10	-	200	-	IRPC28C2101A	0.18	0.03	80,558	-	KBAN13C2102A	1.59	0.43	66,476	1.00
HANA41C2012A	-	-	-	-	IRPC28C2103A	0.37	0.02	1,001	-	KBAN13C2103A	0.74	0.17	2,018,911	-
HANA42C2101T	0.13	-	1,687	-	IRPC28C2103B	-	-	-	-	KBAN13P2011A	-	-	-	-
HMPR01C2012A	-	-	-	-	IRPC41C2101A	0.26	0.04	32,597	-	KBAN13P2012A	0.01	(0.01)	4,593	-
HMPR01C2103A	0.45	(0.05)	24,941	-	IVL01C2012A	0.07	(0.02)	150	-	KBAN13P2103A	0.37	(0.15)	1,496,106	-
HMPR01P2012A	0.12	-	28,776	-	IVL01C2012B	0.38	(0.07)	4,154	-	KBAN16C2101A	-	-	-	-
HMPR06C2102A	0.30	(0.06)	40,326	-	IVL01C2102A	0.25	0.02	131,979	-	KBAN16C2103A	1.57	0.35	7,003	1.00
HMPR06P2103A	0.18	0.02	20,620	-	IVL01C2102B	1.04	(0.01)	3,226	1.00	KBAN19C2011A	0.01	-	1	-
HMPR11C2011A	-	-	-	-	IVL01C2103T	0.71	-	10,182	-	KBAN19C2012A	1.55	0.56	10,155	1.00
HMPR13C2012A	-	-	-	-	IVL01P2012A	-	-	-	-	KBAN19C2012B	1.38	0.66	43,598	1.00
HMPR13C2102A	-	-	-	-	IVL01P2102A	0.18	(0.01)	122,492	-	KBAN19C2101A	2.66	0.75	47,079	2.00
HMPR13C2103A	0.27	(0.04)	177,751	-	IVL01P2103T	0.33	-	48,948	-	KBAN19C2103A	1.54	0.44	10,334	1.00
HMPR19C2102A	0.26	(0.05)	28,057	-	IVL06C2101A	0.41	(0.10)	31	-	KBAN19C2103B	0.55	0.17	1,153,345	-
HMPR19P2011A	-	-	-	-	IVL06C2103A	-	-	-	-	KBAN19P2012A	0.01	(0.01)	20,081	-
HSC41C2101A	0.71	(0.11)	75,286	-	IVL06C2104A	0.29	0.01	601,127	-	KBAN19P2103A	0.10	(0.06)	165,769	-
HSC41P2101A	0.57	0.03	212	-	IVL06P2104A	0.22	(0.01)	96,094	-	KBAN19P2103B	0.30	(0.14)	494,702	-
HSI28C2011A	2.24	(0.02)	2,876	2.00	IVL08C2101A	-	-	-	-	KBAN24C2012A	1.36	0.40	125	1.00
HSI28C2011B	1.01	(0.05)	57,192	1.00	IVL08C2103A	0.36	0.01	120,780	-	KBAN24C2103A	2.94	0.66	1,112	2.00
HSI28C2011C	0.01	(0												

Main Board Quotation

Issue Date :

Wednesday November 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KCE01P2011A	-	-	-	-	MINT11P2104A	0.25	(0.01)	61,579	-	PRM13C2102A	0.20	(0.01)	75,634	-
KCE01P2101A	0.18	(0.01)	28,017	-	MINT13C2101A	0.70	0.05	15,508	-	PRM16C2102A	0.02	-	445	-
KCE06C2012A	-	-	-	-	MINT13C2102A	1.18	(0.02)	895	1.00	PRM19C2011A	-	-	-	-
KCE06C2012B	-	-	-	-	MINT13C2103A	0.79	0.03	1,076,863	-	PRM19C2101A	0.10	(0.01)	7,031	-
KCE06C2102A	0.33	(0.02)	43,941	-	MINT13P2011A	-	-	-	-	PRM19C2103A	0.29	(0.01)	54,602	-
KCE08C2012A	-	-	-	-	MINT13P2012A	-	-	-	-	PRM28C2012A	-	-	-	-
KCE08C2103A	0.31	(0.02)	47,750	-	MINT13P2101A	0.06	-	50,428	-	PRM28C2103A	0.40	(0.02)	44,321	-
KCE11C2101A	0.52	(0.04)	27,236	-	MINT13P2102A	0.40	(0.03)	368,176	-	PRM42C2101T	-	-	-	-
KCE13C2012A	0.23	(0.03)	1,443	-	MINT19C2101A	0.39	0.02	51,226	-	PTG01C2102A	0.10	-	2,010	-
KCE13C2102A	0.21	(0.01)	350,977	-	MINT16C2103A	1.70	-	8	1.00	PTG01P2012A	0.19	0.01	67,599	-
KCE13P2012A	-	-	-	-	MINT19C2011A	0.60	0.05	250	-	PTG06C2103A	0.31	(0.01)	181,583	-
KCE13P2101A	0.05	-	50	-	MINT19C2011B	-	-	-	-	PTG08C2011A	0.01	(0.06)	130	-
KCE13P2102A	0.26	0.01	178,499	-	MINT19C2102A	1.00	0.06	1,251	-	PTG11C2101A	0.20	(0.03)	74,840	-
KCE16C2012A	0.27	(0.06)	2,200	-	MINT19C2103A	0.49	0.03	1,890,995	-	PTG13C2102A	0.01	-	100	-
KCE19C2011A	-	-	-	-	MINT19P2011A	-	-	-	-	PTG13C2102B	0.10	-	163,958	-
KCE19C2012A	0.22	(0.03)	17,605	-	MINT19P2012A	-	-	-	-	PTG13C2102A	0.21	(0.02)	257,044	-
KCE19C2102A	0.26	(0.02)	339,258	-	MINT19P2101A	0.05	(0.01)	4,260	-	PTG16C2101A	0.17	(0.03)	9,028	-
KCE19C2102B	0.17	(0.01)	34,797	-	MINT19P2102A	0.04	(0.01)	16,819	-	PTG19C2011A	-	-	-	-
KCE19P2012A	-	-	-	-	MINT19P2103A	0.30	(0.03)	134,252	-	PTG19C2102A	0.09	(0.02)	47,430	-
KCE19P2101A	-	-	-	-	MINT24C2011A	0.28	(0.01)	1	-	PTG19C2103A	0.25	(0.02)	336,114	-
KCE19P2102A	0.20	0.01	8,479	-	MINT28C2012A	0.04	-	61,000	-	PTG19P2011A	-	-	-	-
KCE27C2101X	-	-	-	-	MINT28C2012B	-	-	-	-	PTG19P2101A	0.34	0.01	189,683	-
KCE41C2012A	-	-	-	-	MINT28C2012C	0.12	-	56,327	-	PTG24C2102A	0.19	(0.01)	16,501	-
KCE42C2012T	1.23	(0.12)	500	1.00	MINT28C2103A	-	-	-	-	PTG41C2101A	0.13	(0.02)	46,428	-
KKP01C2103A	0.53	0.04	37,449	-	MINT28C2103B	0.55	0.03	204,958	-	PTG42C2101T	0.13	(0.02)	20	-
KKP01P2103A	0.31	(0.03)	31,981	-	MINT28C2104L	0.31	0.01	65,892	-	PTT01C2102A	0.09	-	1,778	-
KKP13C2012A	-	-	-	-	MINT41C2012A	-	-	-	-	PTT01C2102A	0.60	0.02	101,560	-
KKP13C2102A	0.64	0.02	350	-	MINT42C2101T	0.30	-	3,096	-	PTT01C2103T	0.39	0.03	68,952	-
KKP13C2103A	0.49	0.06	231,438	-	MINT42P2102T	0.20	(0.01)	413	-	PTT01P2012A	0.03	(0.04)	27	-
KKP13P2102A	0.16	(0.02)	52,542	-	MTC01C2012A	0.15	-	41,908	-	PTT01P2102A	0.10	-	290	-
KKP19C2011A	-	-	-	-	MTC01C2102A	0.48	0.02	52,091	-	PTT01P2103T	0.10	-	2,886	-
KKP19C2012A	0.31	0.05	52,948	-	MTC06C2102A	0.45	0.04	102,129	-	PTT06C2012A	0.06	(0.01)	18,059	-
KTB13C2012A	0.15	0.03	298,864	-	MTC08C2011A	-	-	-	-	PTT06C2102A	0.42	0.08	204,301	-
KTB13C2101A	0.67	0.03	3,802	-	MTC08C2102A	0.49	0.03	76,647	-	PTT08C2101A	0.22	0.04	9,924	-
KTB19C2011A	-	-	-	-	MTC11C2102A	0.44	0.02	39,069	-	PTT08C2103A	0.66	0.07	30,486	-
KTB19C2012A	0.24	0.02	2,206	-	MTC13C2011A	0.05	0.01	1	-	PTT08P2101A	0.07	(0.03)	4	-
KTB19C2101A	0.68	0.08	8,514	-	MTC13C2101A	0.34	0.03	329,060	-	PTT11C2101A	0.16	0.01	56,675	-
KTB19C2105A	0.27	(0.73)	94,673	-	MTC13P2011A	-	-	-	-	PTT13C2012A	0.04	-	4,271	-
KTB19P2012A	0.04	(0.01)	200	-	MTC13P2103A	0.56	(0.02)	186,112	-	PTT13C2102B	0.22	0.03	13,416	-
KTB24C2101A	0.54	0.04	8,108	-	MTC19C2012A	0.18	0.01	417,403	-	PTT13C2101A	0.54	0.10	8,526	-
KTB28C2012A	0.01	-	500	-	MTC19C2103A	0.36	0.02	292,285	-	PTT13C2102A	0.75	0.07	2,121	-
KTB28C2012B	-	-	-	-	MTC19P2012A	-	-	-	-	PTT13C2103A	0.44	0.06	985,771	-
KTB28C2101C	-	-	-	-	MTC19P2103A	0.54	(0.02)	163,483	-	PTT13P2011A	-	-	-	-
KTB28C2102A	-	-	-	-	MTC24C2103A	0.40	0.03	34,728	-	PTT13P2101A	0.04	(0.01)	2,504	-
KTB28C2103A	0.82	0.10	250	-	MTC28C2012A	0.03	(0.02)	2	-	PTT13P2103A	0.08	(0.02)	30,945	-
KTB28C2104A	0.28	0.02	53,559	-	MTC28C2012B	-	-	-	-	PTT13P2103B	0.27	(0.04)	641,524	-
KTC01C2012A	0.50	0.09	23,637	-	MTC28C2102L	0.16	-	24,862	-	PTT16C2012A	0.21	0.01	73,180	-
KTC01C2103A	0.60	0.09	28,559	-	MTC28C2103A	0.32	0.01	53,691	-	PTT19C2011A	0.02	0.01	20	-
KTC01P2012A	0.02	-	100	-	MTC41C2012A	0.28	0.01	27,807	-	PTT19C2012A	0.15	0.04	550,754	-
KTC01P2102A	0.15	(0.03)	25,375	-	MTC42C2101T	0.10	-	500	-	PTT19C2012B	0.25	0.06	44,498	-
KTC08C2011A	0.32	0.06	83	-	ORI13C2011A	-	-	-	-	PTT19C2101A	0.47	0.03	19,480	-
KTC11C2104A	0.71	0.09	44,749	-	ORI13C2102A	0.46	0.01	186,150	-	PTT19C2103A	-	-	-	-
KTC11P2011A	-	-	-	-	ORI19C2011A	-	-	-	-	PTT19C2104A	0.41	0.05	456,491	-
KTC11P2104A	0.31	(0.04)	33,007	-	ORI19C2012A	0.15	-	26,760	-	PTT19P2011A	-	-	-	-
KTC13C2011A	-	-	-	-	ORI19C2102A	0.46	-	71,547	-	PTT19P2103A	0.07	-	15,630	-
KTC13C2101A	0.56	0.06	6,756	-	ORI28C2012A	-	-	-	-	PTT19P2103B	0.21	(0.03)	228,146	-
KTC13C2103A	0.46	0.09	761,847	-	ORI28C2012B	-	-	-	-	PTT24C2101A	0.31	0.05	54,897	-
KTC13P2012A	-	-	-	-	ORI28C2101A	0.11	0.01	99,955	-	PTT28C2012A	-	-	-	-
KTC13P2101A	-	-	-	-	ORI28C2103A	0.40	-	99,786	-	PTT28C2101A	0.15	0.03	48,671	-
KTC13P2103A	0.45	(0.08)	166,090	-	ORI28C2103L	0.27	0.01	53,212	-	PTT28C2103A	0.48	0.06	1,701	-
KTC19C2012A	-	-	-	-	OSP01C2012A	-	-	-	-	PTT28C2103L	0.23	0.01	73,108	-
KTC19C2101A	-	-	-	-	OSP01C2102A	0.26	(0.01)	28,769	-	PTT28C2104A	0.36	0.03	133,359	-
KTC19C2103A	0.37	0.08	278,708	-	OSP01P2012A	0.19	-	51,155	-	PTT41C2012A	-	-	-	-
KTC19P2012A	-	-	-	-	OSP06C2011A	0.01	-	17,521	-	PTT41C2101A	0.11	0.02	26,689	-
KTC19P2101A	0.09	(0.02)	17,062	-	OSP06C2102A	0.15	(0.02)	46,030	-	PTT41C2101B	0.47	0.01	8,514	-
KTC19P2103A	0.40	(0.08)	147,795	-	OSP06C2103A	-	-	-	-	PTT41P2012A	-	-	-	-
KTC24C2011A	-	-	-	-	OSP06P2102A	0.25	0.01	38,625	-	PTT41P2101A	-	-	-	-
KTC28C2012A	0.19	0.03	10,947	-	OSP08C2102A	0.27	(0.01)	16,600	-	PTT42C2012T	-	-	-	-
KTC28C2012B	-	-	-	-	OSP11C2102A	0.14	(0.02)	21,027	-	PTT42P2101T	-	-	-	-
KTC28C2101A	-	-	-	-	OSP13C2012A	0.01	(0.01)	500	-	PTTE01C2012A	0.36	0.05	99,445	-
KTC28C2103L	0.43	0.05	75,140	-	OSP13C2101A	0.12	(0.02)	156,351	-	PTTE01C2102A	1.63	0.23	28,758	1.00
KTC41C2012A	-	-	-	-	OSP13C2102A	0.29	(0.02)	75,066	-	PTTE01C2103T	0.97	0.12	87,129	-
KTC42C2012T	0.29	0.04	16	-	OSP13P2011A	-	-	-	-	PTTE01P2012A	0.06	(0.04)	700	-
LH01C2101A	0.22	(0.01)	33,739	-	OSP13P2102A	0.08	(0.01)	3,125	-	PTTE01P2102A	0.10	(0.03)	31,728	-
LH06C2012A	-	-	-	-	OSP19C2012A	-	-	-	-	PTTE01P2103T	0.31	(0.04)	27,717	-
LH11C2012A	0.10	(0.04)	21,420	-	OSP19C2101A	0.14	(0.01)	103,643	-	PTTE06C2101A	0.81	0.18	215,438	-
LH13C2101A	0.24	-	95,759	-	OSP19C2103A	0.37	(0.01)	10,579	-	PTTE06P2102A	0.08	(0.02)	12,654	-
LH19C2011A	-	-	-	-	OSP19P2102A	0.09	-	27,887	-	PTTE06P2104A	0.63	(0.15)	82,707	-
LH19C2101A	0.28	(0.02)	9,300	-	OSP24C2101A	0.13	(0.02)	3,179	-	PTTE08C2011A	0.02	-	3,000	-
MAJO13C2101A	0.52	0.01	1,750	-	OSP28C2101A	-	-	-	-	PTTE08C2103A	1.06	0.20	49,726	-
MAJO13C2103A	0.46	(0.54)	37,738	-	OSP28C2101B	-	-	-	-	PTTE08P2101A	0.16	(0.06)	9,200	-
MAJO19C2011A	0.10	(0.04)	1	-	OSP28C2103B	-	-	-	-	PTTE11C2011A	0.24	0.05	600	-
MAJO19C2103A	0.77	0.01	46,068	-	OSP28C2104L	0.28	(0.01)	66,940	-	PTTE11P2102A	0.14	(0.05)	34,920	-
MEGA13C2101A	0.15	(0.01)	53,157	-	OSPA1C2012A	-	-	-	-	PTTE13C2011A	-	-	-	-
MEGA19C2011A	-	-	-	-	OSPA4C2101T	-	-	-	-	PTTE13C2012A	0.64	0.13	9,491	-
MEGA19C2101A	0.15	(0.02)	55,924	-	PLAN06C2102A	0.25	-	42,931	-	PTTE13C2101A	1.17	0.13	5,410	1.00
MEGA42C2101T	-	-	-	-	PLAN11C2103A	0.37	(0.02)	13,188	-	PTTE13C2102A	0.97	0.17	466,908	-
MINT01C2012A	0.22	-	58,164	-	PLAN13C2011A	-	-	-	-	PTTE13P2012A	-	-	-	-
MINT01C2102A	0.89	0.04</												

Main Board Quotation

Issue Date :

Wednesday November 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
PTTE28C2103A	1.33	0.10	55	1.00	S5008P2012B	-	-	-	-	S5041P2012F	-	-	-	-
PTTE41C2011A	-	-	-	-	S5008P2010A	0.28	(0.03)	104,670	-	S5041P2012G	-	-	-	-
PTTE41C2012A	0.35	0.07	12,745	-	S5008P2010B	0.39	(0.06)	682,028	-	S5041P2012J	0.07	-	5,140	-
PTTE41C2101A	0.58	0.07	39,483	-	S5011C2012A	1.30	0.07	1,121	1.00	S5041P2103U	0.34	(0.01)	582,205	-
PTTE41C2101B	1.44	0.19	4,740	1.00	S5011P2012A	0.03	(0.01)	500	-	S5041P2103V	0.23	0.05	2,369	-
PTTE41P2101A	-	-	-	-	S5013C2012A	0.27	0.03	4,413,430	-	S5041P2103V	0.76	(0.09)	694,771	-
PTTE41P2101B	0.29	(0.03)	34,623	-	S5013C2012B	0.36	0.04	2,147,038	-	S5042C2101G	4.74	0.46	1,380	4.00
PTTE42C2101T	0.32	0.03	2,412	-	S5013C2012C	0.56	0.07	608,230	-	S5042C2102G	1.32	0.09	268,719	1.00
PTTE42P2101T	0.13	(0.03)	6,038	-	S5013C2012D	0.69	0.10	2,321,107	-	S5042C2102T	1.38	0.08	180,247	1.00
PTTG01C2012A	0.47	0.07	52,857	-	S5013C2012E	1.29	0.16	90,022	1.00	S5042P2101G	0.01	-	350	-
PTTG01C2102A	1.21	0.17	22,659	1.00	S5013P2012F	1.82	0.17	29,767	1.00	S5042P2102G	0.39	(0.08)	359,880	-
PTTG01P2012A	-	-	-	-	S5013C2012G	2.74	0.30	15,981	2.00	S5042P2102T	0.07	(0.02)	8,431	-
PTTG01P2102A	-	-	-	-	S5013C2012H	3.62	0.18	181	3.00	S5042P2103T	0.72	(0.06)	349,061	-
PTTG08C2101A	0.52	0.08	66,681	-	S5013C2012I	5.25	0.10	5,010	4.00	SAWA01C2012A	0.41	0.09	153,906	-
PTTG08C2103A	1.21	0.09	23,018	1.00	S5013C2012J	3.78	(0.04)	7	3.00	SAWA01C2102A	0.68	0.13	117,821	-
PTTG08P2102A	0.06	(0.01)	600	-	S5013C2010A	0.92	0.03	56,432	-	SAWA01C2103T	0.51	0.07	65,768	-
PTTG11C2104A	1.25	0.11	48,132	1.00	S5013C2103A	1.24	0.09	2,279,678	1.00	SAWA01P2012A	-	-	-	-
PTTG11P2104A	0.20	(0.02)	14,121	-	S5013C2103B	0.83	0.07	6,197,837	-	SAWA01P2102A	0.27	(0.07)	197,675	-
PTTG13C2011A	-	-	-	-	S5013C2103C	1.18	0.08	1,103,275	1.00	SAWA06C2101A	0.74	0.16	205,627	-
PTTG13C2012A	0.59	0.19	154	-	S5013P2012A	0.03	(0.01)	1,104,846	-	SAWA08C2011A	-	-	-	-
PTTG13C2101A	1.07	0.13	436	1.00	S5013P2012B	0.03	-	99,950	-	SAWA08C2010A	0.57	0.11	63,829	-
PTTG13C2103A	0.77	0.12	851,094	-	S5013P2012C	0.01	-	40,452	-	SAWA11C2103A	0.78	0.10	184,763	-
PTTG13P2011A	-	-	-	-	S5013P2012D	0.01	(0.01)	15,411	-	SAWA13C2011A	0.03	-	150	-
PTTG13P2012A	-	-	-	-	S5013P2012E	0.01	-	6,409	-	SAWA13C2101A	0.49	0.11	1,306,379	-
PTTG13P2102A	0.09	(0.02)	68,833	-	S5013P2012F	0.01	-	1,403	-	SAWA16C2101A	0.52	0.10	22,171	-
PTTG16C2103A	1.14	0.11	7,838	1.00	S5013P2012G	0.01	-	19,262	-	SAWA19C2011A	-	-	-	-
PTTG19C2011A	0.15	0.05	415	-	S5013P2101A	0.30	(0.01)	130,908	-	SAWA19C2012A	0.43	0.12	540,892	-
PTTG19C2012A	0.69	0.10	357	-	S5013P2103A	0.29	(0.04)	9,131,392	-	SAWA19C2103A	0.54	0.12	379,008	-
PTTG19C2101A	1.18	0.11	7,602	1.00	S5013P2103B	0.61	(0.06)	3,010,463	-	SAWA19P2011A	-	-	-	-
PTTG19C2103A	0.67	0.11	285,828	-	S5013P2103C	0.63	(0.07)	4,808,168	-	SAWA19P2101A	0.17	(0.05)	233,903	-
PTTG19P2011A	-	-	-	-	S5013P2103D	0.96	(0.09)	10,951,206	-	SAWA24C2103A	0.69	0.12	43,083	-
PTTG19P2011B	-	-	-	-	S5016C2012A	0.31	0.02	99,230	-	SAWA28C2012A	0.23	0.05	3,310	-
PTTG19P2102A	0.06	(0.01)	8,300	-	S5016C2012B	1.43	0.26	22	1.00	SAWA28C2012B	0.03	(0.01)	2,071	-
PTTG19P2103A	0.23	(0.05)	116,648	-	S5016P2012C	2.60	0.28	97	2.00	SAWA28C2101A	0.41	0.10	324,512	-
PTTG24C2101A	0.81	0.09	11,326	-	S5016C2012D	-	-	-	-	SAWA28C2102L	0.15	0.03	111,936	-
PTTG28C2012A	0.38	0.09	150	-	S5016C2103A	1.04	0.05	150,590	1.00	SAWA41C2012A	0.21	0.03	16,521	-
PTTG28C2102L	0.29	0.04	97,668	-	S5016P2012A	0.04	(0.01)	930	-	SAWA42C2101T	0.11	0.02	3,121	-
PTTG28C2103A	1.02	0.10	860	-	S5016P2012B	-	-	-	-	SCB01C2101A	0.85	0.06	41,451	-
PTTG28C2104A	0.71	0.10	168,148	-	S5016P2103A	0.59	(0.05)	199,022	-	SCB01C2103A	1.72	0.13	21,476	1.00
PTTG41C2101A	0.64	0.13	56,697	-	S5016P2103Z	-	-	-	-	SCB01C2103T	0.98	0.05	22,747	-
PTTG41C2102A	1.26	0.15	100	1.00	S5019C2012A	0.36	0.03	2,337,925	-	SCB01P2101A	0.10	(0.01)	18,179	-
PTTG41P2102A	-	-	-	-	S5019C2012B	0.26	0.03	2,989,838	-	SCB01P2103T	0.17	(0.02)	25,236	-
PTTG41P2102B	0.18	(0.03)	8,000	-	S5019C2012C	1.04	0.13	212,352	1.00	SCB06C2103A	2.08	0.10	10	2.00
PTTG42C2012T	0.17	0.02	18	-	S5019C2012D	1.90	0.10	530	1.00	SCB06C2104A	1.00	0.05	153,426	-
QH19C2012A	-	-	-	-	S5019C2012E	2.52	0.14	592	2.00	SCB08C2101A	0.84	0.06	52,300	-
QH19C2104A	0.23	(0.01)	74,118	-	S5019C2012F	2.98	(0.16)	867	3.00	SCB08P2012A	0.03	(0.01)	770	-
QH27C2101A	-	-	-	-	S5019C2103A	1.09	0.09	3,986,082	1.00	SCB11C2102A	0.86	0.04	80,786	-
RATC01C2101A	0.19	-	47,579	-	S5019P2012A	0.07	(0.02)	196,675	-	SCB11P2012A	-	-	-	-
RATC01P2101A	0.28	-	28,596	-	S5019P2012B	0.01	-	500	-	SCB13C2011A	-	-	-	-
RATC06C2102A	0.21	(0.01)	51,613	-	S5019P2012C	0.01	-	3,009	-	SCB13C2012A	1.14	0.06	31	1.00
RATC11C2103A	0.53	0.01	49,555	-	S5019P2012D	0.01	-	210	-	SCB13C2101A	1.77	(0.04)	301	1.00
RATC13C2012A	-	-	-	-	S5019P2103B	0.60	(0.07)	4,151,269	-	SCB13C2103A	1.10	0.08	639,365	1.00
RATC13C2101A	0.24	-	335,360	-	S5019P2103C	1.03	(0.11)	3,216,729	1.00	SCB13P2012A	0.02	-	2,789	-
RATC13P2011A	-	-	-	-	S5024C2012A	0.02	0.01	7,552	-	SCB13P2103A	0.56	(0.06)	230,172	-
RATC19C2011A	-	-	-	-	S5024C2012B	0.12	(0.03)	11,037	-	SCB19C2012A	0.83	(0.01)	351	-
RATC19C2012A	-	-	-	-	S5024C2012C	0.23	0.04	163,331	-	SCB19C2101A	1.47	0.09	32	1.00
RATC19C2101A	0.23	-	102,852	-	S5024C2012D	0.52	0.07	609,723	-	SCB19C2103A	0.77	0.07	189,016	-
RATC19C2102A	0.45	(0.01)	47,212	-	S5024C2012E	1.05	0.16	628,731	1.00	SCB19P2011A	-	-	-	-
RATC19P2011A	-	-	-	-	S5024C2012F	1.96	0.25	333,399	1.00	SCB19P2011B	-	-	-	-
RATC24C2012A	0.04	(0.06)	1,000	-	S5024C2012G	2.78	0.34	37,185	2.00	SCB19P2103A	0.18	(0.02)	137,492	-
RATC41C2012A	0.10	(0.01)	15,800	-	S5024C2012H	4.10	0.20	8,849	3.00	SCB19P2103B	0.56	(0.05)	282,093	-
RATC42C2102T	-	-	-	-	S5024C2012I	5.65	0.40	15,997	5.00	SCB24C2012A	0.97	0.08	8,888	-
RS06C2012A	0.04	-	3,250	-	S5024C2103A	1.75	0.13	213,097	1.00	SCB28C2012A	0.15	0.03	53,902	-
RS08C2011A	-	-	-	-	S5024P2012A	-	-	-	-	SCB28C2012B	-	-	-	-
RS08C2103A	0.25	-	9,009	-	S5024P2012B	-	-	-	-	SCB28C2103A	1.41	0.02	210	1.00
RS13C2101A	0.12	(0.01)	1	-	S5024P2012C	0.02	-	18,805	-	SCB28C2103B	0.79	0.04	174,283	-
RS13C2103A	0.29	-	123,650	-	S5024P2012D	0.01	-	7,053	-	SCB28C2104L	0.46	0.02	79,208	-
RS19C2011A	-	-	-	-	S5024P2012E	0.02	-	3,753	-	SCB41C2012A	0.98	0.11	1	-
RS19C2011B	-	-	-	-	S5024P2103A	0.08	(0.03)	20,918	-	SCB41C2102A	1.76	(0.06)	189	1.00
RS19C2102A	0.15	(0.01)	61,431	-	S5024P2103B	0.61	(0.07)	181,768	-	SCB41P2102A	0.13	(0.02)	100	-
RS19C2104A	0.30	0.01	22,536	-	S5024P2103C	0.81	(0.10)	693,513	-	SCB41P2102B	0.30	(0.02)	34,003	-
RS19P2012A	0.18	-	87,020	-	S5024P2103D	1.37	0.07	358,750	1.00	SCB42C2101T	0.22	0.01	6,146	-
RS28C2012A	0.27	(0.19)	20	-	S5028C2012A	0.05	0.01	23,949	-	SCC01C2101A	0.50	-	70,043	-
RS28C2101A	0.08	-	12,000	-	S5028P2012B	0.10	0.01	329,842	-	SCC01P2012A	-	-	-	-
RS28C2101L	0.22	-	24,703	-	S5028C2012C	0.87	0.11	1,333,952	-	SCC06C2012A	-	-	-	-
RS28C2103A	0.25	(0.01)	24,738	-	S5028P2012D	1.90	0.24	4,281	2.00	SCC06C2103A	0.72	0.02	96,088	-
RS41C2011A	-	-	-	-	S5028C2012E	4.44	0.16	7	4.00	SCC08C2011A	0.01	(0.01)	60	-
RS42C2101T	0.12	(0.01)	14	-	S5028C2102A	1.22	0.11	1,033,523	1.00	SCC11C2011A	-	-	-	-
SI0001C2011A	0.02	-	2,010	-	S5028C2103A	3.18	0.14	351	3.00	SCC13C2011A	-	-	-	-
S5001C2012F	0.29	0.01	318,995	-	S5028C2103B	1.12	0.08	1,443,029	1.00	SCC13C2012A	0.13	-	146,876	-
S5001C2012G	1.14	0.04	494,955	1.00	S5028C2103L	0.56	0.03	1,332,819	-	SCC13C2102A	0.65	0.02	535,632	-
S5001C2101A	1.82	0.12	256,005	1.00	S5028P2012A	0.22	(0.04)	1,088,478	-	SCC13P2011A	-	-	-	-
S5001C2101B	2.36	0.04	106,788	2.00	S5028P2012B	-	-	-	-	SCC13P2101A	-	-	-	-
S5001C2102T	1.95	0.07	1											

Main Board Quotation

Issue Date :

Wednesday November 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SCGP13C2102A	0.35	-	552,137	-	STEC13P2101A	-	-	-	-	TKN28C2012A	-	-	-	-
SCGP13P2102A	0.19	(0.01)	240,784	-	STEC19C2011A	0.01	-	1	-	TKN28C2012B	0.03	(0.02)	1,521	-
SCGP19C2102A	0.27	-	533,555	-	STEC19C2102A	0.06	(0.02)	20	-	TKN28C2101A	-	-	-	-
SCGP19P2102A	0.15	-	10,279	-	STEC19C2101A	0.19	(0.02)	108,278	-	TKN42C2102T	-	-	-	-
SCGP28C2103A	0.33	(0.02)	52,453	-	STEC19C2103A	0.47	(0.02)	16,990	-	TMB13C2011A	-	-	-	-
SCGP28C2104L	0.21	(0.01)	44,776	-	STEC19P2011A	-	-	-	-	TMB13C2102A	0.46	-	1,032	-
SCGP41C2101A	0.33	(0.02)	75,870	-	STEC19P2012A	0.05	0.01	2,930	-	TMB13C2103A	0.33	0.03	252,454	-
SGP13C2102A	0.43	0.01	37,687	-	STEC19P2101A	0.05	(0.01)	100	-	TMB19C2011A	0.05	-	17	-
SGP19C2011A	-	-	-	-	STEC28C2012A	-	-	-	-	TMB19C2011B	-	-	-	-
SGP19C2102A	0.46	-	34,665	-	STEC28C2101A	0.11	(0.01)	22,910	-	TMB19C2012A	0.24	0.02	1,643	-
SGP42C2101T	0.17	0.01	1,415	-	STEC28C2103A	0.33	(0.02)	101,973	-	TMB19C2103A	0.54	0.04	4,059	-
SIRI19C2011A	-	-	-	-	STEC28C2104L	0.17	(0.01)	18,252	-	TMB19C2104A	0.32	0.03	135,161	-
SIRI19C2103A	0.31	(0.02)	7,608	-	STEC41C2012A	0.03	(0.03)	20	-	TMB19P2011A	-	-	-	-
SIRI42C2101T	-	-	-	-	STEC42P2102T	0.09	(0.01)	2	-	TOA13C2102A	0.28	-	17,982	-
SPAL06C2103A	0.48	0.01	102,928	-	SUPE08C2012A	-	-	-	-	TOA19C2012A	0.10	-	2,172	-
SPAL13C2102A	0.37	0.01	23,220	-	SUPE08C2102A	0.19	-	4,262	-	TOA19C2103A	0.39	0.01	61,952	-
SPAL19C2011A	-	-	-	-	SUPE08P2102A	0.19	-	1,500	-	TOA42C2101T	-	-	-	-
SPAL19C2011B	-	-	-	-	SUPE19C2011A	-	-	-	-	TOP01C2012A	0.22	0.03	61,504	-
SPAL19C2102A	0.44	0.01	22,113	-	SUPE19C2011B	-	-	-	-	TOP01C2102A	1.20	0.13	35,355	1.00
SPAL27C2101A	0.12	-	2,526	-	SUPE19C2012A	0.14	(0.01)	218,023	-	TOP01P2012A	0.02	(0.04)	20	-
SPRC01C2101A	0.22	0.03	79,271	-	SUPE19C2104A	0.25	-	117,273	-	TOP01P2102A	-	-	-	-
SPRC01C2103A	0.58	0.08	890	-	SUPE19P2011A	-	-	-	-	TOP06C2102A	0.68	0.09	46,020	-
SPRC01P2101A	0.13	(0.03)	43,746	-	SUPE19P2012A	-	-	-	-	TOP06C2102B	-	-	-	-
SPRC06C2102A	0.34	0.09	104,226	-	SUPE19P2104A	0.26	(0.01)	1,700	-	TOP06P2102A	0.05	-	2,001	-
SPRC06P2103A	0.06	(0.01)	2,342	-	SUPE42C2101T	0.05	-	760	-	TOP08C2102A	0.80	0.07	17,400	-
SPRC08C2011A	-	-	-	-	SUPE42P2102T	-	-	-	-	TOP11C2011A	0.13	0.03	2	-
SPRC11C2102A	0.34	0.04	63,931	-	TASC01C2012A	0.02	(0.01)	30,127	-	TOP11P2104A	0.16	(0.02)	18,540	-
SPRC13C2012A	0.10	0.04	18,914	-	TASC01C2012B	0.18	(0.03)	53,504	-	TOP13C2012A	0.10	0.01	81,586	-
SPRC13C2012B	0.22	0.07	159,804	-	TASC01C2102A	0.70	(0.03)	50,060	-	TOP13C2012B	0.50	0.05	174	-
SPRC13C2102A	0.69	0.09	4,746	-	TASC01P2012A	0.10	-	28,341	-	TOP13C2101A	1.12	0.13	190	1.00
SPRC19C2012A	0.16	0.04	45,858	-	TASC06C2012A	0.01	-	330	-	TOP13C2103A	0.46	0.06	361,780	-
SPRC19C2101A	0.40	0.05	120	-	TASC06C2102A	0.50	(0.03)	84,238	-	TOP13P2012A	-	-	-	-
SPRC19C2104A	0.35	0.07	173,261	-	TASC08C2011A	0.01	(0.01)	5,000	-	TOP13P2101A	-	-	-	-
SPRC19P2011A	-	-	-	-	TASC08C2012A	0.01	-	1,574	-	TOP13P2103A	0.08	-	2	-
SPRC28C2101A	0.15	0.03	51,314	-	TASC11C2102A	0.03	(0.01)	2,001	-	TOP13P2103B	0.26	(0.04)	57,633	-
SPRC28C2104L	0.23	0.03	41,350	-	TASC13C2012A	0.01	(0.01)	30,571	-	TOP19C2012A	0.17	0.04	83,774	-
SPRC42C2101T	0.10	0.01	3,508	-	TASC13C2012B	0.12	(0.02)	174,259	-	TOP19C2101A	-	-	-	-
SPX28C2012A	1.46	0.14	8,248	1.00	TASC13C2101A	0.40	(0.02)	283,660	-	TOP19C2101B	-	-	-	-
SPX28C2012B	0.62	0.07	43,175	-	TASC13C2102A	0.34	(0.03)	256,439	-	TOP19C2103A	0.52	0.07	166,515	-
SPX28C2012C	0.53	0.07	19,739	-	TASC13P2011A	-	-	-	-	TOP19P2011A	-	-	-	-
SPX28C2012D	0.31	0.05	5,815	-	TASC13P2012A	0.06	(0.01)	1,239	-	TOP19P2101A	-	-	-	-
SPX28C2103L	0.52	0.05	5,332	-	TASC19C2011A	-	-	-	-	TOP19P2102A	0.05	(0.01)	10,579	-
SPX28P2012A	0.03	-	30,399	-	TASC19C2012A	0.10	(0.01)	37,699	-	TOP19P2103A	0.27	(0.05)	120,214	-
SPX28P2012B	0.02	0.01	1,505	-	TASC19C2101A	0.39	(0.02)	257,532	-	TOP24C2101A	0.59	0.08	13,658	-
SPX28P2012C	0.20	(0.03)	11,134	-	TASC19P2011A	-	-	-	-	TOP41C2011A	-	-	-	-
SPX28P2012D	-	-	-	-	TASC19P2012A	0.70	0.05	10,065	-	TOP41C2102A	0.63	0.07	2,370	-
SPX28P2103L	0.18	(0.02)	5,431	-	TASC19P2012B	0.03	(0.01)	7,070	-	TOP42C2011T	-	-	-	-
SPX41C2012A	0.81	0.10	41,952	-	TASC19P2012C	0.04	-	2,500	-	TPI13C2011A	-	-	-	-
SPX41C2012B	0.25	0.03	40,010	-	TASC24C2011A	-	-	-	-	TPI19C2012A	0.08	-	200	-
SPX41C2012C	0.10	-	10	-	TASC28C2012A	0.01	-	1,790	-	TQM01C2103A	0.59	(0.01)	6,206	-
SPX41C2012T	1.14	0.12	3,112	1.00	TASC28C2012B	0.01	(0.04)	1,018	-	TQM11C2102A	0.31	(0.01)	1,785	-
SPX41C2012U	1.86	0.13	449	1.00	TASC28C2012C	0.01	-	489	-	TQM13C2101A	0.09	-	9,520	-
SPX41C2103T	1.10	0.08	16,605	1.00	TASC28C2101A	0.06	0.02	3	-	TQM13C2102A	0.30	(0.02)	26,306	-
SPX41C2103U	1.28	0.11	982	1.00	TASC28C2103L	0.06	0.04	11	-	TQM19C2011A	-	-	-	-
SPX41P2011A	-	-	-	-	TASC41C2011A	0.01	-	15,766	-	TQM19C2101A	0.13	-	3,302	-
SPX41P2012B	-	-	-	-	TASC41C2012A	0.15	(0.03)	5,920	-	TQM19C2102A	0.39	(0.03)	25,751	-
SPX41P2012C	-	-	-	-	TASC42C2101T	0.03	-	3,230	-	TQM24C2011A	-	-	-	-
SPX41P2012T	0.06	(0.02)	7,250	-	TCAP01C2101A	0.24	(0.02)	95,216	-	TQM24C2103A	0.59	(0.04)	9,446	-
SPX41P2012U	0.04	(0.01)	13	-	TCAP13C2012A	0.07	(0.01)	29,195	-	TQM28C2012A	-	-	-	-
SPX41P2103T	0.37	(0.03)	16,214	-	TCAP13C2103A	0.43	0.01	166,349	-	TQM28C2102A	0.27	(0.01)	7,110	-
SPX41P2103U	0.90	(0.07)	938	-	TCAP19C2012A	0.14	-	59,176	-	TQM28C2103A	0.53	(0.01)	11,126	-
STA01C2101A	0.13	-	47,684	-	TCAP19C2102A	0.38	0.01	5,056	-	TQM28C2104L	0.24	-	5,468	-
STA01C2102A	0.09	-	1,730	-	TCAP19P2012A	0.03	(0.01)	50	-	TQM41C2011A	-	-	-	-
STA01C2103A	0.36	(0.01)	30,181	-	TCAP42C2101T	-	-	-	-	TQM42C2101T	0.17	(0.01)	4	-
STA01P2102A	0.62	(0.01)	11,626	-	THAN01C2012P	0.49	0.01	16,074	-	TRUE01C2101A	0.16	-	21,395	-
STA06C2012A	0.01	-	40,438	-	THAN01C2012E	-	-	-	-	TRUE01C2104A	0.44	-	46,237	-
STA06C2104A	0.32	(0.01)	15,878	-	THAN01C2103A	0.39	0.01	24,649	-	TRUE01P2101A	0.28	0.02	33,881	-
STA08C2011A	-	-	-	-	THAN06C2102A	0.26	0.02	164,885	-	TRUE06C2103A	0.40	(0.01)	72,012	-
STA08C2101A	0.20	-	52,593	-	THAN08C2101A	0.55	0.01	16,303	-	TRUE08C2012A	-	-	-	-
STA13C2011B	-	-	-	-	THAN08C2102A	0.27	0.01	42,358	-	TRUE11C2101A	0.09	(0.04)	2	-
STA13C2012A	0.01	-	30,738	-	THAN13C2012A	0.32	0.02	67,869	-	TRUE11P2101A	0.21	0.01	42,406	-
STA13C2101A	0.05	(0.01)	434,684	-	THAN13C2012E	0.01	-	7,991	-	TRUE13C2101A	0.13	(0.02)	111,878	-
STA13C2102A	0.25	(0.01)	295,342	-	THAN13C2102A	0.39	0.02	206,730	-	TRUE13C2103A	0.46	-	178,697	-
STA13P2012A	-	-	-	-	THAN19C2011A	-	-	-	-	TRUE19C2011A	-	-	-	-
STA13P2012B	0.04	-	510	-	THAN19C2012P	0.20	0.01	33,160	-	TRUE19C2012A	-	-	-	-
STA13P2101A	0.43	(0.02)	2	-	THAN19C2012E	0.06	(0.01)	501	-	TRUE19C2101A	0.19	(0.01)	62,212	-
STA13P2102A	0.30	0.01	11,674	-	THAN19C2102A	0.52	0.03	29,911	-	TRUE19C2103A	0.48	-	54,346	-
STA16C2102A	0.10	(0.01)	4,325	-	THAN19P2102A	0.25	(0.02)	17,844	-	TRUE19P2011A	-	-	-	-
STA16C2103A	0.30	-	25,684	-	THAN28C2103A	0.42	0.02	95,142	-	TRUE19P2101A	0.10	0.02	4,700	-
STA19C2011A	0.10	(0.06)	1,518	-	THAN42C2102T	0.13	-	506	-	TRUE28C2012A	-	-	-	-
STA19C2011B	0.03	0.01	10	-	TISCO1C2101A	0.69	0.01	19,104	-	TRUE28C2012B	-	-	-	-
STA19C2012A	0.04	(0.01)	380	-	TISCO1C2012A	0.35	(0.01)	20,295	-	TRUE28C2101A	0.09	(0.01)	25,550	-
STA19C2102A	0.09	-	34,169	-	TISCO13C2012A	-	-	-	-	TRUE28C2103A	-	-	-	-
STA19C2103A	0.27	(0.01)	162,263	-	TISCO13C2103A	0.70	0.01	88,237	-	TRUE28C2103L	0.15	(0.02)	44,704	-
STA19C2104A	0.21	-	277,462	-	TISCO19C2012A	0.52	-	7,629	-	TRUE41C2101A	0.08	(0.02)	16,190	-
STA19P2012A	-	-	-	-	TISCO19C2103A	0.49	(0.01)	66,884	-	TRUE42C2101T	-	-	-	-
STA19P2101A	0.13	-	15	-	TISCO24C2102A	0.99	0.01	6,169	-	TTW19C2011A	-	-	-	-
STA19P2102A	0.62	0.05	1,830	-	TISCO41C2012A	-	-	-	-	TTW24C2012A	-	-	-	-
STA24C2011A	-	-	-	-	TISCO									

Main Board Quotation

Issue Date :

Wednesday November 25, 2020

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
TU24C2103A	0.34	0.01	16,165	-	PORT-W1	0.61	-	17,588	-	-	-	-	-	-
TU28C2012A	-	-	-	-	PPPM-W4	0.11	-	46	-	-	-	-	-	-
TU28C2103A	0.27	0.01	27,864	-	PRIME-W1	0.01	-	1	-	-	-	-	-	-
TU28C2103L	0.21	0.01	3,142	-	PRIME-W2	0.01	-	551	-	-	-	-	-	-
TU41C2101A	0.12	-	8,250	-	SAMART-W2	0.13	-	37,396	-	-	-	-	-	-
TU42C2101T	0.17	0.01	1,426	-	SAWAD-W2	11.10	1.20	36,121	10.00	-	-	-	-	-
TVO13C2011A	-	-	-	-	SDC-W1	0.07	-	24,601	-	-	-	-	-	-
TVO13C2012A	-	-	-	-	SINGER-W1	8.60	0.15	100	8.00	-	-	-	-	-
TVO13C2103A	0.33	(0.02)	41,384	-	SINGER-W2	4.40	-	196	4.00	-	-	-	-	-
TVO19C2011A	0.05	(0.04)	200	-	SST-W2	0.67	0.04	176	-	-	-	-	-	-
TVO19C2012A	0.09	(0.02)	15,315	-	TCC-W3	0.04	(0.01)	2,467	-	-	-	-	-	-
TVO19C2101A	0.08	(0.01)	1,770	-	TCC-W4	0.04	(0.01)	1,010	-	-	-	-	-	-
TVO19C2104A	0.26	(0.02)	21,388	-	TCC-W5	-	-	-	-	-	-	-	-	-
VGI01C2012A	0.22	-	16,307	-	TGPRO-W3	0.01	-	6,150	-	-	-	-	-	-
VGI01C2103A	0.54	-	95,656	-	TNITY-W1	0.13	(0.01)	22,650	-	-	-	-	-	-
VGI06C2101A	0.23	0.01	91,889	-	TRITN-W3	0.12	0.01	27,786	-	-	-	-	-	-
VGI08C2103A	0.56	-	27,000	-	TTCL-W1	0.39	(0.01)	20,798	-	-	-	-	-	-
VGI11C2101A	0.17	(0.01)	2,100	-	U-W4	-	-	-	-	-	-	-	-	-
VGI13C2012A	0.09	(0.04)	1,156	-	VGI-W2	0.90	0.01	136,248	-	-	-	-	-	-
VGI13C2101A	0.26	(0.01)	26,990	-	VIBHA-W3	0.11	(0.01)	35,323	-	-	-	-	-	-
VGI13C2103A	0.34	-	113,260	-	W-W3	0.09	(0.02)	3,454	-	-	-	-	-	-
VGI19C2012A	0.17	(0.01)	5,206	-	WIIK-W2	0.27	0.01	595	-	-	-	-	-	-
VGI19C2012B	-	-	-	-	ZMICO-W4	0.09	-	4,331	-	-	-	-	-	-
VGI19C2012C	0.07	(0.01)	30,090	-	Preferred Share	-	-	-	-	-	-	-	-	-
VGI19C2104A	0.37	0.01	219,937	-	BH-P	-	-	-	-	-	-	-	-	-
VGI24C2012A	0.10	(0.02)	6,528	-	CSC-P	-	-	-	-	-	-	-	-	-
VGI28C2101A	-	-	-	-	JUTHA-P	-	-	-	-	-	-	-	-	-
VGI28C2103A	0.36	0.01	40,463	-	KTB-P	-	-	-	-	-	-	-	-	-
VGI28C2103L	0.19	(0.01)	13,126	-	SCB-P	-	-	-	-	-	-	-	-	-
VGI41C2011A	-	-	-	-	TCAP-P	-	-	-	-	-	-	-	-	-
VGI42C2101T	0.05	(0.01)	310	-	TISCO-P	-	-	-	-	-	-	-	-	-
WHA01C2101A	0.11	-	72,958	-	U-P	1.48	0.02	104	1.00	-	-	-	-	-
WHA01C2103A	0.57	0.02	57,001	-	Warrant (MAI)	-	-	-	-	-	-	-	-	-
WHA01P2101A	0.34	(0.02)	63,844	-	ALL-W1	0.56	0.01	13,634	-	-	-	-	-	-
WHA06C2103A	0.39	0.01	87,370	-	BROOK-W5	0.13	-	5,457	-	-	-	-	-	-
WHA06P2012A	0.01	(0.02)	1	-	CHAYO-W1	2.18	0.04	2,713	2.00	-	-	-	-	-
WHA08C2011A	-	-	-	-	CHO-W2	0.01	-	7	-	-	-	-	-	-
WHA11C2101A	0.15	0.01	32,282	-	CIG-W8	0.01	-	2,120	-	-	-	-	-	-
WHA13C2011A	-	-	-	-	D-W1	0.93	0.17	9,705	-	-	-	-	-	-
WHA13C2101A	0.23	0.01	306,061	-	DIMET-W3	-	-	-	-	-	-	-	-	-
WHA13C2103A	0.55	0.02	49,274	-	DOD-W1	0.45	(0.01)	17,177	-	-	-	-	-	-
WHA13P2011A	-	-	-	-	ECF-W3	0.05	-	12,146	-	-	-	-	-	-
WHA19C2011A	-	-	-	-	HPT-W1	0.19	(0.01)	865	-	-	-	-	-	-
WHA19C2101A	0.25	0.01	197,399	-	HYDRO-W1	0.03	-	13	-	-	-	-	-	-
WHA19C2103A	0.59	0.04	11,313	-	ITEL-W1	0.06	-	63,681	-	-	-	-	-	-
WHA19P2011A	-	-	-	-	ITEL-W2	0.37	0.01	4,925	-	-	-	-	-	-
WHA28C2012A	-	-	-	-	LIT-W1	0.37	-	334	-	-	-	-	-	-
WHA28C2102A	0.19	-	46,378	-	META-W4	-	-	-	-	-	-	-	-	-
WHA28C2102L	-	-	-	-	MORE-W2	0.35	0.01	153,516	-	-	-	-	-	-
WHA28C2104A	0.55	0.01	120	-	NEWS-W6	-	-	-	-	-	-	-	-	-
WHA42C2101T	-	-	-	-	OCEAN-W3	0.21	(0.01)	4,799	-	-	-	-	-	-
WHAU13C2012A	-	-	-	-	RWI-W2	0.10	-	4,566	-	-	-	-	-	-
WHAU13C2103A	0.50	(0.02)	71,016	-	SIMAT-W3	0.41	0.01	781	-	-	-	-	-	-
WHAU19C2012A	0.16	(0.01)	11,120	-	SIMAT-W4	2.20	(0.10)	711	2.00	-	-	-	-	-
Preferred/Foreign	-	-	-	-	SMART-W2	0.14	0.01	5,401	-	-	-	-	-	-
BH-Q	-	-	-	-	SWC-W1	3.40	0.10	222	3.00	-	-	-	-	-
CSC-Q	-	-	-	-	TAKUNI-W	0.01	-	1	-	-	-	-	-	-
JUTHA-Q	-	-	-	-	TAPAC-W4	0.22	-	17,225	-	-	-	-	-	-
KTB-Q	-	-	-	-	TVD-W2	0.11	(0.02)	49,517	-	-	-	-	-	-
SCB-Q	-	-	-	-	UREKA-W2	0.24	-	2,812	-	-	-	-	-	-
TCAP-Q	-	-	-	-	Preferred Share	-	-	-	-	-	-	-	-	-
TISCO-Q	-	-	-	-	SGF-P1	-	-	-	-	-	-	-	-	-
U-Q	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warrant	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7UP-W4	0.10	-	8,360	-	-	-	-	-	-	-	-	-	-	-
AEC-W6	0.10	0.01	2,346	-	-	-	-	-	-	-	-	-	-	-
AKR-W1	0.02	-	69,049	-	-	-	-	-	-	-	-	-	-	-
ALT-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APEX-W1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
APURE-W2	0.21	-	484	-	-	-	-	-	-	-	-	-	-	-
B-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
B-W4	0.03	-	56	-	-	-	-	-	-	-	-	-	-	-
B-W5	0.04	-	614	-	-	-	-	-	-	-	-	-	-	-
BCPG-W1	6.00	0.25	15,670	5.00	-	-	-	-	-	-	-	-	-	-
BCPG-W2	6.00	0.15	18,726	5.00	-	-	-	-	-	-	-	-	-	-
BKD-W2	0.07	-	250	-	-	-	-	-	-	-	-	-	-	-
BTS-W5	0.24	(0.01)	528,073	-	-	-	-	-	-	-	-	-	-	-
CGD-W4	0.04	-	92,919	-	-	-	-	-	-	-	-	-	-	-
CGH-W3	0.01	(0.01)	13,287	-	-	-	-	-	-	-	-	-	-	-
CWT-W5	0.56	0.03	203,157	-	-	-	-	-	-	-	-	-	-	-
DCC-W1	0.94	-	17,420	-	-	-	-	-	-	-	-	-	-	-
ECL-W3	0.01	-	32,519	-	-	-	-	-	-	-	-	-	-	-
EMC-W6	0.03	-	1,301	-	-	-	-	-	-	-	-	-	-	-
EP-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GLOCON-W4	0.42	(0.01)	36,891	-	-	-	-	-	-	-	-	-	-	-
III-W1	0.62	-	8,072	-	-	-	-	-	-	-	-	-	-	-
J-W1	0.60	(0.01)	1,894	-	-	-	-	-	-	-	-	-	-	-
JMART-W3	6.70	(0.10)	5,781	6.00	-	-	-	-	-	-	-	-	-	-
JMART-W4	4.54	0.08	7,600	4.00	-	-	-	-	-	-	-	-	-	-
JMT-W2	14.30	(0.40)	1,189	14.00	-	-	-	-	-	-	-	-	-	-
MACO-W2	0.03	-	124,536	-	-	-	-	-	-	-	-	-	-	-
MILL-W4	0.04	-	184	-	-	-	-	-	-	-	-	-	-	-
MINT-W6	0.65	0.03	219,133	-	-	-	-	-	-	-	-	-	-	-
MINT-W7	7.80	0.05	50,178	7.00	-	-	-	-	-	-	-	-	-	-
NER-W1	2.26	(0.02)	10,232	2.00	-	-	-	-	-	-	-	-	-	-
NEX-W2	4.46	(0.12)	15,887	4.00	-	-	-	-	-	-	-	-	-	-
NFC-W1	0.58	(0.03)	300	-	-	-	-	-	-	-	-	-	-	-
NVD-W1	0.19	(0.02)	234,533	-	-	-	-	-	-	-	-	-	-	-
PACE-W2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PACE-W3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PDI-W1	0.37	-	2,711	-	-	-	-	-	-	-	-	-	-	-
PDJ-W4	0.38	(0.04)	826	-	-	-	-	-	-	-	-	-	-	-
PERM-W1	0.11	-	6,406	-	-	-	-	-	-	-	-	-	-	-